

MMPD | Multi-Zone



Heat Pump Outdoor Units | Capacity Tables | R-32 | 60 Hz

RESIDENTIAL / COMMERCIAL
PRODUCT SPECIFICATIONS (EHB)

Up to 4 Zones
1.5 to 3 Tons

CONTENTS

COOLING CAPACITY - MMPD020S6M (Ducted) 2

COOLING CAPACITY - MMPD020S6M (Non-Ducted) 3

COOLING CAPACITY - MMPD024S6M (Ducted) 9

COOLING CAPACITY - MMPD024S6M (Non-Ducted) 12

COOLING CAPACITY - MMPD036S6M (Ducted) 23

COOLING CAPACITY - MMPD036S6M (Non-Ducted) 30

COOLING CAPACITY - MMPD048S6M (Ducted) 67

COOLING CAPACITY - MMPD048S6M (Non-Ducted) 81

HEATING CAPACITY - MMPD020S6M (Ducted) 6

HEATING CAPACITY - MMPD020S6M (Non-Ducted) 7

HEATING CAPACITY - MMPD024S6M (Ducted) 18

HEATING CAPACITY - MMPD024S6M (Non-Ducted) 20

HEATING CAPACITY - MMPD036S6M (Ducted) 52

HEATING CAPACITY - MMPD036S6M (Non-Ducted) 56

HEATING CAPACITY - MMPD048S6M (Ducted) 131

HEATING CAPACITY - MMPD048S6M (Non-Ducted) 138

CapacityTable

MMPD020S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35
						70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37
						73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40
						77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43
						81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46
						84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50
						88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53
						91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57
						95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60
						99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64
						102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68
						108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73
						111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77
						115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81
9	12				21	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35
						70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37
						73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40
						77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43
						81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46
						84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50
						88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53
						91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57
						95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60
						99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64
						102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68
						108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73
						111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77
						115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81
12	12				24	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35
						70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37
						73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40
						77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43
						81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46
						84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50
						88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53
						91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57
						95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60
						99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64
						102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68
						108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73
						111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77
						115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81

- Cooling capacity is based on 80°FDB(26.7°CDB) / 80°FDB(19.4°CWB) (indoor temperature), 95°FDB(35°CDB) (outdoor temperature).
- Heating capacity is based on 70°FDB(21.1°CDB) (indoor temperature), 47°FDB(8.33°CDB) / 43°FDB(6.11°CWB) (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 24.6ft(7.5m) / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 24.
- At least two indoor units must be connected for operation.
- If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD020S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	68	12.37	0.88	15.27	0.89	15.72	0.91	15.98	0.92	16.89	0.95	17.61	0.96
						70	12.37	0.89	15.08	0.91	15.54	0.92	15.81	0.93	16.74	0.96	17.47	0.98
						73	12.37	0.91	14.71	0.93	15.20	0.95	15.48	0.96	16.44	0.98	17.20	1.00
						77	12.37	0.93	14.37	0.95	14.88	0.97	15.17	0.98	16.17	1.00	16.95	1.02
						81	12.37	0.96	14.04	0.98	14.57	0.99	14.87	1.00	15.91	1.03	16.72	1.04
						84	12.37	0.98	13.73	1.00	14.29	1.02	14.60	1.03	15.67	1.05	16.50	1.07
						88	12.37	1.01	13.44	1.02	14.02	1.04	14.35	1.05	15.46	1.08	16.31	1.09
						91	12.37	1.03	13.17	1.05	13.77	1.07	14.11	1.08	15.26	1.10	16.14	1.12
						95	12.37	1.06	12.92	1.08	13.55	1.09	14.00	1.10	15.08	1.13	15.98	1.14
						99	12.37	1.08	12.68	1.10	13.34	1.12	13.70	1.13	14.92	1.15	15.85	1.17
						102	12.37	1.11	12.47	1.13	13.15	1.15	13.53	1.16	14.78	1.18	15.73	1.20
						108	12.37	1.15	12.19	1.17	12.91	1.19	13.30	1.20	14.61	1.22	15.59	1.24
						111	12.37	1.18	12.03	1.20	12.77	1.22	13.17	1.23	14.52	1.25	15.53	1.27
						115	12.37	1.21	11.88	1.23	12.65	1.25	13.06	1.26	14.45	1.28	15.48	1.30
7	9				16	68	14.14	1.00	17.45	1.02	17.97	1.05	18.27	1.06	19.31	1.09	20.13	1.11
						70	14.14	1.02	17.24	1.04	17.77	1.06	18.07	1.07	19.13	1.10	19.97	1.12
						73	14.14	1.04	16.82	1.06	17.37	1.08	17.69	1.09	18.79	1.12	19.66	1.14
						77	14.14	1.07	16.42	1.09	17.00	1.11	17.33	1.12	18.48	1.15	19.37	1.17
						81	14.14	1.10	16.04	1.12	16.65	1.14	17.00	1.15	18.18	1.18	19.10	1.20
						84	14.14	1.12	15.69	1.14	16.33	1.17	16.69	1.18	17.91	1.21	18.86	1.22
						88	14.14	1.15	15.36	1.17	16.02	1.19	16.40	1.20	17.67	1.23	18.64	1.25
						91	14.14	1.18	15.05	1.20	15.74	1.22	16.13	1.23	17.44	1.26	18.44	1.28
						95	14.14	1.21	14.76	1.23	15.48	1.25	16.00	1.26	17.23	1.29	18.26	1.31
						99	14.14	1.24	14.50	1.26	15.25	1.28	15.66	1.29	17.05	1.32	18.11	1.34
						102	14.14	1.27	14.25	1.29	15.03	1.31	15.46	1.32	16.89	1.35	17.98	1.37
						108	14.14	1.32	13.93	1.34	14.75	1.36	15.20	1.37	16.70	1.40	17.82	1.42
						111	14.14	1.35	13.74	1.38	14.59	1.40	15.05	1.41	16.59	1.43	17.74	1.45
						115	14.14	1.39	13.58	1.41	14.45	1.43	14.93	1.44	16.51	1.47	17.69	1.48
7	12				19	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	21.72	1.22	22.65	1.25
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	21.52	1.24	22.46	1.26
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	21.14	1.27	22.11	1.29
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	20.79	1.30	21.79	1.32
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	20.46	1.33	21.49	1.35
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	20.15	1.36	21.22	1.38
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	19.87	1.39	20.97	1.41
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	19.62	1.42	20.75	1.44
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	19.39	1.46	20.55	1.48
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	19.18	1.49	20.37	1.51
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	19.01	1.52	20.22	1.55
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	18.78	1.58	20.05	1.60
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	18.67	1.62	19.96	1.64
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	18.57	1.65	19.90	1.67
7	15				22	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	20.91	1.20	21.72	1.22
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	20.70	1.22	21.52	1.24
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	20.29	1.25	21.14	1.27
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	19.90	1.27	20.79	1.30
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	19.54	1.31	20.46	1.33
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	19.20	1.34	20.15	1.36
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	18.89	1.37	19.87	1.39
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	18.61	1.40	19.62	1.42
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	18.35	1.43	19.39	1.46
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	18.11	1.47	19.18	1.49
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	17.90	1.50	19.01	1.52
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	17.63	1.56	18.78	1.58
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	17.48	1.59	18.67	1.62
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	17.36	1.63	18.57	1.65

CapacityTable

MMPD020S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	21.72	1.22	22.65	1.25
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	21.52	1.24	22.46	1.26
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	21.14	1.27	22.11	1.29
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	20.79	1.30	21.79	1.32
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	20.46	1.33	21.49	1.35
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	20.15	1.36	21.22	1.38
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	19.87	1.39	20.97	1.41
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	19.62	1.42	20.75	1.44
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	19.39	1.46	20.55	1.48
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	19.18	1.49	20.37	1.51
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	19.01	1.52	20.22	1.55
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	18.78	1.58	20.05	1.60
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	18.67	1.62	19.96	1.64
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	18.57	1.65	19.90	1.67
9	12				21	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	21.72	1.22	22.65	1.25
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	21.52	1.24	22.46	1.26
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	21.14	1.27	22.11	1.29
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	20.79	1.30	21.79	1.32
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	20.46	1.33	21.49	1.35
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	20.15	1.36	21.22	1.38
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	19.87	1.39	20.97	1.41
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	19.62	1.42	20.75	1.44
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	19.39	1.46	20.55	1.48
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	19.18	1.49	20.37	1.51
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	19.01	1.52	20.22	1.55
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	18.78	1.58	20.05	1.60
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	18.67	1.62	19.96	1.64
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	18.57	1.65	19.90	1.67
9	15				24	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	20.91	1.20	21.72	1.22
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	20.70	1.22	21.52	1.24
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	20.29	1.25	21.14	1.27
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	19.90	1.27	20.79	1.30
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	19.54	1.31	20.46	1.33
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	19.20	1.34	20.15	1.36
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	18.89	1.37	19.87	1.39
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	18.61	1.40	19.62	1.42
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	18.35	1.43	19.39	1.46
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	18.11	1.47	19.18	1.49
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	17.90	1.50	19.01	1.52
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	17.63	1.56	18.78	1.58
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	17.48	1.59	18.67	1.62
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	17.36	1.63	18.57	1.65
12	12				24	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	21.72	1.22	22.65	1.25
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	21.52	1.24	22.46	1.26
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	21.14	1.27	22.11	1.29
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	20.79	1.30	21.79	1.32
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	20.46	1.33	21.49	1.35
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	20.15	1.36	21.22	1.38
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	19.87	1.39	20.97	1.41
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	19.62	1.42	20.75	1.44
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	19.39	1.46	20.55	1.48
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	19.18	1.49	20.37	1.51
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	19.01	1.52	20.22	1.55
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	18.78	1.58	20.05	1.60
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	18.67	1.62	19.96	1.64
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	18.57	1.65	19.90	1.67

CapacityTable

MMPD020S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
						TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)			
12	15				27	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	20.91	1.20	21.72	1.22
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	20.70	1.22	21.52	1.24
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	20.29	1.25	21.14	1.27
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	19.90	1.27	20.79	1.30
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	19.54	1.31	20.46	1.33
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	19.20	1.34	20.15	1.36
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	18.89	1.37	19.87	1.39
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	18.61	1.40	19.62	1.42
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	18.35	1.43	19.39	1.46
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	18.11	1.47	19.18	1.49
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	17.90	1.50	19.01	1.52
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	17.63	1.56	18.78	1.58
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	17.48	1.59	18.67	1.62
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	17.36	1.63	18.57	1.65

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 27.
- At least two indoor units must be connected for operation.
- Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD020S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
						TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	
9	9				18	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21
9	12				21	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21
12	12				24	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 24.
- At least two indoor units must be connected for operation.
- If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD020S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	5	8.59	0.94	8.32	0.95	8.08	0.96	7.97	0.97	7.69	0.98	7.54	0.99
						14	10.29	0.99	10.00	1.00	9.75	1.02	9.63	1.02	9.33	1.04	9.16	1.05
						23	11.99	1.04	11.69	1.05	11.42	1.07	11.29	1.07	10.97	1.09	10.79	1.10
						32	13.69	1.08	13.38	1.10	13.09	1.12	12.96	1.12	12.61	1.14	12.41	1.15
						36	14.37	1.10	14.05	1.12	13.76	1.13	13.62	1.14	13.27	1.16	13.06	1.17
						47	15.74	1.14	15.41	1.16	15.10	1.17	15.00	1.18	14.58	1.20	14.37	1.21
						50	17.11	1.18	16.76	1.20	16.44	1.21	16.30	1.22	15.90	1.24	15.67	1.25
						59	18.82	1.23	18.46	1.25	18.13	1.26	17.97	1.27	17.55	1.29	17.31	1.30
7	9				16	5	10.59	1.16	10.26	1.18	9.96	1.19	9.83	1.20	9.49	1.22	9.30	1.23
						14	12.69	1.22	12.33	1.24	12.02	1.26	11.88	1.26	11.50	1.28	11.30	1.29
						23	14.78	1.28	14.41	1.30	14.08	1.32	13.93	1.33	13.53	1.35	13.30	1.36
						32	16.89	1.34	16.50	1.36	16.14	1.38	15.98	1.39	15.55	1.41	15.31	1.42
						36	17.73	1.37	17.33	1.39	16.97	1.40	16.80	1.41	16.36	1.44	16.11	1.45
						47	19.41	1.41	19.00	1.43	18.62	1.45	18.50	1.46	17.98	1.49	17.72	1.50
						50	21.10	1.46	20.67	1.48	20.28	1.50	20.10	1.51	19.61	1.54	19.33	1.55
						59	23.21	1.52	22.77	1.54	22.35	1.56	22.16	1.57	21.65	1.60	21.35	1.61
7	12				19	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
7	15				22	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
9	9				18	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
9	12				21	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
9	15				24	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
12	12				24	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88

CapacityTable

MMPD020S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	15				27	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 27.
- At least two indoor units must be connected for operation.
- Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD024S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9			18	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35	
					70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37	
					73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40	
					77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43	
					81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46	
					84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50	
					88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53	
					91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57	
					95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60	
					99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64	
					102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68	
					108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73	
					111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77	
					115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81	
9	12		21	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35		
				70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37		
				73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40		
				77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43		
				81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46		
				84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50		
				88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53		
				91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57		
				95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60		
				99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64		
				102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68		
				108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73		
				111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77		
				115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81		
9	15		24	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	20.91	1.30	21.72	1.33		
				70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	20.70	1.32	21.52	1.34		
				73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	20.29	1.35	21.14	1.37		
				77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	19.90	1.38	20.79	1.41		
				81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	19.54	1.42	20.46	1.44		
				84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	19.20	1.45	20.15	1.47		
				88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	18.89	1.48	19.87	1.51		
				91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	18.61	1.52	19.62	1.54		
				95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	18.35	1.56	19.39	1.58		
				99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	18.11	1.59	19.18	1.62		
				102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	17.90	1.63	19.01	1.65		
				108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	17.63	1.69	18.78	1.71		
				111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	17.48	1.73	18.67	1.75		
				115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	17.36	1.77	18.57	1.79		
9	18		27	68	17.67	1.36	21.82	1.39	22.46	1.42	22.83	1.43	24.13	1.47	25.16	1.50		
				70	17.67	1.38	21.55	1.41	22.21	1.44	22.59	1.45	23.91	1.49	24.96	1.52		
				73	17.67	1.41	21.02	1.44	21.72	1.47	22.11	1.49	23.49	1.53	24.57	1.55		
				77	17.67	1.45	20.52	1.48	21.25	1.51	21.67	1.52	23.10	1.56	24.21	1.59		
				81	17.67	1.49	20.05	1.52	20.82	1.54	21.25	1.56	22.73	1.60	23.88	1.62		
				84	17.67	1.52	19.61	1.55	20.41	1.58	20.86	1.60	22.39	1.64	23.58	1.66		
				88	17.67	1.56	19.20	1.59	20.03	1.62	20.50	1.63	22.08	1.67	23.30	1.70		
				91	17.67	1.60	18.81	1.63	19.68	1.66	20.16	1.67	21.80	1.71	23.05	1.74		
				95	17.67	1.64	18.45	1.67	19.35	1.70	20.00	1.71	21.54	1.75	22.83	1.78		
				99	17.67	1.69	18.12	1.71	19.06	1.74	19.57	1.76	21.32	1.79	22.64	1.82		
				102	17.67	1.73	17.82	1.76	18.79	1.78	19.32	1.80	21.12	1.84	22.47	1.86		
				108	17.67	1.79	17.41	1.82	18.44	1.85	19.00	1.86	20.87	1.90	22.28	1.93		
				111	17.67	1.84	17.18	1.87	18.24	1.89	18.82	1.91	20.74	1.95	22.18	1.97		
				115	17.67	1.88	16.97	1.91	18.07	1.94	18.66	1.95	20.64	1.99	22.11	2.01		

CapacityTable

MMPD024S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12			24	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35	
					70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37	
					73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40	
					77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43	
					81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46	
					84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50	
					88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53	
					91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57	
					95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60	
					99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64	
					102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68	
					108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73	
					111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77	
					115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81	
12			30	68	18.56	1.42	22.91	1.46	23.59	1.49	23.97	1.50	25.34	1.54	26.42	1.57		
				70	18.56	1.44	22.62	1.47	23.32	1.50	23.71	1.52	25.11	1.56	26.21	1.59		
				73	18.56	1.48	22.07	1.51	22.80	1.54	23.22	1.56	24.67	1.60	25.80	1.62		
				77	18.56	1.52	21.55	1.55	22.32	1.58	22.75	1.59	24.25	1.63	25.42	1.66		
				81	18.56	1.56	21.05	1.59	21.86	1.62	22.31	1.63	23.87	1.67	25.07	1.70		
				84	18.56	1.60	20.59	1.63	21.43	1.66	21.90	1.67	23.51	1.71	24.75	1.74		
				88	18.56	1.64	20.16	1.67	21.03	1.70	21.52	1.71	23.19	1.75	24.46	1.78		
				91	18.56	1.68	19.75	1.71	20.66	1.74	21.17	1.75	22.89	1.79	24.20	1.82		
				95	18.56	1.72	19.37	1.75	20.32	1.78	21.00	1.79	22.62	1.84	23.97	1.86		
				99	18.56	1.76	19.03	1.79	20.01	1.82	20.55	1.84	22.38	1.88	23.77	1.90		
				102	18.56	1.81	18.71	1.84	19.73	1.87	20.29	1.88	22.17	1.92	23.60	1.95		
				108	18.56	1.88	18.28	1.91	19.36	1.94	19.95	1.95	21.91	1.99	23.39	2.02		
				111	18.56	1.92	18.04	1.95	19.15	1.98	19.76	2.00	21.78	2.04	23.29	2.06		
				115	18.56	1.97	17.82	2.00	18.97	2.03	19.60	2.04	21.67	2.08	23.22	2.11		
9			27	68	19.44	1.50	24.00	1.53	24.71	1.56	25.12	1.58	26.55	1.62	27.68	1.65		
				70	19.44	1.52	23.70	1.55	24.43	1.58	24.84	1.60	26.30	1.64	27.45	1.67		
				73	19.44	1.55	23.12	1.59	23.89	1.62	24.32	1.63	25.84	1.68	27.03	1.71		
				77	19.44	1.59	22.57	1.63	23.38	1.66	23.83	1.67	25.41	1.72	26.63	1.74		
				81	19.44	1.63	22.06	1.67	22.90	1.70	23.37	1.71	25.00	1.76	26.27	1.78		
				84	19.44	1.68	21.57	1.71	22.45	1.74	22.94	1.75	24.63	1.80	25.93	1.83		
				88	19.44	1.72	21.12	1.75	22.03	1.78	22.54	1.80	24.29	1.84	25.63	1.87		
				91	19.44	1.76	20.69	1.79	21.65	1.83	22.18	1.84	23.98	1.88	25.36	1.91		
				95	19.44	1.81	20.30	1.84	21.29	1.87	22.00	1.88	23.70	1.93	25.11	1.96		
				99	19.44	1.85	19.93	1.88	20.96	1.92	21.53	1.93	23.45	1.97	24.90	2.00		
				102	19.44	1.90	19.60	1.93	20.67	1.96	21.26	1.98	23.23	2.02	24.72	2.05		
				108	19.44	1.97	19.16	2.00	20.28	2.03	20.90	2.05	22.96	2.09	24.50	2.12		
				111	19.44	2.02	18.90	2.05	20.06	2.08	20.70	2.10	22.81	2.14	24.40	2.17		
				115	19.44	2.07	18.67	2.10	19.87	2.13	20.53	2.15	22.70	2.19	24.32	2.22		
9		12	30	68	19.44	1.50	24.00	1.53	24.71	1.56	25.12	1.58	26.55	1.62	27.68	1.65		
				70	19.44	1.52	23.70	1.55	24.43	1.58	24.84	1.60	26.30	1.64	27.45	1.67		
				73	19.44	1.55	23.12	1.59	23.89	1.62	24.32	1.63	25.84	1.68	27.03	1.71		
				77	19.44	1.59	22.57	1.63	23.38	1.66	23.83	1.67	25.41	1.72	26.63	1.74		
				81	19.44	1.63	22.06	1.67	22.90	1.70	23.37	1.71	25.00	1.76	26.27	1.78		
				84	19.44	1.68	21.57	1.71	22.45	1.74	22.94	1.75	24.63	1.80	25.93	1.83		
				88	19.44	1.72	21.12	1.75	22.03	1.78	22.54	1.80	24.29	1.84	25.63	1.87		
				91	19.44	1.76	20.69	1.79	21.65	1.83	22.18	1.84	23.98	1.88	25.36	1.91		
				95	19.44	1.81	20.30	1.84	21.29	1.87	22.00	1.88	23.70	1.93	25.11	1.96		
				99	19.44	1.85	19.93	1.88	20.96	1.92	21.53	1.93	23.45	1.97	24.90	2.00		
				102	19.44	1.90	19.60	1.93	20.67	1.96	21.26	1.98	23.23	2.02	24.72	2.05		
				108	19.44	1.97	19.16	2.00	20.28	2.03	20.90	2.05	22.96	2.09	24.50	2.12		
				111	19.44	2.02	18.90	2.05	20.06	2.08	20.70	2.10	22.81	2.14	24.40	2.17		
				115	19.44	2.07	18.67	2.10	19.87	2.13	20.53	2.15	22.70	2.19	24.32	2.22		

CapacityTable

MMPD024S6M-1P

Cooling(Ducted)

- 1. Cooling capacity is based on 80°FDB(26.7°CDB) / 80°FDB(19.4°CWB) (indoor temperature), 95°FDB(35°CDB) (outdoor temperature).
- 2. Heating capacity is based on 70°FDB(21.1°CDB) (indoor temperature), 47°FDB(8.33°CDB) / 43°FDB(6.11°CWB) (outdoor temperature).
- 3. The above is the value for connecting with the following indoor units.
 - Ducted Type
- 4. Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 24.6ft(7.5m) / - Level difference : 0m
- 5. The total combination Index of connected a indoor unit is up to 30.
- 6. At least two indoor units must be connected for operation.
- 7. If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- 8. This data is reference data for temperature capacity trend.

CapacityTable

MMPD024S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	68	12.37	0.88	15.27	0.89	15.72	0.91	15.98	0.92	16.89	0.95	17.61	0.96
						70	12.37	0.89	15.08	0.91	15.54	0.92	15.81	0.93	16.74	0.96	17.47	0.98
						73	12.37	0.91	14.71	0.93	15.20	0.95	15.48	0.96	16.44	0.98	17.20	1.00
						77	12.37	0.93	14.37	0.95	14.88	0.97	15.17	0.98	16.17	1.00	16.95	1.02
						81	12.37	0.96	14.04	0.98	14.57	0.99	14.87	1.00	15.91	1.03	16.72	1.04
						84	12.37	0.98	13.73	1.00	14.29	1.02	14.60	1.03	15.67	1.05	16.50	1.07
						88	12.37	1.01	13.44	1.02	14.02	1.04	14.35	1.05	15.46	1.08	16.31	1.09
						91	12.37	1.03	13.17	1.05	13.77	1.07	14.11	1.08	15.26	1.10	16.14	1.12
						95	12.37	1.06	12.92	1.08	13.55	1.09	14.00	1.10	15.08	1.13	15.98	1.14
						99	12.37	1.08	12.68	1.10	13.34	1.12	13.70	1.13	14.92	1.15	15.85	1.17
						102	12.37	1.11	12.47	1.13	13.15	1.15	13.53	1.16	14.78	1.18	15.73	1.20
						108	12.37	1.15	12.19	1.17	12.91	1.19	13.30	1.20	14.61	1.22	15.59	1.24
						111	12.37	1.18	12.03	1.20	12.77	1.22	13.17	1.23	14.52	1.25	15.53	1.27
						115	12.37	1.21	11.88	1.23	12.65	1.25	13.06	1.26	14.45	1.28	15.48	1.30
7	9				16	68	14.14	1.00	17.45	1.02	17.97	1.05	18.27	1.06	19.31	1.09	20.13	1.11
						70	14.14	1.02	17.24	1.04	17.77	1.06	18.07	1.07	19.13	1.10	19.97	1.12
						73	14.14	1.04	16.82	1.06	17.37	1.08	17.69	1.09	18.79	1.12	19.66	1.14
						77	14.14	1.07	16.42	1.09	17.00	1.11	17.33	1.12	18.48	1.15	19.37	1.17
						81	14.14	1.10	16.04	1.12	16.65	1.14	17.00	1.15	18.18	1.18	19.10	1.20
						84	14.14	1.12	15.69	1.14	16.33	1.17	16.69	1.18	17.91	1.21	18.86	1.22
						88	14.14	1.15	15.36	1.17	16.02	1.19	16.40	1.20	17.67	1.23	18.64	1.25
						91	14.14	1.18	15.05	1.20	15.74	1.22	16.13	1.23	17.44	1.26	18.44	1.28
						95	14.14	1.21	14.76	1.23	15.48	1.25	16.00	1.26	17.23	1.29	18.26	1.31
						99	14.14	1.24	14.50	1.26	15.25	1.28	15.66	1.29	17.05	1.32	18.11	1.34
						102	14.14	1.27	14.25	1.29	15.03	1.31	15.46	1.32	16.89	1.35	17.98	1.37
						108	14.14	1.32	13.93	1.34	14.75	1.36	15.20	1.37	16.70	1.40	17.82	1.42
						111	14.14	1.35	13.74	1.38	14.59	1.40	15.05	1.41	16.59	1.43	17.74	1.45
						115	14.14	1.39	13.58	1.41	14.45	1.43	14.93	1.44	16.51	1.47	17.69	1.48
7	12				19	68	16.79	1.19	20.73	1.22	21.34	1.25	21.69	1.26	22.93	1.29	23.90	1.32
						70	16.79	1.21	20.47	1.24	21.10	1.26	21.46	1.27	22.72	1.31	23.71	1.33
						73	16.79	1.24	19.97	1.27	20.63	1.29	21.01	1.30	22.32	1.34	23.34	1.36
						77	16.79	1.27	19.50	1.30	20.19	1.32	20.58	1.33	21.94	1.37	23.00	1.39
						81	16.79	1.30	19.05	1.33	19.78	1.35	20.19	1.37	21.59	1.40	22.69	1.42
						84	16.79	1.34	18.63	1.36	19.39	1.39	19.81	1.40	21.27	1.43	22.40	1.46
						88	16.79	1.37	18.24	1.40	19.03	1.42	19.47	1.43	20.98	1.47	22.13	1.49
						91	16.79	1.41	17.87	1.43	18.69	1.46	19.15	1.47	20.71	1.50	21.90	1.52
						95	16.79	1.44	17.53	1.47	18.39	1.49	19.00	1.50	20.47	1.54	21.69	1.56
						99	16.79	1.48	17.21	1.50	18.10	1.53	18.60	1.54	20.25	1.57	21.51	1.60
						102	16.79	1.52	16.93	1.54	17.85	1.56	18.36	1.58	20.06	1.61	21.35	1.63
						108	16.79	1.57	16.54	1.60	17.52	1.62	18.05	1.63	19.83	1.67	21.16	1.69
						111	16.79	1.61	16.32	1.64	17.33	1.66	17.88	1.67	19.70	1.71	21.07	1.73
						115	16.79	1.65	16.13	1.68	17.16	1.70	17.73	1.71	19.61	1.75	21.01	1.77
7	15				22	68	17.23	1.23	21.27	1.25	21.90	1.28	22.26	1.29	22.65	1.30	23.53	1.33
						70	17.23	1.24	21.01	1.27	21.65	1.29	22.02	1.31	22.42	1.32	23.32	1.34
						73	17.23	1.27	20.49	1.30	21.17	1.33	21.56	1.34	21.98	1.35	22.90	1.37
						77	17.23	1.31	20.01	1.33	20.72	1.36	21.12	1.37	21.56	1.38	22.52	1.41
						81	17.23	1.34	19.55	1.37	20.30	1.39	20.72	1.40	21.17	1.42	22.16	1.44
						84	17.23	1.37	19.12	1.40	19.90	1.42	20.34	1.44	20.80	1.45	21.83	1.47
						88	17.23	1.41	18.72	1.43	19.53	1.46	19.98	1.47	20.47	1.48	21.53	1.51
						91	17.23	1.44	18.34	1.47	19.19	1.50	19.66	1.51	20.16	1.52	21.25	1.54
						95	17.23	1.48	17.99	1.51	18.87	1.53	19.50	1.54	19.88	1.56	21.00	1.58
						99	17.23	1.52	17.67	1.54	18.58	1.57	19.08	1.58	19.62	1.59	20.78	1.62
						102	17.23	1.56	17.37	1.58	18.32	1.61	18.84	1.62	19.39	1.63	20.59	1.65
						108	17.23	1.61	16.98	1.64	17.98	1.67	18.52	1.68	19.10	1.69	20.35	1.71
						111	17.23	1.66	16.75	1.68	17.78	1.71	18.35	1.72	18.94	1.73	20.22	1.75
						115	17.23	1.70	16.55	1.72	17.62	1.75	18.20	1.76	18.81	1.77	20.12	1.79

CapacityTable

MMPD024S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	18				25	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	24.13	1.35	25.16	1.38
						70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.91	1.37	24.96	1.39
						73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	23.49	1.40	24.57	1.42
						77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	23.10	1.43	24.21	1.46
						81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	22.73	1.47	23.88	1.49
						84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	22.39	1.50	23.58	1.52
						88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	22.08	1.54	23.30	1.56
						91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	21.80	1.57	23.05	1.60
						95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	21.54	1.61	22.83	1.63
						99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	21.32	1.65	22.64	1.67
						102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	21.12	1.69	22.47	1.71
						108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	20.87	1.75	22.28	1.77
						111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	20.74	1.79	22.18	1.81
						115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	20.64	1.83	22.11	1.85
9	9				18	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	21.72	1.22	22.65	1.25
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	21.52	1.24	22.46	1.26
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	21.14	1.27	22.11	1.29
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	20.79	1.30	21.79	1.32
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	20.46	1.33	21.49	1.35
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	20.15	1.36	21.22	1.38
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	19.87	1.39	20.97	1.41
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	19.62	1.42	20.75	1.44
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	19.39	1.46	20.55	1.48
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	19.18	1.49	20.37	1.51
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	19.01	1.52	20.22	1.55
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	18.78	1.58	20.05	1.60
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	18.67	1.62	19.96	1.64
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	18.57	1.65	19.90	1.67
9	12				21	68	15.91	1.13	19.64	1.16	20.22	1.18	20.55	1.19	21.72	1.22	22.65	1.25
						70	15.91	1.14	19.39	1.17	19.99	1.19	20.33	1.20	21.52	1.24	22.46	1.26
						73	15.91	1.17	18.92	1.20	19.54	1.22	19.90	1.23	21.14	1.27	22.11	1.29
						77	15.91	1.20	18.47	1.23	19.13	1.25	19.50	1.26	20.79	1.30	21.79	1.32
						81	15.91	1.23	18.05	1.26	18.74	1.28	19.12	1.29	20.46	1.33	21.49	1.35
						84	15.91	1.27	17.65	1.29	18.37	1.31	18.77	1.33	20.15	1.36	21.22	1.38
						88	15.91	1.30	17.28	1.32	18.03	1.35	18.45	1.36	19.87	1.39	20.97	1.41
						91	15.91	1.33	16.93	1.36	17.71	1.38	18.14	1.39	19.62	1.42	20.75	1.44
						95	15.91	1.36	16.61	1.39	17.42	1.41	18.00	1.42	19.39	1.46	20.55	1.48
						99	15.91	1.40	16.31	1.42	17.15	1.45	17.62	1.46	19.18	1.49	20.37	1.51
						102	15.91	1.43	16.03	1.46	16.91	1.48	17.39	1.49	19.01	1.52	20.22	1.55
						108	15.91	1.49	15.67	1.51	16.59	1.54	17.10	1.55	18.78	1.58	20.05	1.60
						111	15.91	1.53	15.46	1.55	16.42	1.57	16.93	1.58	18.67	1.62	19.96	1.64
						115	15.91	1.56	15.28	1.59	16.26	1.61	16.80	1.62	18.57	1.65	19.90	1.67
9	15				24	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	23.24	1.33	24.13	1.35
						70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.00	1.34	23.91	1.37
						73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	22.54	1.38	23.49	1.40
						77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	22.11	1.41	23.10	1.43
						81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	21.71	1.44	22.73	1.47
						84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	21.34	1.48	22.39	1.50
						88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	20.99	1.51	22.08	1.54
						91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	20.67	1.55	21.80	1.57
						95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	20.38	1.59	21.54	1.61
						99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	20.12	1.62	21.32	1.65
						102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	19.89	1.66	21.12	1.69
						108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	19.59	1.72	20.87	1.75
						111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	19.43	1.76	20.74	1.79
						115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	19.29	1.80	20.64	1.83

CapacityTable

MMPD024S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	18			27	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	24.13	1.35	25.16	1.38	
					70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.91	1.37	24.96	1.39	
					73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	23.49	1.40	24.57	1.42	
					77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	23.10	1.43	24.21	1.46	
					81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	22.73	1.47	23.88	1.49	
					84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	22.39	1.50	23.58	1.52	
					88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	22.08	1.54	23.30	1.56	
					91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	21.80	1.57	23.05	1.60	
					95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	21.54	1.61	22.83	1.63	
					99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	21.32	1.65	22.64	1.67	
					102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	21.12	1.69	22.47	1.71	
					108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	20.87	1.75	22.28	1.77	
					111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	20.74	1.79	22.18	1.81	
					115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	20.64	1.83	22.11	1.85	
12	12		24	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	24.13	1.35	25.16	1.38		
				70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.91	1.37	24.96	1.39		
				73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	23.49	1.40	24.57	1.42		
				77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	23.10	1.43	24.21	1.46		
				81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	22.73	1.47	23.88	1.49		
				84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	22.39	1.50	23.58	1.52		
				88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	22.08	1.54	23.30	1.56		
				91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	21.80	1.57	23.05	1.60		
				95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	21.54	1.61	22.83	1.63		
				99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	21.32	1.65	22.64	1.67		
				102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	21.12	1.69	22.47	1.71		
				108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	20.87	1.75	22.28	1.77		
				111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	20.74	1.79	22.18	1.81		
				115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	20.64	1.83	22.11	1.85		
12	15		27	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	23.24	1.33	24.13	1.35		
				70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.00	1.34	23.91	1.37		
				73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	22.54	1.38	23.49	1.40		
				77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	22.11	1.41	23.10	1.43		
				81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	21.71	1.44	22.73	1.47		
				84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	21.34	1.48	22.39	1.50		
				88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	20.99	1.51	22.08	1.54		
				91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	20.67	1.55	21.80	1.57		
				95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	20.38	1.59	21.54	1.61		
				99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	20.12	1.62	21.32	1.65		
				102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	19.89	1.66	21.12	1.69		
				108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	19.59	1.72	20.87	1.75		
				111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	19.43	1.76	20.74	1.79		
				115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	19.29	1.80	20.64	1.83		
12	18		30	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	24.13	1.35	25.16	1.38		
				70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.91	1.37	24.96	1.39		
				73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	23.49	1.40	24.57	1.42		
				77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	23.10	1.43	24.21	1.46		
				81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	22.73	1.47	23.88	1.49		
				84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	22.39	1.50	23.58	1.52		
				88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	22.08	1.54	23.30	1.56		
				91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	21.80	1.57	23.05	1.60		
				95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	21.54	1.61	22.83	1.63		
				99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	21.32	1.65	22.64	1.67		
				102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	21.12	1.69	22.47	1.71		
				108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	20.87	1.75	22.28	1.77		
				111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	20.74	1.79	22.18	1.81		
				115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	20.64	1.83	22.11	1.85		

CapacityTable

MMPD024S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
15	15				30	68	17.67	1.25	21.82	1.28	22.46	1.30	22.83	1.32	23.24	1.33	24.13	1.35
						70	17.67	1.27	21.55	1.29	22.21	1.32	22.59	1.33	23.00	1.34	23.91	1.37
						73	17.67	1.30	21.02	1.33	21.72	1.35	22.11	1.36	22.54	1.38	23.49	1.40
						77	17.67	1.33	20.52	1.36	21.25	1.38	21.67	1.40	22.11	1.41	23.10	1.43
						81	17.67	1.36	20.05	1.39	20.82	1.42	21.25	1.43	21.71	1.44	22.73	1.47
						84	17.67	1.40	19.61	1.43	20.41	1.45	20.86	1.47	21.34	1.48	22.39	1.50
						88	17.67	1.44	19.20	1.46	20.03	1.49	20.50	1.50	20.99	1.51	22.08	1.54
						91	17.67	1.47	18.81	1.50	19.68	1.52	20.16	1.54	20.67	1.55	21.80	1.57
						95	17.67	1.51	18.45	1.54	19.35	1.56	20.00	1.57	20.38	1.59	21.54	1.61
						99	17.67	1.55	18.12	1.57	19.06	1.60	19.57	1.61	20.12	1.62	21.32	1.65
						102	17.67	1.59	17.82	1.61	18.79	1.64	19.32	1.65	19.89	1.66	21.12	1.69
						108	17.67	1.65	17.41	1.67	18.44	1.70	19.00	1.71	19.59	1.72	20.87	1.75
						111	17.67	1.69	17.18	1.71	18.24	1.74	18.82	1.75	19.43	1.76	20.74	1.79
						115	17.67	1.73	16.97	1.76	18.07	1.78	18.66	1.79	19.29	1.80	20.64	1.83
7	7	7		21	68	18.56	1.31	22.91	1.34	23.59	1.37	23.97	1.38	25.34	1.42	26.42	1.45	
					70	18.56	1.33	22.62	1.36	23.32	1.39	23.71	1.40	25.11	1.44	26.21	1.46	
					73	18.56	1.36	22.07	1.39	22.80	1.42	23.22	1.43	24.67	1.47	25.80	1.50	
					77	18.56	1.40	21.55	1.43	22.32	1.45	22.75	1.47	24.25	1.51	25.42	1.53	
					81	18.56	1.43	21.05	1.46	21.86	1.49	22.31	1.50	23.87	1.54	25.07	1.57	
					84	18.56	1.47	20.59	1.50	21.43	1.53	21.90	1.54	23.51	1.58	24.75	1.60	
					88	18.56	1.51	20.16	1.54	21.03	1.56	21.52	1.58	23.19	1.62	24.46	1.64	
					91	18.56	1.55	19.75	1.57	20.66	1.60	21.17	1.62	22.89	1.65	24.20	1.68	
					95	18.56	1.59	19.37	1.61	20.32	1.64	21.00	1.65	22.62	1.69	23.97	1.72	
					99	18.56	1.63	19.03	1.65	20.01	1.68	20.55	1.69	22.38	1.73	23.77	1.76	
					102	18.56	1.67	18.71	1.69	19.73	1.72	20.29	1.73	22.17	1.77	23.60	1.80	
					108	18.56	1.73	18.28	1.76	19.36	1.78	19.95	1.80	21.91	1.83	23.39	1.86	
					111	18.56	1.77	18.04	1.80	19.15	1.83	19.76	1.84	21.78	1.88	23.29	1.90	
					115	18.56	1.82	17.82	1.84	18.97	1.87	19.60	1.88	21.67	1.92	23.22	1.94	
7	7	9		23	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	26.55	1.49	27.68	1.52	
					70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	26.30	1.51	27.45	1.53	
					73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	25.84	1.54	27.03	1.57	
					77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	25.41	1.58	26.63	1.61	
					81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	25.00	1.62	26.27	1.64	
					84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	24.63	1.65	25.93	1.68	
					88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	24.29	1.69	25.63	1.72	
					91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	23.98	1.73	25.36	1.76	
					95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	23.70	1.77	25.11	1.80	
					99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	23.45	1.82	24.90	1.84	
					102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	23.23	1.86	24.72	1.88	
					108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	22.96	1.92	24.50	1.95	
					111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	22.81	1.97	24.40	1.99	
					115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	22.70	2.01	24.32	2.04	
7	7	12		26	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	26.55	1.49	27.68	1.52	
					70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	26.30	1.51	27.45	1.53	
					73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	25.84	1.54	27.03	1.57	
					77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	25.41	1.58	26.63	1.61	
					81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	25.00	1.62	26.27	1.64	
					84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	24.63	1.65	25.93	1.68	
					88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	24.29	1.69	25.63	1.72	
					91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	23.98	1.73	25.36	1.76	
					95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	23.70	1.77	25.11	1.80	
					99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	23.45	1.82	24.90	1.84	
					102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	23.23	1.86	24.72	1.88	
					108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	22.96	1.92	24.50	1.95	
					111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	22.81	1.97	24.40	1.99	
					115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	22.70	2.01	24.32	2.04	

CapacityTable

MMPD024S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	15		29	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	25.56	1.46	26.55	1.49	
					70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	25.30	1.48	26.30	1.51	
					73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	24.79	1.52	25.84	1.54	
					77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	24.32	1.55	25.41	1.58	
					81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	23.88	1.59	25.00	1.62	
					84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	23.47	1.63	24.63	1.65	
					88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	23.09	1.67	24.29	1.69	
					91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	22.74	1.71	23.98	1.73	
					95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	22.42	1.75	23.70	1.77	
					99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	22.14	1.79	23.45	1.82	
					102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	21.88	1.83	23.23	1.86	
					108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	21.55	1.90	22.96	1.92	
					111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	21.37	1.94	22.81	1.97	
					115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	21.22	1.99	22.70	2.01	
7	9	9		25	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	26.55	1.49	27.68	1.52	
					70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	26.30	1.51	27.45	1.53	
					73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	25.84	1.54	27.03	1.57	
					77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	25.41	1.58	26.63	1.61	
					81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	25.00	1.62	26.27	1.64	
					84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	24.63	1.65	25.93	1.68	
					88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	24.29	1.69	25.63	1.72	
					91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	23.98	1.73	25.36	1.76	
					95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	23.70	1.77	25.11	1.80	
					99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	23.45	1.82	24.90	1.84	
					102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	23.23	1.86	24.72	1.88	
					108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	22.96	1.92	24.50	1.95	
					111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	22.81	1.97	24.40	1.99	
					115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	22.70	2.01	24.32	2.04	
7	9	12		28	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	26.55	1.49	27.68	1.52	
					70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	26.30	1.51	27.45	1.53	
					73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	25.84	1.54	27.03	1.57	
					77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	25.41	1.58	26.63	1.61	
					81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	25.00	1.62	26.27	1.64	
					84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	24.63	1.65	25.93	1.68	
					88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	24.29	1.69	25.63	1.72	
					91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	23.98	1.73	25.36	1.76	
					95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	23.70	1.77	25.11	1.80	
					99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	23.45	1.82	24.90	1.84	
					102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	23.23	1.86	24.72	1.88	
					108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	22.96	1.92	24.50	1.95	
					111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	22.81	1.97	24.40	1.99	
					115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	22.70	2.01	24.32	2.04	
7	9	15		31	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	25.56	1.46	26.55	1.49	
					70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	25.30	1.48	26.30	1.51	
					73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	24.79	1.52	25.84	1.54	
					77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	24.32	1.55	25.41	1.58	
					81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	23.88	1.59	25.00	1.62	
					84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	23.47	1.63	24.63	1.65	
					88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	23.09	1.67	24.29	1.69	
					91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	22.74	1.71	23.98	1.73	
					95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	22.42	1.75	23.70	1.77	
					99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	22.14	1.79	23.45	1.82	
					102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	21.88	1.83	23.23	1.86	
					108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	21.55	1.90	22.96	1.92	
					111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	21.37	1.94	22.81	1.97	
					115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	21.22	1.99	22.70	2.01	

CapacityTable

MMPD024S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9			27	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	26.55	1.49	27.68	1.52
						70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	26.30	1.51	27.45	1.53
						73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	25.84	1.54	27.03	1.57
						77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	25.41	1.58	26.63	1.61
						81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	25.00	1.62	26.27	1.64
						84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	24.63	1.65	25.93	1.68
						88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	24.29	1.69	25.63	1.72
						91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	23.98	1.73	25.36	1.76
						95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	23.70	1.77	25.11	1.80
						99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	23.45	1.82	24.90	1.84
						102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	23.23	1.86	24.72	1.88
						108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	22.96	1.92	24.50	1.95
						111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	22.81	1.97	24.40	1.99
						115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	22.70	2.01	24.32	2.04
9	9	12			30	68	19.44	1.38	24.00	1.41	24.71	1.44	25.12	1.45	26.55	1.49	27.68	1.52
						70	19.44	1.39	23.70	1.42	24.43	1.45	24.84	1.47	26.30	1.51	27.45	1.53
						73	19.44	1.43	23.12	1.46	23.89	1.49	24.32	1.50	25.84	1.54	27.03	1.57
						77	19.44	1.47	22.57	1.50	23.38	1.53	23.83	1.54	25.41	1.58	26.63	1.61
						81	19.44	1.50	22.06	1.53	22.90	1.56	23.37	1.58	25.00	1.62	26.27	1.64
						84	19.44	1.54	21.57	1.57	22.45	1.60	22.94	1.61	24.63	1.65	25.93	1.68
						88	19.44	1.58	21.12	1.61	22.03	1.64	22.54	1.65	24.29	1.69	25.63	1.72
						91	19.44	1.62	20.69	1.65	21.65	1.68	22.18	1.69	23.98	1.73	25.36	1.76
						95	19.44	1.66	20.30	1.69	21.29	1.72	22.00	1.73	23.70	1.77	25.11	1.80
						99	19.44	1.70	19.93	1.73	20.96	1.76	21.53	1.78	23.45	1.82	24.90	1.84
						102	19.44	1.75	19.60	1.78	20.67	1.80	21.26	1.82	23.23	1.86	24.72	1.88
						108	19.44	1.81	19.16	1.84	20.28	1.87	20.90	1.88	22.96	1.92	24.50	1.95
						111	19.44	1.86	18.90	1.89	20.06	1.92	20.70	1.93	22.81	1.97	24.40	1.99
						115	19.44	1.91	18.67	1.93	19.87	1.96	20.53	1.98	22.70	2.01	24.32	2.04

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 31.
- At least two indoor units must be connected for operation.
- Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD024S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21
9	12				21	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21
9	15				24	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21
9	18				27	5	13.17	1.67	12.75	1.69	12.39	1.72	12.22	1.73	11.79	1.75	11.57	1.77
						14	15.77	1.76	15.33	1.78	14.94	1.81	14.77	1.82	14.30	1.85	14.05	1.86
						23	18.38	1.84	17.92	1.87	17.50	1.90	17.31	1.91	16.82	1.94	16.54	1.95
						32	20.99	1.93	20.51	1.96	20.07	1.98	19.87	2.00	19.33	2.03	19.03	2.05
						36	22.04	1.96	21.55	1.99	21.10	2.02	20.89	2.03	20.34	2.07	20.03	2.08
						47	24.14	2.03	23.62	2.06	23.15	2.09	23.00	2.10	22.36	2.14	22.03	2.16
						50	26.23	2.10	25.70	2.13	25.21	2.16	24.99	2.17	24.38	2.21	24.03	2.23
						59	28.86	2.18	28.30	2.22	27.79	2.25	27.55	2.26	26.91	2.30	26.54	2.32
12	12				24	5	12.59	1.59	12.20	1.61	11.85	1.63	11.69	1.64	11.28	1.67	11.06	1.68
						14	15.09	1.67	14.67	1.70	14.29	1.72	14.12	1.73	13.68	1.76	13.44	1.77
						23	17.58	1.76	17.14	1.78	16.74	1.81	16.56	1.82	16.08	1.85	15.82	1.86
						32	20.08	1.84	19.62	1.87	19.20	1.89	19.00	1.90	18.49	1.93	18.21	1.95
						36	21.08	1.87	20.61	1.90	20.18	1.92	19.98	1.94	19.46	1.97	19.16	1.98
						47	23.09	1.94	22.59	1.96	22.15	1.99	22.00	2.00	21.39	2.04	21.07	2.05
						50	25.09	2.00	24.58	2.03	24.12	2.06	23.90	2.07	23.32	2.10	22.99	2.12
						59	27.61	2.08	27.07	2.11	26.58	2.14	26.36	2.15	25.74	2.19	25.39	2.21
12	18				30	5	13.74	1.75	13.31	1.77	12.93	1.80	12.75	1.81	12.31	1.84	12.07	1.85
						14	16.46	1.84	16.00	1.87	15.59	1.89	15.41	1.90	14.92	1.93	14.66	1.95
						23	19.18	1.93	18.70	1.96	18.27	1.99	18.07	2.00	17.55	2.03	17.26	2.05
						32	21.91	2.02	21.40	2.05	20.94	2.08	20.73	2.09	20.17	2.13	19.86	2.14
						36	23.00	2.06	22.48	2.09	22.01	2.12	21.80	2.13	21.22	2.16	20.90	2.18
						47	25.19	2.13	24.65	2.16	24.16	2.19	24.00	2.20	23.33	2.24	22.99	2.26
						50	27.37	2.20	26.82	2.23	26.31	2.26	26.07	2.28	25.44	2.31	25.08	2.34
						59	30.12	2.29	29.53	2.32	29.00	2.35	28.75	2.37	28.08	2.41	27.69	2.43
9	9	9			27	5	14.31	1.63	13.86	1.65	13.46	1.68	13.28	1.69	12.82	1.71	12.57	1.72
						14	17.14	1.72	16.67	1.74	16.24	1.76	16.05	1.77	15.55	1.80	15.27	1.82
						23	19.98	1.80	19.48	1.83	19.03	1.85	18.82	1.86	18.28	1.89	17.98	1.91
						32	22.82	1.88	22.29	1.91	21.82	1.94	21.60	1.95	21.01	1.98	20.69	2.00
						36	23.96	1.92	23.42	1.95	22.93	1.97	22.71	1.98	22.11	2.02	21.77	2.03
						47	26.23	1.98	25.68	2.01	25.17	2.04	25.00	2.05	24.30	2.09	23.95	2.11
						50	28.52	2.05	27.94	2.08	27.41	2.11	27.16	2.12	26.50	2.16	26.12	2.18
						59	31.37	2.13	30.76	2.16	30.21	2.19	29.95	2.21	29.25	2.24	28.85	2.27
9	9	12			30	5	14.31	1.63	13.86	1.65	13.46	1.68	13.28	1.69	12.82	1.71	12.57	1.72
						14	17.14	1.72	16.67	1.74	16.24	1.76	16.05	1.77	15.55	1.80	15.27	1.82
						23	19.98	1.80	19.48	1.83	19.03	1.85	18.82	1.86	18.28	1.89	17.98	1.91
						32	22.82	1.88	22.29	1.91	21.82	1.94	21.60	1.95	21.01	1.98	20.69	2.00
						36	23.96	1.92	23.42	1.95	22.93	1.97	22.71	1.98	22.11	2.02	21.77	2.03
						47	26.23	1.98	25.68	2.01	25.17	2.04	25.00	2.05	24.30	2.09	23.95	2.11
						50	28.52	2.05	27.94	2.08	27.41	2.11	27.16	2.12	26.50	2.16	26.12	2.18
						59	31.37	2.13	30.76	2.16	30.21	2.19	29.95	2.21	29.25	2.24	28.85	2.27

CapacityTable

MMPD024S6M-1P

Heating(Ducted)

- 1. Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- 2. Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- 3. The above is the value for connecting with the following indoor units.
 - Ducted Type
- 4. Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- 5. The total combination Index of connected a indoor unit is up to 30.
- 6. At least two indoor units must be connected for operation.
- 7. If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- 8. This data is reference data for temperature capacity trend.

CapacityTable

MMPD024S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	5	8.59	0.94	8.32	0.95	8.08	0.96	7.97	0.97	7.69	0.98	7.54	0.99
						14	10.29	0.99	10.00	1.00	9.75	1.02	9.63	1.02	9.33	1.04	9.16	1.05
						23	11.99	1.04	11.69	1.05	11.42	1.07	11.29	1.07	10.97	1.09	10.79	1.10
						32	13.69	1.08	13.38	1.10	13.09	1.12	12.96	1.12	12.61	1.14	12.41	1.15
						36	14.37	1.10	14.05	1.12	13.76	1.13	13.62	1.14	13.27	1.16	13.06	1.17
						47	15.74	1.14	15.41	1.16	15.10	1.17	15.00	1.18	14.58	1.20	14.37	1.21
						50	17.11	1.18	16.76	1.20	16.44	1.21	16.30	1.22	15.90	1.24	15.67	1.25
7	9				16	59	18.82	1.23	18.46	1.25	18.13	1.26	17.97	1.27	17.55	1.29	17.31	1.30
						5	10.59	1.16	10.26	1.18	9.96	1.19	9.83	1.20	9.49	1.22	9.30	1.23
						14	12.69	1.22	12.33	1.24	12.02	1.26	11.88	1.26	11.50	1.28	11.30	1.29
						23	14.78	1.28	14.41	1.30	14.08	1.32	13.93	1.33	13.53	1.35	13.30	1.36
						32	16.89	1.34	16.50	1.36	16.14	1.38	15.98	1.39	15.55	1.41	15.31	1.42
						36	17.73	1.37	17.33	1.39	16.97	1.40	16.80	1.41	16.36	1.44	16.11	1.45
						47	19.41	1.41	19.00	1.43	18.62	1.45	18.50	1.46	17.98	1.49	17.72	1.50
7	12				19	50	21.10	1.46	20.67	1.48	20.28	1.50	20.10	1.51	19.61	1.54	19.33	1.55
						59	23.21	1.52	22.77	1.54	22.35	1.56	22.16	1.57	21.65	1.60	21.35	1.61
						5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
7	15				22	47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
						5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
7	18				25	36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
						5	14.31	1.45	13.86	1.47	13.46	1.49	13.28	1.50	12.82	1.52	12.57	1.53
						14	17.14	1.52	16.67	1.55	16.24	1.57	16.05	1.57	15.55	1.60	15.27	1.61
						23	19.98	1.60	19.48	1.62	19.03	1.64	18.82	1.65	18.28	1.68	17.98	1.69
9	9				18	32	22.82	1.67	22.29	1.70	21.82	1.72	21.60	1.73	21.01	1.76	20.69	1.77
						36	23.96	1.70	23.42	1.73	22.93	1.75	22.71	1.76	22.11	1.79	21.77	1.81
						47	26.23	1.76	25.68	1.79	25.17	1.81	25.00	1.82	24.30	1.85	23.95	1.87
						50	28.52	1.82	27.94	1.85	27.41	1.87	27.16	1.88	26.50	1.92	26.12	1.93
						59	31.37	1.89	30.76	1.92	30.21	1.95	29.95	1.96	29.25	1.99	28.85	2.01
						5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
9	12				21	23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
						5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
9	15				24	14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88

CapacityTable

MMPD024S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	18				27	5	14.31	1.45	13.86	1.47	13.46	1.49	13.28	1.50	12.82	1.52	12.57	1.53
						14	17.14	1.52	16.67	1.55	16.24	1.57	16.05	1.57	15.55	1.60	15.27	1.61
						23	19.98	1.60	19.48	1.62	19.03	1.64	18.82	1.65	18.28	1.68	17.98	1.69
						32	22.82	1.67	22.29	1.70	21.82	1.72	21.60	1.73	21.01	1.76	20.69	1.77
						36	23.96	1.70	23.42	1.73	22.93	1.75	22.71	1.76	22.11	1.79	21.77	1.81
						47	26.23	1.76	25.68	1.79	25.17	1.81	25.00	1.82	24.30	1.85	23.95	1.87
						50	28.52	1.82	27.94	1.85	27.41	1.87	27.16	1.88	26.50	1.92	26.12	1.93
						59	31.37	1.89	30.76	1.92	30.21	1.95	29.95	1.96	29.25	1.99	28.85	2.01
12	12				24	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
12	15				27	5	12.59	1.35	12.20	1.37	11.85	1.39	11.69	1.40	11.28	1.42	11.06	1.43
						14	15.09	1.42	14.67	1.44	14.29	1.46	14.12	1.47	13.68	1.49	13.44	1.51
						23	17.58	1.49	17.14	1.51	16.74	1.53	16.56	1.54	16.08	1.57	15.82	1.58
						32	20.08	1.56	19.62	1.59	19.20	1.61	19.00	1.62	18.49	1.64	18.21	1.66
						36	21.08	1.59	20.61	1.61	20.18	1.64	19.98	1.65	19.46	1.67	19.16	1.69
						47	23.09	1.65	22.59	1.67	22.15	1.69	22.00	1.70	21.39	1.73	21.07	1.75
						50	25.09	1.70	24.58	1.73	24.12	1.75	23.90	1.76	23.32	1.79	22.99	1.81
						59	27.61	1.77	27.07	1.79	26.58	1.82	26.36	1.83	25.74	1.86	25.39	1.88
12	18				30	5	14.31	1.45	13.86	1.47	13.46	1.49	13.28	1.50	12.82	1.52	12.57	1.53
						14	17.14	1.52	16.67	1.55	16.24	1.57	16.05	1.57	15.55	1.60	15.27	1.61
						23	19.98	1.60	19.48	1.62	19.03	1.64	18.82	1.65	18.28	1.68	17.98	1.69
						32	22.82	1.67	22.29	1.70	21.82	1.72	21.60	1.73	21.01	1.76	20.69	1.77
						36	23.96	1.70	23.42	1.73	22.93	1.75	22.71	1.76	22.11	1.79	21.77	1.81
						47	26.23	1.76	25.68	1.79	25.17	1.81	25.00	1.82	24.30	1.85	23.95	1.87
						50	28.52	1.82	27.94	1.85	27.41	1.87	27.16	1.88	26.50	1.92	26.12	1.93
						59	31.37	1.89	30.76	1.92	30.21	1.95	29.95	1.96	29.25	1.99	28.85	2.01
15	15				30	5	14.31	1.45	13.86	1.47	13.46	1.49	13.28	1.50	12.82	1.52	12.57	1.53
						14	17.14	1.52	16.67	1.55	16.24	1.57	16.05	1.57	15.55	1.60	15.27	1.61
						23	19.98	1.60	19.48	1.62	19.03	1.64	18.82	1.65	18.28	1.68	17.98	1.69
						32	22.82	1.67	22.29	1.70	21.82	1.72	21.60	1.73	21.01	1.76	20.69	1.77
						36	23.96	1.70	23.42	1.73	22.93	1.75	22.71	1.76	22.11	1.79	21.77	1.81
						47	26.23	1.76	25.68	1.79	25.17	1.81	25.00	1.82	24.30	1.85	23.95	1.87
						50	28.52	1.82	27.94	1.85	27.41	1.87	27.16	1.88	26.50	1.92	26.12	1.93
						59	31.37	1.89	30.76	1.92	30.21	1.95	29.95	1.96	29.25	1.99	28.85	2.01
7	7	7			21	5	12.88	1.24	12.48	1.26	12.12	1.28	11.96	1.29	11.54	1.31	11.32	1.32
						14	15.43	1.31	15.00	1.33	14.62	1.35	14.44	1.35	13.99	1.38	13.75	1.39
						23	17.98	1.37	17.53	1.39	17.12	1.41	16.94	1.42	16.45	1.44	16.18	1.46
						32	20.54	1.44	20.06	1.46	19.63	1.48	19.44	1.49	18.91	1.51	18.62	1.53
						36	21.56	1.46	21.08	1.49	20.64	1.51	20.44	1.51	19.90	1.54	19.60	1.55
						47	23.61	1.51	23.11	1.54	22.65	1.56	22.50	1.57	21.87	1.59	21.55	1.61
						50	25.66	1.56	25.14	1.59	24.67	1.61	24.44	1.62	23.85	1.65	23.51	1.66
						59	28.23	1.63	27.69	1.65	27.19	1.67	26.96	1.68	26.33	1.71	25.96	1.73
7	7	9			23	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
						14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
						23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
						32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
						36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
						47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
						50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
						59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
7	7	12			26	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
						14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
						23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
						32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
						36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
						47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
						50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
						59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92

CapacityTable

MMPD024S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)				Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
						57.2		60.8		64.4		69.98		71.6		75.2	
7	7	15		29	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
					14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
					23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
					32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
					36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
					47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
					50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
					59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
7	9	9		25	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
					14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
					23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
					32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
					36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
					47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
					50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
					59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
7	9	12		28	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
					14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
					23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
					32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
					36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
					47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
					50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
					59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
7	9	15		31	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
					14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
					23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
					32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
					36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
					47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
					50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
					59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
9	9	9		27	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
					14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
					23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
					32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
					36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
					47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
					50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
					59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
9	9	12		30	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
					14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
					23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
					32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
					36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
					47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
					50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
					59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 31.
- At least two indoor units must be connected for operation.
- Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35
						70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37
						73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40
						77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43
						81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46
						84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50
						88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53
						91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57
						95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60
						99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64
						102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68
						108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73
						111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77
						115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81
9	12				21	68	18.56	1.42	22.91	1.46	23.59	1.49	23.97	1.50	25.34	1.54	26.42	1.57
						70	18.56	1.44	22.62	1.47	23.32	1.50	23.71	1.52	25.11	1.56	26.21	1.59
						73	18.56	1.48	22.07	1.51	22.80	1.54	23.22	1.56	24.67	1.60	25.80	1.62
						77	18.56	1.52	21.55	1.55	22.32	1.58	22.75	1.59	24.25	1.63	25.42	1.66
						81	18.56	1.56	21.05	1.59	21.86	1.62	22.31	1.63	23.87	1.67	25.07	1.70
						84	18.56	1.60	20.59	1.63	21.43	1.66	21.90	1.67	23.51	1.71	24.75	1.74
						88	18.56	1.64	20.16	1.67	21.03	1.70	21.52	1.71	23.19	1.75	24.46	1.78
						91	18.56	1.68	19.75	1.71	20.66	1.74	21.17	1.75	22.89	1.79	24.20	1.82
						95	18.56	1.72	19.37	1.75	20.32	1.78	21.00	1.79	22.62	1.84	23.97	1.86
						99	18.56	1.76	19.03	1.79	20.01	1.82	20.55	1.84	22.38	1.88	23.77	1.90
						102	18.56	1.81	18.71	1.84	19.73	1.87	20.29	1.88	22.17	1.92	23.60	1.95
						108	18.56	1.88	18.28	1.91	19.36	1.94	19.95	1.95	21.91	1.99	23.39	2.02
						111	18.56	1.92	18.04	1.95	19.15	1.98	19.76	2.00	21.78	2.04	23.29	2.06
						115	18.56	1.97	17.82	2.00	18.97	2.03	19.60	2.04	21.67	2.08	23.22	2.11
9	15				24	68	21.21	1.63	26.18	1.67	26.96	1.70	27.40	1.72	27.88	1.74	28.96	1.77
						70	21.21	1.65	25.85	1.69	26.65	1.72	27.10	1.74	27.60	1.76	28.70	1.79
						73	21.21	1.69	25.22	1.73	26.06	1.76	26.53	1.78	27.05	1.80	28.19	1.83
						77	21.21	1.74	24.63	1.77	25.50	1.81	26.00	1.82	26.53	1.84	27.72	1.87
						81	21.21	1.78	24.06	1.82	24.98	1.85	25.50	1.87	26.05	1.88	27.28	1.92
						84	21.21	1.83	23.53	1.86	24.49	1.90	25.03	1.91	25.60	1.93	26.87	1.96
						88	21.21	1.87	23.03	1.91	24.04	1.94	24.59	1.96	25.19	1.98	26.50	2.01
						91	21.21	1.92	22.57	1.96	23.61	1.99	24.19	2.01	24.81	2.02	26.16	2.05
						95	21.21	1.97	22.14	2.01	23.22	2.04	24.00	2.05	24.46	2.07	25.85	2.10
						99	21.21	2.02	21.74	2.05	22.87	2.09	23.49	2.10	24.15	2.12	25.58	2.15
						102	21.21	2.07	21.38	2.11	22.55	2.14	23.19	2.15	23.87	2.17	25.34	2.20
						108	21.21	2.15	20.90	2.18	22.13	2.22	22.80	2.23	23.51	2.25	25.04	2.28
						111	21.21	2.20	20.62	2.24	21.89	2.27	22.58	2.29	23.31	2.30	24.89	2.33
						115	21.21	2.26	20.37	2.29	21.68	2.32	22.39	2.34	23.15	2.36	24.76	2.39
9	18				27	68	22.09	1.70	27.27	1.74	28.08	1.78	28.54	1.79	30.17	1.85	31.45	1.88
						70	22.09	1.73	26.93	1.76	27.76	1.80	28.23	1.82	29.89	1.87	31.20	1.90
						73	22.09	1.77	26.27	1.81	27.14	1.84	27.64	1.86	29.36	1.91	30.71	1.94
						77	22.09	1.81	25.65	1.85	26.57	1.89	27.08	1.90	28.87	1.95	30.26	1.99
						81	22.09	1.86	25.07	1.90	26.02	1.93	26.56	1.95	28.41	2.00	29.85	2.03
						84	22.09	1.91	24.51	1.94	25.51	1.98	26.07	2.00	27.99	2.05	29.47	2.08
						88	22.09	1.96	23.99	1.99	25.04	2.03	25.62	2.05	27.60	2.09	29.12	2.13
						91	22.09	2.01	23.51	2.04	24.60	2.08	25.20	2.09	27.25	2.14	28.81	2.18
						95	22.09	2.06	23.06	2.09	24.19	2.13	25.00	2.14	26.93	2.19	28.54	2.23
						99	22.09	2.11	22.65	2.15	23.82	2.18	24.47	2.20	26.65	2.25	28.30	2.28
						102	22.09	2.16	22.27	2.20	23.49	2.23	24.15	2.25	26.40	2.30	28.09	2.33
						108	22.09	2.24	21.77	2.28	23.05	2.31	23.75	2.33	26.09	2.38	27.85	2.41
						111	22.09	2.30	21.48	2.34	22.80	2.37	23.52	2.39	25.92	2.43	27.73	2.46
						115	22.09	2.36	21.22	2.39	22.58	2.43	23.33	2.44	25.80	2.49	27.64	2.52

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	24				33	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19
12	12				24	68	21.21	1.63	26.18	1.67	26.96	1.70	27.40	1.72	28.96	1.77	30.19	1.80
						70	21.21	1.65	25.85	1.69	26.65	1.72	27.10	1.74	28.70	1.79	29.95	1.82
						73	21.21	1.69	25.22	1.73	26.06	1.76	26.53	1.78	28.19	1.83	29.48	1.86
						77	21.21	1.74	24.63	1.77	25.50	1.81	26.00	1.82	27.72	1.87	29.05	1.90
						81	21.21	1.78	24.06	1.82	24.98	1.85	25.50	1.87	27.28	1.92	28.66	1.95
						84	21.21	1.83	23.53	1.86	24.49	1.90	25.03	1.91	26.87	1.96	28.29	1.99
						88	21.21	1.87	23.03	1.91	24.04	1.94	24.59	1.96	26.50	2.01	27.96	2.04
						91	21.21	1.92	22.57	1.96	23.61	1.99	24.19	2.01	26.16	2.05	27.66	2.08
						95	21.21	1.97	22.14	2.01	23.22	2.04	24.00	2.05	25.85	2.10	27.40	2.13
						99	21.21	2.02	21.74	2.05	22.87	2.09	23.49	2.10	25.58	2.15	27.16	2.18
						102	21.21	2.07	21.38	2.11	22.55	2.14	23.19	2.15	25.34	2.20	26.97	2.23
						108	21.21	2.15	20.90	2.18	22.13	2.22	22.80	2.23	25.04	2.28	26.73	2.31
						111	21.21	2.20	20.62	2.24	21.89	2.27	22.58	2.29	24.89	2.33	26.62	2.36
						115	21.21	2.26	20.37	2.29	21.68	2.32	22.39	2.34	24.76	2.39	26.54	2.42
12	15				27	68	22.09	1.70	27.27	1.74	28.08	1.78	28.54	1.79	29.04	1.81	30.17	1.85
						70	22.09	1.73	26.93	1.76	27.76	1.80	28.23	1.82	28.75	1.83	29.89	1.87
						73	22.09	1.77	26.27	1.81	27.14	1.84	27.64	1.86	28.17	1.88	29.36	1.91
						77	22.09	1.81	25.65	1.85	26.57	1.89	27.08	1.90	27.64	1.92	28.87	1.95
						81	22.09	1.86	25.07	1.90	26.02	1.93	26.56	1.95	27.14	1.97	28.41	2.00
						84	22.09	1.91	24.51	1.94	25.51	1.98	26.07	2.00	26.67	2.01	27.99	2.05
						88	22.09	1.96	23.99	1.99	25.04	2.03	25.62	2.05	26.24	2.06	27.60	2.09
						91	22.09	2.01	23.51	2.04	24.60	2.08	25.20	2.09	25.84	2.11	27.25	2.14
						95	22.09	2.06	23.06	2.09	24.19	2.13	25.00	2.14	25.48	2.16	26.93	2.19
						99	22.09	2.11	22.65	2.15	23.82	2.18	24.47	2.20	25.15	2.21	26.65	2.25
						102	22.09	2.16	22.27	2.20	23.49	2.23	24.15	2.25	24.86	2.27	26.40	2.30
						108	22.09	2.24	21.77	2.28	23.05	2.31	23.75	2.33	24.49	2.35	26.09	2.38
						111	22.09	2.30	21.48	2.34	22.80	2.37	23.52	2.39	24.28	2.40	25.92	2.43
						115	22.09	2.36	21.22	2.39	22.58	2.43	23.33	2.44	24.11	2.46	25.80	2.49
12	18				30	68	24.74	1.90	30.55	1.94	31.45	1.98	31.97	2.00	33.79	2.06	35.23	2.10
						70	24.74	1.93	30.16	1.97	31.09	2.01	31.62	2.03	33.48	2.08	34.94	2.12
						73	24.74	1.98	29.43	2.02	30.40	2.06	30.96	2.08	32.89	2.13	34.40	2.17
						77	24.74	2.03	28.73	2.07	29.75	2.11	30.33	2.13	32.34	2.18	33.90	2.22
						81	24.74	2.08	28.07	2.12	29.14	2.16	29.75	2.18	31.82	2.23	33.43	2.27
						84	24.74	2.13	27.45	2.17	28.57	2.21	29.20	2.23	31.35	2.29	33.01	2.32
						88	24.74	2.19	26.87	2.23	28.04	2.27	28.69	2.28	30.91	2.34	32.62	2.37
						91	24.74	2.24	26.33	2.28	27.55	2.32	28.22	2.34	30.52	2.39	32.27	2.43
						95	24.74	2.30	25.83	2.34	27.10	2.38	28.00	2.39	30.16	2.45	31.96	2.49
						99	24.74	2.36	25.37	2.40	26.68	2.43	27.40	2.45	29.84	2.51	31.69	2.54
						102	24.74	2.41	24.94	2.45	26.30	2.49	27.05	2.51	29.56	2.57	31.46	2.60
						108	24.74	2.51	24.38	2.55	25.81	2.58	26.60	2.60	29.22	2.66	31.19	2.69
						111	24.74	2.57	24.05	2.61	25.53	2.65	26.34	2.67	29.04	2.72	31.05	2.75
						115	24.74	2.63	23.76	2.67	25.30	2.71	26.13	2.73	28.89	2.78	30.96	2.82

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	24				36	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19
15	15				30	68	24.74	2.13	27.45	2.17	28.57	2.21	29.20	2.23	29.87	2.25	31.35	2.29
						70	24.74	2.19	26.87	2.23	28.04	2.27	28.69	2.28	29.39	2.30	30.91	2.34
						73	24.74	2.24	26.33	2.28	27.55	2.32	28.22	2.34	28.94	2.36	30.52	2.39
						77	24.74	2.30	25.83	2.34	27.10	2.38	28.00	2.40	28.54	2.41	30.16	2.45
						81	24.74	2.36	25.37	2.40	26.68	2.43	27.40	2.45	28.17	2.47	29.84	2.51
						84	24.74	2.41	24.94	2.45	26.30	2.49	27.05	2.51	27.84	2.53	29.56	2.57
						88	24.74	2.51	24.38	2.55	25.81	2.58	26.60	2.60	27.43	2.62	29.22	2.66
						91	24.74	2.57	24.05	2.61	25.53	2.65	26.34	2.67	27.20	2.68	29.04	2.72
						95	24.74	2.63	23.76	2.67	25.30	2.71	26.00	2.73	27.00	2.75	28.89	2.78
						99	24.74	1.68	34.91	1.72	35.57	1.76	35.96	1.78	36.41	1.80	37.42	1.84
						102	24.74	1.72	33.96	1.76	34.66	1.80	35.09	1.82	35.55	1.84	36.62	1.88
						108	24.74	1.76	33.04	1.81	33.80	1.85	34.25	1.87	34.74	1.89	35.85	1.92
						111	24.74	1.81	32.17	1.85	32.98	1.89	33.45	1.91	33.96	1.93	35.13	1.97
						115	24.74	1.86	31.34	1.90	32.19	1.94	32.69	1.96	33.23	1.98	34.44	2.01
15	18				33	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19
18	18				36	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9		27	68	23.86	1.84	29.45	1.88	30.32	1.92	30.82	1.94	32.58	1.99	33.97	2.03	
					70	23.86	1.86	29.09	1.90	29.98	1.94	30.49	1.96	32.28	2.01	33.69	2.05	
					73	23.86	1.91	28.38	1.95	29.32	1.99	29.85	2.01	31.71	2.06	33.17	2.10	
					77	23.86	1.96	27.70	2.00	28.69	2.04	29.25	2.06	31.18	2.11	32.68	2.14	
					81	23.86	2.01	27.07	2.05	28.10	2.09	28.68	2.11	30.69	2.16	32.24	2.19	
					84	23.86	2.06	26.47	2.10	27.55	2.14	28.16	2.16	30.23	2.21	31.83	2.24	
					88	23.86	2.11	25.91	2.15	27.04	2.19	27.67	2.21	29.81	2.26	31.45	2.30	
					91	23.86	2.17	25.39	2.20	26.57	2.24	27.22	2.26	29.43	2.31	31.12	2.35	
					95	23.86	2.22	24.91	2.26	26.13	2.30	27.00	2.31	29.08	2.37	30.82	2.40	
					99	23.86	2.28	24.46	2.32	25.73	2.35	26.43	2.37	28.78	2.42	30.56	2.46	
					102	23.86	2.33	24.05	2.37	25.37	2.41	26.09	2.43	28.51	2.48	30.34	2.51	
					108	23.86	2.42	23.51	2.46	24.89	2.50	25.65	2.52	28.17	2.57	30.07	2.60	
					111	23.86	2.48	23.19	2.52	24.62	2.56	25.40	2.58	28.00	2.63	29.94	2.66	
					115	23.86	2.54	22.92	2.58	24.39	2.62	25.19	2.64	27.86	2.69	29.85	2.72	
9	9	12	30	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25		
				70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27		
				73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32		
				77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38		
				81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43		
				84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49		
				88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54		
				91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60		
				95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66		
				99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72		
				102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79		
				108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88		
				111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95		
				115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02		
9	9	15	33	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36		
				70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39		
				73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45		
				77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50		
				81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56		
				84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62		
				88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68		
				91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75		
				95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81		
				99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88		
				102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94		
				108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05		
				111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12		
				115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19		
9	9	18	36	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40		
				70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43		
				73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49		
				77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54		
				81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60		
				84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66		
				88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72		
				91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79		
				95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85		
				99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91		
				102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98		
				108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09		
				111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16		
				115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23		

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	12		33	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23	
9	12	15		36	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19	
9	12	18		39	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23	
9	18	18		45	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19	

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	12			36	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23
12	12	18			42	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19
9	9	9	9		36	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23
9	9	9	12		39	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40
						70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43
						73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49
						77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54
						81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60
						84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66
						88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72
						91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79
						95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85
						99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91
						102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98
						108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09
						111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16
						115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23

CapacityTable

MMPD036S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	18	45	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19	
9	9	12	12	42	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19	
9	12	12	12	45	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	37.18	2.32	38.62	2.36	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	36.79	2.35	38.26	2.39	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	36.06	2.40	37.59	2.45	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	35.38	2.46	36.96	2.50	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	34.74	2.52	36.37	2.56	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	34.14	2.58	35.83	2.62	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	33.59	2.64	35.33	2.68	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	33.08	2.70	34.88	2.75	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	32.62	2.77	34.47	2.81	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	32.20	2.83	34.11	2.88	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	31.82	2.90	33.79	2.94	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	31.34	3.01	33.39	3.05	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	31.08	3.08	33.18	3.12	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	30.86	3.15	33.02	3.19	

- Cooling capacity is based on 80°FDB(26.7°CDB) / 80°FDB(19.4°CWB) (indoor temperature), 95°FDB(35°CDB) (outdoor temperature).
- Heating capacity is based on 70°FDB(21.1°CDB) (indoor temperature), 47°FDB(8.33°CDB) / 43°FDB(6.11°CWB) (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 24.6ft(7.5m) / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 45.
- At least two indoor units must be connected for operation.
- If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7			14	68	12.37	0.96	15.27	0.98	15.72	1.00	15.98	1.01	16.89	1.03	17.61	1.05	
					70	12.37	0.97	15.08	0.99	15.54	1.01	15.81	1.02	16.74	1.05	17.47	1.06	
					73	12.37	0.99	14.71	1.01	15.20	1.03	15.48	1.04	16.44	1.07	17.20	1.09	
					77	12.37	1.02	14.37	1.04	14.88	1.06	15.17	1.07	16.17	1.10	16.95	1.11	
					81	12.37	1.04	14.04	1.06	14.57	1.08	14.87	1.09	15.91	1.12	16.72	1.14	
					84	12.37	1.07	13.73	1.09	14.29	1.11	14.60	1.12	15.67	1.15	16.50	1.17	
					88	12.37	1.10	13.44	1.12	14.02	1.14	14.35	1.15	15.46	1.17	16.31	1.19	
					91	12.37	1.12	13.17	1.15	13.77	1.17	14.11	1.17	15.26	1.20	16.14	1.22	
					95	12.37	1.15	12.92	1.17	13.55	1.19	14.00	1.20	15.08	1.23	15.98	1.25	
					99	12.37	1.18	12.68	1.20	13.34	1.22	13.70	1.23	14.92	1.26	15.85	1.28	
					102	12.37	1.21	12.47	1.23	13.15	1.25	13.53	1.26	14.78	1.29	15.73	1.31	
					108	12.37	1.26	12.19	1.28	12.91	1.30	13.30	1.31	14.61	1.33	15.59	1.35	
					111	12.37	1.29	12.03	1.31	12.77	1.33	13.17	1.34	14.52	1.37	15.53	1.38	
					115	12.37	1.32	11.88	1.34	12.65	1.36	13.06	1.37	14.45	1.40	15.48	1.41	
7	9		16	68	14.14	1.09	17.45	1.11	17.97	1.14	18.27	1.15	19.31	1.18	20.13	1.20		
				70	14.14	1.10	17.24	1.13	17.77	1.15	18.07	1.16	19.13	1.19	19.97	1.22		
				73	14.14	1.13	16.82	1.16	17.37	1.18	17.69	1.19	18.79	1.22	19.66	1.24		
				77	14.14	1.16	16.42	1.19	17.00	1.21	17.33	1.22	18.48	1.25	19.37	1.27		
				81	14.14	1.19	16.04	1.21	16.65	1.24	17.00	1.25	18.18	1.28	19.10	1.30		
				84	14.14	1.22	15.69	1.24	16.33	1.27	16.69	1.28	17.91	1.31	18.86	1.33		
				88	14.14	1.25	15.36	1.28	16.02	1.30	16.40	1.31	17.67	1.34	18.64	1.36		
				91	14.14	1.28	15.05	1.31	15.74	1.33	16.13	1.34	17.44	1.37	18.44	1.39		
				95	14.14	1.32	14.76	1.34	15.48	1.36	16.00	1.37	17.23	1.40	18.26	1.42		
				99	14.14	1.35	14.50	1.37	15.25	1.40	15.66	1.41	17.05	1.44	18.11	1.46		
				102	14.14	1.38	14.25	1.41	15.03	1.43	15.46	1.44	16.89	1.47	17.98	1.49		
				108	14.14	1.44	13.93	1.46	14.75	1.48	15.20	1.49	16.70	1.52	17.82	1.54		
				111	14.14	1.47	13.74	1.50	14.59	1.52	15.05	1.53	16.59	1.56	17.74	1.58		
				115	14.14	1.51	13.58	1.53	14.45	1.55	14.93	1.56	16.51	1.59	17.69	1.61		
7	12		19	68	16.79	1.29	20.73	1.32	21.34	1.35	21.69	1.36	22.93	1.40	23.90	1.42		
				70	16.79	1.31	20.47	1.33	21.10	1.36	21.46	1.37	22.72	1.41	23.71	1.44		
				73	16.79	1.34	19.97	1.37	20.63	1.39	21.01	1.41	22.32	1.45	23.34	1.47		
				77	16.79	1.37	19.50	1.40	20.19	1.43	20.58	1.44	21.94	1.48	23.00	1.50		
				81	16.79	1.41	19.05	1.44	19.78	1.46	20.19	1.48	21.59	1.51	22.69	1.54		
				84	16.79	1.44	18.63	1.47	19.39	1.50	19.81	1.51	21.27	1.55	22.40	1.57		
				88	16.79	1.48	18.24	1.51	19.03	1.54	19.47	1.55	20.98	1.59	22.13	1.61		
				91	16.79	1.52	17.87	1.55	18.69	1.57	19.15	1.59	20.71	1.62	21.90	1.65		
				95	16.79	1.56	17.53	1.58	18.39	1.61	19.00	1.62	20.47	1.66	21.69	1.68		
				99	16.79	1.60	17.21	1.62	18.10	1.65	18.60	1.66	20.25	1.70	21.51	1.72		
				102	16.79	1.64	16.93	1.66	17.85	1.69	18.36	1.70	20.06	1.74	21.35	1.76		
				108	16.79	1.70	16.54	1.73	17.52	1.75	18.05	1.76	19.83	1.80	21.16	1.82		
				111	16.79	1.74	16.32	1.77	17.33	1.79	17.88	1.81	19.70	1.84	21.07	1.87		
				115	16.79	1.78	16.13	1.81	17.16	1.84	17.73	1.85	19.61	1.89	21.01	1.91		
7	15		22	68	19.44	1.50	24.00	1.53	24.71	1.56	25.12	1.58	25.56	1.59	26.55	1.62		
				70	19.44	1.52	23.70	1.55	24.43	1.58	24.84	1.60	25.30	1.61	26.30	1.64		
				73	19.44	1.55	23.12	1.59	23.89	1.62	24.32	1.63	24.79	1.65	25.84	1.68		
				77	19.44	1.59	22.57	1.63	23.38	1.66	23.83	1.67	24.32	1.69	25.41	1.72		
				81	19.44	1.63	22.06	1.67	22.90	1.70	23.37	1.71	23.88	1.73	25.00	1.76		
				84	19.44	1.68	21.57	1.71	22.45	1.74	22.94	1.75	23.47	1.77	24.63	1.80		
				88	19.44	1.72	21.12	1.75	22.03	1.78	22.54	1.80	23.09	1.81	24.29	1.84		
				91	19.44	1.76	20.69	1.79	21.65	1.83	22.18	1.84	22.74	1.85	23.98	1.88		
				95	19.44	1.81	20.30	1.84	21.29	1.87	22.00	1.88	22.42	1.90	23.70	1.93		
				99	19.44	1.85	19.93	1.88	20.96	1.92	21.53	1.93	22.14	1.94	23.45	1.97		
				102	19.44	1.90	19.60	1.93	20.67	1.96	21.26	1.98	21.88	1.99	23.23	2.02		
				108	19.44	1.97	19.16	2.00	20.28	2.03	20.90	2.05	21.55	2.06	22.96	2.09		
				111	19.44	2.02	18.90	2.05	20.06	2.08	20.70	2.10	21.37	2.11	22.81	2.14		
				115	19.44	2.07	18.67	2.10	19.87	2.13	20.53	2.15	21.22	2.16	22.70	2.19		

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	18				25	68	22.09	1.70	27.27	1.74	28.08	1.78	28.54	1.79	30.17	1.85	31.45	1.88
						70	22.09	1.73	26.93	1.76	27.76	1.80	28.23	1.82	29.89	1.87	31.20	1.90
						73	22.09	1.77	26.27	1.81	27.14	1.84	27.64	1.86	29.36	1.91	30.71	1.94
						77	22.09	1.81	25.65	1.85	26.57	1.89	27.08	1.90	28.87	1.95	30.26	1.99
						81	22.09	1.86	25.07	1.90	26.02	1.93	26.56	1.95	28.41	2.00	29.85	2.03
						84	22.09	1.91	24.51	1.94	25.51	1.98	26.07	2.00	27.99	2.05	29.47	2.08
						88	22.09	1.96	23.99	1.99	25.04	2.03	25.62	2.05	27.60	2.09	29.12	2.13
						91	22.09	2.01	23.51	2.04	24.60	2.08	25.20	2.09	27.25	2.14	28.81	2.18
						95	22.09	2.06	23.06	2.09	24.19	2.13	25.00	2.14	26.93	2.19	28.54	2.23
						99	22.09	2.11	22.65	2.15	23.82	2.18	24.47	2.20	26.65	2.25	28.30	2.28
						102	22.09	2.16	22.27	2.20	23.49	2.23	24.15	2.25	26.40	2.30	28.09	2.33
						108	22.09	2.24	21.77	2.28	23.05	2.31	23.75	2.33	26.09	2.38	27.85	2.41
						111	22.09	2.30	21.48	2.34	22.80	2.37	23.52	2.39	25.92	2.43	27.73	2.46
						115	22.09	2.36	21.22	2.39	22.58	2.43	23.33	2.44	25.80	2.49	27.64	2.52
7	24				31	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	34.39	2.10	35.86	2.14
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	34.08	2.13	35.57	2.16
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	33.48	2.18	35.01	2.21
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	32.91	2.23	34.50	2.26
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	32.39	2.28	34.03	2.32
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	31.91	2.33	33.59	2.37
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	31.47	2.39	33.20	2.42
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	31.06	2.44	32.85	2.48
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	30.70	2.50	32.53	2.54
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	30.38	2.56	32.26	2.60
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	30.09	2.62	32.02	2.66
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	29.74	2.71	31.74	2.75
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	29.55	2.78	31.61	2.81
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	29.41	2.84	31.51	2.87
9	9				18	68	15.91	1.23	19.64	1.25	20.22	1.28	20.55	1.29	21.72	1.33	22.65	1.35
						70	15.91	1.24	19.39	1.27	19.99	1.29	20.33	1.31	21.52	1.34	22.46	1.37
						73	15.91	1.27	18.92	1.30	19.54	1.33	19.90	1.34	21.14	1.37	22.11	1.40
						77	15.91	1.31	18.47	1.33	19.13	1.36	19.50	1.37	20.79	1.41	21.79	1.43
						81	15.91	1.34	18.05	1.37	18.74	1.39	19.12	1.40	20.46	1.44	21.49	1.46
						84	15.91	1.37	17.65	1.40	18.37	1.42	18.77	1.44	20.15	1.47	21.22	1.50
						88	15.91	1.41	17.28	1.43	18.03	1.46	18.45	1.47	19.87	1.51	20.97	1.53
						91	15.91	1.44	16.93	1.47	17.71	1.50	18.14	1.51	19.62	1.54	20.75	1.57
						95	15.91	1.48	16.61	1.51	17.42	1.53	18.00	1.54	19.39	1.58	20.55	1.60
						99	15.91	1.52	16.31	1.54	17.15	1.57	17.62	1.58	19.18	1.62	20.37	1.64
						102	15.91	1.56	16.03	1.58	16.91	1.61	17.39	1.62	19.01	1.65	20.22	1.68
						108	15.91	1.61	15.67	1.64	16.59	1.67	17.10	1.68	18.78	1.71	20.05	1.73
						111	15.91	1.66	15.46	1.68	16.42	1.71	16.93	1.72	18.67	1.75	19.96	1.77
						115	15.91	1.70	15.28	1.72	16.26	1.75	16.80	1.76	18.57	1.79	19.90	1.81
9	12				21	68	18.56	1.42	22.91	1.46	23.59	1.49	23.97	1.50	25.34	1.54	26.42	1.57
						70	18.56	1.44	22.62	1.47	23.32	1.50	23.71	1.52	25.11	1.56	26.21	1.59
						73	18.56	1.48	22.07	1.51	22.80	1.54	23.22	1.56	24.67	1.60	25.80	1.62
						77	18.56	1.52	21.55	1.55	22.32	1.58	22.75	1.59	24.25	1.63	25.42	1.66
						81	18.56	1.56	21.05	1.59	21.86	1.62	22.31	1.63	23.87	1.67	25.07	1.70
						84	18.56	1.60	20.59	1.63	21.43	1.66	21.90	1.67	23.51	1.71	24.75	1.74
						88	18.56	1.64	20.16	1.67	21.03	1.70	21.52	1.71	23.19	1.75	24.46	1.78
						91	18.56	1.68	19.75	1.71	20.66	1.74	21.17	1.75	22.89	1.79	24.20	1.82
						95	18.56	1.72	19.37	1.75	20.32	1.78	21.00	1.79	22.62	1.84	23.97	1.86
						99	18.56	1.76	19.03	1.79	20.01	1.82	20.55	1.84	22.38	1.88	23.77	1.90
						102	18.56	1.81	18.71	1.84	19.73	1.87	20.29	1.88	22.17	1.92	23.60	1.95
						108	18.56	1.88	18.28	1.91	19.36	1.94	19.95	1.95	21.91	1.99	23.39	2.02
						111	18.56	1.92	18.04	1.95	19.15	1.98	19.76	2.00	21.78	2.04	23.29	2.06
						115	18.56	1.97	17.82	2.00	18.97	2.03	19.60	2.04	21.67	2.08	23.22	2.11

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15				24	68	21.21	1.44	29.92	1.48	30.49	1.51	30.83	1.53	31.20	1.55	32.08	1.58
						70	21.21	1.48	29.10	1.51	29.71	1.55	30.07	1.56	30.47	1.58	31.39	1.61
						73	21.21	1.51	28.32	1.55	28.97	1.58	29.36	1.60	29.78	1.62	30.73	1.65
						77	21.21	1.55	27.58	1.59	28.27	1.62	28.67	1.64	29.11	1.66	30.11	1.69
						81	21.21	1.59	26.86	1.63	27.59	1.66	28.02	1.68	28.48	1.70	29.52	1.73
						84	21.21	1.63	26.18	1.67	26.96	1.70	27.40	1.72	27.88	1.74	28.96	1.77
						88	21.21	1.65	25.85	1.69	26.65	1.72	27.10	1.74	27.60	1.76	28.70	1.79
						91	21.21	1.69	25.22	1.73	26.06	1.76	26.53	1.78	27.05	1.80	28.19	1.83
						95	21.21	1.74	24.63	1.77	25.50	1.81	24.00	2.05	26.53	1.84	27.72	1.87
						99	21.21	1.78	24.06	1.82	24.98	1.85	25.50	1.87	26.05	1.88	27.28	1.92
						102	21.21	1.83	23.53	1.86	24.49	1.90	25.03	1.91	25.60	1.93	26.87	1.96
						108	21.21	1.87	23.03	1.91	24.04	1.94	24.59	1.96	25.19	1.98	26.50	2.01
						111	21.21	1.92	22.57	1.96	23.61	1.99	24.19	2.01	24.81	2.02	26.16	2.05
						115	21.21	1.97	22.14	2.01	23.22	2.04	24.00	2.05	24.46	2.07	25.85	2.10
9	18				27	68	23.86	1.84	29.45	1.88	30.32	1.92	30.82	1.94	32.58	1.99	33.97	2.03
						70	23.86	1.86	29.09	1.90	29.98	1.94	30.49	1.96	32.28	2.01	33.69	2.05
						73	23.86	1.91	28.38	1.95	29.32	1.99	29.85	2.01	31.71	2.06	33.17	2.10
						77	23.86	1.96	27.70	2.00	28.69	2.04	29.25	2.06	31.18	2.11	32.68	2.14
						81	23.86	2.01	27.07	2.05	28.10	2.09	28.68	2.11	30.69	2.16	32.24	2.19
						84	23.86	2.06	26.47	2.10	27.55	2.14	28.16	2.16	30.23	2.21	31.83	2.24
						88	23.86	2.11	25.91	2.15	27.04	2.19	27.67	2.21	29.81	2.26	31.45	2.30
						91	23.86	2.17	25.39	2.20	26.57	2.24	27.22	2.26	29.43	2.31	31.12	2.35
						95	23.86	2.22	24.91	2.26	26.13	2.30	27.00	2.31	29.08	2.37	30.82	2.40
						99	23.86	2.28	24.46	2.32	25.73	2.35	26.43	2.37	28.78	2.42	30.56	2.46
						102	23.86	2.33	24.05	2.37	25.37	2.41	26.09	2.43	28.51	2.48	30.34	2.51
						108	23.86	2.42	23.51	2.46	24.89	2.50	25.65	2.52	28.17	2.57	30.07	2.60
						111	23.86	2.48	23.19	2.52	24.62	2.56	25.40	2.58	28.00	2.63	29.94	2.66
						115	23.86	2.54	22.92	2.58	24.39	2.62	25.19	2.64	27.86	2.69	29.85	2.72
9	24				33	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	34.39	2.10	35.86	2.14
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	34.08	2.13	35.57	2.16
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	33.48	2.18	35.01	2.21
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	32.91	2.23	34.50	2.26
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	32.39	2.28	34.03	2.32
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	31.91	2.33	33.59	2.37
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	31.47	2.39	33.20	2.42
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	31.06	2.44	32.85	2.48
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	30.70	2.50	32.53	2.54
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	30.38	2.56	32.26	2.60
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	30.09	2.62	32.02	2.66
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	29.74	2.71	31.74	2.75
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	29.55	2.78	31.61	2.81
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	29.41	2.84	31.51	2.87
12	12				24	68	21.21	1.63	26.18	1.67	26.96	1.70	27.40	1.72	28.96	1.77	30.19	1.80
						70	21.21	1.65	25.85	1.69	26.65	1.72	27.10	1.74	28.70	1.79	29.95	1.82
						73	21.21	1.69	25.22	1.73	26.06	1.76	26.53	1.78	28.19	1.83	29.48	1.86
						77	21.21	1.74	24.63	1.77	25.50	1.81	26.00	1.82	27.72	1.87	29.05	1.90
						81	21.21	1.78	24.06	1.82	24.98	1.85	25.50	1.87	27.28	1.92	28.66	1.95
						84	21.21	1.83	23.53	1.86	24.49	1.90	25.03	1.91	26.87	1.96	28.29	1.99
						88	21.21	1.87	23.03	1.91	24.04	1.94	24.59	1.96	26.50	2.01	27.96	2.04
						91	21.21	1.92	22.57	1.96	23.61	1.99	24.19	2.01	26.16	2.05	27.66	2.08
						95	21.21	1.97	22.14	2.01	23.22	2.04	24.00	2.05	25.85	2.10	27.40	2.13
						99	21.21	2.02	21.74	2.05	22.87	2.09	23.49	2.10	25.58	2.15	27.16	2.18
						102	21.21	2.07	21.38	2.11	22.55	2.14	23.19	2.15	25.34	2.20	26.97	2.23
						108	21.21	2.15	20.90	2.18	22.13	2.22	22.80	2.23	25.04	2.28	26.73	2.31
						111	21.21	2.20	20.62	2.24	21.89	2.27	22.58	2.29	24.89	2.33	26.62	2.36
						115	21.21	2.26	20.37	2.29	21.68	2.32	22.39	2.34	24.76	2.39	26.54	2.42

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	15				27	68	23.86	1.84	29.45	1.88	30.32	1.92	30.82	1.94	31.37	1.96	32.58	1.99
						70	23.86	1.86	29.09	1.90	29.98	1.94	30.49	1.96	31.05	1.98	32.28	2.01
						73	23.86	1.91	28.38	1.95	29.32	1.99	29.85	2.01	30.43	2.03	31.71	2.06
						77	23.86	1.96	27.70	2.00	28.69	2.04	29.25	2.06	29.85	2.07	31.18	2.11
						81	23.86	2.01	27.07	2.05	28.10	2.09	28.68	2.11	29.31	2.12	30.69	2.16
						84	23.86	2.06	26.47	2.10	27.55	2.14	28.16	2.16	28.81	2.17	30.23	2.21
						88	23.86	2.11	25.91	2.15	27.04	2.19	27.67	2.21	28.34	2.23	29.81	2.26
						91	23.86	2.17	25.39	2.20	26.57	2.24	27.22	2.26	27.91	2.28	29.43	2.31
						95	23.86	2.22	24.91	2.26	26.13	2.30	27.00	2.31	27.52	2.33	29.08	2.37
						99	23.86	2.28	24.46	2.32	25.73	2.35	26.43	2.37	27.17	2.39	28.78	2.42
						102	23.86	2.33	24.05	2.37	25.37	2.41	26.09	2.43	26.85	2.45	28.51	2.48
						108	23.86	2.42	23.51	2.46	24.89	2.50	25.65	2.52	26.45	2.53	28.17	2.57
						111	23.86	2.48	23.19	2.52	24.62	2.56	25.40	2.58	26.22	2.59	28.00	2.63
						115	23.86	2.54	22.92	2.58	24.39	2.62	25.19	2.64	26.04	2.65	27.86	2.69
12	18				30	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	34.39	2.10	35.86	2.14
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	34.08	2.13	35.57	2.16
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	33.48	2.18	35.01	2.21
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	32.91	2.23	34.50	2.26
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	32.39	2.28	34.03	2.32
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	31.91	2.33	33.59	2.37
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	31.47	2.39	33.20	2.42
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	31.06	2.44	32.85	2.48
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	30.70	2.50	32.53	2.54
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	30.38	2.56	32.26	2.60
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	30.09	2.62	32.02	2.66
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	29.74	2.71	31.74	2.75
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	29.55	2.78	31.61	2.81
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	29.41	2.84	31.51	2.87
12	24				36	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	34.39	2.10	35.86	2.14
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	34.08	2.13	35.57	2.16
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	33.48	2.18	35.01	2.21
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	32.91	2.23	34.50	2.26
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	32.39	2.28	34.03	2.32
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	31.91	2.33	33.59	2.37
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	31.47	2.39	33.20	2.42
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	31.06	2.44	32.85	2.48
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	30.70	2.50	32.53	2.54
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	30.38	2.56	32.26	2.60
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	30.09	2.62	32.02	2.66
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	29.74	2.71	31.74	2.75
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	29.55	2.78	31.61	2.81
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	29.41	2.84	31.51	2.87
15	15				30	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	33.11	2.07	34.39	2.10
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	32.77	2.09	34.08	2.13
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	32.12	2.14	33.48	2.18
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	31.51	2.19	32.91	2.23
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	30.94	2.24	32.39	2.28
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	30.41	2.30	31.91	2.33
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	29.91	2.35	31.47	2.39
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	29.46	2.41	31.06	2.44
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	29.05	2.46	30.70	2.50
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	28.68	2.52	30.38	2.56
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	28.34	2.58	30.09	2.62
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	27.92	2.68	29.74	2.71
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	27.68	2.74	29.55	2.78
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	27.49	2.80	29.41	2.84

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
15	18				33	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	33.11	2.07	34.39	2.10
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	32.77	2.09	34.08	2.13
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	32.12	2.14	33.48	2.18
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	31.51	2.19	32.91	2.23
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	30.94	2.24	32.39	2.28
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	30.41	2.30	31.91	2.33
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	29.91	2.35	31.47	2.39
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	29.46	2.41	31.06	2.44
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	29.05	2.46	30.70	2.50
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	28.68	2.52	30.38	2.56
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	28.34	2.58	30.09	2.62
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	27.92	2.68	29.74	2.71
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	27.68	2.74	29.55	2.78
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	27.49	2.80	29.41	2.84
15	24				39	68	25.19	1.71	35.53	1.76	36.20	1.80	36.61	1.82	37.06	1.84	38.09	1.88
						70	25.19	1.76	34.56	1.80	35.28	1.84	35.71	1.86	36.19	1.88	37.27	1.92
						73	25.19	1.80	33.64	1.84	34.41	1.89	34.86	1.91	35.36	1.93	36.49	1.96
						77	25.19	1.85	32.75	1.89	33.57	1.93	34.05	1.95	34.57	1.97	35.75	2.01
						81	25.19	1.89	31.90	1.94	32.77	1.98	33.27	2.00	33.82	2.02	35.05	2.06
						84	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	33.11	2.07	34.39	2.10
						88	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	32.77	2.09	34.08	2.13
						91	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	32.12	2.14	33.48	2.18
						95	25.19	2.07	29.24	2.11	30.29	2.15	28.50	2.44	31.51	2.19	32.91	2.23
						99	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	30.94	2.24	32.39	2.28
						102	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	30.41	2.30	31.91	2.33
						108	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	29.91	2.35	31.47	2.39
						111	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	29.46	2.41	31.06	2.44
						115	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.45	29.05	2.46	30.70	2.50
18	18				36	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	34.39	2.10	35.86	2.14
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	34.08	2.13	35.57	2.16
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	33.48	2.18	35.01	2.21
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	32.91	2.23	34.50	2.26
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	32.39	2.28	34.03	2.32
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	31.91	2.33	33.59	2.37
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	31.47	2.39	33.20	2.42
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	31.06	2.44	32.85	2.48
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	30.70	2.50	32.53	2.54
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	30.38	2.56	32.26	2.60
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	30.09	2.62	32.02	2.66
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	29.74	2.71	31.74	2.75
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	29.55	2.78	31.61	2.81
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	29.41	2.84	31.51	2.87
18	24				42	68	25.19	1.94	31.09	1.98	32.01	2.03	32.54	2.05	33.11	2.07	34.39	2.10
						70	25.19	1.97	30.70	2.01	31.64	2.05	32.18	2.07	32.77	2.09	34.08	2.13
						73	25.19	2.02	29.95	2.06	30.95	2.10	31.51	2.12	32.12	2.14	33.48	2.18
						77	25.19	2.07	29.24	2.11	30.29	2.15	30.87	2.17	31.51	2.19	32.91	2.23
						81	25.19	2.12	28.57	2.16	29.66	2.20	30.28	2.22	30.94	2.24	32.39	2.28
						84	25.19	2.18	27.94	2.22	29.08	2.26	29.72	2.28	30.41	2.30	31.91	2.33
						88	25.19	2.23	27.35	2.27	28.54	2.31	29.21	2.33	29.91	2.35	31.47	2.39
						91	25.19	2.29	26.80	2.33	28.04	2.37	28.73	2.39	29.46	2.41	31.06	2.44
						95	25.19	2.35	26.29	2.39	27.58	2.43	28.50	2.44	29.05	2.46	30.70	2.50
						99	25.19	2.40	25.82	2.45	27.16	2.49	27.89	2.50	28.68	2.52	30.38	2.56
						102	25.19	2.47	25.39	2.51	26.77	2.55	27.54	2.56	28.34	2.58	30.09	2.62
						108	25.19	2.56	24.82	2.60	26.27	2.64	27.07	2.66	27.92	2.68	29.74	2.71
						111	25.19	2.62	24.48	2.66	25.99	2.70	26.81	2.72	27.68	2.74	29.55	2.78
						115	25.19	2.69	24.19	2.73	25.75	2.77	26.59	2.79	27.49	2.80	29.41	2.84

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7		21	68	18.56	1.42	22.91	1.46	23.59	1.49	23.97	1.50	25.34	1.54	26.42	1.57	
					70	18.56	1.44	22.62	1.47	23.32	1.50	23.71	1.52	25.11	1.56	26.21	1.59	
					73	18.56	1.48	22.07	1.51	22.80	1.54	23.22	1.56	24.67	1.60	25.80	1.62	
					77	18.56	1.52	21.55	1.55	22.32	1.58	22.75	1.59	24.25	1.63	25.42	1.66	
					81	18.56	1.56	21.05	1.59	21.86	1.62	22.31	1.63	23.87	1.67	25.07	1.70	
					84	18.56	1.60	20.59	1.63	21.43	1.66	21.90	1.67	23.51	1.71	24.75	1.74	
					88	18.56	1.64	20.16	1.67	21.03	1.70	21.52	1.71	23.19	1.75	24.46	1.78	
					91	18.56	1.68	19.75	1.71	20.66	1.74	21.17	1.75	22.89	1.79	24.20	1.82	
					95	18.56	1.72	19.37	1.75	20.32	1.78	21.00	1.79	22.62	1.84	23.97	1.86	
					99	18.56	1.76	19.03	1.79	20.01	1.82	20.55	1.84	22.38	1.88	23.77	1.90	
					102	18.56	1.81	18.71	1.84	19.73	1.87	20.29	1.88	22.17	1.92	23.60	1.95	
					108	18.56	1.88	18.28	1.91	19.36	1.94	19.95	1.95	21.91	1.99	23.39	2.02	
					111	18.56	1.92	18.04	1.95	19.15	1.98	19.76	2.00	21.78	2.04	23.29	2.06	
					115	18.56	1.97	17.82	2.00	18.97	2.03	19.60	2.04	21.67	2.08	23.22	2.11	
7	7	9	23	68	20.33	1.57	25.09	1.60	25.83	1.64	26.26	1.65	27.76	1.70	28.94	1.73		
				70	20.33	1.59	24.78	1.62	25.54	1.66	25.97	1.67	27.50	1.72	28.70	1.75		
				73	20.33	1.63	24.17	1.66	24.97	1.70	25.43	1.71	27.02	1.76	28.26	1.79		
				77	20.33	1.67	23.60	1.70	24.44	1.74	24.92	1.75	26.56	1.80	27.84	1.83		
				81	20.33	1.71	23.06	1.75	23.94	1.78	24.44	1.80	26.14	1.84	27.46	1.87		
				84	20.33	1.76	22.55	1.79	23.47	1.82	23.99	1.84	25.75	1.88	27.11	1.91		
				88	20.33	1.80	22.08	1.83	23.03	1.87	23.57	1.88	25.39	1.93	26.79	1.96		
				91	20.33	1.85	21.63	1.88	22.63	1.91	23.18	1.93	25.07	1.97	26.51	2.00		
				95	20.33	1.89	21.22	1.93	22.26	1.96	23.00	1.97	24.78	2.02	26.25	2.05		
				99	20.33	1.94	20.84	1.97	21.92	2.01	22.51	2.02	24.51	2.07	26.03	2.10		
				102	20.33	1.99	20.49	2.02	21.61	2.06	22.22	2.07	24.28	2.12	25.84	2.14		
				108	20.33	2.07	20.03	2.10	21.20	2.13	21.85	2.15	24.00	2.19	25.62	2.22		
				111	20.33	2.12	19.76	2.15	20.98	2.18	21.64	2.20	23.85	2.24	25.51	2.27		
				115	20.33	2.17	19.52	2.20	20.78	2.23	21.46	2.25	23.73	2.29	25.43	2.32		
7	7	12	26	68	22.98	1.77	28.36	1.81	29.20	1.84	29.68	1.86	31.38	1.91	32.71	1.95		
				70	22.98	1.79	28.01	1.83	28.87	1.87	29.36	1.88	31.09	1.94	32.45	1.97		
				73	22.98	1.84	27.33	1.87	28.23	1.91	28.75	1.93	30.54	1.98	31.94	2.01		
				77	22.98	1.88	26.68	1.92	27.63	1.96	28.17	1.98	30.03	2.03	31.47	2.06		
				81	22.98	1.93	26.07	1.97	27.06	2.01	27.62	2.02	29.55	2.07	31.04	2.11		
				84	22.98	1.98	25.49	2.02	26.53	2.05	27.11	2.07	29.11	2.12	30.65	2.16		
				88	22.98	2.03	24.95	2.07	26.04	2.10	26.64	2.12	28.71	2.17	30.29	2.21		
				91	22.98	2.08	24.45	2.12	25.58	2.16	26.21	2.17	28.34	2.22	29.97	2.26		
				95	22.98	2.13	23.99	2.17	25.16	2.21	26.00	2.22	28.01	2.28	29.68	2.31		
				99	22.98	2.19	23.56	2.23	24.77	2.26	25.45	2.28	27.71	2.33	29.43	2.36		
				102	22.98	2.24	23.16	2.28	24.43	2.32	25.12	2.33	27.45	2.38	29.21	2.42		
				108	22.98	2.33	22.64	2.36	23.97	2.40	24.70	2.42	27.13	2.47	28.96	2.50		
				111	22.98	2.39	22.33	2.42	23.71	2.46	24.46	2.48	26.96	2.53	28.84	2.56		
				115	22.98	2.45	22.07	2.48	23.49	2.52	24.26	2.53	26.83	2.58	28.75	2.62		
7	7	15	29	68	26.07	2.01	32.18	2.05	33.13	2.09	33.68	2.11	34.27	2.13	35.60	2.17		
				70	26.07	2.03	31.78	2.08	32.76	2.12	33.31	2.14	33.92	2.16	35.27	2.20		
				73	26.07	2.08	31.00	2.13	32.03	2.17	32.62	2.19	33.25	2.21	34.65	2.25		
				77	26.07	2.14	30.27	2.18	31.35	2.22	31.96	2.24	32.61	2.26	34.07	2.30		
				81	26.07	2.19	29.58	2.23	30.71	2.28	31.34	2.30	32.02	2.32	33.53	2.36		
				84	26.07	2.25	28.92	2.29	30.10	2.33	30.76	2.35	31.47	2.37	33.03	2.41		
				88	26.07	2.30	28.31	2.35	29.54	2.39	30.23	2.41	30.96	2.43	32.57	2.47		
				91	26.07	2.36	27.74	2.41	29.03	2.45	29.74	2.47	30.49	2.49	32.15	2.52		
				95	26.07	2.42	27.21	2.46	28.55	2.51	29.50	2.52	30.07	2.55	31.78	2.58		
				99	26.07	2.48	26.73	2.53	28.11	2.57	28.87	2.59	29.68	2.61	31.44	2.64		
				102	26.07	2.55	26.28	2.59	27.71	2.63	28.50	2.65	29.34	2.67	31.15	2.71		
				108	26.07	2.64	25.69	2.68	27.20	2.72	28.02	2.74	28.90	2.76	30.78	2.80		
				111	26.07	2.71	25.34	2.75	26.90	2.79	27.75	2.81	28.65	2.83	30.59	2.87		
				115	26.07	2.78	25.04	2.82	26.65	2.86	27.53	2.88	28.45	2.90	30.44	2.93		

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	18		32	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02	
7	7	24	38	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25		
				70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27		
				73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32		
				77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38		
				81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43		
				84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49		
				88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54		
				91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60		
				95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66		
				99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72		
				102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79		
				108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88		
				111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95		
				115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02		
7	9	9	25	68	22.09	1.70	27.27	1.74	28.08	1.78	28.54	1.79	30.17	1.85	31.45	1.88		
				70	22.09	1.73	26.93	1.76	27.76	1.80	28.23	1.82	29.89	1.87	31.20	1.90		
				73	22.09	1.77	26.27	1.81	27.14	1.84	27.64	1.86	29.36	1.91	30.71	1.94		
				77	22.09	1.81	25.65	1.85	26.57	1.89	27.08	1.90	28.87	1.95	30.26	1.99		
				81	22.09	1.86	25.07	1.90	26.02	1.93	26.56	1.95	28.41	2.00	29.85	2.03		
				84	22.09	1.91	24.51	1.94	25.51	1.98	26.07	2.00	27.99	2.05	29.47	2.08		
				88	22.09	1.96	23.99	1.99	25.04	2.03	25.62	2.05	27.60	2.09	29.12	2.13		
				91	22.09	2.01	23.51	2.04	24.60	2.08	25.20	2.09	27.25	2.14	28.81	2.18		
				95	22.09	2.06	23.06	2.09	24.19	2.13	25.00	2.14	26.93	2.19	28.54	2.23		
				99	22.09	2.11	22.65	2.15	23.82	2.18	24.47	2.20	26.65	2.25	28.30	2.28		
				102	22.09	2.16	22.27	2.20	23.49	2.23	24.15	2.25	26.40	2.30	28.09	2.33		
				108	22.09	2.24	21.77	2.28	23.05	2.31	23.75	2.33	26.09	2.38	27.85	2.41		
				111	22.09	2.30	21.48	2.34	22.80	2.37	23.52	2.39	25.92	2.43	27.73	2.46		
				115	22.09	2.36	21.22	2.39	22.58	2.43	23.33	2.44	25.80	2.49	27.64	2.52		
7	9	12	28	68	24.74	1.90	30.55	1.94	31.45	1.98	31.97	2.00	33.79	2.06	35.23	2.10		
				70	24.74	1.93	30.16	1.97	31.09	2.01	31.62	2.03	33.48	2.08	34.94	2.12		
				73	24.74	1.98	29.43	2.02	30.40	2.06	30.96	2.08	32.89	2.13	34.40	2.17		
				77	24.74	2.03	28.73	2.07	29.75	2.11	30.33	2.13	32.34	2.18	33.90	2.22		
				81	24.74	2.08	28.07	2.12	29.14	2.16	29.75	2.18	31.82	2.23	33.43	2.27		
				84	24.74	2.13	27.45	2.17	28.57	2.21	29.20	2.23	31.35	2.29	33.01	2.32		
				88	24.74	2.19	26.87	2.23	28.04	2.27	28.69	2.28	30.91	2.34	32.62	2.37		
				91	24.74	2.24	26.33	2.28	27.55	2.32	28.22	2.34	30.52	2.39	32.27	2.43		
				95	24.74	2.30	25.83	2.34	27.10	2.38	28.00	2.39	30.16	2.45	31.96	2.49		
				99	24.74	2.36	25.37	2.40	26.68	2.43	27.40	2.45	29.84	2.51	31.69	2.54		
				102	24.74	2.41	24.94	2.45	26.30	2.49	27.05	2.51	29.56	2.57	31.46	2.60		
				108	24.74	2.51	24.38	2.55	25.81	2.58	26.60	2.60	29.22	2.66	31.19	2.69		
				111	24.74	2.57	24.05	2.61	25.53	2.65	26.34	2.67	29.04	2.72	31.05	2.75		
				115	24.74	2.63	23.76	2.67	25.30	2.71	26.13	2.73	28.89	2.78	30.96	2.82		

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	15			31	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98
7	9	18			34	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02
7	9	24			40	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02
7	12	12			31	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	15			34	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98
7	12	18			37	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02
7	12	24			43	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98
7	15	15			37	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	15	18		40	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
7	18	18	43	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21		
				70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23		
				73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28		
				77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34		
				81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39		
				84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45		
				88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51		
				91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56		
				95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62		
				99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69		
				102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75		
				108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85		
				111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91		
				115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98		
9	9	9	27	68	23.86	1.84	29.45	1.88	30.32	1.92	30.82	1.94	32.58	1.99	33.97	2.03		
				70	23.86	1.86	29.09	1.90	29.98	1.94	30.49	1.96	32.28	2.01	33.69	2.05		
				73	23.86	1.91	28.38	1.95	29.32	1.99	29.85	2.01	31.71	2.06	33.17	2.10		
				77	23.86	1.96	27.70	2.00	28.69	2.04	29.25	2.06	31.18	2.11	32.68	2.14		
				81	23.86	2.01	27.07	2.05	28.10	2.09	28.68	2.11	30.69	2.16	32.24	2.19		
				84	23.86	2.06	26.47	2.10	27.55	2.14	28.16	2.16	30.23	2.21	31.83	2.24		
				88	23.86	2.11	25.91	2.15	27.04	2.19	27.67	2.21	29.81	2.26	31.45	2.30		
				91	23.86	2.17	25.39	2.20	26.57	2.24	27.22	2.26	29.43	2.31	31.12	2.35		
				95	23.86	2.22	24.91	2.26	26.13	2.30	27.00	2.31	29.08	2.37	30.82	2.40		
				99	23.86	2.28	24.46	2.32	25.73	2.35	26.43	2.37	28.78	2.42	30.56	2.46		
				102	23.86	2.33	24.05	2.37	25.37	2.41	26.09	2.43	28.51	2.48	30.34	2.51		
				108	23.86	2.42	23.51	2.46	24.89	2.50	25.65	2.52	28.17	2.57	30.07	2.60		
				111	23.86	2.48	23.19	2.52	24.62	2.56	25.40	2.58	28.00	2.63	29.94	2.66		
				115	23.86	2.54	22.92	2.58	24.39	2.62	25.19	2.64	27.86	2.69	29.85	2.72		
9	9	12	30	68	26.07	2.01	32.18	2.05	33.13	2.09	33.68	2.11	35.60	2.17	37.11	2.21		
				70	26.07	2.03	31.78	2.08	32.76	2.12	33.31	2.14	35.27	2.20	36.81	2.24		
				73	26.07	2.08	31.00	2.13	32.03	2.17	32.62	2.19	34.65	2.25	36.24	2.29		
				77	26.07	2.14	30.27	2.18	31.35	2.22	31.96	2.24	34.07	2.30	35.71	2.34		
				81	26.07	2.19	29.58	2.23	30.71	2.28	31.34	2.30	33.53	2.36	35.22	2.39		
				84	26.07	2.25	28.92	2.29	30.10	2.33	30.76	2.35	33.03	2.41	34.77	2.45		
				88	26.07	2.30	28.31	2.35	29.54	2.39	30.23	2.41	32.57	2.47	34.37	2.50		
				91	26.07	2.36	27.74	2.41	29.03	2.45	29.74	2.47	32.15	2.52	34.00	2.56		
				95	26.07	2.42	27.21	2.46	28.55	2.51	29.50	2.52	31.78	2.58	33.67	2.62		
				99	26.07	2.48	26.73	2.53	28.11	2.57	28.87	2.59	31.44	2.64	33.39	2.68		
				102	26.07	2.55	26.28	2.59	27.71	2.63	28.50	2.65	31.15	2.71	33.15	2.74		
				108	26.07	2.64	25.69	2.68	27.20	2.72	28.02	2.74	30.78	2.80	32.86	2.84		
				111	26.07	2.71	25.34	2.75	26.90	2.79	27.75	2.81	30.59	2.87	32.72	2.90		
				115	26.07	2.78	25.04	2.82	26.65	2.86	27.53	2.88	30.44	2.93	32.62	2.97		

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	15		33	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
9	9	18	36	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25		
				70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27		
				73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32		
				77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38		
				81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43		
				84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49		
				88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54		
				91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60		
				95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66		
				99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72		
				102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79		
				108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88		
				111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95		
				115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02		
9	9	24	42	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21		
				70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23		
				73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28		
				77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34		
				81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39		
				84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45		
				88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51		
				91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56		
				95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62		
				99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69		
				102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75		
				108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85		
				111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91		
				115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98		
9	12	12	33	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25		
				70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27		
				73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32		
				77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38		
				81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43		
				84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49		
				88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54		
				91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60		
				95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66		
				99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72		
				102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79		
				108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88		
				111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95		
				115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02		

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	15		36	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
9	12	18		39	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02	
9	12	24		45	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
9	15	15		39	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)				Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
						57.2		60.8		64.4		67		71.6		75.2	
						TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15	18		42	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98
9	18	18		45	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98
12	12	12		36	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02
12	12	15		39	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	18		42	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
12	15	15		42	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
12	15	18		45	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	
15	15	15		45	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	34.85	2.17	36.20	2.21	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	34.49	2.19	35.87	2.23	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	33.81	2.24	35.24	2.28	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	33.17	2.30	34.65	2.34	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	32.57	2.35	34.10	2.39	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	32.01	2.41	33.59	2.45	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	31.49	2.47	33.12	2.51	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	31.01	2.53	32.70	2.56	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	30.58	2.59	32.32	2.62	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	30.18	2.65	31.97	2.69	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	29.83	2.71	31.68	2.75	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	29.39	2.81	31.30	2.85	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	29.14	2.87	31.11	2.91	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	28.93	2.94	30.96	2.98	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	7		28	68	24.74	1.90	30.55	1.94	31.45	1.98	31.97	2.00	33.79	2.06	35.23	2.10
						70	24.74	1.93	30.16	1.97	31.09	2.01	31.62	2.03	33.48	2.08	34.94	2.12
						73	24.74	1.98	29.43	2.02	30.40	2.06	30.96	2.08	32.89	2.13	34.40	2.17
						77	24.74	2.03	28.73	2.07	29.75	2.11	30.33	2.13	32.34	2.18	33.90	2.22
						81	24.74	2.08	28.07	2.12	29.14	2.16	29.75	2.18	31.82	2.23	33.43	2.27
						84	24.74	2.13	27.45	2.17	28.57	2.21	29.20	2.23	31.35	2.29	33.01	2.32
						88	24.74	2.19	26.87	2.23	28.04	2.27	28.69	2.28	30.91	2.34	32.62	2.37
						91	24.74	2.24	26.33	2.28	27.55	2.32	28.22	2.34	30.52	2.39	32.27	2.43
						95	24.74	2.30	25.83	2.34	27.10	2.38	28.00	2.39	30.16	2.45	31.96	2.49
						99	24.74	2.36	25.37	2.40	26.68	2.43	27.40	2.45	29.84	2.51	31.69	2.54
						102	24.74	2.41	24.94	2.45	26.30	2.49	27.05	2.51	29.56	2.57	31.46	2.60
						108	24.74	2.51	24.38	2.55	25.81	2.58	26.60	2.60	29.22	2.66	31.19	2.69
						111	24.74	2.57	24.05	2.61	25.53	2.65	26.34	2.67	29.04	2.72	31.05	2.75
						115	24.74	2.63	23.76	2.67	25.30	2.71	26.13	2.73	28.89	2.78	30.96	2.82
7	7	7	9		30	68	26.51	2.02	32.73	2.07	33.69	2.11	34.25	2.13	36.20	2.19	37.74	2.23
						70	26.51	2.05	32.32	2.09	33.31	2.13	33.88	2.16	35.87	2.22	37.44	2.25
						73	26.51	2.10	31.53	2.14	32.57	2.19	33.17	2.21	35.24	2.27	36.86	2.30
						77	26.51	2.15	30.78	2.20	31.88	2.24	32.50	2.26	34.65	2.32	36.32	2.36
						81	26.51	2.21	30.08	2.25	31.23	2.29	31.87	2.31	34.10	2.37	35.82	2.41
						84	26.51	2.26	29.42	2.31	30.61	2.35	31.29	2.37	33.59	2.43	35.36	2.47
						88	26.51	2.32	28.79	2.37	30.05	2.41	30.74	2.43	33.12	2.49	34.95	2.52
						91	26.51	2.38	28.21	2.42	29.52	2.47	30.24	2.49	32.70	2.54	34.58	2.58
						95	26.51	2.44	27.68	2.48	29.03	2.53	30.00	2.54	32.32	2.60	34.24	2.64
						99	26.51	2.50	27.18	2.55	28.59	2.59	29.36	2.61	31.97	2.67	33.96	2.70
						102	26.51	2.57	26.72	2.61	28.18	2.65	28.98	2.67	31.68	2.73	33.71	2.76
						108	26.51	2.66	26.12	2.71	27.66	2.75	28.50	2.77	31.30	2.82	33.42	2.86
						111	26.51	2.73	25.77	2.77	27.36	2.81	28.22	2.83	31.11	2.89	33.27	2.93
						115	26.51	2.80	25.46	2.84	27.10	2.88	27.99	2.90	30.96	2.96	33.17	2.99
7	7	7	12		33	68	28.28	2.14	34.91	2.19	35.94	2.23	36.53	2.26	38.62	2.32	40.26	2.36
						70	28.28	2.17	34.47	2.22	35.53	2.26	36.14	2.28	38.26	2.35	39.93	2.39
						73	28.28	2.22	33.63	2.27	34.75	2.32	35.38	2.34	37.59	2.40	39.31	2.44
						77	28.28	2.28	32.84	2.33	34.00	2.37	34.67	2.39	36.96	2.46	38.74	2.50
						81	28.28	2.34	32.08	2.38	33.31	2.43	34.00	2.45	36.37	2.51	38.21	2.55
						84	28.28	2.40	31.38	2.44	32.66	2.49	33.37	2.51	35.83	2.57	37.72	2.61
						88	28.28	2.46	30.71	2.51	32.05	2.55	32.79	2.57	35.33	2.63	37.28	2.67
						91	28.28	2.52	30.09	2.57	31.48	2.61	32.26	2.63	34.88	2.70	36.88	2.73
						95	28.28	2.59	29.52	2.63	30.97	2.68	32.00	2.69	34.47	2.76	36.53	2.80
						99	28.28	2.65	28.99	2.70	30.49	2.74	31.32	2.76	34.11	2.82	36.22	2.86
						102	28.28	2.72	28.51	2.76	30.06	2.81	30.92	2.83	33.79	2.89	35.96	2.93
						108	28.28	2.82	27.86	2.87	29.50	2.91	30.40	2.93	33.39	2.99	35.64	3.03
						111	28.28	2.89	27.49	2.94	29.18	2.98	30.11	3.00	33.18	3.06	35.49	3.10
						115	28.28	2.96	27.16	3.01	28.91	3.05	29.86	3.07	33.02	3.13	35.38	3.17
7	7	7	15		36	68	28.28	2.07	34.91	2.12	35.94	2.16	36.53	2.18	37.18	2.20	38.62	2.24
						70	28.28	2.10	34.47	2.14	35.53	2.18	36.14	2.21	36.79	2.23	38.26	2.27
						73	28.28	2.15	33.63	2.19	34.75	2.24	35.38	2.26	36.06	2.28	37.59	2.32
						77	28.28	2.20	32.84	2.25	34.00	2.29	34.67	2.31	35.38	2.33	36.96	2.37
						81	28.28	2.26	32.08	2.31	33.31	2.35	34.00	2.37	34.74	2.39	36.37	2.43
						84	28.28	2.32	31.38	2.36	32.66	2.41	33.37	2.43	34.14	2.45	35.83	2.49
						88	28.28	2.38	30.71	2.42	32.05	2.46	32.79	2.49	33.59	2.51	35.33	2.55
						91	28.28	2.44	30.09	2.48	31.48	2.52	32.26	2.55	33.08	2.57	34.88	2.60
						95	28.28	2.50	29.52	2.54	30.97	2.59	32.00	2.60	32.62	2.63	34.47	2.67
						99	28.28	2.56	28.99	2.61	30.49	2.65	31.32	2.67	32.20	2.69	34.11	2.73
						102	28.28	2.63	28.51	2.67	30.06	2.71	30.92	2.73	31.82	2.75	33.79	2.79
						108	28.28	2.73	27.86	2.77	29.50	2.81	30.40	2.83	31.34	2.85	33.39	2.89
						111	28.28	2.79	27.49	2.84	29.18	2.88	30.11	2.90	31.08	2.92	33.18	2.96
						115	28.28	2.86	27.16	2.91	28.91	2.95	29.86	2.97	30.86	2.99	33.02	3.03

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	18	39	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	38.62	2.21	40.26	2.25	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	38.26	2.23	39.93	2.27	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	37.59	2.28	39.31	2.32	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	36.96	2.34	38.74	2.38	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	36.37	2.39	38.21	2.43	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	35.83	2.45	37.72	2.49	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	35.33	2.51	37.28	2.54	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	34.88	2.56	36.88	2.60	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	34.47	2.62	36.53	2.66	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	34.11	2.69	36.22	2.72	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	33.79	2.75	35.96	2.79	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	33.39	2.85	35.64	2.88	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	33.18	2.91	35.49	2.95	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	33.02	2.98	35.38	3.02	
7	7	7	24	45	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	7	9	9	32	68	28.28	2.14	34.91	2.19	35.94	2.23	36.53	2.26	38.62	2.32	40.26	2.36	
					70	28.28	2.17	34.47	2.22	35.53	2.26	36.14	2.28	38.26	2.35	39.93	2.39	
					73	28.28	2.22	33.63	2.27	34.75	2.32	35.38	2.34	37.59	2.40	39.31	2.44	
					77	28.28	2.28	32.84	2.33	34.00	2.37	34.67	2.39	36.96	2.46	38.74	2.50	
					81	28.28	2.34	32.08	2.38	33.31	2.43	34.00	2.45	36.37	2.51	38.21	2.55	
					84	28.28	2.40	31.38	2.44	32.66	2.49	33.37	2.51	35.83	2.57	37.72	2.61	
					88	28.28	2.46	30.71	2.51	32.05	2.55	32.79	2.57	35.33	2.63	37.28	2.67	
					91	28.28	2.52	30.09	2.57	31.48	2.61	32.26	2.63	34.88	2.70	36.88	2.73	
					95	28.28	2.59	29.52	2.63	30.97	2.68	32.00	2.69	34.47	2.76	36.53	2.80	
					99	28.28	2.65	28.99	2.70	30.49	2.74	31.32	2.76	34.11	2.82	36.22	2.86	
					102	28.28	2.72	28.51	2.76	30.06	2.81	30.92	2.83	33.79	2.89	35.96	2.93	
					108	28.28	2.82	27.86	2.87	29.50	2.91	30.40	2.93	33.39	2.99	35.64	3.03	
					111	28.28	2.89	27.49	2.94	29.18	2.98	30.11	3.00	33.18	3.06	35.49	3.10	
					115	28.28	2.96	27.16	3.01	28.91	3.05	29.86	3.07	33.02	3.13	35.38	3.17	
7	7	9	12	35	68	28.28	2.10	34.91	2.15	35.94	2.19	36.53	2.21	38.62	2.28	40.26	2.32	
					70	28.28	2.13	34.47	2.17	35.53	2.22	36.14	2.24	38.26	2.30	39.93	2.34	
					73	28.28	2.18	33.63	2.23	34.75	2.27	35.38	2.29	37.59	2.36	39.31	2.40	
					77	28.28	2.24	32.84	2.28	34.00	2.33	34.67	2.35	36.96	2.41	38.74	2.45	
					81	28.28	2.30	32.08	2.34	33.31	2.38	34.00	2.41	36.37	2.47	38.21	2.51	
					84	28.28	2.35	31.38	2.40	32.66	2.44	33.37	2.46	35.83	2.53	37.72	2.56	
					88	28.28	2.41	30.71	2.46	32.05	2.50	32.79	2.52	35.33	2.58	37.28	2.62	
					91	28.28	2.47	30.09	2.52	31.48	2.56	32.26	2.58	34.88	2.64	36.88	2.68	
					95	28.28	2.54	29.52	2.58	30.97	2.63	32.00	2.64	34.47	2.71	36.53	2.75	
					99	28.28	2.60	28.99	2.65	30.49	2.69	31.32	2.71	34.11	2.77	36.22	2.81	
					102	28.28	2.67	28.51	2.71	30.06	2.75	30.92	2.78	33.79	2.84	35.96	2.87	
					108	28.28	2.77	27.86	2.81	29.50	2.85	30.40	2.88	33.39	2.94	35.64	2.97	
					111	28.28	2.84	27.49	2.88	29.18	2.92	30.11	2.94	33.18	3.00	35.49	3.04	
					115	28.28	2.91	27.16	2.95	28.91	2.99	29.86	3.01	33.02	3.07	35.38	3.11	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	15	38	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	7	9	18	41	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	7	12	12	38	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	38.62	2.21	40.26	2.25	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	38.26	2.23	39.93	2.27	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	37.59	2.28	39.31	2.32	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	36.96	2.34	38.74	2.38	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	36.37	2.39	38.21	2.43	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	35.83	2.45	37.72	2.49	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	35.33	2.51	37.28	2.54	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	34.88	2.56	36.88	2.60	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	34.47	2.62	36.53	2.66	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	34.11	2.69	36.22	2.72	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	33.79	2.75	35.96	2.79	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	33.39	2.85	35.64	2.88	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	33.18	2.91	35.49	2.95	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	33.02	2.98	35.38	3.02	
7	7	12	15	41	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	12	18	44	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	7	15	15	44	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	9	9	9	34	68	28.28	2.14	34.91	2.19	35.94	2.23	36.53	2.26	38.62	2.32	40.26	2.36	
					70	28.28	2.17	34.47	2.22	35.53	2.26	36.14	2.28	38.26	2.35	39.93	2.39	
					73	28.28	2.22	33.63	2.27	34.75	2.32	35.38	2.34	37.59	2.40	39.31	2.44	
					77	28.28	2.28	32.84	2.33	34.00	2.37	34.67	2.39	36.96	2.46	38.74	2.50	
					81	28.28	2.34	32.08	2.38	33.31	2.43	34.00	2.45	36.37	2.51	38.21	2.55	
					84	28.28	2.40	31.38	2.44	32.66	2.49	33.37	2.51	35.83	2.57	37.72	2.61	
					88	28.28	2.46	30.71	2.51	32.05	2.55	32.79	2.57	35.33	2.63	37.28	2.67	
					91	28.28	2.52	30.09	2.57	31.48	2.61	32.26	2.63	34.88	2.70	36.88	2.73	
					95	28.28	2.59	29.52	2.63	30.97	2.68	32.00	2.69	34.47	2.76	36.53	2.80	
					99	28.28	2.65	28.99	2.70	30.49	2.74	31.32	2.76	34.11	2.82	36.22	2.86	
					102	28.28	2.72	28.51	2.76	30.06	2.81	30.92	2.83	33.79	2.89	35.96	2.93	
					108	28.28	2.82	27.86	2.87	29.50	2.91	30.40	2.93	33.39	2.99	35.64	3.03	
					111	28.28	2.89	27.49	2.94	29.18	2.98	30.11	3.00	33.18	3.06	35.49	3.10	
					115	28.28	2.96	27.16	3.01	28.91	3.05	29.86	3.07	33.02	3.13	35.38	3.17	
7	9	9	12	37	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	38.62	2.21	40.26	2.25	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	38.26	2.23	39.93	2.27	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	37.59	2.28	39.31	2.32	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	36.96	2.34	38.74	2.38	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	36.37	2.39	38.21	2.43	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	35.83	2.45	37.72	2.49	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	35.33	2.51	37.28	2.54	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	34.88	2.56	36.88	2.60	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	34.47	2.62	36.53	2.66	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	34.11	2.69	36.22	2.72	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	33.79	2.75	35.96	2.79	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	33.39	2.85	35.64	2.88	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	33.18	2.91	35.49	2.95	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	33.02	2.98	35.38	3.02	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	15	40	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	9	9	18	43	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
7	9	12	12	40	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	38.62	2.21	40.26	2.25	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	38.26	2.23	39.93	2.27	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	37.59	2.28	39.31	2.32	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	36.96	2.34	38.74	2.38	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	36.37	2.39	38.21	2.43	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	35.83	2.45	37.72	2.49	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	35.33	2.51	37.28	2.54	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	34.88	2.56	36.88	2.60	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	34.47	2.62	36.53	2.66	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	34.11	2.69	36.22	2.72	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	33.79	2.75	35.96	2.79	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	33.39	2.85	35.64	2.88	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	33.18	2.91	35.49	2.95	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	33.02	2.98	35.38	3.02	
7	9	12	15	43	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	12	12	43	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	
9	9	9	9	36	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	38.62	2.21	40.26	2.25	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	38.26	2.23	39.93	2.27	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	37.59	2.28	39.31	2.32	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	36.96	2.34	38.74	2.38	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	36.37	2.39	38.21	2.43	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	35.83	2.45	37.72	2.49	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	35.33	2.51	37.28	2.54	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	34.88	2.56	36.88	2.60	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	34.47	2.62	36.53	2.66	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	34.11	2.69	36.22	2.72	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	33.79	2.75	35.96	2.79	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	33.39	2.85	35.64	2.88	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	33.18	2.91	35.49	2.95	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	33.02	2.98	35.38	3.02	
9	9	9	12	39	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	38.62	2.21	40.26	2.25	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	38.26	2.23	39.93	2.27	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	37.59	2.28	39.31	2.32	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	36.96	2.34	38.74	2.38	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	36.37	2.39	38.21	2.43	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	35.83	2.45	37.72	2.49	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	35.33	2.51	37.28	2.54	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	34.88	2.56	36.88	2.60	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	34.47	2.62	36.53	2.66	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	34.11	2.69	36.22	2.72	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	33.79	2.75	35.96	2.79	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	33.39	2.85	35.64	2.88	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	33.18	2.91	35.49	2.95	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	33.02	2.98	35.38	3.02	
9	9	9	15	42	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21	
					70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23	
					73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28	
					77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34	
					81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39	
					84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45	
					88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51	
					91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56	
					95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62	
					99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69	
					102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75	
					108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85	
					111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91	
					115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98	

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	18		45	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21
						70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23
						73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28
						77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34
						81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39
						84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45
						88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51
						91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56
						95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62
						99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69
						102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75
						108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85
						111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91
						115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98
9	9	12	12		42	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21
						70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23
						73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28
						77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34
						81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39
						84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45
						88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51
						91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56
						95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62
						99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69
						102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75
						108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85
						111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91
						115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98
9	9	12	15		45	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21
						70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23
						73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28
						77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34
						81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39
						84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45
						88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51
						91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56
						95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62
						99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69
						102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75
						108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85
						111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91
						115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98
9	12	12	12		45	68	28.28	2.04	34.91	2.08	35.94	2.13	36.53	2.15	37.18	2.17	38.62	2.21
						70	28.28	2.06	34.47	2.11	35.53	2.15	36.14	2.17	36.79	2.19	38.26	2.23
						73	28.28	2.12	33.63	2.16	34.75	2.20	35.38	2.22	36.06	2.24	37.59	2.28
						77	28.28	2.17	32.84	2.21	34.00	2.26	34.67	2.28	35.38	2.30	36.96	2.34
						81	28.28	2.23	32.08	2.27	33.31	2.31	34.00	2.33	34.74	2.35	36.37	2.39
						84	28.28	2.28	31.38	2.33	32.66	2.37	33.37	2.39	34.14	2.41	35.83	2.45
						88	28.28	2.34	30.71	2.38	32.05	2.43	32.79	2.45	33.59	2.47	35.33	2.51
						91	28.28	2.40	30.09	2.44	31.48	2.49	32.26	2.51	33.08	2.53	34.88	2.56
						95	28.28	2.46	29.52	2.50	30.97	2.55	32.00	2.56	32.62	2.59	34.47	2.62
						99	28.28	2.52	28.99	2.57	30.49	2.61	31.32	2.63	32.20	2.65	34.11	2.69
						102	28.28	2.59	28.51	2.63	30.06	2.67	30.92	2.69	31.82	2.71	33.79	2.75
						108	28.28	2.68	27.86	2.73	29.50	2.77	30.40	2.79	31.34	2.81	33.39	2.85
						111	28.28	2.75	27.49	2.79	29.18	2.83	30.11	2.85	31.08	2.87	33.18	2.91
						115	28.28	2.82	27.16	2.86	28.91	2.90	29.86	2.92	30.86	2.94	33.02	2.98

CapacityTable

MMPD036S6M-1P

Cooling(Non Ducted)

- 1. Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- 2. Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- 3. The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- 4. Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- 5. The total combination Index of connected a indoor unit is up to 45.
- 6. At least two indoor units must be connected for operation.
- 7. Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- 8. This data is reference data for temperature capacity trend.

CapacityTable

MMPD036S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	5	12.48	1.84	12.09	1.86	11.74	1.89	11.58	1.90	11.18	1.93	10.96	1.94
						14	14.95	1.93	14.53	1.96	14.16	1.99	14.00	2.00	13.56	2.03	13.32	2.05
						23	17.42	2.03	16.98	2.06	16.59	2.09	16.41	2.10	15.94	2.13	15.68	2.15
						32	19.90	2.12	19.44	2.15	19.02	2.18	18.83	2.20	18.32	2.23	18.04	2.25
						36	20.89	2.16	20.42	2.19	20.00	2.22	19.80	2.24	19.28	2.27	18.99	2.29
						47	22.88	2.24	22.39	2.27	21.95	2.30	21.80	2.31	21.19	2.35	20.88	2.37
						50	24.87	2.31	24.36	2.34	23.90	2.38	23.68	2.39	23.11	2.43	22.78	2.45
9	12				21	59	27.35	2.40	26.83	2.44	26.34	2.47	26.12	2.49	25.51	2.53	25.15	2.55
						5	12.59	1.85	12.20	1.88	11.85	1.90	11.69	1.92	11.28	1.94	11.06	1.96
						14	15.09	1.95	14.67	1.98	14.29	2.00	14.12	2.02	13.68	2.05	13.44	2.06
						23	17.58	2.05	17.14	2.08	16.74	2.10	16.56	2.12	16.08	2.15	15.82	2.17
						32	20.08	2.14	19.62	2.17	19.20	2.20	19.00	2.22	18.49	2.25	18.21	2.27
						36	21.08	2.18	20.61	2.21	20.18	2.24	19.98	2.25	19.46	2.29	19.16	2.31
						47	23.09	2.25	22.59	2.29	22.15	2.32	22.00	2.33	21.39	2.37	21.07	2.39
9	15				24	50	25.09	2.33	24.58	2.36	24.12	2.40	23.90	2.41	23.32	2.45	22.99	2.47
						59	27.61	2.42	27.07	2.46	26.58	2.49	26.36	2.51	25.74	2.55	25.39	2.58
						5	12.59	1.85	12.20	1.88	11.85	1.90	11.69	1.92	11.28	1.94	11.06	1.96
						14	15.09	1.95	14.67	1.98	14.29	2.00	14.12	2.02	13.68	2.05	13.44	2.06
						23	17.58	2.05	17.14	2.08	16.74	2.10	16.56	2.12	16.08	2.15	15.82	2.17
						32	20.08	2.14	19.62	2.17	19.20	2.20	19.00	2.22	18.49	2.25	18.21	2.27
						36	21.08	2.18	20.61	2.21	20.18	2.24	19.98	2.25	19.46	2.29	19.16	2.31
9	18				27	47	23.09	2.25	22.59	2.29	22.15	2.32	22.00	2.33	21.39	2.37	21.07	2.39
						50	25.09	2.33	24.58	2.36	24.12	2.40	23.90	2.41	23.32	2.45	22.99	2.47
						59	27.61	2.42	27.07	2.46	26.58	2.49	26.36	2.51	25.74	2.55	25.39	2.58
						5	14.31	1.96	13.86	1.98	13.46	2.01	13.28	2.02	12.82	2.05	12.57	2.07
						14	17.14	2.06	16.67	2.09	16.24	2.12	16.05	2.13	15.55	2.16	15.27	2.18
						23	19.98	2.16	19.48	2.19	19.03	2.22	18.82	2.23	18.28	2.27	17.98	2.29
						32	22.82	2.26	22.29	2.29	21.82	2.32	21.60	2.34	21.01	2.38	20.69	2.40
9	24				33	36	23.96	2.30	23.42	2.33	22.93	2.37	22.71	2.38	22.11	2.42	21.77	2.44
						47	26.23	2.38	25.68	2.42	25.17	2.45	25.00	2.46	24.30	2.50	23.95	2.53
						50	28.52	2.46	27.94	2.50	27.41	2.53	27.16	2.55	26.50	2.59	26.12	2.61
						59	31.37	2.56	30.76	2.60	30.21	2.63	29.95	2.65	29.25	2.69	28.85	2.72
						5	15.34	2.04	14.86	2.07	14.43	2.09	14.24	2.10	13.74	2.14	13.48	2.15
						14	18.38	2.14	17.87	2.17	17.41	2.20	17.21	2.22	16.67	2.25	16.37	2.27
						23	21.42	2.25	20.88	2.28	20.40	2.31	20.18	2.32	19.59	2.36	19.27	2.38
12	12				24	32	24.46	2.35	23.90	2.39	23.39	2.42	23.15	2.43	22.53	2.47	22.18	2.50
						36	25.68	2.39	25.11	2.43	24.58	2.46	24.34	2.48	23.70	2.52	23.34	2.54
						47	28.12	2.48	27.52	2.51	26.98	2.55	26.80	2.56	26.05	2.61	25.67	2.63
						50	30.57	2.56	29.95	2.60	29.38	2.63	29.12	2.65	28.41	2.69	28.00	2.72
						59	33.63	2.66	32.98	2.70	32.38	2.74	32.11	2.76	31.36	2.80	30.92	2.83
						5	14.31	1.96	13.86	1.98	13.46	2.01	13.28	2.02	12.82	2.05	12.57	2.07
						14	17.14	2.06	16.67	2.09	16.24	2.12	16.05	2.13	15.55	2.16	15.27	2.18
12	15				27	23	19.98	2.16	19.48	2.19	19.03	2.22	18.82	2.23	18.28	2.27	17.98	2.29
						32	22.82	2.26	22.29	2.29	21.82	2.32	21.60	2.34	21.01	2.38	20.69	2.40
						36	23.96	2.30	23.42	2.33	22.93	2.37	22.71	2.38	22.11	2.42	21.77	2.44
						47	26.23	2.38	25.68	2.42	25.17	2.45	25.00	2.46	24.30	2.50	23.95	2.53
						50	28.52	2.46	27.94	2.50	27.41	2.53	27.16	2.55	26.50	2.59	26.12	2.61
						59	31.37	2.56	30.76	2.60	30.21	2.63	29.95	2.65	29.25	2.69	28.85	2.72
						5	14.31	1.96	13.86	1.98	13.46	2.01	13.28	2.02	12.82	2.05	12.57	2.07
12	18				30	14	17.14	2.06	16.67	2.09	16.24	2.12	16.05	2.13	15.55	2.16	15.27	2.18
						23	19.98	2.16	19.48	2.19	19.03	2.22	18.82	2.23	18.28	2.27	17.98	2.29
						32	22.82	2.26	22.29	2.29	21.82	2.32	21.60	2.34	21.01	2.38	20.69	2.40
						36	23.96	2.30	23.42	2.33	22.93	2.37	22.71	2.38	22.11	2.42	21.77	2.44
						47	26.23	2.38	25.68	2.42	25.17	2.45	25.00	2.46	24.30	2.50	23.95	2.53
						50	28.52	2.46	27.94	2.50	27.41	2.53	27.16	2.55	26.50	2.59	26.12	2.61
						59	31.37	2.56	30.76	2.60	30.21	2.63	29.95	2.65	29.25	2.69	28.85	2.72

CapacityTable

MMPD036S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	24				36	5	16.37	2.11	15.86	2.14	15.40	2.17	15.20	2.18	14.67	2.21	14.38	2.23
						14	19.61	2.22	19.07	2.25	18.58	2.28	18.36	2.29	17.78	2.33	17.47	2.35
						23	22.86	2.33	22.28	2.36	21.77	2.39	21.53	2.41	20.91	2.44	20.57	2.47
						32	26.11	2.44	25.50	2.47	24.96	2.50	24.71	2.52	24.04	2.56	23.67	2.58
						36	27.41	2.48	26.79	2.52	26.23	2.55	25.98	2.56	25.29	2.61	24.91	2.63
						47	30.01	2.56	29.37	2.60	28.79	2.64	28.60	2.65	27.80	2.70	27.40	2.72
						50	32.62	2.65	31.96	2.69	31.35	2.73	31.07	2.74	30.32	2.79	29.88	2.81
						59	35.89	2.76	35.19	2.80	34.56	2.84	34.26	2.85	33.46	2.90	33.00	2.93
15	15				30	5	14.31	1.96	13.86	1.98	13.46	2.01	13.28	2.02	13.12	2.03	12.82	2.05
						14	17.14	2.06	16.67	2.09	16.24	2.12	16.05	2.13	15.87	2.14	15.55	2.16
						23	19.98	2.16	19.48	2.19	19.03	2.22	18.82	2.23	18.63	2.25	18.28	2.27
						32	22.82	2.26	22.29	2.29	21.82	2.32	21.60	2.34	21.39	2.35	21.01	2.38
						36	23.96	2.30	23.42	2.33	22.93	2.37	22.71	2.38	22.50	2.39	22.11	2.42
						47	26.23	2.38	25.68	2.42	25.17	2.45	25.00	2.46	24.71	2.48	24.30	2.50
						50	28.52	2.46	27.94	2.50	27.41	2.53	27.16	2.55	26.93	2.56	26.50	2.59
						59	31.37	2.56	30.76	2.60	30.21	2.63	29.95	2.65	29.70	2.66	29.25	2.69
15	18				33	5	15.34	2.04	14.86	2.07	14.43	2.09	14.24	2.10	14.06	2.12	13.74	2.14
						14	18.38	2.14	17.87	2.17	17.41	2.20	17.21	2.22	17.01	2.23	16.67	2.25
						23	21.42	2.25	20.88	2.28	20.40	2.31	20.18	2.32	19.97	2.34	19.59	2.36
						32	24.46	2.35	23.90	2.39	23.39	2.42	23.15	2.43	22.93	2.45	22.53	2.47
						36	25.68	2.39	25.11	2.43	24.58	2.46	24.34	2.48	24.11	2.49	23.70	2.52
						47	28.12	2.48	27.52	2.51	26.98	2.55	26.80	2.56	26.49	2.58	26.05	2.61
						50	30.57	2.56	29.95	2.60	29.38	2.63	29.12	2.65	28.87	2.67	28.41	2.69
						59	33.63	2.66	32.98	2.70	32.38	2.74	32.11	2.76	31.84	2.77	31.36	2.80
18	18				36	5	16.37	2.11	15.86	2.14	15.40	2.17	15.20	2.18	14.67	2.21	14.38	2.23
						14	19.61	2.22	19.07	2.25	18.58	2.28	18.36	2.29	17.78	2.33	17.47	2.35
						23	22.86	2.33	22.28	2.36	21.77	2.39	21.53	2.41	20.91	2.44	20.57	2.47
						32	26.11	2.44	25.50	2.47	24.96	2.50	24.71	2.52	24.04	2.56	23.67	2.58
						36	27.41	2.48	26.79	2.52	26.23	2.55	25.98	2.56	25.29	2.61	24.91	2.63
						47	30.01	2.56	29.37	2.60	28.79	2.64	28.60	2.65	27.80	2.70	27.40	2.72
						50	32.62	2.65	31.96	2.69	31.35	2.73	31.07	2.74	30.32	2.79	29.88	2.81
						59	35.89	2.76	35.19	2.80	34.56	2.84	34.26	2.85	33.46	2.90	33.00	2.93
9	9	9			27	5	18.03	2.50	17.47	2.54	16.97	2.57	16.74	2.59	16.15	2.63	15.84	2.65
						14	21.60	2.64	21.00	2.67	20.47	2.71	20.22	2.73	19.59	2.77	19.24	2.79
						23	25.17	2.77	24.54	2.81	23.97	2.84	23.71	2.86	23.03	2.91	22.65	2.93
						32	28.75	2.89	28.09	2.94	27.49	2.98	27.21	2.99	26.48	3.04	26.07	3.07
						36	30.19	2.95	29.51	2.99	28.89	3.03	28.61	3.05	27.86	3.10	27.44	3.13
						47	33.06	3.05	32.35	3.09	31.71	3.14	31.50	3.15	30.62	3.21	30.17	3.24
						50	35.93	3.15	35.20	3.20	34.53	3.24	34.22	3.26	33.39	3.31	32.91	3.35
						59	39.53	3.28	38.76	3.33	38.06	3.37	37.74	3.39	36.86	3.45	36.35	3.48
9	9	12			30	5	18.61	2.50	18.02	2.54	17.50	2.57	17.27	2.59	16.67	2.63	16.34	2.65
						14	22.29	2.64	21.67	2.67	21.12	2.71	20.86	2.73	20.21	2.77	19.86	2.79
						23	25.97	2.77	25.32	2.81	24.73	2.84	24.47	2.86	23.76	2.91	23.37	2.93
						32	29.67	2.89	28.98	2.94	28.36	2.98	28.07	2.99	27.32	3.04	26.90	3.07
						36	31.14	2.95	30.45	2.99	29.81	3.03	29.52	3.05	28.74	3.10	28.31	3.13
						47	34.11	3.05	33.38	3.09	32.72	3.14	32.50	3.15	31.59	3.21	31.13	3.24
						50	37.07	3.15	36.32	3.20	35.63	3.24	35.31	3.26	34.45	3.31	33.96	3.35
						59	40.78	3.28	39.99	3.33	39.27	3.37	38.94	3.39	38.03	3.45	37.50	3.48
9	9	15			33	5	19.24	2.50	18.63	2.54	18.10	2.57	17.85	2.59	17.23	2.63	16.90	2.65
						14	23.04	2.64	22.40	2.67	21.83	2.71	21.57	2.73	20.89	2.77	20.53	2.79
						23	26.85	2.77	26.18	2.81	25.57	2.84	25.29	2.86	24.56	2.91	24.16	2.93
						32	30.67	2.89	29.96	2.94	29.32	2.98	29.02	2.99	28.24	3.04	27.81	3.07
						36	32.20	2.95	31.48	2.99	30.82	3.03	30.52	3.05	29.71	3.10	29.26	3.13
						47	35.26	3.05	34.51	3.09	33.83	3.14	33.60	3.15	32.66	3.21	32.18	3.24
						50	38.32	3.15	37.55	3.20	36.83	3.24	36.50	3.26	35.62	3.31	35.11	3.35
						59	42.16	3.28	41.35	3.33	40.60	3.37	40.25	3.39	39.31	3.45	38.77	3.48
9	9	18			36	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48

CapacityTable

MMPD036S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	12			33	5	19.24	2.50	18.63	2.54	18.10	2.57	17.85	2.59	17.23	2.63	16.90	2.65
						14	23.04	2.64	22.40	2.67	21.83	2.71	21.57	2.73	20.89	2.77	20.53	2.79
						23	26.85	2.77	26.18	2.81	25.57	2.84	25.29	2.86	24.56	2.91	24.16	2.93
						32	30.67	2.89	29.96	2.94	29.32	2.98	29.02	2.99	28.24	3.04	27.81	3.07
						36	32.20	2.95	31.48	2.99	30.82	3.03	30.52	3.05	29.71	3.10	29.26	3.13
						47	35.26	3.05	34.51	3.09	33.83	3.14	33.60	3.15	32.66	3.21	32.18	3.24
						50	38.32	3.15	37.55	3.20	36.83	3.24	36.50	3.26	35.62	3.31	35.11	3.35
						59	42.16	3.28	41.35	3.33	40.60	3.37	40.25	3.39	39.31	3.45	38.77	3.48
9	12	15			36	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
9	12	18			39	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
9	18	18			45	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
12	12	12			36	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
12	12	18			42	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
9	9	9	9		36	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
9	9	9	12		39	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48

CapacityTable

MMPD036S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	18		45	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
9	9	12	12		42	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48
9	12	12	12		45	5	20.61	2.50	19.96	2.54	19.39	2.57	19.13	2.59	18.46	2.63	18.11	2.65
						14	24.69	2.64	24.00	2.67	23.39	2.71	23.11	2.73	22.39	2.77	21.99	2.79
						23	28.77	2.77	28.05	2.81	27.40	2.84	27.10	2.86	26.32	2.91	25.89	2.93
						32	32.86	2.89	32.10	2.94	31.41	2.98	31.10	2.99	30.26	3.04	29.79	3.07
						36	34.50	2.95	33.72	2.99	33.02	3.03	32.70	3.05	31.84	3.10	31.35	3.13
						47	37.78	3.05	36.97	3.09	36.24	3.14	36.00	3.15	35.00	3.21	34.48	3.24
						50	41.06	3.15	40.23	3.20	39.46	3.24	39.11	3.26	38.16	3.31	37.62	3.35
						59	45.17	3.28	44.30	3.33	43.50	3.37	43.13	3.39	42.12	3.45	41.54	3.48

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 45.
- At least two indoor units must be connected for operation.
- If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	5	8.59	1.08	8.32	1.10	8.08	1.11	7.97	1.12	7.69	1.13	7.54	1.14
						14	10.29	1.14	10.00	1.15	9.75	1.17	9.63	1.18	9.33	1.20	9.16	1.21
						23	11.99	1.19	11.69	1.21	11.42	1.23	11.29	1.24	10.97	1.25	10.79	1.27
						32	13.69	1.25	13.38	1.27	13.09	1.29	12.96	1.29	12.61	1.31	12.41	1.33
						36	14.37	1.27	14.05	1.29	13.76	1.31	13.62	1.32	13.27	1.34	13.06	1.35
						47	15.74	1.32	15.41	1.34	15.10	1.35	15.00	1.36	14.58	1.38	14.37	1.40
						50	17.11	1.36	16.76	1.38	16.44	1.40	16.30	1.41	15.90	1.43	15.67	1.44
						59	18.82	1.41	18.46	1.44	18.13	1.46	17.97	1.46	17.55	1.49	17.31	1.50
7	9				16	5	10.53	1.30	10.20	1.32	9.91	1.33	9.78	1.34	9.44	1.36	9.25	1.37
						14	12.62	1.36	12.27	1.38	11.96	1.40	11.81	1.41	11.44	1.43	11.24	1.44
						23	14.70	1.43	14.34	1.45	14.00	1.47	13.85	1.48	13.45	1.50	13.23	1.52
						32	16.80	1.50	16.41	1.52	16.06	1.54	15.89	1.55	15.47	1.57	15.23	1.59
						36	17.63	1.52	17.24	1.55	16.88	1.57	16.71	1.58	16.27	1.60	16.03	1.62
						47	19.31	1.58	18.90	1.60	18.52	1.62	18.40	1.63	17.89	1.66	17.62	1.67
						50	20.99	1.63	20.56	1.65	20.17	1.68	19.99	1.69	19.50	1.72	19.23	1.73
						59	23.09	1.70	22.64	1.72	22.23	1.74	22.04	1.75	21.53	1.78	21.23	1.80
7	12				19	5	12.48	1.44	12.09	1.46	11.74	1.48	11.58	1.49	11.18	1.51	10.96	1.52
						14	14.95	1.51	14.53	1.54	14.16	1.56	14.00	1.57	13.56	1.59	13.32	1.60
						23	17.42	1.59	16.98	1.61	16.59	1.63	16.41	1.64	15.94	1.67	15.68	1.68
						32	19.90	1.66	19.44	1.69	19.02	1.71	18.83	1.72	18.32	1.75	18.04	1.76
						36	20.89	1.69	20.42	1.72	20.00	1.74	19.80	1.75	19.28	1.78	18.99	1.80
						47	22.88	1.75	22.39	1.78	21.95	1.80	21.80	1.81	21.19	1.84	20.88	1.86
						50	24.87	1.81	24.36	1.84	23.90	1.86	23.68	1.87	23.11	1.90	22.78	1.92
						59	27.35	1.88	26.83	1.91	26.34	1.94	26.12	1.95	25.51	1.98	25.15	2.00
7	15				22	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	17.14	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	19.98	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	17.98	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	27.94	2.01	27.41	2.04	27.16	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	29.95	2.13	29.25	2.17	28.85	2.19
7	18				25	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	17.14	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	19.98	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	17.98	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	27.94	2.01	27.41	2.04	27.16	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	29.95	2.13	29.25	2.17	28.85	2.19
7	24				31	5	16.37	1.88	15.86	1.90	15.40	1.93	15.20	1.94	14.67	1.97	14.38	1.99
						14	19.61	1.97	19.07	2.00	18.58	2.03	18.36	2.04	17.78	2.07	17.47	2.09
						23	22.86	2.07	22.28	2.10	21.77	2.13	21.53	2.14	20.91	2.18	20.57	2.20
						32	26.11	2.17	25.50	2.20	24.96	2.23	24.71	2.24	24.04	2.28	23.67	2.30
						36	27.41	2.21	26.79	2.24	26.23	2.27	25.98	2.28	25.29	2.32	24.91	2.34
						47	30.01	2.28	29.37	2.32	28.79	2.35	28.60	2.36	27.80	2.40	27.40	2.42
						50	32.62	2.36	31.96	2.40	31.35	2.43	31.07	2.44	30.32	2.48	29.88	2.51
						59	35.89	2.45	35.19	2.49	34.56	2.53	34.26	2.54	33.46	2.58	33.00	2.61
9	9				18	5	12.48	1.44	12.09	1.46	11.74	1.48	11.58	1.49	11.18	1.51	10.96	1.52
						14	14.95	1.51	14.53	1.54	14.16	1.56	14.00	1.57	13.56	1.59	13.32	1.60
						23	17.42	1.59	16.98	1.61	16.59	1.63	16.41	1.64	15.94	1.67	15.68	1.68
						32	19.90	1.66	19.44	1.69	19.02	1.71	18.83	1.72	18.32	1.75	18.04	1.76
						36	20.89	1.69	20.42	1.72	20.00	1.74	19.80	1.75	19.28	1.78	18.99	1.80
						47	22.88	1.75	22.39	1.78	21.95	1.80	21.80	1.81	21.19	1.84	20.88	1.86
						50	24.87	1.81	24.36	1.84	23.90	1.86	23.68	1.87	23.11	1.90	22.78	1.92
						59	27.35	1.88	26.83	1.91	26.34	1.94	26.12	1.95	25.51	1.98	25.15	2.00
9	12				21	5	14.26	1.56	13.81	1.58	13.41	1.60	13.23	1.61	12.77	1.64	12.52	1.65
						14	17.07	1.64	16.60	1.66	16.18	1.69	15.99	1.70	15.48	1.72	15.21	1.74
						23	19.90	1.72	19.40	1.75	18.95	1.77	18.75	1.78	18.20	1.81	17.91	1.82
						32	22.73	1.80	22.20	1.83	21.73	1.85	21.51	1.86	20.93	1.89	20.61	1.91
						36	23.86	1.83	23.33	1.86	22.84	1.89	22.62	1.90	22.02	1.93	21.69	1.95
						47	26.13	1.90	25.57	1.92	25.07	1.95	24.90	1.96	24.21	2.00	23.85	2.01
						50	28.40	1.96	27.82	1.99	27.30	2.02	27.05	2.03	26.39	2.06	26.02	2.08
						59	31.24	2.04	30.64	2.07	30.09	2.10	29.83	2.11	29.13	2.15	28.73	2.17

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15				24	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	1714	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	1998	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	1798	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	2794	2.01	2741	2.04	2716	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	2995	2.13	29.25	2.17	28.85	2.19
9	18				27	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	1714	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	1998	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	1798	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	2794	2.01	2741	2.04	2716	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	2995	2.13	29.25	2.17	28.85	2.19
9	24				33	5	16.37	1.88	15.86	1.90	15.40	1.93	15.20	1.94	14.67	1.97	14.38	1.99
						14	19.61	1.97	19.07	2.00	18.58	2.03	18.36	2.04	17.78	2.07	17.47	2.09
						23	22.86	2.07	22.28	2.10	21.77	2.13	21.53	2.14	20.91	2.18	20.57	2.20
						32	26.11	2.17	25.50	2.20	24.96	2.23	24.71	2.24	24.04	2.28	23.67	2.30
						36	27.41	2.21	26.79	2.24	26.23	2.27	25.98	2.28	25.29	2.32	24.91	2.34
						47	30.01	2.28	29.37	2.32	28.79	2.35	28.60	2.36	27.80	2.40	27.40	2.42
						50	32.62	2.36	31.96	2.40	31.35	2.43	31.07	2.44	30.32	2.48	29.88	2.51
						59	35.89	2.45	35.19	2.49	34.56	2.53	34.26	2.54	33.46	2.58	33.00	2.61
12	12				24	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	1714	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	1998	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	1798	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	2794	2.01	2741	2.04	2716	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	2995	2.13	29.25	2.17	28.85	2.19
12	15				27	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	1714	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	1998	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	1798	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	2794	2.01	2741	2.04	2716	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	2995	2.13	29.25	2.17	28.85	2.19
12	18				30	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	1714	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	1998	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	1798	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	2794	2.01	2741	2.04	2716	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	2995	2.13	29.25	2.17	28.85	2.19
12	24				36	5	16.37	1.88	15.86	1.90	15.40	1.93	15.20	1.94	14.67	1.97	14.38	1.99
						14	19.61	1.97	19.07	2.00	18.58	2.03	18.36	2.04	17.78	2.07	17.47	2.09
						23	22.86	2.07	22.28	2.10	21.77	2.13	21.53	2.14	20.91	2.18	20.57	2.20
						32	26.11	2.17	25.50	2.20	24.96	2.23	24.71	2.24	24.04	2.28	23.67	2.30
						36	27.41	2.21	26.79	2.24	26.23	2.27	25.98	2.28	25.29	2.32	24.91	2.34
						47	30.01	2.28	29.37	2.32	28.79	2.35	28.60	2.36	27.80	2.40	27.40	2.42
						50	32.62	2.36	31.96	2.40	31.35	2.43	31.07	2.44	30.32	2.48	29.88	2.51
						59	35.89	2.45	35.19	2.49	34.56	2.53	34.26	2.54	33.46	2.58	33.00	2.61
15	15				30	5	14.31	1.57	13.86	1.60	13.46	1.62	13.28	1.63	12.82	1.65	12.57	1.67
						14	1714	1.66	16.67	1.68	16.24	1.70	16.05	1.71	15.55	1.74	15.27	1.75
						23	1998	1.74	19.48	1.76	19.03	1.79	18.82	1.80	18.28	1.83	1798	1.84
						32	22.82	1.82	22.29	1.85	21.82	1.87	21.60	1.88	21.01	1.91	20.69	1.93
						36	23.96	1.85	23.42	1.88	22.93	1.90	22.71	1.92	22.11	1.95	21.77	1.96
						47	26.23	1.92	25.68	1.94	25.17	1.97	25.00	1.98	24.30	2.02	23.95	2.03
						50	28.52	1.98	2794	2.01	2741	2.04	2716	2.05	26.50	2.08	26.12	2.10
						59	31.37	2.06	30.76	2.09	30.21	2.12	2995	2.13	29.25	2.17	28.85	2.19

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
15	18				33	5	16.37	1.88	15.86	1.90	15.40	1.93	15.20	1.94	14.67	1.97	14.38	1.99
						14	19.61	1.97	19.07	2.00	18.58	2.03	18.36	2.04	17.78	2.07	17.47	2.09
						23	22.86	2.07	22.28	2.10	21.77	2.13	21.53	2.14	20.91	2.18	20.57	2.20
						32	26.11	2.17	25.50	2.20	24.96	2.23	24.71	2.24	24.04	2.28	23.67	2.30
						36	27.41	2.21	26.79	2.24	26.23	2.27	25.98	2.28	25.29	2.32	24.91	2.34
						47	30.01	2.28	29.37	2.32	28.79	2.35	28.60	2.36	27.80	2.40	27.40	2.42
						50	32.62	2.36	31.96	2.40	31.35	2.43	31.07	2.44	30.32	2.48	29.88	2.51
						59	35.89	2.45	35.19	2.49	34.56	2.53	34.26	2.54	33.46	2.58	33.00	2.61
15	24				39	5	16.37	1.88	15.86	1.90	15.40	1.93	15.20	1.94	14.67	1.97	14.38	1.99
						14	19.61	1.97	19.07	2.00	18.58	2.03	18.36	2.04	17.78	2.07	17.47	2.09
						23	22.86	2.07	22.28	2.10	21.77	2.13	21.53	2.14	20.91	2.18	20.57	2.20
						32	26.11	2.17	25.50	2.20	24.96	2.23	24.71	2.24	24.04	2.28	23.67	2.30
						36	27.41	2.21	26.79	2.24	26.23	2.27	25.98	2.28	25.29	2.32	24.91	2.34
						47	30.01	2.28	29.37	2.32	28.79	2.35	28.60	2.36	27.80	2.40	27.40	2.42
						50	32.62	2.36	31.96	2.40	31.35	2.43	31.07	2.44	30.32	2.48	29.88	2.51
						59	35.89	2.45	35.19	2.49	34.56	2.53	34.26	2.54	33.46	2.58	33.00	2.61
18	18				36	5	16.37	1.88	15.86	1.90	15.40	1.93	15.20	1.94	14.67	1.97	14.38	1.99
						14	19.61	1.97	19.07	2.00	18.58	2.03	18.36	2.04	17.78	2.07	17.47	2.09
						23	22.86	2.07	22.28	2.10	21.77	2.13	21.53	2.14	20.91	2.18	20.57	2.20
						32	26.11	2.17	25.50	2.20	24.96	2.23	24.71	2.24	24.04	2.28	23.67	2.30
						36	27.41	2.21	26.79	2.24	26.23	2.27	25.98	2.28	25.29	2.32	24.91	2.34
						47	30.01	2.28	29.37	2.32	28.79	2.35	28.60	2.36	27.80	2.40	27.40	2.42
						50	32.62	2.36	31.96	2.40	31.35	2.43	31.07	2.44	30.32	2.48	29.88	2.51
						59	35.89	2.45	35.19	2.49	34.56	2.53	34.26	2.54	33.46	2.58	33.00	2.61
18	24				42	5	17.75	2.39	17.19	2.42	16.70	2.45	16.47	2.47	15.90	2.50	15.59	2.52
						14	21.26	2.51	20.67	2.55	20.14	2.58	19.90	2.60	19.28	2.64	18.94	2.66
						23	24.77	2.63	24.15	2.67	23.59	2.71	23.34	2.72	22.66	2.77	22.29	2.79
						32	28.30	2.76	27.64	2.80	27.05	2.84	26.78	2.85	26.06	2.90	25.65	2.92
						36	29.71	2.81	29.04	2.85	28.44	2.89	28.16	2.90	27.42	2.95	27.00	2.98
						47	32.53	2.90	31.84	2.95	31.21	2.99	31.00	3.00	30.14	3.05	29.69	3.08
						50	35.36	3.00	34.64	3.04	33.98	3.09	33.68	3.10	32.86	3.16	32.39	3.19
						59	38.90	3.12	38.15	3.17	37.46	3.21	37.14	3.23	36.27	3.28	35.77	3.32
7	7	7			21	5	12.59	1.24	12.20	1.26	11.85	1.27	11.69	1.28	11.28	1.30	11.06	1.31
						14	15.09	1.31	14.67	1.32	14.29	1.34	14.12	1.35	13.68	1.37	13.44	1.38
						23	17.58	1.37	17.14	1.39	16.74	1.41	16.56	1.42	16.08	1.44	15.82	1.45
						32	20.08	1.43	19.62	1.45	19.20	1.47	19.00	1.48	18.49	1.51	18.21	1.52
						36	21.08	1.46	20.61	1.48	20.18	1.50	19.98	1.51	19.46	1.53	19.16	1.55
						47	23.09	1.51	22.59	1.53	22.15	1.55	22.00	1.56	21.39	1.59	21.07	1.60
						50	25.09	1.56	24.58	1.58	24.12	1.60	23.90	1.61	23.32	1.64	22.99	1.66
						59	27.61	1.62	27.07	1.65	26.58	1.67	26.36	1.68	25.74	1.71	25.39	1.72
7	7	9			23	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
						14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
						23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
						32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
						36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
						47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
						50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
						59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
7	7	12			26	5	15.46	1.59	14.97	1.61	14.54	1.63	14.35	1.64	13.84	1.67	13.58	1.68
						14	18.52	1.67	18.00	1.70	17.54	1.72	17.33	1.73	16.79	1.76	16.50	1.77
						23	21.58	1.76	21.04	1.78	20.55	1.81	20.33	1.82	19.74	1.85	19.42	1.86
						32	24.65	1.84	24.08	1.87	23.56	1.89	23.32	1.90	22.69	1.93	22.34	1.95
						36	25.87	1.87	25.29	1.90	24.77	1.92	24.52	1.94	23.88	1.97	23.52	1.98
						47	28.33	1.94	27.73	1.96	27.18	1.99	27.00	2.00	26.25	2.04	25.86	2.05
						50	30.80	2.00	30.17	2.03	29.60	2.06	29.33	2.07	28.62	2.10	28.21	2.12
						59	33.88	2.08	33.23	2.11	32.63	2.14	32.35	2.15	31.59	2.19	31.15	2.21
7	7	15			29	5	18.32	1.99	17.74	2.02	17.23	2.04	17.00	2.06	16.41	2.09	16.09	2.10
						14	21.94	2.09	21.34	2.12	20.79	2.15	20.54	2.16	19.90	2.20	19.55	2.22
						23	25.57	2.19	24.93	2.23	24.35	2.26	24.09	2.27	23.39	2.31	23.01	2.33
						32	29.21	2.30	28.53	2.33	27.92	2.36	27.64	2.38	26.90	2.42	26.48	2.44
						36	30.67	2.34	29.98	2.37	29.35	2.40	29.07	2.42	28.30	2.46	27.87	2.48
						47	33.58	2.42	32.87	2.46	32.21	2.49	32.00	2.50	31.11	2.54	30.65	2.57
						50	36.50	2.50	35.76	2.54	35.08	2.57	34.77	2.59	33.92	2.63	33.44	2.66
						59	40.15	2.60	39.38	2.64	38.67	2.67	38.34	2.69	37.44	2.74	36.92	2.76

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	18			32	5	18.32	1.99	17.74	2.02	17.23	2.04	17.00	2.06	16.41	2.09	16.09	2.10
						14	21.94	2.09	21.34	2.12	20.79	2.15	20.54	2.16	19.90	2.20	19.55	2.22
						23	25.57	2.19	24.93	2.23	24.35	2.26	24.09	2.27	23.39	2.31	23.01	2.33
						32	29.21	2.30	28.53	2.33	27.92	2.36	27.64	2.38	26.90	2.42	26.48	2.44
						36	30.67	2.34	29.98	2.37	29.35	2.40	29.07	2.42	28.30	2.46	27.87	2.48
						47	33.58	2.42	32.87	2.46	32.21	2.49	32.00	2.50	31.11	2.54	30.65	2.57
						50	36.50	2.50	35.76	2.54	35.08	2.57	34.77	2.59	33.92	2.63	33.44	2.66
						59	40.15	2.60	39.38	2.64	38.67	2.67	38.34	2.69	37.44	2.74	36.92	2.76
7	7	24			38	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
7	9	9			25	5	14.31	1.38	13.86	1.40	13.46	1.42	13.28	1.43	12.82	1.45	12.57	1.46
						14	17.14	1.46	16.67	1.48	16.24	1.50	16.05	1.51	15.55	1.53	15.27	1.54
						23	19.98	1.53	19.48	1.55	19.03	1.57	18.82	1.58	18.28	1.61	17.98	1.62
						32	22.82	1.60	22.29	1.62	21.82	1.64	21.60	1.65	21.01	1.68	20.69	1.70
						36	23.96	1.63	23.42	1.65	22.93	1.67	22.71	1.68	22.11	1.71	21.77	1.73
						47	26.23	1.68	25.68	1.71	25.17	1.73	25.00	1.74	24.30	1.77	23.95	1.79
						50	28.52	1.74	27.94	1.77	27.41	1.79	27.16	1.80	26.50	1.83	26.12	1.85
						59	31.37	1.81	30.76	1.84	30.21	1.86	29.95	1.87	29.25	1.91	28.85	1.92
7	9	12			28	5	18.32	1.99	17.74	2.02	17.23	2.04	17.00	2.06	16.41	2.09	16.09	2.10
						14	21.94	2.09	21.34	2.12	20.79	2.15	20.54	2.16	19.90	2.20	19.55	2.22
						23	25.57	2.19	24.93	2.23	24.35	2.26	24.09	2.27	23.39	2.31	23.01	2.33
						32	29.21	2.30	28.53	2.33	27.92	2.36	27.64	2.38	26.90	2.42	26.48	2.44
						36	30.67	2.34	29.98	2.37	29.35	2.40	29.07	2.42	28.30	2.46	27.87	2.48
						47	33.58	2.42	32.87	2.46	32.21	2.49	32.00	2.50	31.11	2.54	30.65	2.57
						50	36.50	2.50	35.76	2.54	35.08	2.57	34.77	2.59	33.92	2.63	33.44	2.66
						59	40.15	2.60	39.38	2.64	38.67	2.67	38.34	2.69	37.44	2.74	36.92	2.76
7	9	15			31	5	18.32	1.99	17.74	2.02	17.23	2.04	17.00	2.06	16.41	2.09	16.09	2.10
						14	21.94	2.09	21.34	2.12	20.79	2.15	20.54	2.16	19.90	2.20	19.55	2.22
						23	25.57	2.19	24.93	2.23	24.35	2.26	24.09	2.27	23.39	2.31	23.01	2.33
						32	29.21	2.30	28.53	2.33	27.92	2.36	27.64	2.38	26.90	2.42	26.48	2.44
						36	30.67	2.34	29.98	2.37	29.35	2.40	29.07	2.42	28.30	2.46	27.87	2.48
						47	33.58	2.42	32.87	2.46	32.21	2.49	32.00	2.50	31.11	2.54	30.65	2.57
						50	36.50	2.50	35.76	2.54	35.08	2.57	34.77	2.59	33.92	2.63	33.44	2.66
						59	40.15	2.60	39.38	2.64	38.67	2.67	38.34	2.69	37.44	2.74	36.92	2.76
7	9	18			34	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
7	9	24			40	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
7	12	12			31	5	18.32	1.99	17.74	2.02	17.23	2.04	17.00	2.06	16.41	2.09	16.09	2.10
						14	21.94	2.09	21.34	2.12	20.79	2.15	20.54	2.16	19.90	2.20	19.55	2.22
						23	25.57	2.19	24.93	2.23	24.35	2.26	24.09	2.27	23.39	2.31	23.01	2.33
						32	29.21	2.30	28.53	2.33	27.92	2.36	27.64	2.38	26.90	2.42	26.48	2.44
						36	30.67	2.34	29.98	2.37	29.35	2.40	29.07	2.42	28.30	2.46	27.87	2.48
						47	33.58	2.42	32.87	2.46	32.21	2.49	32.00	2.50	31.11	2.54	30.65	2.57
						50	36.50	2.50	35.76	2.54	35.08	2.57	34.77	2.59	33.92	2.63	33.44	2.66
						59	40.15	2.60	39.38	2.64	38.67	2.67	38.34	2.69	37.44	2.74	36.92	2.76

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	15			34	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
7	12	18			37	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
7	12	24			43	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
7	15	15			37	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
7	15	18			40	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
7	18	18			43	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
9	9	9			27	5	18.21	1.91	17.63	1.94	17.13	1.96	16.90	1.97	16.31	2.00	15.99	2.02
						14	21.81	2.01	21.20	2.04	20.66	2.06	20.42	2.08	19.77	2.11	19.43	2.13
						23	25.41	2.11	24.78	2.14	24.20	2.17	23.94	2.18	23.25	2.21	22.87	2.23
						32	29.03	2.21	28.36	2.24	27.75	2.27	27.47	2.28	26.73	2.32	26.32	2.34
						36	30.47	2.24	29.79	2.28	29.17	2.31	28.88	2.32	28.12	2.36	27.70	2.38
						47	33.37	2.32	32.66	2.36	32.01	2.39	31.80	2.40	30.91	2.44	30.46	2.47
						50	36.27	2.40	35.53	2.44	34.86	2.47	34.55	2.48	33.71	2.53	33.23	2.55
						59	39.90	2.50	39.13	2.53	38.43	2.57	38.10	2.58	37.21	2.63	36.69	2.65
9	9	12			30	5	18.32	1.99	17.74	2.02	17.23	2.04	17.00	2.06	16.41	2.09	16.09	2.10
						14	21.94	2.09	21.34	2.12	20.79	2.15	20.54	2.16	19.90	2.20	19.55	2.22
						23	25.57	2.19	24.93	2.23	24.35	2.26	24.09	2.27	23.39	2.31	23.01	2.33
						32	29.21	2.30	28.53	2.33	27.92	2.36	27.64	2.38	26.90	2.42	26.48	2.44
						36	30.67	2.34	29.98	2.37	29.35	2.40	29.07	2.42	28.30	2.46	27.87	2.48
						47	33.58	2.42	32.87	2.46	32.21	2.49	32.00	2.50	31.11	2.54	30.65	2.57
						50	36.50	2.50	35.76	2.54	35.08	2.57	34.77	2.59	33.92	2.63	33.44	2.66
						59	40.15	2.60	39.38	2.64	38.67	2.67	38.34	2.69	37.44	2.74	36.92	2.76

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	15			33	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
9	9	18			36	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
9	9	24			42	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
9	12	12			33	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
9	12	15			36	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
9	12	18			39	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
9	12	24			45	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
9	15	15			39	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15	18			42	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
9	18	18			45	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
12	12	12			36	5	18.89	2.15	18.30	2.18	17.77	2.21	17.54	2.22	16.92	2.25	16.60	2.27
						14	22.63	2.26	22.00	2.29	21.44	2.32	21.19	2.34	20.52	2.37	20.16	2.39
						23	26.37	2.37	25.71	2.41	25.12	2.44	24.84	2.45	24.13	2.49	23.73	2.51
						32	30.12	2.48	29.43	2.52	28.80	2.55	28.51	2.57	27.74	2.61	27.31	2.63
						36	31.62	2.53	30.91	2.56	30.27	2.60	29.97	2.61	29.18	2.66	28.74	2.68
						47	34.63	2.61	33.89	2.65	33.22	2.69	33.00	2.70	32.08	2.75	31.61	2.77
						50	37.64	2.70	36.87	2.74	36.18	2.78	35.85	2.79	34.98	2.84	34.48	2.87
						59	41.41	2.81	40.61	2.85	39.88	2.89	39.53	2.91	38.61	2.96	38.08	2.98
12	12	15			39	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
12	12	18			42	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
12	15	15			42	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
12	15	18			45	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10
15	15	15			45	5	19.46	2.23	18.85	2.26	18.31	2.29	18.07	2.30	17.43	2.34	17.10	2.36
						14	23.32	2.34	22.67	2.38	22.09	2.41	21.83	2.42	21.14	2.46	20.77	2.48
						23	27.17	2.46	26.49	2.49	25.88	2.53	25.60	2.54	24.86	2.58	24.45	2.61
						32	31.04	2.57	30.32	2.61	29.67	2.65	29.37	2.66	28.58	2.71	28.14	2.73
						36	32.58	2.62	31.85	2.66	31.19	2.69	30.88	2.71	30.07	2.75	29.61	2.78
						47	35.68	2.71	34.92	2.75	34.23	2.79	34.00	2.80	33.05	2.85	32.57	2.88
						50	38.78	2.80	37.99	2.84	37.27	2.88	36.94	2.90	36.04	2.95	35.53	2.97
						59	42.66	2.91	41.84	2.96	41.08	3.00	40.73	3.01	39.78	3.07	39.23	3.10

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	7		28	5	17.17	1.87	16.64	1.90	16.16	1.92	15.94	1.93	15.38	1.96	15.09	1.98
						14	20.57	1.97	20.00	2.00	19.49	2.02	19.26	2.03	18.66	2.06	18.33	2.08
						23	23.98	2.06	23.37	2.09	22.83	2.12	22.58	2.13	21.93	2.17	21.57	2.19
						32	27.38	2.16	26.75	2.19	26.18	2.22	25.91	2.23	25.22	2.27	24.83	2.29
						36	28.75	2.20	28.10	2.23	27.52	2.26	27.25	2.27	26.53	2.31	26.13	2.33
						47	31.48	2.27	30.81	2.31	30.20	2.34	30.00	2.35	29.16	2.39	28.74	2.41
						50	34.22	2.35	33.52	2.39	32.89	2.42	32.59	2.43	31.80	2.47	31.35	2.50
						59	37.64	2.44	36.92	2.48	36.25	2.51	35.94	2.53	35.10	2.57	34.62	2.60
7	7	7	9		30	5	17.75	1.87	17.19	1.90	16.70	1.92	16.47	1.93	15.90	1.96	15.59	1.98
						14	21.26	1.97	20.67	2.00	20.14	2.02	19.90	2.03	19.28	2.06	18.94	2.08
						23	24.77	2.06	24.15	2.09	23.59	2.12	23.34	2.13	22.66	2.17	22.29	2.19
						32	28.30	2.16	27.64	2.19	27.05	2.22	26.78	2.23	26.06	2.27	25.65	2.29
						36	29.71	2.20	29.04	2.23	28.44	2.26	28.16	2.27	27.42	2.31	27.00	2.33
						47	32.53	2.27	31.84	2.31	31.21	2.34	31.00	2.35	30.14	2.39	29.69	2.41
						50	35.36	2.35	34.64	2.39	33.98	2.42	33.68	2.43	32.86	2.47	32.39	2.50
						59	38.90	2.44	38.15	2.48	37.46	2.51	37.14	2.53	36.27	2.57	35.77	2.60
7	7	7	12		33	5	19.18	1.95	18.58	1.98	18.04	2.00	17.80	2.01	17.18	2.04	16.85	2.06
						14	22.97	2.05	22.34	2.08	21.77	2.11	21.51	2.12	20.83	2.15	20.47	2.17
						23	26.77	2.15	26.10	2.18	25.50	2.21	25.22	2.23	24.49	2.26	24.09	2.28
						32	30.58	2.25	29.87	2.28	29.23	2.32	28.94	2.33	28.16	2.37	27.72	2.39
						36	32.10	2.29	31.38	2.33	30.73	2.36	30.43	2.37	29.63	2.41	29.18	2.43
						47	35.15	2.37	34.41	2.41	33.72	2.44	33.50	2.45	32.57	2.49	32.09	2.52
						50	38.21	2.45	37.43	2.49	36.72	2.52	36.40	2.54	35.51	2.58	35.00	2.60
						59	42.04	2.55	41.22	2.59	40.48	2.62	40.13	2.64	39.20	2.68	38.65	2.71
7	7	7	15		36	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06
						14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17
						23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28
						32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39
						36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43
						47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52
						50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60
						59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71
7	7	7	18		39	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06
						14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17
						23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28
						32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39
						36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43
						47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52
						50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60
						59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71
7	7	7	24		45	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06
						14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17
						23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28
						32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39
						36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43
						47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52
						50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60
						59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71
7	7	9	9		32	5	18.61	1.91	18.02	1.94	17.50	1.96	17.27	1.97	16.67	2.00	16.34	2.02
						14	22.29	2.01	21.67	2.04	21.12	2.06	20.86	2.08	20.21	2.11	19.86	2.13
						23	25.97	2.11	25.32	2.14	24.73	2.17	24.47	2.18	23.76	2.21	23.37	2.23
						32	29.67	2.21	28.98	2.24	28.36	2.27	28.07	2.28	27.32	2.32	26.90	2.34
						36	31.14	2.24	30.45	2.28	29.81	2.31	29.52	2.32	28.74	2.36	28.31	2.38
						47	34.11	2.32	33.38	2.36	32.72	2.39	32.50	2.40	31.59	2.44	31.13	2.47
						50	37.07	2.40	36.32	2.44	35.63	2.47	35.31	2.48	34.45	2.53	33.96	2.55
						59	40.78	2.50	39.99	2.53	39.27	2.57	38.94	2.58	38.03	2.63	37.50	2.65
7	7	9	12		35	5	20.04	1.95	19.41	1.98	18.85	2.00	18.60	2.01	17.95	2.04	17.60	2.06
						14	24.00	2.05	23.34	2.08	22.74	2.11	22.47	2.12	21.76	2.15	21.38	2.17
						23	27.97	2.15	27.27	2.18	26.64	2.21	26.35	2.23	25.59	2.26	25.17	2.28
						32	31.95	2.25	31.21	2.28	30.54	2.32	30.23	2.33	29.42	2.37	28.96	2.39
						36	33.54	2.29	32.79	2.33	32.10	2.36	31.79	2.37	30.95	2.41	30.48	2.43
						47	36.73	2.37	35.95	2.41	35.23	2.44	35.00	2.45	34.02	2.49	33.53	2.52
						50	39.92	2.45	39.11	2.49	38.37	2.52	38.02	2.54	37.10	2.58	36.57	2.60
						59	43.92	2.55	43.07	2.59	42.29	2.62	41.93	2.64	40.95	2.68	40.39	2.71

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	15	38	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	7	9	18	41	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	7	12	12	38	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	7	12	15	41	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	7	12	18	44	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	7	15	15	44	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	9	9	9	34	5	19.46	1.95	18.85	1.98	18.31	2.00	18.07	2.01	17.43	2.04	17.10	2.06	
					14	23.32	2.05	22.67	2.08	22.09	2.11	21.83	2.12	21.14	2.15	20.77	2.17	
					23	27.17	2.15	26.49	2.18	25.88	2.21	25.60	2.23	24.86	2.26	24.45	2.28	
					32	31.04	2.25	30.32	2.28	29.67	2.32	29.37	2.33	28.58	2.37	28.14	2.39	
					36	32.58	2.29	31.85	2.33	31.19	2.36	30.88	2.37	30.07	2.41	29.61	2.43	
					47	35.68	2.37	34.92	2.41	34.23	2.44	34.00	2.45	33.05	2.49	32.57	2.52	
					50	38.78	2.45	37.99	2.49	37.27	2.52	36.94	2.54	36.04	2.58	35.53	2.60	
					59	42.66	2.55	41.84	2.59	41.08	2.62	40.73	2.64	39.78	2.68	39.23	2.71	
7	9	9	12	37	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	15	40	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	9	9	18	43	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	9	12	12	40	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	9	12	15	43	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
7	12	12	12	43	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
9	9	9	9	36	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
9	9	9	12	39	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
9	9	9	15	42	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	

CapacityTable

MMPD036S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	18	45	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
9	9	12	12	42	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
9	9	12	15	45	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	
9	12	12	12	45	5	20.61	1.95	19.96	1.98	19.39	2.00	19.13	2.01	18.46	2.04	18.11	2.06	
					14	24.69	2.05	24.00	2.08	23.39	2.11	23.11	2.12	22.39	2.15	21.99	2.17	
					23	28.77	2.15	28.05	2.18	27.40	2.21	27.10	2.23	26.32	2.26	25.89	2.28	
					32	32.86	2.25	32.10	2.28	31.41	2.32	31.10	2.33	30.26	2.37	29.79	2.39	
					36	34.50	2.29	33.72	2.33	33.02	2.36	32.70	2.37	31.84	2.41	31.35	2.43	
					47	37.78	2.37	36.97	2.41	36.24	2.44	36.00	2.45	35.00	2.49	34.48	2.52	
					50	41.06	2.45	40.23	2.49	39.46	2.52	39.11	2.54	38.16	2.58	37.62	2.60	
					59	45.17	2.55	44.30	2.59	43.50	2.62	43.13	2.64	42.12	2.68	41.54	2.71	

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 75m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 45.
- At least two indoor units must be connected for operation.
- Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	68	15.91	1.07	19.64	1.10	20.22	1.12	20.55	1.13	21.72	1.16	22.65	1.18
						70	15.91	1.09	19.39	1.11	19.99	1.13	20.33	1.15	21.52	1.18	22.46	1.20
						73	15.91	1.12	18.92	1.14	19.54	1.16	19.90	1.17	21.14	1.20	22.11	1.22
						77	15.91	1.14	18.47	1.17	19.13	1.19	19.50	1.20	20.79	1.23	21.79	1.25
						81	15.91	1.17	18.05	1.20	18.74	1.22	19.12	1.23	20.46	1.26	21.49	1.28
						84	15.91	1.20	17.65	1.23	18.37	1.25	18.77	1.26	20.15	1.29	21.22	1.31
						88	15.91	1.23	17.28	1.26	18.03	1.28	18.45	1.29	19.87	1.32	20.97	1.34
						91	15.91	1.27	16.93	1.29	17.71	1.31	18.14	1.32	19.62	1.35	20.75	1.37
						95	15.91	1.30	16.61	1.32	17.42	1.34	18.00	1.35	19.39	1.38	20.55	1.40
						99	15.91	1.33	16.31	1.35	17.15	1.38	17.62	1.39	19.18	1.42	20.37	1.44
						102	15.91	1.36	16.03	1.39	16.91	1.41	17.39	1.42	19.01	1.45	20.22	1.47
						108	15.91	1.42	15.67	1.44	16.59	1.46	17.10	1.47	18.78	1.50	20.05	1.52
						111	15.91	1.45	15.46	1.47	16.42	1.49	16.93	1.51	18.67	1.54	19.96	1.56
						115	15.91	1.49	15.28	1.51	16.26	1.53	16.80	1.54	18.57	1.57	19.90	1.59
9	12				21	68	18.56	1.24	22.91	1.27	23.59	1.30	23.97	1.31	25.34	1.35	26.42	1.37
						70	18.56	1.26	22.62	1.28	23.32	1.31	23.71	1.32	25.11	1.36	26.21	1.38
						73	18.56	1.29	22.07	1.32	22.80	1.34	23.22	1.36	24.67	1.39	25.80	1.42
						77	18.56	1.32	21.55	1.35	22.32	1.38	22.75	1.39	24.25	1.42	25.42	1.45
						81	18.56	1.36	21.05	1.38	21.86	1.41	22.31	1.42	23.87	1.46	25.07	1.48
						84	18.56	1.39	20.59	1.42	21.43	1.44	21.90	1.46	23.51	1.49	24.75	1.52
						88	18.56	1.43	20.16	1.45	21.03	1.48	21.52	1.49	23.19	1.53	24.46	1.55
						91	18.56	1.46	19.75	1.49	20.66	1.51	22.58	2.09	22.89	1.56	24.20	1.59
						95	18.56	1.50	19.37	1.53	20.32	1.55	21.00	1.56	22.62	1.60	23.97	1.62
						99	18.56	1.54	19.03	1.56	20.01	1.59	20.55	1.60	22.38	1.64	23.77	1.66
						102	18.56	1.58	18.71	1.60	19.73	1.63	20.29	1.64	22.17	1.68	23.60	1.70
						108	18.56	1.64	18.28	1.66	19.36	1.69	19.95	1.70	21.91	1.73	23.39	1.76
						111	18.56	1.68	18.04	1.70	19.15	1.73	19.76	1.74	21.78	1.77	23.29	1.80
						115	18.56	1.72	17.82	1.74	18.97	1.77	19.60	1.78	21.67	1.82	23.22	1.84
9	15				24	68	21.21	1.49	26.18	1.52	26.96	1.55	27.40	1.57	27.88	1.58	28.96	1.61
						70	21.21	1.51	25.85	1.54	26.65	1.57	27.10	1.59	27.60	1.60	28.70	1.63
						73	21.21	1.55	25.22	1.58	26.06	1.61	26.53	1.62	27.05	1.64	28.19	1.67
						77	21.21	1.59	24.63	1.62	25.50	1.65	26.00	1.66	26.53	1.68	27.72	1.71
						81	21.21	1.63	24.06	1.66	24.98	1.69	25.50	1.70	26.05	1.72	27.28	1.75
						84	21.21	1.67	23.53	1.70	24.49	1.73	25.03	1.75	25.60	1.76	26.87	1.79
						88	21.21	1.71	23.03	1.74	24.04	1.77	24.59	1.79	25.19	1.80	26.50	1.83
						91	21.21	1.75	22.57	1.78	23.61	1.82	24.19	1.83	24.81	1.85	26.16	1.87
						95	21.21	1.80	22.14	1.83	23.22	1.86	24.00	1.87	24.46	1.89	25.85	1.92
						99	21.21	1.84	21.74	1.87	22.87	1.90	23.49	1.92	24.15	1.93	25.58	1.96
						102	21.21	1.89	21.38	1.92	22.55	1.95	23.19	1.97	23.87	1.98	25.34	2.01
						108	21.21	1.96	20.90	1.99	22.13	2.02	22.80	2.04	23.51	2.05	25.04	2.08
						111	21.21	2.01	20.62	2.04	21.89	2.07	22.58	2.09	23.31	2.10	24.89	2.13
						115	21.21	2.06	20.37	2.09	21.68	2.12	22.39	2.13	23.15	2.15	24.76	2.18
9	18				27	68	22.09	1.50	27.27	1.53	28.08	1.56	28.54	1.58	30.17	1.62	31.45	1.65
						70	22.09	1.52	26.93	1.55	27.76	1.58	28.23	1.60	29.89	1.64	31.20	1.67
						73	22.09	1.55	26.27	1.59	27.14	1.62	27.64	1.63	29.36	1.68	30.71	1.71
						77	22.09	1.59	25.65	1.63	26.57	1.66	27.08	1.67	28.87	1.72	30.26	1.74
						81	22.09	1.63	25.07	1.67	26.02	1.70	26.56	1.71	28.41	1.76	29.85	1.78
						84	22.09	1.68	24.51	1.71	25.51	1.74	26.07	1.75	27.99	1.80	29.47	1.83
						88	22.09	1.72	23.99	1.75	25.04	1.78	25.62	1.80	27.60	1.84	29.12	1.87
						91	22.09	1.76	23.51	1.79	24.60	1.83	25.20	1.84	27.25	1.88	28.81	1.91
						95	22.09	1.81	23.06	1.84	24.19	1.87	25.00	1.88	26.93	1.93	28.54	1.96
						99	22.09	1.85	22.65	1.88	23.82	1.92	24.47	1.93	26.65	1.97	28.30	2.00
						102	22.09	1.90	22.27	1.93	23.49	1.96	24.15	1.98	26.40	2.02	28.09	2.05
						108	22.09	1.97	21.77	2.00	23.05	2.03	23.75	2.05	26.09	2.09	27.85	2.12
						111	22.09	2.02	21.48	2.05	22.80	2.08	23.52	2.10	25.92	2.14	27.73	2.17
						115	22.09	2.07	21.22	2.10	22.58	2.13	23.33	2.15	25.80	2.19	27.64	2.22

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	24				33	68	2740	2.10	33.82	2.15	34.82	2.19	35.39	2.21	36.01	2.23	37.41	2.28
						70	2740	2.13	33.40	2.17	34.42	2.22	35.01	2.24	35.64	2.26	37.07	2.30
						73	2740	2.18	32.58	2.23	33.66	2.27	34.27	2.29	34.94	2.32	36.41	2.36
						77	2740	2.24	31.81	2.28	32.94	2.33	33.58	2.35	34.27	2.37	35.80	2.41
						81	2740	2.30	31.08	2.34	32.27	2.38	32.93	2.41	33.65	2.43	35.23	2.47
						84	2740	2.35	30.40	2.40	31.64	2.44	32.33	2.46	33.07	2.48	34.71	2.53
						88	2740	2.41	29.75	2.46	31.05	2.50	31.77	2.52	32.54	2.54	34.23	2.58
						91	2740	2.47	29.15	2.52	30.50	2.56	31.25	2.58	32.05	2.60	33.79	2.64
						95	2740	2.54	28.60	2.58	30.00	2.63	31.00	2.64	31.60	2.67	33.39	2.71
						99	2740	2.60	28.09	2.65	29.54	2.69	30.34	2.71	31.19	2.73	33.04	2.77
						102	2740	2.67	27.62	2.71	29.12	2.75	29.95	2.78	30.83	2.80	32.73	2.84
						108	2740	2.77	26.99	2.81	28.58	2.85	29.45	2.88	30.36	2.90	32.35	2.94
						111	2740	2.84	26.63	2.88	28.27	2.92	29.17	2.94	30.11	2.96	32.15	3.00
						115	2740	2.91	26.31	2.95	28.01	2.99	28.93	3.01	29.90	3.03	31.99	3.07
12	12				24	68	21.21	1.41	26.18	1.44	26.96	1.47	27.40	1.48	28.96	1.53	30.19	1.55
						70	21.21	1.43	25.85	1.46	26.65	1.49	27.10	1.50	28.70	1.54	29.95	1.57
						73	21.21	1.46	25.22	1.49	26.06	1.52	26.53	1.54	28.19	1.58	29.48	1.61
						77	21.21	1.50	24.63	1.53	25.50	1.56	26.00	1.58	27.72	1.62	29.05	1.64
						81	21.21	1.54	24.06	1.57	24.98	1.60	25.50	1.61	27.28	1.65	28.66	1.68
						84	21.21	1.58	23.53	1.61	24.49	1.64	25.03	1.65	26.87	1.69	28.29	1.72
						88	21.21	1.62	23.03	1.65	24.04	1.68	24.59	1.69	26.50	1.73	27.96	1.76
						91	21.21	1.66	22.57	1.69	23.61	1.72	24.19	1.73	26.16	1.77	27.66	1.80
						95	21.21	1.70	22.14	1.73	23.22	1.76	24.00	1.77	25.85	1.81	27.40	1.84
						99	21.21	1.74	21.74	1.77	22.87	1.80	23.49	1.82	25.58	1.86	27.16	1.88
						102	21.21	1.79	21.38	1.82	22.55	1.85	23.19	1.86	25.34	1.90	26.97	1.93
						108	21.21	1.86	20.90	1.89	22.13	1.91	22.80	1.93	25.04	1.97	26.73	1.99
						111	21.21	1.90	20.62	1.93	21.89	1.96	22.58	1.97	24.89	2.01	26.62	2.04
						115	21.21	1.95	20.37	1.98	21.68	2.01	22.39	2.02	24.76	2.06	26.54	2.09
12	15				27	68	22.09	1.50	27.27	1.53	28.08	1.56	28.54	1.58	29.04	1.59	30.17	1.62
						70	22.09	1.52	26.93	1.55	27.76	1.58	28.23	1.60	28.75	1.61	29.89	1.64
						73	22.09	1.55	26.27	1.59	27.14	1.62	27.64	1.63	28.17	1.65	29.36	1.68
						77	22.09	1.59	25.65	1.63	26.57	1.66	27.08	1.67	27.64	1.69	28.87	1.72
						81	22.09	1.63	25.07	1.67	26.02	1.70	26.56	1.71	27.14	1.73	28.41	1.76
						84	22.09	1.68	24.51	1.71	25.51	1.74	26.07	1.75	26.67	1.77	27.99	1.80
						88	22.09	1.72	23.99	1.75	25.04	1.78	25.62	1.80	26.24	1.81	27.60	1.84
						91	22.09	1.76	23.51	1.79	24.60	1.83	25.20	1.84	25.84	1.85	27.25	1.88
						95	22.09	1.81	23.06	1.84	24.19	1.87	25.00	1.88	25.48	1.90	26.93	1.93
						99	22.09	1.85	22.65	1.88	23.82	1.92	24.47	1.93	25.15	1.94	26.65	1.97
						102	22.09	1.90	22.27	1.93	23.49	1.96	24.15	1.98	24.86	1.99	26.40	2.02
						108	22.09	1.97	21.77	2.00	23.05	2.03	23.75	2.05	24.49	2.06	26.09	2.09
						111	22.09	2.02	21.48	2.05	22.80	2.08	23.52	2.10	24.28	2.11	25.92	2.14
						115	22.09	2.07	21.22	2.10	22.58	2.13	23.33	2.15	24.11	2.16	25.80	2.19
12	18				30	68	22.09	1.50	27.27	1.53	28.08	1.56	28.54	1.58	30.17	1.62	31.45	1.65
						70	22.09	1.52	26.93	1.55	27.76	1.58	28.23	1.60	29.89	1.64	31.20	1.67
						73	22.09	1.55	26.27	1.59	27.14	1.62	27.64	1.63	29.36	1.68	30.71	1.71
						77	22.09	1.59	25.65	1.63	26.57	1.66	27.08	1.67	28.87	1.72	30.26	1.74
						81	22.09	1.63	25.07	1.67	26.02	1.70	26.56	1.71	28.41	1.76	29.85	1.78
						84	22.09	1.68	24.51	1.71	25.51	1.74	26.07	1.75	27.99	1.80	29.47	1.83
						88	22.09	1.72	23.99	1.75	25.04	1.78	25.62	1.80	27.60	1.84	29.12	1.87
						91	22.09	1.76	23.51	1.79	24.60	1.83	25.20	1.84	27.25	1.88	28.81	1.91
						95	22.09	1.81	23.06	1.84	24.19	1.87	25.00	1.88	26.93	1.93	28.54	1.96
						99	22.09	1.85	22.65	1.88	23.82	1.92	24.47	1.93	26.65	1.97	28.30	2.00
						102	22.09	1.90	22.27	1.93	23.49	1.96	24.15	1.98	26.40	2.02	28.09	2.05
						108	22.09	1.97	21.77	2.00	23.05	2.03	23.75	2.05	26.09	2.09	27.85	2.12
						111	22.09	2.02	21.48	2.05	22.80	2.08	23.52	2.10	25.92	2.14	27.73	2.17
						115	22.09	2.07	21.22	2.10	22.58	2.13	23.33	2.15	25.80	2.19	27.64	2.22

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	24			36	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.43	39.50	2.46	41.03	2.50	
					70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	39.09	2.48	40.65	2.53	
					73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	38.32	2.54	39.94	2.59	
					77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	37.59	2.60	39.27	2.65	
					81	30.05	2.52	34.09	2.57	35.39	2.62	36.12	2.64	36.91	2.67	38.64	2.71	
					84	30.05	2.59	33.34	2.64	34.70	2.68	35.46	2.71	36.27	2.73	38.07	2.77	
					88	30.05	2.65	32.63	2.70	34.05	2.75	34.84	2.77	35.69	2.79	37.54	2.84	
					91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	35.15	2.86	37.06	2.91	
					95	30.05	2.79	31.37	2.84	32.90	2.88	34.00	2.90	34.65	2.93	36.62	2.97	
					99	30.05	2.86	30.80	2.91	32.40	2.95	33.28	2.98	34.21	3.00	36.24	3.04	
					102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	33.81	3.07	35.90	3.11	
					108	30.05	3.04	29.60	3.09	31.34	3.14	32.30	3.16	33.30	3.18	35.48	3.22	
					111	30.05	3.12	29.21	3.16	31.01	3.21	31.99	3.23	33.02	3.26	35.26	3.30	
					115	30.05	3.19	28.86	3.24	30.72	3.29	31.73	3.31	32.79	3.33	35.08	3.38	
15	15			30	68	22.09	1.50	27.27	1.53	28.08	1.56	28.54	1.58	29.04	1.59	30.17	1.62	
					70	22.09	1.52	26.93	1.55	27.76	1.58	28.23	1.60	28.75	1.61	29.89	1.64	
					73	22.09	1.55	26.27	1.59	27.14	1.62	27.64	1.63	28.17	1.65	29.36	1.68	
					77	22.09	1.59	25.65	1.63	26.57	1.66	27.08	1.67	27.64	1.69	28.87	1.72	
					81	22.09	1.63	25.07	1.67	26.02	1.70	26.56	1.71	27.14	1.73	28.41	1.76	
					84	22.09	1.68	24.51	1.71	25.51	1.74	26.07	1.75	26.67	1.77	27.99	1.80	
					88	22.09	1.72	23.99	1.75	25.04	1.78	25.62	1.80	26.24	1.81	27.60	1.84	
					91	22.09	1.76	23.51	1.79	24.60	1.83	25.20	1.84	25.84	1.85	27.25	1.88	
					95	22.09	1.81	23.06	1.84	24.19	1.87	25.00	1.88	25.48	1.90	26.93	1.93	
					99	22.09	1.85	22.65	1.88	23.82	1.92	24.47	1.93	25.15	1.94	26.65	1.97	
					102	22.09	1.90	22.27	1.93	23.49	1.96	24.15	1.98	24.86	1.99	26.40	2.02	
					108	22.09	1.97	21.77	2.00	23.05	2.03	23.75	2.05	24.49	2.06	26.09	2.09	
					111	22.09	2.02	21.48	2.05	22.80	2.08	23.52	2.10	24.28	2.11	25.92	2.14	
					115	22.09	2.07	21.22	2.10	22.58	2.13	23.33	2.15	24.11	2.16	25.80	2.19	
15	18			33	68	28.37	2.18	35.02	2.23	36.05	2.28	36.65	2.30	37.29	2.32	38.74	2.36	
					70	28.37	2.21	34.58	2.26	35.64	2.30	36.25	2.32	36.91	2.35	38.38	2.39	
					73	28.37	2.27	33.74	2.31	34.85	2.36	35.49	2.38	36.18	2.40	37.70	2.45	
					77	28.37	2.32	32.94	2.37	34.11	2.42	34.77	2.44	35.49	2.46	37.07	2.50	
					81	28.37	2.38	32.18	2.43	33.41	2.47	34.10	2.50	34.85	2.52	36.48	2.56	
					84	28.37	2.44	31.47	2.49	32.76	2.54	33.48	2.56	34.25	2.58	35.94	2.62	
					88	28.37	2.51	30.81	2.55	32.15	2.60	32.89	2.62	33.69	2.64	35.44	2.68	
					91	28.37	2.57	30.19	2.62	31.58	2.66	32.36	2.68	33.18	2.70	34.99	2.75	
					95	28.37	2.63	29.61	2.68	31.06	2.72	32.10	2.74	32.72	2.77	34.58	2.81	
					99	28.37	2.70	29.08	2.75	30.59	2.79	31.42	2.81	32.30	2.83	34.21	2.88	
					102	28.37	2.77	28.60	2.81	30.16	2.86	31.01	2.88	31.92	2.90	33.89	2.94	
					108	28.37	2.87	27.95	2.92	29.59	2.96	30.49	2.98	31.44	3.01	33.50	3.05	
					111	28.37	2.94	27.57	2.99	29.27	3.03	30.20	3.06	31.18	3.08	33.29	3.12	
					115	28.37	3.02	27.24	3.06	29.00	3.11	29.95	3.13	30.96	3.15	33.12	3.19	
15	24			39	68	30.93	2.38	38.18	2.43	39.31	2.48	39.96	2.51	40.66	2.53	42.24	2.58	
					70	30.93	2.41	37.70	2.46	38.86	2.51	39.52	2.54	40.24	2.56	41.85	2.61	
					73	30.93	2.47	36.78	2.52	38.00	2.57	38.70	2.60	39.44	2.62	41.11	2.67	
					77	30.93	2.53	35.91	2.59	37.19	2.64	37.92	2.66	38.69	2.68	40.42	2.73	
					81	30.93	2.60	35.09	2.65	36.43	2.70	37.18	2.72	37.99	2.75	39.78	2.79	
					84	30.93	2.67	34.32	2.72	35.72	2.77	36.50	2.79	37.34	2.81	39.19	2.86	
					88	30.93	2.73	33.59	2.78	35.05	2.83	35.87	2.86	36.74	2.88	38.64	2.93	
					91	30.93	2.80	32.92	2.85	34.44	2.90	35.28	2.93	36.18	2.95	38.15	3.00	
					95	30.93	2.87	32.29	2.92	33.87	2.97	35.00	2.99	35.67	3.02	37.70	3.07	
					99	30.93	2.95	31.71	3.00	33.35	3.05	34.26	3.07	35.22	3.09	37.30	3.14	
					102	30.93	3.02	31.18	3.07	32.88	3.12	33.82	3.14	34.81	3.17	36.95	3.21	
					108	30.93	3.14	30.47	3.19	32.27	3.23	33.25	3.26	34.28	3.28	36.52	3.32	
					111	30.93	3.21	30.07	3.26	31.92	3.31	32.93	3.33	33.99	3.36	36.29	3.40	
					115	30.93	3.29	29.71	3.34	31.62	3.39	32.66	3.41	33.76	3.44	36.12	3.48	

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
18	18				36	68	30.22	2.32	37.31	2.38	38.41	2.42	39.04	2.45	41.27	2.52	43.03	2.56
						70	30.22	2.35	36.84	2.40	37.97	2.45	38.62	2.48	40.89	2.55	42.68	2.59
						73	30.22	2.41	35.94	2.46	37.13	2.51	37.81	2.54	40.17	2.61	42.02	2.65
						77	30.22	2.48	35.09	2.53	36.34	2.57	37.05	2.60	39.50	2.67	41.40	2.71
						81	30.22	2.54	34.29	2.59	35.60	2.64	36.33	2.66	38.87	2.73	40.83	2.77
						84	30.22	2.60	33.53	2.65	34.90	2.70	35.67	2.73	38.29	2.79	40.31	2.84
						88	30.22	2.67	32.82	2.72	34.25	2.77	35.05	2.79	37.76	2.86	39.84	2.90
						91	30.22	2.74	32.16	2.79	33.65	2.83	34.47	2.86	37.28	2.93	39.42	2.97
						95	30.22	2.81	31.55	2.86	33.10	2.90	34.20	2.92	36.84	2.99	39.04	3.04
						99	30.22	2.88	30.98	2.93	32.59	2.97	33.47	3.00	36.45	3.06	38.71	3.11
						102	30.22	2.95	30.47	3.00	32.13	3.05	33.04	3.07	36.11	3.14	38.43	3.18
						108	30.22	3.06	29.78	3.11	31.53	3.16	32.49	3.18	35.69	3.25	38.09	3.29
						111	30.22	3.14	29.38	3.19	31.19	3.23	32.18	3.26	35.46	3.32	37.93	3.36
						115	30.22	3.22	29.03	3.26	30.90	3.31	31.91	3.33	35.29	3.40	37.81	3.44
18	24			42	68	34.55	2.66	42.66	2.72	43.91	2.77	44.64	2.80	45.42	2.83	47.18	2.88	
					70	34.55	2.69	42.12	2.75	43.41	2.81	44.16	2.83	44.96	2.86	46.75	2.91	
					73	34.55	2.76	41.09	2.82	42.45	2.87	43.23	2.90	44.07	2.93	45.93	2.98	
					77	34.55	2.83	40.12	2.89	41.55	2.94	42.36	2.97	43.23	3.00	45.16	3.05	
					81	34.55	2.90	39.20	2.96	40.70	3.02	41.54	3.04	42.44	3.07	44.44	3.12	
					84	34.55	2.98	38.34	3.04	39.90	3.09	40.78	3.12	41.71	3.14	43.78	3.19	
					88	34.55	3.05	37.53	3.11	39.16	3.17	40.07	3.19	41.04	3.22	43.17	3.27	
					91	34.55	3.13	36.77	3.19	38.47	3.24	39.41	3.27	40.42	3.30	42.62	3.35	
					95	34.55	3.21	36.07	3.27	37.84	3.32	39.10	3.34	39.85	3.37	42.12	3.42	
					99	34.55	3.29	35.42	3.35	37.26	3.40	38.27	3.43	39.34	3.45	41.67	3.50	
					102	34.55	3.37	34.83	3.43	36.73	3.48	37.78	3.51	38.88	3.54	41.28	3.59	
					108	34.55	3.50	34.04	3.56	36.05	3.61	37.14	3.64	38.30	3.66	40.80	3.71	
					111	34.55	3.59	33.59	3.64	35.66	3.70	36.79	3.72	37.98	3.75	40.55	3.80	
					115	34.55	3.68	33.19	3.73	35.32	3.79	36.48	3.81	37.71	3.84	40.35	3.89	
9	9	9		27	68	23.86	1.83	29.45	1.87	30.32	1.91	30.82	1.93	32.58	1.98	33.97	2.02	
					70	23.86	1.85	29.09	1.89	29.98	1.93	30.49	1.95	32.28	2.01	33.69	2.04	
					73	23.86	1.90	28.38	1.94	29.32	1.98	29.85	2.00	31.71	2.05	33.17	2.09	
					77	23.86	1.95	27.70	1.99	28.69	2.03	29.25	2.05	31.18	2.10	32.68	2.13	
					81	23.86	2.00	27.07	2.04	28.10	2.08	28.68	2.10	30.69	2.15	32.24	2.18	
					84	23.86	2.05	26.47	2.09	27.55	2.13	28.16	2.15	30.23	2.20	31.83	2.23	
					88	23.86	2.10	25.91	2.14	27.04	2.18	27.67	2.20	29.81	2.25	31.45	2.29	
					91	23.86	2.16	25.39	2.20	26.57	2.23	27.22	2.25	29.43	2.30	31.12	2.34	
					95	23.86	2.21	24.91	2.25	26.13	2.29	27.00	2.30	29.08	2.36	30.82	2.39	
					99	23.86	2.27	24.46	2.31	25.73	2.34	26.43	2.36	28.78	2.41	30.56	2.45	
					102	23.86	2.32	24.05	2.36	25.37	2.40	26.09	2.42	28.51	2.47	30.34	2.50	
					108	23.86	2.41	23.51	2.45	24.89	2.49	25.65	2.51	28.17	2.56	30.07	2.59	
					111	23.86	2.47	23.19	2.51	24.62	2.55	25.40	2.56	28.00	2.62	29.94	2.65	
					115	23.86	2.53	22.92	2.57	24.39	2.61	25.19	2.63	27.86	2.68	29.85	2.71	
9	9	12		30	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25	
					70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27	
					73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32	
					77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38	
					81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43	
					84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49	
					88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54	
					91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60	
					95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66	
					99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72	
					102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79	
					108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88	
					111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95	
					115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02	

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	15			33	68	29.16	2.24	36.00	2.29	37.06	2.34	37.67	2.36	38.34	2.39	39.82	2.43
						70	29.16	2.27	35.55	2.32	36.64	2.37	37.27	2.39	37.94	2.42	39.46	2.46
						73	29.16	2.33	34.68	2.38	35.83	2.43	36.48	2.45	37.19	2.47	38.76	2.52
						77	29.16	2.39	33.86	2.44	35.07	2.49	35.75	2.51	36.48	2.53	38.11	2.58
						81	29.16	2.45	33.09	2.50	34.35	2.55	35.06	2.57	35.82	2.59	37.51	2.64
						84	29.16	2.51	32.36	2.56	33.68	2.61	34.42	2.63	35.21	2.65	36.95	2.70
						88	29.16	2.58	31.67	2.63	33.05	2.67	33.82	2.70	34.64	2.72	36.43	2.76
						91	29.16	2.64	31.04	2.69	32.47	2.74	33.26	2.76	34.11	2.78	35.97	2.83
						95	29.16	2.71	30.44	2.76	31.93	2.80	33.00	2.82	33.64	2.85	35.55	2.89
						99	29.16	2.78	29.90	2.83	31.44	2.87	32.30	2.89	33.20	2.92	35.17	2.96
						102	29.16	2.85	29.40	2.90	31.00	2.94	31.88	2.96	32.82	2.99	34.84	3.03
						108	29.16	2.96	28.73	3.00	30.42	3.05	31.35	3.07	32.32	3.09	34.43	3.14
						111	29.16	3.03	28.35	3.08	30.09	3.12	31.05	3.14	32.05	3.17	34.22	3.21
						115	29.16	3.11	28.01	3.15	29.81	3.20	30.79	3.22	31.83	3.24	34.05	3.28
9	9	18			36	68	31.81	2.44	39.27	2.50	40.43	2.55	41.10	2.57	43.44	2.65	45.29	2.69
						70	31.81	2.47	38.78	2.53	39.97	2.58	40.65	2.60	43.04	2.68	44.92	2.72
						73	31.81	2.54	37.84	2.59	39.09	2.64	39.80	2.67	42.28	2.74	44.23	2.79
						77	31.81	2.60	36.94	2.66	38.26	2.71	39.00	2.73	41.58	2.80	43.58	2.85
						81	31.81	2.67	36.09	2.72	37.47	2.77	38.25	2.80	40.92	2.87	42.98	2.91
						84	31.81	2.74	35.30	2.79	36.74	2.84	37.54	2.87	40.31	2.94	42.44	2.98
						88	31.81	2.81	34.55	2.86	36.05	2.91	36.89	2.93	39.75	3.01	41.94	3.05
						91	31.81	2.88	33.86	2.93	35.42	2.98	36.29	3.01	39.24	3.08	41.49	3.12
						95	31.81	2.95	33.21	3.00	34.84	3.05	36.00	3.07	38.78	3.15	41.09	3.19
						99	31.81	3.03	32.62	3.08	34.30	3.13	35.23	3.15	38.37	3.22	40.75	3.27
						102	31.81	3.10	32.07	3.15	33.82	3.20	34.78	3.23	38.01	3.30	40.45	3.34
						108	31.81	3.22	31.35	3.27	33.19	3.32	34.20	3.34	37.57	3.41	40.10	3.46
						111	31.81	3.30	30.92	3.35	32.83	3.40	33.87	3.42	37.33	3.49	39.93	3.54
						115	31.81	3.38	30.55	3.43	32.52	3.48	33.59	3.50	37.15	3.57	39.80	3.62
9	9	24			42	68	37.12	2.85	45.82	2.91	47.17	2.97	47.95	3.00	48.79	3.03	50.68	3.09
						70	37.12	2.89	45.25	2.95	46.63	3.01	47.43	3.04	48.29	3.07	50.22	3.12
						73	37.12	2.96	44.14	3.02	45.60	3.08	46.44	3.11	47.33	3.14	49.33	3.19
						77	37.12	3.04	43.10	3.10	44.63	3.16	45.50	3.19	46.43	3.21	48.50	3.27
						81	37.12	3.11	42.11	3.17	43.72	3.23	44.62	3.26	45.59	3.29	47.73	3.35
						84	37.12	3.19	41.18	3.25	42.86	3.31	43.80	3.34	44.81	3.37	47.02	3.42
						88	37.12	3.27	40.31	3.33	42.06	3.39	43.04	3.42	44.08	3.45	46.37	3.50
						91	37.12	3.36	39.50	3.42	41.32	3.48	42.34	3.50	43.42	3.53	45.78	3.59
						95	37.12	3.44	38.75	3.50	40.64	3.56	42.00	3.58	42.81	3.62	45.24	3.67
						99	37.12	3.53	38.05	3.59	40.02	3.65	41.11	3.68	42.26	3.70	44.76	3.76
						102	37.12	3.62	37.41	3.68	39.46	3.74	40.58	3.76	41.77	3.79	44.35	3.84
						108	37.12	3.75	36.57	3.81	38.72	3.87	39.90	3.90	41.14	3.93	43.83	3.98
						111	37.12	3.85	36.08	3.91	38.30	3.96	39.51	3.99	40.79	4.02	43.55	4.07
						115	37.12	3.94	35.65	4.00	37.94	4.06	39.19	4.09	40.51	4.11	43.34	4.17
9	12	12			33	68	29.16	2.24	36.00	2.29	37.06	2.34	37.67	2.36	38.34	2.39	41.52	2.47
						70	29.16	2.27	35.55	2.32	36.64	2.37	37.27	2.39	39.46	2.46	41.18	2.50
						73	29.16	2.33	34.68	2.38	35.83	2.43	36.48	2.45	38.76	2.52	40.54	2.56
						77	29.16	2.39	33.86	2.44	35.07	2.49	35.75	2.51	38.11	2.58	39.95	2.62
						81	29.16	2.45	33.09	2.50	34.35	2.55	35.06	2.57	37.51	2.64	39.40	2.68
						84	29.16	2.51	32.36	2.56	33.68	2.61	34.42	2.63	36.95	2.70	38.90	2.74
						88	29.16	2.58	31.67	2.63	33.05	2.67	33.82	2.70	36.43	2.76	38.44	2.80
						91	29.16	2.64	31.04	2.69	32.47	2.74	33.26	2.76	35.97	2.83	38.03	2.87
						95	29.16	2.71	30.44	2.76	31.93	2.80	33.00	2.82	35.55	2.89	37.67	2.93
						99	29.16	2.78	29.90	2.83	31.44	2.87	32.30	2.89	35.17	2.96	37.35	3.00
						102	29.16	2.85	29.40	2.90	31.00	2.94	31.88	2.96	34.84	3.03	37.08	3.07
						108	29.16	2.96	28.73	3.00	30.42	3.05	31.35	3.07	34.43	3.14	36.76	3.18
						111	29.16	3.03	28.35	3.08	30.09	3.12	31.05	3.14	34.22	3.21	36.60	3.25
						115	29.16	3.11	28.01	3.15	29.81	3.20	30.79	3.22	34.05	3.28	36.49	3.32

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	15		36	68	31.81	2.44	39.27	2.50	40.43	2.55	41.10	2.57	41.82	2.60	43.44	2.65	
					70	31.81	2.47	38.78	2.53	39.97	2.58	40.65	2.60	41.39	2.63	43.04	2.68	
					73	31.81	2.54	37.84	2.59	39.09	2.64	39.80	2.67	40.57	2.69	42.28	2.74	
					77	31.81	2.60	36.94	2.66	38.26	2.71	39.00	2.73	39.80	2.76	41.58	2.80	
					81	31.81	2.67	36.09	2.72	37.47	2.77	38.25	2.80	39.08	2.82	40.92	2.87	
					84	31.81	2.74	35.30	2.79	36.74	2.84	37.54	2.87	38.41	2.89	40.31	2.94	
					88	31.81	2.81	34.55	2.86	36.05	2.91	36.89	2.93	37.79	2.96	39.75	3.01	
					91	31.81	2.88	33.86	2.93	35.42	2.98	36.29	3.01	37.21	3.03	39.24	3.08	
					95	31.81	2.95	33.21	3.00	34.84	3.05	36.00	3.07	36.69	3.10	38.78	3.15	
					99	31.81	3.03	32.62	3.08	34.30	3.13	35.23	3.15	36.22	3.18	38.37	3.22	
					102	31.81	3.10	32.07	3.15	33.82	3.20	34.78	3.23	35.80	3.25	38.01	3.30	
					108	31.81	3.22	31.35	3.27	33.19	3.32	34.20	3.34	35.26	3.37	37.57	3.41	
					111	31.81	3.30	30.92	3.35	32.83	3.40	33.87	3.42	34.97	3.45	37.33	3.49	
					115	31.81	3.38	30.55	3.43	32.52	3.48	33.59	3.50	34.72	3.53	37.15	3.57	
9	12	18		39	68	34.47	2.64	42.55	2.70	43.80	2.76	44.52	2.78	47.06	2.86	49.07	2.91	
					70	34.47	2.68	42.01	2.73	43.30	2.79	44.04	2.82	46.63	2.90	48.67	2.95	
					73	34.47	2.74	40.99	2.80	42.35	2.86	43.12	2.88	45.81	2.96	47.91	3.01	
					77	34.47	2.81	40.02	2.87	41.44	2.93	42.25	2.95	45.04	3.03	47.21	3.08	
					81	34.47	2.89	39.10	2.94	40.59	3.00	41.43	3.03	44.33	3.10	46.56	3.15	
					84	34.47	2.96	38.24	3.02	39.80	3.07	40.67	3.10	43.67	3.18	45.97	3.22	
					88	34.47	3.04	37.43	3.09	39.06	3.15	39.97	3.17	43.06	3.25	45.43	3.30	
					91	34.47	3.11	36.68	3.17	38.37	3.22	39.31	3.25	42.51	3.33	44.95	3.37	
					95	34.47	3.19	35.98	3.25	37.74	3.30	39.00	3.32	42.01	3.40	44.52	3.45	
					99	34.47	3.27	35.33	3.33	37.16	3.38	38.17	3.41	41.57	3.48	44.14	3.53	
					102	34.47	3.35	34.74	3.41	36.64	3.46	37.68	3.49	41.18	3.57	43.82	3.61	
					108	34.47	3.48	33.96	3.54	35.95	3.59	37.05	3.62	40.70	3.69	43.44	3.74	
					111	34.47	3.57	33.50	3.62	35.57	3.68	36.69	3.70	40.44	3.78	43.25	3.82	
					115	34.47	3.66	33.10	3.71	35.23	3.76	36.39	3.79	40.24	3.86	43.12	3.91	
9	12	24		45	68	39.77	3.06	49.09	3.12	50.54	3.19	51.37	3.22	52.28	3.25	54.30	3.31	
					70	39.77	3.10	48.48	3.16	49.97	3.23	50.82	3.26	51.74	3.29	53.81	3.35	
					73	39.77	3.17	47.29	3.24	48.86	3.31	49.75	3.34	50.71	3.37	52.86	3.43	
					77	39.77	3.26	46.17	3.32	47.82	3.39	48.75	3.42	49.75	3.45	51.97	3.51	
					81	39.77	3.34	45.12	3.40	46.84	3.47	47.81	3.50	48.85	3.53	51.14	3.59	
					84	39.77	3.42	44.12	3.49	45.92	3.55	46.93	3.58	48.01	3.61	50.38	3.67	
					88	39.77	3.51	43.19	3.58	45.07	3.64	46.11	3.67	47.23	3.70	49.68	3.76	
					91	39.77	3.60	42.32	3.67	44.28	3.73	45.36	3.76	46.52	3.79	49.05	3.85	
					95	39.77	3.69	41.51	3.76	43.55	3.82	45.00	3.84	45.87	3.88	48.47	3.94	
					99	39.77	3.78	40.77	3.85	42.88	3.91	44.04	3.94	45.28	3.97	47.96	4.03	
					102	39.77	3.88	40.09	3.94	42.28	4.01	43.48	4.04	44.75	4.07	47.51	4.12	
					108	39.77	4.03	39.18	4.09	41.49	4.15	42.75	4.18	44.08	4.21	46.96	4.27	
					111	39.77	4.13	38.66	4.19	41.04	4.25	42.34	4.28	43.71	4.31	46.66	4.37	
					115	39.77	4.23	38.19	4.29	40.65	4.35	41.99	4.38	43.40	4.41	46.43	4.47	
9	15	18		42	68	37.12	2.85	45.82	2.91	47.17	2.97	47.95	3.00	48.79	3.03	50.68	3.09	
					70	37.12	2.89	45.25	2.95	46.63	3.01	47.43	3.04	48.29	3.07	50.22	3.12	
					73	37.12	2.96	44.14	3.02	45.60	3.08	46.44	3.11	47.33	3.14	49.33	3.19	
					77	37.12	3.04	43.10	3.10	44.63	3.16	45.50	3.19	46.43	3.21	48.50	3.27	
					81	37.12	3.11	42.11	3.17	43.72	3.23	44.62	3.26	45.59	3.29	47.73	3.35	
					84	37.12	3.19	41.18	3.25	42.86	3.31	43.80	3.34	44.81	3.37	47.02	3.42	
					88	37.12	3.27	40.31	3.33	42.06	3.39	43.04	3.42	44.08	3.45	46.37	3.50	
					91	37.12	3.36	39.50	3.42	41.32	3.48	42.34	3.50	43.42	3.53	45.78	3.59	
					95	37.12	3.44	38.75	3.50	40.64	3.56	42.00	3.58	42.81	3.62	45.24	3.67	
					99	37.12	3.53	38.05	3.59	40.02	3.65	41.11	3.68	42.26	3.70	44.76	3.76	
					102	37.12	3.62	37.41	3.68	39.46	3.74	40.58	3.76	41.77	3.79	44.35	3.84	
					108	37.12	3.75	36.57	3.81	38.72	3.87	39.90	3.90	41.14	3.93	43.83	3.98	
					111	37.12	3.85	36.08	3.91	38.30	3.96	39.51	3.99	40.79	4.02	43.55	4.07	
					115	37.12	3.94	35.65	4.00	37.94	4.06	39.19	4.09	40.51	4.11	43.34	4.17	

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	18	18		45	68	39.77	3.06	49.09	3.12	50.54	3.19	51.37	3.22	52.28	3.25	54.30	3.31	
					70	39.77	3.10	48.48	3.16	49.97	3.23	50.82	3.26	51.74	3.29	53.81	3.35	
					73	39.77	3.17	47.29	3.24	48.86	3.31	49.75	3.34	50.71	3.37	52.86	3.43	
					77	39.77	3.26	46.17	3.32	47.82	3.39	48.75	3.42	49.75	3.45	51.97	3.51	
					81	39.77	3.34	45.12	3.40	46.84	3.47	47.81	3.50	48.85	3.53	51.14	3.59	
					84	39.77	3.42	44.12	3.49	45.92	3.55	46.93	3.58	48.01	3.61	50.38	3.67	
					88	39.77	3.51	43.19	3.58	45.07	3.64	46.11	3.67	47.23	3.70	49.68	3.76	
					91	39.77	3.60	42.32	3.67	44.28	3.73	45.36	3.76	46.52	3.79	49.05	3.85	
					95	39.77	3.69	41.51	3.76	43.55	3.82	45.00	3.84	45.87	3.88	48.47	3.94	
					99	39.77	3.78	40.77	3.85	42.88	3.91	44.04	3.94	45.28	3.97	47.96	4.03	
					102	39.77	3.88	40.09	3.94	42.28	4.01	43.48	4.04	44.75	4.07	47.51	4.12	
					108	39.77	4.03	39.18	4.09	41.49	4.15	42.75	4.18	44.08	4.21	46.96	4.27	
					111	39.77	4.13	38.66	4.19	41.04	4.25	42.34	4.28	43.71	4.31	46.66	4.37	
					115	39.77	4.23	38.19	4.29	40.65	4.35	41.99	4.38	43.40	4.41	46.43	4.47	
12	12	12		36	68	31.81	2.44	39.27	2.50	40.43	2.55	41.10	2.57	43.44	2.65	45.29	2.69	
					70	31.81	2.47	38.78	2.53	39.97	2.58	40.65	2.60	43.04	2.68	44.92	2.72	
					73	31.81	2.54	37.84	2.59	39.09	2.64	39.80	2.67	42.28	2.74	44.23	2.79	
					77	31.81	2.60	36.94	2.66	38.26	2.71	39.00	2.73	41.58	2.80	43.58	2.85	
					81	31.81	2.67	36.09	2.72	37.47	2.77	38.25	2.80	40.92	2.87	42.98	2.91	
					84	31.81	2.74	35.30	2.79	36.74	2.84	37.54	2.87	40.31	2.94	42.44	2.98	
					88	31.81	2.81	34.55	2.86	36.05	2.91	36.89	2.93	39.75	3.01	41.94	3.05	
					91	31.81	2.88	33.86	2.93	35.42	2.98	36.29	3.01	39.24	3.08	41.49	3.12	
					95	31.81	2.95	33.21	3.00	34.84	3.05	36.00	3.07	38.78	3.15	41.09	3.19	
					99	31.81	3.03	32.62	3.08	34.30	3.13	35.23	3.15	38.37	3.22	40.75	3.27	
					102	31.81	3.10	32.07	3.15	33.82	3.20	34.78	3.23	38.01	3.30	40.45	3.34	
					108	31.81	3.22	31.35	3.27	33.19	3.32	34.20	3.34	37.57	3.41	40.10	3.46	
					111	31.81	3.30	30.92	3.35	32.83	3.40	33.87	3.42	37.33	3.49	39.93	3.54	
					115	31.81	3.38	30.55	3.43	32.52	3.48	33.59	3.50	37.15	3.57	39.80	3.62	
12	12	15		39	68	34.47	2.64	42.55	2.70	43.80	2.76	44.52	2.78	45.31	2.81	47.06	2.86	
					70	34.47	2.68	42.01	2.73	43.30	2.79	44.04	2.82	44.84	2.84	46.63	2.90	
					73	34.47	2.74	40.99	2.80	42.35	2.86	43.12	2.88	43.95	2.91	45.81	2.96	
					77	34.47	2.81	40.02	2.87	41.44	2.93	42.25	2.95	43.12	2.98	45.04	3.03	
					81	34.47	2.89	39.10	2.94	40.59	3.00	41.43	3.03	42.34	3.05	44.33	3.10	
					84	34.47	2.96	38.24	3.02	39.80	3.07	40.67	3.10	41.61	3.12	43.67	3.18	
					88	34.47	3.04	37.43	3.09	39.06	3.15	39.97	3.17	40.93	3.20	43.06	3.25	
					91	34.47	3.11	36.68	3.17	38.37	3.22	39.31	3.25	40.32	3.28	42.51	3.33	
					95	34.47	3.19	35.98	3.25	37.74	3.30	39.00	3.32	39.75	3.35	42.01	3.40	
					99	34.47	3.27	35.33	3.33	37.16	3.38	38.17	3.41	39.24	3.43	41.57	3.48	
					102	34.47	3.35	34.74	3.41	36.64	3.46	37.68	3.49	38.78	3.52	41.18	3.57	
					108	34.47	3.48	33.96	3.54	35.95	3.59	37.05	3.62	38.20	3.64	40.70	3.69	
					111	34.47	3.57	33.50	3.62	35.57	3.68	36.69	3.70	37.88	3.73	40.44	3.78	
					115	34.47	3.66	33.10	3.71	35.23	3.76	36.39	3.79	37.61	3.82	40.24	3.86	
12	12	18		42	68	37.12	2.85	45.82	2.91	47.17	2.97	47.95	3.00	48.79	3.03	50.68	3.09	
					70	37.12	2.89	45.25	2.95	46.63	3.01	47.43	3.04	48.29	3.07	50.22	3.12	
					73	37.12	2.96	44.14	3.02	45.60	3.08	46.44	3.11	47.33	3.14	49.33	3.19	
					77	37.12	3.04	43.10	3.10	44.63	3.16	45.50	3.19	46.43	3.21	48.50	3.27	
					81	37.12	3.11	42.11	3.17	43.72	3.23	44.62	3.26	45.59	3.29	47.73	3.35	
					84	37.12	3.19	41.18	3.25	42.86	3.31	43.80	3.34	44.81	3.37	47.02	3.42	
					88	37.12	3.27	40.31	3.33	42.06	3.39	43.04	3.42	44.08	3.45	46.37	3.50	
					91	37.12	3.36	39.50	3.42	41.32	3.48	42.34	3.50	43.42	3.53	45.78	3.59	
					95	37.12	3.44	38.75	3.50	40.64	3.56	42.00	3.58	42.81	3.62	45.24	3.67	
					99	37.12	3.53	38.05	3.59	40.02	3.65	41.11	3.68	42.26	3.70	44.76	3.76	
					102	37.12	3.62	37.41	3.68	39.46	3.74	40.58	3.76	41.77	3.79	44.35	3.84	
					108	37.12	3.75	36.57	3.81	38.72	3.87	39.90	3.90	41.14	3.93	43.83	3.98	
					111	37.12	3.85	36.08	3.91	38.30	3.96	39.51	3.99	40.79	4.02	43.55	4.07	
					115	37.12	3.94	35.65	4.00	37.94	4.06	39.19	4.09	40.51	4.11	43.34	4.17	

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	24		48	68	47.25	3.13	49.31	3.19	51.39	3.25	52.44	3.28	53.50	3.31	55.64	3.37	
					70	46.81	3.17	48.86	3.23	50.95	3.29	52.00	3.32	53.06	3.35	55.21	3.42	
					73	45.93	3.25	47.98	3.31	50.07	3.38	51.12	3.41	52.19	3.44	54.34	3.50	
					77	45.04	3.34	47.10	3.40	49.19	3.46	50.25	3.49	51.32	3.52	53.47	3.58	
					81	44.16	3.42	46.23	3.48	48.32	3.54	49.38	3.58	50.45	3.61	52.60	3.67	
					84	43.28	3.51	45.35	3.57	47.45	3.63	48.51	3.66	49.58	3.69	51.74	3.75	
					88	42.41	3.59	44.48	3.65	46.58	3.72	47.64	3.75	48.71	3.78	50.88	3.84	
					91	41.53	3.68	43.61	3.74	45.71	3.81	46.78	3.84	47.85	3.87	50.02	3.93	
					95	40.66	3.77	42.74	3.83	44.85	3.90	46.00	3.92	46.99	3.96	49.16	4.02	
					99	39.79	3.86	41.87	3.92	43.99	3.99	45.06	4.02	46.13	4.05	48.31	4.12	
					102	38.92	3.95	41.01	4.02	43.13	4.08	44.20	4.11	45.28	4.15	47.46	4.21	
					108	37.62	4.09	39.72	4.16	41.84	4.22	42.92	4.26	44.00	4.29	46.18	4.35	
					111	36.76	4.19	38.86	4.25	40.99	4.32	42.06	4.35	43.15	4.38	45.34	4.45	
					115	35.90	4.29	38.00	4.35	40.14	4.42	41.21	4.45	42.30	4.48	44.49	4.55	
12	15	18		45	68	39.77	3.06	49.09	3.12	50.54	3.19	51.37	3.22	52.28	3.25	54.30	3.31	
					70	39.77	3.10	48.48	3.16	49.97	3.23	50.82	3.26	51.74	3.29	53.81	3.35	
					73	39.77	3.17	47.29	3.24	48.86	3.31	49.75	3.34	50.71	3.37	52.86	3.43	
					77	39.77	3.26	46.17	3.32	47.82	3.39	48.75	3.42	49.75	3.45	51.97	3.51	
					81	39.77	3.34	45.12	3.40	46.84	3.47	47.81	3.50	48.85	3.53	51.14	3.59	
					84	39.77	3.42	44.12	3.49	45.92	3.55	46.93	3.58	48.01	3.61	50.38	3.67	
					88	39.77	3.51	43.19	3.58	45.07	3.64	46.11	3.67	47.23	3.70	49.68	3.76	
					91	39.77	3.60	42.32	3.67	44.28	3.73	45.36	3.76	46.52	3.79	49.05	3.85	
					95	39.77	3.69	41.51	3.76	43.55	3.82	45.00	3.84	45.87	3.88	48.47	3.94	
					99	39.77	3.78	40.77	3.85	42.88	3.91	44.04	3.94	45.28	3.97	47.96	4.03	
					102	39.77	3.88	40.09	3.94	42.28	4.01	43.48	4.04	44.75	4.07	47.51	4.12	
					108	39.77	4.03	39.18	4.09	41.49	4.15	42.75	4.18	44.08	4.21	46.96	4.27	
					111	39.77	4.13	38.66	4.19	41.04	4.25	42.34	4.28	43.71	4.31	46.66	4.37	
					115	39.77	4.23	38.19	4.29	40.65	4.35	41.99	4.38	43.40	4.41	46.43	4.47	
12	18	18		48	68	47.25	3.13	49.31	3.19	51.39	3.25	52.44	3.28	53.50	3.31	55.64	3.37	
					70	46.81	3.17	48.86	3.23	50.95	3.29	52.00	3.32	53.06	3.35	55.21	3.42	
					73	45.93	3.25	47.98	3.31	50.07	3.38	51.12	3.41	52.19	3.44	54.34	3.50	
					77	45.04	3.34	47.10	3.40	49.19	3.46	50.25	3.49	51.32	3.52	53.47	3.58	
					81	44.16	3.42	46.23	3.48	48.32	3.54	49.38	3.58	50.45	3.61	52.60	3.67	
					84	43.28	3.51	45.35	3.57	47.45	3.63	48.51	3.66	49.58	3.69	51.74	3.75	
					88	42.41	3.59	44.48	3.65	46.58	3.72	47.64	3.75	48.71	3.78	50.88	3.84	
					91	41.53	3.68	43.61	3.74	45.71	3.81	46.78	3.84	47.85	3.87	50.02	3.93	
					95	40.66	3.77	42.74	3.83	44.85	3.90	46.00	3.92	46.99	3.96	49.16	4.02	
					99	39.79	3.86	41.87	3.92	43.99	3.99	45.06	4.02	46.13	4.05	48.31	4.12	
					102	38.92	3.95	41.01	4.02	43.13	4.08	44.20	4.11	45.28	4.15	47.46	4.21	
					108	37.62	4.09	39.72	4.16	41.84	4.22	42.92	4.26	44.00	4.29	46.18	4.35	
					111	36.76	4.19	38.86	4.25	40.99	4.32	42.06	4.35	43.15	4.38	45.34	4.45	
					115	35.90	4.29	38.00	4.35	40.14	4.42	41.21	4.45	42.30	4.48	44.49	4.55	
18	18	18		54	68	47.25	3.13	49.31	3.19	51.39	3.25	52.44	3.28	53.50	3.31	55.64	3.37	
					70	46.81	3.17	48.86	3.23	50.95	3.29	52.00	3.32	53.06	3.35	55.21	3.42	
					73	45.93	3.25	47.98	3.31	50.07	3.38	51.12	3.41	52.19	3.44	54.34	3.50	
					77	45.04	3.34	47.10	3.40	49.19	3.46	50.25	3.49	51.32	3.52	53.47	3.58	
					81	44.16	3.42	46.23	3.48	48.32	3.54	49.38	3.58	50.45	3.61	52.60	3.67	
					84	43.28	3.51	45.35	3.57	47.45	3.63	48.51	3.66	49.58	3.69	51.74	3.75	
					88	42.41	3.59	44.48	3.65	46.58	3.72	47.64	3.75	48.71	3.78	50.88	3.84	
					91	41.53	3.68	43.61	3.74	45.71	3.81	46.78	3.84	47.85	3.87	50.02	3.93	
					95	40.66	3.77	42.74	3.83	44.85	3.90	46.00	3.92	46.99	3.96	49.16	4.02	
					99	39.79	3.86	41.87	3.92	43.99	3.99	45.06	4.02	46.13	4.05	48.31	4.12	
					102	38.92	3.95	41.01	4.02	43.13	4.08	44.20	4.11	45.28	4.15	47.46	4.21	
					108	37.62	4.09	39.72	4.16	41.84	4.22	42.92	4.26	44.00	4.29	46.18	4.35	
					111	36.76	4.19	38.86	4.25	40.99	4.32	42.06	4.35	43.15	4.38	45.34	4.45	
					115	35.90	4.29	38.00	4.35	40.14	4.42	41.21	4.45	42.30	4.48	44.49	4.55	

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	9		36	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	41.03	2.50	42.78	2.55
						70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	40.65	2.53	42.43	2.58
						73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	39.94	2.59	41.77	2.64
						77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	39.27	2.65	41.16	2.70
						81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	38.64	2.72	40.59	2.76
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	38.07	2.78	40.08	2.82
						88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	37.54	2.84	39.61	2.89
						91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	37.06	2.91	39.19	2.95
						95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	36.62	2.98	38.81	3.02
						99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	36.24	3.05	38.48	3.09
						102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	35.90	3.12	38.20	3.16
						108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	35.48	3.23	37.87	3.27
						111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	35.26	3.30	37.71	3.35
						115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	35.08	3.38	37.59	3.42
9	9	9	12		39	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	41.03	2.50	42.78	2.55
						70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	40.65	2.53	42.43	2.58
						73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	39.94	2.59	41.77	2.64
						77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	39.27	2.65	41.16	2.70
						81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	38.64	2.72	40.59	2.76
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	38.07	2.78	40.08	2.82
						88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	37.54	2.84	39.61	2.89
						91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	37.06	2.91	39.19	2.95
						95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	36.62	2.98	38.81	3.02
						99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	36.24	3.05	38.48	3.09
						102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	35.90	3.12	38.20	3.16
						108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	35.48	3.23	37.87	3.27
						111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	35.26	3.30	37.71	3.35
						115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	35.08	3.38	37.59	3.42
9	9	9	15		42	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	39.50	2.46	41.03	2.50
						70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	39.09	2.49	40.65	2.53
						73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	38.32	2.55	39.94	2.59
						77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	37.59	2.61	39.27	2.65
						81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	36.91	2.67	38.64	2.72
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	36.27	2.73	38.07	2.78
						88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	35.69	2.80	37.54	2.84
						91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	35.15	2.87	37.06	2.91
						95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	34.65	2.93	36.62	2.98
						99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	34.21	3.00	36.24	3.05
						102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	33.81	3.08	35.90	3.12
						108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	33.30	3.19	35.48	3.23
						111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	33.02	3.26	35.26	3.30
						115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	32.79	3.34	35.08	3.38
9	9	9	18		45	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	39.50	2.46	41.03	2.50
						70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	39.09	2.49	40.65	2.53
						73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	38.32	2.55	39.94	2.59
						77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	37.59	2.61	39.27	2.65
						81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	36.91	2.67	38.64	2.72
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	36.27	2.73	38.07	2.78
						88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	35.69	2.80	37.54	2.84
						91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	35.15	2.87	37.06	2.91
						95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	34.65	2.93	36.62	2.98
						99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	34.21	3.00	36.24	3.05
						102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	33.81	3.08	35.90	3.12
						108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	33.30	3.19	35.48	3.23
						111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	33.02	3.26	35.26	3.30
						115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	32.79	3.34	35.08	3.38

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	12	12	42	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	39.50	2.46	41.03	2.50	
					70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	39.09	2.49	40.65	2.53	
					73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	38.32	2.55	39.94	2.59	
					77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	37.59	2.61	39.27	2.65	
					81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	36.91	2.67	38.64	2.72	
					84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	36.27	2.73	38.07	2.78	
					88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	35.69	2.80	37.54	2.84	
					91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	35.15	2.87	37.06	2.91	
					95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	34.65	2.93	36.62	2.98	
					99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	34.21	3.00	36.24	3.05	
					102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	33.81	3.08	35.90	3.12	
					108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	33.30	3.19	35.48	3.23	
					111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	33.02	3.26	35.26	3.30	
					115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	32.79	3.34	35.08	3.38	
9	9	12	15	45	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	39.50	2.46	41.03	2.50	
					70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	39.09	2.49	40.65	2.53	
					73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	38.32	2.55	39.94	2.59	
					77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	37.59	2.61	39.27	2.65	
					81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	36.91	2.67	38.64	2.72	
					84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	36.27	2.73	38.07	2.78	
					88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	35.69	2.80	37.54	2.84	
					91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	35.15	2.87	37.06	2.91	
					95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	34.65	2.93	36.62	2.98	
					99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	34.21	3.00	36.24	3.05	
					102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	33.81	3.08	35.90	3.12	
					108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	33.30	3.19	35.48	3.23	
					111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	33.02	3.26	35.26	3.30	
					115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	32.79	3.34	35.08	3.38	
9	9	12	18	48	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08	
					70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12	
					73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19	
					77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27	
					81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35	
					84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43	
					88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51	
					91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59	
					95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67	
					99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76	
					102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84	
					108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98	
					111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06	
					115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15	
9	9	18	18	54	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08	
					70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12	
					73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19	
					77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27	
					81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35	
					84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43	
					88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51	
					91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59	
					95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67	
					99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76	
					102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84	
					108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98	
					111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06	
					115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15	

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	12	12		45	68	30.05	2.31	37.09	2.36	38.19	2.41	38.82	2.44	39.50	2.46	41.03	2.50
						70	30.05	2.34	36.63	2.39	37.75	2.44	38.40	2.46	39.09	2.49	40.65	2.53
						73	30.05	2.40	35.73	2.45	36.92	2.50	37.59	2.52	38.32	2.55	39.94	2.59
						77	30.05	2.46	34.89	2.51	36.13	2.56	36.83	2.58	37.59	2.61	39.27	2.65
						81	30.05	2.53	34.09	2.58	35.39	2.62	36.12	2.65	36.91	2.67	38.64	2.72
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.71	36.27	2.73	38.07	2.78
						88	30.05	2.66	32.63	2.71	34.05	2.75	34.84	2.78	35.69	2.80	37.54	2.84
						91	30.05	2.72	31.98	2.77	33.45	2.82	34.27	2.84	35.15	2.87	37.06	2.91
						95	30.05	2.79	31.37	2.84	32.90	2.89	34.00	2.91	34.65	2.93	36.62	2.98
						99	30.05	2.86	30.80	2.91	32.40	2.96	33.28	2.98	34.21	3.00	36.24	3.05
						102	30.05	2.93	30.29	2.98	31.94	3.03	32.85	3.05	33.81	3.08	35.90	3.12
						108	30.05	3.05	29.60	3.09	31.34	3.14	32.30	3.16	33.30	3.19	35.48	3.23
						111	30.05	3.12	29.21	3.17	31.01	3.22	31.99	3.24	33.02	3.26	35.26	3.30
						115	30.05	3.20	28.86	3.25	30.72	3.29	31.73	3.32	32.79	3.34	35.08	3.38
9	12	12	15		48	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08
						70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12
						73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19
						77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27
						81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35
						84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43
						88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51
						91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59
						95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67
						99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76
						102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84
						108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98
						111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06
						115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15
9	12	12	18		51	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08
						70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12
						73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19
						77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27
						81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35
						84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43
						88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51
						91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59
						95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67
						99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76
						102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84
						108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98
						111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06
						115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15
9	12	18	18		57	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08
						70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12
						73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19
						77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27
						81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35
						84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43
						88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51
						91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59
						95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67
						99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76
						102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84
						108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98
						111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06
						115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	12	12		48	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08
						70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12
						73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19
						77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27
						81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35
						84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43
						88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51
						91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59
						95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67
						99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76
						102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84
						108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98
						111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06
						115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15
12	12	12	18		54	68	43.15	2.86	45.02	2.92	46.92	2.97	47.88	3.00	48.85	3.03	50.80	3.08
						70	42.74	2.90	44.61	2.95	46.52	3.01	47.48	3.04	48.45	3.06	50.41	3.12
						73	41.93	2.97	43.81	3.03	45.72	3.08	46.68	3.11	47.65	3.14	49.61	3.19
						77	41.13	3.05	43.01	3.10	44.92	3.16	45.88	3.19	46.85	3.22	48.82	3.27
						81	40.32	3.12	42.21	3.18	44.12	3.24	45.09	3.26	46.06	3.29	48.03	3.35
						84	39.52	3.20	41.41	3.26	43.32	3.32	44.29	3.34	45.27	3.37	47.24	3.43
						88	38.72	3.28	40.61	3.34	42.53	3.40	43.50	3.42	44.48	3.45	46.45	3.51
						91	37.92	3.36	39.82	3.42	41.74	3.48	42.71	3.51	43.69	3.53	45.67	3.59
						95	37.12	3.44	39.02	3.50	40.95	3.56	42.00	3.58	42.91	3.62	44.89	3.67
						99	36.33	3.53	38.23	3.58	40.16	3.64	41.14	3.67	42.12	3.70	44.11	3.76
						102	35.54	3.61	37.44	3.67	39.38	3.73	40.36	3.76	41.34	3.79	43.33	3.84
						108	34.35	3.74	36.26	3.80	38.20	3.86	39.18	3.89	40.17	3.92	42.17	3.98
						111	33.57	3.83	35.48	3.89	37.42	3.94	38.41	3.97	39.40	4.00	41.39	4.06
						115	32.78	3.91	34.70	3.97	36.65	4.03	37.63	4.06	38.62	4.09	40.62	4.15
9	9	9	9	9	45	68	38.00	2.93	46.91	2.99	48.30	3.05	49.09	3.08	49.96	3.11	51.89	3.17
						70	38.00	2.96	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21
						73	38.00	3.04	45.19	3.10	46.69	3.16	47.54	3.19	48.46	3.22	50.51	3.28
						77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36
						81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.43
						84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52
						88	38.00	3.36	41.27	3.42	43.06	3.48	44.06	3.51	45.13	3.54	47.48	3.60
						91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.68
						95	38.00	3.53	39.67	3.59	41.61	3.65	43.00	3.68	43.83	3.71	46.32	3.77
						99	38.00	3.62	38.96	3.68	40.97	3.74	42.08	3.77	43.26	3.80	45.83	3.86
						102	38.00	3.71	38.31	3.77	40.40	3.83	41.54	3.86	42.76	3.89	45.40	3.95
						108	38.00	3.85	37.44	3.91	39.64	3.97	40.85	4.00	42.12	4.03	44.87	4.09
						111	38.00	3.95	36.94	4.01	39.21	4.07	40.46	4.10	41.76	4.13	44.59	4.18
						115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.22	44.37	4.28
9	9	9	9	12	48	68	44.17	2.94	46.09	2.99	48.04	3.05	49.02	3.08	50.01	3.11	52.01	3.16
						70	43.76	2.97	45.68	3.03	47.62	3.09	48.61	3.12	49.60	3.15	51.61	3.20
						73	42.93	3.05	44.85	3.11	46.80	3.17	47.79	3.19	48.78	3.22	50.79	3.28
						77	42.10	3.13	44.03	3.19	45.99	3.24	46.97	3.27	47.97	3.30	49.98	3.36
						81	41.28	3.21	43.21	3.26	45.17	3.32	46.16	3.35	47.16	3.38	49.17	3.44
						84	40.46	3.29	42.39	3.34	44.36	3.40	45.35	3.43	46.35	3.46	48.37	3.52
						88	39.64	3.37	41.58	3.43	43.54	3.49	44.54	3.51	45.54	3.54	47.56	3.60
						91	38.82	3.45	40.76	3.51	42.73	3.57	43.73	3.60	44.73	3.63	46.76	3.69
						95	38.01	3.53	39.95	3.59	41.92	3.65	43.00	3.68	43.93	3.71	45.96	3.77
						99	37.19	3.62	39.14	3.68	41.12	3.74	42.12	3.77	43.12	3.80	45.16	3.86
						102	36.38	3.71	38.33	3.77	40.32	3.83	41.32	3.86	42.32	3.89	44.36	3.95
						108	35.17	3.84	37.13	3.90	39.11	3.96	40.12	3.99	41.13	4.02	43.17	4.08
						111	34.36	3.93	36.33	3.99	38.32	4.05	39.32	4.08	40.33	4.11	42.38	4.17
						115	33.56	4.02	35.53	4.08	37.52	4.14	38.53	4.17	39.54	4.20	41.59	4.26

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	9	18	54	68	44.17	2.94	46.09	2.99	48.04	3.05	49.02	3.08	50.01	3.11	52.01	3.16
						70	43.76	2.97	45.68	3.03	47.62	3.09	48.61	3.12	49.60	3.15	51.61	3.20
						73	42.93	3.05	44.85	3.11	46.80	3.17	47.79	3.19	48.78	3.22	50.79	3.28
						77	42.10	3.13	44.03	3.19	45.99	3.24	46.97	3.27	47.97	3.30	49.98	3.36
						81	41.28	3.21	43.21	3.26	45.17	3.32	46.16	3.35	47.16	3.38	49.17	3.44
						84	40.46	3.29	42.39	3.34	44.36	3.40	45.35	3.43	46.35	3.46	48.37	3.52
						88	39.64	3.37	41.58	3.43	43.54	3.49	44.54	3.51	45.54	3.54	47.56	3.60
						91	38.82	3.45	40.76	3.51	42.73	3.57	43.73	3.60	44.73	3.63	46.76	3.69
						95	38.01	3.53	39.95	3.59	41.92	3.65	43.00	3.68	43.93	3.71	45.96	3.77
						99	37.19	3.62	39.14	3.68	41.12	3.74	42.12	3.77	43.12	3.80	45.16	3.86
						102	36.38	3.71	38.33	3.77	40.32	3.83	41.32	3.86	42.32	3.89	44.36	3.95
						108	35.17	3.84	37.13	3.90	39.11	3.96	40.12	3.99	41.13	4.02	43.17	4.08
						111	34.36	3.93	36.33	3.99	38.32	4.05	39.32	4.08	40.33	4.11	42.38	4.17
						115	33.56	4.02	35.53	4.08	37.52	4.14	38.53	4.17	39.54	4.20	41.59	4.26
9	9	9	12	12	51	68	44.17	2.94	46.09	2.99	48.04	3.05	49.02	3.08	50.01	3.11	52.01	3.16
						70	43.76	2.97	45.68	3.03	47.62	3.09	48.61	3.12	49.60	3.15	51.61	3.20
						73	42.93	3.05	44.85	3.11	46.80	3.17	47.79	3.19	48.78	3.22	50.79	3.28
						77	42.10	3.13	44.03	3.19	45.99	3.24	46.97	3.27	47.97	3.30	49.98	3.36
						81	41.28	3.21	43.21	3.26	45.17	3.32	46.16	3.35	47.16	3.38	49.17	3.44
						84	40.46	3.29	42.39	3.34	44.36	3.40	45.35	3.43	46.35	3.46	48.37	3.52
						88	39.64	3.37	41.58	3.43	43.54	3.49	44.54	3.51	45.54	3.54	47.56	3.60
						91	38.82	3.45	40.76	3.51	42.73	3.57	43.73	3.60	44.73	3.63	46.76	3.69
						95	38.01	3.53	39.95	3.59	41.92	3.65	43.00	3.68	43.93	3.71	45.96	3.77
						99	37.19	3.62	39.14	3.68	41.12	3.74	42.12	3.77	43.12	3.80	45.16	3.86
						102	36.38	3.71	38.33	3.77	40.32	3.83	41.32	3.86	42.32	3.89	44.36	3.95
						108	35.17	3.84	37.13	3.90	39.11	3.96	40.12	3.99	41.13	4.02	43.17	4.08
						111	34.36	3.93	36.33	3.99	38.32	4.05	39.32	4.08	40.33	4.11	42.38	4.17
						115	33.56	4.02	35.53	4.08	37.52	4.14	38.53	4.17	39.54	4.20	41.59	4.26
9	9	9	12	18	57	68	44.17	2.94	46.09	2.99	48.04	3.05	49.02	3.08	50.01	3.11	52.01	3.16
						70	43.76	2.97	45.68	3.03	47.62	3.09	48.61	3.12	49.60	3.15	51.61	3.20
						73	42.93	3.05	44.85	3.11	46.80	3.17	47.79	3.19	48.78	3.22	50.79	3.28
						77	42.10	3.13	44.03	3.19	45.99	3.24	46.97	3.27	47.97	3.30	49.98	3.36
						81	41.28	3.21	43.21	3.26	45.17	3.32	46.16	3.35	47.16	3.38	49.17	3.44
						84	40.46	3.29	42.39	3.34	44.36	3.40	45.35	3.43	46.35	3.46	48.37	3.52
						88	39.64	3.37	41.58	3.43	43.54	3.49	44.54	3.51	45.54	3.54	47.56	3.60
						91	38.82	3.45	40.76	3.51	42.73	3.57	43.73	3.60	44.73	3.63	46.76	3.69
						95	38.01	3.53	39.95	3.59	41.92	3.65	43.00	3.68	43.93	3.71	45.96	3.77
						99	37.19	3.62	39.14	3.68	41.12	3.74	42.12	3.77	43.12	3.80	45.16	3.86
						102	36.38	3.71	38.33	3.77	40.32	3.83	41.32	3.86	42.32	3.89	44.36	3.95
						108	35.17	3.84	37.13	3.90	39.11	3.96	40.12	3.99	41.13	4.02	43.17	4.08
						111	34.36	3.93	36.33	3.99	38.32	4.05	39.32	4.08	40.33	4.11	42.38	4.17
						115	33.56	4.02	35.53	4.08	37.52	4.14	38.53	4.17	39.54	4.20	41.59	4.26
9	9	12	12	12	54	68	44.17	2.94	46.09	2.99	48.04	3.05	49.02	3.08	50.01	3.11	52.01	3.16
						70	43.76	2.97	45.68	3.03	47.62	3.09	48.61	3.12	49.60	3.15	51.61	3.20
						73	42.93	3.05	44.85	3.11	46.80	3.17	47.79	3.19	48.78	3.22	50.79	3.28
						77	42.10	3.13	44.03	3.19	45.99	3.24	46.97	3.27	47.97	3.30	49.98	3.36
						81	41.28	3.21	43.21	3.26	45.17	3.32	46.16	3.35	47.16	3.38	49.17	3.44
						84	40.46	3.29	42.39	3.34	44.36	3.40	45.35	3.43	46.35	3.46	48.37	3.52
						88	39.64	3.37	41.58	3.43	43.54	3.49	44.54	3.51	45.54	3.54	47.56	3.60
						91	38.82	3.45	40.76	3.51	42.73	3.57	43.73	3.60	44.73	3.63	46.76	3.69
						95	38.01	3.53	39.95	3.59	41.92	3.65	43.00	3.68	43.93	3.71	45.96	3.77
						99	37.19	3.62	39.14	3.68	41.12	3.74	42.12	3.77	43.12	3.80	45.16	3.86
						102	36.38	3.71	38.33	3.77	40.32	3.83	41.32	3.86	42.32	3.89	44.36	3.95
						108	35.17	3.84	37.13	3.90	39.11	3.96	40.12	3.99	41.13	4.02	43.17	4.08
						111	34.36	3.93	36.33	3.99	38.32	4.05	39.32	4.08	40.33	4.11	42.38	4.17
						115	33.56	4.02	35.53	4.08	37.52	4.14	38.53	4.17	39.54	4.20	41.59	4.26

CapacityTable

MMPD048S6M-1P

Cooling(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)		
9	12	12	12	12	57	68	44.17	2.94	46.09	2.99	48.04	3.05	49.02	3.08	50.01	3.11	52.01	3.16
						70	43.76	2.97	45.68	3.03	47.62	3.09	48.61	3.12	49.60	3.15	51.61	3.20
						73	42.93	3.05	44.85	3.11	46.80	3.17	47.79	3.19	48.78	3.22	50.79	3.28
						77	42.10	3.13	44.03	3.19	45.99	3.24	46.97	3.27	47.97	3.30	49.98	3.36
						81	41.28	3.21	43.21	3.26	45.17	3.32	46.16	3.35	47.16	3.38	49.17	3.44
						84	40.46	3.29	42.39	3.34	44.36	3.40	45.35	3.43	46.35	3.46	48.37	3.52
						88	39.64	3.37	41.58	3.43	43.54	3.49	44.54	3.51	45.54	3.54	47.56	3.60
						91	38.82	3.45	40.76	3.51	42.73	3.57	43.73	3.60	44.73	3.63	46.76	3.69
						95	38.01	3.53	39.95	3.59	41.92	3.65	43.00	3.68	43.93	3.71	45.96	3.77
						99	37.19	3.62	39.14	3.68	41.12	3.74	42.12	3.77	43.12	3.80	45.16	3.86
						102	36.38	3.71	38.33	3.77	40.32	3.83	41.32	3.86	42.32	3.89	44.36	3.95
						108	35.17	3.84	37.13	3.90	39.11	3.96	40.12	3.99	41.13	4.02	43.17	4.08
						111	34.36	3.93	36.33	3.99	38.32	4.05	39.32	4.08	40.33	4.11	42.38	4.17
						115	33.56	4.02	35.53	4.08	37.52	4.14	38.53	4.17	39.54	4.20	41.59	4.26

- Cooling capacity is based on 80°FDB(26.7°CDB) / 80°FDB(19.4°CWB) (indoor temperature), 95°FDB(35°CDB) (outdoor temperature).
- Heating capacity is based on 70°FDB(21.1°CDB) (indoor temperature), 47°FDB(8.33°CDB) / 43°FDB(6.11°CWB) (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 24.6ft(7.5m) / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 57.
- At least two indoor units must be connected for operation.
- If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.
- This data is reference data for temperature capacity trend.

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	68	12.37	0.91	15.27	0.93	15.72	0.95	15.98	0.96	16.89	0.98	17.61	1.00
						70	12.37	0.92	15.08	0.94	15.54	0.96	15.81	0.97	16.74	0.99	17.47	1.01
						73	12.37	0.94	14.71	0.96	15.20	0.98	15.48	0.99	16.44	1.02	17.20	1.03
						77	12.37	0.97	14.37	0.99	14.88	1.01	15.17	1.01	16.17	1.04	16.95	1.06
						81	12.37	0.99	14.04	1.01	14.57	1.03	14.87	1.04	15.91	1.07	16.72	1.08
						84	12.37	1.02	13.73	1.04	14.29	1.05	14.60	1.06	15.67	1.09	16.50	1.11
						88	12.37	1.04	13.44	1.06	14.02	1.08	14.35	1.09	15.46	1.12	16.31	1.13
						91	12.37	1.07	13.17	1.09	13.77	1.11	14.11	1.12	15.26	1.14	16.14	1.16
						95	12.37	1.10	12.92	1.12	13.55	1.13	14.00	1.14	15.08	1.17	15.98	1.19
						99	12.37	1.12	12.68	1.14	13.34	1.16	13.70	1.17	14.92	1.20	15.85	1.21
						102	12.37	1.15	12.47	1.17	13.15	1.19	13.53	1.20	14.78	1.22	15.73	1.24
						108	12.37	1.20	12.19	1.21	12.91	1.23	13.30	1.24	14.61	1.27	15.59	1.28
						111	12.37	1.23	12.03	1.24	12.77	1.26	13.17	1.27	14.52	1.30	15.53	1.31
						115	12.37	1.26	11.88	1.27	12.65	1.29	13.06	1.30	14.45	1.33	15.48	1.34
7	9				16	68	14.14	1.00	17.45	1.02	17.97	1.04	18.27	1.05	19.31	1.08	20.13	1.10
						70	14.14	1.01	17.24	1.03	17.77	1.05	18.07	1.06	19.13	1.09	19.97	1.11
						73	14.14	1.03	16.82	1.06	17.37	1.08	17.69	1.09	18.79	1.12	19.66	1.13
						77	14.14	1.06	16.42	1.08	17.00	1.10	17.33	1.11	18.48	1.14	19.37	1.16
						81	14.14	1.09	16.04	1.11	16.65	1.13	17.00	1.14	18.18	1.17	19.10	1.19
						84	14.14	1.11	15.69	1.14	16.33	1.16	16.69	1.17	17.91	1.20	18.86	1.21
						88	14.14	1.14	15.36	1.16	16.02	1.18	16.40	1.19	17.67	1.22	18.64	1.24
						91	14.14	1.17	15.05	1.19	15.74	1.21	17.88	1.63	17.44	1.25	18.44	1.27
						95	14.14	1.20	14.76	1.22	15.48	1.24	16.00	1.25	17.23	1.28	18.26	1.30
						99	14.14	1.23	14.50	1.25	15.25	1.27	15.66	1.28	17.05	1.31	18.11	1.33
						102	14.14	1.26	14.25	1.28	15.03	1.30	15.46	1.31	16.89	1.34	17.98	1.36
						108	14.14	1.31	13.93	1.33	14.75	1.35	15.20	1.36	16.70	1.39	17.82	1.41
						111	14.14	1.34	13.74	1.36	14.59	1.38	15.05	1.39	16.59	1.42	17.74	1.44
						115	14.14	1.38	13.58	1.40	14.45	1.42	14.93	1.43	16.51	1.46	17.69	1.47
7	12				19	68	16.79	1.16	20.73	1.19	21.34	1.21	21.69	1.22	22.93	1.26	23.90	1.28
						70	16.79	1.18	20.47	1.20	21.10	1.23	21.46	1.24	22.72	1.27	23.71	1.30
						73	16.79	1.21	19.97	1.23	20.63	1.26	21.01	1.27	22.32	1.30	23.34	1.32
						77	16.79	1.24	19.50	1.26	20.19	1.29	20.58	1.30	21.94	1.33	23.00	1.36
						81	16.79	1.27	19.05	1.29	19.78	1.32	20.19	1.33	21.59	1.36	22.69	1.39
						84	16.79	1.30	18.63	1.33	19.39	1.35	19.81	1.36	21.27	1.40	22.40	1.42
						88	16.79	1.33	18.24	1.36	19.03	1.38	19.47	1.40	20.98	1.43	22.13	1.45
						91	16.79	1.37	17.87	1.39	18.69	1.42	19.15	1.43	20.71	1.46	21.90	1.48
						95	16.79	1.40	17.53	1.43	18.39	1.45	19.00	1.46	20.47	1.50	21.69	1.52
						99	16.79	1.44	17.21	1.46	18.10	1.49	18.60	1.50	20.25	1.53	21.51	1.55
						102	16.79	1.48	16.93	1.50	17.85	1.52	18.36	1.53	20.06	1.57	21.35	1.59
						108	16.79	1.53	16.54	1.56	17.52	1.58	18.05	1.59	19.83	1.62	21.16	1.64
						111	16.79	1.57	16.32	1.59	17.33	1.62	17.88	1.63	19.70	1.66	21.07	1.68
						115	16.79	1.61	16.13	1.63	17.16	1.66	17.73	1.67	19.61	1.70	21.01	1.72
7	15				22	68	19.44	1.33	24.00	1.36	24.71	1.39	25.12	1.40	25.56	1.41	26.55	1.44
						70	19.44	1.35	23.70	1.38	24.43	1.40	24.84	1.42	25.30	1.43	26.30	1.46
						73	19.44	1.38	23.12	1.41	23.89	1.44	24.32	1.45	24.79	1.46	25.84	1.49
						77	19.44	1.42	22.57	1.44	23.38	1.47	23.83	1.49	24.32	1.50	25.41	1.53
						81	19.44	1.45	22.06	1.48	22.90	1.51	23.37	1.52	23.88	1.54	25.00	1.56
						84	19.44	1.49	21.57	1.52	22.45	1.55	22.94	1.56	23.47	1.57	24.63	1.60
						88	19.44	1.53	21.12	1.56	22.03	1.58	22.54	1.60	23.09	1.61	24.29	1.63
						91	19.44	1.57	20.69	1.59	21.65	1.62	22.18	1.63	22.74	1.65	23.98	1.67
						95	19.44	1.61	20.30	1.63	21.29	1.66	22.00	1.67	22.42	1.69	23.70	1.71
						99	19.44	1.65	19.93	1.67	20.96	1.70	21.53	1.71	22.14	1.73	23.45	1.75
						102	19.44	1.69	19.60	1.72	20.67	1.74	21.26	1.76	21.88	1.77	23.23	1.79
						108	19.44	1.75	19.16	1.78	20.28	1.81	20.90	1.82	21.55	1.83	22.96	1.86
						111	19.44	1.79	18.90	1.82	20.06	1.85	20.70	1.86	21.37	1.88	22.81	1.90
						115	19.44	1.84	18.67	1.87	19.87	1.89	20.53	1.91	21.22	1.92	22.70	1.94

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	18			25	68	22.09	1.43	27.27	1.46	28.08	1.49	28.54	1.51	30.17	1.55	31.45	1.58	
					70	22.09	1.45	26.93	1.48	27.76	1.51	28.23	1.53	29.89	1.57	31.20	1.60	
					73	22.09	1.49	26.27	1.52	27.14	1.55	27.64	1.56	29.36	1.61	30.71	1.63	
					77	22.09	1.53	25.65	1.56	26.57	1.59	27.08	1.60	28.87	1.64	30.26	1.67	
					81	22.09	1.56	25.07	1.60	26.02	1.63	26.56	1.64	28.41	1.68	29.85	1.71	
					84	22.09	1.60	24.51	1.64	25.51	1.67	26.07	1.68	27.99	1.72	29.47	1.75	
					88	22.09	1.65	23.99	1.68	25.04	1.71	25.62	1.72	27.60	1.76	29.12	1.79	
					91	22.09	1.69	23.51	1.72	24.60	1.75	25.20	1.76	27.25	1.80	28.81	1.83	
					95	22.09	1.73	23.06	1.76	24.19	1.79	25.00	1.80	26.93	1.85	28.54	1.87	
					99	22.09	1.77	22.65	1.80	23.82	1.83	24.47	1.85	26.65	1.89	28.30	1.91	
					102	22.09	1.82	22.27	1.85	23.49	1.88	24.15	1.89	26.40	1.93	28.09	1.96	
					108	22.09	1.89	21.77	1.92	23.05	1.95	23.75	1.96	26.09	2.00	27.85	2.03	
					111	22.09	1.93	21.48	1.96	22.80	1.99	23.52	2.01	25.92	2.05	27.73	2.07	
					115	22.09	1.98	21.22	2.01	22.58	2.04	23.33	2.05	25.80	2.10	27.64	2.12	
7	24		31	68	25.10	1.88	30.98	1.92	31.90	1.96	32.42	1.98	34.27	2.03	35.73	2.07		
				70	25.10	1.90	30.59	1.94	31.53	1.98	32.07	2.00	33.96	2.06	35.44	2.09		
				73	25.10	1.95	29.85	1.99	30.84	2.03	31.40	2.05	33.36	2.11	34.89	2.14		
				77	25.10	2.00	29.14	2.04	30.18	2.08	30.77	2.10	32.80	2.16	34.38	2.19		
				81	25.10	2.05	28.47	2.09	29.56	2.13	30.17	2.15	32.28	2.21	33.91	2.24		
				84	25.10	2.10	27.85	2.14	28.98	2.18	29.62	2.20	31.80	2.26	33.48	2.29		
				88	25.10	2.16	27.26	2.20	28.44	2.24	29.10	2.26	31.36	2.31	33.08	2.34		
				91	25.10	2.21	26.71	2.25	27.94	2.29	28.63	2.31	30.95	2.36	32.73	2.40		
				95	25.10	2.27	26.20	2.31	27.48	2.35	28.40	2.36	30.59	2.42	32.42	2.45		
				99	25.10	2.33	25.73	2.37	27.06	2.40	27.80	2.42	30.27	2.48	32.14	2.51		
				102	25.10	2.38	25.30	2.42	26.68	2.46	27.44	2.48	29.99	2.53	31.91	2.57		
				108	25.10	2.47	24.73	2.51	26.18	2.55	26.98	2.57	29.63	2.62	31.63	2.66		
				111	25.10	2.54	24.40	2.58	25.90	2.61	26.72	2.63	29.45	2.68	31.50	2.72		
				115	25.10	2.60	24.10	2.64	25.66	2.68	26.50	2.69	29.30	2.75	31.40	2.78		
9	9		18	68	15.91	1.07	19.64	1.10	20.22	1.12	20.55	1.13	21.72	1.16	22.65	1.18		
				70	15.91	1.09	19.39	1.11	19.99	1.13	20.33	1.15	21.52	1.18	22.46	1.20		
				73	15.91	1.12	18.92	1.14	19.54	1.16	19.90	1.17	21.14	1.20	22.11	1.22		
				77	15.91	1.14	18.47	1.17	19.13	1.19	19.50	1.20	20.79	1.23	21.79	1.25		
				81	15.91	1.17	18.05	1.20	18.74	1.22	19.12	1.23	20.46	1.26	21.49	1.28		
				84	15.91	1.20	17.65	1.23	18.37	1.25	18.77	1.26	20.15	1.29	21.22	1.31		
				88	15.91	1.23	17.28	1.26	18.03	1.28	18.45	1.29	19.87	1.32	20.97	1.34		
				91	15.91	1.27	16.93	1.29	17.71	1.31	18.14	1.32	19.62	1.35	20.75	1.37		
				95	15.91	1.30	16.61	1.32	17.42	1.34	18.00	1.35	19.39	1.38	20.55	1.40		
				99	15.91	1.33	16.31	1.35	17.15	1.38	17.62	1.39	19.18	1.42	20.37	1.44		
				102	15.91	1.36	16.03	1.39	16.91	1.41	17.39	1.42	19.01	1.45	20.22	1.47		
				108	15.91	1.42	15.67	1.44	16.59	1.46	17.10	1.47	18.78	1.50	20.05	1.52		
				111	15.91	1.45	15.46	1.47	16.42	1.49	16.93	1.51	18.67	1.54	19.96	1.56		
				115	15.91	1.49	15.28	1.51	16.26	1.53	16.80	1.54	18.57	1.57	19.90	1.59		
9	12		21	68	18.56	1.24	22.91	1.27	23.59	1.30	23.97	1.31	25.34	1.35	26.42	1.37		
				70	18.56	1.26	22.62	1.28	23.32	1.31	23.71	1.32	25.11	1.36	26.21	1.38		
				73	18.56	1.29	22.07	1.32	22.80	1.34	23.22	1.36	24.67	1.39	25.80	1.42		
				77	18.56	1.32	21.55	1.35	22.32	1.38	22.75	1.39	24.25	1.42	25.42	1.45		
				81	18.56	1.36	21.05	1.38	21.86	1.41	22.31	1.42	23.87	1.46	25.07	1.48		
				84	18.56	1.39	20.59	1.42	21.43	1.44	21.90	1.46	23.51	1.49	24.75	1.52		
				88	18.56	1.43	20.16	1.45	21.03	1.48	21.52	1.49	23.19	1.53	24.46	1.55		
				91	18.56	1.46	19.75	1.49	20.66	1.51	21.17	1.53	22.89	1.56	24.20	1.59		
				95	18.56	1.50	19.37	1.53	20.32	1.55	21.00	1.56	22.62	1.60	23.97	1.62		
				99	18.56	1.54	19.03	1.56	20.01	1.59	20.55	1.60	22.38	1.64	23.77	1.66		
				102	18.56	1.58	18.71	1.60	19.73	1.63	20.29	1.64	22.17	1.68	23.60	1.70		
				108	18.56	1.64	18.28	1.66	19.36	1.69	19.95	1.70	21.91	1.73	23.39	1.76		
				111	18.56	1.68	18.04	1.70	19.15	1.73	19.76	1.74	21.78	1.77	23.29	1.80		
				115	18.56	1.72	17.82	1.74	18.97	1.77	19.60	1.78	21.67	1.82	23.22	1.84		

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15				24	68	21.21	1.24	29.92	1.27	30.49	1.31	30.83	1.32	31.20	1.33	32.08	1.36
						70	21.21	1.27	29.10	1.31	29.71	1.34	30.07	1.35	30.47	1.37	31.39	1.39
						73	21.21	1.31	28.32	1.34	28.97	1.37	29.36	1.38	29.78	1.40	30.73	1.43
						77	21.21	1.34	27.58	1.37	28.27	1.40	28.67	1.42	29.11	1.43	30.11	1.46
						81	21.21	1.37	26.86	1.40	27.59	1.43	28.02	1.45	28.48	1.46	29.52	1.49
						84	21.21	1.41	26.18	1.44	26.96	1.47	27.40	1.48	27.88	1.50	28.96	1.53
						88	21.21	1.43	25.85	1.46	26.65	1.49	27.10	1.50	27.60	1.52	28.70	1.54
						91	21.21	1.46	25.22	1.49	26.06	1.52	26.53	1.54	27.05	1.55	28.19	1.58
						95	21.21	1.50	24.63	1.53	25.50	1.56	24.00	1.77	26.53	1.59	27.72	1.62
						99	21.21	1.54	24.06	1.57	24.98	1.60	25.50	1.61	26.05	1.63	27.28	1.65
						102	21.21	1.58	23.53	1.61	24.49	1.64	25.03	1.65	25.60	1.67	26.87	1.69
						108	21.21	1.62	23.03	1.65	24.04	1.68	24.59	1.69	25.19	1.71	26.50	1.73
						111	21.21	1.66	22.57	1.69	23.61	1.72	24.19	1.73	24.81	1.75	26.16	1.77
						115	21.21	1.70	22.14	1.73	23.22	1.76	24.00	1.77	24.46	1.79	25.85	1.81
9	18				27	68	22.09	1.55	27.27	1.59	28.08	1.62	28.54	1.64	30.17	1.68	31.45	1.71
						70	22.09	1.57	26.93	1.61	27.76	1.64	28.23	1.65	29.89	1.70	31.20	1.73
						73	22.09	1.61	26.27	1.65	27.14	1.68	27.64	1.69	29.36	1.74	30.71	1.77
						77	22.09	1.65	25.65	1.69	26.57	1.72	27.08	1.74	28.87	1.78	30.26	1.81
						81	22.09	1.70	25.07	1.73	26.02	1.76	26.56	1.78	28.41	1.82	29.85	1.85
						84	22.09	1.74	24.51	1.77	25.51	1.80	26.07	1.82	27.99	1.87	29.47	1.89
						88	22.09	1.78	23.99	1.82	25.04	1.85	25.62	1.86	27.60	1.91	29.12	1.94
						91	22.09	1.83	23.51	1.86	24.60	1.89	25.20	1.91	27.25	1.95	28.81	1.98
						95	22.09	1.87	23.06	1.91	24.19	1.94	25.00	1.95	26.93	2.00	28.54	2.03
						99	22.09	1.92	22.65	1.95	23.82	1.99	24.47	2.00	26.65	2.05	28.30	2.07
						102	22.09	1.97	22.27	2.00	23.49	2.03	24.15	2.05	26.40	2.09	28.09	2.12
						108	22.09	2.04	21.77	2.08	23.05	2.11	23.75	2.12	26.09	2.17	27.85	2.20
						111	22.09	2.10	21.48	2.13	22.80	2.16	23.52	2.17	25.92	2.22	27.73	2.25
						115	22.09	2.15	21.22	2.18	22.58	2.21	23.33	2.23	25.80	2.27	27.64	2.30
9	24				33	68	25.10	1.88	30.98	1.92	31.90	1.96	32.42	1.98	34.27	2.03	35.73	2.07
						70	25.10	1.90	30.59	1.94	31.53	1.98	32.07	2.00	33.96	2.06	35.44	2.09
						73	25.10	1.95	29.85	1.99	30.84	2.03	31.40	2.05	33.36	2.11	34.89	2.14
						77	25.10	2.00	29.14	2.04	30.18	2.08	30.77	2.10	32.80	2.16	34.38	2.19
						81	25.10	2.05	28.47	2.09	29.56	2.13	30.17	2.15	32.28	2.21	33.91	2.24
						84	25.10	2.10	27.85	2.14	28.98	2.18	29.62	2.20	31.80	2.26	33.48	2.29
						88	25.10	2.16	27.26	2.20	28.44	2.24	29.10	2.26	31.36	2.31	33.08	2.34
						91	25.10	2.21	26.71	2.25	27.94	2.29	28.63	2.31	30.95	2.36	32.73	2.40
						95	25.10	2.27	26.20	2.31	27.48	2.35	28.40	2.36	30.59	2.42	32.42	2.45
						99	25.10	2.33	25.73	2.37	27.06	2.40	27.80	2.42	30.27	2.48	32.14	2.51
						102	25.10	2.38	25.30	2.42	26.68	2.46	27.44	2.48	29.99	2.53	31.91	2.57
						108	25.10	2.47	24.73	2.51	26.18	2.55	26.98	2.57	29.63	2.62	31.63	2.66
						111	25.10	2.54	24.40	2.58	25.90	2.61	26.72	2.63	29.45	2.68	31.50	2.72
						115	25.10	2.60	24.10	2.64	25.66	2.68	26.50	2.69	29.30	2.75	31.40	2.78
12	12				24	68	21.21	1.41	26.18	1.44	26.96	1.47	27.40	1.48	28.96	1.53	30.19	1.55
						70	21.21	1.43	25.85	1.46	26.65	1.49	27.10	1.50	28.70	1.54	29.95	1.57
						73	21.21	1.46	25.22	1.49	26.06	1.52	26.53	1.54	28.19	1.58	29.48	1.61
						77	21.21	1.50	24.63	1.53	25.50	1.56	26.00	1.58	27.72	1.62	29.05	1.64
						81	21.21	1.54	24.06	1.57	24.98	1.60	25.50	1.61	27.28	1.65	28.66	1.68
						84	21.21	1.58	23.53	1.61	24.49	1.64	25.03	1.65	26.87	1.69	28.29	1.72
						88	21.21	1.62	23.03	1.65	24.04	1.68	24.59	1.69	26.50	1.73	27.96	1.76
						91	21.21	1.66	22.57	1.69	23.61	1.72	24.19	1.73	26.16	1.77	27.66	1.80
						95	21.21	1.70	22.14	1.73	23.22	1.76	24.00	1.77	25.85	1.81	27.40	1.84
						99	21.21	1.74	21.74	1.77	22.87	1.80	23.49	1.82	25.58	1.86	27.16	1.88
						102	21.21	1.79	21.38	1.82	22.55	1.85	23.19	1.86	25.34	1.90	26.97	1.93
						108	21.21	1.86	20.90	1.89	22.13	1.91	22.80	1.93	25.04	1.97	26.73	1.99
						111	21.21	1.90	20.62	1.93	21.89	1.96	22.58	1.97	24.89	2.01	26.62	2.04
						115	21.21	1.95	20.37	1.98	21.68	2.01	22.39	2.02	24.76	2.06	26.54	2.09

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	15				27	68	22.09	1.55	27.27	1.59	28.08	1.62	28.54	1.64	29.04	1.65	30.17	1.68
						70	22.09	1.57	26.93	1.61	27.76	1.64	28.23	1.65	28.75	1.67	29.89	1.70
						73	22.09	1.61	26.27	1.65	27.14	1.68	27.64	1.69	28.17	1.71	29.36	1.74
						77	22.09	1.65	25.65	1.69	26.57	1.72	27.08	1.74	27.64	1.75	28.87	1.78
						81	22.09	1.70	25.07	1.73	26.02	1.76	26.56	1.78	27.14	1.79	28.41	1.82
						84	22.09	1.74	24.51	1.77	25.51	1.80	26.07	1.82	26.67	1.84	27.99	1.87
						88	22.09	1.78	23.99	1.82	25.04	1.85	25.62	1.86	26.24	1.88	27.60	1.91
						91	22.09	1.83	23.51	1.86	24.60	1.89	25.20	1.91	25.84	1.92	27.25	1.95
						95	22.09	1.87	23.06	1.91	24.19	1.94	25.00	1.95	25.48	1.97	26.93	2.00
						99	22.09	1.92	22.65	1.95	23.82	1.99	24.47	2.00	25.15	2.02	26.65	2.05
						102	22.09	1.97	22.27	2.00	23.49	2.03	24.15	2.05	24.86	2.06	26.40	2.09
						108	22.09	2.04	21.77	2.08	23.05	2.11	23.75	2.12	24.49	2.14	26.09	2.17
						111	22.09	2.10	21.48	2.13	22.80	2.16	23.52	2.17	24.28	2.19	25.92	2.22
						115	22.09	2.15	21.22	2.18	22.58	2.21	23.33	2.23	24.11	2.24	25.80	2.27
12	18				30	68	22.09	1.55	27.27	1.59	28.08	1.62	28.54	1.64	30.17	1.68	31.45	1.71
						70	22.09	1.57	26.93	1.61	27.76	1.64	28.23	1.65	29.89	1.70	31.20	1.73
						73	22.09	1.61	26.27	1.65	27.14	1.68	27.64	1.69	29.36	1.74	30.71	1.77
						77	22.09	1.65	25.65	1.69	26.57	1.72	27.08	1.74	28.87	1.78	30.26	1.81
						81	22.09	1.70	25.07	1.73	26.02	1.76	26.56	1.78	28.41	1.82	29.85	1.85
						84	22.09	1.74	24.51	1.77	25.51	1.80	26.07	1.82	27.99	1.87	29.47	1.89
						88	22.09	1.78	23.99	1.82	25.04	1.85	25.62	1.86	27.60	1.91	29.12	1.94
						91	22.09	1.83	23.51	1.86	24.60	1.89	25.20	1.91	27.25	1.95	28.81	1.98
						95	22.09	1.87	23.06	1.91	24.19	1.94	25.00	1.95	26.93	2.00	28.54	2.03
						99	22.09	1.92	22.65	1.95	23.82	1.99	24.47	2.00	26.65	2.05	28.30	2.07
						102	22.09	1.97	22.27	2.00	23.49	2.03	24.15	2.05	26.40	2.09	28.09	2.12
						108	22.09	2.04	21.77	2.08	23.05	2.11	23.75	2.12	26.09	2.17	27.85	2.20
						111	22.09	2.10	21.48	2.13	22.80	2.16	23.52	2.17	25.92	2.22	27.73	2.25
						115	22.09	2.15	21.22	2.18	22.58	2.21	23.33	2.23	25.80	2.27	27.64	2.30
12	24				36	68	30.05	2.32	37.09	2.37	38.19	2.42	38.82	2.44	41.03	2.51	42.78	2.55
						70	30.05	2.35	36.63	2.40	37.75	2.45	38.40	2.47	40.65	2.54	42.43	2.58
						73	30.05	2.41	35.73	2.46	36.92	2.50	37.59	2.53	39.94	2.60	41.77	2.64
						77	30.05	2.47	34.89	2.52	36.13	2.57	36.83	2.59	39.27	2.66	41.16	2.70
						81	30.05	2.53	34.09	2.58	35.39	2.63	36.12	2.65	38.64	2.72	40.59	2.76
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.72	38.07	2.78	40.08	2.83
						88	30.05	2.66	32.63	2.71	34.05	2.76	34.84	2.78	37.54	2.85	39.61	2.89
						91	30.05	2.73	31.98	2.78	33.45	2.83	34.27	2.85	37.06	2.92	39.19	2.96
						95	30.05	2.80	31.37	2.85	32.90	2.89	34.00	2.91	36.62	2.98	38.81	3.03
						99	30.05	2.87	30.80	2.92	32.40	2.96	33.28	2.99	36.24	3.05	38.48	3.10
						102	30.05	2.94	30.29	2.99	31.94	3.04	32.85	3.06	35.90	3.13	38.20	3.17
						108	30.05	3.05	29.60	3.10	31.34	3.15	32.30	3.17	35.48	3.24	37.87	3.28
						111	30.05	3.13	29.21	3.18	31.01	3.22	31.99	3.25	35.26	3.31	37.71	3.35
						115	30.05	3.20	28.86	3.25	30.72	3.30	31.73	3.32	35.08	3.39	37.59	3.43
15	15				30	68	22.09	1.55	27.27	1.59	28.08	1.62	28.54	1.64	29.04	1.65	30.17	1.68
						70	22.09	1.57	26.93	1.61	27.76	1.64	28.23	1.65	28.75	1.67	29.89	1.70
						73	22.09	1.61	26.27	1.65	27.14	1.68	27.64	1.69	28.17	1.71	29.36	1.74
						77	22.09	1.65	25.65	1.69	26.57	1.72	27.08	1.74	27.64	1.75	28.87	1.78
						81	22.09	1.70	25.07	1.73	26.02	1.76	26.56	1.78	27.14	1.79	28.41	1.82
						84	22.09	1.74	24.51	1.77	25.51	1.80	26.07	1.82	26.67	1.84	27.99	1.87
						88	22.09	1.78	23.99	1.82	25.04	1.85	25.62	1.86	26.24	1.88	27.60	1.91
						91	22.09	1.83	23.51	1.86	24.60	1.89	25.20	1.91	25.84	1.92	27.25	1.95
						95	22.09	1.87	23.06	1.91	24.19	1.94	25.00	1.95	25.48	1.97	26.93	2.00
						99	22.09	1.92	22.65	1.95	23.82	1.99	24.47	2.00	25.15	2.02	26.65	2.05
						102	22.09	1.97	22.27	2.00	23.49	2.03	24.15	2.05	24.86	2.06	26.40	2.09
						108	22.09	2.04	21.77	2.08	23.05	2.11	23.75	2.12	24.49	2.14	26.09	2.17
						111	22.09	2.10	21.48	2.13	22.80	2.16	23.52	2.17	24.28	2.19	25.92	2.22
						115	22.09	2.15	21.22	2.18	22.58	2.21	23.33	2.23	24.11	2.24	25.80	2.27

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
15	18				33	68	28.37	2.18	35.02	2.23	36.05	2.28	36.65	2.30	37.29	2.32	38.74	2.36
						70	28.37	2.21	34.58	2.26	35.64	2.30	36.25	2.32	36.91	2.35	38.38	2.39
						73	28.37	2.27	33.74	2.31	34.85	2.36	35.49	2.38	36.18	2.40	37.70	2.45
						77	28.37	2.32	32.94	2.37	34.11	2.42	34.77	2.44	35.49	2.46	37.07	2.50
						81	28.37	2.38	32.18	2.43	33.41	2.47	34.10	2.50	34.85	2.52	36.48	2.56
						84	28.37	2.44	31.47	2.49	32.76	2.54	33.48	2.56	34.25	2.58	35.94	2.62
						88	28.37	2.51	30.81	2.55	32.15	2.60	32.89	2.62	33.69	2.64	35.44	2.68
						91	28.37	2.57	30.19	2.62	31.58	2.66	32.36	2.68	33.18	2.70	34.99	2.75
						95	28.37	2.63	29.61	2.68	31.06	2.72	32.10	2.74	32.72	2.77	34.58	2.81
						99	28.37	2.70	29.08	2.75	30.59	2.79	31.42	2.81	32.30	2.83	34.21	2.88
						102	28.37	2.77	28.60	2.81	30.16	2.86	31.01	2.88	31.92	2.90	33.89	2.94
						108	28.37	2.87	27.95	2.92	29.59	2.96	30.49	2.98	31.44	3.01	33.50	3.05
						111	28.37	2.94	27.57	2.99	29.27	3.03	30.20	3.06	31.18	3.08	33.29	3.12
						115	28.37	3.02	27.24	3.06	29.00	3.11	29.95	3.13	30.96	3.15	33.12	3.19
15	24				39	68	30.93	2.10	43.63	2.15	44.46	2.21	44.95	2.23	45.51	2.25	46.78	2.30
						70	30.93	2.15	42.44	2.21	43.33	2.26	43.86	2.28	44.44	2.31	45.77	2.35
						73	30.93	2.21	41.31	2.26	42.25	2.31	42.81	2.34	43.42	2.36	44.82	2.41
						77	30.93	2.26	40.22	2.32	41.22	2.37	41.81	2.39	42.45	2.42	43.91	2.46
						81	30.93	2.32	39.17	2.37	40.24	2.42	40.86	2.45	41.53	2.47	43.05	2.52
						84	30.93	2.38	38.18	2.43	39.31	2.48	39.96	2.51	40.66	2.53	42.24	2.58
						88	30.93	2.41	37.70	2.46	38.86	2.51	39.52	2.54	40.24	2.56	41.85	2.61
						91	30.93	2.47	36.78	2.52	38.00	2.57	38.70	2.60	39.44	2.62	41.11	2.67
						95	30.93	2.53	35.91	2.59	37.19	2.64	37.90	2.67	38.69	2.68	40.42	2.73
						99	30.93	2.60	35.09	2.65	36.43	2.70	37.18	2.72	37.99	2.75	39.78	2.79
						102	30.93	2.67	34.32	2.72	35.72	2.77	36.50	2.79	37.34	2.81	39.19	2.86
						108	30.93	2.73	33.59	2.78	35.05	2.83	35.87	2.86	36.74	2.88	38.64	2.93
						111	30.93	2.80	32.92	2.85	34.44	2.90	35.28	2.93	36.18	2.95	38.15	3.00
						115	30.93	2.87	32.29	2.92	33.87	2.97	35.00	3.00	35.67	3.02	37.70	3.07
18	18				36	68	30.22	2.32	37.31	2.38	38.41	2.42	39.04	2.45	41.27	2.52	43.03	2.56
						70	30.22	2.35	36.84	2.40	37.97	2.45	38.62	2.48	40.89	2.55	42.68	2.59
						73	30.22	2.41	35.94	2.46	37.13	2.51	37.81	2.54	40.17	2.61	42.02	2.65
						77	30.22	2.48	35.09	2.53	36.34	2.57	37.05	2.60	39.50	2.67	41.40	2.71
						81	30.22	2.54	34.29	2.59	35.60	2.64	36.33	2.66	38.87	2.73	40.83	2.77
						84	30.22	2.60	33.53	2.65	34.90	2.70	35.67	2.73	38.29	2.79	40.31	2.84
						88	30.22	2.67	32.82	2.72	34.25	2.77	35.05	2.79	37.76	2.86	39.84	2.90
						91	30.22	2.74	32.16	2.79	33.65	2.83	34.47	2.86	37.28	2.93	39.42	2.97
						95	30.22	2.81	31.55	2.86	33.10	2.90	34.20	2.92	36.84	2.99	39.04	3.04
						99	30.22	2.88	30.98	2.93	32.59	2.97	33.47	3.00	36.45	3.06	38.71	3.11
						102	30.22	2.95	30.47	3.00	32.13	3.05	33.04	3.07	36.11	3.14	38.43	3.18
						108	30.22	3.06	29.78	3.11	31.53	3.16	32.49	3.18	35.69	3.25	38.09	3.29
						111	30.22	3.14	29.38	3.19	31.19	3.23	32.18	3.26	35.46	3.32	37.93	3.36
						115	30.22	3.22	29.03	3.26	30.90	3.31	31.91	3.33	35.29	3.40	37.81	3.44
18	24				42	68	34.55	2.66	42.66	2.72	43.91	2.77	44.64	2.80	45.42	2.83	47.18	2.88
						70	34.55	2.69	42.12	2.75	43.41	2.81	44.16	2.83	44.96	2.86	46.75	2.91
						73	34.55	2.76	41.09	2.82	42.45	2.87	43.23	2.90	44.07	2.93	45.93	2.98
						77	34.55	2.83	40.12	2.89	41.55	2.94	42.36	2.97	43.23	3.00	45.16	3.05
						81	34.55	2.90	39.20	2.96	40.70	3.02	41.54	3.04	42.44	3.07	44.44	3.12
						84	34.55	2.98	38.34	3.04	39.90	3.09	40.78	3.12	41.71	3.14	43.78	3.19
						88	34.55	3.05	37.53	3.11	39.16	3.17	40.07	3.19	41.04	3.22	43.17	3.27
						91	34.55	3.13	36.77	3.19	38.47	3.24	39.41	3.27	40.42	3.30	42.62	3.35
						95	34.55	3.21	36.07	3.27	37.84	3.32	39.10	3.34	39.85	3.37	42.12	3.42
						99	34.55	3.29	35.42	3.35	37.26	3.40	38.27	3.43	39.34	3.45	41.67	3.50
						102	34.55	3.37	34.83	3.43	36.73	3.48	37.78	3.51	38.88	3.54	41.28	3.59
						108	34.55	3.50	34.04	3.56	36.05	3.61	37.14	3.64	38.30	3.66	40.80	3.71
						111	34.55	3.59	33.59	3.64	35.66	3.70	36.79	3.72	37.98	3.75	40.55	3.80
						115	34.55	3.68	33.19	3.73	35.32	3.79	36.48	3.81	37.71	3.84	40.35	3.89

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
24	24				48	68	49.47	2.64	51.42	2.69	53.39	2.75	54.39	2.78	55.39	2.81	57.42	2.86
						70	48.61	2.71	50.56	2.77	52.54	2.82	53.54	2.85	54.54	2.88	56.58	2.94
						73	47.76	2.78	49.71	2.84	51.69	2.89	52.69	2.92	53.70	2.95	55.74	3.01
						77	46.90	2.85	48.86	2.91	50.84	2.97	51.84	3.00	52.85	3.03	54.90	3.08
						81	46.05	2.93	48.01	2.99	50.00	3.04	51.00	3.07	52.01	3.10	54.06	3.16
						84	45.20	3.00	47.16	3.06	49.15	3.12	50.16	3.15	51.17	3.18	53.22	3.24
						88	44.78	3.04	46.74	3.10	48.73	3.16	49.74	3.19	50.75	3.22	52.81	3.28
						91	43.93	3.12	45.90	3.18	47.89	3.24	48.90	3.27	49.92	3.30	51.97	3.36
						95	43.08	3.20	45.05	3.26	47.06	3.32	48.07	3.35	49.08	3.38	51.14	3.44
						99	42.24	3.28	44.22	3.34	46.22	3.40	47.23	3.43	48.25	3.46	50.32	3.52
						102	41.40	3.36	43.38	3.42	45.39	3.48	46.40	3.51	47.42	3.54	49.49	3.60
						108	40.56	3.45	42.54	3.51	44.56	3.57	45.57	3.60	46.60	3.63	48.67	3.69
						111	39.73	3.53	41.71	3.59	43.73	3.65	44.75	3.68	45.77	3.71	47.85	3.77
						115	38.89	3.62	40.88	3.68	42.90	3.74	43.92	3.77	44.95	3.80	47.03	3.86
					21	68	18.56	1.11	22.91	1.14	23.59	1.16	23.97	1.17	25.34	1.21	26.42	1.23
						70	18.56	1.13	22.62	1.15	23.32	1.18	23.71	1.19	25.11	1.22	26.21	1.24
						73	18.56	1.16	22.07	1.18	22.80	1.21	23.22	1.22	24.67	1.25	25.80	1.27
						77	18.56	1.19	21.55	1.21	22.32	1.23	22.75	1.25	24.25	1.28	25.42	1.30
						81	18.56	1.22	21.05	1.24	21.86	1.26	22.31	1.28	23.87	1.31	25.07	1.33
						84	18.56	1.25	20.59	1.27	21.43	1.30	21.90	1.31	23.51	1.34	24.75	1.36
						88	18.56	1.28	20.16	1.30	21.03	1.33	21.52	1.34	23.19	1.37	24.46	1.39
						91	18.56	1.31	19.75	1.34	20.66	1.36	21.17	1.37	22.89	1.40	24.20	1.42
						95	18.56	1.35	19.37	1.37	20.32	1.39	20.83	1.40	22.62	1.44	23.97	1.46
						99	18.56	1.38	19.03	1.40	20.01	1.43	20.55	1.44	22.38	1.47	23.77	1.49
						102	18.56	1.41	18.71	1.44	19.73	1.46	20.29	1.47	22.17	1.50	23.60	1.52
						108	18.56	1.47	18.28	1.49	19.36	1.51	19.95	1.52	21.91	1.56	23.39	1.58
						111	18.56	1.50	18.04	1.53	19.15	1.55	19.76	1.56	21.78	1.59	23.29	1.61
						115	18.56	1.54	17.82	1.57	18.97	1.59	19.60	1.60	21.67	1.63	23.22	1.65
					23	68	20.33	1.24	25.09	1.27	25.83	1.30	26.26	1.31	27.76	1.35	28.94	1.37
						70	20.33	1.26	24.78	1.28	25.54	1.31	25.97	1.32	27.50	1.36	28.70	1.38
						73	20.33	1.29	24.17	1.32	24.97	1.34	25.43	1.36	27.02	1.39	28.26	1.42
						77	20.33	1.32	23.60	1.35	24.44	1.38	24.92	1.39	26.56	1.42	27.84	1.45
						81	20.33	1.36	23.06	1.38	23.94	1.41	24.44	1.42	26.14	1.46	27.46	1.48
						84	20.33	1.39	22.55	1.42	23.47	1.44	23.99	1.46	25.75	1.49	27.11	1.52
						88	20.33	1.43	22.08	1.45	23.03	1.48	23.57	1.49	25.39	1.53	26.79	1.55
						91	20.33	1.46	21.63	1.49	22.63	1.51	23.18	1.53	25.07	1.56	26.51	1.59
						95	20.33	1.50	21.22	1.53	22.26	1.55	22.80	1.56	24.78	1.60	26.25	1.62
						99	20.33	1.54	20.84	1.56	21.92	1.59	22.51	1.60	24.51	1.64	26.03	1.66
						102	20.33	1.58	20.49	1.60	21.61	1.63	22.22	1.64	24.28	1.68	25.84	1.70
						108	20.33	1.64	20.03	1.66	21.20	1.69	21.85	1.70	24.00	1.73	25.62	1.76
						111	20.33	1.68	19.76	1.70	20.98	1.73	21.64	1.74	23.85	1.77	25.51	1.80
						115	20.33	1.72	19.52	1.74	20.78	1.77	21.46	1.78	23.73	1.82	25.43	1.84
					26	68	22.98	1.47	28.36	1.50	29.20	1.54	29.68	1.55	31.38	1.60	32.71	1.62
						70	22.98	1.49	28.01	1.52	28.87	1.55	29.36	1.57	31.09	1.61	32.45	1.64
						73	22.98	1.53	27.33	1.56	28.23	1.59	28.75	1.61	30.54	1.65	31.94	1.68
						77	22.98	1.57	26.68	1.60	27.63	1.63	28.17	1.65	30.03	1.69	31.47	1.72
						81	22.98	1.61	26.07	1.64	27.06	1.67	27.62	1.69	29.55	1.73	31.04	1.76
						84	22.98	1.65	25.49	1.68	26.53	1.71	27.11	1.73	29.11	1.77	30.65	1.80
						88	22.98	1.69	24.95	1.72	26.04	1.75	26.64	1.77	28.71	1.81	30.29	1.84
						91	22.98	1.73	24.45	1.77	25.58	1.80	26.21	1.81	28.34	1.85	29.97	1.88
						95	22.98	1.78	23.99	1.81	25.16	1.84	25.80	1.85	28.01	1.90	29.68	1.92
						99	22.98	1.82	23.56	1.85	24.77	1.88	25.45	1.90	27.71	1.94	29.43	1.97
						102	22.98	1.87	23.16	1.90	24.43	1.93	25.12	1.94	27.45	1.99	29.21	2.01
						108	22.98	1.94	22.64	1.97	23.97	2.00	24.70	2.01	27.13	2.06	28.96	2.08
						111	22.98	1.99	22.33	2.02	23.71	2.05	24.46	2.06	26.96	2.10	28.84	2.13
						115	22.98	2.04	22.07	2.07	23.49	2.10	24.26	2.11	26.83	2.15	28.75	2.18

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	15		29	68	25.10	1.88	30.98	1.92	31.90	1.96	32.42	1.98	32.99	2.00	34.27	2.03	
					70	25.10	1.90	30.59	1.94	31.53	1.98	32.07	2.00	32.65	2.02	33.96	2.06	
					73	25.10	1.95	29.85	1.99	30.84	2.03	31.40	2.05	32.01	2.07	33.36	2.11	
					77	25.10	2.00	29.14	2.04	30.18	2.08	30.77	2.10	31.40	2.12	32.80	2.16	
					81	25.10	2.05	28.47	2.09	29.56	2.13	30.17	2.15	30.83	2.17	32.28	2.21	
					84	25.10	2.10	27.85	2.14	28.98	2.18	29.62	2.20	30.30	2.22	31.80	2.26	
					88	25.10	2.16	27.26	2.20	28.44	2.24	29.10	2.26	29.81	2.27	31.36	2.31	
					91	25.10	2.21	26.71	2.25	27.94	2.29	28.63	2.31	29.36	2.33	30.95	2.36	
					95	25.10	2.27	26.20	2.31	27.48	2.35	28.40	2.36	28.95	2.38	30.59	2.42	
					99	25.10	2.33	25.73	2.37	27.06	2.40	27.80	2.42	28.57	2.44	30.27	2.48	
					102	25.10	2.38	25.30	2.42	26.68	2.46	27.44	2.48	28.24	2.50	29.99	2.53	
					108	25.10	2.47	24.73	2.51	26.18	2.55	26.98	2.57	27.82	2.59	29.63	2.62	
					111	25.10	2.54	24.40	2.58	25.90	2.61	26.72	2.63	27.58	2.65	29.45	2.68	
					115	25.10	2.60	24.10	2.64	25.66	2.68	26.50	2.69	27.39	2.71	29.30	2.75	
7	7	18	32	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40		
				70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43		
				73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49		
				77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54		
				81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60		
				84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66		
				88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72		
				91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79		
				95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85		
				99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91		
				102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98		
				108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09		
				111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16		
				115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23		
7	7	24	38	68	33.58	2.59	41.46	2.64	42.68	2.70	43.38	2.73	45.86	2.80	47.81	2.85		
				70	33.58	2.62	40.94	2.68	42.19	2.73	42.91	2.76	45.44	2.83	47.42	2.88		
				73	33.58	2.69	39.94	2.74	41.26	2.80	42.01	2.82	44.63	2.90	46.68	2.95		
				77	33.58	2.76	38.99	2.81	40.38	2.87	41.17	2.89	43.88	2.97	46.00	3.02		
				81	33.58	2.83	38.10	2.88	39.55	2.94	40.37	2.96	43.19	3.04	45.37	3.09		
				84	33.58	2.90	37.26	2.95	38.78	3.01	39.63	3.03	42.55	3.11	44.79	3.16		
				88	33.58	2.97	36.47	3.03	38.06	3.08	38.94	3.11	41.96	3.18	44.27	3.23		
				91	33.58	3.05	35.74	3.10	37.39	3.16	38.30	3.18	41.42	3.26	43.80	3.30		
				95	33.58	3.12	35.06	3.18	36.77	3.23	38.00	3.25	40.93	3.33	43.38	3.38		
				99	33.58	3.20	34.43	3.26	36.21	3.31	37.19	3.34	40.50	3.41	43.01	3.46		
				102	33.58	3.28	33.85	3.34	35.70	3.39	36.71	3.42	40.12	3.49	42.70	3.54		
				108	33.58	3.41	33.09	3.46	35.03	3.51	36.10	3.54	39.65	3.61	42.33	3.66		
				111	33.58	3.49	32.64	3.55	34.65	3.60	35.75	3.62	39.41	3.70	42.14	3.74		
				115	33.58	3.58	32.25	3.63	34.33	3.69	35.46	3.71	39.21	3.78	42.02	3.83		
7	9	9	25	68	22.09	1.37	27.27	1.40	28.08	1.43	28.54	1.44	30.17	1.48	31.45	1.51		
				70	22.09	1.39	26.93	1.42	27.76	1.45	28.23	1.46	29.89	1.50	31.20	1.53		
				73	22.09	1.42	26.27	1.45	27.14	1.48	27.64	1.49	29.36	1.54	30.71	1.56		
				77	22.09	1.46	25.65	1.49	26.57	1.52	27.08	1.53	28.87	1.57	30.26	1.60		
				81	22.09	1.50	25.07	1.52	26.02	1.55	26.56	1.57	28.41	1.61	29.85	1.63		
				84	22.09	1.53	24.51	1.56	25.51	1.59	26.07	1.61	27.99	1.65	29.47	1.67		
				88	22.09	1.57	23.99	1.60	25.04	1.63	25.62	1.64	27.60	1.68	29.12	1.71		
				91	22.09	1.61	23.51	1.64	24.60	1.67	25.20	1.68	27.25	1.72	28.81	1.75		
				95	22.09	1.65	23.06	1.68	24.19	1.71	25.00	1.72	26.93	1.76	28.54	1.79		
				99	22.09	1.70	22.65	1.72	23.82	1.75	24.47	1.77	26.65	1.80	28.30	1.83		
				102	22.09	1.74	22.27	1.77	23.49	1.79	24.15	1.81	26.40	1.85	28.09	1.87		
				108	22.09	1.80	21.77	1.83	23.05	1.86	23.75	1.87	26.09	1.91	27.85	1.94		
				111	22.09	1.85	21.48	1.88	22.80	1.90	23.52	1.92	25.92	1.96	27.73	1.98		
				115	22.09	1.89	21.22	1.92	22.58	1.95	23.33	1.96	25.80	2.00	27.64	2.03		

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	12		28	68	24.74	1.78	30.55	1.82	31.45	1.86	31.97	1.88	33.79	1.93	35.23	1.97	
					70	24.74	1.81	30.16	1.84	31.09	1.88	31.62	1.90	33.48	1.95	34.94	1.99	
					73	24.74	1.85	29.43	1.89	30.40	1.93	30.96	1.95	32.89	2.00	34.40	2.03	
					77	24.74	1.90	28.73	1.94	29.75	1.98	30.33	1.99	32.34	2.05	33.90	2.08	
					81	24.74	1.95	28.07	1.99	29.14	2.02	29.75	2.04	31.82	2.09	33.43	2.13	
					84	24.74	2.00	27.45	2.04	28.57	2.07	29.20	2.09	31.35	2.14	33.01	2.18	
					88	24.74	2.05	26.87	2.09	28.04	2.12	28.69	2.14	30.91	2.19	32.62	2.23	
					91	24.74	2.10	26.33	2.14	27.55	2.17	28.22	2.19	30.52	2.24	32.27	2.28	
					95	24.74	2.15	25.83	2.19	27.10	2.23	28.00	2.24	30.16	2.30	31.96	2.33	
					99	24.74	2.21	25.37	2.25	26.68	2.28	27.40	2.30	29.84	2.35	31.69	2.38	
					102	24.74	2.26	24.94	2.30	26.30	2.34	27.05	2.35	29.56	2.41	31.46	2.44	
					108	24.74	2.35	24.38	2.39	25.81	2.42	26.60	2.44	29.22	2.49	31.19	2.52	
					111	24.74	2.41	24.05	2.44	25.53	2.48	26.34	2.50	29.04	2.55	31.05	2.58	
					115	24.74	2.47	23.76	2.50	25.30	2.54	26.13	2.56	28.89	2.61	30.96	2.64	
7	9	15	31	68	25.10	1.88	30.98	1.92	31.90	1.96	32.42	1.98	32.99	2.00	34.27	2.03		
				70	25.10	1.90	30.59	1.94	31.53	1.98	32.07	2.00	32.65	2.02	33.96	2.06		
				73	25.10	1.95	29.85	1.99	30.84	2.03	31.40	2.05	32.01	2.07	33.36	2.11		
				77	25.10	2.00	29.14	2.04	30.18	2.08	30.77	2.10	31.40	2.12	32.80	2.16		
				81	25.10	2.05	28.47	2.09	29.56	2.13	30.17	2.15	30.83	2.17	32.28	2.21		
				84	25.10	2.10	27.85	2.14	28.98	2.18	29.62	2.20	30.30	2.22	31.80	2.26		
				88	25.10	2.16	27.26	2.20	28.44	2.24	29.10	2.26	29.81	2.27	31.36	2.31		
				91	25.10	2.21	26.71	2.25	27.94	2.29	28.63	2.31	29.36	2.33	30.95	2.36		
				95	25.10	2.27	26.20	2.31	27.48	2.35	28.40	2.36	28.95	2.38	30.59	2.42		
				99	25.10	2.33	25.73	2.37	27.06	2.40	27.80	2.42	28.57	2.44	30.27	2.48		
				102	25.10	2.38	25.30	2.42	26.68	2.46	27.44	2.48	28.24	2.50	29.99	2.53		
				108	25.10	2.47	24.73	2.51	26.18	2.55	26.98	2.57	27.82	2.59	29.63	2.62		
				111	25.10	2.54	24.40	2.58	25.90	2.61	26.72	2.63	27.58	2.65	29.45	2.68		
				115	25.10	2.60	24.10	2.64	25.66	2.68	26.50	2.69	27.39	2.71	29.30	2.75		
7	9	18	34	68	30.05	2.32	37.09	2.37	38.19	2.42	38.82	2.44	41.03	2.51	42.78	2.55		
				70	30.05	2.35	36.63	2.40	37.75	2.45	38.40	2.47	40.65	2.54	42.43	2.58		
				73	30.05	2.41	35.73	2.46	36.92	2.50	37.59	2.53	39.94	2.60	41.77	2.64		
				77	30.05	2.47	34.89	2.52	36.13	2.57	36.83	2.59	39.27	2.66	41.16	2.70		
				81	30.05	2.53	34.09	2.58	35.39	2.63	36.12	2.65	38.64	2.72	40.59	2.76		
				84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.72	38.07	2.78	40.08	2.83		
				88	30.05	2.66	32.63	2.71	34.05	2.76	34.84	2.78	37.54	2.85	39.61	2.89		
				91	30.05	2.73	31.98	2.78	33.45	2.83	34.27	2.85	37.06	2.92	39.19	2.96		
				95	30.05	2.80	31.37	2.85	32.90	2.89	34.00	2.91	36.62	2.98	38.81	3.03		
				99	30.05	2.87	30.80	2.92	32.40	2.96	33.28	2.99	36.24	3.05	38.48	3.10		
				102	30.05	2.94	30.29	2.99	31.94	3.04	32.85	3.06	35.90	3.13	38.20	3.17		
				108	30.05	3.05	29.60	3.10	31.34	3.15	32.30	3.17	35.48	3.24	37.87	3.28		
				111	30.05	3.13	29.21	3.18	31.01	3.22	31.99	3.25	35.26	3.31	37.71	3.35		
				115	30.05	3.20	28.86	3.25	30.72	3.30	31.73	3.32	35.08	3.39	37.59	3.43		
7	9	24	40	68	35.35	2.72	43.64	2.78	44.93	2.84	45.67	2.87	48.27	2.95	50.32	3.00		
				70	35.35	2.76	43.09	2.82	44.41	2.87	45.17	2.90	47.83	2.98	49.92	3.03		
				73	35.35	2.83	42.04	2.89	43.43	2.94	44.22	2.97	46.98	3.05	49.14	3.10		
				77	35.35	2.90	41.04	2.96	42.51	3.02	43.33	3.04	46.19	3.12	48.42	3.17		
				81	35.35	2.97	40.10	3.03	41.63	3.09	42.50	3.12	45.46	3.20	47.76	3.25		
				84	35.35	3.05	39.22	3.11	40.82	3.16	41.72	3.19	44.78	3.27	47.15	3.32		
				88	35.35	3.13	38.39	3.19	40.06	3.24	40.99	3.27	44.16	3.35	46.60	3.40		
				91	35.35	3.21	37.62	3.26	39.36	3.32	40.32	3.35	43.60	3.43	46.10	3.48		
				95	35.35	3.29	36.90	3.35	38.71	3.40	40.00	3.42	43.09	3.51	45.66	3.56		
				99	35.35	3.37	36.24	3.43	38.11	3.48	39.15	3.51	42.63	3.59	45.27	3.64		
				102	35.35	3.46	35.63	3.51	37.58	3.57	38.65	3.60	42.23	3.67	44.94	3.72		
				108	35.35	3.59	34.83	3.64	36.88	3.70	38.00	3.72	41.74	3.80	44.55	3.85		
				111	35.35	3.68	34.36	3.73	36.48	3.79	37.63	3.81	41.48	3.89	44.36	3.94		
				115	35.35	3.77	33.95	3.82	36.14	3.88	37.32	3.90	41.27	3.98	44.23	4.03		

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	12			31	68	25.10	1.88	30.98	1.92	31.90	1.96	32.42	1.98	34.27	2.03	35.73	2.07
						70	25.10	1.90	30.59	1.94	31.53	1.98	32.07	2.00	33.96	2.06	35.44	2.09
						73	25.10	1.95	29.85	1.99	30.84	2.03	31.40	2.05	33.36	2.11	34.89	2.14
						77	25.10	2.00	29.14	2.04	30.18	2.08	30.77	2.10	32.80	2.16	34.38	2.19
						81	25.10	2.05	28.47	2.09	29.56	2.13	30.17	2.15	32.28	2.21	33.91	2.24
						84	25.10	2.10	27.85	2.14	28.98	2.18	29.62	2.20	31.80	2.26	33.48	2.29
						88	25.10	2.16	27.26	2.20	28.44	2.24	29.10	2.26	31.36	2.31	33.08	2.34
						91	25.10	2.21	26.71	2.25	27.94	2.29	28.63	2.31	30.95	2.36	32.73	2.40
						95	25.10	2.27	26.20	2.31	27.48	2.35	28.40	2.36	30.59	2.42	32.42	2.45
						99	25.10	2.33	25.73	2.37	27.06	2.40	27.80	2.42	30.27	2.48	32.14	2.51
						102	25.10	2.38	25.30	2.42	26.68	2.46	27.44	2.48	29.99	2.53	31.91	2.57
						108	25.10	2.47	24.73	2.51	26.18	2.55	26.98	2.57	29.63	2.62	31.63	2.66
						111	25.10	2.54	24.40	2.58	25.90	2.61	26.72	2.63	29.45	2.68	31.50	2.72
						115	25.10	2.60	24.10	2.64	25.66	2.68	26.50	2.69	29.30	2.75	31.40	2.78
7	12	15			34	68	30.05	2.32	37.09	2.37	38.19	2.42	38.82	2.44	39.50	2.46	41.03	2.51
						70	30.05	2.35	36.63	2.40	37.75	2.45	38.40	2.47	39.09	2.49	40.65	2.54
						73	30.05	2.41	35.73	2.46	36.92	2.50	37.59	2.53	38.32	2.55	39.94	2.60
						77	30.05	2.47	34.89	2.52	36.13	2.57	36.83	2.59	37.59	2.61	39.27	2.66
						81	30.05	2.53	34.09	2.58	35.39	2.63	36.12	2.65	36.91	2.67	38.64	2.72
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.72	36.27	2.74	38.07	2.78
						88	30.05	2.66	32.63	2.71	34.05	2.76	34.84	2.78	35.69	2.80	37.54	2.85
						91	30.05	2.73	31.98	2.78	33.45	2.83	34.27	2.85	35.15	2.87	37.06	2.92
						95	30.05	2.80	31.37	2.85	32.90	2.89	34.00	2.91	34.65	2.94	36.62	2.98
						99	30.05	2.87	30.80	2.92	32.40	2.96	33.28	2.99	34.21	3.01	36.24	3.05
						102	30.05	2.94	30.29	2.99	31.94	3.04	32.85	3.06	33.81	3.08	35.90	3.13
						108	30.05	3.05	29.60	3.10	31.34	3.15	32.30	3.17	33.30	3.19	35.48	3.24
						111	30.05	3.13	29.21	3.18	31.01	3.22	31.99	3.25	33.02	3.27	35.26	3.31
						115	30.05	3.20	28.86	3.25	30.72	3.30	31.73	3.32	32.79	3.34	35.08	3.39
7	12	18			37	68	32.70	2.52	40.36	2.57	41.56	2.62	42.24	2.65	44.65	2.72	46.55	2.77
						70	32.70	2.55	39.86	2.60	41.08	2.66	41.78	2.68	44.24	2.76	46.17	2.80
						73	32.70	2.61	38.89	2.67	40.17	2.72	40.91	2.75	43.46	2.82	45.46	2.87
						77	32.70	2.68	37.97	2.73	39.32	2.79	40.08	2.81	42.73	2.89	44.79	2.93
						81	32.70	2.75	37.10	2.80	38.51	2.85	39.31	2.88	42.05	2.95	44.18	3.00
						84	32.70	2.82	36.28	2.87	37.76	2.92	38.59	2.95	41.43	3.02	43.61	3.07
						88	32.70	2.89	35.51	2.94	37.06	3.00	37.92	3.02	40.85	3.09	43.10	3.14
						91	32.70	2.96	34.80	3.02	36.40	3.07	37.30	3.09	40.33	3.17	42.64	3.21
						95	32.70	3.04	34.13	3.09	35.80	3.14	37.00	3.16	39.86	3.24	42.24	3.29
						99	32.70	3.11	33.52	3.17	35.26	3.22	36.21	3.24	39.44	3.32	41.88	3.36
						102	32.70	3.19	32.96	3.25	34.76	3.30	35.75	3.32	39.07	3.39	41.57	3.44
						108	32.70	3.31	32.22	3.37	34.11	3.42	35.15	3.44	38.61	3.51	41.21	3.56
						111	32.70	3.40	31.78	3.45	33.74	3.50	34.81	3.52	38.37	3.59	41.04	3.64
						115	32.70	3.48	31.40	3.53	33.43	3.58	34.53	3.61	38.18	3.68	40.91	3.72
7	12	24			43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17
						70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21
						73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28
						77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36
						81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44
						84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52
						88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60
						91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69
						95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77
						99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86
						102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95
						108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09
						111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19
						115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	15	15		37	68	32.70	2.52	40.36	2.57	41.56	2.62	42.24	2.65	42.98	2.68	44.65	2.72	
					70	32.70	2.55	39.86	2.60	41.08	2.66	41.78	2.68	42.54	2.71	44.24	2.76	
					73	32.70	2.61	38.89	2.67	40.17	2.72	40.91	2.75	41.70	2.77	43.46	2.82	
					77	32.70	2.68	37.97	2.73	39.32	2.79	40.08	2.81	40.91	2.84	42.73	2.89	
					81	32.70	2.75	37.10	2.80	38.51	2.85	39.31	2.88	40.16	2.90	42.05	2.95	
					84	32.70	2.82	36.28	2.87	37.76	2.92	38.59	2.95	39.47	2.97	41.43	3.02	
					88	32.70	2.89	35.51	2.94	37.06	3.00	37.92	3.02	38.84	3.05	40.85	3.09	
					91	32.70	2.96	34.80	3.02	36.40	3.07	37.30	3.09	38.25	3.12	40.33	3.17	
					95	32.70	3.04	34.13	3.09	35.80	3.14	37.00	3.16	37.71	3.19	39.86	3.24	
					99	32.70	3.11	33.52	3.17	35.26	3.22	36.21	3.24	37.23	3.27	39.44	3.32	
					102	32.70	3.19	32.96	3.25	34.76	3.30	35.75	3.32	36.79	3.35	39.07	3.39	
					108	32.70	3.31	32.22	3.37	34.11	3.42	35.15	3.44	36.24	3.47	38.61	3.51	
					111	32.70	3.40	31.78	3.45	33.74	3.50	34.81	3.52	35.94	3.55	38.37	3.59	
					115	32.70	3.48	31.40	3.53	33.43	3.58	34.53	3.61	35.68	3.63	38.18	3.68	
7	15	18		40	68	35.35	2.72	43.64	2.78	44.93	2.84	45.67	2.87	46.47	2.90	48.27	2.95	
					70	35.35	2.76	43.09	2.82	44.41	2.87	45.17	2.90	45.99	2.93	47.83	2.98	
					73	35.35	2.83	42.04	2.89	43.43	2.94	44.22	2.97	45.08	3.00	46.98	3.05	
					77	35.35	2.90	41.04	2.96	42.51	3.02	43.33	3.04	44.22	3.07	46.19	3.12	
					81	35.35	2.97	40.10	3.03	41.63	3.09	42.50	3.12	43.42	3.14	45.46	3.20	
					84	35.35	3.05	39.22	3.11	40.82	3.16	41.72	3.19	42.67	3.22	44.78	3.27	
					88	35.35	3.13	38.39	3.19	40.06	3.24	40.99	3.27	41.98	3.30	44.16	3.35	
					91	35.35	3.21	37.62	3.26	39.36	3.32	40.32	3.35	41.35	3.37	43.60	3.43	
					95	35.35	3.29	36.90	3.35	38.71	3.40	40.00	3.42	40.77	3.45	43.09	3.51	
					99	35.35	3.37	36.24	3.43	38.11	3.48	39.15	3.51	40.25	3.54	42.63	3.59	
					102	35.35	3.46	35.63	3.51	37.58	3.57	38.65	3.60	39.78	3.62	42.23	3.67	
					108	35.35	3.59	34.83	3.64	36.88	3.70	38.00	3.72	39.18	3.75	41.74	3.80	
					111	35.35	3.68	34.36	3.73	36.48	3.79	37.63	3.81	38.85	3.84	41.48	3.89	
					115	35.35	3.77	33.95	3.82	36.14	3.88	37.32	3.90	38.58	3.93	41.27	3.98	
7	15	24		46	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39	
					70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43	
					73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51	
					77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59	
					81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67	
					84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76	
					88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85	
					91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94	
					95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03	
					99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12	
					102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22	
					108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37	
					111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47	
					115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57	
7	18	18		43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17	
					70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21	
					73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28	
					77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36	
					81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44	
					84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52	
					88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60	
					91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69	
					95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77	
					99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86	
					102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95	
					108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09	
					111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19	
					115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	18	24		49	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
7	24	24		55	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
9	9	9		27	68	23.86	1.56	29.45	1.59	30.32	1.63	30.82	1.64	32.58	1.69	33.97	1.72	
					70	23.86	1.58	29.09	1.61	29.98	1.65	30.49	1.66	32.28	1.71	33.69	1.74	
					73	23.86	1.62	28.38	1.65	29.32	1.69	29.85	1.70	31.71	1.75	33.17	1.78	
					77	23.86	1.66	27.70	1.70	28.69	1.73	29.25	1.74	31.18	1.79	32.68	1.82	
					81	23.86	1.70	27.07	1.74	28.10	1.77	28.68	1.79	30.69	1.83	32.24	1.86	
					84	23.86	1.75	26.47	1.78	27.55	1.81	28.16	1.83	30.23	1.87	31.83	1.90	
					88	23.86	1.79	25.91	1.83	27.04	1.86	27.67	1.87	29.81	1.92	31.45	1.95	
					91	23.86	1.84	25.39	1.87	26.57	1.90	27.22	1.92	29.43	1.96	31.12	1.99	
					95	23.86	1.88	24.91	1.92	26.13	1.95	27.00	1.96	29.08	2.01	30.82	2.04	
					99	23.86	1.93	24.46	1.96	25.73	2.00	26.43	2.01	28.78	2.06	30.56	2.09	
					102	23.86	1.98	24.05	2.01	25.37	2.04	26.09	2.06	28.51	2.10	30.34	2.13	
					108	23.86	2.06	23.51	2.09	24.89	2.12	25.65	2.13	28.17	2.18	30.07	2.21	
					111	23.86	2.11	23.19	2.14	24.62	2.17	25.40	2.19	28.00	2.23	29.94	2.26	
					115	23.86	2.16	22.92	2.19	24.39	2.22	25.19	2.24	27.86	2.28	29.85	2.31	
9	9	12		30	68	25.10	1.88	30.98	1.92	31.90	1.96	32.42	1.98	34.27	2.03	35.73	2.07	
					70	25.10	1.90	30.59	1.94	31.53	1.98	32.07	2.00	33.96	2.06	35.44	2.09	
					73	25.10	1.95	29.85	1.99	30.84	2.03	31.40	2.05	33.36	2.11	34.89	2.14	
					77	25.10	2.00	29.14	2.04	30.18	2.08	30.77	2.10	32.80	2.16	34.38	2.19	
					81	25.10	2.05	28.47	2.09	29.56	2.13	30.17	2.15	32.28	2.21	33.91	2.24	
					84	25.10	2.10	27.85	2.14	28.98	2.18	29.62	2.20	31.80	2.26	33.48	2.29	
					88	25.10	2.16	27.26	2.20	28.44	2.24	29.10	2.26	31.36	2.31	33.08	2.34	
					91	25.10	2.21	26.71	2.25	27.94	2.29	28.63	2.31	30.95	2.36	32.73	2.40	
					95	25.10	2.27	26.20	2.31	27.48	2.35	28.40	2.36	30.59	2.42	32.42	2.45	
					99	25.10	2.33	25.73	2.37	27.06	2.40	27.80	2.42	30.27	2.48	32.14	2.51	
					102	25.10	2.38	25.30	2.42	26.68	2.46	27.44	2.48	29.99	2.53	31.91	2.57	
					108	25.10	2.47	24.73	2.51	26.18	2.55	26.98	2.57	29.63	2.62	31.63	2.66	
					111	25.10	2.54	24.40	2.58	25.90	2.61	26.72	2.63	29.45	2.68	31.50	2.72	
					115	25.10	2.60	24.10	2.64	25.66	2.68	26.50	2.69	29.30	2.75	31.40	2.78	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	15			33	68	29.16	2.24	36.00	2.29	37.06	2.34	37.67	2.36	38.34	2.39	39.82	2.43
						70	29.16	2.27	35.55	2.32	36.64	2.37	37.27	2.39	37.94	2.42	39.46	2.46
						73	29.16	2.33	34.68	2.38	35.83	2.43	36.48	2.45	37.19	2.47	38.76	2.52
						77	29.16	2.39	33.86	2.44	35.07	2.49	35.75	2.51	36.48	2.53	38.11	2.58
						81	29.16	2.45	33.09	2.50	34.35	2.55	35.06	2.57	35.82	2.59	37.51	2.64
						84	29.16	2.51	32.36	2.56	33.68	2.61	34.42	2.63	35.21	2.65	36.95	2.70
						88	29.16	2.58	31.67	2.63	33.05	2.67	33.82	2.70	34.64	2.72	36.43	2.76
						91	29.16	2.64	31.04	2.69	32.47	2.74	33.26	2.76	34.11	2.78	35.97	2.83
						95	29.16	2.71	30.44	2.76	31.93	2.80	33.00	2.82	33.64	2.85	35.55	2.89
						99	29.16	2.78	29.90	2.83	31.44	2.87	32.30	2.89	33.20	2.92	35.17	2.96
						102	29.16	2.85	29.40	2.90	31.00	2.94	31.88	2.96	32.82	2.99	34.84	3.03
						108	29.16	2.96	28.73	3.00	30.42	3.05	31.35	3.07	32.32	3.09	34.43	3.14
						111	29.16	3.03	28.35	3.08	30.09	3.12	31.05	3.14	32.05	3.17	34.22	3.21
						115	29.16	3.11	28.01	3.15	29.81	3.20	30.79	3.22	31.83	3.24	34.05	3.28
9	9	18			36	68	31.81	2.45	39.27	2.51	40.43	2.56	41.10	2.58	43.44	2.66	45.29	2.70
						70	31.81	2.48	38.78	2.54	39.97	2.59	40.65	2.61	43.04	2.69	44.92	2.73
						73	31.81	2.55	37.84	2.60	39.09	2.65	39.80	2.68	42.28	2.75	44.23	2.79
						77	31.81	2.61	36.94	2.66	38.26	2.72	39.00	2.74	41.58	2.81	43.58	2.86
						81	31.81	2.68	36.09	2.73	37.47	2.78	38.25	2.81	40.92	2.88	42.98	2.92
						84	31.81	2.75	35.30	2.80	36.74	2.85	37.54	2.87	40.31	2.95	42.44	2.99
						88	31.81	2.82	34.55	2.87	36.05	2.92	36.89	2.94	39.75	3.02	41.94	3.06
						91	31.81	2.89	33.86	2.94	35.42	2.99	36.29	3.01	39.24	3.09	41.49	3.13
						95	31.81	2.96	33.21	3.01	34.84	3.06	36.00	3.08	38.78	3.16	41.09	3.20
						99	31.81	3.04	32.62	3.09	34.30	3.14	35.23	3.16	38.37	3.23	40.75	3.28
						102	31.81	3.11	32.07	3.16	33.82	3.21	34.78	3.24	38.01	3.31	40.45	3.35
						108	31.81	3.23	31.35	3.28	33.19	3.33	34.20	3.35	37.57	3.42	40.10	3.47
						111	31.81	3.31	30.92	3.36	32.83	3.41	33.87	3.43	37.33	3.50	39.93	3.55
						115	31.81	3.39	30.55	3.44	32.52	3.49	33.59	3.52	37.15	3.59	39.80	3.63
9	9	24			42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10
						70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13
						73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20
						77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28
						81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36
						84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43
						88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51
						91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60
						95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68
						99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77
						102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86
						108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99
						111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08
						115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18
9	12	12			33	68	29.16	2.24	36.00	2.29	37.06	2.34	37.67	2.36	38.34	2.43	41.52	2.47
						70	29.16	2.27	35.55	2.32	36.64	2.37	37.27	2.39	39.46	2.46	41.18	2.50
						73	29.16	2.33	34.68	2.38	35.83	2.43	36.48	2.45	38.76	2.52	40.54	2.56
						77	29.16	2.39	33.86	2.44	35.07	2.49	35.75	2.51	38.11	2.58	39.95	2.62
						81	29.16	2.45	33.09	2.50	34.35	2.55	35.06	2.57	37.51	2.64	39.40	2.68
						84	29.16	2.51	32.36	2.56	33.68	2.61	34.42	2.63	36.95	2.70	38.90	2.74
						88	29.16	2.58	31.67	2.63	33.05	2.67	33.82	2.70	36.43	2.76	38.44	2.80
						91	29.16	2.64	31.04	2.69	32.47	2.74	33.26	2.76	35.97	2.83	38.03	2.87
						95	29.16	2.71	30.44	2.76	31.93	2.80	33.00	2.82	35.55	2.89	37.67	2.93
						99	29.16	2.78	29.90	2.83	31.44	2.87	32.30	2.89	35.17	2.96	37.35	3.00
						102	29.16	2.85	29.40	2.90	31.00	2.94	31.88	2.96	34.84	3.03	37.08	3.07
						108	29.16	2.96	28.73	3.00	30.42	3.05	31.35	3.07	34.43	3.14	36.76	3.18
						111	29.16	3.03	28.35	3.08	30.09	3.12	31.05	3.14	34.22	3.21	36.60	3.25
						115	29.16	3.11	28.01	3.15	29.81	3.20	30.79	3.22	34.05	3.28	36.49	3.32

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	15		36	68	31.81	2.45	39.27	2.51	40.43	2.56	41.10	2.58	41.82	2.61	43.44	2.66	
					70	31.81	2.48	38.78	2.54	39.97	2.59	40.65	2.61	41.39	2.64	43.04	2.69	
					73	31.81	2.55	37.84	2.60	39.09	2.65	39.80	2.68	40.57	2.70	42.28	2.75	
					77	31.81	2.61	36.94	2.66	38.26	2.72	39.00	2.74	39.80	2.77	41.58	2.81	
					81	31.81	2.68	36.09	2.73	37.47	2.78	38.25	2.81	39.08	2.83	40.92	2.88	
					84	31.81	2.75	35.30	2.80	36.74	2.85	37.54	2.87	38.41	2.90	40.31	2.95	
					88	31.81	2.82	34.55	2.87	36.05	2.92	36.89	2.94	37.79	2.97	39.75	3.02	
					91	31.81	2.89	33.86	2.94	35.42	2.99	36.29	3.01	37.21	3.04	39.24	3.09	
					95	31.81	2.96	33.21	3.01	34.84	3.06	36.00	3.08	36.69	3.11	38.78	3.16	
					99	31.81	3.04	32.62	3.09	34.30	3.14	35.23	3.16	36.22	3.19	38.37	3.23	
					102	31.81	3.11	32.07	3.16	33.82	3.21	34.78	3.24	35.80	3.26	38.01	3.31	
					108	31.81	3.23	31.35	3.28	33.19	3.33	34.20	3.35	35.26	3.38	37.57	3.42	
					111	31.81	3.31	30.92	3.36	32.83	3.41	33.87	3.43	34.97	3.46	37.33	3.50	
					115	31.81	3.39	30.55	3.44	32.52	3.49	33.59	3.52	34.72	3.54	37.15	3.59	
9	12	18		39	68	34.47	2.65	42.55	2.71	43.80	2.76	44.52	2.79	47.06	2.87	49.07	2.92	
					70	34.47	2.68	42.01	2.74	43.30	2.80	44.04	2.83	46.63	2.90	48.67	2.95	
					73	34.47	2.75	40.99	2.81	42.35	2.87	43.12	2.89	45.81	2.97	47.91	3.02	
					77	34.47	2.82	40.02	2.88	41.44	2.94	42.25	2.96	45.04	3.04	47.21	3.09	
					81	34.47	2.90	39.10	2.95	40.59	3.01	41.43	3.03	44.33	3.11	46.56	3.16	
					84	34.47	2.97	38.24	3.03	39.80	3.08	40.67	3.11	43.67	3.19	45.97	3.23	
					88	34.47	3.04	37.43	3.10	39.06	3.16	39.97	3.18	43.06	3.26	45.43	3.31	
					91	34.47	3.12	36.68	3.18	38.37	3.23	39.31	3.26	42.51	3.34	44.95	3.38	
					95	34.47	3.20	35.98	3.26	37.74	3.31	39.00	3.33	42.01	3.41	44.52	3.46	
					99	34.47	3.28	35.33	3.34	37.16	3.39	38.17	3.42	41.57	3.49	44.14	3.54	
					102	34.47	3.36	34.74	3.42	36.64	3.47	37.68	3.50	41.18	3.58	43.82	3.62	
					108	34.47	3.49	33.96	3.55	35.95	3.60	37.05	3.63	40.70	3.70	43.44	3.75	
					111	34.47	3.58	33.50	3.63	35.57	3.69	36.69	3.71	40.44	3.79	43.25	3.84	
					115	34.47	3.67	33.10	3.72	35.23	3.78	36.39	3.80	40.24	3.88	43.12	3.92	
9	12	24		45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32	
					70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36	
					73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44	
					77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52	
					81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60	
					84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68	
					88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77	
					91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86	
					95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95	
					99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04	
					102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13	
					108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28	
					111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38	
					115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48	
9	15	15		39	68	34.47	2.65	42.55	2.71	43.80	2.76	44.52	2.79	45.31	2.82	47.06	2.87	
					70	34.47	2.68	42.01	2.74	43.30	2.80	44.04	2.83	44.84	2.85	46.63	2.90	
					73	34.47	2.75	40.99	2.81	42.35	2.87	43.12	2.89	43.95	2.92	45.81	2.97	
					77	34.47	2.82	40.02	2.88	41.44	2.94	42.25	2.96	43.12	2.99	45.04	3.04	
					81	34.47	2.90	39.10	2.95	40.59	3.01	41.43	3.03	42.34	3.06	44.33	3.11	
					84	34.47	2.97	38.24	3.03	39.80	3.08	40.67	3.11	41.61	3.13	43.67	3.19	
					88	34.47	3.04	37.43	3.10	39.06	3.16	39.97	3.18	40.93	3.21	43.06	3.26	
					91	34.47	3.12	36.68	3.18	38.37	3.23	39.31	3.26	40.32	3.29	42.51	3.34	
					95	34.47	3.20	35.98	3.26	37.74	3.31	39.00	3.33	39.75	3.36	42.01	3.41	
					99	34.47	3.28	35.33	3.34	37.16	3.39	38.17	3.42	39.24	3.44	41.57	3.49	
					102	34.47	3.36	34.74	3.42	36.64	3.47	37.68	3.50	38.78	3.53	41.18	3.58	
					108	34.47	3.49	33.96	3.55	35.95	3.60	37.05	3.63	38.20	3.65	40.70	3.70	
					111	34.47	3.58	33.50	3.63	35.57	3.69	36.69	3.71	37.88	3.74	40.44	3.79	
					115	34.47	3.67	33.10	3.72	35.23	3.78	36.39	3.80	37.61	3.83	40.24	3.88	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15	18		42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10	
					70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13	
					73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20	
					77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28	
					81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36	
					84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43	
					88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51	
					91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60	
					95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68	
					99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77	
					102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86	
					108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99	
					111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08	
					115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18	
9	15	24	48	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46		
				70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50		
				73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59		
				77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67		
				81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76		
				84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85		
				88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94		
				91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03		
				95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13		
				99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22		
				102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32		
				108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46		
				111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56		
				115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66		
9	18	18	45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32		
				70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36		
				73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44		
				77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52		
				81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60		
				84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68		
				88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77		
				91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86		
				95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95		
				99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04		
				102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13		
				108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28		
				111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38		
				115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48		
9	18	24	51	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46		
				70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50		
				73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59		
				77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67		
				81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76		
				84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85		
				88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94		
				91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03		
				95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13		
				99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22		
				102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32		
				108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46		
				111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56		
				115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66		

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	24	24			57	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46
						70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50
						73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59
						77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67
						81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76
						84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85
						88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94
						91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03
						95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13
						99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22
						102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32
						108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46
						111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56
						115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66
12	12	12			36	68	31.81	2.45	39.27	2.51	40.43	2.56	41.10	2.58	43.44	2.66	45.29	2.70
						70	31.81	2.48	38.78	2.54	39.97	2.59	40.65	2.61	43.04	2.69	44.92	2.73
						73	31.81	2.55	37.84	2.60	39.09	2.65	39.80	2.68	42.28	2.75	44.23	2.79
						77	31.81	2.61	36.94	2.66	38.26	2.72	39.00	2.74	41.58	2.81	43.58	2.86
						81	31.81	2.68	36.09	2.73	37.47	2.78	38.25	2.81	40.92	2.88	42.98	2.92
						84	31.81	2.75	35.30	2.80	36.74	2.85	37.54	2.87	40.31	2.95	42.44	2.99
						88	31.81	2.82	34.55	2.87	36.05	2.92	36.89	2.94	39.75	3.02	41.94	3.06
						91	31.81	2.89	33.86	2.94	35.42	2.99	36.29	3.01	39.24	3.09	41.49	3.13
						95	31.81	2.96	33.21	3.01	34.84	3.06	36.00	3.08	38.78	3.16	41.09	3.20
						99	31.81	3.04	32.62	3.09	34.30	3.14	35.23	3.16	38.37	3.23	40.75	3.28
						102	31.81	3.11	32.07	3.16	33.82	3.21	34.78	3.24	38.01	3.31	40.45	3.35
						108	31.81	3.23	31.35	3.28	33.19	3.33	34.20	3.35	37.57	3.42	40.10	3.47
						111	31.81	3.31	30.92	3.36	32.83	3.41	33.87	3.43	37.33	3.50	39.93	3.55
						115	31.81	3.39	30.55	3.44	32.52	3.49	33.59	3.52	37.15	3.59	39.80	3.63
12	12	15			39	68	34.47	2.65	42.55	2.71	43.80	2.76	44.52	2.79	45.31	2.82	47.06	2.87
						70	34.47	2.68	42.01	2.74	43.30	2.80	44.04	2.83	44.84	2.85	46.63	2.90
						73	34.47	2.75	40.99	2.81	42.35	2.87	43.12	2.89	43.95	2.92	45.81	2.97
						77	34.47	2.82	40.02	2.88	41.44	2.94	42.25	2.96	43.12	2.99	45.04	3.04
						81	34.47	2.90	39.10	2.95	40.59	3.01	41.43	3.03	42.34	3.06	44.33	3.11
						84	34.47	2.97	38.24	3.03	39.80	3.08	40.67	3.11	41.61	3.13	43.67	3.19
						88	34.47	3.04	37.43	3.10	39.06	3.16	39.97	3.18	40.93	3.21	43.06	3.26
						91	34.47	3.12	36.68	3.18	38.37	3.23	39.31	3.26	40.32	3.29	42.51	3.34
						95	34.47	3.20	35.98	3.26	37.74	3.31	39.00	3.33	39.75	3.36	42.01	3.41
						99	34.47	3.28	35.33	3.34	37.16	3.39	38.17	3.42	39.24	3.44	41.57	3.49
						102	34.47	3.36	34.74	3.42	36.64	3.47	37.68	3.50	38.78	3.53	41.18	3.58
						108	34.47	3.49	33.96	3.55	35.95	3.60	37.05	3.63	38.20	3.65	40.70	3.70
						111	34.47	3.58	33.50	3.63	35.57	3.69	36.69	3.71	37.88	3.74	40.44	3.79
						115	34.47	3.67	33.10	3.72	35.23	3.78	36.39	3.80	37.61	3.83	40.24	3.88
12	12	18			42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10
						70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13
						73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20
						77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28
						81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36
						84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43
						88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51
						91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60
						95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68
						99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77
						102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86
						108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99
						111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08
						115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)				Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
						57.2		60.8		64.4		67		71.6		75.2	
						TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	24		48	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66
12	15	15		42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10
					70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13
					73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20
					77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28
					81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36
					84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43
					88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51
					91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60
					95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68
					99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77
					102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86
					108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99
					111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08
					115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18
12	15	18		45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32
					70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36
					73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44
					77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52
					81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60
					84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68
					88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77
					91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86
					95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95
					99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04
					102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13
					108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28
					111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38
					115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48
12	15	24		51	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	18	18		48	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
12	18	24		54	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
15	15	15		45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32	
					70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36	
					73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44	
					77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52	
					81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60	
					84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68	
					88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77	
					91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86	
					95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95	
					99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04	
					102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13	
					108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28	
					111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38	
					115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48	
15	15	18		48	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
15	15	24		54	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
15	18	18		51	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
15	18	24		57	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	
18	18	18		54	68	48.28	3.21	50.38	3.27	52.50	3.34	53.58	3.37	54.66	3.40	56.85	3.46	
					70	47.83	3.25	49.93	3.32	52.05	3.38	53.13	3.41	54.22	3.44	56.41	3.50	
					73	46.92	3.34	49.03	3.40	51.16	3.46	52.24	3.49	53.32	3.52	55.52	3.59	
					77	46.02	3.42	48.13	3.48	50.26	3.55	51.34	3.58	52.43	3.61	54.63	3.67	
					81	45.12	3.51	47.23	3.57	49.37	3.63	50.45	3.67	51.54	3.70	53.75	3.76	
					84	44.22	3.59	46.34	3.66	48.48	3.72	49.57	3.75	50.66	3.79	52.86	3.85	
					88	43.33	3.68	45.44	3.75	47.59	3.81	48.68	3.84	49.77	3.88	51.98	3.94	
					91	42.43	3.77	44.56	3.84	46.71	3.90	47.80	3.94	48.89	3.97	51.11	4.03	
					95	41.54	3.87	43.67	3.93	45.82	4.00	47.00	4.02	48.01	4.06	50.23	4.13	
					99	40.65	3.96	42.78	4.02	44.94	4.09	46.04	4.12	47.14	4.16	49.36	4.22	
					102	39.77	4.05	41.90	4.12	44.07	4.19	45.16	4.22	46.26	4.25	48.49	4.32	
					108	38.44	4.20	40.58	4.26	42.75	4.33	43.85	4.36	44.95	4.40	47.19	4.46	
					111	37.56	4.30	39.70	4.36	41.88	4.43	42.98	4.46	44.09	4.50	46.32	4.56	
					115	36.68	4.40	38.83	4.46	41.01	4.53	42.11	4.56	43.22	4.60	45.46	4.66	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	7		28	68	24.74	1.90	30.55	1.94	31.45	1.98	31.97	2.00	33.79	2.06	35.23	2.10
						70	24.74	1.93	30.16	1.97	31.09	2.01	31.62	2.03	33.48	2.08	34.94	2.12
						73	24.74	1.98	29.43	2.02	30.40	2.06	30.96	2.08	32.89	2.13	34.40	2.17
						77	24.74	2.03	28.73	2.07	29.75	2.11	30.33	2.13	32.34	2.18	33.90	2.22
						81	24.74	2.08	28.07	2.12	29.14	2.16	29.75	2.18	31.82	2.23	33.43	2.27
						84	24.74	2.13	27.45	2.17	28.57	2.21	29.20	2.23	31.35	2.29	33.01	2.32
						88	24.74	2.19	26.87	2.23	28.04	2.27	28.69	2.28	30.91	2.34	32.62	2.37
						91	24.74	2.24	26.33	2.28	27.55	2.32	28.22	2.34	30.52	2.39	32.27	2.43
						95	24.74	2.30	25.83	2.34	27.10	2.38	28.00	2.39	30.16	2.45	31.96	2.49
						99	24.74	2.36	25.37	2.40	26.68	2.43	27.40	2.45	29.84	2.51	31.69	2.54
						102	24.74	2.41	24.94	2.45	26.30	2.49	27.05	2.51	29.56	2.57	31.46	2.60
						108	24.74	2.51	24.38	2.55	25.81	2.58	26.60	2.60	29.22	2.66	31.19	2.69
						111	24.74	2.57	24.05	2.61	25.53	2.65	26.34	2.67	29.04	2.72	31.05	2.75
						115	24.74	2.63	23.76	2.67	25.30	2.71	26.13	2.73	28.89	2.78	30.96	2.82
7	7	7	9		30	68	26.51	2.04	32.73	2.08	33.69	2.13	34.25	2.15	36.20	2.21	37.74	2.25
						70	26.51	2.06	32.32	2.11	33.31	2.15	33.88	2.17	35.87	2.23	37.44	2.27
						73	26.51	2.12	31.53	2.16	32.57	2.20	33.17	2.22	35.24	2.28	36.86	2.32
						77	26.51	2.17	30.78	2.21	31.88	2.26	32.50	2.28	34.65	2.34	36.32	2.38
						81	26.51	2.23	30.08	2.27	31.23	2.31	31.87	2.33	34.10	2.39	35.82	2.43
						84	26.51	2.28	29.42	2.33	30.61	2.37	31.29	2.39	33.59	2.45	35.36	2.49
						88	26.51	2.34	28.79	2.38	30.05	2.43	30.74	2.45	33.12	2.51	34.95	2.54
						91	26.51	2.40	28.21	2.44	29.52	2.49	30.24	2.51	32.70	2.56	34.58	2.60
						95	26.51	2.46	27.68	2.50	29.03	2.55	30.00	2.56	32.32	2.62	34.24	2.66
						99	26.51	2.52	27.18	2.57	28.59	2.61	29.36	2.63	31.97	2.69	33.96	2.72
						102	26.51	2.59	26.72	2.63	28.18	2.67	28.98	2.69	31.68	2.75	33.71	2.79
						108	26.51	2.68	26.12	2.73	27.66	2.77	28.50	2.79	31.30	2.85	33.42	2.88
						111	26.51	2.75	25.77	2.79	27.36	2.83	28.22	2.85	31.11	2.91	33.27	2.95
						115	26.51	2.82	25.46	2.86	27.10	2.90	27.99	2.92	30.96	2.98	33.17	3.02
7	7	7	12		33	68	29.16	2.24	36.00	2.29	37.06	2.34	37.67	2.36	39.82	2.43	41.52	2.47
						70	29.16	2.27	35.55	2.32	36.64	2.37	37.27	2.39	39.46	2.46	41.18	2.50
						73	29.16	2.33	34.68	2.38	35.83	2.43	36.48	2.45	38.76	2.52	40.54	2.56
						77	29.16	2.39	33.86	2.44	35.07	2.49	35.75	2.51	38.11	2.58	39.95	2.62
						81	29.16	2.45	33.09	2.50	34.35	2.55	35.06	2.57	37.51	2.64	39.40	2.68
						84	29.16	2.51	32.36	2.56	33.68	2.61	34.42	2.63	36.95	2.70	38.90	2.74
						88	29.16	2.58	31.67	2.63	33.05	2.67	33.82	2.70	36.43	2.76	38.44	2.80
						91	29.16	2.64	31.04	2.69	32.47	2.74	33.26	2.76	35.97	2.83	38.03	2.87
						95	29.16	2.71	30.44	2.76	31.93	2.80	33.00	2.82	35.55	2.89	37.67	2.93
						99	29.16	2.78	29.90	2.83	31.44	2.87	32.30	2.89	35.17	2.96	37.35	3.00
						102	29.16	2.85	29.40	2.90	31.00	2.94	31.88	2.96	34.84	3.03	37.08	3.07
						108	29.16	2.96	28.73	3.00	30.42	3.05	31.35	3.07	34.43	3.14	36.76	3.18
						111	29.16	3.03	28.35	3.08	30.09	3.12	31.05	3.14	34.22	3.21	36.60	3.25
						115	29.16	3.11	28.01	3.15	29.81	3.20	30.79	3.22	34.05	3.28	36.49	3.32
7	7	7	15		36	68	31.81	2.45	39.27	2.51	40.43	2.56	41.10	2.58	41.82	2.61	43.44	2.66
						70	31.81	2.48	38.78	2.54	39.97	2.59	40.65	2.61	41.39	2.64	43.04	2.69
						73	31.81	2.55	37.84	2.60	39.09	2.65	39.80	2.68	40.57	2.70	42.28	2.75
						77	31.81	2.61	36.94	2.66	38.26	2.72	39.00	2.74	39.80	2.77	41.58	2.81
						81	31.81	2.68	36.09	2.73	37.47	2.78	38.25	2.81	39.08	2.83	40.92	2.88
						84	31.81	2.75	35.30	2.80	36.74	2.85	37.54	2.87	38.41	2.90	40.31	2.95
						88	31.81	2.82	34.55	2.87	36.05	2.92	36.89	2.94	37.79	2.97	39.75	3.02
						91	31.81	2.89	33.86	2.94	35.42	2.99	36.29	3.01	37.21	3.04	39.24	3.09
						95	31.81	2.96	33.21	3.01	34.84	3.06	36.00	3.08	36.69	3.11	38.78	3.16
						99	31.81	3.04	32.62	3.09	34.30	3.14	35.23	3.16	36.22	3.19	38.37	3.23
						102	31.81	3.11	32.07	3.16	33.82	3.21	34.78	3.24	35.80	3.26	38.01	3.31
						108	31.81	3.23	31.35	3.28	33.19	3.33	34.20	3.35	35.26	3.38	37.57	3.42
						111	31.81	3.31	30.92	3.36	32.83	3.41	33.87	3.43	34.97	3.46	37.33	3.50
						115	31.81	3.39	30.55	3.44	32.52	3.49	33.59	3.52	34.72	3.54	37.15	3.59

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	18	39	68	34.47	2.65	42.55	2.71	43.80	2.76	44.52	2.79	47.06	2.87	49.07	2.92	
					70	34.47	2.68	42.01	2.74	43.30	2.80	44.04	2.83	46.63	2.90	48.67	2.95	
					73	34.47	2.75	40.99	2.81	42.35	2.87	43.12	2.89	45.81	2.97	47.91	3.02	
					77	34.47	2.82	40.02	2.88	41.44	2.94	42.25	2.96	45.04	3.04	47.21	3.09	
					81	34.47	2.90	39.10	2.95	40.59	3.01	41.43	3.03	44.33	3.11	46.56	3.16	
					84	34.47	2.97	38.24	3.03	39.80	3.08	40.67	3.11	43.67	3.19	45.97	3.23	
					88	34.47	3.04	37.43	3.10	39.06	3.16	39.97	3.18	43.06	3.26	45.43	3.31	
					91	34.47	3.12	36.68	3.18	38.37	3.23	39.31	3.26	42.51	3.34	44.95	3.38	
					95	34.47	3.20	35.98	3.26	37.74	3.31	39.00	3.33	42.01	3.41	44.52	3.46	
					99	34.47	3.28	35.33	3.34	37.16	3.39	38.17	3.42	41.57	3.49	44.14	3.54	
					102	34.47	3.36	34.74	3.42	36.64	3.47	37.68	3.50	41.18	3.58	43.82	3.62	
					108	34.47	3.49	33.96	3.55	35.95	3.60	37.05	3.63	40.70	3.70	43.44	3.75	
					111	34.47	3.58	33.50	3.63	35.57	3.69	36.69	3.71	40.44	3.79	43.25	3.84	
					115	34.47	3.67	33.10	3.72	35.23	3.78	36.39	3.80	40.24	3.88	43.12	3.92	
7	7	7	24	45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32	
					70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36	
					73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44	
					77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52	
					81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60	
					84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68	
					88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77	
					91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86	
					95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95	
					99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04	
					102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13	
					108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28	
					111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38	
					115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48	
7	7	9	9	32	68	28.28	2.18	34.91	2.23	35.94	2.28	36.53	2.30	38.62	2.36	40.26	2.40	
					70	28.28	2.21	34.47	2.26	35.53	2.30	36.14	2.32	38.26	2.39	39.93	2.43	
					73	28.28	2.27	33.63	2.31	34.75	2.36	35.38	2.38	37.59	2.45	39.31	2.49	
					77	28.28	2.32	32.84	2.37	34.00	2.42	34.67	2.44	36.96	2.50	38.74	2.54	
					81	28.28	2.38	32.08	2.43	33.31	2.47	34.00	2.50	36.37	2.56	38.21	2.60	
					84	28.28	2.44	31.38	2.49	32.66	2.54	33.37	2.56	35.83	2.62	37.72	2.66	
					88	28.28	2.51	30.71	2.55	32.05	2.60	32.79	2.62	35.33	2.68	37.28	2.72	
					91	28.28	2.57	30.09	2.62	31.48	2.66	32.26	2.68	34.88	2.75	36.88	2.79	
					95	28.28	2.63	29.52	2.68	30.97	2.72	32.00	2.74	34.47	2.81	36.53	2.85	
					99	28.28	2.70	28.99	2.75	30.49	2.79	31.32	2.81	34.11	2.88	36.22	2.91	
					102	28.28	2.77	28.51	2.81	30.06	2.86	30.92	2.88	33.79	2.94	35.96	2.98	
					108	28.28	2.87	27.86	2.92	29.50	2.96	30.40	2.98	33.39	3.05	35.64	3.09	
					111	28.28	2.94	27.49	2.99	29.18	3.03	30.11	3.06	33.18	3.12	35.49	3.16	
					115	28.28	3.02	27.16	3.06	28.91	3.11	29.86	3.13	33.02	3.19	35.38	3.23	
7	7	9	12	35	68	30.93	2.38	38.18	2.43	39.31	2.48	39.96	2.51	42.24	2.58	44.03	2.62	
					70	30.93	2.41	37.70	2.46	38.86	2.51	39.52	2.54	41.85	2.61	43.68	2.65	
					73	30.93	2.47	36.78	2.52	38.00	2.57	38.70	2.60	41.11	2.67	43.00	2.71	
					77	30.93	2.53	35.91	2.59	37.19	2.64	37.92	2.66	40.42	2.73	42.37	2.78	
					81	30.93	2.60	35.09	2.65	36.43	2.70	37.18	2.72	39.78	2.79	41.79	2.84	
					84	30.93	2.67	34.32	2.72	35.72	2.77	36.50	2.79	39.19	2.86	41.26	2.90	
					88	30.93	2.73	33.59	2.78	35.05	2.83	35.87	2.86	38.64	2.93	40.77	2.97	
					91	30.93	2.80	32.92	2.85	34.44	2.90	35.28	2.93	38.15	3.00	40.34	3.04	
					95	30.93	2.87	32.29	2.92	33.87	2.97	35.00	2.99	37.70	3.07	39.95	3.11	
					99	30.93	2.95	31.71	3.00	33.35	3.05	34.26	3.07	37.30	3.14	39.61	3.18	
					102	30.93	3.02	31.18	3.07	32.88	3.12	33.82	3.14	36.95	3.21	39.33	3.25	
					108	30.93	3.14	30.47	3.19	32.27	3.23	33.25	3.26	36.52	3.32	38.98	3.37	
					111	30.93	3.21	30.07	3.26	31.92	3.31	32.93	3.33	36.29	3.40	38.82	3.44	
					115	30.93	3.29	29.71	3.34	31.62	3.39	32.66	3.41	36.12	3.48	38.70	3.52	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	15		38	68	33.58	2.59	41.46	2.64	42.68	2.70	43.38	2.73	44.15	2.75	45.86	2.80
						70	33.58	2.62	40.94	2.68	42.19	2.73	42.91	2.76	43.69	2.78	45.44	2.83
						73	33.58	2.69	39.94	2.74	41.26	2.80	42.01	2.82	42.83	2.85	44.63	2.90
						77	33.58	2.76	38.99	2.81	40.38	2.87	41.17	2.89	42.01	2.92	43.88	2.97
						81	33.58	2.83	38.10	2.88	39.55	2.94	40.37	2.96	41.25	2.99	43.19	3.04
						84	33.58	2.90	37.26	2.95	38.78	3.01	39.63	3.03	40.54	3.06	42.55	3.11
						88	33.58	2.97	36.47	3.03	38.06	3.08	38.94	3.11	39.88	3.13	41.96	3.18
						91	33.58	3.05	35.74	3.10	37.39	3.16	38.30	3.18	39.28	3.21	41.42	3.26
						95	33.58	3.12	35.06	3.18	36.77	3.23	38.00	3.25	38.73	3.28	40.93	3.33
						99	33.58	3.20	34.43	3.26	36.21	3.31	37.19	3.34	38.23	3.36	40.50	3.41
						102	33.58	3.28	33.85	3.34	35.70	3.39	36.71	3.42	37.79	3.44	40.12	3.49
						108	33.58	3.41	33.09	3.46	35.03	3.51	36.10	3.54	37.22	3.56	39.65	3.61
						111	33.58	3.49	32.64	3.55	34.65	3.60	35.75	3.62	36.91	3.65	39.41	3.70
						115	33.58	3.58	32.25	3.63	34.33	3.69	35.46	3.71	36.65	3.74	39.21	3.78
7	7	9	18		41	68	36.23	2.79	44.73	2.85	46.05	2.91	46.81	2.93	47.63	2.96	49.48	3.02
						70	36.23	2.82	44.17	2.88	45.52	2.94	46.30	2.97	47.14	3.00	49.02	3.05
						73	36.23	2.89	43.09	2.95	44.52	3.01	45.33	3.04	46.21	3.07	48.16	3.12
						77	36.23	2.97	42.07	3.03	43.57	3.09	44.42	3.11	45.33	3.14	47.35	3.20
						81	36.23	3.04	41.11	3.10	42.68	3.16	43.56	3.19	44.51	3.22	46.60	3.27
						84	36.23	3.12	40.20	3.18	41.84	3.24	42.76	3.27	43.74	3.29	45.90	3.35
						88	36.23	3.20	39.35	3.26	41.06	3.32	42.01	3.35	43.03	3.37	45.27	3.43
						91	36.23	3.28	38.56	3.34	40.34	3.40	41.33	3.43	42.38	3.45	44.69	3.51
						95	36.23	3.36	37.82	3.42	39.68	3.48	41.00	3.50				
						99	36.23	3.45	37.15	3.51	39.07	3.57	40.13	3.59	41.25	3.62	43.70	3.67
						102	36.23	3.54	36.52	3.59	38.52	3.65	39.61	3.68	40.77	3.71	43.29	3.76
						108	36.23	3.67	35.70	3.73	37.80	3.78	38.95	3.81	40.16	3.84	42.78	3.89
						111	36.23	3.76	35.22	3.82	37.39	3.88	38.57	3.90	39.82	3.93	42.52	3.98
						115	36.23	3.85	34.80	3.91	37.04	3.97	38.26	4.00	39.54	4.02	42.31	4.07
7	7	9	24		47	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39
						70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43
						73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51
						77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59
						81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67
						84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76
						88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85
						91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94
						95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03
						99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12
						102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22
						108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37
						111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47
						115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57
7	7	12	12		38	68	33.58	2.59	41.46	2.64	42.68	2.70	43.38	2.73	45.86	2.80	47.81	2.85
						70	33.58	2.62	40.94	2.68	42.19	2.73	42.91	2.76	45.44	2.83	47.42	2.88
						73	33.58	2.69	39.94	2.74	41.26	2.80	42.01	2.82	44.63	2.90	46.68	2.95
						77	33.58	2.76	38.99	2.81	40.38	2.87	41.17	2.89	43.88	2.97	46.00	3.02
						81	33.58	2.83	38.10	2.88	39.55	2.94	40.37	2.96	43.19	3.04	45.37	3.09
						84	33.58	2.90	37.26	2.95	38.78	3.01	39.63	3.03	42.55	3.11	44.79	3.16
						88	33.58	2.97	36.47	3.03	38.06	3.08	38.94	3.11	41.96	3.18	44.27	3.23
						91	33.58	3.05	35.74	3.10	37.39	3.16	38.30	3.18	41.42	3.26	43.80	3.30
						95	33.58	3.12	35.06	3.18	36.77	3.23	38.00	3.25	40.93	3.33	43.38	3.38
						99	33.58	3.20	34.43	3.26	36.21	3.31	37.19	3.34	40.50	3.41	43.01	3.46
						102	33.58	3.28	33.85	3.34	35.70	3.39	36.71	3.42	40.12	3.49	42.70	3.54
						108	33.58	3.41	33.09	3.46	35.03	3.51	36.10	3.54	39.65	3.61	42.33	3.66
						111	33.58	3.49	32.64	3.55	34.65	3.60	35.75	3.62	39.41	3.70	42.14	3.74
						115	33.58	3.58	32.25	3.63	34.33	3.69	35.46	3.71	39.21	3.78	42.02	3.83

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	12	15	41	68	36.23	2.79	44.73	2.85	46.05	2.91	46.81	2.93	47.63	2.96	49.48	3.02	
					70	36.23	2.82	44.17	2.88	45.52	2.94	46.30	2.97	47.14	3.00	49.02	3.05	
					73	36.23	2.89	43.09	2.95	44.52	3.01	45.33	3.04	46.21	3.07	48.16	3.12	
					77	36.23	2.97	42.07	3.03	43.57	3.09	44.42	3.11	45.33	3.14	47.35	3.20	
					81	36.23	3.04	41.11	3.10	42.68	3.16	43.56	3.19	44.51	3.22	46.60	3.27	
					84	36.23	3.12	40.20	3.18	41.84	3.24	42.76	3.27	43.74	3.29	45.90	3.35	
					88	36.23	3.20	39.35	3.26	41.06	3.32	42.01	3.35	43.03	3.37	45.27	3.43	
					91	36.23	3.28	38.56	3.34	40.34	3.40	41.33	3.43	42.38	3.45	44.69	3.51	
					95	36.23	3.36	37.82	3.42	39.68	3.48	41.00	3.50	41.79	3.54	44.16	3.59	
					99	36.23	3.45	37.15	3.51	39.07	3.57	40.13	3.59	41.25	3.62	43.70	3.67	
					102	36.23	3.54	36.52	3.59	38.52	3.65	39.61	3.68	40.77	3.71	43.29	3.76	
					108	36.23	3.67	35.70	3.73	37.80	3.78	38.95	3.81	40.16	3.84	42.78	3.89	
					111	36.23	3.76	35.22	3.82	37.39	3.88	38.57	3.90	39.82	3.93	42.52	3.98	
					115	36.23	3.85	34.80	3.91	37.04	3.97	38.26	4.00	39.54	4.02	42.31	4.07	
7	7	12	18	44	68	38.88	2.99	48.00	3.06	49.42	3.12	50.23	3.15	51.12	3.18	53.10	3.24	
					70	38.88	3.03	47.40	3.10	48.86	3.16	49.69	3.19	50.59	3.22	52.61	3.28	
					73	38.88	3.11	46.24	3.17	47.78	3.24	48.65	3.27	49.59	3.30	51.68	3.36	
					77	38.88	3.19	45.15	3.25	46.76	3.32	47.67	3.35	48.64	3.38	50.81	3.43	
					81	38.88	3.27	44.11	3.33	45.80	3.40	46.75	3.43	47.76	3.46	50.01	3.51	
					84	38.88	3.35	43.14	3.42	44.90	3.48	45.89	3.51	46.94	3.54	49.26	3.60	
					88	38.88	3.44	42.23	3.50	44.07	3.56	45.09	3.59	46.18	3.62	48.58	3.68	
					91	38.88	3.52	41.38	3.59	43.29	3.65	44.35	3.68	45.48	3.71	47.96	3.77	
					95	38.88	3.61	40.59	3.68	42.58	3.74	44.00	3.76	44.85	3.80	47.40	3.86	
					99	38.88	3.71	39.86	3.77	41.93	3.83	43.06	3.86	44.27	3.89	46.90	3.95	
					102	38.88	3.80	39.20	3.86	41.34	3.92	42.51	3.95	43.76	3.98	46.46	4.04	
					108	38.88	3.94	38.31	4.01	40.56	4.07	41.80	4.10	43.10	4.12	45.91	4.18	
					111	38.88	4.04	37.80	4.10	40.13	4.16	41.40	4.19	42.74	4.22	45.63	4.28	
					115	38.88	4.14	37.34	4.20	39.75	4.26	41.06	4.29	42.44	4.32	45.40	4.38	
7	7	12	24	50	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	7	15	15	44	68	38.88	2.99	48.00	3.06	49.42	3.12	50.23	3.15	51.12	3.18	53.10	3.24	
					70	38.88	3.03	47.40	3.10	48.86	3.16	49.69	3.19	50.59	3.22	52.61	3.28	
					73	38.88	3.11	46.24	3.17	47.78	3.24	48.65	3.27	49.59	3.30	51.68	3.36	
					77	38.88	3.19	45.15	3.25	46.76	3.32	47.67	3.35	48.64	3.38	50.81	3.43	
					81	38.88	3.27	44.11	3.33	45.80	3.40	46.75	3.43	47.76	3.46	50.01	3.51	
					84	38.88	3.35	43.14	3.42	44.90	3.48	45.89	3.51	46.94	3.54	49.26	3.60	
					88	38.88	3.44	42.23	3.50	44.07	3.56	45.09	3.59	46.18	3.62	48.58	3.68	
					91	38.88	3.52	41.38	3.59	43.29	3.65	44.35	3.68	45.48	3.71	47.96	3.77	
					95	38.88	3.61	40.59	3.68	42.58	3.74	44.00	3.76	44.85	3.80	47.40	3.86	
					99	38.88	3.71	39.86	3.77	41.93	3.83	43.06	3.86	44.27	3.89	46.90	3.95	
					102	38.88	3.80	39.20	3.86	41.34	3.92	42.51	3.95	43.76	3.98	46.46	4.04	
					108	38.88	3.94	38.31	4.01	40.56	4.07	41.80	4.10	43.10	4.12	45.91	4.18	
					111	38.88	4.04	37.80	4.10	40.13	4.16	41.40	4.19	42.74	4.22	45.63	4.28	
					115	38.88	4.14	37.34	4.20	39.75	4.26	41.06	4.29	42.44	4.32	45.40	4.38	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	15	18	47	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39	
					70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43	
					73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51	
					77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59	
					81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67	
					84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76	
					88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85	
					91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94	
					95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03	
					99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12	
					102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22	
					108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37	
					111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47	
					115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57	
7	7	15	24	53	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	7	18	18	50	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	7	18	24	56	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	9		34	68	30.05	2.32	37.09	2.37	38.19	2.42	38.82	2.44	41.03	2.51	42.78	2.55
						70	30.05	2.35	36.63	2.40	37.75	2.45	38.40	2.47	40.65	2.54	42.43	2.58
						73	30.05	2.41	35.73	2.46	36.92	2.50	37.59	2.53	39.94	2.60	41.77	2.64
						77	30.05	2.47	34.89	2.52	36.13	2.57	36.83	2.59	39.27	2.66	41.16	2.70
						81	30.05	2.53	34.09	2.58	35.39	2.63	36.12	2.65	38.64	2.72	40.59	2.76
						84	30.05	2.59	33.34	2.64	34.70	2.69	35.46	2.72	38.07	2.78	40.08	2.83
						88	30.05	2.66	32.63	2.71	34.05	2.76	34.84	2.78	37.54	2.85	39.61	2.89
						91	30.05	2.73	31.98	2.78	33.45	2.83	34.27	2.85	37.06	2.92	39.19	2.96
						95	30.05	2.80	31.37	2.85	32.90	2.89	34.00	2.91	36.62	2.98	38.81	3.03
						99	30.05	2.87	30.80	2.92	32.40	2.96	33.28	2.99	36.24	3.05	38.48	3.10
						102	30.05	2.94	30.29	2.99	31.94	3.04	32.85	3.06	35.90	3.13	38.20	3.17
						108	30.05	3.05	29.60	3.10	31.34	3.15	32.30	3.17	35.48	3.24	37.87	3.28
						111	30.05	3.13	29.21	3.18	31.01	3.22	31.99	3.25	35.26	3.31	37.71	3.35
						115	30.05	3.20	28.86	3.25	30.72	3.30	31.73	3.32	35.08	3.39	37.59	3.43
7	9	9	12		37	68	32.70	2.52	40.36	2.57	41.56	2.62	42.24	2.65	44.65	2.72	46.55	2.77
						70	32.70	2.55	39.86	2.60	41.08	2.66	41.78	2.68	44.24	2.76	46.17	2.80
						73	32.70	2.61	38.89	2.67	40.17	2.72	40.91	2.75	43.46	2.82	45.46	2.87
						77	32.70	2.68	37.97	2.73	39.32	2.79	40.08	2.81	42.73	2.89	44.79	2.93
						81	32.70	2.75	37.10	2.80	38.51	2.85	39.31	2.88	42.05	2.95	44.18	3.00
						84	32.70	2.82	36.28	2.87	37.76	2.92	38.59	2.95	41.43	3.02	43.61	3.07
						88	32.70	2.89	35.51	2.94	37.06	3.00	37.92	3.02	40.85	3.09	43.10	3.14
						91	32.70	2.96	34.80	3.02	36.40	3.07	37.30	3.09	40.33	3.17	42.64	3.21
						95	32.70	3.04	34.13	3.09	35.80	3.14	37.00	3.16	39.86	3.24	42.24	3.29
						99	32.70	3.11	33.52	3.17	35.26	3.22	36.21	3.24	39.44	3.32	41.88	3.36
						102	32.70	3.19	32.96	3.25	34.76	3.30	35.75	3.32	39.07	3.39	41.57	3.44
						108	32.70	3.31	32.22	3.37	34.11	3.42	35.15	3.44	38.61	3.51	41.21	3.56
						111	32.70	3.40	31.78	3.45	33.74	3.50	34.81	3.52	38.37	3.59	41.04	3.64
						115	32.70	3.48	31.40	3.53	33.43	3.58	34.53	3.61	38.18	3.68	40.91	3.72
7	9	9	15		40	68	35.35	2.72	43.64	2.78	44.93	2.84	45.67	2.87	46.47	2.90	48.27	2.95
						70	35.35	2.76	43.09	2.82	44.41	2.87	45.17	2.90	45.99	2.93	47.83	2.98
						73	35.35	2.83	42.04	2.89	43.43	2.94	44.22	2.97	45.08	3.00	46.98	3.05
						77	35.35	2.90	41.04	2.96	42.51	3.02	43.33	3.04	44.22	3.07	46.19	3.12
						81	35.35	2.97	40.10	3.03	41.63	3.09	42.50	3.12	43.42	3.14	45.46	3.20
						84	35.35	3.05	39.22	3.11	40.82	3.16	41.72	3.19	42.67	3.22	44.78	3.27
						88	35.35	3.13	38.39	3.19	40.06	3.24	40.99	3.27	41.98	3.30	44.16	3.35
						91	35.35	3.21	37.62	3.26	39.36	3.32	40.32	3.35	41.35	3.37	43.60	3.43
						95	35.35	3.29	36.90	3.35	38.71	3.40	40.00	3.42	40.77	3.45	43.09	3.51
						99	35.35	3.37	36.24	3.43	38.11	3.48	39.15	3.51	40.25	3.54	42.63	3.59
						102	35.35	3.46	35.63	3.51	37.58	3.57	38.65	3.60	39.78	3.62	42.23	3.67
						108	35.35	3.59	34.83	3.64	36.88	3.70	38.00	3.72	39.18	3.75	41.74	3.80
						111	35.35	3.68	34.36	3.73	36.48	3.79	37.63	3.81	38.85	3.84	41.48	3.89
						115	35.35	3.77	33.95	3.82	36.14	3.88	37.32	3.90	38.58	3.93	41.27	3.98
7	9	9	18		43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17
						70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21
						73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28
						77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36
						81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44
						84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52
						88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60
						91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69
						95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77
						99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86
						102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95
						108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09
						111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19
						115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	24	49	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	9	12	12	40	68	35.35	2.72	43.64	2.78	44.93	2.84	45.67	2.87	48.27	2.95	50.32	3.00	
					70	35.35	2.76	43.09	2.82	44.41	2.87	45.17	2.90	47.83	2.98	49.92	3.03	
					73	35.35	2.83	42.04	2.89	43.43	2.94	44.22	2.97	46.98	3.05	49.14	3.10	
					77	35.35	2.90	41.04	2.96	42.51	3.02	43.33	3.04	46.19	3.12	48.42	3.17	
					81	35.35	2.97	40.10	3.03	41.63	3.09	42.50	3.12	45.46	3.20	47.76	3.25	
					84	35.35	3.05	39.22	3.11	40.82	3.16	41.72	3.19	44.78	3.27	47.15	3.32	
					88	35.35	3.13	38.39	3.19	40.06	3.24	40.99	3.27	44.16	3.35	46.60	3.40	
					91	35.35	3.21	37.62	3.26	39.36	3.32	40.32	3.35	43.60	3.43	46.10	3.48	
					95	35.35	3.29	36.90	3.35	38.71	3.40	40.00	3.42	43.09	3.51	45.66	3.56	
					99	35.35	3.37	36.24	3.43	38.11	3.48	39.15	3.51	42.63	3.59	45.27	3.64	
					102	35.35	3.46	35.63	3.51	37.58	3.57	38.65	3.60	42.23	3.67	44.94	3.72	
					108	35.35	3.59	34.83	3.64	36.88	3.70	38.00	3.72	41.74	3.80	44.55	3.85	
					111	35.35	3.68	34.36	3.73	36.48	3.79	37.63	3.81	41.48	3.89	44.36	3.94	
					115	35.35	3.77	33.95	3.82	36.14	3.88	37.32	3.90	41.27	3.98	44.23	4.03	
7	9	12	15	43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17	
					70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21	
					73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28	
					77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36	
					81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44	
					84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52	
					88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60	
					91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69	
					95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77	
					99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86	
					102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95	
					108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09	
					111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19	
					115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28	
7	9	12	18	46	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39	
					70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43	
					73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51	
					77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59	
					81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67	
					84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76	
					88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85	
					91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94	
					95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03	
					99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12	
					102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22	
					108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37	
					111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47	
					115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	12	24	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	9	15	15	46	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39	
					70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43	
					73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51	
					77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59	
					81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67	
					84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76	
					88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85	
					91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94	
					95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03	
					99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12	
					102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22	
					108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37	
					111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47	
					115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57	
7	9	15	18	49	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	9	15	24	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	18	18	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	12	12	12	43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17	
					70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21	
					73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28	
					77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36	
					81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44	
					84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52	
					88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60	
					91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69	
					95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77	
					99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86	
					102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95	
					108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09	
					111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19	
					115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28	
7	12	12	15	46	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39	
					70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43	
					73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51	
					77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59	
					81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67	
					84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76	
					88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85	
					91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94	
					95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03	
					99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12	
					102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22	
					108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37	
					111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47	
					115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57	
7	12	12	18	49	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	12	24	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	12	15	15	49	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	12	15	18	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	12	18	18	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	15	15	15	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	15	15	18	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	9	9	9	36	68	31.81	2.45	39.27	2.51	40.43	2.56	41.10	2.58	43.44	2.66	45.29	2.70	
					70	31.81	2.48	38.78	2.54	39.97	2.59	40.65	2.61	43.04	2.69	44.92	2.73	
					73	31.81	2.55	37.84	2.60	39.09	2.65	39.80	2.68	42.28	2.75	44.23	2.79	
					77	31.81	2.61	36.94	2.66	38.26	2.72	39.00	2.74	41.58	2.81	43.58	2.86	
					81	31.81	2.68	36.09	2.73	37.47	2.78	38.25	2.81	40.92	2.88	42.98	2.92	
					84	31.81	2.75	35.30	2.80	36.74	2.85	37.54	2.87	40.31	2.95	42.44	2.99	
					88	31.81	2.82	34.55	2.87	36.05	2.92	36.89	2.94	39.75	3.02	41.94	3.06	
					91	31.81	2.89	33.86	2.94	35.42	2.99	36.29	3.01	39.24	3.09	41.49	3.13	
					95	31.81	2.96	33.21	3.01	34.84	3.06	36.00	3.08	38.78	3.16	41.09	3.20	
					99	31.81	3.04	32.62	3.09	34.30	3.14	35.23	3.16	38.37	3.23	40.75	3.28	
					102	31.81	3.11	32.07	3.16	33.82	3.21	34.78	3.24	38.01	3.31	40.45	3.35	
					108	31.81	3.23	31.35	3.28	33.19	3.33	34.20	3.35	37.57	3.42	40.10	3.47	
					111	31.81	3.31	30.92	3.36	32.83	3.41	33.87	3.43	37.33	3.50	39.93	3.55	
					115	31.81	3.39	30.55	3.44	32.52	3.49	33.59	3.52	37.15	3.59	39.80	3.63	
9	9	9	12	39	68	34.47	2.65	42.55	2.71	43.80	2.76	44.52	2.79	47.06	2.87	49.07	2.92	
					70	34.47	2.68	42.01	2.74	43.30	2.80	44.04	2.83	46.63	2.90	48.67	2.95	
					73	34.47	2.75	40.99	2.81	42.35	2.87	43.12	2.89	45.81	2.97	47.91	3.02	
					77	34.47	2.82	40.02	2.88	41.44	2.94	42.25	2.96	45.04	3.04	47.21	3.09	
					81	34.47	2.90	39.10	2.95	40.59	3.01	41.43	3.03	44.33	3.11	46.56	3.16	
					84	34.47	2.97	38.24	3.03	39.80	3.08	40.67	3.11	43.67	3.19	45.97	3.23	
					88	34.47	3.04	37.43	3.10	39.06	3.16	39.97	3.18	43.06	3.26	45.43	3.31	
					91	34.47	3.12	36.68	3.18	38.37	3.23	39.31	3.26	42.51	3.34	44.95	3.38	
					95	34.47	3.20	35.98	3.26	37.74	3.31	39.00	3.33	42.01	3.41	44.52	3.46	
					99	34.47	3.28	35.33	3.34	37.16	3.39	38.17	3.42	41.57	3.49	44.14	3.54	
					102	34.47	3.36	34.74	3.42	36.64	3.47	37.68	3.50	41.18	3.58	43.82	3.62	
					108	34.47	3.49	33.96	3.55	35.95	3.60	37.05	3.63	40.70	3.70	43.44	3.75	
					111	34.47	3.58	33.50	3.63	35.57	3.69	36.69	3.71	40.44	3.79	43.25	3.84	
					115	34.47	3.67	33.10	3.72	35.23	3.78	36.39	3.80	40.24	3.88	43.12	3.92	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	15		42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10
						70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13
						73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20
						77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28
						81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36
						84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43
						88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51
						91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60
						95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68
						99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77
						102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86
						108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99
						111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08
						115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18
9	9	9	18		45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32
						70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36
						73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44
						77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52
						81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60
						84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68
						88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77
						91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86
						95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95
						99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04
						102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13
						108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28
						111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38
						115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48
9	9	9	24		51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	12	12		42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10
						70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13
						73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20
						77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28
						81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36
						84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43
						88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51
						91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60
						95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68
						99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77
						102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86
						108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99
						111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08
						115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	12	15	45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32	
					70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36	
					73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44	
					77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52	
					81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60	
					84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68	
					88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77	
					91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86	
					95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95	
					99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04	
					102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13	
					108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28	
					111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38	
					115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48	
9	9	12	18	48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	9	12	24	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	9	15	15	48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	15	18		51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	15	24		57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	18	18		54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	12	12	12		45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32
						70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36
						73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44
						77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52
						81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60
						84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68
						88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77
						91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86
						95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95
						99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04
						102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13
						108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28
						111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38
						115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	12	15	48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	12	12	18	51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	12	12	24	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	12	15	15	51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	15	18	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	12	18	18	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	15	15	15	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
9	15	15	18	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	12	12		48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
12	12	12	15		51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
12	12	12	18		54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
12	12	15	15		54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	15	18	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
12	15	15	15	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38	
					70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42	
					73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51	
					77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59	
					81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68	
					84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76	
					88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85	
					91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94	
					95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03	
					99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13	
					102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22	
					108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36	
					111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46	
					115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56	
7	7	7	7	35	68	30.93	2.38	38.18	2.43	39.31	2.48	39.96	2.51	40.66	2.53	42.24	2.58	
					70	30.93	2.41	37.70	2.46	38.86	2.51	39.52	2.54	40.24	2.56	41.85	2.61	
					73	30.93	2.47	36.78	2.52	38.00	2.57	38.70	2.60	39.44	2.62	41.11	2.67	
					77	30.93	2.53	35.91	2.59	37.19	2.64	37.92	2.66	38.69	2.68	40.42	2.73	
					81	30.93	2.60	35.09	2.65	36.43	2.70	37.18	2.72	37.99	2.75	39.78	2.79	
					84	30.93	2.67	34.32	2.72	35.72	2.77	36.50	2.79	37.34	2.81	39.19	2.86	
					88	30.93	2.73	33.59	2.78	35.05	2.83	35.87	2.86	36.74	2.88	38.64	2.93	
					91	30.93	2.80	32.92	2.85	34.44	2.90	35.28	2.93	36.18	2.95	38.15	3.00	
					95	30.93	2.87	32.29	2.92	33.87	2.97	35.00	2.99	35.67	3.02	37.70	3.07	
					99	30.93	2.95	31.71	3.00	33.35	3.05	34.26	3.07	35.22	3.09	37.30	3.14	
					102	30.93	3.02	31.18	3.07	32.88	3.12	33.82	3.14	34.81	3.17	36.95	3.21	
					108	30.93	3.14	30.47	3.19	32.27	3.23	33.25	3.26	34.28	3.28	36.52	3.32	
					111	30.93	3.21	30.07	3.26	31.92	3.31	32.93	3.33	33.99	3.36	36.29	3.40	
					115	30.93	3.29	29.71	3.34	31.62	3.39	32.66	3.41	33.76	3.44	36.12	3.48	
7	7	7	7	9	37	68	32.70	2.52	40.36	2.57	41.56	2.62	42.24	2.65	42.98	2.68	44.65	2.72
						70	32.70	2.55	39.86	2.60	41.08	2.66	41.78	2.68	42.54	2.71	44.24	2.76
						73	32.70	2.61	38.89	2.67	40.17	2.72	40.91	2.75	41.70	2.77	43.46	2.82
						77	32.70	2.68	37.97	2.73	39.32	2.79	40.08	2.81	40.91	2.84	42.73	2.89
						81	32.70	2.75	37.10	2.80	38.51	2.85	39.31	2.88	40.16	2.90	42.05	2.95
						84	32.70	2.82	36.28	2.87	37.76	2.92	38.59	2.95	39.47	2.97	41.43	3.02
						88	32.70	2.89	35.51	2.94	37.06	3.00	37.92	3.02	38.84	3.05	40.85	3.09
						91	32.70	2.96	34.80	3.02	36.40	3.07	37.30	3.09	38.25	3.12	40.33	3.17
						95	32.70	3.04	34.13	3.09	35.80	3.14	37.00	3.16	37.71	3.19	39.86	3.24
						99	32.70	3.11	33.52	3.17	35.26	3.22	36.21	3.24	37.23	3.27	39.44	3.32
						102	32.70	3.19	32.96	3.25	34.76	3.30	35.75	3.32	36.79	3.35	39.07	3.39
						108	32.70	3.31	32.22	3.37	34.11	3.42	35.15	3.44	36.24	3.47	38.61	3.51
						111	32.70	3.40	31.78	3.45	33.74	3.50	34.81	3.52	35.94	3.55	38.37	3.59
						115	32.70	3.48	31.40	3.53	33.43	3.58	34.53	3.61	35.68	3.63	38.18	3.68

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	7	12	40	68	35.35	2.72	43.64	2.78	44.93	2.84	45.67	2.87	46.47	2.90	48.27	2.95
						70	35.35	2.76	43.09	2.82	44.41	2.87	45.17	2.90	45.99	2.93	47.83	2.98
						73	35.35	2.83	42.04	2.89	43.43	2.94	44.22	2.97	45.08	3.00	46.98	3.05
						77	35.35	2.90	41.04	2.96	42.51	3.02	43.33	3.04	44.22	3.07	46.19	3.12
						81	35.35	2.97	40.10	3.03	41.63	3.09	42.50	3.12	43.42	3.14	45.46	3.20
						84	35.35	3.05	39.22	3.11	40.82	3.16	41.72	3.19	42.67	3.22	44.78	3.27
						88	35.35	3.13	38.39	3.19	40.06	3.24	40.99	3.27	41.98	3.30	44.16	3.35
						91	35.35	3.21	37.62	3.26	39.36	3.32	40.32	3.35	41.35	3.37	43.60	3.43
						95	35.35	3.29	36.90	3.35	38.71	3.40	40.00	3.42	40.77	3.45	43.09	3.51
						99	35.35	3.37	36.24	3.43	38.11	3.48	39.15	3.51	40.25	3.54	42.63	3.59
						102	35.35	3.46	35.63	3.51	37.58	3.57	38.65	3.60	39.78	3.62	42.23	3.67
						108	35.35	3.59	34.83	3.64	36.88	3.70	38.00	3.72	39.18	3.75	41.74	3.80
						111	35.35	3.68	34.36	3.73	36.48	3.79	37.63	3.81	38.85	3.84	41.48	3.89
						115	35.35	3.77	33.95	3.82	36.14	3.88	37.32	3.90	38.58	3.93	41.27	3.98
7	7	7	7	15	43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17
						70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21
						73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28
						77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36
						81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44
						84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52
						88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60
						91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69
						95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77
						99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86
						102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95
						108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09
						111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19
						115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28
7	7	7	7	18	46	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39
						70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43
						73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51
						77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59
						81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67
						84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76
						88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85
						91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94
						95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03
						99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12
						102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22
						108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37
						111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47
						115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57
7	7	7	7	24	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	9	9	39	68	34.47	2.65	42.55	2.71	43.80	2.76	44.52	2.79	45.31	2.82	47.06	2.87
						70	34.47	2.68	42.01	2.74	43.30	2.80	44.04	2.83	44.84	2.85	46.63	2.90
						73	34.47	2.75	40.99	2.81	42.35	2.87	43.12	2.89	43.95	2.92	45.81	2.97
						77	34.47	2.82	40.02	2.88	41.44	2.94	42.25	2.96	43.12	2.99	45.04	3.04
						81	34.47	2.90	39.10	2.95	40.59	3.01	41.43	3.03	42.34	3.06	44.33	3.11
						84	34.47	2.97	38.24	3.03	39.80	3.08	40.67	3.11	41.61	3.13	43.67	3.19
						88	34.47	3.04	37.43	3.10	39.06	3.16	39.97	3.18	40.93	3.21	43.06	3.26
						91	34.47	3.12	36.68	3.18	38.37	3.23	39.31	3.26	40.32	3.29	42.51	3.34
						95	34.47	3.20	35.98	3.26	37.74	3.31	39.00	3.33	39.75	3.36	42.01	3.41
						99	34.47	3.28	35.33	3.34	37.16	3.39	38.17	3.42	39.24	3.44	41.57	3.49
						102	34.47	3.36	34.74	3.42	36.64	3.47	37.68	3.50	38.78	3.53	41.18	3.58
						108	34.47	3.49	33.96	3.55	35.95	3.60	37.05	3.63	38.20	3.65	40.70	3.70
						111	34.47	3.58	33.50	3.63	35.57	3.69	36.69	3.71	37.88	3.74	40.44	3.79
						115	34.47	3.67	33.10	3.72	35.23	3.78	36.39	3.80	37.61	3.83	40.24	3.88
7	7	7	9	12	42	68	37.12	2.86	45.82	2.92	47.17	2.98	47.95	3.01	48.79	3.04	50.68	3.10
						70	37.12	2.89	45.25	2.96	46.63	3.02	47.43	3.05	48.29	3.07	50.22	3.13
						73	37.12	2.97	44.14	3.03	45.60	3.09	46.44	3.12	47.33	3.15	49.33	3.20
						77	37.12	3.04	43.10	3.11	44.63	3.17	45.50	3.19	46.43	3.22	48.50	3.28
						81	37.12	3.12	42.11	3.18	43.72	3.24	44.62	3.27	45.59	3.30	47.73	3.36
						84	37.12	3.20	41.18	3.26	42.86	3.32	43.80	3.35	44.81	3.38	47.02	3.43
						88	37.12	3.28	40.31	3.34	42.06	3.40	43.04	3.43	44.08	3.46	46.37	3.51
						91	37.12	3.37	39.50	3.43	41.32	3.49	42.34	3.51	43.42	3.54	45.78	3.60
						95	37.12	3.45	38.75	3.51	40.64	3.57	42.00	3.59	42.81	3.63	45.24	3.68
						99	37.12	3.54	38.05	3.60	40.02	3.66	41.11	3.69	42.26	3.71	44.76	3.77
						102	37.12	3.63	37.41	3.69	39.46	3.75	40.58	3.77	41.77	3.80	44.35	3.86
						108	37.12	3.76	36.57	3.82	38.72	3.88	39.90	3.91	41.14	3.94	43.83	3.99
						111	37.12	3.86	36.08	3.92	38.30	3.98	39.51	4.00	40.79	4.03	43.55	4.08
						115	37.12	3.95	35.65	4.01	37.94	4.07	39.19	4.10	40.51	4.13	43.34	4.18
7	7	7	9	15	45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32
						70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36
						73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44
						77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52
						81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60
						84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68
						88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77
						91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86
						95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95
						99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04
						102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13
						108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28
						111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38
						115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48
7	7	7	9	18	48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	9	24	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	7	12	12	45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32
						70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36
						73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44
						77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52
						81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60
						84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68
						88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77
						91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86
						95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95
						99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04
						102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13
						108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28
						111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38
						115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48
7	7	7	12	15	48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	7	12	18	51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	12	24	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	7	15	15	51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	7	15	18	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	7	18	18	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	9	9	41	68	36.23	2.79	44.73	2.85	46.05	2.91	46.81	2.93	47.63	2.96	49.48	3.02
						70	36.23	2.82	44.17	2.88	45.52	2.94	46.30	2.97	47.14	3.00	49.02	3.05
						73	36.23	2.89	43.09	2.95	44.52	3.01	45.33	3.04	46.21	3.07	48.16	3.12
						77	36.23	2.97	42.07	3.03	43.57	3.09	44.42	3.11	45.33	3.14	47.35	3.20
						81	36.23	3.04	41.11	3.10	42.68	3.16	43.56	3.19	44.51	3.22	46.60	3.27
						84	36.23	3.12	40.20	3.18	41.84	3.24	42.76	3.27	43.74	3.29	45.90	3.35
						88	36.23	3.20	39.35	3.26	41.06	3.32	42.01	3.35	43.03	3.37	45.27	3.43
						91	36.23	3.28	38.56	3.34	40.34	3.40	41.33	3.43	42.38	3.45	44.69	3.51
						95	36.23	3.36	37.82	3.42	39.68	3.48	41.00	3.50	41.25	3.62	43.70	3.67
						99	36.23	3.45	37.15	3.51	39.07	3.57	40.13	3.59	41.25	3.62	43.70	3.67
						102	36.23	3.54	36.52	3.59	38.52	3.65	39.61	3.68	40.77	3.71	43.29	3.76
						108	36.23	3.67	35.70	3.73	37.80	3.78	38.95	3.81	40.16	3.84	42.78	3.89
						111	36.23	3.76	35.22	3.82	37.39	3.88	38.57	3.90	39.82	3.93	42.52	3.98
						115	36.23	3.85	34.80	3.91	37.04	3.97	38.26	4.00	39.54	4.02	42.31	4.07
7	7	9	9	12	44	68	38.88	2.99	48.00	3.06	49.42	3.12	50.23	3.15	51.12	3.18	53.10	3.24
						70	38.88	3.03	47.40	3.10	48.86	3.16	49.69	3.19	50.59	3.22	52.61	3.28
						73	38.88	3.11	46.24	3.17	47.78	3.24	48.65	3.27	49.59	3.30	51.68	3.36
						77	38.88	3.19	45.15	3.25	46.76	3.32	47.67	3.35	48.64	3.38	50.81	3.43
						81	38.88	3.27	44.11	3.33	45.80	3.40	46.75	3.43	47.76	3.46	50.01	3.51
						84	38.88	3.35	43.14	3.42	44.90	3.48	45.89	3.51	46.94	3.54	49.26	3.60
						88	38.88	3.44	42.23	3.50	44.07	3.56	45.09	3.59	46.18	3.62	48.58	3.68
						91	38.88	3.52	41.38	3.59	43.29	3.65	44.35	3.68	45.48	3.71	47.96	3.77
						95	38.88	3.61	40.59	3.68	42.58	3.74	44.00	3.76	44.85	3.80	47.40	3.86
						99	38.88	3.71	39.86	3.77	41.93	3.83	43.06	3.86	44.27	3.89	46.90	3.95
						102	38.88	3.80	39.20	3.86	41.34	3.92	42.51	3.95	43.76	3.98	46.46	4.04
						108	38.88	3.94	38.31	4.01	40.56	4.07	41.80	4.10	43.10	4.12	45.91	4.18
						111	38.88	4.04	37.80	4.10	40.13	4.16	41.40	4.19	42.74	4.22	45.63	4.28
						115	38.88	4.14	37.34	4.20	39.75	4.26	41.06	4.29	42.44	4.32	45.40	4.38
7	7	9	9	15	47	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39
						70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43
						73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51
						77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59
						81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67
						84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76
						88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85
						91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94
						95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03
						99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12
						102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22
						108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37
						111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47
						115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57
7	7	9	9	18	50	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	9	24	56	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	9	12	12	47	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39
						70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43
						73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51
						77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59
						81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67
						84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76
						88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85
						91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94
						95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03
						99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12
						102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22
						108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37
						111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47
						115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57
7	7	9	12	15	50	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	9	12	18	53	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	15	15	53	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	9	15	18	56	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	12	12	12	50	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	12	12	15	53	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	12	12	18	56	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	7	12	15	15	56	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	9	9	9	43	68	38.00	2.93	46.91	2.99	48.30	3.06	49.09	3.09	49.96	3.12	51.89	3.17
						70	38.00	2.97	46.32	3.03	47.75	3.09	48.56	3.12	49.44	3.15	51.41	3.21
						73	38.00	3.04	45.19	3.11	46.69	3.17	47.54	3.20	48.46	3.23	50.51	3.28
						77	38.00	3.12	44.12	3.18	45.69	3.24	46.58	3.27	47.54	3.30	49.66	3.36
						81	38.00	3.20	43.11	3.26	44.76	3.32	45.68	3.35	46.68	3.38	48.87	3.44
						84	38.00	3.28	42.16	3.34	43.88	3.40	44.84	3.43	45.88	3.46	48.14	3.52
						88	38.00	3.36	41.27	3.43	43.06	3.49	44.06	3.52	45.13	3.55	47.48	3.60
						91	38.00	3.45	40.44	3.51	42.31	3.57	43.34	3.60	44.45	3.63	46.87	3.69
						95	38.00	3.54	39.67	3.60	41.61	3.66	43.00	3.68	43.83	3.72	46.32	3.77
						99	38.00	3.63	38.96	3.69	40.97	3.75	42.08	3.78	43.26	3.81	45.83	3.86
						102	38.00	3.72	38.31	3.78	40.40	3.84	41.54	3.87	42.76	3.90	45.40	3.95
						108	38.00	3.86	37.44	3.92	39.64	3.98	40.85	4.01	42.12	4.04	44.87	4.09
						111	38.00	3.95	36.94	4.02	39.21	4.08	40.46	4.10	41.76	4.13	44.59	4.19
						115	38.00	4.05	36.50	4.11	38.85	4.17	40.12	4.20	41.47	4.23	44.37	4.28
7	9	9	9	12	46	68	40.65	3.13	50.18	3.20	51.66	3.26	52.52	3.30	53.44	3.33	55.51	3.39
						70	40.65	3.17	49.55	3.24	51.08	3.30	51.95	3.33	52.89	3.37	55.00	3.43
						73	40.65	3.25	48.35	3.32	49.95	3.38	50.86	3.41	51.84	3.45	54.03	3.51
						77	40.65	3.33	47.20	3.40	48.88	3.47	49.83	3.50	50.86	3.53	53.12	3.59
						81	40.65	3.42	46.12	3.48	47.88	3.55	48.87	3.58	49.93	3.61	52.28	3.67
						84	40.65	3.50	45.10	3.57	46.94	3.64	47.97	3.67	49.08	3.70	51.50	3.76
						88	40.65	3.59	44.15	3.66	46.07	3.72	47.14	3.76	48.28	3.79	50.79	3.85
						91	40.65	3.68	43.26	3.75	45.26	3.82	46.37	3.85	47.55	3.88	50.14	3.94
						95	40.65	3.78	42.44	3.84	44.51	3.91	46.00	3.93	46.89	3.97	49.55	4.03
						99	40.65	3.87	41.68	3.94	43.83	4.00	45.02	4.03	46.28	4.06	49.03	4.12
						102	40.65	3.97	40.98	4.04	43.21	4.10	44.44	4.13	45.74	4.16	48.57	4.22
						108	40.65	4.12	40.05	4.19	42.41	4.25	43.70	4.28	45.06	4.31	48.00	4.37
						111	40.65	4.22	39.52	4.29	41.95	4.35	43.28	4.38	44.68	4.41	47.70	4.47
						115	40.65	4.33	39.04	4.39	41.56	4.46	42.92	4.49	44.36	4.52	47.47	4.57

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	9	15	49	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	9	9	18	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	9	12	12	49	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	9	12	15	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	12	18	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	9	15	15	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	12	12	12	52	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
7	9	12	12	15	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	12	12	12	55	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	9	9	9	45	68	39.77	3.06	49.09	3.13	50.54	3.20	51.37	3.23	52.28	3.26	54.30	3.32
						70	39.77	3.10	48.48	3.17	49.97	3.24	50.82	3.27	51.74	3.30	53.81	3.36
						73	39.77	3.18	47.29	3.25	48.86	3.31	49.75	3.35	50.71	3.38	52.86	3.44
						77	39.77	3.26	46.17	3.33	47.82	3.39	48.75	3.43	49.75	3.46	51.97	3.52
						81	39.77	3.35	45.12	3.41	46.84	3.48	47.81	3.51	48.85	3.54	51.14	3.60
						84	39.77	3.43	44.12	3.50	45.92	3.56	46.93	3.59	48.01	3.62	50.38	3.68
						88	39.77	3.52	43.19	3.59	45.07	3.65	46.11	3.68	47.23	3.71	49.68	3.77
						91	39.77	3.61	42.32	3.67	44.28	3.74	45.36	3.77	46.52	3.80	49.05	3.86
						95	39.77	3.70	41.51	3.77	43.55	3.83	45.00	3.85	45.87	3.89	48.47	3.95
						99	39.77	3.79	40.77	3.86	42.88	3.92	44.04	3.95	45.28	3.98	47.96	4.04
						102	39.77	3.89	40.09	3.95	42.28	4.02	43.48	4.05	44.75	4.08	47.51	4.13
						108	39.77	4.04	39.18	4.10	41.49	4.16	42.75	4.19	44.08	4.22	46.96	4.28
						111	39.77	4.14	38.66	4.20	41.04	4.26	42.34	4.29	43.71	4.32	46.66	4.38
						115	39.77	4.24	38.19	4.30	40.65	4.37	41.99	4.40	43.40	4.42	46.43	4.48
9	9	9	9	12	48	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	9	9	15	51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	9	18	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	9	12	12	51	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	9	12	15	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	9	12	18	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		67		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	15	15	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	12	12	12	54	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	9	12	12	15	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56
9	12	12	12	12	57	68	47.25	3.14	49.31	3.20	51.39	3.26	52.44	3.29	53.50	3.32	55.64	3.38
						70	46.81	3.18	48.86	3.24	50.95	3.30	52.00	3.33	53.06	3.36	55.21	3.42
						73	45.93	3.26	47.98	3.32	50.07	3.38	51.12	3.42	52.19	3.45	54.34	3.51
						77	45.04	3.34	47.10	3.41	49.19	3.47	50.25	3.50	51.32	3.53	53.47	3.59
						81	44.16	3.43	46.23	3.49	48.32	3.55	49.38	3.58	50.45	3.62	52.60	3.68
						84	43.28	3.51	45.35	3.58	47.45	3.64	48.51	3.67	49.58	3.70	51.74	3.76
						88	42.41	3.60	44.48	3.66	46.58	3.73	47.64	3.76	48.71	3.79	50.88	3.85
						91	41.53	3.69	43.61	3.75	45.71	3.82	46.78	3.85	47.85	3.88	50.02	3.94
						95	40.66	3.78	42.74	3.84	44.85	3.91	46.00	3.93	46.99	3.97	49.16	4.03
						99	39.79	3.87	41.87	3.93	43.99	4.00	45.06	4.03	46.13	4.06	48.31	4.13
						102	38.92	3.96	41.01	4.03	43.13	4.09	44.20	4.12	45.28	4.16	47.46	4.22
						108	37.62	4.10	39.72	4.17	41.84	4.23	42.92	4.27	44.00	4.30	46.18	4.36
						111	36.76	4.20	38.86	4.27	40.99	4.33	42.06	4.36	43.15	4.40	45.34	4.46
						115	35.90	4.30	38.00	4.36	40.14	4.43	41.21	4.46	42.30	4.49	44.49	4.56

CapacityTable

MMPD048S6M-1P

Cooling(Non Ducted)

- 1. Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- 2. Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- 3. The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- 4. Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- 5. The total combination Index of connected a indoor unit is up to 57.
- 6. At least two indoor units must be connected for operation.
- 7. Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- 8. This data is reference data for temperature capacity trend.

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9				18	5	12.48	1.76	12.09	1.78	11.74	1.81	11.58	1.82	11.18	1.84	10.96	1.86
						14	14.95	1.85	14.53	1.88	14.16	1.90	14.00	1.91	13.56	1.94	13.32	1.96
						23	17.42	1.94	16.98	1.97	16.59	2.00	16.41	2.01	15.94	2.04	15.68	2.06
						32	19.90	2.03	19.44	2.06	19.02	2.09	18.83	2.10	18.32	2.14	18.04	2.15
						36	20.89	2.07	20.42	2.10	20.00	2.13	19.80	2.14	19.28	2.17	18.99	2.19
						47	22.88	2.14	22.39	2.17	21.95	2.20	21.80	2.21	21.19	2.25	20.88	2.27
						50	24.87	2.21	24.36	2.24	23.90	2.27	23.68	2.29	23.11	2.33	22.78	2.35
						59	27.35	2.30	26.83	2.33	26.34	2.36	26.12	2.38	25.51	2.42	25.15	2.44
9	12				21	5	12.59	1.77	12.20	1.80	11.85	1.82	11.69	1.83	11.28	1.86	11.06	1.88
						14	15.09	1.87	14.67	1.89	14.29	1.92	14.12	1.93	13.68	1.96	13.44	1.98
						23	17.58	1.96	17.14	1.99	16.74	2.01	16.56	2.03	16.08	2.06	15.82	2.08
						32	20.08	2.05	19.62	2.08	19.20	2.11	19.00	2.12	18.49	2.15	18.21	2.17
						36	21.08	2.09	20.61	2.12	20.18	2.14	19.98	2.16	19.46	2.19	19.16	2.21
						47	23.09	2.16	22.59	2.19	22.15	2.22	22.00	2.23	21.39	2.27	21.07	2.29
						50	25.09	2.23	24.58	2.26	24.12	2.29	23.90	2.31	23.32	2.35	22.99	2.37
						59	27.61	2.32	27.07	2.35	26.58	2.39	26.36	2.40	25.74	2.44	25.39	2.47
9	15				24	5	14.31	1.88	13.86	1.90	13.46	1.93	13.28	1.94	12.82	1.97	12.57	1.99
						14	17.14	1.97	16.67	2.00	16.24	2.03	16.05	2.04	15.55	2.07	15.27	2.09
						23	19.98	2.07	19.48	2.10	19.03	2.13	18.82	2.14	18.28	2.18	17.98	2.20
						32	22.82	2.17	22.29	2.20	21.82	2.23	21.60	2.24	21.01	2.28	20.69	2.30
						36	23.96	2.21	23.42	2.24	22.93	2.27	22.71	2.28	22.11	2.32	21.77	2.34
						47	26.23	2.28	25.68	2.32	25.17	2.35	25.00	2.36	24.30	2.40	23.95	2.42
						50	28.52	2.36	27.94	2.40	27.41	2.43	27.16	2.44	26.50	2.48	26.12	2.51
						59	31.37	2.45	30.76	2.49	30.21	2.53	29.95	2.54	29.25	2.58	28.85	2.61
9	18				27	5	14.31	1.88	13.86	1.90	13.46	1.93	13.28	1.94	12.82	1.97	12.57	1.99
						14	17.14	1.97	16.67	2.00	16.24	2.03	16.05	2.04	15.55	2.07	15.27	2.09
						23	19.98	2.07	19.48	2.10	19.03	2.13	18.82	2.14	18.28	2.18	17.98	2.20
						32	22.82	2.17	22.29	2.20	21.82	2.23	21.60	2.24	21.01	2.28	20.69	2.30
						36	23.96	2.21	23.42	2.24	22.93	2.27	22.71	2.28	22.11	2.32	21.77	2.34
						47	26.23	2.28	25.68	2.32	25.17	2.35	25.00	2.36	24.30	2.40	23.95	2.42
						50	28.52	2.36	27.94	2.40	27.41	2.43	27.16	2.44	26.50	2.48	26.12	2.51
						59	31.37	2.45	30.76	2.49	30.21	2.53	29.95	2.54	29.25	2.58	28.85	2.61
9	24				33	5	15.34	1.96	14.86	1.98	14.43	2.01	14.24	2.02	13.74	2.05	13.48	2.07
						14	18.38	2.06	17.87	2.09	17.41	2.12	17.21	2.13	16.67	2.16	16.37	2.18
						23	21.42	2.16	20.88	2.19	20.40	2.22	20.18	2.23	19.59	2.27	19.27	2.29
						32	24.46	2.26	23.90	2.29	23.39	2.32	23.15	2.34	22.53	2.38	22.18	2.40
						36	25.68	2.30	25.11	2.33	24.58	2.37	24.34	2.38	23.70	2.42	23.34	2.44
						47	28.12	2.38	27.52	2.42	26.98	2.45	26.80	2.46	26.05	2.50	25.67	2.53
						50	30.57	2.46	29.95	2.50	29.38	2.53	29.12	2.55	28.41	2.59	28.00	2.61
						59	33.63	2.56	32.98	2.60	32.38	2.63	32.11	2.65	31.36	2.69	30.92	2.72
12	12				24	5	14.31	1.88	13.86	1.90	13.46	1.93	13.28	1.94	12.82	1.97	12.57	1.99
						14	17.14	1.97	16.67	2.00	16.24	2.03	16.05	2.04	15.55	2.07	15.27	2.09
						23	19.98	2.07	19.48	2.10	19.03	2.13	18.82	2.14	18.28	2.18	17.98	2.20
						32	22.82	2.17	22.29	2.20	21.82	2.23	21.60	2.24	21.01	2.28	20.69	2.30
						36	23.96	2.21	23.42	2.24	22.93	2.27	22.71	2.28	22.11	2.32	21.77	2.34
						47	26.23	2.28	25.68	2.32	25.17	2.35	25.00	2.36	24.30	2.40	23.95	2.42
						50	28.52	2.36	27.94	2.40	27.41	2.43	27.16	2.44	26.50	2.48	26.12	2.51
						59	31.37	2.45	30.76	2.49	30.21	2.53	29.95	2.54	29.25	2.58	28.85	2.61
12	15				27	5	14.31	1.88	13.86	1.90	13.46	1.93	13.28	1.94	12.82	1.97	12.57	1.99
						14	17.14	1.97	16.67	2.00	16.24	2.03	16.05	2.04	15.55	2.07	15.27	2.09
						23	19.98	2.07	19.48	2.10	19.03	2.13	18.82	2.14	18.28	2.18	17.98	2.20
						32	22.82	2.17	22.29	2.20	21.82	2.23	21.60	2.24	21.01	2.28	20.69	2.30
						36	23.96	2.21	23.42	2.24	22.93	2.27	22.71	2.28	22.11	2.32	21.77	2.34
						47	26.23	2.28	25.68	2.32	25.17	2.35	25.00	2.36	24.30	2.40	23.95	2.42
						50	28.52	2.36	27.94	2.40	27.41	2.43	27.16	2.44	26.50	2.48	26.12	2.51
						59	31.37	2.45	30.76	2.49	30.21	2.53	29.95	2.54	29.25	2.58	28.85	2.61
12	18				30	5	14.31	1.88	13.86	1.90	13.46	1.93	13.28	1.94	12.82	1.97	12.57	1.99
						14	17.14	1.97	16.67	2.00	16.24	2.03	16.05	2.04	15.55	2.07	15.27	2.09
						23	19.98	2.07	19.48	2.10	19.03	2.13	18.82	2.14	18.28	2.18	17.98	2.20
						32	22.82	2.17	22.29	2.20	21.82	2.23	21.60	2.24	21.01	2.28	20.69	2.30
						36	23.96	2.21	23.42	2.24	22.93	2.27	22.71	2.28	22.11	2.32	21.77	2.34
						47	26.23	2.28	25.68	2.32	25.17	2.35	25.00	2.36	24.30	2.40	23.95	2.42
						50	28.52	2.36	27.94	2.40	27.41	2.43	27.16	2.44	26.50	2.48	26.12	2.51
						59	31.37	2.45	30.76	2.49	30.21	2.53	29.95	2.54	29.25	2.58	28.85	2.61

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	24				36	5	16.37	2.03	15.86	2.06	15.40	2.08	15.20	2.10	14.67	2.13	14.38	2.15
						14	19.61	2.13	19.07	2.17	18.58	2.19	18.36	2.21	17.78	2.24	17.47	2.26
						23	22.86	2.24	22.28	2.27	21.77	2.30	21.53	2.32	20.91	2.35	20.57	2.37
						32	26.11	2.34	25.50	2.38	24.96	2.41	24.71	2.42	24.04	2.46	23.67	2.49
						36	27.41	2.38	26.79	2.42	26.23	2.45	25.98	2.47	25.29	2.51	24.91	2.53
						47	30.01	2.47	29.37	2.50	28.79	2.54	28.60	2.55	27.80	2.60	27.40	2.62
						50	32.62	2.55	31.96	2.59	31.35	2.62	31.07	2.64	30.32	2.68	29.88	2.71
						59	35.89	2.65	35.19	2.69	34.56	2.73	34.26	2.75	33.46	2.79	33.00	2.82
15	15				30	5	14.31	1.88	13.86	1.90	13.46	1.93	13.28	1.94	12.82	1.97	12.57	1.99
						14	17.14	1.97	16.67	2.00	16.24	2.03	16.05	2.04	15.55	2.07	15.27	2.09
						23	19.98	2.07	19.48	2.10	19.03	2.13	18.82	2.14	18.28	2.18	17.98	2.20
						32	22.82	2.17	22.29	2.20	21.82	2.23	21.60	2.24	21.01	2.28	20.69	2.30
						36	23.96	2.21	23.42	2.24	22.93	2.27	22.71	2.28	22.11	2.32	21.77	2.34
						47	26.23	2.28	25.68	2.32	25.17	2.35	25.00	2.36	24.30	2.40	23.95	2.42
						50	28.52	2.36	27.94	2.40	27.41	2.43	27.16	2.44	26.50	2.48	26.12	2.51
						59	31.37	2.45	30.76	2.49	30.21	2.53	29.95	2.54	29.25	2.58	28.85	2.61
15	18				33	5	15.34	1.96	14.86	1.98	14.43	2.01	14.24	2.02	13.74	2.05	13.48	2.07
						14	18.38	2.06	17.87	2.09	17.41	2.12	17.21	2.13	16.67	2.16	16.37	2.18
						23	21.42	2.16	20.88	2.19	20.40	2.22	20.18	2.23	19.59	2.27	19.27	2.29
						32	24.46	2.26	23.90	2.29	23.39	2.32	23.15	2.34	22.53	2.38	22.18	2.40
						36	25.68	2.30	25.11	2.33	24.58	2.37	24.34	2.38	23.70	2.42	23.34	2.44
						47	28.12	2.38	27.52	2.42	26.98	2.45	26.80	2.46	26.05	2.50	25.67	2.53
						50	30.57	2.46	29.95	2.50	29.38	2.53	29.12	2.55	28.41	2.59	28.00	2.61
						59	33.63	2.56	32.98	2.60	32.38	2.63	32.11	2.65	31.36	2.69	30.92	2.72
15	24				39	5	21.75	2.62	21.07	2.66	20.47	2.70	20.19	2.71	19.49	2.75	19.11	2.78
						14	26.06	2.76	25.34	2.80	24.69	2.84	24.40	2.86	23.63	2.90	23.22	2.92
						23	30.37	2.90	29.61	2.94	28.92	2.98	28.61	3.00	27.78	3.04	27.33	3.07
						32	34.69	3.03	33.88	3.08	33.16	3.12	32.83	3.14	31.94	3.19	31.45	3.22
						36	36.42	3.09	35.60	3.13	34.86	3.17	34.51	3.19	33.61	3.25	33.10	3.27
						47	39.88	3.19	39.03	3.24	38.25	3.28	38.00	3.30	36.94	3.36	36.40	3.39
						50	43.34	3.30	42.46	3.35	41.66	3.39	41.28	3.42	40.28	3.47	39.71	3.51
						59	47.68	3.43	46.76	3.48	45.92	3.53	45.52	3.55	44.46	3.61	43.85	3.65
18	18				36	5	16.37	2.03	15.86	2.06	15.40	2.08	15.20	2.10	14.67	2.13	14.38	2.15
						14	19.61	2.13	19.07	2.17	18.58	2.19	18.36	2.21	17.78	2.24	17.47	2.26
						23	22.86	2.24	22.28	2.27	21.77	2.30	21.53	2.32	20.91	2.35	20.57	2.37
						32	26.11	2.34	25.50	2.38	24.96	2.41	24.71	2.42	24.04	2.46	23.67	2.49
						36	27.41	2.38	26.79	2.42	26.23	2.45	25.98	2.47	25.29	2.51	24.91	2.53
						47	30.01	2.47	29.37	2.50	28.79	2.54	28.60	2.55	27.80	2.60	27.40	2.62
						50	32.62	2.55	31.96	2.59	31.35	2.62	31.07	2.64	30.32	2.68	29.88	2.71
						59	35.89	2.65	35.19	2.69	34.56	2.73	34.26	2.75	33.46	2.79	33.00	2.82
18	24				42	5	21.75	2.62	21.07	2.66	20.47	2.70	20.19	2.71	19.49	2.75	19.11	2.78
						14	26.06	2.76	25.34	2.80	24.69	2.84	24.40	2.86	23.63	2.90	23.22	2.92
						23	30.37	2.90	29.61	2.94	28.92	2.98	28.61	3.00	27.78	3.04	27.33	3.07
						32	34.69	3.03	33.88	3.08	33.16	3.12	32.83	3.14	31.94	3.19	31.45	3.22
						36	36.42	3.09	35.60	3.13	34.86	3.17	34.51	3.19	33.61	3.25	33.10	3.27
						47	39.88	3.19	39.03	3.24	38.25	3.28	38.00	3.30	36.94	3.36	36.40	3.39
						50	43.34	3.30	42.46	3.35	41.66	3.39	41.28	3.42	40.28	3.47	39.71	3.51
						59	47.68	3.43	46.76	3.48	45.92	3.53	45.52	3.55	44.46	3.61	43.85	3.65
9	9	9			27	5	18.72	2.22	18.13	2.25	17.61	2.28	17.38	2.29	16.77	2.33	16.45	2.35
						14	22.42	2.33	21.80	2.37	21.25	2.40	20.99	2.41	20.33	2.45	19.98	2.47
						23	26.13	2.45	25.48	2.49	24.89	2.52	24.62	2.53	23.91	2.57	23.52	2.60
						32	29.85	2.56	29.16	2.60	28.53	2.64	28.25	2.65	27.49	2.70	27.06	2.72
						36	31.34	2.61	30.63	2.65	29.99	2.68	29.70	2.70	28.92	2.74	28.48	2.77
						47	34.32	2.70	33.58	2.74	32.92	2.78	32.70	2.79	31.79	2.84	31.32	2.87
						50	37.30	2.79	36.54	2.83	35.85	2.87	35.53	2.89	34.66	2.94	34.17	2.96
						59	41.03	2.90	40.24	2.95	39.51	2.99	39.17	3.00	38.26	3.05	37.73	3.08
9	9	12			30	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)				Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
						57.2		60.8		64.4		69.98		71.6		75.2	
						TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	15		33	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
					14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
					23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
					32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
					36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
					47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
					50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
					59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
9	9	18		36	5	21.81	2.54	21.13	2.58	20.52	2.62	20.25	2.63	19.54	2.67	19.16	2.69
					14	26.13	2.68	25.40	2.72	24.75	2.75	24.46	2.77	23.69	2.81	23.28	2.84
					23	30.45	2.81	29.68	2.85	29.00	2.89	28.68	2.91	27.85	2.95	27.40	2.98
					32	34.78	2.94	33.97	2.98	33.25	3.02	32.91	3.04	32.02	3.09	31.53	3.12
					36	36.51	2.99	35.69	3.04	34.95	3.08	34.61	3.10	33.69	3.15	33.18	3.18
					47	39.98	3.10	39.13	3.14	38.36	3.19	38.10	3.20	37.04	3.26	36.49	3.29
					50	43.46	3.20	42.57	3.25	41.77	3.29	41.39	3.31	40.39	3.37	39.81	3.40
					59	47.81	3.33	46.88	3.38	46.04	3.42	45.64	3.45	44.58	3.50	43.96	3.54
9	9	24		42	5	24.73	2.89	23.96	2.94	23.27	2.97	22.95	2.99	22.15	3.04	21.73	3.06
					14	29.62	3.05	28.80	3.09	28.07	3.13	27.73	3.15	26.86	3.20	26.39	3.23
					23	34.52	3.20	33.66	3.24	32.88	3.29	32.52	3.31	31.58	3.36	31.07	3.39
					32	39.43	3.34	38.52	3.39	37.70	3.44	37.32	3.46	36.31	3.52	35.75	3.55
					36	41.40	3.40	40.47	3.45	39.63	3.50	39.24	3.52	38.20	3.58	37.63	3.61
					47	45.33	3.52	44.37	3.57	43.49	3.62	43.20	3.64	42.00	3.71	41.38	3.74
					50	49.27	3.64	48.27	3.69	47.36	3.74	46.93	3.77	45.79	3.83	45.14	3.87
					59	54.21	3.79	53.16	3.84	52.20	3.89	51.75	3.92	50.54	3.99	49.85	4.02
9	12	12		33	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
					14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
					23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
					32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
					36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
					47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
					50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
					59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
9	12	15		36	5	21.81	2.54	21.13	2.58	20.52	2.62	20.25	2.63	19.54	2.67	19.16	2.69
					14	26.13	2.68	25.40	2.72	24.75	2.75	24.46	2.77	23.69	2.81	23.28	2.84
					23	30.45	2.81	29.68	2.85	29.00	2.89	28.68	2.91	27.85	2.95	27.40	2.98
					32	34.78	2.94	33.97	2.98	33.25	3.02	32.91	3.04	32.02	3.09	31.53	3.12
					36	36.51	2.99	35.69	3.04	34.95	3.08	34.61	3.10	33.69	3.15	33.18	3.18
					47	39.98	3.10	39.13	3.14	38.36	3.19	38.10	3.20	37.04	3.26	36.49	3.29
					50	43.46	3.20	42.57	3.25	41.77	3.29	41.39	3.31	40.39	3.37	39.81	3.40
					59	47.81	3.33	46.88	3.38	46.04	3.42	45.64	3.45	44.58	3.50	43.96	3.54
9	12	18		39	5	23.07	2.70	22.35	2.74	21.70	2.78	21.41	2.80	20.66	2.84	20.27	2.86
					14	27.64	2.84	26.87	2.89	26.18	2.92	25.87	2.94	25.06	2.99	24.62	3.01
					23	32.21	2.98	31.40	3.03	30.67	3.07	30.34	3.09	29.46	3.14	28.98	3.16
					32	36.79	3.12	35.94	3.17	35.17	3.21	34.81	3.23	33.87	3.28	33.35	3.31
					36	38.62	3.18	37.75	3.23	36.97	3.27	36.60	3.29	35.64	3.34	35.10	3.37
					47	42.29	3.29	41.39	3.34	40.57	3.38	40.30	3.40	39.18	3.46	38.60	3.49
					50	45.97	3.40	45.03	3.45	44.18	3.50	43.78	3.52	42.72	3.58	42.11	3.61
					59	50.57	3.54	49.59	3.59	48.70	3.64	48.28	3.66	47.15	3.72	46.50	3.76
9	12	24		45	5	25.08	2.98	24.29	3.03	23.59	3.06	23.27	3.08	22.46	3.13	22.03	3.15
					14	30.04	3.14	29.20	3.18	28.46	3.23	28.12	3.24	27.24	3.30	26.76	3.32
					23	35.00	3.29	34.13	3.34	33.34	3.39	32.97	3.41	32.02	3.46	31.50	3.49
					32	39.98	3.45	39.06	3.50	38.22	3.54	37.84	3.57	36.82	3.62	36.25	3.66
					36	41.97	3.51	41.03	3.56	40.18	3.61	39.78	3.63	38.74	3.69	38.15	3.72
					47	45.96	3.63	44.98	3.68	44.09	3.73	43.80	3.75	42.58	3.82	41.95	3.85
					50	49.96	3.75	48.94	3.81	48.02	3.86	47.59	3.88	46.43	3.95	45.77	3.98
					59	54.96	3.90	53.90	3.96	52.93	4.01	52.47	4.04	51.25	4.11	50.54	4.15
9	15	18		42	5	24.73	2.89	23.96	2.94	23.27	2.97	22.95	2.99	22.15	3.04	21.73	3.06
					14	29.62	3.05	28.80	3.09	28.07	3.13	27.73	3.15	26.86	3.20	26.39	3.23
					23	34.52	3.20	33.66	3.24	32.88	3.29	32.52	3.31	31.58	3.36	31.07	3.39
					32	39.43	3.34	38.52	3.39	37.70	3.44	37.32	3.46	36.31	3.52	35.75	3.55
					36	41.40	3.40	40.47	3.45	39.63	3.50	39.24	3.52	38.20	3.58	37.63	3.61
					47	45.33	3.52	44.37	3.57	43.49	3.62	43.20	3.64	42.00	3.71	41.38	3.74
					50	49.27	3.64	48.27	3.69	47.36	3.74	46.93	3.77	45.79	3.83	45.14	3.87
					59	54.21	3.79	53.16	3.84	52.20	3.89	51.75	3.92	50.54	3.99	49.85	4.02

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	18	18		45	5	25.08	2.98	24.29	3.03	23.59	3.06	23.27	3.08	22.46	3.13	22.03	3.15	
					14	30.04	3.14	29.20	3.18	28.46	3.23	28.12	3.24	27.24	3.30	26.76	3.32	
					23	35.00	3.29	34.13	3.34	33.34	3.39	32.97	3.41	32.02	3.46	31.50	3.49	
					32	39.98	3.45	39.06	3.50	38.22	3.54	37.84	3.57	36.82	3.62	36.25	3.66	
					36	41.97	3.51	41.03	3.56	40.18	3.61	39.78	3.63	38.74	3.69	38.15	3.72	
					47	45.96	3.63	44.98	3.68	44.09	3.73	43.80	3.75	42.58	3.82	41.95	3.85	
					50	49.96	3.75	48.94	3.81	48.02	3.86	47.59	3.88	46.43	3.95	45.77	3.98	
					59	54.96	3.90	53.90	3.96	52.93	4.01	52.47	4.04	51.25	4.11	50.54	4.15	
12	12	12		36	5	21.81	2.54	21.13	2.58	20.52	2.62	20.25	2.63	19.54	2.67	19.16	2.69	
					14	26.13	2.68	25.40	2.72	24.75	2.75	24.46	2.77	23.69	2.81	23.28	2.84	
					23	30.45	2.81	29.68	2.85	29.00	2.89	28.68	2.91	27.85	2.95	27.40	2.98	
					32	34.78	2.94	33.97	2.98	33.25	3.02	32.91	3.04	32.02	3.09	31.53	3.12	
					36	36.51	2.99	35.69	3.04	34.95	3.08	34.61	3.10	33.69	3.15	33.18	3.18	
					47	39.98	3.10	39.13	3.14	38.36	3.19	38.10	3.20	37.04	3.26	36.49	3.29	
					50	43.46	3.20	42.57	3.25	41.77	3.29	41.39	3.31	40.39	3.37	39.81	3.40	
					59	47.81	3.33	46.88	3.38	46.04	3.42	45.64	3.45	44.58	3.50	43.96	3.54	
12	12	15		39	5	23.07	2.70	22.35	2.74	21.70	2.78	21.41	2.80	20.66	2.84	20.27	2.86	
					14	27.64	2.84	26.87	2.89	26.18	2.92	25.87	2.94	25.06	2.99	24.62	3.01	
					23	32.21	2.98	31.40	3.03	30.67	3.07	30.34	3.09	29.46	3.14	28.98	3.16	
					32	36.79	3.12	35.94	3.17	35.17	3.21	34.81	3.23	33.87	3.28	33.35	3.31	
					36	38.62	3.18	37.75	3.23	36.97	3.27	36.60	3.29	35.64	3.34	35.10	3.37	
					47	42.29	3.29	41.39	3.34	40.57	3.38	40.30	3.40	39.18	3.46	38.60	3.49	
					50	45.97	3.40	45.03	3.45	44.18	3.50	43.78	3.52	42.72	3.58	42.11	3.61	
					59	50.57	3.54	49.59	3.59	48.70	3.64	48.28	3.66	47.15	3.72	46.50	3.76	
12	12	18		42	5	24.73	2.89	23.96	2.94	23.27	2.97	22.95	2.99	22.15	3.04	21.73	3.06	
					14	29.62	3.05	28.80	3.09	28.07	3.13	27.73	3.15	26.86	3.20	26.39	3.23	
					23	34.52	3.20	33.66	3.24	32.88	3.29	32.52	3.31	31.58	3.36	31.07	3.39	
					32	39.43	3.34	38.52	3.39	37.70	3.44	37.32	3.46	36.31	3.52	35.75	3.55	
					36	41.40	3.40	40.47	3.45	39.63	3.50	39.24	3.52	38.20	3.58	37.63	3.61	
					47	45.33	3.52	44.37	3.57	43.49	3.62	43.20	3.64	42.00	3.71	41.38	3.74	
					50	49.27	3.64	48.27	3.69	47.36	3.74	46.93	3.77	45.79	3.83	45.14	3.87	
					59	54.21	3.79	53.16	3.84	52.20	3.89	51.75	3.92	50.54	3.99	49.85	4.02	
12	12	24		48	5	25.42	3.04	24.62	3.09	23.91	3.13	23.59	3.15	22.77	3.20	22.33	3.22	
					14	30.45	3.20	29.60	3.25	28.85	3.29	28.50	3.31	27.61	3.37	27.13	3.39	
					23	35.48	3.36	34.59	3.41	33.79	3.46	33.43	3.48	32.46	3.53	31.93	3.56	
					32	40.53	3.52	39.59	3.57	38.74	3.62	38.35	3.64	37.32	3.70	36.74	3.73	
					36	42.55	3.58	41.59	3.64	40.73	3.68	40.33	3.71	39.27	3.77	38.67	3.80	
					47	46.59	3.71	45.60	3.76	44.70	3.81	44.40	3.83	43.16	3.90	42.53	3.93	
					50	50.64	3.83	49.61	3.89	48.67	3.94	48.24	3.96	47.06	4.03	46.39	4.07	
					59	55.71	3.98	54.64	4.04	53.65	4.10	53.19	4.12	51.95	4.19	51.23	4.23	
12	15	18		45	5	25.08	2.98	24.29	3.03	23.59	3.06	23.27	3.08	22.98	3.10	22.46	3.13	
					14	30.04	3.14	29.20	3.18	28.46	3.23	28.12	3.24	27.80	3.26	27.24	3.30	
					23	35.00	3.29	34.13	3.34	33.34	3.39	32.97	3.41	32.63	3.42	32.02	3.46	
					32	39.98	3.45	39.06	3.50	38.22	3.54	37.84	3.57	37.47	3.59	36.82	3.62	
					36	41.97	3.51	41.03	3.56	40.18	3.61	39.78	3.63	39.41	3.65	38.74	3.69	
					47	45.96	3.63	44.98	3.68	44.09	3.73	43.80	3.75	43.29	3.78	42.58	3.82	
					50	49.96	3.75	48.94	3.81	48.02	3.86	47.59	3.88	47.18	3.90	46.43	3.95	
					59	54.96	3.90	53.90	3.96	52.93	4.01	52.47	4.04	52.04	4.06	51.25	4.11	
12	18	18		48	5	26.62	3.26	25.79	3.31	25.04	3.35	24.71	3.37	23.84	3.42	23.39	3.45	
					14	31.89	3.43	31.00	3.48	30.21	3.53	29.85	3.55	28.92	3.60	28.41	3.63	
					23	37.16	3.60	36.23	3.65	35.39	3.70	35.01	3.72	34.00	3.78	33.44	3.82	
					32	42.45	3.77	41.46	3.82	40.58	3.87	40.17	3.90	39.08	3.96	38.48	4.00	
					36	44.56	3.83	43.56	3.89	42.65	3.94	42.24	3.97	41.12	4.03	40.50	4.07	
					47	48.80	3.97	47.76	4.03	46.81	4.08	46.50	4.10	45.20	4.17	44.54	4.21	
					50	53.04	4.10	51.96	4.16	50.98	4.22	50.52	4.24	49.29	4.31	48.59	4.36	
					59	58.35	4.26	57.22	4.33	56.19	4.39	55.71	4.41	54.41	4.49	53.66	4.53	
18	18	18		54	5	26.62	3.26	25.79	3.31	25.04	3.35	24.40	3.39	23.84	3.42	23.39	3.45	
					14	31.89	3.43	31.00	3.48	30.21	3.53	29.52	3.57	28.92	3.60	28.41	3.63	
					23	37.16	3.60	36.23	3.65	35.39	3.70	34.65	3.74	34.00	3.78	33.44	3.82	
					32	42.45	3.77	41.46	3.82	40.58	3.87	39.78	3.92	39.08	3.96	38.48	4.00	
					36	44.56	3.83	43.56	3.89	42.65	3.94	41.84	3.99	41.12	4.03	40.50	4.07	
					47	49.86	4.00	48.81	4.06	47.85	4.12	46.50	4.10	46.22	4.21	45.55	4.25	
					50	53.04	4.10	51.96	4.16	50.98	4.22	50.09	4.27	49.29	4.31	48.59	4.36	
					59	58.35	4.26	57.22	4.33	56.19	4.39	55.25	4.44	54.41	4.49	53.66	4.53	

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	9		36	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
9	9		12		39	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
	9	9		15	42	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
9		9	18		45	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
	9		12	12	42	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
9		9	15		45	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
	9		12	15	45	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37
						14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50
						23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62
						32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75
						36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80
						47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90
						50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00
						59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12
9		9	18		48	5	25.19	3.09	24.40	3.14	23.70	3.18	23.38	3.20	22.56	3.25	22.13	3.27
						14	30.17	3.25	29.34	3.30	28.59	3.35	28.25	3.37	27.36	3.42	26.88	3.45
						23	35.16	3.42	34.28	3.47	33.49	3.51	33.12	3.53	32.17	3.59	31.64	3.62
						32	40.16	3.57	39.23	3.63	38.39	3.68	38.01	3.70	36.98	3.76	36.41	3.79
						36	42.17	3.64	41.22	3.69	40.36	3.74	39.96	3.76	38.91	3.83	38.32	3.86
						47	46.17	3.76	45.19	3.82	44.29	3.87	44.00	3.89	42.77	3.96	42.15	4.00
						50	50.19	3.89	49.17	3.95	48.23	4.00	47.80	4.03	46.64	4.09	45.98	4.13
						59	55.21	4.05	54.14	4.11	53.17	4.16	52.71	4.19	51.48	4.26	50.77	4.30
9	9	18	18		54	5	26.05	3.13	25.23	3.18	24.51	3.22	24.18	3.24	23.33	3.29	22.88	3.31
						14	31.20	3.30	30.34	3.35	29.56	3.39	29.21	3.41	28.29	3.46	27.80	3.49
						23	36.36	3.46	35.45	3.51	34.63	3.56	34.25	3.58	33.26	3.63	32.72	3.67
						32	41.53	3.62	40.57	3.67	39.70	3.72	39.30	3.75	38.24	3.81	37.65	3.84
						36	43.60	3.68	42.62	3.74	41.74	3.79	41.33	3.81	40.24	3.87	39.63	3.91
						47	47.75	3.81	46.73	3.87	45.80	3.92	45.50	3.94	44.23	4.01	43.58	4.05
						50	51.90	3.94	50.84	4.00	49.88	4.05	49.43	4.08	48.23	4.15	47.54	4.19
						59	57.09	4.10	55.99	4.16	54.98	4.22	54.51	4.24	53.24	4.31	52.50	4.36

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	12	12	45	5	19.81	2.24	19.19	2.28	18.63	2.30	18.39	2.32	17.74	2.35	17.40	2.37	
					14	23.73	2.36	23.07	2.39	22.48	2.43	22.21	2.44	21.52	2.48	21.14	2.50	
					23	27.65	2.48	26.96	2.51	26.33	2.55	26.05	2.56	25.30	2.60	24.88	2.62	
					32	31.58	2.59	30.85	2.63	30.19	2.66	29.89	2.68	29.08	2.72	28.63	2.75	
					36	33.16	2.64	32.41	2.68	31.74	2.71	31.43	2.73	30.60	2.77	30.14	2.80	
					47	36.31	2.73	35.54	2.77	34.83	2.81	34.60	2.82	33.64	2.87	33.14	2.90	
					50	39.47	2.82	38.66	2.86	37.93	2.90	37.59	2.92	36.68	2.97	36.15	3.00	
					59	43.42	2.93	42.58	2.98	41.81	3.02	41.45	3.04	40.48	3.09	39.92	3.12	
9	12	12	15	48	5	25.19	3.09	24.40	3.14	23.70	3.18	23.38	3.20	22.56	3.25	22.13	3.27	
					14	30.17	3.25	29.34	3.30	28.59	3.35	28.25	3.37	27.36	3.42	26.88	3.45	
					23	35.16	3.42	34.28	3.47	33.49	3.51	33.12	3.53	32.17	3.59	31.64	3.62	
					32	40.16	3.57	39.23	3.63	38.39	3.68	38.01	3.70	36.98	3.76	36.41	3.79	
					36	42.17	3.64	41.22	3.69	40.36	3.74	39.96	3.76	38.91	3.83	38.32	3.86	
					47	46.17	3.76	45.19	3.82	44.29	3.87	44.00	3.89	42.77	3.96	42.15	4.00	
					50	50.19	3.89	49.17	3.95	48.23	4.00	47.80	4.03	46.64	4.09	45.98	4.13	
					59	55.21	4.05	54.14	4.11	53.17	4.16	52.71	4.19	51.48	4.26	50.77	4.30	
9	12	12	18	51	5	26.05	3.13	25.23	3.18	24.51	3.22	24.18	3.24	23.33	3.29	22.88	3.31	
					14	31.20	3.30	30.34	3.35	29.56	3.39	29.21	3.41	28.29	3.46	27.80	3.49	
					23	36.36	3.46	35.45	3.51	34.63	3.56	34.25	3.58	33.26	3.63	32.72	3.67	
					32	41.53	3.62	40.57	3.67	39.70	3.72	39.30	3.75	38.24	3.81	37.65	3.84	
					36	43.60	3.68	42.62	3.74	41.74	3.79	41.33	3.81	40.24	3.87	39.63	3.91	
					47	47.75	3.81	46.73	3.87	45.80	3.92	45.50	3.94	44.23	4.01	43.58	4.05	
					50	51.90	3.94	50.84	4.00	49.88	4.05	49.43	4.08	48.23	4.15	47.54	4.19	
					59	57.09	4.10	55.99	4.16	54.98	4.22	54.51	4.24	53.24	4.31	52.50	4.36	
9	12	18	18	57	5	26.05	3.13	25.23	3.18	24.51	3.22	24.18	3.24	23.33	3.29	22.88	3.31	
					14	31.20	3.30	30.34	3.35	29.56	3.39	29.21	3.41	28.29	3.46	27.80	3.49	
					23	36.36	3.46	35.45	3.51	34.63	3.56	34.25	3.58	33.26	3.63	32.72	3.67	
					32	41.53	3.62	40.57	3.67	39.70	3.72	39.30	3.75	38.24	3.81	37.65	3.84	
					36	43.60	3.68	42.62	3.74	41.74	3.79	41.33	3.81	40.24	3.87	39.63	3.91	
					47	47.75	3.81	46.73	3.87	45.80	3.92	45.50	3.94	44.23	4.01	43.58	4.05	
					50	51.90	3.94	50.84	4.00	49.88	4.05	49.43	4.08	48.23	4.15	47.54	4.19	
					59	57.09	4.10	55.99	4.16	54.98	4.22	54.51	4.24	53.24	4.31	52.50	4.36	
12	12	12	12	48	5	25.19	3.09	24.40	3.14	23.70	3.18	23.38	3.20	22.56	3.25	22.13	3.27	
					14	30.17	3.25	29.34	3.30	28.59	3.35	28.25	3.37	27.36	3.42	26.88	3.45	
					23	35.16	3.42	34.28	3.47	33.49	3.51	33.12	3.53	32.17	3.59	31.64	3.62	
					32	40.16	3.57	39.23	3.63	38.39	3.68	38.01	3.70	36.98	3.76	36.41	3.79	
					36	42.17	3.64	41.22	3.69	40.36	3.74	39.96	3.76	38.91	3.83	38.32	3.86	
					47	46.17	3.76	45.19	3.82	44.29	3.87	44.00	3.89	42.77	3.96	42.15	4.00	
					50	50.19	3.89	49.17	3.95	48.23	4.00	47.80	4.03	46.64	4.09	45.98	4.13	
					59	55.21	4.05	54.14	4.11	53.17	4.16	52.71	4.19	51.48	4.26	50.77	4.30	
12	12	12	18	54	5	26.05	3.13	25.23	3.18	24.51	3.22	24.18	3.24	23.33	3.29	22.88	3.31	
					14	31.20	3.30	30.34	3.35	29.56	3.39	29.21	3.41	28.29	3.46	27.80	3.49	
					23	36.36	3.46	35.45	3.51	34.63	3.56	34.25	3.58	33.26	3.63	32.72	3.67	
					32	41.53	3.62	40.57	3.67	39.70	3.72	39.30	3.75	38.24	3.81	37.65	3.84	
					36	43.60	3.68	42.62	3.74	41.74	3.79	41.33	3.81	40.24	3.87	39.63	3.91	
					47	47.75	3.81	46.73	3.87	45.80	3.92	45.50	3.94	44.23	4.01	43.58	4.05	
					50	51.90	3.94	50.84	4.00	49.88	4.05	49.43	4.08	48.23	4.15	47.54	4.19	
					59	57.09	4.10	55.99	4.16	54.98	4.22	54.51	4.24	53.24	4.31	52.50	4.36	
9	9	9	9	9	45	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30
9	9	9	9	12	48	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30

CapacityTable

MMPD048S6M-1P

Heating(Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	9	18	54	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30
9	9	9	12	12	51	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30
9	9	9	12	18	57	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30
9	9	12	12	12	54	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30
9	12	12	12	12	57	5	26.62	3.09	25.79	3.14	25.04	3.18	24.71	3.20	23.84	3.25	23.39	3.27
						14	31.89	3.25	31.00	3.30	30.21	3.35	29.85	3.37	28.92	3.42	28.41	3.45
						23	37.16	3.42	36.23	3.47	35.39	3.51	35.01	3.53	34.00	3.59	33.44	3.62
						32	42.45	3.57	41.46	3.63	40.58	3.68	40.17	3.70	39.08	3.76	38.48	3.79
						36	44.56	3.64	43.56	3.69	42.65	3.74	42.24	3.76	41.12	3.83	40.50	3.86
						47	48.80	3.76	47.76	3.82	46.81	3.87	46.50	3.89	45.20	3.96	44.54	4.00
						50	53.04	3.89	51.96	3.95	50.98	4.00	50.52	4.03	49.29	4.09	48.59	4.13
						59	58.35	4.05	57.22	4.11	56.19	4.16	55.71	4.19	54.41	4.26	53.66	4.30

1. Cooling capacity is based on 80°FDB(26.7°CDB) / 80°FDB(19.4°CWB) (indoor temperature), 95°FDB(35°CDB) (outdoor temperature).

2. Heating capacity is based on 70°FDB(21.1°CDB) (indoor temperature), 47°FDB(8.33°CDB) / 43°FDB(6.11°CWB) (outdoor temperature).

3. The above is the value for connecting with the following indoor units.

- Ducted Type

4. Capacities are based on the following conditions:

- Corresponding refrigerant piping length : 24.6ft(7.5m) / - Level difference : 0m

5. The total combination Index of connected a indoor unit is up to 57.

6. At least two indoor units must be connected for operation.

7. If MDDD***M6-1P or MMD***M6-1P is included in the combination, the combination criteria noted must be followed.

8. This data is reference data for temperature capacity trend.

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7				14	5	8.59	1.00	8.32	1.02	8.08	1.03	7.97	1.04	7.69	1.05	7.54	1.06
						14	10.29	1.05	10.00	1.07	9.75	1.08	9.63	1.09	9.33	1.11	9.16	1.12
						23	11.99	1.11	11.69	1.12	11.42	1.14	11.29	1.14	10.97	1.16	10.79	1.17
						32	13.69	1.16	13.38	1.18	13.09	1.19	12.96	1.20	12.61	1.22	12.41	1.23
						36	14.37	1.18	14.05	1.20	13.76	1.21	13.62	1.22	13.27	1.24	13.06	1.25
						47	15.74	1.22	15.41	1.24	15.10	1.25	15.00	1.26	14.58	1.28	14.37	1.29
						50	17.11	1.26	16.76	1.28	16.44	1.30	16.30	1.30	15.90	1.33	15.67	1.34
						59	18.82	1.31	18.46	1.33	18.13	1.35	17.97	1.36	17.55	1.38	17.31	1.39
7	9				16	5	10.53	1.22	10.20	1.23	9.91	1.25	9.78	1.26	9.44	1.28	9.25	1.29
						14	12.62	1.28	12.27	1.30	11.96	1.32	11.81	1.32	11.44	1.34	11.24	1.36
						23	14.70	1.34	14.34	1.36	14.00	1.38	13.85	1.39	13.45	1.41	13.23	1.42
						32	16.80	1.41	16.41	1.43	16.06	1.45	15.89	1.45	15.47	1.48	15.23	1.49
						36	17.63	1.43	17.24	1.45	16.88	1.47	16.71	1.48	16.27	1.50	16.03	1.52
						47	19.31	1.48	18.90	1.50	18.52	1.52	18.40	1.53	17.89	1.56	17.62	1.57
						50	20.99	1.53	20.56	1.55	20.17	1.57	19.99	1.58	19.50	1.61	19.23	1.63
						59	23.09	1.59	22.64	1.62	22.23	1.64	22.04	1.65	21.53	1.68	21.23	1.69
7	12				19	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
7	15				22	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
7	18				25	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
7	24				31	5	16.37	1.80	15.86	1.82	15.40	1.85	15.20	1.86	14.67	1.89	14.38	1.90
						14	19.61	1.89	19.07	1.92	18.58	1.94	18.36	1.96	17.78	1.99	17.47	2.00
						23	22.86	1.98	22.28	2.01	21.77	2.04	21.53	2.05	20.91	2.08	20.57	2.10
						32	26.11	2.08	25.50	2.11	24.96	2.14	24.71	2.15	24.04	2.18	23.67	2.20
						36	27.41	2.11	26.79	2.15	26.23	2.17	25.98	2.19	25.29	2.22	24.91	2.24
						47	30.01	2.19	29.37	2.22	28.79	2.25	28.60	2.26	27.80	2.30	27.40	2.32
						50	32.62	2.26	31.96	2.29	31.35	2.32	31.07	2.34	30.32	2.38	29.88	2.40
						59	35.89	2.35	35.19	2.39	34.56	2.42	34.26	2.43	33.46	2.47	33.00	2.50
9	9				18	5	12.48	1.36	12.09	1.38	11.74	1.40	11.58	1.41	11.18	1.43	10.96	1.44
						14	14.95	1.43	14.53	1.45	14.16	1.47	14.00	1.48	13.56	1.50	13.32	1.52
						23	17.42	1.50	16.98	1.52	16.59	1.54	16.41	1.55	15.94	1.58	15.68	1.59
						32	19.90	1.57	19.44	1.59	19.02	1.62	18.83	1.63	18.32	1.65	18.04	1.67
						36	20.89	1.60	20.42	1.62	20.00	1.64	19.80	1.65	19.28	1.68	18.99	1.70
						47	22.88	1.65	22.39	1.68	21.95	1.70	21.80	1.71	21.19	1.74	20.88	1.76
						50	24.87	1.71	24.36	1.74	23.90	1.76	23.68	1.77	23.11	1.80	22.78	1.82
						59	27.35	1.78	26.83	1.81	26.34	1.83	26.12	1.84	25.51	1.87	25.15	1.89
9	12				21	5	14.26	1.48	13.81	1.50	13.41	1.52	13.23	1.53	12.77	1.55	12.52	1.56
						14	17.07	1.56	16.60	1.58	16.18	1.60	15.99	1.61	15.48	1.63	15.21	1.65
						23	19.90	1.63	19.40	1.66	18.95	1.68	18.75	1.69	18.20	1.72	17.91	1.73
						32	22.73	1.71	22.20	1.73	21.73	1.76	21.51	1.77	20.93	1.80	20.61	1.81
						36	23.86	1.74	23.33	1.77	22.84	1.79	22.62	1.80	22.02	1.83	21.69	1.85
						47	26.13	1.80	25.57	1.83	25.07	1.85	24.90	1.86	24.21	1.89	23.85	1.91
						50	28.40	1.86	27.82	1.89	27.30	1.91	27.05	1.93	26.39	1.96	26.02	1.98
						59	31.24	1.93	30.64	1.96	30.09	1.99	29.83	2.00	29.13	2.04	28.73	2.06

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	15				24	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
9	18				27	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
9	24				33	5	16.37	1.80	15.86	1.82	15.40	1.85	15.20	1.86	14.67	1.89	14.38	1.90
						14	19.61	1.89	19.07	1.92	18.58	1.94	18.36	1.96	17.78	1.99	17.47	2.00
						23	22.86	1.98	22.28	2.01	21.77	2.04	21.53	2.05	20.91	2.08	20.57	2.10
						32	26.11	2.08	25.50	2.11	24.96	2.14	24.71	2.15	24.04	2.18	23.67	2.20
						36	27.41	2.11	26.79	2.15	26.23	2.17	25.98	2.19	25.29	2.22	24.91	2.24
						47	30.01	2.19	29.37	2.22	28.79	2.25	28.60	2.26	27.80	2.30	27.40	2.32
						50	32.62	2.26	31.96	2.29	31.35	2.32	31.07	2.34	30.32	2.38	29.88	2.40
						59	35.89	2.35	35.19	2.39	34.56	2.42	34.26	2.43	33.46	2.47	33.00	2.50
12	12				24	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
12	15				27	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
12	18				30	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08
12	24				36	5	16.37	1.80	15.86	1.82	15.40	1.85	15.20	1.86	14.67	1.89	14.38	1.90
						14	19.61	1.89	19.07	1.92	18.58	1.94	18.36	1.96	17.78	1.99	17.47	2.00
						23	22.86	1.98	22.28	2.01	21.77	2.04	21.53	2.05	20.91	2.08	20.57	2.10
						32	26.11	2.08	25.50	2.11	24.96	2.14	24.71	2.15	24.04	2.18	23.67	2.20
						36	27.41	2.11	26.79	2.15	26.23	2.17	25.98	2.19	25.29	2.22	24.91	2.24
						47	30.01	2.19	29.37	2.22	28.79	2.25	28.60	2.26	27.80	2.30	27.40	2.32
						50	32.62	2.26	31.96	2.29	31.35	2.32	31.07	2.34	30.32	2.38	29.88	2.40
						59	35.89	2.35	35.19	2.39	34.56	2.42	34.26	2.43	33.46	2.47	33.00	2.50
15	15				30	5	14.31	1.49	13.86	1.52	13.46	1.54	13.28	1.55	12.82	1.57	12.57	1.58
						14	17.14	1.57	16.67	1.60	16.24	1.62	16.05	1.63	15.55	1.65	15.27	1.67
						23	19.98	1.65	19.48	1.67	19.03	1.70	18.82	1.71	18.28	1.73	17.98	1.75
						32	22.82	1.73	22.29	1.75	21.82	1.78	21.60	1.79	21.01	1.82	20.69	1.83
						36	23.96	1.76	23.42	1.78	22.93	1.81	22.71	1.82	22.11	1.85	21.77	1.87
						47	26.23	1.82	25.68	1.85	25.17	1.87	25.00	1.88	24.30	1.91	23.95	1.93
						50	28.52	1.88	27.94	1.91	27.41	1.93	27.16	1.95	26.50	1.98	26.12	2.00
						59	31.37	1.96	30.76	1.98	30.21	2.01	29.95	2.02	29.25	2.06	28.85	2.08

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
15	18				33	5	16.37	1.80	15.86	1.82	15.40	1.85	15.20	1.86	14.67	1.89	14.38	1.90
						14	19.61	1.89	19.07	1.92	18.58	1.94	18.36	1.96	17.78	1.99	17.47	2.00
						23	22.86	1.98	22.28	2.01	21.77	2.04	21.53	2.05	20.91	2.08	20.57	2.10
						32	26.11	2.08	25.50	2.11	24.96	2.14	24.71	2.15	24.04	2.18	23.67	2.20
						36	27.41	2.11	26.79	2.15	26.23	2.17	25.98	2.19	25.29	2.22	24.91	2.24
						47	30.01	2.19	29.37	2.22	28.79	2.25	28.60	2.26	27.80	2.30	27.40	2.32
						50	32.62	2.26	31.96	2.29	31.35	2.32	31.07	2.34	30.32	2.38	29.88	2.40
						59	35.89	2.35	35.19	2.39	34.56	2.42	34.26	2.43	33.46	2.47	33.00	2.50
15	24				39	5	16.37	1.80	15.86	1.82	15.40	1.85	15.20	1.86	14.67	1.89	14.38	1.90
						14	19.61	1.89	19.07	1.92	18.58	1.94	18.36	1.96	17.78	1.99	17.47	2.00
						23	22.86	1.98	22.28	2.01	21.77	2.04	21.53	2.05	20.91	2.08	20.57	2.10
						32	26.11	2.08	25.50	2.11	24.96	2.14	24.71	2.15	24.04	2.18	23.67	2.20
						36	27.41	2.11	26.79	2.15	26.23	2.17	25.98	2.19	25.29	2.22	24.91	2.24
						47	30.01	2.19	29.37	2.22	28.79	2.25	28.60	2.26	27.80	2.30	27.40	2.32
						50	32.62	2.26	31.96	2.29	31.35	2.32	31.07	2.34	30.32	2.38	29.88	2.40
						59	35.89	2.35	35.19	2.39	34.56	2.42	34.26	2.43	33.46	2.47	33.00	2.50
18	18				36	5	16.37	1.80	15.86	1.82	15.40	1.85	15.20	1.86	14.67	1.89	14.38	1.90
						14	19.61	1.89	19.07	1.92	18.58	1.94	18.36	1.96	17.78	1.99	17.47	2.00
						23	22.86	1.98	22.28	2.01	21.77	2.04	21.53	2.05	20.91	2.08	20.57	2.10
						32	26.11	2.08	25.50	2.11	24.96	2.14	24.71	2.15	24.04	2.18	23.67	2.20
						36	27.41	2.11	26.79	2.15	26.23	2.17	25.98	2.19	25.29	2.22	24.91	2.24
						47	30.01	2.19	29.37	2.22	28.79	2.25	28.60	2.26	27.80	2.30	27.40	2.32
						50	32.62	2.26	31.96	2.29	31.35	2.32	31.07	2.34	30.32	2.38	29.88	2.40
						59	35.89	2.35	35.19	2.39	34.56	2.42	34.26	2.43	33.46	2.47	33.00	2.50
18	24				42	5	20.95	2.31	20.30	2.34	19.71	2.37	19.45	2.38	18.77	2.42	18.41	2.44
						14	25.10	2.43	24.40	2.46	23.78	2.49	23.50	2.51	22.76	2.55	22.36	2.57
						23	29.25	2.55	28.52	2.58	27.86	2.62	27.55	2.63	26.76	2.68	26.32	2.70
						32	33.41	2.66	32.64	2.70	31.94	2.74	31.62	2.76	30.76	2.80	30.29	2.83
						36	35.07	2.71	34.29	2.75	33.57	2.79	33.24	2.81	32.37	2.85	31.88	2.88
						47	38.41	2.81	37.59	2.85	36.85	2.89	36.60	2.90	35.58	2.95	35.06	2.98
						50	41.75	2.90	40.90	2.94	40.12	2.98	39.76	3.00	38.80	3.05	38.24	3.08
						59	45.93	3.02	45.04	3.06	44.23	3.10	43.85	3.12	42.82	3.18	42.23	3.21
24	24				48	5	20.95	2.31	20.30	2.34	19.71	2.37	19.45	2.38	18.77	2.42	18.41	2.44
						14	25.10	2.43	24.40	2.46	23.78	2.49	23.50	2.51	22.76	2.55	22.36	2.57
						23	29.25	2.55	28.52	2.58	27.86	2.62	27.55	2.63	26.76	2.68	26.32	2.70
						32	33.41	2.66	32.64	2.70	31.94	2.74	31.62	2.76	30.76	2.80	30.29	2.83
						36	35.07	2.71	34.29	2.75	33.57	2.79	33.24	2.81	32.37	2.85	31.88	2.88
						47	38.41	2.81	37.59	2.85	36.85	2.89	36.60	2.90	35.58	2.95	35.06	2.98
						50	41.75	2.90	40.90	2.94	40.12	2.98	39.76	3.00	38.80	3.05	38.24	3.08
						59	45.93	3.02	45.04	3.06	44.23	3.10	43.85	3.12	42.82	3.18	42.23	3.21
7	7	7			21	5	12.59	1.11	12.20	1.12	11.85	1.14	11.69	1.14	11.28	1.16	11.06	1.17
						14	15.09	1.16	14.67	1.18	14.29	1.20	14.12	1.20	13.68	1.22	13.44	1.23
						23	17.58	1.22	17.14	1.24	16.74	1.25	16.56	1.26	16.08	1.28	15.82	1.29
						32	20.08	1.28	19.62	1.30	19.20	1.31	19.00	1.32	18.49	1.34	18.21	1.35
						36	21.08	1.30	20.61	1.32	20.18	1.34	19.98	1.35	19.46	1.37	19.16	1.38
						47	23.09	1.35	22.59	1.37	22.15	1.38	22.00	1.39	21.39	1.41	21.07	1.43
						50	25.09	1.39	24.58	1.41	24.12	1.43	23.90	1.44	23.32	1.46	22.99	1.48
						59	27.61	1.45	27.07	1.47	26.58	1.49	26.36	1.50	25.74	1.52	25.39	1.54
7	7	9			23	5	14.31	1.24	13.86	1.26	13.46	1.27	13.28	1.28	12.82	1.30	12.57	1.31
						14	17.14	1.31	16.67	1.32	16.24	1.34	16.05	1.35	15.55	1.37	15.27	1.38
						23	19.98	1.37	19.48	1.39	19.03	1.41	18.82	1.42	18.28	1.44	17.98	1.45
						32	22.82	1.43	22.29	1.45	21.82	1.47	21.60	1.48	21.01	1.51	20.69	1.52
						36	23.96	1.46	23.42	1.48	22.93	1.50	22.71	1.51	22.11	1.53	21.77	1.55
						47	26.23	1.51	25.68	1.53	25.17	1.55	25.00	1.56	24.30	1.59	23.95	1.60
						50	28.52	1.56	27.94	1.58	27.41	1.60	27.16	1.61	26.50	1.64	26.12	1.66
						59	31.37	1.62	30.76	1.65	30.21	1.67	29.95	1.68	29.25	1.71	28.85	1.72
7	7	12			26	5	15.46	1.43	14.97	1.45	14.54	1.47	14.35	1.48	13.84	1.50	13.58	1.51
						14	18.52	1.51	18.00	1.53	17.54	1.55	17.33	1.56	16.79	1.58	16.50	1.59
						23	21.58	1.58	21.04	1.60	20.55	1.62	20.33	1.63	19.74	1.66	19.42	1.68
						32	24.65	1.65	24.08	1.68	23.56	1.70	23.32	1.71	22.69	1.74	22.34	1.75
						36	25.87	1.68	25.29	1.71	24.77	1.73	24.52	1.74	23.88	1.77	23.52	1.79
						47	28.33	1.74	27.73	1.77	27.18	1.79	27.00	1.80	26.25	1.83	25.86	1.85
						50	30.80	1.80	30.17	1.83	29.60	1.85	29.33	1.86	28.62	1.89	28.21	1.91
						59	33.88	1.87	33.23	1.90	32.63	1.93	32.35	1.94	31.59	1.97	31.15	1.99

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	15		29	5	16.37	1.75	15.86	1.77	15.40	1.80	15.20	1.81	14.67	1.84	14.38	1.85	
					14	19.61	1.84	19.07	1.87	18.58	1.89	18.36	1.90	17.78	1.93	17.47	1.95	
					23	22.86	1.93	22.28	1.96	21.77	1.99	21.53	2.00	20.91	2.03	20.57	2.05	
					32	26.11	2.02	25.50	2.05	24.96	2.08	24.71	2.09	24.04	2.13	23.67	2.14	
					36	27.41	2.06	26.79	2.09	26.23	2.12	25.98	2.13	25.29	2.16	24.91	2.18	
					47	30.01	2.13	29.37	2.16	28.79	2.19	28.60	2.20	27.80	2.24	27.40	2.26	
					50	32.62	2.20	31.96	2.23	31.35	2.26	31.07	2.28	30.32	2.31	29.88	2.34	
					59	35.89	2.29	35.19	2.32	34.56	2.35	34.26	2.37	33.46	2.41	33.00	2.43	
7	7	18	32	5	19.75	2.19	19.13	2.22	18.58	2.25	18.33	2.26	17.69	2.30	17.35	2.31		
				14	23.66	2.30	23.00	2.33	22.42	2.37	22.15	2.38	21.45	2.42	21.08	2.44		
				23	27.57	2.41	26.88	2.45	26.26	2.48	25.97	2.50	25.22	2.54	24.81	2.56		
				32	31.49	2.53	30.76	2.56	30.11	2.60	29.80	2.61	29.00	2.66	28.55	2.68		
				36	33.06	2.57	32.32	2.61	31.65	2.65	31.34	2.66	30.51	2.70	30.05	2.73		
				47	36.20	2.66	35.43	2.70	34.73	2.74	34.50	2.75	33.54	2.80	33.05	2.83		
				50	39.35	2.75	38.55	2.79	37.82	2.83	37.48	2.85	36.57	2.89	36.05	2.92		
				59	43.29	2.86	42.45	2.90	41.69	2.94	41.33	2.96	40.37	3.01	39.81	3.04		
7	7	24	38	5	21.81	2.66	21.13	2.70	20.52	2.74	20.25	2.75	19.54	2.80	19.16	2.82		
				14	26.13	2.80	25.40	2.84	24.75	2.88	24.46	2.90	23.69	2.94	23.28	2.97		
				23	30.45	2.94	29.68	2.98	29.00	3.02	28.68	3.04	27.85	3.09	27.40	3.12		
				32	34.78	3.08	33.97	3.12	33.25	3.17	32.91	3.19	32.02	3.24	31.53	3.27		
				36	36.51	3.13	35.69	3.18	34.95	3.22	34.61	3.24	33.69	3.29	33.18	3.32		
				47	39.98	3.24	39.13	3.29	38.36	3.33	38.10	3.35	37.04	3.41	36.49	3.44		
				50	43.46	3.35	42.57	3.40	41.77	3.45	41.39	3.47	40.39	3.53	39.81	3.56		
				59	47.81	3.48	46.88	3.54	46.04	3.58	45.64	3.61	44.58	3.67	43.96	3.70		
7	9	9	25	5	14.31	1.24	13.86	1.26	13.46	1.27	13.28	1.28	12.82	1.30	12.57	1.31		
				14	17.14	1.31	16.67	1.32	16.24	1.34	16.05	1.35	15.55	1.37	15.27	1.38		
				23	19.98	1.37	19.48	1.39	19.03	1.41	18.82	1.42	18.28	1.44	17.98	1.45		
				32	22.82	1.43	22.29	1.45	21.82	1.47	21.60	1.48	21.01	1.51	20.69	1.52		
				36	23.96	1.46	23.42	1.48	22.93	1.50	22.71	1.51	22.11	1.53	21.77	1.55		
				47	26.23	1.51	25.68	1.53	25.17	1.55	25.00	1.56	24.30	1.59	23.95	1.60		
				50	28.52	1.56	27.94	1.58	27.41	1.60	27.16	1.61	26.50	1.64	26.12	1.66		
				59	31.37	1.62	30.76	1.65	30.21	1.67	29.95	1.68	29.25	1.71	28.85	1.72		
7	9	12	28	5	16.37	1.75	15.86	1.77	15.40	1.80	15.20	1.81	14.67	1.84	14.38	1.85		
				14	19.61	1.84	19.07	1.87	18.58	1.89	18.36	1.90	17.78	1.93	17.47	1.95		
				23	22.86	1.93	22.28	1.96	21.77	1.99	21.53	2.00	20.91	2.03	20.57	2.05		
				32	26.11	2.02	25.50	2.05	24.96	2.08	24.71	2.09	24.04	2.13	23.67	2.14		
				36	27.41	2.06	26.79	2.09	26.23	2.12	25.98	2.13	25.29	2.16	24.91	2.18		
				47	30.01	2.13	29.37	2.16	28.79	2.19	28.60	2.20	27.80	2.24	27.40	2.26		
				50	32.62	2.20	31.96	2.23	31.35	2.26	31.07	2.28	30.32	2.31	29.88	2.34		
				59	35.89	2.29	35.19	2.32	34.56	2.35	34.26	2.37	33.46	2.41	33.00	2.43		
7	9	15	31	5	16.37	1.75	15.86	1.77	15.40	1.80	15.20	1.81	14.67	1.84	14.38	1.85		
				14	19.61	1.84	19.07	1.87	18.58	1.89	18.36	1.90	17.78	1.93	17.47	1.95		
				23	22.86	1.93	22.28	1.96	21.77	1.99	21.53	2.00	20.91	2.03	20.57	2.05		
				32	26.11	2.02	25.50	2.05	24.96	2.08	24.71	2.09	24.04	2.13	23.67	2.14		
				36	27.41	2.06	26.79	2.09	26.23	2.12	25.98	2.13	25.29	2.16	24.91	2.18		
				47	30.01	2.13	29.37	2.16	28.79	2.19	28.60	2.20	27.80	2.24	27.40	2.26		
				50	32.62	2.20	31.96	2.23	31.35	2.26	31.07	2.28	30.32	2.31	29.88	2.34		
				59	35.89	2.29	35.19	2.32	34.56	2.35	34.26	2.37	33.46	2.41	33.00	2.43		
7	9	18	34	5	21.24	2.35	20.57	2.38	19.98	2.41	19.71	2.43	19.02	2.46	18.66	2.48		
				14	25.44	2.47	24.74	2.50	24.11	2.54	23.82	2.55	23.07	2.59	22.67	2.61		
				23	29.65	2.59	28.91	2.63	28.24	2.66	27.93	2.68	27.12	2.72	26.68	2.75		
				32	33.86	2.71	33.08	2.75	32.37	2.79	32.05	2.80	31.18	2.85	30.70	2.88		
				36	35.55	2.76	34.75	2.80	34.03	2.84	33.70	2.85	32.81	2.90	32.31	2.93		
				47	38.93	2.85	38.10	2.90	37.35	2.94	37.10	2.95	36.07	3.00	35.54	3.03		
				50	42.32	2.95	41.46	2.99	40.67	3.03	40.31	3.05	39.33	3.10	38.77	3.13		
				59	46.55	3.07	45.65	3.11	44.83	3.16	44.45	3.18	43.41	3.23	42.81	3.26		
7	9	24	40	5	23.13	2.66	22.40	2.70	21.76	2.74	21.47	2.75	20.72	2.80	20.32	2.82		
				14	27.70	2.80	26.94	2.84	26.25	2.88	25.94	2.90	25.12	2.94	24.68	2.97		
				23	32.29	2.94	31.48	2.98	30.75	3.02	30.41	3.04	29.54	3.09	29.05	3.12		
				32	36.88	3.08	36.02	3.12	35.25	3.17	34.90	3.19	33.96	3.24	33.43	3.27		
				36	38.72	3.13	37.85	3.18	37.06	3.22	36.69	3.24	35.73	3.29	35.19	3.32		
				47	42.40	3.24	41.49	3.29	40.67	3.33	40.40	3.35	39.27	3.41	38.70	3.44		
				50	46.08	3.35	45.14	3.40	44.29	3.45	43.89	3.47	42.82	3.53	42.21	3.56		
				59	50.69	3.48	49.71	3.54	48.82	3.58	48.40	3.61	47.27	3.67	46.62	3.70		

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	12		31	5	16.37	1.75	15.86	1.77	15.40	1.80	15.20	1.81	14.67	1.84	14.38	1.85	
					14	19.61	1.84	19.07	1.87	18.58	1.89	18.36	1.90	17.78	1.93	17.47	1.95	
					23	22.86	1.93	22.28	1.96	21.77	1.99	21.53	2.00	20.91	2.03	20.57	2.05	
					32	26.11	2.02	25.50	2.05	24.96	2.08	24.71	2.09	24.04	2.13	23.67	2.14	
					36	27.41	2.06	26.79	2.09	26.23	2.12	25.98	2.13	25.29	2.16	24.91	2.18	
					47	30.01	2.13	29.37	2.16	28.79	2.19	28.60	2.20	27.80	2.24	27.40	2.26	
					50	32.62	2.20	31.96	2.23	31.35	2.26	31.07	2.28	30.32	2.31	29.88	2.34	
					59	35.89	2.29	35.19	2.32	34.56	2.35	34.26	2.37	33.46	2.41	33.00	2.43	
7	12	15	34	5	21.24	2.35	20.57	2.38	19.98	2.41	19.71	2.43	19.02	2.46	18.66	2.48		
				14	25.44	2.47	24.74	2.50	24.11	2.54	23.82	2.55	23.07	2.59	22.67	2.61		
				23	29.65	2.59	28.91	2.63	28.24	2.66	27.93	2.68	27.12	2.72	26.68	2.75		
				32	33.86	2.71	33.08	2.75	32.37	2.79	32.05	2.80	31.18	2.85	30.70	2.88		
				36	35.55	2.76	34.75	2.80	34.03	2.84	33.70	2.85	32.81	2.90	32.31	2.93		
				47	38.93	2.85	38.10	2.90	37.35	2.94	37.10	2.95	36.07	3.00	35.54	3.03		
				50	42.32	2.95	41.46	2.99	40.67	3.03	40.31	3.05	39.33	3.10	38.77	3.13		
				59	46.55	3.07	45.65	3.11	44.83	3.16	44.45	3.18	43.41	3.23	42.81	3.26		
7	12	18	37	5	23.47	2.66	22.74	2.70	22.08	2.74	21.79	2.75	21.02	2.80	20.62	2.82		
				14	28.12	2.80	27.34	2.84	26.64	2.88	26.32	2.90	25.50	2.94	25.05	2.97		
				23	32.77	2.94	31.94	2.98	31.20	3.02	30.87	3.04	29.97	3.09	29.48	3.12		
				32	37.42	3.08	36.56	3.12	35.78	3.17	35.42	3.19	34.46	3.24	33.93	3.27		
				36	39.29	3.13	38.41	3.18	37.61	3.22	37.24	3.24	36.26	3.29	35.71	3.32		
				47	43.03	3.24	42.11	3.29	41.27	3.33	41.00	3.35	39.86	3.41	39.27	3.44		
				50	46.77	3.35	45.81	3.40	44.95	3.45	44.54	3.47	43.46	3.53	42.84	3.56		
				59	51.45	3.48	50.45	3.54	49.54	3.58	49.12	3.61	47.97	3.67	47.31	3.70		
7	12	24	43	5	23.36	2.66	22.62	2.70	21.97	2.74	21.68	2.75	20.92	2.80	20.52	2.82		
				14	27.98	2.80	27.20	2.84	26.51	2.88	26.19	2.90	25.37	2.94	24.93	2.97		
				23	32.61	2.94	31.79	2.98	31.05	3.02	30.72	3.04	29.83	3.09	29.34	3.12		
				32	37.24	3.08	36.38	3.12	35.60	3.17	35.24	3.19	34.29	3.24	33.76	3.27		
				36	39.10	3.13	38.22	3.18	37.42	3.22	37.06	3.24	36.08	3.29	35.54	3.32		
				47	42.82	3.24	41.90	3.29	41.07	3.33	40.80	3.35	39.66	3.41	39.08	3.44		
				50	46.54	3.35	45.59	3.40	44.73	3.45	44.33	3.47	43.25	3.53	42.63	3.56		
				59	51.20	3.48	50.21	3.54	49.30	3.58	48.88	3.61	47.74	3.67	47.08	3.70		
7	15	15	37	5	23.13	2.66	22.40	2.70	21.76	2.74	21.47	2.75	20.72	2.80	20.32	2.82		
				14	27.70	2.80	26.94	2.84	26.25	2.88	25.94	2.90	25.12	2.94	24.68	2.97		
				23	32.29	2.94	31.48	2.98	30.75	3.02	30.41	3.04	29.54	3.09	29.05	3.12		
				32	36.88	3.08	36.02	3.12	35.25	3.17	34.90	3.19	33.96	3.24	33.43	3.27		
				36	38.72	3.13	37.85	3.18	37.06	3.22	36.69	3.24	35.73	3.29	35.19	3.32		
				47	42.40	3.24	41.49	3.29	40.67	3.33	40.40	3.35	39.27	3.41	38.70	3.44		
				50	46.08	3.35	45.14	3.40	44.29	3.45	43.89	3.47	42.82	3.53	42.21	3.56		
				59	50.69	3.48	49.71	3.54	48.82	3.58	48.40	3.61	47.27	3.67	46.62	3.70		
7	15	18	40	5	23.24	2.66	22.51	2.70	21.87	2.74	21.57	2.75	20.82	2.80	20.42	2.82		
				14	27.84	2.80	27.07	2.84	26.38	2.88	26.07	2.90	25.25	2.94	24.80	2.97		
				23	32.45	2.94	31.63	2.98	30.90	3.02	30.56	3.04	29.68	3.09	29.20	3.12		
				32	37.06	3.08	36.20	3.12	35.43	3.17	35.07	3.19	34.13	3.24	33.60	3.27		
				36	38.91	3.13	38.03	3.18	37.24	3.22	36.88	3.24	35.91	3.29	35.36	3.32		
				47	42.61	3.24	41.70	3.29	40.87	3.33	40.60	3.35	39.47	3.41	38.89	3.44		
				50	46.31	3.35	45.37	3.40	44.51	3.45	44.11	3.47	43.04	3.53	42.42	3.56		
				59	50.95	3.48	49.96	3.54	49.06	3.58	48.64	3.61	47.50	3.67	46.85	3.70		
7	15	24	46	5	23.87	2.74	23.12	2.78	22.46	2.82	22.16	2.84	21.38	2.88	20.97	2.90		
				14	28.60	2.89	27.80	2.93	27.09	2.97	26.77	2.99	25.93	3.03	25.48	3.06		
				23	33.33	3.03	32.49	3.07	31.74	3.11	31.39	3.13	30.49	3.18	29.99	3.21		
				32	38.06	3.17	37.18	3.22	36.39	3.26	36.02	3.28	35.05	3.33	34.51	3.36		
				36	39.96	3.23	39.06	3.27	38.25	3.32	37.88	3.34	36.88	3.39	36.32	3.42		
				47	43.76	3.34	42.83	3.39	41.98	3.43	41.70	3.45	40.54	3.51	39.94	3.54		
				50	47.56	3.45	46.60	3.50	45.71	3.55	45.30	3.57	44.20	3.63	43.57	3.66		
				59	52.33	3.59	51.31	3.64	50.39	3.69	49.96	3.71	48.79	3.78	48.12	3.81		
7	18	18	43	5	23.24	2.66	22.51	2.70	21.87	2.74	21.57	2.75	20.82	2.80	20.42	2.82		
				14	27.84	2.80	27.07	2.84	26.38	2.88	26.07	2.90	25.25	2.94	24.80	2.97		
				23	32.45	2.94	31.63	2.98	30.90	3.02	30.56	3.04	29.68	3.09	29.20	3.12		
				32	37.06	3.08	36.20	3.12	35.43	3.17	35.07	3.19	34.13	3.24	33.60	3.27		
				36	38.91	3.13	38.03	3.18	37.24	3.22	36.88	3.24	35.91	3.29	35.36	3.32		
				47	42.61	3.24	41.70	3.29	40.87	3.33	40.60	3.35	39.47	3.41	38.89	3.44		
				50	46.31	3.35	45.37	3.40	44.51	3.45	44.11	3.47	43.04	3.53	42.42	3.56		
				59	50.95	3.48	49.96	3.54	49.06	3.58	48.64	3.61	47.50	3.67	46.85	3.70		

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	18	24			49	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05
						14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22
						23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38
						32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54
						36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60
						47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73
						50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86
						59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01
7	24	24			55	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05
						14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22
						23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38
						32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54
						36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60
						47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73
						50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86
						59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01
9	9	9			27	5	16.03	1.59	15.53	1.61	15.08	1.63	14.88	1.64	14.36	1.67	14.08	1.68
						14	19.20	1.67	18.67	1.70	18.19	1.72	17.98	1.73	17.41	1.76	17.11	1.77
						23	22.38	1.76	21.82	1.78	21.31	1.81	21.08	1.82	20.47	1.85	20.14	1.86
						32	25.56	1.84	24.97	1.87	24.43	1.89	24.19	1.90	23.54	1.93	23.17	1.95
						36	26.83	1.87	26.23	1.90	25.68	1.92	25.43	1.94	24.76	1.97	24.39	1.98
						47	29.38	1.94	28.76	1.96	28.19	1.99	28.00	2.00	27.22	2.04	26.82	2.05
						50	31.94	2.00	31.29	2.03	30.69	2.06	30.42	2.07	29.68	2.10	29.26	2.12
						59	35.13	2.08	34.46	2.11	33.83	2.14	33.54	2.15	32.76	2.19	32.31	2.21
9	9	12			30	5	16.37	1.75	15.86	1.77	15.40	1.80	15.20	1.81	14.67	1.84	14.38	1.85
						14	19.61	1.84	19.07	1.87	18.58	1.89	18.36	1.90	17.78	1.93	17.47	1.95
						23	22.86	1.93	22.28	1.96	21.77	1.99	21.53	2.00	20.91	2.03	20.57	2.05
						32	26.11	2.02	25.50	2.05	24.96	2.08	24.71	2.09	24.04	2.13	23.67	2.14
						36	27.41	2.06	26.79	2.09	26.23	2.12	25.98	2.13	25.29	2.16	24.91	2.18
						47	30.01	2.13	29.37	2.16	28.79	2.19	28.60	2.20	27.80	2.24	27.40	2.26
						50	32.62	2.20	31.96	2.23	31.35	2.26	31.07	2.28	30.32	2.31	29.88	2.34
						59	35.89	2.29	35.19	2.32	34.56	2.35	34.26	2.37	33.46	2.41	33.00	2.43
9	9	15			33	5	20.95	2.50	20.30	2.54	19.71	2.57	19.45	2.59	18.77	2.63	18.41	2.65
						14	25.10	2.64	24.40	2.67	23.78	2.71	23.50	2.73	22.76	2.77	22.36	2.79
						23	29.25	2.77	28.52	2.81	27.86	2.84	27.55	2.86	26.76	2.91	26.32	2.93
						32	33.41	2.89	32.64	2.94	31.94	2.98	31.62	2.99	30.76	3.04	30.29	3.07
						36	35.07	2.95	34.29	2.99	33.57	3.03	33.24	3.05	32.37	3.10	31.88	3.13
						47	38.41	3.05	37.59	3.09	36.85	3.14	36.60	3.15	35.58	3.21	35.06	3.24
						50	41.75	3.15	40.90	3.20	40.12	3.24	39.76	3.26	38.80	3.31	38.24	3.35
						59	45.93	3.28	45.04	3.33	44.23	3.37	43.85	3.39	42.82	3.45	42.23	3.48
9	9	18			36	5	22.16	2.50	21.46	2.54	20.84	2.57	20.56	2.59	19.84	2.63	19.46	2.65
						14	26.54	2.64	25.80	2.67	25.14	2.71	24.85	2.73	24.07	2.77	23.64	2.79
						23	30.93	2.77	30.15	2.81	29.45	2.84	29.13	2.86	28.29	2.91	27.83	2.93
						32	35.33	2.89	34.51	2.94	33.77	2.98	33.43	2.99	32.53	3.04	32.03	3.07
						36	37.09	2.95	36.25	2.99	35.50	3.03	35.15	3.05	34.23	3.10	33.71	3.13
						47	40.61	3.05	39.75	3.09	38.96	3.14	38.70	3.15	37.62	3.21	37.07	3.24
						50	44.14	3.15	43.24	3.20	42.42	3.24	42.04	3.26	41.02	3.31	40.44	3.35
						59	48.56	3.28	47.62	3.33	46.76	3.37	46.36	3.39	45.28	3.45	44.66	3.48
9	9	24			42	5	23.42	2.66	22.68	2.70	22.03	2.74	21.73	2.75	20.97	2.80	20.57	2.82
						14	28.05	2.80	27.27	2.84	26.57	2.88	26.26	2.90	25.43	2.94	24.99	2.97
						23	32.69	2.94	31.87	2.98	31.13	3.02	30.79	3.04	29.90	3.09	29.41	3.12
						32	37.33	3.08	36.47	3.12	35.69	3.17	35.33	3.19	34.38	3.24	33.85	3.27
						36	39.19	3.13	38.31	3.18	37.52	3.22	37.15	3.24	36.17	3.29	35.62	3.32
						47	42.92	3.24	42.01	3.29	41.17	3.33	40.90	3.35	39.76	3.41	39.18	3.44
						50	46.65	3.35	45.70	3.40	44.84	3.45	44.43	3.47	43.35	3.53	42.74	3.56
						59	51.32	3.48	50.33	3.54	49.42	3.58	49.00	3.61	47.85	3.67	47.19	3.70
9	12	12			33	5	20.95	2.50	20.30	2.54	19.71	2.57	19.45	2.59	18.77	2.63	18.41	2.65
						14	25.10	2.64	24.40	2.67	23.78	2.71	23.50	2.73	22.76	2.77	22.36	2.79
						23	29.25	2.77	28.52	2.81	27.86	2.84	27.55	2.86	26.76	2.91	26.32	2.93
						32	33.41	2.89	32.64	2.94	31.94	2.98	31.62	2.99	30.76	3.04	30.29	3.07
						36	35.07	2.95	34.29	2.99	33.57	3.03	33.24	3.05	32.37	3.10	31.88	3.13
						47	38.41	3.05	37.59	3.09	36.85	3.14	36.60	3.15	35.58	3.21	35.06	3.24
						50	41.75	3.15	40.90	3.20	40.12	3.24	39.76	3.26	38.80	3.31	38.24	3.35
						59	45.93	3.28	45.04	3.33	44.23	3.37	43.85	3.39	42.82	3.45	42.23	3.48

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	15		36	5	22.16	2.50	21.46	2.54	20.84	2.57	20.56	2.59	19.84	2.63	19.46	2.65	
					14	26.54	2.64	25.80	2.67	25.14	2.71	24.85	2.73	24.07	2.77	23.64	2.79	
					23	30.93	2.77	30.15	2.81	29.45	2.84	29.13	2.86	28.29	2.91	27.83	2.93	
					32	35.33	2.89	34.51	2.94	33.77	2.98	33.43	2.99	32.53	3.04	32.03	3.07	
					36	37.09	2.95	36.25	2.99	35.50	3.03	35.15	3.05	34.23	3.10	33.71	3.13	
					47	40.61	3.05	39.75	3.09	38.96	3.14	38.70	3.15	37.62	3.21	37.07	3.24	
					50	44.14	3.15	43.24	3.20	42.42	3.24	42.04	3.26	41.02	3.31	40.44	3.35	
					59	48.56	3.28	47.62	3.33	46.76	3.37	46.36	3.39	45.28	3.45	44.66	3.48	
9	12	18	39	5	23.07	2.66	22.35	2.70	21.70	2.74	21.41	2.75	20.66	2.80	20.27	2.82		
				14	27.64	2.80	26.87	2.84	26.18	2.88	25.87	2.90	25.06	2.94	24.62	2.97		
				23	32.21	2.94	31.40	2.98	30.67	3.02	30.34	3.04	29.46	3.09	28.98	3.12		
				32	36.79	3.08	35.94	3.12	35.17	3.17	34.81	3.19	33.87	3.24	33.35	3.27		
				36	38.62	3.13	37.75	3.18	36.97	3.22	36.60	3.24	35.64	3.29	35.10	3.32		
				47	42.29	3.24	41.39	3.29	40.57	3.33	40.30	3.35	39.18	3.41	38.60	3.44		
				50	45.97	3.35	45.03	3.40	44.18	3.45	43.78	3.47	42.72	3.53	42.11	3.56		
				59	50.57	3.48	49.59	3.54	48.70	3.58	48.28	3.61	47.15	3.67	46.50	3.70		
9	12	24	45	5	23.70	2.74	22.96	2.78	22.30	2.82	22.00	2.84	21.23	2.88	20.82	2.90		
				14	28.39	2.89	27.60	2.93	26.90	2.97	26.58	2.99	25.74	3.03	25.29	3.06		
				23	33.09	3.03	32.26	3.07	31.51	3.11	31.17	3.13	30.27	3.18	29.77	3.21		
				32	37.79	3.17	36.92	3.22	36.13	3.26	35.76	3.28	34.80	3.33	34.26	3.36		
				36	39.67	3.23	38.78	3.27	37.98	3.32	37.60	3.34	36.61	3.39	36.06	3.42		
				47	43.45	3.34	42.52	3.39	41.68	3.43	41.40	3.45	40.25	3.51	39.66	3.54		
				50	47.22	3.45	46.26	3.50	45.38	3.55	44.98	3.57	43.88	3.63	43.26	3.66		
				59	51.95	3.59	50.95	3.64	50.03	3.69	49.60	3.71	48.44	3.78	47.77	3.81		
9	15	15	39	5	23.42	2.66	22.68	2.70	22.03	2.74	21.73	2.75	20.97	2.80	20.57	2.82		
				14	28.05	2.80	27.27	2.84	26.57	2.88	26.26	2.90	25.43	2.94	24.99	2.97		
				23	32.69	2.94	31.87	2.98	31.13	3.02	30.79	3.04	29.90	3.09	29.41	3.12		
				32	37.33	3.08	36.47	3.12	35.69	3.17	35.33	3.19	34.38	3.24	33.85	3.27		
				36	39.19	3.13	38.31	3.18	37.52	3.22	37.15	3.24	36.17	3.29	35.62	3.32		
				47	42.92	3.24	42.01	3.29	41.17	3.33	40.90	3.35	39.76	3.41	39.18	3.44		
				50	46.65	3.35	45.70	3.40	44.84	3.45	44.43	3.47	43.35	3.53	42.74	3.56		
				59	51.32	3.48	50.33	3.54	49.42	3.58	49.00	3.61	47.85	3.67	47.19	3.70		
9	15	18	42	5	23.53	2.66	22.79	2.70	22.14	2.74	21.84	2.75	21.08	2.80	20.67	2.82		
				14	28.18	2.80	27.40	2.84	26.70	2.88	26.39	2.90	25.56	2.94	25.11	2.97		
				23	32.85	2.94	32.02	2.98	31.28	3.02	30.94	3.04	30.05	3.09	29.56	3.12		
				32	37.52	3.08	36.65	3.12	35.86	3.17	35.50	3.19	34.55	3.24	34.01	3.27		
				36	39.39	3.13	38.50	3.18	37.70	3.22	37.33	3.24	36.35	3.29	35.80	3.32		
				47	43.13	3.24	42.21	3.29	41.38	3.33	41.10	3.35	39.95	3.41	39.37	3.44		
				50	46.88	3.35	45.93	3.40	45.06	3.45	44.65	3.47	43.57	3.53	42.95	3.56		
				59	51.57	3.48	50.58	3.54	49.66	3.58	49.24	3.61	48.09	3.67	47.42	3.70		
9	15	24	48	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
9	18	18	45	5	23.70	2.74	22.96	2.78	22.30	2.82	22.00	2.84	21.23	2.88	20.82	2.90		
				14	28.39	2.89	27.60	2.93	26.90	2.97	26.58	2.99	25.74	3.03	25.29	3.06		
				23	33.09	3.03	32.26	3.07	31.51	3.11	31.17	3.13	30.27	3.18	29.77	3.21		
				32	37.79	3.17	36.92	3.22	36.13	3.26	35.76	3.28	34.80	3.33	34.26	3.36		
				36	39.67	3.23	38.78	3.27	37.98	3.32	37.60	3.34	36.61	3.39	36.06	3.42		
				47	43.45	3.34	42.52	3.39	41.68	3.43	41.40	3.45	40.25	3.51	39.66	3.54		
				50	47.22	3.45	46.26	3.50	45.38	3.55	44.98	3.57	43.88	3.63	43.26	3.66		
				59	51.95	3.59	50.95	3.64	50.03	3.69	49.60	3.71	48.44	3.78	47.77	3.81		
9	18	24	51	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	24	24		57	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05	
					14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22	
					23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38	
					32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54	
					36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60	
					47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73	
					50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86	
					59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01	
12	12	12		36	5	22.16	2.50	21.46	2.54	20.84	2.57	20.56	2.59	19.84	2.63	19.46	2.65	
					14	26.54	2.64	25.80	2.67	25.14	2.71	24.85	2.73	24.07	2.77	23.64	2.79	
					23	30.93	2.77	30.15	2.81	29.45	2.84	29.13	2.86	28.29	2.91	27.83	2.93	
					32	35.33	2.89	34.51	2.94	33.77	2.98	33.43	2.99	32.53	3.04	32.03	3.07	
					36	37.09	2.95	36.25	2.99	35.50	3.03	35.15	3.05	34.23	3.10	33.71	3.13	
					47	40.61	3.05	39.75	3.09	38.96	3.14	38.70	3.15	37.62	3.21	37.07	3.24	
					50	44.14	3.15	43.24	3.20	42.42	3.24	42.04	3.26	41.02	3.31	40.44	3.35	
					59	48.56	3.28	47.62	3.33	46.76	3.37	46.36	3.39	45.28	3.45	44.66	3.48	
12	12	15		39	5	23.19	2.66	22.46	2.70	21.81	2.74	21.52	2.75	20.77	2.80	20.37	2.82	
					14	27.77	2.80	27.00	2.84	26.31	2.88	26.00	2.90	25.18	2.94	24.74	2.97	
					23	32.37	2.94	31.55	2.98	30.82	3.02	30.49	3.04	29.61	3.09	29.13	3.12	
					32	36.97	3.08	36.11	3.12	35.34	3.17	34.99	3.19	34.04	3.24	33.52	3.27	
					36	38.81	3.13	37.94	3.18	37.15	3.22	36.79	3.24	35.82	3.29	35.27	3.32	
					47	42.50	3.24	41.59	3.29	40.77	3.33	40.50	3.35	39.37	3.41	38.79	3.44	
					50	46.19	3.35	45.26	3.40	44.40	3.45	44.00	3.47	42.93	3.53	42.32	3.56	
					59	50.82	3.48	49.84	3.54	48.94	3.58	48.52	3.61	47.39	3.67	46.73	3.70	
12	12	18		42	5	23.30	2.66	22.57	2.70	21.92	2.74	21.63	2.75	20.87	2.80	20.47	2.82	
					14	27.91	2.80	27.14	2.84	26.44	2.88	26.13	2.90	25.31	2.94	24.87	2.97	
					23	32.53	2.94	31.71	2.98	30.98	3.02	30.64	3.04	29.76	3.09	29.27	3.12	
					32	37.15	3.08	36.29	3.12	35.52	3.17	35.16	3.19	34.21	3.24	33.68	3.27	
					36	39.00	3.13	38.13	3.18	37.33	3.22	36.97	3.24	35.99	3.29	35.45	3.32	
					47	42.71	3.24	41.80	3.29	40.97	3.33	40.70	3.35	39.57	3.41	38.99	3.44	
					50	46.42	3.35	45.48	3.40	44.62	3.45	44.22	3.47	43.14	3.53	42.53	3.56	
					59	51.07	3.48	50.08	3.54	49.18	3.58	48.76	3.61	47.62	3.67	46.96	3.70	
12	12	24		48	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05	
					14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22	
					23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38	
					32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54	
					36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60	
					47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73	
					50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86	
					59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01	
12	15	15		42	5	23.70	2.66	22.96	2.70	22.30	2.74	22.00	2.75	21.23	2.80	20.82	2.82	
					14	28.39	2.80	27.60	2.84	26.90	2.88	26.58	2.90	25.74	2.94	25.29	2.97	
					23	33.09	2.94	32.26	2.98	31.51	3.02	31.17	3.04	30.27	3.09	29.77	3.12	
					32	37.79	3.08	36.92	3.12	36.13	3.17	35.76	3.19	34.80	3.24	34.26	3.27	
					36	39.67	3.13	38.78	3.18	37.98	3.22	37.60	3.24	36.61	3.29	36.06	3.32	
					47	43.45	3.24	42.52	3.29	41.68	3.33	41.40	3.35	40.25	3.41	39.66	3.44	
					50	47.22	3.35	46.26	3.40	45.38	3.45	44.98	3.47	43.88	3.53	43.26	3.56	
					59	51.95	3.48	50.95	3.54	50.03	3.58	49.60	3.61	48.44	3.67	47.77	3.70	
12	15	18		45	5	23.82	2.74	23.07	2.78	22.40	2.82	22.10	2.84	21.33	2.88	20.92	2.90	
					14	28.53	2.89	27.74	2.93	27.03	2.97	26.71	2.99	25.87	3.03	25.41	3.06	
					23	33.25	3.03	32.41	3.07	31.66	3.11	31.32	3.13	30.41	3.18	29.92	3.21	
					32	37.97	3.17	37.09	3.22	36.30	3.26	35.94	3.28	34.97	3.33	34.43	3.36	
					36	39.87	3.23	38.97	3.27	38.16	3.32	37.78	3.34	36.79	3.39	36.23	3.42	
					47	43.65	3.34	42.72	3.39	41.88	3.43	41.60	3.45	40.44	3.51	39.85	3.54	
					50	47.45	3.45	46.48	3.50	45.60	3.55	45.20	3.57	44.10	3.63	43.47	3.66	
					59	52.20	3.59	51.19	3.64	50.27	3.69	49.84	3.71	48.67	3.78	48.00	3.81	
12	15	24		51	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05	
					14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22	
					23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38	
					32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54	
					36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60	
					47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73	
					50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86	
					59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01	

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	18	18		48	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05	
					14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22	
					23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38	
					32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54	
					36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60	
					47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73	
					50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86	
					59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01	
12	18	24	54	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
				45	5	24.16	2.74	23.40	2.78	22.73	2.82	22.42	2.84	21.64	2.88	21.22	2.90	
					14	28.94	2.89	28.14	2.93	27.42	2.97	27.09	2.99	26.24	3.03	25.78	3.06	
					23	33.73	3.03	32.88	3.07	32.12	3.11	31.77	3.13	30.85	3.18	30.35	3.21	
					32	38.52	3.17	37.63	3.22	36.82	3.26	36.45	3.28	35.47	3.33	34.92	3.36	
					36	40.44	3.23	39.53	3.27	38.71	3.32	38.33	3.34	37.32	3.39	36.75	3.42	
					47	44.28	3.34	43.34	3.39	42.48	3.43	42.20	3.45	41.02	3.51	40.42	3.54	
					50	48.13	3.45	47.15	3.50	46.26	3.55	45.85	3.57	44.73	3.63	44.10	3.66	
					59	52.95	3.59	51.93	3.64	50.99	3.69	50.56	3.71	49.37	3.78	48.69	3.81	
15	15	15	48	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
15	15	24	54	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
			51	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
15	18	18	57	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
			54	5	26.62	2.89	25.79	2.93	25.04	2.97	24.71	2.98	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.85	3.14	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	35.01	3.30	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	40.17	3.45	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	42.24	3.51	41.12	3.57	40.50	3.60		
				47	48.80	3.51	47.76	3.57	46.81	3.61	46.50	3.63	45.20	3.70	44.54	3.73		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.52	3.76	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.71	3.91	54.41	3.97	53.66	4.01		
18	18	18	54	5	26.62	2.89	25.79	2.93	25.04	2.97	24.40	3.00	23.84	3.03	23.39	3.05		
				14	31.89	3.04	31.00	3.08	30.21	3.12	29.52	3.16	28.92	3.19	28.41	3.22		
				23	37.16	3.19	36.23	3.23	35.39	3.28	34.65	3.32	34.00	3.35	33.44	3.38		
				32	42.45	3.34	41.46	3.39	40.58	3.43	39.78	3.47	39.08	3.51	38.48	3.54		
				36	44.56	3.39	43.56	3.45	42.65	3.49	41.84	3.53	41.12	3.57	40.50	3.60		
				47	49.86	3.54	48.81	3.59	47.85	3.64	46.50	3.63	46.22	3.73	45.55	3.76		
				50	53.04	3.63	51.96	3.68	50.98	3.73	50.09	3.78	49.29	3.82	48.59	3.86		
				59	58.35	3.78	57.22	3.83	56.19	3.88	55.25	3.93	54.41	3.97	53.66	4.01		

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	7		28	5	1717	1.67	16.64	1.69	16.16	1.72	15.94	1.73	15.38	1.75	15.09	1.77
						14	20.57	1.76	20.00	1.78	19.49	1.81	19.26	1.82	18.66	1.85	18.33	1.86
						23	23.98	1.84	23.37	1.87	22.83	1.90	22.58	1.91	21.93	1.94	21.57	1.95
						32	27.38	1.93	26.75	1.96	26.18	1.98	25.91	2.00	25.22	2.03	24.83	2.05
						36	28.75	1.96	28.10	1.99	27.52	2.02	27.25	2.03	26.53	2.07	26.13	2.08
						47	31.48	2.03	30.81	2.06	30.20	2.09	30.00	2.10	29.16	2.14	28.74	2.16
						50	34.22	2.10	33.52	2.13	32.89	2.16	32.59	2.17	31.80	2.21	31.35	2.23
						59	37.64	2.18	36.92	2.22	36.25	2.25	35.94	2.26	35.10	2.30	34.62	2.32
7	7	7	9		30	5	1912	1.85	18.52	1.88	1799	1.90	1775	1.92	1713	1.94	16.80	1.96
						14	22.90	1.95	22.27	1.98	21.70	2.00	21.44	2.02	20.77	2.05	20.41	2.06
						23	26.69	2.05	26.02	2.08	25.42	2.10	25.14	2.12	24.42	2.15	24.02	2.17
						32	30.49	2.14	29.78	2.17	2915	2.20	28.85	2.22	28.07	2.25	27.64	2.27
						36	32.01	2.18	31.29	2.21	30.64	2.24	30.34	2.25	29.54	2.29	29.09	2.31
						47	35.05	2.25	34.30	2.29	33.62	2.32	33.40	2.33	32.47	2.37	31.99	2.39
						50	38.10	2.33	37.32	2.36	36.61	2.40	36.29	2.41	35.40	2.45	34.90	2.47
						59	41.91	2.42	41.10	2.46	40.36	2.49	40.01	2.51	39.08	2.55	38.54	2.58
7	7	7	12		33	5	2095	2.03	20.30	2.06	19.71	2.08	19.45	2.10	18.77	2.13	18.41	2.15
						14	25.10	2.13	24.40	2.17	23.78	2.19	23.50	2.21	22.76	2.24	22.36	2.26
						23	29.25	2.24	28.52	2.27	27.86	2.30	27.55	2.32	26.76	2.35	26.32	2.37
						32	33.41	2.34	32.64	2.38	31.94	2.41	31.62	2.42	30.76	2.46	30.29	2.49
						36	35.07	2.38	34.29	2.42	33.57	2.45	33.24	2.47	32.37	2.51	31.88	2.53
						47	38.41	2.47	37.59	2.50	36.85	2.54	36.60	2.55	35.58	2.60	35.06	2.62
						50	41.75	2.55	40.90	2.59	40.12	2.62	39.76	2.64	38.80	2.68	38.24	2.71
						59	45.93	2.65	45.04	2.69	44.23	2.73	43.85	2.75	42.82	2.79	42.23	2.82
7	7	7	15		36	5	23.47	2.58	22.74	2.62	22.08	2.66	21.79	2.67	21.02	2.71	20.62	2.73
						14	28.12	2.72	27.34	2.76	26.64	2.80	26.32	2.81	25.50	2.86	25.05	2.88
						23	32.77	2.85	31.94	2.90	31.20	2.93	30.87	2.95	29.97	3.00	29.48	3.02
						32	37.42	2.99	36.56	3.03	35.78	3.07	35.42	3.09	34.46	3.14	33.93	3.17
						36	39.29	3.04	38.41	3.08	37.61	3.13	37.24	3.15	36.26	3.20	35.71	3.23
						47	43.03	3.14	42.11	3.19	41.27	3.23	41.00	3.25	39.86	3.31	39.27	3.34
						50	46.77	3.25	45.81	3.30	44.95	3.34	44.54	3.36	43.46	3.42	42.84	3.45
						59	51.45	3.38	50.45	3.43	49.54	3.48	49.12	3.50	47.97	3.56	47.31	3.59
7	7	7	18		39	5	24.04	2.74	23.29	2.78	22.62	2.82	22.32	2.84	21.54	2.88	21.12	2.90
						14	28.80	2.89	28.00	2.93	27.29	2.97	26.96	2.99	26.12	3.03	25.66	3.06
						23	33.57	3.03	32.72	3.07	31.97	3.11	31.62	3.13	30.71	3.18	30.20	3.21
						32	38.34	3.17	37.45	3.22	36.65	3.26	36.28	3.28	35.30	3.33	34.76	3.36
						36	40.25	3.23	39.34	3.27	38.53	3.32	38.15	3.34	37.14	3.39	36.58	3.42
						47	44.07	3.34	43.14	3.39	42.28	3.43	42.00	3.45	40.83	3.51	40.23	3.54
						50	47.91	3.45	46.93	3.50	46.04	3.55	45.63	3.57	44.52	3.63	43.89	3.66
						59	52.70	3.59	51.68	3.64	50.75	3.69	50.32	3.71	49.14	3.78	48.46	3.81
7	7	7	24		45	5	24.67	2.86	23.90	2.90	23.21	2.94	22.90	2.96	22.10	3.00	21.68	3.03
						14	29.56	3.01	28.74	3.06	28.00	3.10	27.67	3.12	26.80	3.16	26.33	3.19
						23	34.44	3.16	33.58	3.21	32.80	3.25	32.45	3.27	31.51	3.32	31.00	3.35
						32	39.34	3.31	38.43	3.36	37.61	3.40	37.23	3.42	36.23	3.48	35.67	3.51
						36	41.30	3.37	40.37	3.42	39.53	3.46	39.15	3.48	38.12	3.54	37.54	3.57
						47	45.23	3.48	44.27	3.54	43.39	3.58	43.10	3.60	41.90	3.66	41.28	3.70
						50	49.16	3.60	48.16	3.65	47.25	3.70	46.82	3.73	45.69	3.79	45.04	3.82
						59	54.08	3.74	53.04	3.80	52.08	3.85	51.63	3.88	50.43	3.94	49.73	3.98
7	7	9	9		32	5	20.95	2.03	20.30	2.06	19.71	2.08	19.45	2.10	18.77	2.13	18.41	2.15
						14	25.10	2.13	24.40	2.17	23.78	2.19	23.50	2.21	22.76	2.24	22.36	2.26
						23	29.25	2.24	28.52	2.27	27.86	2.30	27.55	2.32	26.76	2.35	26.32	2.37
						32	33.41	2.34	32.64	2.38	31.94	2.41	31.62	2.42	30.76	2.46	30.29	2.49
						36	35.07	2.38	34.29	2.42	33.57	2.45	33.24	2.47	32.37	2.51	31.88	2.53
						47	38.41	2.47	37.59	2.50	36.85	2.54	36.60	2.55	35.58	2.60	35.06	2.62
						50	41.75	2.55	40.90	2.59	40.12	2.62	39.76	2.64	38.80	2.68	38.24	2.71
						59	45.93	2.65	45.04	2.69	44.23	2.73	43.85	2.75	42.82	2.79	42.23	2.82
7	7	9	12		35	5	22.56	2.46	21.85	2.50	21.22	2.53	20.94	2.55	20.20	2.59	19.81	2.61
						14	27.02	2.59	26.27	2.63	25.60	2.67	25.29	2.68	24.50	2.72	24.07	2.75
						23	31.49	2.72	30.70	2.76	29.99	2.80	29.66	2.82	28.81	2.86	28.33	2.88
						32	35.96	2.85	35.13	2.89	34.38	2.93	34.03	2.95	33.12	2.99	32.61	3.02
						36	37.76	2.90	36.91	2.94	36.14	2.98	35.79	3.00	34.84	3.05	34.32	3.08
						47	41.35	3.00	40.47	3.04	39.66	3.09	39.40	3.10	38.30	3.16	37.74	3.18
						50	44.94	3.10	44.03	3.15	43.19	3.19	42.80	3.21	41.76	3.26	41.17	3.29
						59	49.44	3.22	48.48	3.27	47.61	3.32	47.20	3.34	46.10	3.39	45.46	3.43

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	15	38	5	24.22	2.74	23.46	2.78	22.78	2.82	22.48	2.84	21.69	2.88	21.27	2.90	
					14	29.01	2.89	28.20	2.93	27.48	2.97	27.16	2.99	26.30	3.03	25.84	3.06	
					23	33.81	3.03	32.96	3.07	32.19	3.11	31.84	3.13	30.93	3.18	30.42	3.21	
					32	38.61	3.17	37.72	3.22	36.91	3.26	36.54	3.28	35.55	3.33	35.01	3.36	
					36	40.54	3.23	39.63	3.27	38.80	3.32	38.42	3.34	37.41	3.39	36.84	3.42	
					47	44.39	3.34	43.44	3.39	42.58	3.43	42.30	3.45	41.12	3.51	40.52	3.54	
					50	48.25	3.45	47.27	3.50	46.37	3.55	45.96	3.57	44.84	3.63	44.20	3.66	
					59	53.08	3.59	52.05	3.64	51.11	3.69	50.68	3.71	49.49	3.78	48.81	3.81	
7	7	9	18	41	5	24.39	2.74	23.62	2.78	22.94	2.82	22.64	2.84	21.84	2.88	21.42	2.90	
					14	29.21	2.89	28.40	2.93	27.68	2.97	27.35	2.99	26.49	3.03	26.03	3.06	
					23	34.04	3.03	33.19	3.07	32.42	3.11	32.07	3.13	31.14	3.18	30.64	3.21	
					32	38.89	3.17	37.99	3.22	37.17	3.26	36.80	3.28	35.81	3.33	35.25	3.36	
					36	40.82	3.23	39.91	3.27	39.08	3.32	38.69	3.34	37.67	3.39	37.10	3.42	
					47	44.70	3.34	43.75	3.39	42.89	3.43	42.60	3.45	41.41	3.51	40.81	3.54	
					50	48.59	3.45	47.60	3.50	46.70	3.55	46.28	3.57	45.16	3.63	44.51	3.66	
					59	53.45	3.59	52.42	3.64	51.48	3.69	51.03	3.71	49.84	3.78	49.16	3.81	
7	7	9	24	47	5	25.02	2.86	24.23	2.90	23.54	2.94	23.22	2.96	22.41	3.00	21.98	3.03	
					14	29.97	3.01	29.14	3.06	28.39	3.10	28.06	3.12	27.17	3.16	26.70	3.19	
					23	34.92	3.16	34.05	3.21	33.26	3.25	32.90	3.27	31.95	3.32	31.43	3.35	
					32	39.89	3.31	38.97	3.36	38.13	3.40	37.75	3.42	36.73	3.48	36.16	3.51	
					36	41.88	3.37	40.94	3.42	40.08	3.46	39.69	3.48	38.65	3.54	38.06	3.57	
					47	45.86	3.48	44.88	3.54	43.99	3.58	43.70	3.60	42.48	3.66	41.86	3.70	
					50	49.84	3.60	48.83	3.65	47.91	3.70	47.48	3.73	46.32	3.79	45.66	3.82	
					59	54.83	3.74	53.78	3.80	52.80	3.85	52.35	3.88	51.13	3.94	50.42	3.98	
7	7	12	12	38	5	23.99	2.74	23.23	2.78	22.57	2.82	22.26	2.84	21.49	2.88	21.07	2.90	
					14	28.73	2.89	27.94	2.93	27.22	2.97	26.90	2.99	26.06	3.03	25.60	3.06	
					23	33.49	3.03	32.64	3.07	31.89	3.11	31.54	3.13	30.63	3.18	30.13	3.21	
					32	38.25	3.17	37.36	3.22	36.56	3.26	36.19	3.28	35.22	3.33	34.67	3.36	
					36	40.15	3.23	39.25	3.27	38.43	3.32	38.06	3.34	37.06	3.39	36.49	3.42	
					47	43.97	3.34	43.03	3.39	42.18	3.43	41.90	3.45	40.73	3.51	40.13	3.54	
					50	47.79	3.45	46.82	3.50	45.93	3.55	45.52	3.57	44.41	3.63	43.78	3.66	
					59	52.58	3.59	51.56	3.64	50.63	3.69	50.20	3.71	49.02	3.78	48.35	3.81	
7	7	12	15	41	5	24.50	2.74	23.73	2.78	23.05	2.82	22.74	2.84	21.95	2.88	21.52	2.90	
					14	29.35	2.89	28.54	2.93	27.81	2.97	27.48	2.99	26.61	3.03	26.15	3.06	
					23	34.20	3.03	33.35	3.07	32.57	3.11	32.22	3.13	31.29	3.18	30.78	3.21	
					32	39.07	3.17	38.16	3.22	37.35	3.26	36.97	3.28	35.97	3.33	35.42	3.36	
					36	41.02	3.23	40.09	3.27	39.26	3.32	38.87	3.34	37.85	3.39	37.28	3.42	
					47	44.91	3.34	43.96	3.39	43.09	3.43	42.80	3.45	41.61	3.51	41.00	3.54	
					50	48.82	3.45	47.83	3.50	46.92	3.55	46.50	3.57	45.37	3.63	44.72	3.66	
					59	53.71	3.59	52.67	3.64	51.72	3.69	51.27	3.71	50.08	3.78	49.39	3.81	
7	7	12	18	44	5	24.62	2.86	23.84	2.90	23.16	2.94	22.85	2.96	22.05	3.00	21.63	3.03	
					14	29.49	3.01	28.67	3.06	27.94	3.10	27.61	3.12	26.74	3.16	26.27	3.19	
					23	34.36	3.16	33.50	3.21	32.73	3.25	32.37	3.27	31.44	3.32	30.92	3.35	
					32	39.25	3.31	38.34	3.36	37.52	3.40	37.14	3.42	36.14	3.48	35.58	3.51	
					36	41.21	3.37	40.28	3.42	39.44	3.46	39.06	3.48	38.03	3.54	37.45	3.57	
					47	45.12	3.48	44.16	3.54	43.29	3.58	43.00	3.60	41.80	3.66	41.19	3.70	
					50	49.05	3.60	48.05	3.65	47.14	3.70	46.72	3.73	45.58	3.79	44.93	3.82	
					59	53.96	3.74	52.91	3.80	51.96	3.85	51.51	3.88	50.31	3.94	49.62	3.98	
7	7	12	24	50	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	7	15	15	44	5	25.02	2.86	24.23	2.90	23.54	2.94	23.22	2.96	22.41	3.00	21.98	3.03	
					14	29.97	3.01	29.14	3.06	28.39	3.10	28.06	3.12	27.17	3.16	26.70	3.19	
					23	34.92	3.16	34.05	3.21	33.26	3.25	32.90	3.27	31.95	3.32	31.43	3.35	
					32	39.89	3.31	38.97	3.36	38.13	3.40	37.75	3.42	36.73	3.48	36.16	3.51	
					36	41.88	3.37	40.94	3.42	40.08	3.46	39.69	3.48	38.65	3.54	38.06	3.57	
					47	45.86	3.48	44.88	3.54	43.99	3.58	43.70	3.60	42.48	3.66	41.86	3.70	
					50	49.84	3.60	48.83	3.65	47.91	3.70	47.48	3.73	46.32	3.79	45.66	3.82	
					59	54.83	3.74	53.78	3.80	52.80	3.85	52.35	3.88	51.13	3.94	50.42	3.98	

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	15	18		47	5	25.19	2.86	24.40	2.90	23.70	2.94	23.38	2.96	22.56	3.00	22.13	3.03
						14	30.17	3.01	29.34	3.06	28.59	3.10	28.25	3.12	27.36	3.16	26.88	3.19
						23	35.16	3.16	34.28	3.21	33.49	3.25	33.12	3.27	32.17	3.32	31.64	3.35
						32	40.16	3.31	39.23	3.36	38.39	3.40	38.01	3.42	36.98	3.48	36.41	3.51
						36	42.17	3.37	41.22	3.42	40.36	3.46	39.96	3.48	38.91	3.54	38.32	3.57
						47	46.17	3.48	45.19	3.54	44.29	3.58	44.00	3.60	42.77	3.66	42.15	3.70
						50	50.19	3.60	49.17	3.65	48.23	3.70	47.80	3.73	46.64	3.79	45.98	3.82
						59	55.21	3.74	54.14	3.80	53.17	3.85	52.71	3.88	51.48	3.94	50.77	3.98
7	7	15	24		53	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	7	18	18		50	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	7	18	24		56	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	9	9	9		34	5	22.84	2.46	22.13	2.50	21.49	2.53	21.20	2.55	20.46	2.59	20.07	2.61
						14	27.36	2.59	26.60	2.63	25.92	2.67	25.62	2.68	24.81	2.72	24.38	2.75
						23	31.89	2.72	31.09	2.76	30.37	2.80	30.04	2.82	29.17	2.86	28.69	2.88
						32	36.42	2.85	35.58	2.89	34.82	2.93	34.47	2.95	33.54	2.99	33.02	3.02
						36	38.24	2.90	37.38	2.94	36.60	2.98	36.24	3.00	35.29	3.05	34.75	3.08
						47	41.87	3.00	40.98	3.04	40.17	3.09	39.90	3.10	38.79	3.16	38.22	3.18
						50	45.51	3.10	44.58	3.15	43.74	3.19	43.35	3.21	42.29	3.26	41.69	3.29
						59	50.07	3.22	49.10	3.27	48.21	3.32	47.80	3.34	46.68	3.39	46.04	3.43
7	9	9	12		37	5	22.84	2.58	22.13	2.62	21.49	2.66	21.20	2.67	20.46	2.71	20.07	2.73
						14	27.36	2.72	26.60	2.76	25.92	2.80	25.62	2.81	24.81	2.86	24.38	2.88
						23	31.89	2.85	31.09	2.90	30.37	2.93	30.04	2.95	29.17	3.00	28.69	3.02
						32	36.42	2.99	35.58	3.03	34.82	3.07	34.47	3.09	33.54	3.14	33.02	3.17
						36	38.24	3.04	37.38	3.08	36.60	3.13	36.24	3.15	35.29	3.20	34.75	3.23
						47	41.87	3.14	40.98	3.19	40.17	3.23	39.90	3.25	38.79	3.31	38.22	3.34
						50	45.51	3.25	44.58	3.30	43.74	3.34	43.35	3.36	42.29	3.42	41.69	3.45
						59	50.07	3.38	49.10	3.43	48.21	3.48	47.80	3.50	46.68	3.56	46.04	3.59
7	9	9	15		40	5	24.56	2.74	23.79	2.78	23.10	2.82	22.80	2.84	22.00	2.88	21.58	2.90
						14	29.42	2.89	28.60	2.93	27.87	2.97	27.54	2.99	26.68	3.03	26.21	3.06
						23	34.28	3.03	33.42	3.07	32.65	3.11	32.30	3.13	31.36	3.18	30.85	3.21
						32	39.16	3.17	38.25	3.22	37.43	3.26	37.06	3.28	36.06	3.33	35.50	3.36
						36	41.11	3.23	40.19	3.27	39.35	3.32	38.97	3.34	37.94	3.39	37.36	3.42
						47	45.02	3.34	44.06	3.39	43.19	3.43	42.90	3.45	41.70	3.51	41.09	3.54
						50	48.93	3.45	47.94	3.50	47.03	3.55	46.61	3.57	45.47	3.63	44.83	3.66
						59	53.83	3.59	52.79	3.64	51.84	3.69	51.39	3.71	50.19	3.78	49.50	3.81
7	9	9	18		43	5	24.67	2.86	23.90	2.90	23.21	2.94	22.90	2.96	22.10	3.00	21.68	3.03
						14	29.56	3.01	28.74	3.06	28.00	3.10	27.67	3.12	26.80	3.16	26.33	3.19
						23	34.44	3.16	33.58	3.21	32.80	3.25	32.45	3.27	31.51	3.32	31.00	3.35
						32	39.34	3.31	38.43	3.36	37.61	3.40	37.23	3.42	36.23	3.48	35.67	3.51
						36	41.30	3.37	40.37	3.42	39.53	3.46	39.15	3.48	38.12	3.54	37.54	3.57
						47	45.23	3.48	44.27	3.54	43.39	3.58	43.10	3.60	41.90	3.66	41.28	3.70
						50	49.16	3.60	48.16	3.65	47.25	3.70	46.82	3.73	45.69	3.79	45.04	3.82
						59	54.08	3.74	53.04	3.80	52.08	3.85	51.63	3.88	50.43	3.94	49.73	3.98

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)				Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
						57.2		60.8		64.4		69.98		71.6		75.2	
						TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	24	49	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	9	12	12	40	5	24.27	2.74	23.51	2.78	22.84	2.82	22.53	2.84	21.74	2.88	21.32	2.90
					14	29.08	2.89	28.27	2.93	27.55	2.97	27.22	2.99	26.37	3.03	25.90	3.06
					23	33.89	3.03	33.03	3.07	32.27	3.11	31.92	3.13	31.00	3.18	30.49	3.21
					32	38.70	3.17	37.81	3.22	37.00	3.26	36.63	3.28	35.64	3.33	35.09	3.36
					36	40.63	3.23	39.72	3.27	38.89	3.32	38.51	3.34	37.50	3.39	36.93	3.42
					47	44.49	3.34	43.55	3.39	42.68	3.43	42.40	3.45	41.22	3.51	40.61	3.54
					50	48.36	3.45	47.38	3.50	46.48	3.55	46.06	3.57	44.94	3.63	44.30	3.66
					59	53.20	3.59	52.18	3.64	51.23	3.69	50.80	3.71	49.61	3.78	48.92	3.81
7	9	12	15	43	5	24.85	2.86	24.07	2.90	23.37	2.94	23.06	2.96	22.25	3.00	21.83	3.03
					14	29.76	3.01	28.94	3.06	28.20	3.10	27.86	3.12	26.99	3.16	26.51	3.19
					23	34.68	3.16	33.81	3.21	33.03	3.25	32.67	3.27	31.73	3.32	31.21	3.35
					32	39.62	3.31	38.70	3.36	37.87	3.40	37.49	3.42	36.48	3.48	35.92	3.51
					36	41.59	3.37	40.66	3.42	39.81	3.46	39.42	3.48	38.38	3.54	37.80	3.57
					47	45.54	3.48	44.57	3.54	43.69	3.58	43.40	3.60	42.19	3.66	41.57	3.70
					50	49.50	3.60	48.50	3.65	47.58	3.70	47.15	3.73	46.00	3.79	45.35	3.82
					59	54.46	3.74	53.41	3.80	52.44	3.85	51.99	3.88	50.78	3.94	50.08	3.98
7	9	12	18	46	5	24.96	2.86	24.18	2.90	23.48	2.94	23.17	2.96	22.36	3.00	21.93	3.03
					14	29.90	3.01	29.07	3.06	28.33	3.10	27.99	3.12	27.11	3.16	26.64	3.19
					23	34.84	3.16	33.97	3.21	33.18	3.25	32.82	3.27	31.88	3.32	31.35	3.35
					32	39.80	3.31	38.88	3.36	38.05	3.40	37.66	3.42	36.65	3.48	36.08	3.51
					36	41.78	3.37	40.84	3.42	39.99	3.46	39.60	3.48	38.56	3.54	37.97	3.57
					47	45.75	3.48	44.78	3.54	43.89	3.58	43.60	3.60	42.38	3.66	41.76	3.70
					50	49.73	3.60	48.72	3.65	47.80	3.70	47.37	3.73	46.22	3.79	45.56	3.82
					59	54.71	3.74	53.65	3.80	52.68	3.85	52.23	3.88	51.01	3.94	50.31	3.98
7	9	12	24	52	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	9	15	15	46	5	25.36	2.86	24.57	2.90	23.86	2.94	23.54	2.96	22.72	3.00	22.28	3.03
					14	30.38	3.01	29.54	3.06	28.78	3.10	28.44	3.12	27.55	3.16	27.06	3.19
					23	35.40	3.16	34.51	3.21	33.72	3.25	33.35	3.27	32.39	3.32	31.86	3.35
					32	40.44	3.31	39.50	3.36	38.66	3.40	38.27	3.42	37.24	3.48	36.66	3.51
					36	42.45	3.37	41.50	3.42	40.64	3.46	40.24	3.48	39.18	3.54	38.58	3.57
					47	46.49	3.48	45.50	3.54	44.60	3.58	44.30	3.60	43.06	3.66	42.43	3.70
					50	50.53	3.60	49.50	3.65	48.56	3.70	48.13	3.73	46.96	3.79	46.29	3.82
					59	55.59	3.74	54.51	3.80	53.53	3.85	53.07	3.88	51.83	3.94	51.12	3.98
7	9	15	18	49	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	9	15	24	55	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	18	18	52	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	12	12	12	43	5	24.56	2.86	23.79	2.90	23.10	2.94	22.80	2.96	22.00	3.00	21.58	3.03	
					14	29.42	3.01	28.60	3.06	27.87	3.10	27.54	3.12	26.68	3.16	26.21	3.19	
					23	34.28	3.16	33.42	3.21	32.65	3.25	32.30	3.27	31.36	3.32	30.85	3.35	
					32	39.16	3.31	38.25	3.36	37.43	3.40	37.06	3.42	36.06	3.48	35.50	3.51	
					36	41.11	3.37	40.19	3.42	39.35	3.46	38.97	3.48	37.94	3.54	37.36	3.57	
					47	45.02	3.48	44.06	3.54	43.19	3.58	42.90	3.60	41.70	3.66	41.09	3.70	
					50	48.93	3.60	47.94	3.65	47.03	3.70	46.61	3.73	45.47	3.79	44.83	3.82	
					59	53.83	3.74	52.79	3.80	51.84	3.85	51.39	3.88	50.19	3.94	49.50	3.98	
7	12	12	15	46	5	25.08	2.86	24.29	2.90	23.59	2.94	23.27	2.96	22.46	3.00	22.03	3.03	
					14	30.04	3.01	29.20	3.06	28.46	3.10	28.12	3.12	27.24	3.16	26.76	3.19	
					23	35.00	3.16	34.13	3.21	33.34	3.25	32.97	3.27	32.02	3.32	31.50	3.35	
					32	39.98	3.31	39.06	3.36	38.22	3.40	37.84	3.42	36.82	3.48	36.25	3.51	
					36	41.97	3.37	41.03	3.42	40.18	3.46	39.78	3.48	38.74	3.54	38.15	3.57	
					47	45.96	3.48	44.98	3.54	44.09	3.58	43.80	3.60	42.58	3.66	41.95	3.70	
					50	49.96	3.60	48.94	3.65	48.02	3.70	47.59	3.73	46.43	3.79	45.77	3.82	
					59	54.96	3.74	53.90	3.80	52.93	3.85	52.47	3.88	51.25	3.94	50.54	3.98	
7	12	12	18	49	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	12	12	24	55	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	12	15	15	49	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	12	15	18	52	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	12	18	18	55	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	15	15	15	52	5	2719	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	3796	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
7	15	15	18	55	5	2719	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	3796	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
				36	5	22.90	2.58	22.18	2.62	21.54	2.66	21.25	2.67	20.51	2.71	20.12	2.73	
					14	27.43	2.72	26.67	2.76	25.99	2.80	25.68	2.81	24.87	2.86	24.44	2.88	
					23	31.97	2.85	31.16	2.90	30.44	2.93	30.11	2.95	29.24	3.00	28.77	3.02	
					32	36.51	2.99	35.67	3.03	34.90	3.07	34.55	3.09	33.62	3.14	33.10	3.17	
					36	38.33	3.04	37.47	3.08	36.69	3.13	36.33	3.15	35.37	3.20	34.84	3.23	
					47	41.98	3.14	41.08	3.19	40.27	3.23	40.00	3.25	38.88	3.31	38.31	3.34	
					50	45.62	3.25	44.70	3.30	43.85	3.34	43.46	3.36	42.40	3.42	41.80	3.45	
					59	50.19	3.38	49.22	3.43	48.33	3.48	47.92	3.50	46.80	3.56	46.16	3.59	
9	9	9	12	39	5	24.39	2.74	23.62	2.78	22.94	2.82	22.64	2.84	21.84	2.88	21.42	2.90	
					14	29.21	2.89	28.40	2.93	27.68	2.97	27.35	2.99	26.49	3.03	26.03	3.06	
					23	34.04	3.03	33.19	3.07	32.42	3.11	32.07	3.13	31.14	3.18	30.64	3.21	
					32	38.89	3.17	37.99	3.22	37.17	3.26	36.80	3.28	35.81	3.33	35.25	3.36	
					36	40.82	3.23	39.91	3.27	39.08	3.32	38.69	3.34	37.67	3.39	37.10	3.42	
					47	44.70	3.34	43.75	3.39	42.89	3.43	42.60	3.45	41.41	3.51	40.81	3.54	
					50	48.59	3.45	47.60	3.50	46.70	3.55	46.28	3.57	45.16	3.63	44.51	3.66	
					59	53.45	3.59	52.42	3.64	51.48	3.69	51.03	3.71	49.84	3.78	49.16	3.81	
9	9	9	15	42	5	24.90	2.86	24.12	2.90	23.43	2.94	23.11	2.96	22.31	3.00	21.88	3.03	
					14	29.83	3.01	29.00	3.06	28.26	3.10	27.93	3.12	27.05	3.16	26.58	3.19	
					23	34.76	3.16	33.89	3.21	33.11	3.25	32.75	3.27	31.80	3.32	31.28	3.35	
					32	39.71	3.31	38.79	3.36	37.96	3.40	37.58	3.42	36.56	3.48	36.00	3.51	
					36	41.69	3.37	40.75	3.42	39.90	3.46	39.51	3.48	38.47	3.54	37.89	3.57	
					47	45.65	3.48	44.68	3.54	43.79	3.58	43.50	3.60	42.29	3.66	41.67	3.70	
					50	49.62	3.60	48.61	3.65	47.69	3.70	47.26	3.73	46.11	3.79	45.45	3.82	
					59	54.58	3.74	53.53	3.80	52.56	3.85	52.11	3.88	50.90	3.94	50.19	3.98	
9	9	9	18	45	5	25.02	2.86	24.23	2.90	23.54	2.94	23.22	2.96	22.41	3.00	21.98	3.03	
					14	29.97	3.01	29.14	3.06	28.39	3.10	28.06	3.12	27.17	3.16	26.70	3.19	
					23	34.92	3.16	34.05	3.21	33.26	3.25	32.90	3.27	31.95	3.32	31.43	3.35	
					32	39.89	3.31	38.97	3.36	38.13	3.40	37.75	3.42	36.73	3.48	36.16	3.51	
					36	41.88	3.37	40.94	3.42	40.08	3.46	39.69	3.48	38.65	3.54	38.06	3.57	
					47	45.86	3.48	44.88	3.54	43.99	3.58	43.70	3.60	42.48	3.66	41.86	3.70	
					50	49.84	3.60	48.83	3.65	47.91	3.70	47.48	3.73	46.32	3.79	45.66	3.82	
					59	54.83	3.74	53.78	3.80	52.80	3.85	52.35	3.88	51.13	3.94	50.42	3.98	
9	9	9	24	51	5	2719	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20	
					14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37	
					23	3796	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54	
					32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70	
					36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77	
					47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90	
					50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04	
					59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20	
9	9	12	12	42	5	24.62	2.86	23.84	2.90	23.16	2.94	22.85	2.96	22.05	3.00	21.63	3.03	
					14	29.49	3.01	28.67	3.06	27.94	3.10	27.61	3.12	26.74	3.16	26.27	3.19	
					23	34.36	3.16	33.50	3.21	32.73	3.25	32.37	3.27	31.44	3.32	30.92	3.35	
					32	39.25	3.31	38.34	3.36	37.52	3.40	37.14	3.42	36.14	3.48	35.58	3.51	
					36	41.21	3.37	40.28	3.42	39.44	3.46	39.06	3.48	38.03	3.54	37.45	3.57	
					47	45.12	3.48	44.16	3.54	43.29	3.58	43.00	3.60	41.80	3.66	41.19	3.70	
					50	49.05	3.60	48.05	3.65	47.14	3.70	46.72	3.73	45.58	3.79	44.93	3.82	
					59	53.96	3.74	52.91	3.80	51.96	3.85	51.51	3.88	50.31	3.94	49.62	3.98	

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	12	15		45	5	25.19	2.86	24.40	2.90	23.70	2.94	23.38	2.96	22.56	3.00	22.13	3.03
						14	30.17	3.01	29.34	3.06	28.59	3.10	28.25	3.12	27.36	3.16	26.88	3.19
						23	35.16	3.16	34.28	3.21	33.49	3.25	33.12	3.27	32.17	3.32	31.64	3.35
						32	40.16	3.31	39.23	3.36	38.39	3.40	38.01	3.42	36.98	3.48	36.41	3.51
						36	42.17	3.37	41.22	3.42	40.36	3.46	39.96	3.48	38.91	3.54	38.32	3.57
						47	46.17	3.48	45.19	3.54	44.29	3.58	44.00	3.60	42.77	3.66	42.15	3.70
						50	50.19	3.60	49.17	3.65	48.23	3.70	47.80	3.73	46.64	3.79	45.98	3.82
						59	55.21	3.74	54.14	3.80	53.17	3.85	52.71	3.88	51.48	3.94	50.77	3.98
9	9	12	18		48	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	9	12	24		54	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	9	15	15		48	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	9	15	18		51	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	9	15	24		57	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	9	18	18		54	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	12	12	12		45	5	24.90	2.86	24.12	2.90	23.43	2.94	23.11	2.96	22.31	3.00	21.88	3.03
						14	29.83	3.01	29.00	3.06	28.26	3.10	27.93	3.12	27.05	3.16	26.58	3.19
						23	34.76	3.16	33.89	3.21	33.11	3.25	32.75	3.27	31.80	3.32	31.28	3.35
						32	39.71	3.31	38.79	3.36	37.96	3.40	37.58	3.42	36.56	3.48	36.00	3.51
						36	41.69	3.37	40.75	3.42	39.90	3.46	39.51	3.48	38.47	3.54	37.89	3.57
						47	45.65	3.48	44.68	3.54	43.79	3.58	43.50	3.60	42.29	3.66	41.67	3.70
						50	49.62	3.60	48.61	3.65	47.69	3.70	47.26	3.73	46.11	3.79	45.45	3.82
						59	54.58	3.74	53.53	3.80	52.56	3.85	52.11	3.88	50.90	3.94	50.19	3.98

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	12	12	15		48	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	12	12	18		51	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	12	12	24		57	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	12	15	15		51	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	12	15	18		54	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	12	18	18		57	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	15	15	15		54	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
9	15	15	18		57	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
12	12	12	12		48	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
12	12	12	15		51	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
12	12	12	18		54	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
12	12	15	15		54	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
12	12	15	18		57	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
12	15	15	15		57	5	27.19	3.02	26.34	3.07	25.58	3.11	25.24	3.12	24.36	3.17	23.89	3.20
						14	32.57	3.18	31.67	3.23	30.86	3.27	30.49	3.29	29.54	3.34	29.02	3.37
						23	37.96	3.34	37.01	3.39	36.15	3.43	35.76	3.45	34.73	3.51	34.16	3.54
						32	43.36	3.49	42.36	3.54	41.45	3.59	41.03	3.61	39.93	3.67	39.31	3.70
						36	45.52	3.55	44.50	3.61	43.57	3.65	43.14	3.68	42.01	3.74	41.37	3.77
						47	49.85	3.68	48.78	3.73	47.82	3.78	47.50	3.80	46.18	3.87	45.50	3.90
						50	54.18	3.80	53.08	3.86	52.07	3.91	51.60	3.93	50.35	4.00	49.63	4.04
						59	59.60	3.95	58.45	4.01	57.40	4.07	56.91	4.09	55.58	4.16	54.81	4.20
7	7	7	7	7	35	5	21.58	2.40	20.91	2.44	20.30	2.47	20.03	2.48	19.33	2.52	18.96	2.54
						14	25.85	2.53	25.14	2.56	24.49	2.60	24.20	2.61	23.44	2.65	23.03	2.68
						23	30.13	2.65	29.37	2.69	28.69	2.73	28.38	2.74	27.56	2.79	27.11	2.81
						32	34.41	2.78	33.62	2.82	32.90	2.85	32.57	2.87	31.69	2.92	31.20	2.94
						36	36.13	2.82	35.32	2.87	34.58	2.90	34.24	2.92	33.34	2.97	32.84	3.00
						47	39.56	2.92	38.72	2.97	37.95	3.01	37.70	3.02	36.65	3.07	36.11	3.10
						50	43.00	3.02	42.13	3.06	41.33	3.11	40.96	3.13	39.96	3.18	39.39	3.21
						59	47.31	3.14	46.39	3.19	45.55	3.23	45.16	3.25	44.11	3.31	43.50	3.34
7	7	7	7	9	37	5	22.04	2.45	21.35	2.48	20.74	2.52	20.46	2.53	19.74	2.57	19.36	2.59
						14	26.40	2.58	25.67	2.62	25.01	2.65	24.72	2.67	23.94	2.71	23.52	2.73
						23	30.77	2.70	30.00	2.74	29.30	2.78	28.98	2.80	28.15	2.84	27.69	2.87
						32	35.14	2.83	34.33	2.87	33.60	2.91	33.26	2.93	32.36	2.98	31.86	3.00
						36	36.89	2.88	36.07	2.92	35.32	2.96	34.97	2.98	34.05	3.03	33.53	3.06
						47	40.40	2.98	39.54	3.02	38.76	3.07	38.50	3.08	37.43	3.14	36.88	3.16
						50	43.91	3.08	43.02	3.13	42.21	3.17	41.83	3.19	40.81	3.24	40.23	3.27
						59	48.31	3.20	47.38	3.25	46.52	3.30	46.12	3.32	45.05	3.37	44.42	3.40

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	7	12	40	5	22.90	2.54	22.18	2.58	21.54	2.62	21.25	2.63	20.51	2.67	20.12	2.69
						14	27.43	2.68	26.67	2.72	25.99	2.75	25.68	2.77	24.87	2.81	24.44	2.84
						23	31.97	2.81	31.16	2.85	30.44	2.89	30.11	2.91	29.24	2.95	28.77	2.98
						32	36.51	2.94	35.67	2.98	34.90	3.02	34.55	3.04	33.62	3.09	33.10	3.12
						36	38.33	2.99	37.47	3.04	36.69	3.08	36.33	3.10	35.37	3.15	34.84	3.18
						47	41.98	3.10	41.08	3.14	40.27	3.19	40.00	3.20	38.88	3.26	38.31	3.29
						50	45.62	3.20	44.70	3.25	43.85	3.29	43.46	3.31	42.40	3.37	41.80	3.40
						59	50.19	3.33	49.22	3.38	48.33	3.42	47.92	3.45	46.80	3.50	46.16	3.54
7	7	7	7	15	43	5	24.62	2.66	23.84	2.70	23.16	2.74	22.85	2.75	22.05	2.80	21.63	2.82
						14	29.49	2.80	28.67	2.84	27.94	2.88	27.61	2.90	26.74	2.94	26.27	2.97
						23	34.36	2.94	33.50	2.98	32.73	3.02	32.37	3.04	31.44	3.09	30.92	3.12
						32	39.25	3.08	38.34	3.12	37.52	3.17	37.14	3.19	36.14	3.24	35.58	3.27
						36	41.21	3.13	40.28	3.18	39.44	3.22	39.06	3.24	38.03	3.29	37.45	3.32
						47	45.12	3.24	44.16	3.29	43.29	3.33	43.00	3.35	41.80	3.41	41.19	3.44
						50	49.05	3.35	48.05	3.40	47.14	3.45	46.72	3.47	45.58	3.53	44.93	3.56
						59	53.96	3.48	52.91	3.54	51.96	3.58	51.51	3.61	50.31	3.67	49.62	3.70
7	7	7	7	18	46	5	25.08	2.78	24.29	2.82	23.59	2.86	23.27	2.88	22.46	2.92	22.03	2.94
						14	30.04	2.93	29.20	2.97	28.46	3.01	28.12	3.03	27.24	3.08	26.76	3.10
						23	35.00	3.07	34.13	3.12	33.34	3.16	32.97	3.18	32.02	3.23	31.50	3.26
						32	39.98	3.22	39.06	3.26	38.22	3.31	37.84	3.33	36.82	3.38	36.25	3.41
						36	41.97	3.27	41.03	3.32	40.18	3.37	39.78	3.39	38.74	3.44	38.15	3.47
						47	45.96	3.39	44.98	3.44	44.09	3.48	43.80	3.50	42.58	3.56	41.95	3.60
						50	49.96	3.50	48.94	3.55	48.02	3.60	47.59	3.62	46.43	3.68	45.77	3.72
						59	54.96	3.64	53.90	3.69	52.93	3.74	52.47	3.77	51.25	3.83	50.54	3.87
7	7	7	7	24	52	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	9	9	39	5	22.90	2.54	22.18	2.58	21.54	2.62	21.25	2.63	20.51	2.67	20.12	2.69
						14	27.43	2.68	26.67	2.72	25.99	2.75	25.68	2.77	24.87	2.81	24.44	2.84
						23	31.97	2.81	31.16	2.85	30.44	2.89	30.11	2.91	29.24	2.95	28.77	2.98
						32	36.51	2.94	35.67	2.98	34.90	3.02	34.55	3.04	33.62	3.09	33.10	3.12
						36	38.33	2.99	37.47	3.04	36.69	3.08	36.33	3.10	35.37	3.15	34.84	3.18
						47	41.98	3.10	41.08	3.14	40.27	3.19	40.00	3.20	38.88	3.26	38.31	3.29
						50	45.62	3.20	44.70	3.25	43.85	3.29	43.46	3.31	42.40	3.37	41.80	3.40
						59	50.19	3.33	49.22	3.38	48.33	3.42	47.92	3.45	46.80	3.50	46.16	3.54
7	7	7	9	12	42	5	24.45	2.66	23.68	2.70	23.00	2.74	22.69	2.75	21.90	2.80	21.47	2.82
						14	29.28	2.80	28.47	2.84	27.74	2.88	27.41	2.90	26.55	2.94	26.09	2.97
						23	34.12	2.94	33.27	2.98	32.50	3.02	32.15	3.04	31.22	3.09	30.71	3.12
						32	38.98	3.08	38.08	3.12	37.26	3.17	36.89	3.19	35.89	3.24	35.34	3.27
						36	40.92	3.13	40.00	3.18	39.17	3.22	38.78	3.24	37.76	3.29	37.19	3.32
						47	44.81	3.24	43.85	3.29	42.99	3.33	42.70	3.35	41.51	3.41	40.90	3.44
						50	48.70	3.35	47.71	3.40	46.81	3.45	46.39	3.47	45.26	3.53	44.62	3.56
						59	53.58	3.48	52.54	3.54	51.60	3.58	51.15	3.61	49.96	3.67	49.27	3.70
7	7	7	9	15	45	5	24.96	2.74	24.18	2.78	23.48	2.82	23.17	2.84	22.36	2.88	21.93	2.90
						14	29.90	2.89	29.07	2.93	28.33	2.97	27.99	2.99	27.11	3.03	26.64	3.06
						23	34.84	3.03	33.97	3.07	33.18	3.11	32.82	3.13	31.88	3.18	31.35	3.21
						32	39.80	3.17	38.88	3.22	38.05	3.26	37.66	3.28	36.65	3.33	36.08	3.36
						36	41.78	3.23	40.84	3.27	39.99	3.32	39.60	3.34	38.56	3.39	37.97	3.42
						47	45.75	3.34	44.78	3.39	43.89	3.43	43.60	3.45	42.38	3.51	41.76	3.54
						50	49.73	3.45	48.72	3.50	47.80	3.55	47.37	3.57	46.22	3.63	45.56	3.66
						59	54.71	3.59	53.65	3.64	52.68	3.69	52.23	3.71	51.01	3.78	50.31	3.81
7	7	7	9	18	48	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	7	9	24	54	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	12	12	45	5	24.96	2.74	24.18	2.78	23.48	2.82	23.17	2.84	22.36	2.88	21.93	2.90
						14	29.90	2.89	29.07	2.93	28.33	2.97	27.99	2.99	27.11	3.03	26.64	3.06
						23	34.84	3.03	33.97	3.07	33.18	3.11	32.82	3.13	31.88	3.18	31.35	3.21
						32	39.80	3.17	38.88	3.22	38.05	3.26	37.66	3.28	36.65	3.33	36.08	3.36
						36	41.78	3.23	40.84	3.27	39.99	3.32	39.60	3.34	38.56	3.39	37.97	3.42
						47	45.75	3.34	44.78	3.39	43.89	3.43	43.60	3.45	42.38	3.51	41.76	3.54
						50	49.73	3.45	48.72	3.50	47.80	3.55	47.37	3.57	46.22	3.63	45.56	3.66
						59	54.71	3.59	53.65	3.64	52.68	3.69	52.23	3.71	51.01	3.78	50.31	3.81
7	7	7	12	15	48	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	12	18	51	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	12	24	57	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	15	15	51	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	15	18	54	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	7	18	18	57	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	9	9	41	5	24.45	2.66	23.68	2.70	23.00	2.74	22.69	2.75	21.90	2.80	21.47	2.82
						14	29.28	2.80	28.47	2.84	27.74	2.88	27.41	2.90	26.55	2.94	26.09	2.97
						23	34.12	2.94	33.27	2.98	32.50	3.02	32.15	3.04	31.22	3.09	30.71	3.12
						32	38.98	3.08	38.08	3.12	37.26	3.17	36.89	3.19	35.89	3.24	35.34	3.27
						36	40.92	3.13	40.00	3.18	39.17	3.22	38.78	3.24	37.76	3.29	37.19	3.32
						47	44.81	3.24	43.85	3.29	42.99	3.33	42.70	3.35	41.51	3.41	40.90	3.44
						50	48.70	3.35	47.71	3.40	46.81	3.45	46.39	3.47	45.26	3.53	44.62	3.56
						59	53.58	3.48	52.54	3.54	51.60	3.58	51.15	3.61	49.96	3.67	49.27	3.70
7	7	9	9	12	44	5	24.79	2.70	24.01	2.74	23.32	2.78	23.01	2.80	22.20	2.84	21.78	2.86
						14	29.69	2.84	28.87	2.89	28.13	2.92	27.80	2.94	26.93	2.99	26.45	3.01
						23	34.60	2.98	33.74	3.03	32.95	3.07	32.60	3.09	31.66	3.14	31.14	3.16
						32	39.52	3.12	38.61	3.17	37.78	3.21	37.40	3.23	36.40	3.28	35.83	3.31
						36	41.49	3.18	40.56	3.23	39.72	3.27	39.33	3.29	38.29	3.34	37.71	3.37
						47	45.44	3.29	44.47	3.34	43.59	3.38	43.30	3.40	42.09	3.46	41.48	3.49
						50	49.39	3.40	48.38	3.45	47.47	3.50	47.04	3.52	45.90	3.58	45.24	3.61
						59	54.33	3.54	53.28	3.59	52.32	3.64	51.87	3.66	50.66	3.72	49.96	3.76
7	7	9	9	15	47	5	25.30	2.82	24.51	2.86	23.81	2.90	23.49	2.92	22.66	2.96	22.23	2.99
						14	30.31	2.97	29.47	3.01	28.72	3.05	28.38	3.07	27.49	3.12	27.00	3.15
						23	35.32	3.12	34.44	3.16	33.64	3.20	33.27	3.22	32.31	3.28	31.79	3.30
						32	40.35	3.26	39.41	3.31	38.57	3.35	38.18	3.38	37.15	3.43	36.58	3.46
						36	42.36	3.32	41.41	3.37	40.54	3.41	40.15	3.44	39.09	3.49	38.50	3.52
						47	46.38	3.44	45.39	3.49	44.50	3.53	44.20	3.55	42.97	3.61	42.34	3.65
						50	50.42	3.55	49.39	3.60	48.45	3.65	48.02	3.67	46.85	3.74	46.19	3.77
						59	55.46	3.69	54.39	3.75	53.41	3.80	52.95	3.82	51.71	3.89	51.00	3.92
7	7	9	9	18	50	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	9	9	24	56	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	9	12	12	47	5	25.30	2.82	24.51	2.86	23.81	2.90	23.49	2.92	22.66	2.96	22.23	2.99
						14	30.31	2.97	29.47	3.01	28.72	3.05	28.38	3.07	27.49	3.12	27.00	3.15
						23	35.32	3.12	34.44	3.16	33.64	3.20	33.27	3.22	32.31	3.28	31.79	3.30
						32	40.35	3.26	39.41	3.31	38.57	3.35	38.18	3.38	37.15	3.43	36.58	3.46
						36	42.36	3.32	41.41	3.37	40.54	3.41	40.15	3.44	39.09	3.49	38.50	3.52
						47	46.38	3.44	45.39	3.49	44.50	3.53	44.20	3.55	42.97	3.61	42.34	3.65
						50	50.42	3.55	49.39	3.60	48.45	3.65	48.02	3.67	46.85	3.74	46.19	3.77
						59	55.46	3.69	54.39	3.75	53.41	3.80	52.95	3.82	51.71	3.89	51.00	3.92
7	7	9	12	15	50	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	9	12	18	53	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F, DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	7	9	15	15	53	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	9	15	18	56	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	12	12	12	50	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	12	12	15	53	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	12	12	18	56	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	7	12	15	15	56	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	9	9	9	43	5	24.79	2.70	24.01	2.74	23.32	2.78	23.01	2.80	22.20	2.84	21.78	2.86
						14	29.69	2.84	28.87	2.89	28.13	2.92	27.80	2.94	26.93	2.99	26.45	3.01
						23	34.60	2.98	33.74	3.03	32.95	3.07	32.60	3.09	31.66	3.14	31.14	3.16
						32	39.52	3.12	38.61	3.17	37.78	3.21	37.40	3.23	36.40	3.28	35.83	3.31
						36	41.49	3.18	40.56	3.23	39.72	3.27	39.33	3.29	38.29	3.34	37.71	3.37
						47	45.44	3.29	44.47	3.34	43.59	3.38	43.30	3.40	42.09	3.46	41.48	3.49
						50	49.39	3.40	48.38	3.45	47.47	3.50	47.04	3.52	45.90	3.58	45.24	3.61
						59	54.33	3.54	53.28	3.59	52.32	3.64	51.87	3.66	50.66	3.72	49.96	3.76
7	9	9	9	12	46	5	25.08	2.78	24.29	2.82	23.59	2.86	23.27	2.88	22.46	2.92	22.03	2.94
						14	30.04	2.93	29.20	2.97	28.46	3.01	28.12	3.03	27.24	3.08	26.76	3.10
						23	35.00	3.07	34.13	3.12	33.34	3.16	32.97	3.18	32.02	3.23	31.50	3.26
						32	39.98	3.22	39.06	3.26	38.22	3.31	37.84	3.33	36.82	3.38	36.25	3.41
						36	41.97	3.27	41.03	3.32	40.18	3.37	39.78	3.39	38.74	3.44	38.15	3.47
						47	45.96	3.39	44.98	3.44	44.09	3.48	43.80	3.50	42.58	3.56	41.95	3.60
						50	49.96	3.50	48.94	3.55	48.02	3.60	47.59	3.62	46.43	3.68	45.77	3.72
						59	54.96	3.64	53.90	3.69	52.93	3.74	52.47	3.77	51.25	3.83	50.54	3.87

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	9	9	9	15	49	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	9	9	18	52	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	9	12	12	49	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	9	12	15	52	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	9	12	18	55	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	9	15	15	55	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	12	12	12	52	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
7	9	12	12	15	55	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
7	12	12	12	12	55	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	9	9	9	45	5	24.96	2.74	24.18	2.78	23.48	2.82	23.17	2.84	22.36	2.88	21.93	2.90
						14	29.90	2.89	29.07	2.93	28.33	2.97	27.99	2.99	27.11	3.03	26.64	3.06
						23	34.84	3.03	33.97	3.07	33.18	3.11	32.82	3.13	31.88	3.18	31.35	3.21
						32	39.80	3.17	38.88	3.22	38.05	3.26	37.66	3.28	36.65	3.33	36.08	3.36
						36	41.78	3.23	40.84	3.27	39.99	3.32	39.60	3.34	38.56	3.39	37.97	3.42
						47	45.75	3.34	44.78	3.39	43.89	3.43	43.60	3.45	42.38	3.51	41.76	3.54
						50	49.73	3.45	48.72	3.50	47.80	3.55	47.37	3.57	46.22	3.63	45.56	3.66
						59	54.71	3.59	53.65	3.64	52.68	3.69	52.23	3.71	51.01	3.78	50.31	3.81
9	9	9	9	12	48	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	9	9	15	51	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	9	9	18	54	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	9	12	12	51	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	9	12	15	54	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	9	12	18	57	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09

CapacityTable

MMPD048S6M-1P

Heating(Non Ducted)

Combination (Capacity Index)					Combination (Total)	Outdoor Temperature (°F,DB)	Indoor Temperature(°F, WB)											
							57.2		60.8		64.4		69.98		71.6		75.2	
							TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)	TC(kbtu)	PI(kW)
9	9	9	15	15	57	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	12	12	12	54	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	9	12	12	15	57	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09
9	12	12	12	12	57	5	27.77	2.94	26.89	2.99	26.12	3.02	25.77	3.04	24.87	3.09	24.39	3.11
						14	33.26	3.10	32.34	3.14	31.51	3.18	31.14	3.20	30.16	3.25	29.63	3.28
						23	38.76	3.25	37.79	3.30	36.91	3.34	36.51	3.36	35.46	3.41	34.88	3.44
						32	44.27	3.40	43.25	3.45	42.32	3.50	41.90	3.52	40.77	3.57	40.14	3.61
						36	46.48	3.46	45.43	3.51	44.49	3.56	44.05	3.58	42.89	3.64	42.24	3.67
						47	50.90	3.58	49.81	3.63	48.82	3.68	48.50	3.70	47.15	3.77	46.46	3.80
						50	55.32	3.70	54.19	3.76	53.17	3.81	52.69	3.83	51.41	3.89	50.68	3.93
						59	60.86	3.85	59.68	3.91	58.60	3.96	58.10	3.98	56.75	4.05	55.96	4.09

- Cooling capacity is based on 26.7°CDB / 19.4°CWB (indoor temperature), 35°CDB (outdoor temperature).
- Heating capacity is based on 21.1°CDB (indoor temperature), 8.33°CDB/6.11°CWB (outdoor temperature).
- The above is the value for connecting with the following indoor units.
 - Non-ducted Type
- Capacities are based on the following conditions:
 - Corresponding refrigerant piping length : 7.5m / - Level difference : 0m
- The total combination Index of connected a indoor unit is up to 57.
- At least two indoor units must be connected for operation.
- Also, Refer to the table for combinations that include non-duct and Medium Static Concealed Ducted indoor units.
- This data is reference data for temperature capacity trend.



Visit us at www.Lennox.com

For the latest technical information, www.LennoxPros.com

Contact us at 1-800-9-LENNOX

NOTE - Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency.

©2025 Lennox Industries, Inc.