



PRODUCT SPECIFICATIONS

HEAT PUMPS AHRI SYSTEM MATCHES - LENNOX OUTDOOR + INDOOR

Bulletin No. 210828
September 2026a

Supersedes All Previous Versions

COIL/AIR HANDLER LEGEND - *TDR = Time Delay Required

NOTE - All ratings include the use of a blower Time Delay Function. All Lennox thermostats, control boards and motors with module programming have time delay capabilities. Other Furnaces and Air Handlers may require an optional Time Delay Relay for field installation. See furnace or air handler specifications to determine if relay is needed.

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities, or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	CBK43UHET-018-DV-**	---	R-454B	18600	15.5	12.5	16200	10400	8200	7.5	6.1	2.01	218330834	N/A
EL16KP1-018-230A**	CBK43UHET-024-DV-**	---	R-454B	18000	15.5	12.5	16000	10300	8200	7.5	6.6	2	218330835	N/A
EL16KP1-018-230A**	CBK45UHET-024-230-**	---	R-454B	18000	16	13.8	17600	10800	8200	7.8	6.6	2	215685690	No
EL16KP1-018-230A**	CBK45UHPT-018-230-**	---	R-454B	18000	14.3	12.8	17900	10900	8100	7.5	6.35	1.86	215685687	N/A
EL16KP1-018-230A**	CBK45UHPT-024-230-**	---	R-454B	18000	15.2	13.2	17800	10900	8400	7.8	6.6	1.98	215685689	No
EL16KP1-018-230A**	CBK45UHVT-018-230-**	---	R-454B	18000	16	13.6	17700	10700	8100	7.8	6.6	1.86	215685688	No
EL16KP1-018-230A**	CBK45UHVT-024-230-**	---	R-454B	18000	16	13.8	17700	10800	8400	7.8	6.6	1.98	215685691	No
EL16KP1-018-230A**	CBK47UHET-018-230-**	---	R-454B	18000	15.5	13.6	17600	10500	8300	7.8	6.6	2.04	215685693	No
EL16KP1-018-230A**	CBK47UHET-024-230-**	---	R-454B	18000	15.5	13.6	17700	10500	8300	7.8	6.6	2.08	217219631	No
EL16KP1-018-230A**	CBK48MVT-018/024-230-**	---	R-454B	18000	16	13.8	17700	10500	8300	7.8	6.6	2.06	215685692	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17400	10400	7800	7.5	6.35	1.9	215685694	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	18000	15.5	13.6	17800	10500	8000	7.5	6.35	1.9	215685695	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	18000	16	14	17700	10400	7800	7.5	6.35	1.9	215685696	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	18000	16	14	17700	10400	7800	7.5	6.35	1.9	215685697	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10300	7800	7.5	6.35	1.92	215685698	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045E36A	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685699	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	18000	16	14	17400	10300	7800	7.5	6.35	1.92	215685700	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045XE36A	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685701	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685702	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685703	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685704	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	18000	16	14	17600	10300	7800	7.5	6.35	1.92	215685705	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685706	N/A
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685707	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.88	215685708	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	6.35	1.92	215685709	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	6.35	1.88	215685710	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	6.35	1.88	215685711	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	6.35	1.9	215685712	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	17600	10400	7900	7.5	6.35	1.92	215685713	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685714	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685715	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.9	215685716	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685717	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685718	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17400	10300	7700	7.5	6.35	1.92	215685719	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685720	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685721	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	7800	7.5	6.35	1.96	215685722	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10500	7900	7.5	6.35	1.9	215685723	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685724	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685725	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	6.35	1.88	215685726	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	6.35	1.88	215685727	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	6.35	1.9	215685728	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML197UH030XE36B	R-454B	18000	16	13.5	17800	10500	7900	7.5	6	1.88	218747733	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML197UH060XE36B	R-454B	18000	16	13.5	17500	10300	7800	7.5	6	1.9	218747734	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.9	215685729	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.9	215685730	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17800	10500	8000	7.5	6.35	1.9	215685731	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685732	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	18000	16	14	17700	10400	7800	7.5	6.35	1.92	215685733	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685734	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685735	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685736	N/A
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL180UH040NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	6.35	1.94	215685737	N/A
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	6.35	1.94	215685738	N/A
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	18000	16	13.4	17800	10500	8200	7.5	6.35	1.94	215685739	N/A
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	6.35	1.98	215685740	N/A
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	6.35	1.98	215685741	N/A
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	6.35	1.96	215685742	N/A
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685743	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	ML180UH045V36A	R-454B	18000	16.5	14	17400	10200	8000	7.5	6.35	1.96	215685744	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	ML180UH045XE36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685745	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685746	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	ML180UH070V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	6.35	1.96	215685747	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685748	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	SL280UH060NV36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685749	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	10400	8100	7.5	6.35	1.96	215685750	N/A
EL16KPI-018-230A**	CK40[C,U]T-30A-***TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	10400	8100	7.5	6.35	1.96	215685751	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL180UH080NE48B	R-454B	18000	14.7	12.6	18000	10800	8500	7.5	6.35	1.88	215685752	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL195UH040NE36B	R-454B	18000	16	13.6	17600	10300	8100	7.5	6.35	1.96	215685753	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685754	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	6.35	1.94	215685755	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.94	215685756	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL196UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685757	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL280UH090E36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.96	215685758	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685759	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL297UH045XV36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.96	215685760	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685761	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685762	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML180UH070E36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685763	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML180UH070V36B	R-454B	18000	16.5	14	17400	10200	8000	7.5	6.35	1.98	215685764	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML180UH070V48B	R-454B	18000	16.5	13.8	17500	10300	8000	7.5	6.35	1.96	215685765	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML180UH070XE36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685766	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	8000	7.5	6.35	2	215685767	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML193UH030XE36B	R-454B	18000	16	13.6	17800	10400	8200	7.5	6.35	1.96	215685768	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	8100	7.5	6.35	1.96	215685769	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685770	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	6.35	1.94	215685771	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.94	215685772	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685773	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685774	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685775	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17700	10400	8200	7.5	6.35	1.94	215685776	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	SL280UH090V36B	R-454B	18000	16.5	14	17500	10300	8000	7.5	6.35	1.98	215685777	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	SL280UH090V48B	R-454B	18000	16.5	13.8	17700	10300	8000	7.5	6.35	1.96	215685778	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	SL297UH040NV36B	R-454B	18000	16	13.6	17700	10400	8100	7.5	6.35	1.96	215685779	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685780	N/A
EL16KPI-018-230A**	CK40[C,U]T-30B-***TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685781	N/A
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	EL297DF045XE36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	6.6	1.9	215685876	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	18000	15.5	13.4	18000	11100	8400	7.8	6.6	1.94	215685877	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	EL297DF070XE48B	R-454B	18000	15.2	13	18000	11200	8400	7.8	6.6	1.9	215685878	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	EL297DF070XV48B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	6.6	1.9	215685879	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	ML180DF070E36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	6.6	1.9	215685880	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	6.6	1.92	215685881	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	6.6	1.94	215685882	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	ML196DF045XE36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	6.6	1.92	215685883	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	18000	15.2	13	18000	11200	8500	7.8	6.6	1.92	215685884	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	ML296DF045XV36B	R-454B	18000	14.7	12.8	18000	11300	8500	7.8	6.6	1.88	215685885	N/A
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	18000	15.5	13.2	18000	11100	8300	7.8	6.6	1.92	215685886	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	SL280DF090V48B	R-454B	18000	15.5	13.4	18000	11100	8300	7.8	6.6	1.92	215685887	No
EL16KPI-018-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	6.6	1.94	215685888	No
EL16KPI-018-230A**	CK40DT-30/36C-***TDR	EL297DF090XE48C	R-454B	18000	14.3	12.4	18000	11400	8700	7.5	6.35	1.88	215685889	N/A
EL16KPI-018-230A**	CK40DT-30/36C-***TDR	ML193DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	6.6	1.88	215685890	N/A
EL16KPI-018-230A**	CK40DT-30/36C-***TDR	ML196DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	6.6	1.86	215685891	N/A
EL16KPI-018-230A**	CK40HT-24A-***TDR	EL180UH040NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	6.6	1.94	215685782	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	EL180UH060NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	6.6	1.94	215685783	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	EL280UH045E36A	R-454B	18000	15.5	13.4	17800	11100	8100	7.8	6.6	1.92	215685784	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	6.6	1.96	215685785	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	6.6	1.96	215685786	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	6.6	1.92	215685787	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH045E36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	6.6	1.94	215685788	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH045V36A	R-454B	18000	16	14	17500	10900	7900	7.8	6.6	1.94	215685789	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH045XE36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	6.6	1.94	215685790	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	6.6	1.96	215685791	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH070V36A	R-454B	18000	16	13.8	17600	10900	8000	7.8	6.6	1.96	215685792	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	6.6	1.96	215685793	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	SL280UH060NV36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	6.6	1.96	215685794	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	6.6	1.92	215685795	No
EL16KPI-018-230A**	CK40HT-24A-***TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	6.6	1.92	215685796	No
EL16KPI-018-230A**	CK40HT-24B-***TDR	EL195UH040NE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685797	N/A
EL16KPI-018-2														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	CK40HT-24B-**-TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685803	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	EL297UH045XV36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685804	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	EL297UH070XE36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	6.6	1.94	215685805	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685806	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML180UH070E36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	6.6	1.94	215685807	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML180UH070V36B	R-454B	18000	16	14	17800	10800	8200	7.8	6.6	1.96	215685808	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML180UH070V48B	R-454B	18000	16	13.8	17800	10800	8200	7.8	6.6	1.96	215685809	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML180UH070XE36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	6.6	1.94	215685810	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML180UH090V48B	R-454B	18000	16.5	14	17900	10800	8200	7.8	6.6	1.98	215685811	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML193UH030XE36B	R-454B	18000	15.5	13.6	18000	11000	8400	7.8	6.6	1.94	215685812	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML193UH045XE36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	6.6	1.94	215685813	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685814	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	6.35	1.92	215685815	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685816	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685817	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML197UH030XE36B	R-454B	18000	15.5	13.5	18000	11000	8400	7.8	6.1	1.92	218747735	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML197UH060XE36B	R-454B	18000	16	13.5	17900	10800	8200	7.8	6.1	1.94	218747736	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML296UH045XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	6.6	1.94	215685818	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	ML296UH070XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	6.6	1.94	215685819	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	18000	11000	8400	7.5	6.35	1.92	215685820	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	SL280UH090V36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	6.6	1.96	215685821	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	SL280UH090V48B	R-454B	18000	16	13.8	18000	10900	8300	7.8	6.6	1.96	215685822	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	SL297UH040NV36B	R-454B	18000	15.5	13.6	18000	10900	8300	7.5	6.35	1.94	215685823	N/A
EL16KPI-018-230A**	CK40HT-24B-**-TDR	SL297UH060NV36B	R-454B	18000	16	13.6	17900	10900	8300	7.8	6.6	1.96	215685824	No
EL16KPI-018-230A**	CK40HT-24B-**-TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	6.6	1.94	215685825	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	6.35	1.9	215685826	N/A
EL16KPI-018-230A**	CK40HT-30A-**-TDR	EL180UH040NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	6.35	1.96	215685827	N/A
EL16KPI-018-230A**	CK40HT-30A-**-TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	6.35	1.96	215685828	N/A
EL16KPI-018-230A**	CK40HT-30A-**-TDR	EL280UH045E36A	R-454B	18000	16	13.8	17900	10600	8300	7.8	6.6	1.96	215685829	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	EL280UH070E36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	6.6	2	215685830	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	EL280UH070XE36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	6.6	2	215685831	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH030V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	2	215685832	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH045E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685833	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH045V36A	R-454B	18000	16	14.2	17600	10500	8100	7.8	6.6	1.98	215685835	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH045XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685834	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH070E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685836	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH070V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685837	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	ML180UH070XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685838	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	SL280UH060NV36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685839	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	SL280UH070V36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	6.6	1.96	215685840	No
EL16KPI-018-230A**	CK40HT-30A-**-TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	6.6	1.96	215685841	No
EL16KPI-018-230A**	CK40HT-30B-**-TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	6.35	1.88	215685842	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL180UH080NE48B	R-454B	18000	14.7	12.8	18000	11000	8600	7.5	6.35	1.9	215685843	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	6.35	1.98	215685844	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL195UH060NE36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685845	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	6.35	1.94	215685846	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	6.35	1.98	215685847	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	6.35	1.98	215685848	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL280UH090E36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	6.35	1.98	215685849	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL297UH045XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	6.35	1.98	215685850	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	6.35	1.98	215685851	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL297UH070XE36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685852	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	EL297UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.98	215685853	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML180UH070E36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	6.35	1.98	215685854	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17500	10400	8000	7.5	6.35	1.98	215685855	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML180UH070V48B	R-454B	18000	16.5	14.2	17600	10400	8100	7.5	6.35	1.98	215685856	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML180UH070XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	6.35	1.98	215685857	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML180UH090V48B	R-454B	18000	17	14.4	17600	10400	8100	7.5	6.35	2.02	215685858	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10700	8300	7.5	6.35	1.98	215685859	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML193UH045XE36B	R-454B	18000	16.5	14	17700	10600	8200	7.5	6.35	1.98	215685860	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML193UH070XE36B	R-454B	18000	16.5	14	17700	10500	8200	7.5	6.35	2	215685861	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	6.35	1.94	215685862	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	6.35	1.98	215685863	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	6.35	1.98	215685864	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML197UH030XE36B	R-454B	18000	16	13.5	17800	10700	8200	7.8	6.1	1.96	218747737	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML197UH060XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.8	6.1	1.98	218747738	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML296UH045XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.98	215685865	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	ML296UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685866	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	SL280UH080NV48B	R-454B	18000	15.5	13.6	17700	10600	8300	7.5	6.35	1.96	215685867	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	SL280UH090V36B	R-454B	18000	16.5	14.2	17500	10400	8100	7.5	6.35	2	215685868	N/A
EL16KPI-018-230A**	CK40HT-30B-**-TDR	SL280UH090V48B	R-454B	18000	16.5	14.2	17700	10600	8200	7.8	6.6	2	215685869	No
EL16KPI-018-230A**	CK40HT-30B-**-TDR	SL297UH040NV36B	R-454B	18000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	CBK43UHET-024-DV-**	---	R-454B	23200	15.2	12.5	20600	13200	10200	7.5	6.08	1.92	218330837	N/A
EL16KPI-024-230A**	CBK43UHET-030-DV-**	---	R-454B	22800	15.2	12.5	20400	12900	11000	7.8	6.6	2.04	218330838	No
EL16KPI-024-230A**	CBK45UHET-024-230-**	---	R-454B	24000	15.2	13	22000	13900	11000	7.8	6.7	2.06	215710359	No
EL16KPI-024-230A**	CBK45UHET-030-230-**	---	R-454B	24000	16	13.8	22000	14200	11300	8.1	6.95	2.16	215710360	No
EL16KPI-024-230A**	CBK45UHPT-024-230-**	---	R-454B	23400	14.3	12.4	22000	14000	11000	7.8	6.7	1.98	215710358	N/A
EL16KPI-024-230A**	CBK45UHPT-030-230-**	---	R-454B	23600	14.3	12.4	22200	14500	11500	7.5	6.45	2.04	215710361	N/A
EL16KPI-024-230A**	CBK45UHV-024-230-**	---	R-454B	23800	14.7	12.8	22000	13900	11000	7.8	6.7	2.06	215710362	N/A
EL16KPI-024-230A**	CBK45UHV-030-230-**	---	R-454B	24000	15.5	13.6	22000	14200	11600	8.1	6.95	2.08	215710363	No
EL16KPI-024-230A**	CBK47UHET-024-230-**	---	R-454B	23400	15.2	12.8	22000	14000	11200	8.2	7.05	2.16	215710364	No
EL16KPI-024-230A**	CBK47UHET-030-230-**	---	R-454B	24000	15.5	13.2	22400	14200	11400	8.2	7.05	2.2	215710365	No
EL16KPI-024-230A**	CBK48MVT-018/024-230-**	---	R-454B	23800	15.2	12.8	22200	14100	11200	8.2	7.05	2.16	215710366	No
EL16KPI-024-230A**	CBK48MVT-030-230-**	---	R-454B	24000	15.5	13	22200	14100	11400	8.2	7.05	2.2	215710367	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	EL180UH040NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	6.7	2.02	215710368	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	EL180UH060NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	6.7	2.02	215710369	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	6.7	2.04	215710370	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	6.7	2.02	215710371	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.5	6.45	2.02	215710372	N/A
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH030V36A	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	6.7	2.04	215710373	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH045E36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.5	6.45	2	215710374	N/A
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH045V36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	6.7	2.02	215710375	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH045XE36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.8	6.7	2	215710376	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH070E36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	6.7	2.04	215710377	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21800	14200	10800	7.8	6.7	2.04	215710378	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	ML180UH070XE36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	6.7	2.04	215710379	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	SL280UH060NV36A	R-454B	23600	15.5	13	22000	14300	10800	7.8	6.7	2.02	215710380	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	SL280UH070V36A	R-454B	23800	15.5	13.2	22000	14300	10900	7.8	6.7	2.04	215710381	No
EL16KPI-024-230A**	CK40[C],UJT-24A-**+TDR	SL280UH070XV36A	R-454B	23600	15.2	12.8	22200	14400	11000	7.8	6.7	2.02	215710382	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL180UH080NE48B	R-454B	23600	14.7	12.8	22200	14400	11000	7.8	6.7	2.02	215710383	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL195UH040NE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710384	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL195UH060NE36B	R-454B	23800	14.7	12.8	22200	14600	11100	7.8	6.7	2.02	215710385	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL196UH030XE36B	R-454B	23200	15.2	13	21600	14200	10700	7.8	6.7	2	215710386	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710387	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL196UH070XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710388	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL280UH090E36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	6.7	2.02	215710389	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	6.85	2.04	215710390	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	6.85	2.06	215710391	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL297UH045XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	6.7	2.02	215710392	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL297UH045XV36B	R-454B	23600	15.2	13	22000	14400	10900	7.8	6.7	2.02	215710393	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL297UH070XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	6.7	2.02	215710394	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	EL297UH070XV36B	R-454B	23600	15.5	13.2	22000	14300	10800	7.8	6.7	2.04	215710395	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH070E36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	6.7	2.04	215710396	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH070V36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	6.7	2.06	215710397	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH070V48B	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	6.7	2.04	215710398	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH070XE36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	6.7	2.04	215710399	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH090E48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	6.85	2.04	215710400	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH090V48B	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	6.7	2.02	215710401	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML180UH090XE48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	6.85	2.04	215710402	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML193UH030XE36B	R-454B	23000	15.5	13	21600	14100	10600	7.8	6.7	2	215710403	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML193UH045XE36B	R-454B	23800	15.2	12.8	22400	14600	11000	7.8	6.7	2.02	215710404	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	6.7	2.04	215710405	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML196UH030XE36B	R-454B	23000	15.2	12.8	21600	14100	10700	7.8	6.7	1.98	215710406	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710407	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	6.7	2.04	215710408	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML196UH070XE48B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	6.7	2.02	215710409	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML296UH045XV36B	R-454B	23400	15.5	13	21800	14300	10800	7.8	6.7	2.02	215710410	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML296UH070XV36B	R-454B	23600	14.7	12.6	22200	14500	11000	7.8	6.7	2	215710411	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML297UH045XV36B	R-454B	23400	15.5	13	21400	14100	10700	7.8	6.2	2	218691011	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	ML297UH070XV36B	R-454B	23600	14.7	12.6	22000	14400	11000	7.8	6.3	2.04	218691018	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	SL280UH080NV48B	R-454B	23400	15.2	12.8	22000	14300	10900	7.8	6.7	2	215710412	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	SL280UH090V36B	R-454B	23800	15.5	13.2	22000	14400	10900	7.8	6.7	2.04	215710413	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	SL280UH090V48B	R-454B	23600	15.5	13	22000	14300	10800	7.8	6.7	2.02	215710414	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	SL297UH040NV36B	R-454B	23400	14.7	12.8	22000	14400	10900	7.8	6.7	2	215710415	N/A
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	SL297UH060NV36B	R-454B	23400	15.2	13	22000	14300	10800	7.8	6.7	2.02	215710416	No
EL16KPI-024-230A**	CK40[C],UJT-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	15.5	13	22000	14300	10800	7.8	6.7	2.02	215710417	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	EL180UH040NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	6.85	2.14	215710418	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	EL180UH060NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	6.85	2.14	215710419	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	EL280UH045E36A	R-454B	24000	15.5	13.2	21600	13800	11200	8	6.85	2.16	215710420	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	EL280UH070E36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	6.85	2.14	215710421	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	EL280UH070XE36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	6.85	2.14	215710422	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	ML180UH030V36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.16	215710423	No
EL16KPI-024-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045E36A	R-454B	23800	15.5	13.2								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	CK40[C,U]T-30A-***TDR	ML180UH070XE36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	6.85	2.14	215710429	No
EL16KP1-024-230A**	CK40[C,U]T-30A-***TDR	SL280UH060NV36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.14	215710430	No
EL16KP1-024-230A**	CK40[C,U]T-30A-***TDR	SL280UH070V36A	R-454B	24000	15.5	13	22000	14000	11400	8	6.85	2.16	215710431	No
EL16KP1-024-230A**	CK40[C,U]T-30A-***TDR	SL280UH070XV36A	R-454B	24000	15.2	12.8	22000	14100	11500	8	6.85	2.14	215710432	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL180UH080NE48B	R-454B	24000	15.2	12.8	22000	14200	11500	8	6.85	2.12	215710433	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL195UH040NE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	6.85	2.12	215710434	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL195UH060NE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710435	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	6.7	2.1	215710436	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710437	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710438	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL280UH090E36B	R-454B	23800	15.5	13.2	21400	13700	11100	7.8	6.7	2.12	215710439	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	6.95	2.16	215710440	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	6.95	2.16	215710441	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL297UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	6.85	2.12	215710442	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL297UH045XV36B	R-454B	24000	15.2	13	22000	14000	11400	8	6.85	2.14	215710443	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL297UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	6.85	2.12	215710444	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.14	215710445	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH070E36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.16	215710446	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH070V36B	R-454B	24000	15.5	13.2	21800	13900	11300	8	6.85	2.16	215710447	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	6.95	2.18	215710448	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH070XE36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.16	215710449	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH090E48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	6.95	2.18	215710450	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14200	11500	8	6.85	2.14	215710451	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML180UH090XE48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	6.95	2.18	215710452	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML193UH030XE36B	R-454B	23800	15.5	13	21600	13800	11200	7.8	6.7	2.12	215710453	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML193UH045XE36B	R-454B	24000	15.2	12.8	22200	14300	11600	8	6.85	2.14	215710454	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	6.95	2.14	215710455	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	6.7	2.1	215710456	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710457	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	6.95	2.14	215710458	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22200	14300	11600	8	6.85	2.12	215710459	N/A
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML296UH045XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	6.85	2.14	215710460	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML296UH070XV36B	R-454B	24000	15.5	13	21800	14000	11400	8	6.85	2.16	215710461	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML297UH045XV36B	R-454B	24000	15.5	13	21200	13700	11300	8	6.3	2.12	218691012	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	ML297UH070XV36B	R-454B	24000	15.5	13	21600	14000	11500	8	6.4	2.16	218691019	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	SL280UH080NV48B	R-454B	23800	15.2	12.8	21800	14000	11400	7.8	6.7	2.12	215710462	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11400	8	6.85	2.16	215710463	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.14	215710464	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	SL297UH040NV36B	R-454B	24000	15.2	12.8	22000	14100	11500	7.8	6.7	2.12	215710465	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	SL297UH060NV36B	R-454B	24000	15.2	13	21800	14000	11300	8	6.85	2.12	215710466	No
EL16KP1-024-230A**	CK40[C,U]T-30B-***TDR	SLP99UH070XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	6.85	2.14	215710467	No
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	EL280DF090E48B	R-454B	23600	15.2	13	23000	14700	11400	8.2	7.05	2.1	215710568	No
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	EL297DF045XE36B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	7.05	2.06	215710569	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	23200	14.7	12.8	22600	14700	11300	8.2	7.05	2.08	215710570	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	EL297DF070XE48B	R-454B	23400	14.3	12.6	23000	14900	11500	8.2	7.05	2.06	215710571	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	EL297DF070XV48B	R-454B	23400	14.3	12.4	23200	14900	11600	8.2	7.05	2.06	215710572	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML180DF070E36B	R-454B	23200	14.7	12.8	22600	14600	11300	8.2	7.05	2.08	215710573	No
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML180DF090E48B	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	7.05	2.1	215710574	No
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	7.05	2.08	215710575	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	23600	14.7	12.8	23000	14800	11500	8.2	7.05	2.1	215710576	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML196DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	7.05	2.08	215710577	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	7.05	2.06	215710578	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	ML296DF045XV36B	R-454B	23200	14.3	12.4	23200	14900	11600	8.2	7.05	2.06	215710579	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	23400	14.7	12.8	22800	14700	11400	8.2	7.05	2.08	215710580	N/A
EL16KP1-024-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	23000	14.7	12.8	22600	14600	11200	8.2	7.05	2.08	215710581	N/A
EL16KP1-024-230A**	CK40DT-30/36C-***TDR	EL297DF090XE48C	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	7.05	2.1	215710582	No
EL16KP1-024-230A**	CK40DT-30/36C-***TDR	ML180DF110E60C	R-454B	23600	14.7	12.8	23200	14900	11500	8.2	7.05	2.08	215710583	N/A
EL16KP1-024-230A**	CK40DT-30/36C-***TDR	ML193DF090XE48C	R-454B	23600	15.2	13	23000	14700	11400	8.2	7.05	2.12	215710584	No
EL16KP1-024-230A**	CK40DT-30/36C-***TDR	ML196DF090XE48C	R-454B	23600	15.2	13.2	22800	14600	11300	8.2	7.05	2.12	215710585	No
EL16KP1-024-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV36C	R-454B	23400	15.2	13	22600	14600	11300	8.2	7.05	2.1	215710586	No
EL16KP1-024-230A**	CK40HT-24A-***TDR	EL180UH040NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	6.7	1.96	215710468	N/A
EL16KP1-024-230A**	CK40HT-24A-***TDR	EL180UH060NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	6.7	1.96	215710469	N/A
EL16KP1-024-230A**	CK40HT-24A-***TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21600	14000	10500	7.8	6.7	1.96	215710470	No
EL16KP1-024-230A**	CK40HT-24A-***TDR	EL280UH070E36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	6.7	1.96	215710471	N/A
EL16KP1-024-230A**	CK40HT-24A-***TDR	EL280UH070XE36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	6.7	1.96	215710472	N/A
EL16KP1-024-230A**	CK40HT-24A-***TDR	ML180UH030V36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	6.7	1.98	215710473	No
EL16KP1-024-230A**	CK40HT-24A-***TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	6.45	1.94	215710474	N/A
EL16KP1-024-230A**	CK40HT-24A-***TDR	ML180UH045V36A	R-454B	23600	15.5	13.2	21600	14100	10600	7.8	6.7	1.96	215710475	No
EL16KP1-024-230A**	CK40HT-24A-***TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	6.45	1.94	215710476	N/A
EL16KP1-024-230A**	CK40HT-24A-***TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	21600							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	13	22400	14400	10800	8	6.85	1.98	215710483	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	6.85	1.96	215710484	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.98	215710485	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	6.7	1.98	215710486	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	6.85	1.96	215710487	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	6.85	1.98	215710488	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	23200	15.2	13.2	21600	14100	10500	7.8	6.7	1.98	215710489	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10800	8.1	6.95	2.02	215710490	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10700	8.1	6.95	2	215710491	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	6.85	1.96	215710492	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	23800	15.2	13	22200	14400	10700	8	6.85	1.98	215710493	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.96	215710494	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	6.95	2	215710495	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	6.95	2	215710496	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	6.95	2	215710497	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22200	14300	10700	8.1	6.95	2.02	215710498	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	6.95	2	215710499	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	6.95	2.02	215710500	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22400	14400	10800	8	6.85	1.98	215710501	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	6.95	2.02	215710502	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML193UH030XE36B	R-454B	23400	15.2	13.2	21800	14100	10500	7.8	6.7	1.96	215710503	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML193UH045XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.98	215710504	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	6.95	2	215710505	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	6.7	1.98	215710506	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	6.85	1.96	215710507	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	6.95	2	215710508	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.96	215710509	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML296UH045XV36B	R-454B	23600	15.2	13	22000	14300	10600	8	6.85	1.98	215710510	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML296UH070XV36B	R-454B	23800	15.2	13.2	22200	14300	10700	8	6.85	2	215710511	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML297UH045XV36B	R-454B	23600	15.2	13	22000	14300	10900	8	6.3	2.02	218691013	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	ML297UH070XV36B	R-454B	23800	15.2	13.2	22000	14400	11000	8	6.4	2.04	218691022	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	SL280UH080NV48B	R-454B	23400	14.7	12.8	22000	14400	10700	7.8	6.7	1.96	215710512	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	SL280UH090V36B	R-454B	23800	15.2	13	22200	14300	10700	8.1	6.95	2	215710513	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	SL280UH090V48B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	6.95	2	215710514	No
EL16KPI-024-230A**	CK40HT-24B-**+TDR	SL297UH040NV36B	R-454B	23600	14.7	12.6	22200	14400	10800	8	6.85	1.98	215710515	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	23600	14.7	12.8	22000	14300	10700	8	6.85	1.98	215710516	N/A
EL16KPI-024-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	6.95	2	215710517	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	6.85	2.02	215710518	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	6.85	2.02	215710519	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	22000	14100	10900	7.8	6.7	2.04	215710520	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	6.85	2.04	215710521	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	6.85	2.04	215710522	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	23600	15.2	13	22200	14200	11100	8	6.85	2.06	215710523	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	6.7	2.02	215710524	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	23400	15.2	13.2	22000	14100	11000	7.8	6.7	2.04	215710525	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	6.7	2.02	215710526	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	22200	14200	11000	8	6.85	2.04	215710527	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	22200	14200	11000	8	6.85	2.04	215710528	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	23400	15.2	13	22200	14200	11000	7.8	6.7	2.04	215710529	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	23600	15.2	13	22200	14300	11100	8	6.85	2.04	215710530	No
EL16KPI-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	6.85	2.02	215710531	N/A
EL16KPI-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	6.85	2.02	215710532	N/A
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	13.2	22200	14100	11100	8	6.85	2.06	215710533	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	24000	15.2	13	22400	14200	11200	7.8	6.7	2.04	215710534	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	24000	15.2	13	22200	14200	11200	8	6.85	2.04	215710535	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	23600	15.5	13.2	21800	13800	10800	7.8	6.7	2.04	215710536	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	6.7	2.02	215710537	N/A
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	24000	15.2	12.8	22400	14300	11200	7.8	6.7	2.04	215710538	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	23400	15.5	13.4	21600	13700	10700	7.8	6.7	2.06	215710539	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	6.85	2.08	215710540	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	6.85	2.08	215710541	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	6.7	2.04	215710542	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	23800	15.2	12.8	22000	14100	11100	7.8	6.7	2.04	215710543	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	6.7	2.04	215710544	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	6.85	2.06	215710545	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	6.85	2.08	215710546	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	24000	16	13.4	21800	13900	10900	8	6.85	2.1	215710547	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.4	22000	13900	10900	8	6.85	2.08	215710548	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	6.85	2.08	215710549	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	6.95	2.1	215710550	No
EL16KPI-024-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	23400	15.5	13	21800	13800	10800	7.8	6.7	2.04	215710556	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	6.7	2.02	215710557	N/A
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	24000	15.5	13.2	22200	14100	11100	8	6.85	2.06	215710558	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	24000	15.2	13	22200	14200	11200	7.8	6.7	2.04	215710559	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	6.7	2.06	215710560	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13.2	22000	13900	10900	8	6.85	2.06	215710561	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML297UH045XV36B	R-454B	23800	15.5	13.2	21600	13700	10700	7.8	6.2	2.02	218691014	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML297UH070XV36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	6.3	2.06	218691023	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	23600	15.2	13	21800	14000	11000	7.8	6.7	2.04	215710562	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	6.85	2.08	215710563	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	22000	13900	10900	8	6.85	2.06	215710564	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	23800	15.2	13	22000	14000	11000	7.8	6.7	2.04	215710565	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	6.7	2.04	215710566	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	15.5	13.2	22000	13900	10900	7.8	6.7	2.06	215710567	No
EL16KP1-030-230A**	CBK43UHET-024-DV-**	---	R-454B	27800	14.3	12	26200	16600	13200	7.5	6.7	2.01	218330839	N/A
EL16KP1-030-230A**	CBK43UHET-030-DV-**	---	R-454B	27800	14.3	12	26200	16400	13200	7.5	6.15	1.98	218330840	N/A
EL16KP1-030-230A**	CBK43UHET-036-DV-**	---	R-454B	29400	15.5	12.8	28200	18300	13600	8.1	7	1.99	218330841	No
EL16KP1-030-230A**	CBK45UHET-030-230-**	---	R-454B	29600	15.5	12.8	27600	17400	12700	7.8	6.6	1.92	215712600	No
EL16KP1-030-230A**	CBK45UHET-036-230-**	---	R-454B	29600	15.2	13	27000	18100	14300	8.2	6.95	2.12	215712601	No
EL16KP1-030-230A**	CBK45UHPT-030-230-**	---	R-454B	29200	14.3	12	28000	17800	13200	7.5	6.35	1.86	215712599	N/A
EL16KP1-030-230A**	CBK45UHPT-036-230-**	---	R-454B	29600	14.7	12.4	27000	18200	14400	8.2	6.95	2.08	215712602	N/A
EL16KP1-030-230A**	CBK45UHV-030-230-**	---	R-454B	29200	15.5	13	27200	17200	12600	7.8	6.6	1.94	215712603	No
EL16KP1-030-230A**	CBK45UHV-036-230-**	---	R-454B	29600	15.2	12.8	26800	18000	14300	8.2	6.95	2.12	215712604	No
EL16KP1-030-230A**	CBK47UHET-030-230-**	---	R-454B	29000	15.5	13	27400	16900	13200	8.1	6.85	1.98	215712605	No
EL16KP1-030-230A**	CBK47UHET-036-230-**	---	R-454B	29600	15.5	13	27800	17500	14200	8.2	6.95	2.08	215712606	No
EL16KP1-030-230A**	CBK47UHET-036-460-**	---	R-454B	29600	15.5	13	27800	17500	14200	8.2	6.95	2.08	217595429	No
EL16KP1-030-230A**	CBK48MVT-030-230-**	---	R-454B	29200	15.2	13	27200	16800	13200	8.1	6.85	1.98	215712607	No
EL16KP1-030-230A**	CBK48MVT-036-230-**	---	R-454B	29600	15.5	13	27600	17400	14000	8.2	6.95	2.08	215712608	No
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL180UH060NE36A	R-454B	29200	14.7	12.4	27200	17200	13600	7.5	6.35	1.96	215712609	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL280UH045E36A	R-454B	28800	15.5	12.8	26600	16800	13200	7.5	6.35	1.98	215712610	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL280UH070E36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.96	215712611	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL280UH070XE36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.96	215712612	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	6.35	1.98	215712613	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045E36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	6.35	1.98	215712614	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	6.35	1.98	215712615	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045XE36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	6.35	1.98	215712616	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH070E36A	R-454B	28600	15.2	12.8	26400	16800	13200	7.5	6.35	1.96	215712617	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	6.35	1.96	215712618	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH070XE36A	R-454B	28400	15.5	12.8	26400	16700	13200	7.5	6.35	1.98	215712619	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	26800	17000	13400	7.5	6.35	1.98	215712620	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	SL280UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.98	215712621	N/A
EL16KP1-030-230A**	CK40[C],UJT-30A-**+TDR	SL280UH070XV36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.98	215712622	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL195UH040NE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712623	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL195UH060NE36B	R-454B	28800	14.7	12.4	26800	17000	13500	7.5	6.35	1.96	215712624	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	6.35	1.96	215712625	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	6.35	1.94	215712626	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712627	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL280UH090E36B	R-454B	28800	15.5	12.8	26600	16700	13200	7.5	6.35	1.98	215712628	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL280UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712629	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL280UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712630	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH045XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712631	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH045XV36B	R-454B	28600	14.7	12.4	26800	16900	13400	7.5	6.35	1.96	215712632	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH070XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712633	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.98	215712634	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070E36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.98	215712635	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070V36B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712636	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070V48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712637	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070XE36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.98	215712638	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	2	215712639	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH090V48B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	6.35	1.96	215712640	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	2	215712641	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML193UH030XE36B	R-454B	28600	15.2	12.6	26600	16900	13300	7.5	6.35	1.96	215712642	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML193UH045XE36B	R-454B	28400	15.2	12.6	26400	16800	13200	7.5	6.35	1.96	215712643	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML193UH070XE36B	R-454B	29000	15.2	12.6	27000	17100	13500	7.5	6.35	1.98	215712644	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	6.35	1.96	215712645	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	6.35	1.94	215712646	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712647	N/A
EL16KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH070XE48B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712648	N/A
EL16KP1-030-230A**	ML296UH045XV36B	R-454B	28600	15.2	12.6	26600	16800	13300	7.5	6.35	1.98	215712649	N/A	
EL16KP1-030-230A**	ML296UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	6.35	1.98	215712650	N/A	
EL16KP1-030-230A**	ML297UH07													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.96	215712655	N/A
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	28800	15.2	12.6	26800	17000	13400	7.5	6.35	1.98	215712656	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	6.35	1.94	215712657	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	6.35	1.94	215712658	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	29600	16	13.2	26400	17000	13400	7.5	6.35	1.98	215712659	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712660	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712661	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	29600	15.5	13.2	26600	17100	13600	7.5	6.35	1.98	215712662	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	6.35	1.96	215712663	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	29600	15.5	13.2	26600	17200	13600	7.5	6.35	1.98	215712664	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	6.35	1.96	215712665	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712666	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712667	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	29600	16	13.2	26400	16900	13300	7.5	6.35	1.96	215712668	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH060NV36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.96	215712669	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.96	215712670	N/A
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	6.35	1.94	215712671	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	29600	15.5	12.8	26800	17300	13600	7.5	6.35	1.94	215712672	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	6.35	1.96	215712673	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	29600	15.2	12.8	26800	17200	13700	7.5	6.35	1.96	215712674	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	6.35	1.94	215712675	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	6.35	1.94	215712676	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	6.35	1.94	215712677	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	6.35	1.98	215712678	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	6.35	1.98	215712679	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	6.35	1.98	215712680	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	6.35	1.96	215712681	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	6.35	1.96	215712682	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	6.35	1.96	215712683	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712684	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	6.35	1.96	215712685	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	6.35	1.98	215712686	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	6.35	1.98	215712687	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	6.35	1.96	215712688	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	6.6	1.98	215712689	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712690	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	6.6	1.98	215712691	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	29600	15.5	13	26400	17100	13400	7.5	6.35	1.96	215712692	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	29600	15.5	13	26400	17000	13400	7.5	6.35	1.96	215712693	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	29600	15.5	13	26800	17200	13600	7.5	6.35	1.96	215712694	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	6.35	1.94	215712695	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	6.35	1.94	215712696	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	6.35	1.94	215712697	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	6.35	1.96	215712698	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712699	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712700	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML297UH070XV36B	R-454B	29600	15.5	13.2	26600	17000	13500	7.5	6.1	2	218691021	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.94	215712701	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	6.35	1.98	215712702	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.98	215712703	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	6.35	1.94	215712704	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	29600	15.5	12.8	26600	17100	13600	7.5	6.35	1.96	215712705	N/A
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.96	215712706	N/A
EL16KP1-030-230A**	CK40[C,U]T-36C-**+TDR	ML197UH080XE48C	R-454B	29800	16	13	26000	16600	13100	7.5	6.1	2.02	218747739	N/A
EL16KP1-030-230A**	CK40[C,U]T-36C-**+TDR	ML297UH090XV36C	R-454B	29600	16	13	26000	16600	13100	7.5	6.1	2.02	218695842	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL280DF090E48B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	6.85	2.02	215712708	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF045XE36B	R-454B	29400	14.7	12.6	29400	18600	14300	8.1	6.85	2	215712709	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	6.85	2.02	215712710	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	29600	14.3	12.4	29400	18700	14400	8.1	6.85	2	215712711	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	29400	14.3	12.2	29600	18800	14500	8.1	6.85	1.98	215712712	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML180DF070E36B	R-454B	29400	14.7	12.6	29200	18500	14200	8.1	6.85	2.02	215712713	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML180DF090E48B	R-454B	29600	14.7	12.8	29400	18500	14200	8.2	6.95	2.04	215712714	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML193DF045XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	6.85	2	215712715	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML193DF070XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	6.85	2	215712716	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML196DF045XE36B	R-454B	29600	14.3	12.6	29600	18700	14400	8.1	6.85	2	215712717	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML196DF070XE48B	R-454B	29600	14.3	12.4	29600	18700	14500	8.1	6.85	2	215712718	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML296DF070XV48B	R-454B	29600	14.3	12.4	29600	18700	14400	8.1	6.85	2	215712719	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML297DF070XV48B	R-454B	29600	14.3	12.4	29400	18500	14400	8.1	6.4	2.02	218691008	N/A
EL16KP1-030-230A**	CK40DT-42B-**+TDR	SL280DF060NV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	6.85	2.02		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	6.35	1.86	215712727	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH045E36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	6.35	1.84	215712728	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	27800	17400	13800	7.5	6.35	1.86	215712729	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH045XE36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	6.35	1.84	215712730	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH070E36A	R-454B	28400	15.2	12.6	27400	17100	13600	7.5	6.35	1.84	215712731	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	27800	17300	13700	7.5	6.35	1.84	215712732	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	ML180UH070XE36A	R-454B	28400	15.5	12.6	27400	17100	13500	7.5	6.35	1.84	215712733	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	6.35	1.86	215712734	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	SL280UH070V36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	6.35	1.84	215712735	N/A
EL16KP1-030-230A**	CK40HT-30A-**-TDR	SL280UH070XV36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	6.35	1.84	215712736	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL180UH080NE48B	R-454B	29400	15.2	12.6	27000	17400	13700	7.8	6.6	1.94	215712737	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL195UH040NE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712738	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL195UH060NE36B	R-454B	29000	15.2	12.6	26600	17200	13500	7.8	6.6	1.96	215712739	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	6.35	1.94	215712740	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712741	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL196UH070XE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712742	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL280UH090E36B	R-454B	29200	15.5	13	26600	17100	13400	7.8	6.6	1.98	215712743	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL280UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712744	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL280UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712745	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL297UH045XE36B	R-454B	29000	15.5	12.8	26600	17100	13400	7.8	6.6	1.94	215712746	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL297UH045XV36B	R-454B	29000	15.2	12.4	26800	17300	13600	7.8	6.6	1.94	215712747	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL297UH070XE36B	R-454B	29200	15.2	12.4	27000	17400	13700	7.8	6.6	1.96	215712748	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	EL297UH070XV36B	R-454B	29200	15.2	12.6	26800	17200	13500	7.8	6.6	1.96	215712749	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH070E36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	6.6	1.96	215712750	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH070V36B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712751	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH070V48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712752	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH070XE36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	6.6	1.96	215712753	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712754	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712755	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML180UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712756	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML193UH030XE36B	R-454B	29000	15.2	12.6	26800	17200	13500	7.8	6.6	1.96	215712757	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML193UH045XE36B	R-454B	28800	15.2	12.6	26600	17100	13400	7.5	6.35	1.94	215712758	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML193UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13700	7.8	6.6	1.96	215712759	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	6.35	1.94	215712760	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712761	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML196UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13600	7.8	6.6	1.96	215712762	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML196UH070XE48B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712763	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML296UH045XV36B	R-454B	29000	15.5	12.8	26600	17100	13500	7.8	6.6	1.96	215712764	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML296UH070XV36B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712765	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	ML297UH070XV36B	R-454B	29200	15.5	12.8	26600	17100	13400	7.8	6.1	1.88	218691024	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	SL280UH080NV48B	R-454B	29000	15.2	12.6	26800	17300	13600	7.8	6.6	1.94	215712766	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	SL280UH090V36B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712767	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	SL280UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712768	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	SL297UH040NV36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712769	N/A
EL16KP1-030-230A**	CK40HT-30B-**-TDR	SL297UH060NV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	6.6	1.94	215712770	No
EL16KP1-030-230A**	CK40HT-30B-**-TDR	SLP99UH070XV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	6.6	1.96	215712771	No
EL16KP1-030-230A**	CK40HT-36A-**-TDR	EL180UH060NE36A	R-454B	28600	14.3	12.2	27400	17600	13800	7.5	6.35	1.8	215712772	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	EL280UH045E36A	R-454B	28200	15.2	12.6	26800	17100	13400	7.5	6.35	1.82	215712773	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	EL280UH070E36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	6.35	1.8	215712774	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	EL280UH070XE36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	6.35	1.8	215712775	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH030V36A	R-454B	28600	14.7	12.4	27200	17300	13600	7.5	6.35	1.82	215712776	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH045E36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	6.35	1.8	215712777	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH045V36A	R-454B	28400	14.7	12.4	27200	17300	13600	7.5	6.35	1.82	215712778	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH045XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	6.35	1.8	215712779	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH070E36A	R-454B	28000	14.7	12.4	26600	17100	13400	7.5	6.35	1.8	215712780	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	6.35	1.82	215712781	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	ML180UH070XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	6.35	1.8	215712782	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	SL280UH060NV36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	6.35	1.82	215712783	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	SL280UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	6.35	1.82	215712784	N/A
EL16KP1-030-230A**	CK40HT-36A-**-TDR	SL280UH070XV36A	R-454B	28200	14.7	12.2	27200	17400	13700	7.5	6.35	1.8	215712785	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL180UH080NE48B	R-454B	28800	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712786	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL195UH040NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712787	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL195UH060NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712788	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	6.35	1.8	215712789	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712790	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL196UH070XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712791	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL280UH090E36B	R-454B	28600	14.7	12.6	27200	17100	13500	7.5	6.35	1.84	215712792	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL280UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712793	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL280UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712794	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR	EL297UH045XE36B	R-454B	28400	14.7	12.4	27200	17100	13500	7.5	6.35	1.82	215712795	N/A
EL16KP1-030-230A**	CK40HT-36B-**-TDR													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070V48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712801	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070XE36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	6.35	1.84	215712802	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.86	215712803	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090V48B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.82	215712804	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.86	215712805	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH030XE36B	R-454B	28400	14.7	12.2	27200	17100	13600	7.5	6.35	1.82	215712806	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH045XE36B	R-454B	28200	14.7	12.2	27200	17000	13500	7.5	6.35	1.82	215712807	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH070XE36B	R-454B	28800	14.3	12.2	27600	17300	13800	7.5	6.35	1.84	215712808	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	6.35	1.8	215712809	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712810	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.2	27600	17300	13700	7.5	6.35	1.84	215712811	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH070XE48B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712812	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML296UH045XV36B	R-454B	28400	14.7	12.2	27200	17100	13500	7.5	6.35	1.82	215712813	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML296UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.84	215712814	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH080NV48B	R-454B	28600	14.3	12.2	27400	17200	13700	7.5	6.35	1.82	215712815	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH090V36B	R-454B	28600	14.7	12.4	27400	17100	13600	7.5	6.35	1.84	215712816	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH090V48B	R-454B	28600	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712817	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL297UH040NV36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712818	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL297UH060NV36B	R-454B	28600	14.3	12.2	27400	17300	13700	7.5	6.35	1.82	215712819	N/A
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SLP99UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.82	215712820	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL195UH080NE48C	R-454B	29200	14.3	12.4	27400	17400	13800	7.8	6.6	1.94	215712821	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL195UH100NE60C	R-454B	29600	14.3	12.6	27400	17400	13800	8	6.8	1.94	215712822	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL196UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	6.8	1.96	215712823	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712824	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110E48C	R-454B	29600	14.7	12.8	27200	17300	13700	8	6.8	1.96	215712825	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110E60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712826	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712827	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	6.8	1.96	215712828	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	29000	14.7	12.6	27200	17300	13700	7.8	6.6	1.94	215712829	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV48C	R-454B	29200	14.3	12.4	27200	17400	13700	7.8	6.6	1.94	215712830	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	6.8	1.96	215712831	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	29200	14.7	12.8	27000	17200	13600	8	6.8	1.96	215712832	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH090E60C	R-454B	29600	14.7	12.8	27400	17400	13800	8	6.8	1.96	215712833	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH110E60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	6.8	1.96	215712834	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH110XE60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	6.8	1.96	215712835	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE36C	R-454B	29000	14.7	12.6	27000	17200	13600	8	6.8	1.94	215712836	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE48C	R-454B	29200	14.7	12.6	27200	17200	13600	8	6.8	1.94	215712837	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	6.8	1.96	215712838	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	6.8	1.96	215712839	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE36C	R-454B	29200	14.7	12.6	27200	17300	13600	7.8	6.6	1.94	215712840	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE48C	R-454B	29200	14.7	12.6	27200	17300	13700	8	6.8	1.96	215712841	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	6.8	1.96	215712842	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712843	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	29000	14.7	12.6	27000	17200	13600	7.8	6.6	1.94	215712844	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML296UH110XV60C	R-454B	29400	14.7	12.6	27400	17300	13700	8	6.8	1.94	215712845	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML297UH090XV36C	R-454B	28400	14.7	12.5	27000	17100	13500	7.8	6.1	1.86	218695843	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	29000	14.3	12.2	27200	17400	13800	7.8	6.6	1.92	215712846	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	29000	14.3	12.4	27200	17300	13700	7.8	6.6	1.94	215712847	N/A
EL16KP1-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	29400	14.7	12.6	27200	17300	13700	7.8	6.6	1.94	215712848	N/A
EL16KP1-036-230A**	CBK43UHET-036-DV-**	---	R-454B	35400	14.7	12	34800	22400	17800	7.8	6.39	1.96	218330842	N/A
EL16KP1-036-230A**	CBK43UHET-042-DV-**	---	R-454B	36000	15.2	12.5	31400	21200	16500	7.8	6.2	1.96	218461884	No
EL16KP1-036-230A**	CBK45UHET-036-230-**	---	R-454B	36000	15.2	13	34400	20600	15900	7.8	6.7	1.9	215739595	No
EL16KP1-036-230A**	CBK45UHET-042-230-**	---	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	6.35	1.88	215863849	N/A
EL16KP1-036-230A**	CBK45UHPT-036-230-**	---	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	6.45	1.86	215739594	N/A
EL16KP1-036-230A**	CBK45UHPT-042-230-**	---	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	6.35	1.84	215863853	N/A
EL16KP1-036-230A**	CBK45UHV-036-230-**	---	R-454B	36000	15.2	13	34200	20400	15700	7.8	6.7	1.9	215739596	No
EL16KP1-036-230A**	CBK45UHV-042-230-**	---	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	6.35	1.88	215863850	N/A
EL16KP1-036-230A**	CBK47UHET-036-230-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	215739597	No
EL16KP1-036-230A**	CBK47UHET-036-460-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	217595431	No
EL16KP1-036-230A**	CBK47UHET-042-230-**	---	R-454B	36000	16	13.2	34000	20000	16300	7.8	6.6	2.06	215863851	No
EL16KP1-036-230A**	CBK48MVT-036-230-**	---	R-454B	35400	14.7	12.6	35600	20600	16800	8	6.85	2.04	215739598	N/A
EL16KP1-036-230A**	CBK48MVT-042-230-**	---	R-454B	36000	16	13.4	34200	20200	16300	7.8	6.6	2.06	215863852	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	215744769	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.86	215744770	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	215744771	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	215744772	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	215744773	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	215744774	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744775	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	215744776	N/A
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	36000	14.7									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40[C,U]T-36A-***TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	215744782	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744783	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.82	215744784	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	215744785	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	6.45	1.9	215744786	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	6.45	1.9	215744787	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	6.45	1.88	215744788	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.84	215744789	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	6.45	1.84	215744790	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.84	215744791	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	215744792	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	215744793	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	6.45	1.88	215744794	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	6.45	1.9	215744795	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	215744796	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	215744797	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	6.45	1.86	215744798	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	215744799	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	6.45	1.84	215744800	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	215744801	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744802	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	215744803	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	215744804	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	20000	16500	7.5	6.1	1.88	218747732	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744805	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	215744806	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML297UH045XV36B	R-454B	36000	14.7	12.6	34000	20000	16400	7.5	6	1.84	218691015	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	ML297UH070XV36B	R-454B	36000	14.7	12.6	34000	20000	16200	7.5	6	1.86	218691025	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744807	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	6.45	1.88	215744808	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	215744809	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	6.45	1.86	215744810	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	6.45	1.86	215744811	N/A
EL16KP1-036-230A**	CK40[C,U]T-36B-***TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	6.45	1.86	215744812	N/A
EL16KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	33200	19800	16200	7.5	6.1	1.9	218747740	N/A
EL16KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML297UH090XV36C	R-454B	36000	15.5	13	33400	20000	16200	7.5	6.1	1.88	218695846	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	6.7	1.98	215739643	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	6.45	1.98	215739644	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.98	215739645	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.98	215739646	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	2	215739647	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	6.7	2	215739648	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	215739649	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	215739650	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	6.7	1.98	215739658	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	6.45	1.98	215739752	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.98	215739753	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	6.7	1.98	215739754	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	215739755	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	6.7	1.98	215739756	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	215739757	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	2	215739659	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	6.7	2	215739660	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	6.7	2	215739661	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	6.45	1.96	215739662	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	2	215739663	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	6.7	1.98	218695851	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	215739665	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	215739666	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	215739667	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	215739668	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	215739669	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	6.7	1.98	215739670	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	215739671	N/A
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV36C	R-454B	36000	15.5	13	34400	20000	16600	7.8	6.1	1.96	218695851	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	2	215739672	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	215739673	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	215739674	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	215739675	No
EL16KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL297UH0												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	6.45	1.92	216030341	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	216030342	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	6.45	1.92	216030343	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	6.45	1.94	216030344	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	6.45	1.94	216030345	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	6.45	1.9	216030346	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216030347	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.94	216030348	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216030349	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	216030350	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	6.45	1.92	216030351	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.94	216030352	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	6.45	1.94	216030353	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	6.45	1.96	216030354	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	216030355	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.96	216030356	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	216030357	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.92	216030358	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	6.45	1.92	216030359	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	6.45	1.94	216030360	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	6.45	1.92	216030361	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	216030362	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	6.45	1.94	216030363	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	6.45	1.92	216030364	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	216030365	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	216030366	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV36C	R-454B	36000	15.2	12.5	33600	19600	16200	7.5	6.1	1.92	218695856	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	6.45	1.94	216030367	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	216030368	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	216030369	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	6.45	1.94	216030370	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	6.45	1.9	216030371	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	6.45	1.9	216030372	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.92	216030373	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216030374	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.94	216030375	N/A
EL16KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	216030376	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	216030378	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	216030379	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	6.45	1.74	216030380	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	216030381	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	6.45	1.76	216030382	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	216030383	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	6.45	1.76	216030384	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	216030385	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	216030386	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	216030387	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	6.45	1.76	216030388	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	216030389	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	216030390	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	216030391	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	216030392	N/A
EL16KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	216030393	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.94	215739681	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	215739682	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	6.45	1.92	215739683	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	6.45	1.92	215739684	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	6.7	1.98	215739685	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	215739686	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	215739687	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	215739688	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.92	215739689	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	215739690	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	215739691	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	215739692	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	6.7	1.96	215739693	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	6.7	2	215739694	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	215739695	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	215739703	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.94	215739704	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	215739705	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	215739706	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML297UH045XV36B	R-454B	36000	15.2	13	35000	20000	16500	7.5	6.1	1.92	218691017	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	ML297UH070XV36B	R-454B	36000	15.2	13	35000	19900	16300	7.5	6.1	1.92	218691027	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	6.45	1.96	215739707	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	215739708	No
EL16KP1-036-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	6.45	1.96	215739709	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	215739710	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	215739711	N/A
EL16KP1-036-230A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.96	215739712	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	6.45	1.96	215739713	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	6.45	1.96	215739714	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	6.45	1.96	215739715	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.96	215739716	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	215739717	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	6.7	1.98	215739718	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	215739719	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	215739720	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215739721	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	6.7	1.96	215739722	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	215739723	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	6.45	1.96	215739724	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	6.45	1.96	215739725	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	215739726	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215739727	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	6.7	2	215739728	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215739729	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215739730	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215739731	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.94	215739732	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	215739733	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	215739734	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215739735	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.94	215739736	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	1.96	215739737	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215739738	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	215739739	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	215739740	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	6.7	1.96	215739741	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	36000	15.5	13	34200	20200	16600	7.8	6.1	1.94	218695864	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215739742	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	215739743	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	215739744	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215739745	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	6.45	1.92	215739746	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	6.45	1.94	215739747	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	6.45	1.96	215739748	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	215739749	N/A
EL16KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	6.7	1.96	215739750	No
EL16KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	215739751	No
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	6.45	1.86	216030394	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	6.45	1.86	216030395	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	6.45	1.84	216030396	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	6.45	1.86	216030397	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	6.45	1.86	216030398	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	216030399	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	216030400	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	216030402	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	6.45	1.88	216030403	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	216030404	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	216030405	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216030406	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	216030407	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	216030408	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	216030409	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	216030410	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	6.45	1.88	216030411	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	216030412	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.2									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	216030417	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	6.45	1.88	216030418	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216030419	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	6.45	1.86	216030420	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	6.45	1.86	216030421	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	216030422	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	ML297UH090XV36C	R-454B	36000	15.2	12.5	34200	19700	16000	7.5	5.9	1.82	218695865	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	6.45	1.88	216030423	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	216030424	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	216030425	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216030426	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	6.45	1.84	216030427	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	6.45	1.84	216030428	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	216030429	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	216030430	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	6.45	1.86	216030431	N/A
EL16KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	6.45	1.88	216030432	N/A
EL16KP1-042-230A**	CBK43UHET-042-DV-**	---	R-454B	40500	14.3	12	38000	24800	19800	7.5	6.25	2.02	218330852	N/A
EL16KP1-042-230A**	CBK43UHET-048-DV-**	---	R-454B	42000	15.2	12.6	39500	25400	19800	7.5	6.5	1.98	218330853	N/A
EL16KP1-042-230A**	CBK45UHET-042-230-**	---	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	6.5	2.02	215740152	N/A
EL16KP1-042-230A**	CBK45UHET-048-230-**	---	R-454B	40500	14.3	12	40000	25400	20000	8	6.95	2.02	215740153	N/A
EL16KP1-042-230A**	CBK45UHPT-042-230-**	---	R-454B	41000	14.3	12	40500	25600	20600	7.5	6.5	2	215740151	N/A
EL16KP1-042-230A**	CBK45UHV-042-230-**	---	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2	215740154	No
EL16KP1-042-230A**	CBK45UHV-048-230-**	---	R-454B	41000	15.2	12.8	39500	25000	19600	8	6.95	2.08	215740155	No
EL16KP1-042-230A**	CBK47UHET-042-230-**	---	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	7.1	2.14	215740156	No
EL16KP1-042-230A**	CBK47UHET-048-230-**	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	215740157	No
EL16KP1-042-230A**	CBK47UHET-048-460-**	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	217595433	No
EL16KP1-042-230A**	CBK48MVT-042-230-**	---	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	7	2.14	215740158	No
EL16KP1-042-230A**	CBK48MVT-048-230-**	---	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	7.1	2.14	215740159	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	6.5	2.04	215740160	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	215740161	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	215740162	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	215740163	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	6.75	2.12	215740164	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	215740165	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	215740166	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	215740167	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.08	215740168	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740169	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	215740170	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	6.75	2.08	215740171	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	215740172	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	215740173	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	6.75	2.12	215740174	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	215740175	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	215740176	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	215740177	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	6.75	2.1	215740178	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	215740179	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	6.75	2.1	215740180	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	215740181	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	6.5	2.08	215740182	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	215740183	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740184	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	215740185	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740186	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740187	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML297UH090XV36C	R-454B	41000	15.2	12.5	39500	24800	20400	7.5	6.3	2.06	218695845	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML297UH090XV60C	R-454B	41000	15.2	12.5	39500	25000	20400	7.8	6.3	2.08	218695844	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	ML297UH110XV60C	R-454B	41500	15.2	12.8	39000	24600	20200	7.8	6.3	2.08	218691028	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.1	215740188	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	215740189	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	215740190	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740191	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740192	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740193	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	215740194	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	215740195	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	6.75	2.08	215740196	N/A
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740197	No
EL16KP1-042-230A**	CK40[C],UJT-48C-***TDR	SLP99UH090												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	215740203	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	6.75	2.08	215740204	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	215740205	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	215740206	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	215740207	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	215740208	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740209	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.04	215740210	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	6.75	2.06	215740211	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	6.75	2.04	215740212	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	6.75	2.04	215740213	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	6.95	2.08	215740214	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	215740215	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	6.95	2.08	215740216	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	215740217	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	6.75	2.04	215740218	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	6.75	2.06	215740219	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	6.75	2.06	215740220	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.06	215740221	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	215740222	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.06	215740223	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.04	215740224	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	6.75	2.06	215740225	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740226	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	215740227	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML297UH090XV36C	R-454B	41500	15.2	12.5	39000	25000	19700	7.8	6.3	2.04	218695848	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML297UH090XV60C	R-454B	41500	15.5	12.5	39000	25200	19700	7.5	6.3	2.04	218695847	N/A
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	ML297UH110XV60C	R-454B	42000	15.5	12.8	38500	25000	19400	7.8	6.3	2.04	218691029	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	215740228	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	215740229	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	215740230	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	215740231	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	215740232	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	215740233	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740234	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	215740235	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	6.75	2.04	215740236	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740237	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	6.75	2.02	215740238	No
EL16KPI-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	6.75	2.04	215740239	No
EL16KPI-042-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740240	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740241	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	7	2	215740242	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740243	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740244	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740245	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	6.95	1.94	215740246	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML297DF090XV60C	R-454B	41000	14.3	12	42000	27200	21400	8	6.4	1.96	218691009	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	ML297DF110XV60C	R-454B	40500	14.3	12	42000	27200	21600	8.1	6.4	1.96	218695849	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740247	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740248	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	6.95	1.98	215740249	N/A
EL16KPI-042-230A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740250	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740251	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740252	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	215740253	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	7	2	215740254	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740255	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740256	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	6.95	1.98	215740257	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740258	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML297DF090XV60C	R-454B	41500	14.3	12.4	42000	27200	21600	8	6.4	1.98	218691010	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	ML297DF110XV60C	R-454B	41000	14.3	12	42000	27200	21600	8.1	6.4	1.96	218695850	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.96	215740259	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740260	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	6.95	1.98	215740261	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740262	N/A
EL16KPI-042-230A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	215740263	N/A
EL16KPI-042-230A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	6.5	2	215740264	N/A
EL16KPI-042-230A**	CK40HT-													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	6.5	2.04	215740271	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	215740272	No
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	6.5	2.02	215740273	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	215740274	No
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	6.5	1.98	215740275	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	215740276	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	6.5	2.02	215740277	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML297UH045XV36B	R-454B	42000	15.5	13	39500	25200	20000	7.5	6.2	1.96	218691016	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	ML297UH070XV36B	R-454B	41500	15.5	12.8	39000	25200	20000	7.5	6.2	1.98	218691026	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	6.5	2.02	215740278	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.04	215740279	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	215740280	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	6.5	2	215740281	N/A
EL16KP1-042-230A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	6.5	2.02	215740282	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	215740283	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	216030433	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	216030434	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	216030435	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	216030436	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	6.45	1.86	216030437	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	216030438	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	216030439	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	216030440	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	216030441	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	216030442	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	216030443	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.84	216030444	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	216030445	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.86	216030446	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	216030447	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	6.45	1.84	216030448	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	216030449	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	216030450	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	216030451	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	6.45	1.84	216030452	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	216030453	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.84	216030454	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.86	216030455	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	216030456	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	216030457	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	40000	14.3	12	39500	24200	18900	7.5	6	1.8	218695854	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML297UH090XV60C	R-454B	40500	14.3	12	39500	24200	18900	7.5	6	1.82	218695853	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	ML297UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	6	1.82	218691032	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	6.45	1.86	216030458	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	216030459	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	216030460	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	216030461	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	216030462	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	216030463	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.82	216030464	N/A
EL16KP1-042-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	6.45	1.84	216030465	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	6.5	1.84	215740284	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	6.5	1.82	215740285	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	6.5	1.82	215740286	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.82	215740287	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740288	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	6.5	1.84	215740289	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	215740290	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740291	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	215740292	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740293	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	215740294	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	215740295	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	6.5	1.82	215740296	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740297	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.8	215740298	N/A
EL16KP1-042-230A**	CK40HT-48B-***TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	6.5	1.82	215740299	N/A
EL16KP1-042-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	6.45	1.82	216030466	N/A
EL16KP1-042-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	216030467	N/A
EL16KP1-042-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	216030468	N/A
EL16KP1-042-230A**	CK40HT-48C-***TDR	EL29												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	6.45	1.8	216030474	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	216030475	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	6.45	1.8	216030476	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	40000	14.3	11.7	39500	24200	19000	7.5	6	1.8	218695858	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	40000	14.3	12	39000	24000	18900	7.5	6	1.8	218691036	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	6.45	1.82	216030477	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	6.45	1.82	216030478	N/A
EL16KPI-042-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	216030479	N/A
EL16KPI-048-230A**	CBK43UHET-048-DV-***	---	R-454B	48000	14.3	12	46000	28400	22400	7.5	6.3	1.93	218330854	N/A
EL16KPI-048-230A**	CBK43UHET-060-DV-***	---	R-454B	47500	14.3	12	46500	31000	25600	7.8	6.7	2.1	218330855	N/A
EL16KPI-048-230A**	CBK45UHET-048-230-***	---	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	6.5	2.04	215756519	N/A
EL16KPI-048-230A**	CBK45UHET-060-230-***	---	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	7.1	2.2	215756522	N/A
EL16KPI-048-230A**	CBK45UHV-048-230-***	---	R-454B	48000	14.7	12.4	47000	29200	23400	8	6.95	2.04	215756524	N/A
EL16KPI-048-230A**	CBK45UHV-060-230-***	---	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	7	2.18	215756526	N/A
EL16KPI-048-230A**	CBK47UHET-048-230-***	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	215756528	No
EL16KPI-048-230A**	CBK47UHET-048-460-***	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	217595414	No
EL16KPI-048-230A**	CBK47UHET-060-230-***	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	215756531	N/A
EL16KPI-048-230A**	CBK47UHET-060-460-***	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	217595415	N/A
EL16KPI-048-230A**	CBK48MVT-048-230-***	---	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	7.1	2.2	215756533	No
EL16KPI-048-230A**	CBK48MVT-060-230-***	---	R-454B	48000	15.5	13	47000	29600	23400	8.2	7.1	2.12	215756535	No
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	216030486	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	216030487	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	216030488	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	216030489	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	216030490	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	216030491	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	216030492	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	6.45	1.9	216030493	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	216030494	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	216030495	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.92	216030496	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	216030497	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	216030498	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	216030499	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	6.45	1.9	216030500	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	216030501	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	216030502	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	216030503	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	6.45	1.9	216030504	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML297UH090XV60C	R-454B	47000	14.3	12	46000	29000	23200	7.5	6	1.86	218695852	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	ML297UH110XV60C	R-454B	48000	14.3	12.4	46000	29000	23000	7.5	6	1.86	218691031	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	216030505	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	216030506	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	216030507	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	216030508	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	216030509	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	216030510	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.86	216030511	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	216030512	N/A
EL16KPI-048-230A**	CK40[C],UJT-48C-***TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	216030513	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	6.75	2.1	215756537	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.08	215756540	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	215756543	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	6.75	2.14	215756545	No
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	215756548	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	215756550	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.1	215756554	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	6.75	2.06	215756556	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	215756559	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	215756562	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	215756564	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	6.75	2.08	215756566	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	215756569	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	215756570	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	6.75	2.12	215756573	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	215756576	No
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	6.75	2.12	215756579	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	6.75	2.1	215756582	N/A
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	215756585	No
EL16KPI-048-230A**	CK40[C],UJT-49C-***TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	6.75	2.12	215756587	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	48000	14.7	12	46000	29800	24200	7.8	6.3	2.06	218695855	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	48000	14.7	12.6	46000	29600	24000	7.8	6.3	2.06	218691033	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	215756602	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215756604	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215756608	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	215756610	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	215756612	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	215756614	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215756616	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215756619	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	6.75	2.08	215756621	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	215756623	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	215756626	N/A
EL16KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215756629	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	215756632	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	6.5	1.98	215756634	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	215756636	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	215756638	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	6.5	1.92	215756641	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	215756643	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.94	215756645	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.94	215756648	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.96	215756652	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	215756653	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.98	215756656	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	215756660	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	6.5	1.94	215756662	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	6.5	1.96	215756664	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.96	215756666	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.94	215756669	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	215756672	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	215756674	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV60C	R-454B	47000	14.3	12	46000	28400	22600	7.5	6.1	1.92	218695857	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.96	215756677	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	215756679	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	215756681	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	215756683	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	215756686	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	215756688	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	6.5	1.92	215756691	N/A
EL16KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	215756694	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	215756696	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	215756698	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	215756702	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756704	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	6.95	2.14	215756707	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	7	2.14	215756709	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	7	2.14	215756712	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	6.95	2.14	215756801	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	6.75	2.12	215756803	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215756714	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	215756718	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756721	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215756723	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	215756725	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	6.95	2.14	215756727	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	215756730	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	7	2.16	215756732	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	215756734	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	215756737	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	6.95	2.12	215756740	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	215756742	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	215756806	No
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	6.95	2.1	215756745	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756748	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756752	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756755	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML297UH090XV60C	R-454B	48000	14.7	12.5	46500	30000	24000	8.1	6.4	2.08	218695859	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML297UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24000	8	6.4	2.08		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	6.75	2.06	215756771	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756773	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	6.75	2.12	215756775	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215756778	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215756780	N/A
EL16KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215756783	N/A
EL16KP1-048-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	6.5	1.78	215756786	N/A
EL16KP1-048-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	6.5	1.8	215756788	N/A
EL16KP1-048-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	6.5	1.8	215756791	N/A
EL16KP1-048-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	47000	14.3	12	48000	31200	24200	7.5	6	1.76	218695860	N/A
EL16KP1-048-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	6.5	1.78	215756795	N/A
EL16KP1-048-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	6.5	1.78	215756797	N/A
EL16KP1-048-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	216030514	N/A
EL16KP1-048-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	216030515	N/A
EL16KP1-048-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	6.5	1.8	215756780	N/A
EL16KP1-048-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	6.45	1.8	216030516	N/A
EL16KP1-048-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	6.45	1.8	216030517	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	6.45	1.68	216030518	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	216030519	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	216030520	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.7	216030521	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	216030522	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.68	216030523	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	216030524	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	216030525	N/A
EL16KP1-048-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	47000	14.3	12	46500	29800	23000	7.5	5.9	1.64	218695861	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	216030526	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	6.7	1.86	216030527	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	216030528	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	216030529	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	6.45	1.84	216030530	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23200	7.5	6.35	1.82	218011867	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	216030531	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	6.45	1.84	216030532	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	216030533	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	6.7	1.9	216030534	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	216030535	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	6.7	1.88	216030536	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	216030537	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	6.45	1.84	216030538	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	6.45	1.84	216030539	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	6.7	1.88	216030540	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	6.45	1.86	216030541	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	216030542	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	6.7	1.86	216030543	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	216030544	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML297UH090XV60C	R-454B	48000	14.3	12	47000	30200	23600	7.8	6.2	1.82	218695862	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.2	1.82	218691040	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	216030545	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	216030546	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	216030547	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	216030548	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	216030549	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	216030550	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	6.45	1.82	216030551	N/A
EL16KP1-048-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	216030552	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47000	29400	23000	7.5	6.5	1.96	217996690	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	6.45	1.94	216030480	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	216030481	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	6.45	1.94	216030482	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.94	216030483	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	ML297UH090XV60C	R-454B	48000	14.3	12	46000	29000	23000	7.5	6.1	1.9	218695863	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	216030484	N/A
EL16KP1-048-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	6.45	1.96	216030485	N/A
EL16KP1-060-230A**	CBK43UHET-060-DV-**	---	R-454B	55000	14.3	11.7	55500	34000	26800	7.5	6.4	2.02	218374286	N/A
EL16KP1-060-230A**	CBK45UHET-060-230-**	---	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	6.6	2.26	215747855	N/A
EL16KP1-060-230A**	CBK45UHV-060-230-**	---	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	7.1	2.24	215747857	N/A
EL16KP1-060-230A**	CBK47UHET-060-230-**	---	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2	215747856	N/A
EL16KP1-060-230A**	CBK47UHET-060-460-**	---	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2	217595413	N/A
EL16KP1-060-230A**	CBK48MVT-060-230-**	---	R-454B	58000	14.3	12	55500	35400	29600	8	7			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	6.6	2.02	215747864	N/A
EL16KPI-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	6.6	2.04	215747865	N/A
EL16KPI-060-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	6.6	2.04	215747866	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747867	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06	215747868	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06	215747869	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04	217970918	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747870	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	6.6	2.02	215747871	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04	215747872	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	215747873	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	215747874	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	6.85	2.08	215747875	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	215747876	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747877	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747878	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	6.6	2	215747879	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	6.85	2.04	215747880	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747881	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	ML297UH110XV60C	R-454B	57000	14.3	12	52000	34400	29800	7.8	6.3	2.08	218691030	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	6.85	2.06	215747882	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	215747883	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	215747884	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	215747885	N/A
EL16KPI-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	6.85	2.04	215747886	N/A
EL16KPI-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	6.6	1.98	216030553	N/A
EL16KPI-060-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	6.6	1.98	216030554	N/A
EL16KPI-060-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	6.6	1.96	216030555	N/A
EL16KPI-060-230A**	CK40DT-60D-***TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	6.6	1.84	215747887	N/A
EL16KPI-060-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	6.6	1.82	215747888	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98	215747889	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	6.6	1.98	215747890	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	6.6	1.98	215747891	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	6.6	1.98	215747892	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	58000	14.3	12	56000	35800	29000	7.5	6.6	1.98	218012589	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	6.6	2	215747893	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98	215747894	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	6.6	1.98	215747895	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98	215747896	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.96	215747897	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98	215747898	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	57500	14.3	12	54500	36000	28800	7.5	6.1	1.9	218691034	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	6.6	1.98	215747899	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	6.6	1.94	215747900	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	6.6	1.98	215747901	N/A
EL16KPI-060-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.98	215747902	N/A
EL16KPI-060-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	6.6	1.94	216030556	N/A
EL16KPI-060-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	6.6	1.94	216030557	N/A
EL16KPI-060-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	6.6	1.94	216030558	N/A
EL18KSLV-024-230A**	CBK43UHET-018-DV-**	---	R-454B	24200	17.9	11.9	24600	19400	22600	9.9	7.8	1.8	218636317	Both
EL18KSLV-024-230A**	CBK43UHET-024-DV-**	---	R-454B	24200	17.8	11.8	24800	19500	22600	9.9	7.8	1.8	218636318	Both
EL18KSLV-024-230A**	CBK43UHET-030-DV-**	---	R-454B	24200	17.9	11.8	24800	19500	22600	9.9	7.8	1.8	218636319	Both
EL18KSLV-024-230A**	CBK45UHET-024-230-**	---	R-454B	23600	17.5	12	24000	19200	23000	9.5	7.5	1.8	216618903	Both
EL18KSLV-024-230A**	CBK45UHET-030-230-**	---	R-454B	24000	17.5	12	24000	19200	23200	9.4	7.5	1.75	216618904	Both
EL18KSLV-024-230A**	CBK45UHPT-018-230-**	---	R-454B	23200	15.2	11.7	24000	19400	23200	9	7	1.75	216618900	Both
EL18KSLV-024-230A**	CBK45UHPT-024-230-**	---	R-454B	24000	14.7	11.7	24000	19600	23400	9	7.5	1.8	216618902	N/A
EL18KSLV-024-230A**	CBK45UHVT-018-230-**	---	R-454B	24000	17.5	11.7	24000	19400	23400	9.4	7.5	1.75	216618901	Both
EL18KSLV-024-230A**	CBK45UHVT-024-230-**	---	R-454B	24000	18	11.7	24000	18000	23000	10	7.8	1.8	216581388	Both
EL18KSLV-024-230A**	CBK45UHVT-030-230-**	---	R-454B	24000	17.5	12	24000	19400	23200	9.4	7.5	1.75	216618905	Both
EL18KSLV-024-230A**	CBK47UHET-024-230-**	---	R-454B	24000	17	11.7	24000	19400	22600	9.5	7.5	1.85	216705369	Both
EL18KSLV-024-230A**	CBK47UHET-030-230-**	---	R-454B	24000	18.5	12.3	24000	19400	22000	9.8	7.5	1.8	216705370	Both
EL18KSLV-024-230A**	CBK48MVT-018/024-230-**	---	R-454B	24000	17	11.7	24000	19600	23200	9.4	7.5	1.8	216618906	Both
EL18KSLV-024-230A**	CBK48MVT-030-230-**	---	R-454B	24000	18	12	24000	19400	22600	9.5	7.5	1.8	216618907	Both
EL18KSLV-024-230A**	CK40[C,U]T-24B-***TDR	---	R-454B	23600	15.8	11.7	24000	19000	20000	8.5	6.8	1.75	216581392	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	---	R-454B	24000	15.2	11.7	24000	19600	21400	8.5	7	1.75	216618922	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	EL180UH040NE36A	R-454B	24000	17.05	11.7	24000	20000	20800	9	7	1.8	217189712	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	EL180UH060NE36A	R-454B	23800	17.05	11.7	24000	20000	20800	9	7	1.8	217189713	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	EL280UH045E36A	R-454B	23800	17.45	12	23800	19600	20600	9	7	1.8	217189716	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	EL280UH070E36A	R-454B	23400	16.7	12	23800	19600	20600	9	7	1.8	217189715	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	EL280UH070XE36A	R-454B	23400	16.7	12	23800	19600	20600	9	7	1.8	217189714	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-***TDR	ML180UH030V36A	R-454B	23600	17	1								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	CK40[C,U]T-30A-**-TDR	ML180UH070V36A	R-454B	23800	17.1	12	23800	19800	20800	9	7	1.8	217449737	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-**-TDR	ML180UH070XE36A	R-454B	23800	16.35	11.7	24000	19800	20800	9	7	1.8	217449734	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-**-TDR	SL280UH060NV36A	R-454B	23800	16.85	11.7	24000	19800	20800	9	7	1.8	217189711	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-**-TDR	SL280UH070V36A	R-454B	23800	16.7	11.7	24000	19800	20800	9	7	1.8	217189710	Both
EL18KSLV-024-230A**	CK40[C,U]T-30A-**-TDR	SL280UH070XV36A	R-454B	23800	16.7	11.7	24000	19800	20800	9	7	1.8	217449733	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21400	8.5	7	1.75	216618923	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL195UH040NE36B	R-454B	23800	16.1	11	24000	20000	21000	8.5	7	1.8	217189723	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL195UH060NE36B	R-454B	23800	16.25	11	24000	20000	21000	9	7	1.8	217189724	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL196UH030XE36B	R-454B	23600	17.05	11.7	23800	19800	20800	9	7	1.8	217449743	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL196UH045XE36B	R-454B	23800	16.05	11	24000	20000	21000	8.5	7	1.8	217449741	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL196UH070XE36B	R-454B	23800	16.2	11	24000	20000	21000	9	7	1.8	217449742	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL280UH090E36B	R-454B	23600	16.85	12	23800	19600	20600	9	7	1.8	217449739	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL297UH045XE36B	R-454B	23800	16.3	11	24000	20000	21000	9	7	1.8	217449744	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL297UH045XV36B	R-454B	23800	16.95	11.7	24000	19800	20800	9	7	1.8	216769566	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL297UH070XE36B	R-454B	23800	16.15	11	24000	20000	21000	9	7	1.8	217449723	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	EL297UH070XV36B	R-454B	23800	17.15	12	24000	19800	20800	9	7	1.8	216769567	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070E36B	R-454B	23800	16.4	12	23800	19800	20800	9	7	1.8	217189720	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070V36B	R-454B	23800	17.05	12	23800	19600	20600	9	7	1.8	217449740	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070XE36B	R-454B	23800	16.4	12	23800	19800	20800	9	7	1.8	217189721	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML193UH030XE36B	R-454B	23800	16.85	11	24000	20000	21000	9	7	1.8	217449747	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML193UH045XE36B	R-454B	23800	16.85	11.7	24000	20000	21000	9	7	1.8	217449748	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML193UH070XE36B	R-454B	24000	17	11.7	24000	20000	20800	9	7	1.8	217449749	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML196UH030XE36B	R-454B	23600	17	11.7	23800	19800	20800	9	7	1.8	217449746	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML196UH045XE36B	R-454B	23800	16.05	11	24000	20000	21000	8.5	7	1.8	217189725	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML196UH070XE36B	R-454B	24000	16.1	11.7	24000	19800	20800	9	7	1.8	217189726	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML296UH045XV36B	R-454B	23800	17.4	12	23800	19800	20800	9	7	1.8	217449750	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML296UH070XV36B	R-454B	23800	17.35	11.7	24000	19800	20800	9	7	1.8	217449751	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML297UH045XV36B	R-454B	23800	16.95	11.7	24000	19800	20800	9	7	1.8	218730748	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	ML297UH070XV36B	R-454B	23800	17.15	12	24000	19800	20800	9	7	1.8	218730749	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	SL280UH090V36B	R-454B	24000	17.4	12	24000	19800	20800	9	7	1.8	217449738	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	SL297UH040NV36B	R-454B	23800	17.45	11.7	24000	19800	20800	9	7	1.8	216769564	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	SL297UH060NV36B	R-454B	23800	17	11.7	24000	19800	20800	9	7	1.8	216769565	Both
EL18KSLV-024-230A**	CK40[C,U]T-30B-**-TDR	SLP99UH070XV36B	R-454B	23800	17.15	12	23800	19800	20800	9	7	1.8	217189722	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21000	8.5	7	1.8	216618924	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	EL180UH040NE36A	R-454B	24000	17.45	11.7	24000	20000	20800	9	7	1.85	217189729	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	EL180UH060NE36A	R-454B	24000	17.45	11.7	24000	20000	20800	9	7	1.85	217189730	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	EL280UH045E36A	R-454B	24000	17.8	12	24000	19600	20600	9.4	7.5	1.85	217189733	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	EL280UH070E36A	R-454B	23800	17.1	12	23800	19600	20400	9	7.5	1.85	217189732	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	EL280UH070XE36A	R-454B	23800	17.1	12	23800	19600	20400	9	7.5	1.85	217189731	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH030V36A	R-454B	24000	17.6	12	24000	19600	20600	9	7.5	1.85	217449754	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045E36A	R-454B	24000	17.15	11.7	24000	20000	20800	9	7	1.85	217189735	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045V36A	R-454B	24000	17.3	12	24000	19600	20600	9	7.5	1.85	217449755	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045XE36A	R-454B	24000	17.15	11.7	24000	20000	20800	9	7	1.85	217189736	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070E36A	R-454B	24000	16.7	12	24000	19800	20600	9	7	1.85	217189734	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070V36A	R-454B	24000	17.4	12	24000	19800	20600	9	7.5	1.85	217449756	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070XE36A	R-454B	24000	16.7	12	24000	19800	20600	9	7	1.85	217449753	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	SL280UH060NV36A	R-454B	24000	17.25	12	24000	19800	20600	9	7	1.85	217189728	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	SL280UH070V36A	R-454B	24000	17.05	12	24000	19800	20800	9	7	1.85	217189727	Both
EL18KSLV-024-230A**	CK40[C,U]T-36A-**-TDR	SL280UH070XV36A	R-454B	24000	17.05	12	24000	19800	20800	9	7	1.85	217449752	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21000	8.5	7	1.8	216618925	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL195UH040NE36B	R-454B	24000	16.35	11.7	24000	20000	20800	9	7	1.8	217189740	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL195UH060NE36B	R-454B	24000	16.5	11.7	24000	20000	20800	9	7	1.8	217189741	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL196UH030XE36B	R-454B	23800	17.25	12	24000	19800	20600	9	7.5	1.85	217449762	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL196UH045XE36B	R-454B	24000	16.35	11.7	24000	20000	20800	9	7	1.8	217449760	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL196UH070XE36B	R-454B	24000	16.5	11.7	24000	20000	20800	9	7	1.8	217449761	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL280UH090E36B	R-454B	24000	17.15	12	23800	19600	20400	9	7.5	1.85	217449758	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL297UH045XE36B	R-454B	24000	16.6	11.7	24000	20000	20800	9	7	1.8	217449763	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL297UH045XV36B	R-454B	24000	17.3	12	24000	19800	20800	9	7.5	1.85	216769570	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL297UH070XE36B	R-454B	24000	16.5	11.7	24000	20000	20800	9	7	1.85	217449764	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	EL297UH070XV36B	R-454B	24000	17.45	12	24000	19800	20600	9	7.5	1.85	216769571	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML180UH070E36B	R-454B	24000	16.7	12	24000	19800	20600	9	7	1.85	217189737	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML180UH070V36B	R-454B	24000	17.3	12	23800	19600	20600	9	7.5	1.85	217449759	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML180UH070XE36B	R-454B	24000	16.7	12	24000	19800	20600	9	7	1.85	217189738	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML193UH030XE36B	R-454B	24000	17.2	11.7	24000	20000	20800	9	7	1.8	217449766	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML193UH045XE36B	R-454B	24000	17.15	11.7	24000	20000	20800	9	7	1.8	217449767	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML193UH070XE36B	R-454B	24000	17.3	12	24000	19800	20800	9	7	1.85	217449768	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML196UH030XE36B	R-454B	23800	17.25	12	24000	19800	20600	9	7.5	1.85	217449765	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML196UH045XE36B	R-454B	24000	16.35	11.7	24000	20000	20800	9	7	1.8	217189742	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML196UH070XE36B	R-454B	24000	16.4	11.7	24000	19800	20800	9	7	1.85	217189743	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML296UH045XV36B	R-454B	24000	17.75	12	24000	19800	20600	9.4	7.5	1.85	217449769	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-**-TDR	ML296UH070XV36B	R-454B	24000	17.65	12	2400							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	CK40[C,U]T-36B-***TDR	SL297UH060NV36B	R-454B	24000	17.35	12	24000	19800	20600	9	7.5	1.85	216769569	Both
EL18KSLV-024-230A**	CK40[C,U]T-36B-***TDR	SLP99UH070XV36B	R-454B	24000	17.5	12	24000	19800	20600	9	7.5	1.85	21789739	Both
EL18KSLV-024-230A**	CK40DT-24A-***TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	22600	8.5	7	1.75	216618931	Both
EL18KSLV-024-230A**	CK40DT-24A-***TDR	EL280DF070E36A	R-454B	23800	16.8	11	24000	20000	21000	9.4	7.5	1.8	217189778	Both
EL18KSLV-024-230A**	CK40DT-24A-***TDR	ML180DF045E36A	R-454B	23600	16.65	11	24000	20000	21000	9	7.5	1.8	217189779	Both
EL18KSLV-024-230A**	CK40DT-24A-***TDR	ML180DF070E36A	R-454B	23600	15.9	11	24000	20200	21200	9	7	1.8	217189984	Both
EL18KSLV-024-230A**	CK40DT-24A-***TDR	SL280DF070V36A	R-454B	23600	16.8	11.7	24000	19800	21000	9	7.5	1.8	217449814	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	22600	8.5	7	1.75	216618932	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	EL297DF045XE36B	R-454B	23800	16	11	24000	20000	21000	9	7.5	1.8	217449816	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	EL297DF045XV36B	R-454B	23600	16.95	11.7	24000	19800	20800	9.4	7.5	1.8	217449817	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	ML180DF070E36B	R-454B	23800	16.1	11	24000	20000	21000	9	7.5	1.8	21749780	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	ML193DF045XE36B	R-454B	23800	16.9	11.7	24000	20000	21000	9.4	7.5	1.8	217449818	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	ML193DF070XE36B	R-454B	23800	17	11.7	24000	20000	21000	9.4	7.5	1.8	217449819	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	ML196DF045XE36B	R-454B	23800	16.3	11.7	24000	20000	21000	9	7.5	1.8	217189782	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	ML296DF045XV36B	R-454B	23600	16.15	11	24000	20000	21200	9	7.5	1.8	217449820	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	SL280DF060NV36B	R-454B	23600	16.4	11.7	24000	19800	21000	9	7.5	1.8	217449815	Both
EL18KSLV-024-230A**	CK40DT-24B-***TDR	SLP99DF070XV36B	R-454B	23600	17.15	11.7	24000	19800	20800	9.4	7.5	1.8	217189781	Both
EL18KSLV-024-230A**	CK40HT-18A-***TDR	- - -	R-454B	22200	14.3	10	24000	19600	23400	8.1	6.6	1.6	216618926	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	EL180UH040NE36A	R-454B	22200	15.8	10	23800	20000	21600	8.5	7	1.6	217188618	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	EL180UH060NE36A	R-454B	22200	15.8	10	23800	20000	21600	8.5	7	1.6	217188619	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	EL280UH045E36A	R-454B	22000	16.25	11	23400	19800	21600	8.5	7	1.6	217188622	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	EL280UH070E36A	R-454B	21800	15.6	11	23400	19800	21600	8.1	7	1.6	217188621	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	EL280UH070XE36A	R-454B	21800	15.6	11	23400	19800	21600	8.1	7	1.6	217188620	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH030V36A	R-454B	22000	16.15	11	23400	19800	21600	8.5	7	1.6	217449773	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH045E36A	R-454B	22200	15.65	10	23800	20000	21600	8.5	7	1.6	217188624	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH045V36A	R-454B	22000	15.75	11	23400	19800	21600	8.5	7	1.6	217449774	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH045XE36A	R-454B	22200	15.65	10	23800	20000	21600	8.5	7	1.6	217188625	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH070E36A	R-454B	22200	15	11	23600	19800	21600	8.1	7	1.6	217188623	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH070V36A	R-454B	22000	16	11	23600	19800	21600	8.5	7	1.6	217449775	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	ML180UH070XE36A	R-454B	22200	15	11	23600	19800	21600	8.1	7	1.6	217449772	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	SL280UH060NV36A	R-454B	22200	15.45	11	23600	19800	21600	8.5	7	1.6	217188617	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	SL280UH070V36A	R-454B	22200	15.3	11	23600	19800	21800	8.5	7	1.6	217188616	N/A
EL18KSLV-024-230A**	CK40HT-18A-***TDR	SL280UH070XV36A	R-454B	22200	15.3	11	23600	19800	21800	8.5	7	1.6	217449771	N/A
EL18KSLV-024-230A**	CK40HT-24A-***TDR	- - -	R-454B	23600	15.2	11	24000	19600	22600	8.5	7	1.8	216618927	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	EL180UH040NE36A	R-454B	23600	16.95	11.7	24000	20000	21000	9	7.5	1.8	217189746	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	EL180UH060NE36A	R-454B	23600	16.95	11.7	24000	20000	21000	9	7.5	1.8	217189747	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	EL280UH045E36A	R-454B	23400	17.4	11.7	23800	19800	21000	9	7	1.8	217189750	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	EL280UH070E36A	R-454B	23200	16.65	11.7	23800	19600	20800	9	7	1.8	217189749	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	EL280UH070XE36A	R-454B	23200	16.65	11.7	23800	19600	20800	9	7	1.8	217189748	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH030V36A	R-454B	23400	17.25	11.7	23800	19800	20800	9	7.5	1.8	217189778	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH045E36A	R-454B	23600	16.75	11.7	24000	20000	21000	9	7.5	1.8	217189752	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH045V36A	R-454B	23400	16.8	11.7	23800	19800	21000	9	7	1.8	217449779	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH045XE36A	R-454B	23600	16.75	11.7	24000	20000	21000	9	7.5	1.8	217189753	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH070E36A	R-454B	23600	16.2	11.7	24000	19800	21200	8.5	7	1.8	217189751	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH070V36A	R-454B	23600	16.95	11.7	24000	19800	21000	9	7.5	1.8	217449780	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	ML180UH070XE36A	R-454B	23600	16.2	11.7	24000	19800	21200	8.5	7	1.8	217449777	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	SL280UH060NV36A	R-454B	23600	16.75	11.7	24000	19800	21000	9	7	1.8	217189745	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	SL280UH070V36A	R-454B	23600	16.5	11.7	24000	19800	21000	9	7	1.8	217189744	Both
EL18KSLV-024-230A**	CK40HT-24A-***TDR	SL280UH070XV36A	R-454B	23600	16.5	11.7	24000	19800	21000	9	7	1.8	217449776	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	22800	8.5	7	1.75	216618928	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL195UH040NE36B	R-454B	24000	16.45	11.7	24000	20000	21000	9	7	1.8	217189757	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL195UH060NE36B	R-454B	24000	16.7	11.7	24000	20000	21000	9	7	1.8	217189758	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL196UH030XE36B	R-454B	23800	17.1	12	24000	19800	21000	9	7.5	1.8	217449786	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL196UH045XE36B	R-454B	24000	16.5	11	24000	20000	21000	9	7	1.8	217449784	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL196UH070XE36B	R-454B	24000	16.6	11.7	24000	20000	21000	9	7	1.8	217449785	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL280UH090E36B	R-454B	23800	17.15	12	23800	19600	20800	9	7.5	1.8	217449782	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL297UH045XE36B	R-454B	24000	16.7	11.7	24000	20000	21000	9	7	1.8	217449787	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL297UH045XV36B	R-454B	24000	17.3	11.7	24000	19800	20800	9	7.5	1.8	216769574	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL297UH070XE36B	R-454B	24000	16.6	11.7	24000	20000	21000	9	7	1.8	217449788	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	EL297UH070XV36B	R-454B	24000	17.45	12	24000	19800	20800	9	7.5	1.8	216769575	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML180UH070E36B	R-454B	24000	16.8	12	24000	19800	20800	9	7	1.8	217189754	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML180UH070V36B	R-454B	24000	17.3	12	23800	19600	21000	9	7	1.8	217449783	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML180UH070XE36B	R-454B	24000	16.8	12	24000	19800	20800	9	7	1.8	217189755	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML193UH030XE36B	R-454B	24000	17.25	11.7	24000	20000	21000	9	7.5	1.8	217449790	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML193UH045XE36B	R-454B	24000	17.2	11.7	24000	20000	21000	9	7.5	1.8	217449791	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML193UH070XE36B	R-454B	24000	17.35	11.7	24000	19800	21000	9	7.5	1.8	217449792	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML196UH030XE36B	R-454B	23800	17.1	12	24000	19800	21000	9	7	1.8	217449789	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML196UH045XE36B	R-454B	24000	16.4	11	24000	20000	21000	9	7	1.8	217189759	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML196UH070XE36B	R-454B	24000	16.5	11.7	24000	19800	20800	9	7	1.8	217189760	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML296UH045XV36B	R-454B	24000	17.7	12	24000	19800	20800	9	7.5	1.8	217449793	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML296UH070XV36B	R-454B	24000	17.65	12	24000	19800	20800	9	7.5	1.8	217449794	Both
EL18KSLV-024-230A**	CK40HT-24B-***TDR	ML297UH045XV36B	R-454B	24000	17.3	11.7	24000	19800	208					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	24000	17.3	12	24000	19800	20800	9	7.5	1.8	216769573	Both
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	24000	17.45	12	24000	19800	20800	9	7.5	1.8	217189756	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	---	R-454B	24000	16	11.7	24000	19600	22600	9	7	1.8	216618929	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	24000	17.6	11.7	24000	19800	20800	9.5	7.5	1.85	217189763	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	24000	17.6	11.7	24000	19800	21000	9.5	7.5	1.85	217189764	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	24000	17.85	12	24000	19600	20600	9.5	7.5	1.85	217189767	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	23800	17.15	12	24000	19600	20600	9.4	7.5	1.85	217189766	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	23800	17.15	12	24000	19600	20600	9.4	7.5	1.85	217189765	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	24000	17.7	12	24000	19600	20600	9.5	7.5	1.85	217449797	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	24000	17.4	11.7	24000	19800	20800	9.5	7.5	1.85	217189769	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	24000	17.4	12	24000	19600	20600	9.5	7.5	1.85	217449798	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	24000	17.4	11.7	24000	19800	20800	9.5	7.5	1.85	217189770	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	24000	16.85	12	24000	19800	20800	9.4	7.5	1.85	217189768	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	24000	17.55	12	24000	19800	20600	9.5	7.5	1.85	217449799	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36A	R-454B	24000	16.85	12	24000	19800	20800	9.4	7.5	1.85	217449796	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	24000	17.35	12	24000	19800	20800	9.5	7.5	1.85	217189762	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	24000	17.2	12	24000	19800	20800	9.4	7.5	1.85	217189761	Both
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	24000	17.2	12	24000	19800	20800	9.4	7.5	1.85	217449795	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	---	R-454B	24000	15.2	11.7	24000	19600	23400	8.5	7	1.75	216618930	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	24000	16.35	11.7	24000	20000	21000	9	7	1.8	217189774	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	24000	16.55	11.7	24000	20000	21000	9	7	1.8	217189775	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	23800	17.25	12	24000	19800	20800	9	7	1.8	217449805	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	24000	16.35	11.7	24000	20000	21000	9	7	1.8	217449803	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	24000	16.45	11.7	24000	20000	21000	9	7	1.8	217449804	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	23800	17.15	12	23800	19600	20600	9	7	1.8	217449801	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	24000	16.55	11.7	24000	20000	21000	9	7	1.8	217449806	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	24000	17.25	11.7	24000	19800	20800	9	7	1.8	216769578	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	24000	16.4	11.7	24000	20000	21000	9	7	1.8	217449807	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	24000	17.4	12	24000	19800	20800	9	7	1.8	216769579	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	24000	16.65	12	24000	19800	20800	9	7	1.8	217189771	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	24000	17.25	12	23800	19600	20800	9	7	1.8	217449802	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	24000	16.65	12	24000	19800	20800	9	7	1.8	217189772	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	24000	17.1	11.7	24000	20000	21000	9	7	1.8	217449809	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	24000	17.1	11.7	24000	20000	21000	9	7	1.8	217449810	N/A
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	24000	17.3	11.7	24000	20000	21000	9	7	1.8	217449811	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	24000	17.4	11.7	24000	20000	21000	9	7	1.8	217449808	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	24000	16.3	11.7	24000	20000	21000	9	7	1.8	217189776	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	24000	16.3	11.7	24000	20000	21000	9	7	1.8	217189777	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	24000	17.7	12	24000	19800	20800	9	7	1.8	217449812	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	24000	17.6	12	24000	19800	20800	9	7	1.8	217449813	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML297UH045XV36B	R-454B	24000	17.25	11.7	24000	19800	20800	9	7	1.8	218730754	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML297UH070XV36B	R-454B	24000	17.4	12	24000	19800	20800	9	7	1.8	218730755	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	24000	17.65	12	24000	19800	20800	9	7	1.8	217449800	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	24000	17.65	12	24000	19800	20800	9	7	1.8	216769576	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	24000	17.25	12	24000	19800	20800	9	7	1.8	216769577	Both
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	24000	17.4	12	24000	19800	20800	9	7	1.8	217189773	Both
EL18KSLV-036-230A**	CBK43UHET-030-DV-**	---	R-454B	34800	18.1	11	38500	29400	30800	9.5	7.5	1.9	218636320	Both
EL18KSLV-036-230A**	CBK43UHET-036-DV-**	---	R-454B	35000	18.1	10.9	37600	29000	30200	9.6	7.6	1.9	218636321	Yes
EL18KSLV-036-230A**	CBK43UHET-042-DV-**	---	R-454B	36000	17.9	11.1	37000	28400	29600	9.4	7.4	1.9	218636322	Both
EL18KSLV-036-230A**	CBK45UHET-036-230-**	---	R-454B	36000	18.5	11.7	36000	28000	30000	9	7	1.9	216618909	Both
EL18KSLV-036-230A**	CBK45UHET-042-230-**	---	R-454B	35800	18	11.7	36000	28000	30000	9	7	1.9	216618911	Both
EL18KSLV-036-230A**	CBK45UHPT-036-230-**	---	R-454B	36000	14.3	11	36000	28400	30600	8.5	7	1.85	216618908	N/A
EL18KSLV-036-230A**	CBK45UHPT-042-230-**	---	R-454B	36000	14.3	11	36000	28400	30600	8.5	7	1.9	216618910	N/A
EL18KSLV-036-230A**	CBK45UHV-036-230-**	---	R-454B	36000	18	11.7	36000	28000	30000	9.5	7.5	1.8	216581389	Both
EL18KSLV-036-230A**	CBK45UHV-042-230-**	---	R-454B	36000	18.2	11.7	36000	28000	30000	9	7	1.9	216618912	Both
EL18KSLV-036-230A**	CBK47UHET-036-230-**	---	R-454B	35000	18.5	11	36000	28000	29400	9.4	7.5	1.9	216705371	Both
EL18KSLV-036-230A**	CBK47UHET-042-230-**	---	R-454B	36000	18	12	36000	28000	29000	9.4	7	1.9	216705372	Both
EL18KSLV-036-230A**	CBK48MVT-030-230-**	---	R-454B	35200	18	11	36000	28000	29600	9.5	7.5	1.9	217753035	Both
EL18KSLV-036-230A**	CBK48MVT-036-230-**	---	R-454B	35000	18.5	11	36000	28000	29400	9.4	7.5	1.9	216618913	Both
EL18KSLV-036-230A**	CBK48MVT-042-230-**	---	R-454B	36000	19	11.7	36000	28000	29400	9.4	7	1.95	216618914	Both
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	---	R-454B	33000	15.2	10	34000	29000	29400	8.1	6.5	1.85	217677946	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL195UH080NE48C	R-454B	34200	16.6	10	35800	29000	28600	8.5	7	1.85	217677941	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL196UH090XE48C	R-454B	34400	16.9	10	35800	28800	28600	8.5	7	1.85	217677940	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL280UH110E48C	R-454B	34600	17.25	10	35600	28800	28600	8.5	7	1.85	217677939	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL297UH090XE48C	R-454B	34200	16.9	10	35400	28600	28400	8.5	7	1.85	217677942	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL297UH090XV36C	R-454B	34000	17.5	10	35600	28800	28400	8.5	7	1.85	217677931	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL297UH090XV48C	R-454B	34200	17.5	10	35600	28800	28400	8.5	7	1.85	217677934	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	EL297UH110XV48C	R-454B	34200	17.85	10	35400	28600	28400	8.5	7	1.85	217677935	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	ML193UH090XE36C	R-454B	34200	18.35	10	35600	28800	28400	8.5	7	1.85	217677938	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	ML193UH090XE48C	R-454B	34400	16.95	10	35800	28800	28600	8.5	7	1.85	217677944	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	ML193UH110XE48C	R-454B	34400	17.25	10	35600	28800	28400	8.5	7	1.85	217677945	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	ML196UH090XE36C	R-454B	34200	18.45									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	SLP99UH090XV36C	R-454B	34200	17.7	10	35600	28600	28400	8.5	7	1.85	217677930	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30/36C**+TDR	SLP99UH090XV48C	R-454B	34200	17.4	10	35600	28800	28400	8.5	7	1.85	217677933	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	- - -	R-454B	33000	15.2	10	34000	28000	29000	7.8	6.6	1.8	216618933	N/A
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	EL180UH040NE36A	R-454B	33800	17.6	11	35600	29000	28600	8.5	7	1.8	217189785	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	EL180UH060NE36A	R-454B	33800	17.55	11	35600	29000	28600	8.5	7	1.8	217189786	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	EL280UH045E36A	R-454B	34200	18.15	11	35800	29000	28600	8.5	7	1.8	217189789	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	EL280UH070E36A	R-454B	33800	17.3	11	35600	28800	28600	8.5	7	1.85	217189788	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	EL280UH070XE36A	R-454B	33800	17.3	11	35600	28800	28600	8.5	7	1.85	217189787	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH030V36A	R-454B	34000	17.4	11	35600	29000	28600	8.5	7	1.8	217449823	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH045E36A	R-454B	33800	17.7	11	35600	28800	28600	8.5	7	1.8	217189791	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH045V36A	R-454B	34000	17.3	11	35800	29000	28600	8.5	7	1.8	217449824	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH045XE36A	R-454B	33800	17.7	11	35600	28800	28600	8.5	7	1.8	217189792	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH070E36A	R-454B	34000	17.5	11	35600	29000	28600	8.5	7	1.8	217189790	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH070V36A	R-454B	34000	17.45	11	35600	28800	28600	8.5	7	1.85	217449825	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	ML180UH070XE36A	R-454B	34000	17.5	11	35600	29000	28600	8.5	7	1.8	217449822	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	SL280UH060NV36A	R-454B	34200	17.35	11	35600	29000	28600	8.5	7	1.85	217189784	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	SL280UH070V36A	R-454B	33800	17	11	35600	29000	28600	8.5	7	1.8	217189783	Both
EL18KSLV-036-230A**	CK40[C,U]T-30A**+TDR	SL280UH070XV36A	R-454B	33800	17	11	35600	29000	28600	8.5	7	1.8	217449821	Both
EL18KSLV-036-230A**	- - -	- - -	R-454B	33000	15.2	10	34000	28000	29000	7.8	6.6	1.8	216618934	N/A
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL180UH080NE48B	R-454B	34000	16	10	35800	29200	28800	8.5	7	1.8	217189801	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL195UH040NE36B	R-454B	33600	17.15	11	35600	29000	28600	8.5	7	1.8	217189796	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL195UH060NE36B	R-454B	33800	17.35	11	35600	28800	28600	8.5	7	1.8	217189797	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL196UH030XE36B	R-454B	33800	16.6	11	35800	29000	28600	8.5	7	1.8	217449831	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL196UH045XE36B	R-454B	33600	17.1	11	35600	29000	28600	8.5	7	1.8	217449829	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL196UH070XE36B	R-454B	33800	17.25	11	35600	29000	28600	8.5	7	1.8	217449830	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL280UH090E36B	R-454B	34200	18.3	11	35400	28800	28400	8.5	7	1.85	217449827	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL280UH090E48B	R-454B	34200	16.55	11	35400	28800	28400	8.5	7	1.85	217189803	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL280UH090XE48B	R-454B	34200	16.55	11	35400	28800	28400	8.5	7	1.85	217189802	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL297UH045XE36B	R-454B	33800	17.4	11	35800	29000	28800	8.5	7	1.8	217449832	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL297UH045XV36B	R-454B	33800	17	11	35600	29000	28600	8.5	7	1.8	216769582	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL297UH070XE36B	R-454B	33800	17.3	11	35800	29000	28600	8.5	7	1.8	217449833	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	EL297UH070XV36B	R-454B	34000	17.3	11	35600	28800	28400	8.5	7	1.85	216769583	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180DF090E48B	R-454B	34400	16.9	11	35600	28800	28400	8.5	7	1.85	217189805	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH070E36B	R-454B	34200	17.65	11	35600	29000	28600	8.5	7	1.85	217189793	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH070V36B	R-454B	34200	17.7	11	35400	28800	28400	8.5	7	1.85	217449828	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH070V48B	R-454B	34400	17.95	11	36000	29600	29200	8.1	7	1.8	217449843	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH070XE36B	R-454B	34200	17.65	11	35600	29000	28600	8.5	7	1.85	217189794	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH090E48B	R-454B	34000	16.65	11	35400	28800	28400	8.5	7	1.85	217189804	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH090V48B	R-454B	34200	17.25	11	35600	29000	28600	8.5	7	1.85	217449844	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML180UH090XE48B	R-454B	34000	16.65	11	35400	28800	28400	8.5	7	1.85	217449842	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML193UH030XE36B	R-454B	33800	17.75	10	35800	29200	28800	8.5	7	1.8	217449835	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML193UH045XE36B	R-454B	34000	17.15	10	35800	29200	28800	8.5	7	1.8	217449836	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML193UH070XE36B	R-454B	34000	17.4	11	35800	29000	28600	8.5	7	1.8	217449837	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML196UH030XE36B	R-454B	33800	17.6	11	35800	29000	28600	8.5	7	1.8	217449834	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML196UH045XE36B	R-454B	33600	17.1	11	35600	29000	28600	8.5	7	1.8	217189798	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML196UH070XE36B	R-454B	34000	17.25	11	35800	29000	28600	8.5	7	1.8	217189799	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML196UH070XE48B	R-454B	34000	15.9	10	35800	29200	28800	8.1	7	1.8	217449845	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML296UH045XV36B	R-454B	33800	17.3	11	35600	28800	28600	8.5	7	1.85	217449838	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML296UH070XV36B	R-454B	34000	16.7	11	35800	29000	28600	8.5	7	1.8	217449839	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML297UH045XV36B	R-454B	33800	17	11	35600	29000	28600	8.5	7	1.8	218730756	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	ML297UH070XV36B	R-454B	34000	17.3	11	35600	28800	28400	8.5	7	1.85	218730757	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SL280UH080NV48B	R-454B	34000	17.2	11	35600	28800	28600	8.5	7	1.8	217449841	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SL280UH090V36B	R-454B	34200	17.75	11	35600	28800	28400	8.5	7	1.85	217449826	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SL280UH090V48B	R-454B	34200	17.6	11	35400	28800	28400	8.5	7	1.85	217189800	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SL280UH090XV48B	R-454B	34200	17.6	11	35400	28800	28400	8.5	7	1.85	217449840	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SL297UH040NV36B	R-454B	33800	17.35	11	35600	28800	28600	8.5	7	1.8	216769580	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SL297UH060NV36B	R-454B	33800	17.1	11	35600	29000	28600	8.5	7	1.8	216769581	Both
EL18KSLV-036-230A**	CK40[C,U]T-30B**+TDR	SLP99UH070XV36B	R-454B	34000	17.45	11	35400	28800	28400	8.5	7	1.85	217189795	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	6.6	1.85	216618935	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	EL180UH040NE36A	R-454B	34400	17.95	11	35800	28800	28400	8.5	7	1.85	217189808	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	EL180UH060NE36A	R-454B	34400	17.9	11	35800	28800	28400	8.5	7	1.85	217189809	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	EL280UH045E36A	R-454B	34800	18.5	11	35800	29000	28600	8.5	7	1.85	217189812	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	EL280UH070E36A	R-454B	34600	17.65	11	35600	28800	28400	8.5	7	1.85	217189811	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	EL280UH070XE36A	R-454B	34600	17.65	11	35600	28800	28400	8.5	7	1.85	217189810	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH030V36A	R-454B	34800	17.8	11	35800	28800	28400	8.5	7	1.85	217449848	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH045E36A	R-454B	34400	18	11	35800	28800	28400	8.5	7	1.85	217189814	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH045V36A	R-454B	34600	17.65	11	35800	29000	28400	8.5	7	1.85	217449849	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH045XE36A	R-454B	34400	18	11	35800	28800	28400	8.5	7	1.85	217189815	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH070E36A	R-454B	34600	17.9	11	35600	28800	28400	8.5	7	1.85	217189813	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH070V36A	R-454B	34600	17.8	11	35600	28800	28400	8.5	7	1.85	217449850	Both
EL18KSLV-036-230A**	CK40[C,U]T-36A**+TDR	ML180UH070XE36A	R-454B	34600										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	34800	16.4	11	36000	29000	28600	8.5	7	1.85	217189824	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	34400	17.5	11	35800	28800	28400	8.5	7	1.85	217189819	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	34400	17.7	11	35600	28800	28400	8.5	7	1.85	217189820	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	34400	16.95	11	35800	29000	28400	8.5	7	1.85	217449856	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	34200	17.45	11	35800	28800	28400	8.5	7	1.85	217449854	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	34400	17.6	11	35800	29000	28400	8.5	7	1.85	217449855	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	34800	18.65	11	35600	28600	28200	8.5	7	1.85	217449852	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	34800	16.95	11.7	35600	28600	28200	8.5	7	1.9	217189826	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	34800	16.95	11.7	35600	28600	28200	8.5	7	1.9	217189825	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	34600	17.8	11	36000	29000	28600	8.5	7	1.85	217449857	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	34400	17.35	11	35600	28800	28400	8.5	7	1.85	216769586	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	34400	17.65	11	35800	28800	28400	8.5	7	1.85	217449858	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	34600	17.6	11	35600	28800	28200	8.5	7	1.85	216769587	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180DF090E48B	R-454B	35000	17.3	11	35600	28800	28200	8.5	7	1.9	217189828	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	34800	18.05	11	35800	28800	28400	8.5	7	1.85	217189816	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	34800	18.1	11	35600	28600	28200	8.5	7	1.85	217449853	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	35000	18.3	11.7	35600	28800	28200	8.5	7	1.9	217449868	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	34800	18.05	11	35800	28800	28400	8.5	7	1.85	217189817	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	34800	17.05	11.7	35400	28600	28200	8.5	7	1.9	217189827	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	34800	17.65	11	35800	28800	28400	8.5	7	1.85	217449869	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	34800	17.05	11.7	35400	28600	28200	8.5	7	1.9	217449867	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	34400	18.05	11	36000	29000	28600	8.5	7	1.85	217449860	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	34600	17.5	11	36000	29000	28600	8.5	7	1.85	217449861	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	34800	17.75	11	35800	28800	28400	8.5	7	1.85	217449862	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	34400	17.9	11	35800	29000	28600	8.5	7	1.85	217449859	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	34200	17.4	11	35600	28800	28400	8.5	7	1.85	217189821	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	34800	17.6	11	35800	28800	28400	8.5	7	1.85	217189822	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	34600	16	11	36000	29000	28600	8.5	7	1.85	217449870	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	34800	17	11	35800	29000	28400	8.5	7	1.85	217449863	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	34800	17.05	11	35800	28800	28400	8.5	7	1.85	217449864	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML297UH045XV36B	R-454B	34400	17.35	11	35600	28800	28400	8.5	7	1.85	218730758	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML297UH070XV36B	R-454B	34600	17.6	11	35600	28800	28200	8.5	7	1.85	218730759	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	34600	17.55	11	35600	28800	28400	8.5	7	1.85	217449866	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	35000	18.1	11	35600	28600	28200	8.5	7	1.9	217449851	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	34600	18.1	11.7	35400	28600	28200	8.5	7	1.9	217189823	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34600	18.1	11.7	35400	28600	28200	8.5	7	1.9	217449865	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	34600	17.7	11	35600	28800	28400	8.5	7	1.85	216769584	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	34600	17.45	11	35600	28800	28400	8.5	7	1.85	216769585	Both
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	34800	17.8	11	35600	28600	28200	8.5	7	1.85	217189818	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	- - -	R-454B	32800	15.2	10.7	34000	29000	29400	8.2	6.8	1.8	218668514	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL180UH100NE60C	R-454B	35000	16	11	35800	29600	28400	8.5	7	1.85	218082906	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL195UH080NE48C	R-454B	34600	16.75	11	35600	29400	28200	8.5	7	1.85	218082907	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL196UH090XE48C	R-454B	34800	17	11	35600	29400	28200	8.5	7	1.9	218082908	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL280UH110E48C	R-454B	35000	17.45	11	35400	29200	28000	8.5	7	1.9	218082909	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XE48C	R-454B	35000	17.2	11	35600	29400	28200	8.5	7	1.9	218082910	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV36C	R-454B	34600	17.6	11	35400	29200	28000	8.5	7	1.9	218082911	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV48C	R-454B	35000	17.85	11	35600	29400	28200	8.5	7	1.85	218082912	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV60C	R-454B	35000	17.9	11	35600	29400	28200	8.5	7	1.85	218082913	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV48C	R-454B	35000	18.15	11	35600	29400	28200	8.5	7	1.9	218082914	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV60C	R-454B	35200	18.1	11	35600	29400	28200	8.5	7	1.9	218082915	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH110E60C	R-454B	35200	16.65	11	35600	29400	28200	8.5	7	1.9	218082916	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH110V60C	R-454B	35200	18.8	11	35600	29400	28200	8.5	7	1.9	218082917	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH110XE60C	R-454B	35200	16.65	11	35600	29400	28200	8.5	7	1.9	218082918	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH090XE36C	R-454B	34400	18.3	11	35200	29000	28000	8.5	7	1.85	218082919	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH090XE48C	R-454B	35000	17.2	11	35800	29600	28400	8.5	7	1.85	218082920	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH110XE48C	R-454B	35200	17.5	11	35600	29400	28200	8.5	7	1.9	218082921	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE36C	R-454B	34800	18.55	11	35600	29400	28200	8.5	7	1.85	218082922	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH090XV48C	R-454B	35000	17.55	11	35800	29600	28400	8.5	7	1.85	218082923	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH110XV60C	R-454B	35200	18.55	11	35800	29600	28400	8.5	7	1.85	218082924	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH090XV36C	R-454B	34600	17.6	11	35400	29200	28000	8.5	7	1.9	218730790	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH090XV60C	R-454B	35000	17.9	11	35600	29400	28200	8.5	7	1.85	218730791	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH110XV60C	R-454B	35200	18.1	11	35600	29400	28200	8.5	7	1.9	218730792	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH080NV60C	R-454B	35000	18.15	11	35600	29400	28200	8.5	7	1.9	218082925	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090V60C	R-454B	35200	18.4	11	35600	29400	28200	8.5	7	1.9	218082926	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090XV60C	R-454B	35200	18.4	11	35600	29400	28200	8.5	7	1.9	218082927	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH100NV60C	R-454B	35200	17.95	11	35800	29400	28200	8.5	7	1.85	218082928	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH110V60C	R-454B	35200	18.3	11	35800	29600	28400	8.5	7	1.85	218082929	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH110XV60C	R-454B	35200	18.3	11	35800	29600	28400	8.5	7	1.85	218082930	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL297UH080NV48C	R-454B	34800	17.75	11	35600	29400	28200	8.5	7	1.85	218082931	Both
EL18KSLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL297UH080NV60C	R-454B	35000	18	11	35800	29600						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF045XE36B	R-454B	33600	16.6	11	35400	28600	28200	8.5	7	1.85	218114518	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF045XV36B	R-454B	34200	17.05	11	35800	29000	28600	8.5	7	1.85	218114519	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF070XE48B	R-454B	34200	17.25	10	36000	29200	28800	8.5	7	1.85	218114524	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF070XV48B	R-454B	34000	16.5	10	35800	29000	28600	8.5	7	1.85	218114511	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML180DF070E36B	R-454B	34000	17.3	11	35600	28800	28400	8.5	7	1.85	218114512	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML193DF045XE36B	R-454B	33600	16.95	11	35400	28600	28200	8.5	7	1.85	218114520	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML193DF070XE36B	R-454B	34400	17.4	11	35800	29000	28600	8.5	7	1.85	218114521	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML196DF045XE36B	R-454B	34000	17.35	11	35600	28800	28400	8.5	7	1.85	218114514	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML196DF070XE48B	R-454B	34400	16.95	10	36000	29200	28800	8.5	7	1.85	218114516	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML296DF045XV36B	R-454B	34000	16.4	10	36000	29200	28800	8.5	7	1.85	218114522	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML296DF070XV48B	R-454B	34200	16.8	11	35800	29000	28600	8.5	7	1.85	218114525	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SL280DF060NV36B	R-454B	34400	16.55	10	36000	29200	28800	8.5	7	1.85	218114517	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SL280DF090V48B	R-454B	34400	16.95	10	36000	29200	28600	8.5	7	1.85	218114523	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SLP99DF070XV36B	R-454B	34200	16.85	11	35800	29000	28600	8.5	7	1.85	218114513	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	6.6	1.8	216618941	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL280DF090E48B	R-454B	34600	16.7	11	35800	29000	28600	8.5	7	1.85	217189882	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF045XE36B	R-454B	33600	16.6	11	35400	28600	28200	8.5	7	1.85	217449932	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF045XV36B	R-454B	34200	17.05	11	35800	29000	28600	8.5	7	1.85	217449933	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF070XE48B	R-454B	34200	17.25	10	36000	29200	28800	8.5	7	1.85	217449938	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	EL297DF070XV48B	R-454B	34000	16.5	10	35800	29000	28600	8.5	7	1.85	216769598	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML180DF070E36B	R-454B	34000	17.3	11	35600	28800	28400	8.5	7	1.85	217189879	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML193DF045XE36B	R-454B	33600	16.95	11	35400	28600	28200	8.5	7	1.85	217449934	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML193DF070XE36B	R-454B	34400	17.4	11	35800	29000	28600	8.5	7	1.85	217449935	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML196DF045XE36B	R-454B	34000	17.35	11	35600	28800	28400	8.5	7	1.85	217189881	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML196DF070XE48B	R-454B	34400	16.95	10	36000	29200	28800	8.5	7	1.85	217189883	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML296DF045XV36B	R-454B	34000	16.4	10	36000	29200	28800	8.5	7	1.85	217449936	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML296DF070XV48B	R-454B	34200	16.8	11	35800	29000	28600	8.5	7	1.85	217449939	Both
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	ML297DF070XV48B	R-454B	34000	16.5	10	35800	29000	28600	8.5	7	1.85	218730765	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SL280DF060NV36B	R-454B	34400	16.55	10	36000	29200	28800	8.5	7	1.85	217449931	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SL280DF090NV48B	R-454B	34400	16.95	10	36000	29200	28600	8.5	7	1.85	217449937	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SL280DF090V48B	R-454B	34400	16.95	10	36000	29200	28600	8.5	7	1.85	217509777	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-***+TDR	SLP99DF070XV36B	R-454B	34200	16.85	11	35800	29000	28600	8.5	7	1.85	217189880	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	- - -	R-454B	34000	15.2	11	34000	28000	29000	8.1	6.6	1.9	216618942	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	EL280DF090E48B	R-454B	35400	17.3	11	36000	28600	28200	8.5	7	1.9	217189887	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	EL297DF045XE36B	R-454B	34600	17.55	11	35600	28600	28000	9	7	1.9	217449941	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	EL297DF045XV36B	R-454B	35000	17.6	11	35800	28600	28200	9	7	1.9	217449942	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	EL297DF070XE48B	R-454B	35000	17.65	11	36000	28800	28400	9	7	1.9	217449947	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	EL297DF070XV48B	R-454B	35000	17.2	10	36000	29000	28600	8.5	7	1.9	216769599	Yes
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML180DF070E36B	R-454B	35000	17.9	11	35800	28600	28200	9	7	1.9	217189884	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML193DF045XE36B	R-454B	35200	18.3	11	36000	28800	28200	9	7	1.9	217449943	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML193DF070XE36B	R-454B	35200	17.95	11	36000	28800	28200	9	7	1.9	217449944	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML196DF045XE36B	R-454B	35000	17.85	11	35800	28600	28200	9	7	1.9	217189886	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML196DF070XE48B	R-454B	35200	17.5	11	36000	28800	28400	9	7	1.9	217189888	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML296DF045XV36B	R-454B	34800	16.95	11	36000	28800	28400	8.5	7	1.9	217449945	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML296DF070XV48B	R-454B	35000	17.35	11	36000	28600	28200	9	7	1.9	217449948	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	ML297DF070XV48B	R-454B	35000	17.2	10	36000	29000	28600	8.5	7	1.9	218730766	Yes
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	SL280DF060NV36B	R-454B	35200	17.2	11	36000	28800	28400	8.5	7	1.9	217449940	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	SL280DF090NV48B	R-454B	35200	17.6	11	36000	28800	28400	9	7	1.9	217449946	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	SL280DF090V48B	R-454B	35200	17.6	11	36000	28800	28400	9	7	1.9	217509778	Both
EL18KSLV-036-230A**	CK40DT-42B-***+TDR	SLP99DF070XV36B	R-454B	35000	17.45	11	35800	28600	28200	9	7	1.9	217189885	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	6.5	1.9	216618936	Yes
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	EL180UH040NE36A	R-454B	34200	17.95	11	35800	28800	28400	9	7	1.9	217189831	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	EL180UH060NE36A	R-454B	34200	17.95	11	35800	28800	28400	9	7	1.9	217189832	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	EL280UH045E36A	R-454B	34600	18.6	11	36000	28800	28400	9	7	1.9	217189835	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	EL280UH070E36A	R-454B	34200	17.75	11	35800	28600	28200	9	7	1.9	217189834	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	EL280UH070XE36A	R-454B	34200	17.75	11	35800	28600	28200	9	7	1.9	217189833	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH030V36A	R-454B	34400	17.85	11	36000	28800	28400	9	7	1.9	217449873	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH045E36A	R-454B	34200	18.1	11	35800	28800	28200	9	7	1.9	217189837	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH045V36A	R-454B	34400	17.75	11	36000	28800	28400	9	7	1.9	217449874	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH045XE36A	R-454B	34200	18.1	11	35800	28800	28200	9	7	1.9	217189838	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH070E36A	R-454B	34400	17.95	11	35800	28600	28200	9	7	1.9	217189836	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH070V36A	R-454B	34400	17.9	11	35800	28600	28200	9	7	1.9	217449875	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	ML180UH070XE36A	R-454B	34400	17.95	11	35800	28600	28200	9	7	1.9	217449872	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	SL280UH060NV36A	R-454B	34600	17.75	11	36000	28800	28400	9	7	1.9	217189830	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	SL280UH070V36A	R-454B	34200	17.4	11	35800	29400	28400	9	7	1.9	217449829	Both
EL18KSLV-036-230A**	CK40HT-30A-***+TDR	SL280UH070XV36A	R-454B	34200	17.4	11	35800	29400	28400	9	7	1.9	217449871	Both
EL18KSLV-036-230A**	CK40HT-30B-***+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	6.6	1.85	216618937	Yes
EL18KSLV-036-230A**	CK40HT-30B-***+TDR	EL180UH080NE48B	R-454B	34400	16.35	11	36000	29000	28600	8.5	7	1.85	217189847	Both
EL18KSLV-036-230A**	CK40HT-30B-***+TDR	EL195UH040NE36B	R-454B	34200	17.4	11	35800	28800	28400	8.5	7	1.85	217189842	Both
EL18KSLV-036-230A**	CK40HT-30B-***+TDR	EL195UH060NE36B	R-454B	34200	17.6	11	35600	28800	28400	8.5	7	1.85	217189843	Both
EL18KSLV-036-230A**	CK40HT-30B-***+TDR	EL196UH030XE36B	R-454B	34200	16.85	11	35800	29000	28600	8.5	7	1.85		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	34600	16.8	11	35600	28600	28200	8.5	7	1.85	217189848	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	34400	17.7	11	35800	29000	28600	8.5	7	1.85	217449882	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	34400	17.3	11	35600	28800	28400	8.5	7	1.85	216769590	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	34200	17.55	11	35800	29000	28600	8.5	7	1.85	217449883	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	34400	17.55	11	35600	28800	28400	8.5	7	1.85	216769591	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180DF090E48B	R-454B	34800	17.2	11	35600	28800	28400	8.5	7	1.85	217189851	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	34600	17.95	11	35600	28800	28400	8.5	7	1.85	217189839	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	34600	18	11	35600	28800	28400	8.5	7	1.85	217449878	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	34800	18.25	11	35600	28800	28400	8.5	7	1.85	217449893	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	34600	17.95	11	35600	28800	28400	8.5	7	1.85	217189840	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	34600	16.95	11.7	35400	28600	28200	8.5	7	1.85	217189850	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	34600	17.55	11	35800	28800	28400	8.5	7	1.85	217449894	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	34600	16.95	11.7	35400	28600	28200	8.5	7	1.85	217449892	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	34200	18	11	35800	29000	28600	8.5	7	1.85	217449885	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	34400	17.4	11	36000	29000	28600	8.5	7	1.85	217449886	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	34600	17.65	11	35800	29000	28600	8.5	7	1.85	217449887	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	34200	17.8	11	35800	29000	28600	8.5	7	1.85	217449884	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	34000	17.35	11	35600	28800	28400	8.5	7	1.85	217189844	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	34600	17.5	11	35800	29000	28600	8.5	7	1.85	217189845	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	34400	16	11	36000	29000	28600	8.5	7	1.85	217449895	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	34600	16.9	11	35800	29000	28600	8.5	7	1.85	217449888	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	34600	16.95	11	35800	29000	28600	8.5	7	1.85	217449889	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML297UH045XV36B	R-454B	34400	17.3	11	35600	28800	28400	8.5	7	1.85	218730760	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML297UH070XV36B	R-454B	34400	17.55	11	35600	28800	28400	8.5	7	1.85	218730761	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	34400	17.5	11	35600	28800	28400	8.5	7	1.85	217449891	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	34800	18.05	11	35600	28800	28400	8.5	7	1.85	217449876	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	34400	18.05	11.7	35400	28600	28200	8.5	7	1.85	217189846	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090XV48B	R-454B	34400	18.05	11.7	35400	28600	28200	8.5	7	1.85	217449890	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	34400	17.6	11	35600	28800	28400	8.5	7	1.85	216769588	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	34400	17.4	11	35600	28800	28400	8.5	7	1.85	216769589	Both
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	34600	17.75	11	35600	28800	28400	8.5	7	1.85	217189841	Both
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	- - -	R-454B	31400	14.7	10	34000	28400	24400	7.8	6.6	1.9	216618938	N/A
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	EL180UH040NE36A	R-454B	32200	16.95	10	35600	29200	28800	8.5	7	1.8	217189854	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	EL180UH060NE36A	R-454B	32200	16.95	10	35600	29200	28800	8.5	7	1.8	217189855	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	EL280UH045E36A	R-454B	32600	17.6	10	35800	29200	29000	8.5	7	1.8	217189858	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	EL280UH070E36A	R-454B	32400	16.7	10	35400	29000	28800	8.5	7	1.8	217189857	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	EL280UH070XE36A	R-454B	32400	16.7	10	35400	29000	28800	8.5	7	1.8	217189856	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH030V36A	R-454B	32600	16.75	10	35600	29200	28800	8.5	7	1.8	217449898	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH045E36A	R-454B	32200	17.15	10	35400	29200	28800	8.5	7	1.8	217189860	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH045V36A	R-454B	32600	16.65	10	35600	29200	29000	8.5	7	1.8	217449899	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH045XE36A	R-454B	32200	17.15	10	35400	29200	28800	8.5	7	1.8	217189861	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH070E36A	R-454B	32400	16.95	10	35400	29200	28800	8.5	7	1.8	217189859	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH070V36A	R-454B	32400	16.8	10	35400	29000	28800	8.5	7	1.8	217449900	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	ML180UH070XE36A	R-454B	32400	16.95	10	35400	29200	28800	8.5	7	1.8	217449897	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	SL280UH060NV36A	R-454B	32600	16.65	10	35600	29200	28800	8.5	7	1.8	217189853	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	SL280UH070V36A	R-454B	32400	16.3	10	35400	29200	28800	8.5	7	1.8	217189852	Yes
EL18KSLV-036-230A**	CK40HT-36A-***+TDR	SL280UH070XV36A	R-454B	32400	16.3	10	35400	29200	28800	8.5	7	1.8	217449896	Yes
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	- - -	R-454B	33000	15.2	10	34000	28400	29400	8.1	6.6	1.8	216618939	Yes
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL180UH080NE48B	R-454B	34000	16.25	10	36000	29000	28600	8.5	7	1.85	217189870	Yes
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL195UH040NE36B	R-454B	33600	17.45	11	35800	29000	28400	8.5	7	1.85	217189865	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL195UH060NE36B	R-454B	33800	17.6	11	35600	28800	28400	8.5	7	1.85	217189866	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL196UH030XE36B	R-454B	33600	16.85	11	35800	29000	28600	8.5	7	1.85	217449906	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL196UH045XE36B	R-454B	33600	17.4	11	35800	29000	28600	8.5	7	1.85	217449904	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL196UH070XE36B	R-454B	33800	17.55	11	35800	29000	28600	8.5	7	1.85	217449905	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL280UH090E36B	R-454B	34000	18.6	11	35600	28800	28400	8.5	7	1.85	217449902	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL280UH090E48B	R-454B	34000	16.75	11	35600	28600	28200	8.5	7	1.85	217189872	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL280UH090XE48B	R-454B	34000	16.75	11	35600	28600	28200	8.5	7	1.85	217189871	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL297UH045XE36B	R-454B	33800	17.7	10	35800	29000	28600	8.5	7	1.85	217449907	Yes
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL297UH045XV36B	R-454B	33800	17.3	11	35600	28800	28400	8.5	7	1.85	216769594	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL297UH070XE36B	R-454B	33800	17.55	11	35800	29000	28600	8.5	7	1.85	217449908	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	EL297UH070XV36B	R-454B	34000	17.5	11	35600	28800	28400	8.5	7	1.85	216769595	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180DF090E48B	R-454B	34200	17.05	11	35600	28600	28400	8.5	7	1.85	217189874	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH070E36B	R-454B	34000	17.95	11	35800	28800	28400	8.5	7	1.85	217189862	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH070V36B	R-454B	34000	18	11	35600	28800	28400	8.5	7	1.85	217449903	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH070V48B	R-454B	34200	18.2	11	35600	28800	28400	8.5	7	1.85	217449918	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH070XE36B	R-454B	34000	17.95	11	35800	28800	28400	8.5	7	1.85	217189863	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH090E48B	R-454B	34000	16.9	11	35400	28600	28200	8.5	7	1.85	217189873	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH090V48B	R-454B	34000	17.5	11	35800	28800	28400	8.5	7	1.85	217449919	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML180UH090XE48B	R-454B	34000	16.9	11	35400	28600	28200	8.5	7	1.85	217449917	Both
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML193UH030XE36B	R-454B	33800	17.1	10	35800	29000	28600	8.5	7	1.85	217449910	Yes
EL18KSLV-036-230A**	CK40HT-36B-***+TDR	ML193UH045XE36B	R-454B	33800	17.35	10	36000	29200	28600	8.5	7	1.85	217449911	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML196UH070XE48B	R-454B	33800	16	10	36000	29200	28800	8.5	7	1.85	217449920	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML296UH045XV36B	R-454B	34000	16.85	10	35800	29000	28600	8.5	7	1.85	217449913	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML296UH070XV36B	R-454B	34000	16.9	11	35800	29000	28600	8.5	7	1.85	217449914	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML297UH045XV36B	R-454B	33800	17.3	11	35600	28800	28400	8.5	7	1.85	218730762	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML297UH070XV36B	R-454B	34000	17.5	11	35600	28800	28400	8.5	7	1.85	218730763	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH080NV48B	R-454B	33800	17.5	11	35600	28800	28400	8.5	7	1.85	217449916	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH090V36B	R-454B	34200	18	11	35600	28800	28400	8.5	7	1.85	217449901	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH090V48B	R-454B	33800	18.05	11	35400	28600	28200	8.5	7	1.85	217189869	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH090XV48B	R-454B	33800	18.05	11	35400	28600	28200	8.5	7	1.85	217449915	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL297UH040NV36B	R-454B	33800	17.6	11	35600	28800	28400	8.5	7	1.85	216769592	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL297UH060NV36B	R-454B	33800	17.35	11	35600	28800	28400	8.5	7	1.85	216769593	Both
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SLP99UH070XV36B	R-454B	34000	17.75	11	35600	28600	28200	8.5	7	1.85	217189864	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	6.6	1.85	216618940	Yes
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL195UH080NE48C	R-454B	34800	17.05	11	36000	28800	28400	9	7	1.9	217189877	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL196UH090XE48C	R-454B	34800	17.2	11.7	35600	28600	28200	9	7	1.9	217449924	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL280UH110E48C	R-454B	35200	16.15	11	36000	28800	28200	8.5	7	1.9	217449923	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL297UH090XE48C	R-454B	34600	17.2	11	35600	28600	28200	9	7	1.9	217449925	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL297UH090XV36C	R-454B	34600	18	11	35800	28600	28400	9	7	1.9	216769596	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL297UH090XV48C	R-454B	34800	18.4	11.7	35600	28600	28200	9	7	1.9	217449926	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	EL297UH110XV48C	R-454B	34800	18.35	11	35800	28600	28200	9	7	1.9	217449927	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML193UH090XE36C	R-454B	34800	18.7	11	35800	28600	28200	9	7	1.9	217449922	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML193UH090XE48C	R-454B	35000	17.35	11	35800	28800	28200	9	7	1.9	217449928	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML193UH110XE48C	R-454B	35000	17.7	11.7	35800	28600	28200	9	7	1.9	217449929	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML196UH090XE36C	R-454B	34800	18.85	11	35800	28800	28400	9	7	1.9	217449921	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML196UH090XE48C	R-454B	34800	17.2	11	35800	28800	28200	9	7	1.9	217189878	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML296UH090XV48C	R-454B	34800	18.55	11	35800	28600	28200	9	7	1.9	217449930	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	ML297UH090XV36C	R-454B	34600	18	11	35800	28600	28400	9	7	1.9	218730764	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	SL297UH080NV48C	R-454B	34800	17.9	11	35800	28600	28400	9	7	1.9	216769597	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	SLP99UH090XV36C	R-454B	34800	18.2	11	35800	28600	28400	9	7	1.9	217189875	Both
EL18KSLV-036-230A**	CK40HT-36C-***+TDR	SLP99UH090XV48C	R-454B	34800	17.95	11	35800	28800	28400	9	7	1.9	217189876	Both
EL18KSLV-036-230A**	CK40HT-42B-***+TDR	EL297UH070XV36B	R-454B	36200	19.3	11.7	34800	27200	27600	9.1	7.1	1.9	218672219	Both
EL18KSLV-060-230A**	CBK43UHET-042-DV-**	- - -	R-454B	45000	17.9	10.7	52000	41000	45000	9.6	7.7	1.8	218636323	Yes
EL18KSLV-060-230A**	CBK43UHET-048-DV-**	- - -	R-454B	45500	17.9	10.8	51000	40000	44500	9.4	7.5	1.8	218636324	Yes
EL18KSLV-060-230A**	CBK43UHET-060-DV-**	- - -	R-454B	54000	16.2	9.9	56500	43500	43000	8.9	7.1	1.8	218636325	Yes
EL18KSLV-060-230A**	CBK45UHET-042-230-**	- - -	R-454B	44500	17.6	10.5	48000	39000	43000	9	7.5	1.8	216618915	Yes
EL18KSLV-060-230A**	CBK45UHET-048-230-**	- - -	R-454B	46000	17.5	11	48000	39000	43000	9	7	1.8	216618917	Both
EL18KSLV-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	55000	16.8	10	55500	43000	43000	9	7	1.8	216618920	Yes
EL18KSLV-060-230A**	CBK45UHV-042-230-**	- - -	R-454B	45500	17.6	11	48000	38500	43000	9	7.5	1.8	216618916	Both
EL18KSLV-060-230A**	CBK45UHV-048-230-**	- - -	R-454B	47500	18	11.7	48000	39000	42000	9.5	7.5	1.75	216581390	Both
EL18KSLV-060-230A**	CBK45UHV-060-230-**	- - -	R-454B	55000	16	10	55000	43000	43000	9.4	7.4	1.75	216581391	Yes
EL18KSLV-060-230A**	CBK47UHET-042-230-**	- - -	R-454B	46000	17.5	11	48000	38500	42500	9.4	7.5	1.85	216705373	Both
EL18KSLV-060-230A**	CBK47UHET-048-230-**	- - -	R-454B	46000	18	10.5	48000	39000	43000	9.5	7.5	1.85	216705374	Yes
EL18KSLV-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	55500	17	10	56000	43500	43000	9	7	1.85	216705375	Yes
EL18KSLV-060-230A**	CBK48MVT-042-230-**	- - -	R-454B	46500	18	11	48000	38500	42500	9.5	7.5	1.85	216618918	Both
EL18KSLV-060-230A**	CBK48MVT-048-230-**	- - -	R-454B	46500	17.5	10.5	48000	38000	43000	9	7.5	1.8	216618919	Yes
EL18KSLV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	55500	16.6	10	56000	43500	43000	9	7	1.85	216618921	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	- - -	R-454B	47000	14.7	10	48000	41000	40500	8.1	6.6	1.75	216618943	N/A
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	EL180UH080NE48B	R-454B	43500	16.35	10	47500	39500	39500	8.5	7	1.8	217189890	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	EL280UH090E48B	R-454B	44000	16.8	10	47500	39500	39500	8.5	7	1.8	217189892	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	EL280UH090XE48B	R-454B	44000	16.8	10	47500	39500	39500	8.5	7	1.8	217189891	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	ML180UH070V48B	R-454B	44000	17.45	10	47500	39500	39500	9	7	1.8	217449952	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	ML180UH090E48B	R-454B	44000	16.95	10	47500	39000	39500	8.5	7	1.8	217189893	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	ML180UH090V48B	R-454B	44000	16.8	10	47500	39500	39500	8.5	7	1.8	217449953	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	ML180UH090XE48B	R-454B	44000	16.9	10	47500	39000	39500	8.5	7	1.8	217449951	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	ML196UH070XE48B	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217449954	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	SL280UH080NV48B	R-454B	43500	16.55	10	47500	39500	40000	8.5	7	1.8	217449950	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	SL280UH090V48B	R-454B	44000	16.9	10	47500	39500	39500	8.5	7	1.8	217189889	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-***+TDR	SL280UH090XV48B	R-454B	44000	16.9	10	47500	39500	39500	8.5	7	1.8	217449949	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	- - -	R-454B	47500	15.2	10	48000	40000	39000	8.5	6.8	1.8	216581394	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL180UH100NE60C	R-454B	44000	16.3	10	48000	39500	40000	8.5	7	1.8	217189900	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL195UH080NE48C	R-454B	43500	16.6	10	47500	39000	39500	8.5	7	1.8	217189895	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL195UH100NE60C	R-454B	44000	16	10	48000	39500	40000	8.5	7	1.8	217189985	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL196UH090XE48C	R-454B	44000	16.85	10	47500	39500	39500	8.5	7	1.8	217449956	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL196UH110XE60C	R-454B	44500	16.05	10	48000	39500	40000	8.5	7	1.8	217449968	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL280UH110E48C	R-454B	44000	16.15	10	47500	39000	39500	8.5	7	1.8	217449955	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL280UH110E60C	R-454B	44000	16.15	10	47500	39000	39500	8.5	7	1.8	217189902	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL280UH110XE60C	R-454B	44000	16.15	10	47500	39000	39500	8.5	7	1.8	217189901	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL297UH090XE48C	R-454B	43500	16.7	10	47500	39500	39500	8.5	7	1.8	217449957	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL297UH090XV48C	R-454B	44000	17.8	10	47000	39000	39500	9	7	1.8	217449958	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL297UH090XV60C	R-454B	44000	16.55	10	47500	39500	40000	8.5	7	1.8	216769603	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL297UH110XE60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	7	1.8	217449969	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***+TDR	EL297UH110XV48C	R-454B	44000	16.8	10	4750							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	44500	16.9	10	47500	39500	39500	8.5	7	1.8	217449967	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML180UH110XE60C	R-454B	44500	16.65	10	47500	39500	39500	8.5	7	1.8	217449966	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	44000	16.8	10	47500	39500	39500	8.5	7	1.8	217449960	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	44000	17.05	10	47500	39000	39500	8.5	7	1.8	217449961	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	44000	16.15	10	47500	39500	39500	8.5	7	1.8	217449971	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	44000	16.65	10	47500	39500	39500	8.5	7	1.8	21789896	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	44000	16.15	10	47500	39500	40000	8.5	7	1.8	217449970	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML196UH110XE60C	R-454B	44000	16	10	47500	39500	39500	8.5	7	1.8	21789986	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	44000	16.5	10	47500	39500	39500	8.5	7	1.8	217449962	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	44500	16.55	10	47500	39500	40000	8.5	7	1.8	217449972	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV60C	R-454B	44000	16.55	10	47500	39500	40000	8.5	7	1.8	218730768	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	ML297UH110XV60C	R-454B	44000	16.75	10	47500	39500	39500	8.5	7	1.8	218730767	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	44000	16.85	10	47500	39500	39500	8.5	7	1.8	21789898	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	44000	17.1	10	47500	39000	39500	8.5	7	1.8	217449963	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	44000	17.1	10	47500	39000	39500	8.5	7	1.8	217449964	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	44000	16.85	10	47500	39500	39500	8.5	7	1.8	21789899	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH110V60C	R-454B	44000	17.1	10	47500	39500	39500	8.5	7	1.8	21789897	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH110XV60C	R-454B	44000	17.1	10	47500	39500	39500	8.5	7	1.8	217449965	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV48C	R-454B	44000	16.4	10	47500	39500	39500	8.5	7	1.8	216769600	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	44000	16.75	10	47500	39500	39500	8.5	7	1.8	216769601	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	44000	16.45	10	47500	39500	40000	8.5	7	1.8	21789894	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	44000	16.5	10	47500	39500	40000	8.5	7	1.8	21789906	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	44000	16.85	10	47500	39500	39500	8.5	7	1.8	21789905	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	- - -	R-454B	48000	15.2	10	47500	40000	39500	8.1	6.6	1.8	216618944	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL180UH100NE60C	R-454B	45500	16.85	10	48000	39500	39500	9	7	1.85	21789913	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL195UH080NE48C	R-454B	45000	17.05	11	47500	39000	39500	9	7	1.85	21789908	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL195UH100NE60C	R-454B	45500	16.25	10	48000	39500	39500	9	7	1.85	21789920	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL196UH090XE48C	R-454B	45500	17.35	11	47500	39000	39500	9	7	1.85	217449974	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL196UH110XE60C	R-454B	45500	16.6	10	48000	39500	39500	9	7	1.85	217449986	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E48C	R-454B	45500	16.6	11	47500	39000	39000	9	7	1.85	217449973	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E60C	R-454B	45500	16.55	11	47500	39000	39000	9	7	1.85	21789915	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL280UH110XE60C	R-454B	45500	16.55	11	47500	39000	39000	9	7	1.85	21789914	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XE48C	R-454B	45000	17.2	11	47500	39000	39000	9	7	1.85	217449975	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV48C	R-454B	45500	18.3	11	47500	39000	39000	9	7	1.85	217449976	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV60C	R-454B	45500	17.1	10	48000	39500	39500	9	7	1.85	216769602	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XE60C	R-454B	45500	16.65	10	48000	39500	39500	9	7	1.85	217449987	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV48C	R-454B	45500	17.35	11	47500	39000	39500	9	7	1.85	217449977	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV60C	R-454B	45500	17.2	10	47500	39000	39500	9	7	1.85	216769606	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	46000	17.2	11	47500	39000	39500	9	7	1.85	21789916	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	46000	17.2	10	48000	39000	39500	9	7	1.85	21789917	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	46000	17.5	11	47500	39000	39000	9	7	1.85	217449985	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	46000	17.2	10	48000	39000	39500	9	7	1.85	217449984	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	45500	17.3	11	47500	39000	39500	9	7	1.85	217449978	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	45500	17.55	11	47500	39000	39000	9	7	1.85	217449979	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	45500	16.55	10	48000	39000	39500	9	7	1.85	217449989	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	45000	16.7	10	47500	39000	39500	9	7	1.85	21789909	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	45500	16.6	10	48000	39000	39500	9	7	1.85	217449988	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	45500	16.25	11	47500	39000	39000	8.5	7	1.85	21789921	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	45500	16.9	10	47500	39000	39500	9	7	1.85	217449980	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	45500	17.15	10	48000	39500	39500	9	7	1.85	217449990	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	45500	17.1	10	48000	39500	39500	9	7	1.85	218730770	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	45500	17.2	10	47500	39000	39500	9	7	1.85	218730769	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	45500	17.45	11	47500	39000	39000	9	7	1.85	21789911	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	45500	17.7	11	47500	39000	39000	9	7	1.85	217449981	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	45500	17.7	11	47500	39000	39000	9	7	1.85	217449982	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	45500	17.45	11	47500	39000	39000	9	7	1.85	21789912	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	45500	17.65	11	47500	39000	39000	9	7	1.85	21789910	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	45500	17.65	11	47500	39000	39000	9	7	1.85	217449983	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	45500	16.8	10	48000	39000	39500	9	7	1.85	216769604	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	45500	17.25	11	47500	39000	39500	9	7	1.85	216769605	Both
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	45500	17	10	48000	39000	39500	9	7	1.85	21789907	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	45500	17.1	10	48000	39500	39500	9	7	1.85	21789919	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	45500	17.4	11	47500	39000	39000	9	7	1.85	21789918	Both
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	- - -	R-454B	49500	14.3	9.8	54000	42500	42000	8.1	6.6	1.75	216705376	N/A
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL180UH100NE60C	R-454B	50500	15.2	9.6	54500	44500	41500	8.1	6.5	1.75	21788628	N/A
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL195UH100NE60C	R-454B	50500	15.7	9.8	54000	44500	41000	8.1	6.5	1.75	217190011	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	51000	15.7	9.8	54500	44500	41000	8.1	6.5	1.8	217450056	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	51000	15.9	10	53500	44000	40500	8.1	6.5	1.8	217190008	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	51000	15.9	10	53500	44000	40500	8.1	6.5	1.8	217190007	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	51000	15.7	9.6	54500	44500	41000	8.1	6.5	1.75	217190013	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	51000	15.9									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	51000	16	9.8	54500	44500	41000	8.1	6.5	1.8	217450054	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	51000	16	9.8	54500	44500	41000	8.1	6.5	1.8	217450059	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	51000	15.7	9.8	54500	44500	41000	8.1	6.5	1.8	217450058	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	51000	15.7	9.6	54500	45000	41500	8.1	6.5	1.75	217190014	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	51000	15.6	9.6	54000	44500	41000	8.1	6.5	1.8	217450060	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV60C	R-454B	51000	15.7	9.6	54500	44500	41000	8.1	6.5	1.75	218730785	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH110XV60C	R-454B	51000	16	9.8	54000	44500	41000	8.1	6.5	1.8	218730784	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	51000	15.5	9.6	54500	44500	41500	8.1	6.5	1.8	217188627	N/A
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	6.5	1.8	217450051	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	6.5	1.8	217450052	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	51000	15.8	9.6	54500	44500	41000	8.1	6.5	1.8	217190006	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	51000	15.5	9.8	54500	44500	41000	8.1	6.5	1.8	217188626	N/A
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	51000	15.5	9.8	54500	44500	41000	8.1	6.5	1.8	217450053	N/A
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	50500	15.5	9.4	54500	44500	41500	8.1	6.5	1.75	217188629	N/A
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	51000	15.6	9.6	54500	44500	41500	8.1	6.5	1.75	217190010	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	6.5	1.8	217190009	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	- - -	R-454B	51000	15.2	10	54000	42000	40000	8.5	6.8	1.75	216581395	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	54500	16	10	55000	44000	40500	8.5	7	1.9	217189959	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	54000	16.4	10	55000	44000	40500	8.5	7	1.9	217189966	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	54500	16.6	10	55000	44000	40500	8.5	7	1.9	217450066	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	54500	16.85	10	54500	43500	40000	8.5	7	1.9	217189961	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	54500	16.85	10	54500	43500	40000	8.5	7	1.9	217189960	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV48C	R-454B	55500	17.4	10.4	56000	44500	41000	8.8	7	1.9	218672220	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	54500	16.55	10	55000	44000	40500	8.5	7	1.9	216769619	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	54500	16.65	10	55000	44000	40500	8.5	7	1.9	217450067	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	54500	16.9	10	54500	43500	40000	8.5	7	1.9	216769618	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	55000	17.15	10	55000	44000	40500	8.5	7	1.9	217189962	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	54500	17.15	10	55000	44000	40500	8.5	7	1.9	217189963	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	54500	17.35	10	54500	43500	40000	8.5	7	1.9	217450065	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	54500	17.15	10	55000	44000	40500	8.5	7	1.9	217450064	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	54500	16.8	10	55000	44000	40500	8.5	7	1.9	217450069	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	54500	16.65	10	55000	44000	40500	8.5	7	1.9	217450068	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	54500	16.5	10	55000	44000	40500	8.5	7	1.9	217189967	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	54500	16.6	10	54500	44000	40500	8.5	7	1.9	217450070	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML297UH090XV60C	R-454B	54500	16.55	10	55000	44000	40500	8.5	7	1.9	218730778	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	ML297UH110XV60C	R-454B	54500	16.9	10	54500	43500	40000	8.5	7	1.9	218730777	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	54500	16.5	10	55000	44000	40500	8.5	7	1.9	217189957	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	54500	17.1	10	54500	43500	40000	8.5	7	1.9	217450061	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	54500	17.1	10	54500	43500	40000	8.5	7	1.9	217450062	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	54500	16.75	10	55000	44000	40500	8.5	7	1.9	217189958	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	55000	16.5	10	54500	44000	40500	8.5	7	1.9	217189956	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	55000	16.5	10	54500	44000	40500	8.5	7	1.9	217450063	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	54500	16.45	10	55000	44000	40500	8.5	7	1.9	216769617	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	54500	16.6	10	55000	44000	40500	8.5	7	1.9	217189965	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	54500	17	10	54500	43500	40000	8.5	7	1.9	217189964	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	- - -	R-454B	52000	15.2	10	54000	42000	41500	8.1	6.5	1.8	216618951	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XE60D	R-454B	53500	15.9	10	54500	44000	40500	8.1	6.5	1.85	217450072	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	54000	16.65	10	54500	44000	40500	8.5	6.5	1.85	216769623	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	ML180UH135E60D	R-454B	53500	16	10	54500	44000	40500	8.1	6.5	1.85	217189968	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	ML196UH135XE60D	R-454B	53500	15.7	10	54500	44000	40500	8.1	6.5	1.85	217450073	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	ML297UH135XV60D	R-454B	54000	16.65	10	54500	44000	40500	8.5	6.5	1.85	218730779	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	54000	16.75	10	54000	43500	40000	8.5	6.5	1.85	217450071	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	54000	16.7	10	54500	44000	40500	8.5	6.5	1.85	217189969	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	- - -	R-454B	47500	15.2	10	47500	40500	39500	8.5	6.6	1.85	216618949	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	44000	16.95	10	47500	39000	39000	9	7.5	1.85	217189950	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	43500	16.15	10	47500	39000	39500	9	7	1.85	217450040	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	43500	16	10	48000	40000	40000	9	7	1.85	216769614	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	43500	17	10	48000	39500	39500	9	7.5	1.85	217189951	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	ML296DF070XV48B	R-454B	43500	16.1	10	48000	39500	39500	9	7	1.85	217450041	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	ML297DF070XV48B	R-454B	43500	16	10	48000	40000	40000	9	7	1.85	218730774	Yes
EL18KSLV-060-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	43500	16.6	10	48000	39500	39500	9	7.5	1.85	217450039	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	- - -	R-454B	47500	15.2	10	47500	40000	39500	8.5	6.6	1.85	216618950	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	44500	17.1	10	47500	39000	39000	9	7.5	1.9	217450042	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	44500	16.5	10	48000	39500	40000	9	7.5	1.85	216769615	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	45000	16.3	10	48000	39500	39500	9	7.5	1.9	217450048	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	44500	16.65	10	48000	39500	40000	9	7.5	1.85	216769616	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	45000	17.15	11	47500	39000	39000	9	7.5	1.9	217189954	Both
EL18KSLV-060-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	44500	17.25	10	47500	39000	39000	9	7.5	1.9	217450043	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	44500	17.25	10	47500	39000	39000	9	7.5	1.9	217189953	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	45000	16.4	10	48000	39500	39500	9	7.5	1.9	217450049	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	45000	17.15	10	48000	39000	39500	9	7.5	1.9	217450045	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	44500	17.1	10	48000	39000	39500	9	7.5	1.9	217189952	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	44500	16.45	10	48000	39500	40000	9	7.5	1.85	217450047	Yes
EL18KSLV-060-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	44500	17	10	48000	39000	39500	9	7.5	1.9	217189955	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	- - -	R-454B	51000	15.2	10	54000	43500	41500	8.5	6.6	1.95	216618954	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	EL297DF090XV60C	R-454B	52000	16	9.8	55000	44500	41000	8.5	7	1.9	217190016	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	EL297DF110XE60C	R-454B	52500	16.1	10	54500	44000	40500	8.5	7	1.9	217450091	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	7	1.9	217190017	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	53000	16.95	10	54000	43500	40000	8.5	7	1.9	217190005	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	52500	16.2	9.8	55000	44000	40500	8.5	7	1.9	217450092	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	7	1.9	217450093	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	52000	16	9.8	55000	44500	41000	8.5	7	1.9	218730786	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	7	1.9	218730787	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	7	1.9	217450089	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	53000	16.15	10	55000	44000	40500	8.5	7	1.9	217450087	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	52500	16.35	10	54500	44000	40500	8.5	7	1.9	217450088	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV60C	R-454B	52000	16	9.6	55500	44500	41000	8.5	7	1.85	217450090	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	52500	16	9.8	55500	44500	41000	8.5	7	1.85	217190015	Yes
EL18KSLV-060-230A**	- - -	- - -	R-454B	51000	15.2	10	54000	43500	41500	8.5	6.6	1.95	216618955	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	EL297DF090XV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	7	1.9	216769624	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	EL297DF110XE60C	R-454B	52500	16.15	10	54500	44000	40500	8.5	7	1.9	217450098	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	EL297DF110XV60C	R-454B	52500	16	9.8	55000	44000	41000	8.5	7	1.9	216769625	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	ML180DF110E60C	R-454B	53000	17.05	10	54000	43500	40000	8.5	7	1.9	217189982	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	ML196DF110XE60C	R-454B	52500	16.25	9.8	55000	44000	41000	8.5	7	1.9	217450099	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	ML296DF090XV60C	R-454B	52500	16	10	55000	44000	40500	8.5	7	1.9	217450100	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	ML297DF090XV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	7	1.9	218730780	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	ML297DF110XV60C	R-454B	52500	16	9.8	55000	44000	41000	8.5	7	1.9	218730781	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	SL280DF080NV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	7	1.9	217450096	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	SL280DF090V60C	R-454B	53000	16.3	10	55000	44000	40500	8.5	7	1.9	217450094	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	53000	16.5	10	54500	44000	40500	8.5	7	1.9	217450095	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	SLP99DF090XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	7	1.9	217450097	Yes
EL18KSLV-060-230A**	CK40DT-60D-***TDR	SLP99DF110XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	7	1.9	217189983	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	- - -	R-454B	48000	15.2	10	47500	40000	39500	8.5	6.8	1.85	216618945	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	44000	16.25	10	47500	39000	39000	9	7.5	1.9	217189923	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	45000	16.8	10	47500	39000	39000	9	7.5	1.9	217189925	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	45000	16.8	10	47500	39000	39000	9	7.5	1.9	217189924	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	45000	17.55	10	47500	39000	39000	9.4	7.5	1.9	217449994	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	45000	16.95	10	47500	38500	39000	9	7.5	1.9	217189926	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	45000	16.75	10	48000	39000	39000	9	7.5	1.9	217449995	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	45000	16.95	10	47500	38500	39000	9	7.5	1.9	217449993	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	44000	16	10	48000	39000	39500	9	7.5	1.9	217449996	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	44500	16.45	10	48000	39000	39000	9	7.5	1.9	217449992	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	45000	16.8	10	48000	39000	39000	9	7.5	1.9	217189922	Yes
EL18KSLV-060-230A**	CK40HT-42B-***TDR	SL280UH090XV48B	R-454B	45000	16.8	10	48000	39000	39000	9	7.5	1.9	217449991	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	- - -	R-454B	47000	14.7	10	47500	40500	40000	8.1	6.6	1.8	216618946	N/A
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	44000	16	10	48000	40000	40000	8.5	7	1.8	217189987	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	43500	16.5	10	47500	39000	39500	8.5	7	1.8	217189928	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL195UH100NE60C	R-454B	44000	15.9	10	48000	39500	40000	8.5	7	1.8	217189990	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	43500	16.8	10	47500	39000	39500	8.5	7	1.8	217449998	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	44000	16	10	48000	39500	40000	8.5	7	1.8	217450010	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	44000	16	10	47500	39000	39500	8.5	7	1.8	217449997	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	44000	16	10	47500	39000	39500	8.5	7	1.8	217189989	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	44000	16	10	47500	39000	39500	8.5	7	1.8	217189988	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	43500	16.75	10	47500	39000	39500	8.5	7	1.8	217449999	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	44000	17.8	10	47500	39000	39500	9	7	1.8	217450000	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	7	1.8	216769611	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	44000	16	10	48000	39500	40000	8.5	7	1.8	217450011	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	44000	16.35	10	47500	39500	39500	8.5	7	1.8	217450001	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	44000	16.35	10	47500	39500	39500	8.5	7	1.8	216769610	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML180UH090E60C	R-454B	44500	16.2	10	47500	39500	39500	8.5	7	1.8	217189933	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	44000	16.2	10	47500	39500	40000	8.5	7	1.8	217189934	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	44000	16.45	10	47500	39500	39500	8.5	7	1.8	217450009	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	44000	16.2	10	47500	39500	40000	8.5	7	1.8	217450008	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	44000	16.75	10	47500	39500	39500	8.5	7	1.8	217450002	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	44000	17	10	47500	39500	39500	8.5	7	1.8	217450003	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	44000	16	10	47500	39500	39500	8.5	7	1.8	217450013	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	44000	16.65	10	47500	39500	39500	8.5	7	1.8	217189929	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	44000	16	10	47500	39500	40000	8.5	7	1.8	217450012	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	44000	16	10	47500	39500	39500	8.5	7	1.8	217189991	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	44000	16.05	10	47500	39500	39500	8.5	7	1.8	217450004	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	7	1.8	217450014	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	ML297UH090XV60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	7</			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	7	1.8	217450006	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	44000	16.4	10	47500	39500	39500	8.5	7	1.8	217189932	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	7	1.8	217189930	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	7	1.8	217450007	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	44000	16	10	48000	39500	40000	8.5	7	1.8	216769608	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	44000	16.35	10	47500	39500	39500	8.5	7	1.8	216769609	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SLP99UH090XV48C	R-454B	44000	16	10	48000	39500	40000	8.5	7	1.8	217189927	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SLP99UH090XV60C	R-454B	44000	16.05	10	48000	39500	40000	8.5	7	1.8	217189936	Yes
EL18KSLV-060-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	44000	16.4	10	47500	39500	39500	8.5	7	1.8	217189935	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	- - -	R-454B	46000	14.7	10	47500	40500	40000	8.1	6.6	1.8	216618947	N/A
EL18KSLV-060-230A**	CK40HT-48B-***TDR	EL180UH080NE48B	R-454B	42500	16.3	10	47500	39500	39500	9	7	1.8	217189938	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	43000	16.8	10	47500	39500	39500	9	7	1.85	217189940	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	43000	16.8	10	47500	39500	39500	9	7	1.85	217189939	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	43500	17.45	10	47500	39500	39500	9	7.5	1.85	217450018	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	43500	16.95	10	47500	39000	39500	9	7	1.85	217189941	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	43000	16.75	10	47500	39500	39500	9	7	1.8	217450019	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	43000	16.9	10	47500	39000	39500	9	7	1.85	217450017	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	ML196UH070XE48B	R-454B	42500	16	10	48000	39500	40000	9	7	1.8	217450020	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	43000	16.45	10	48000	39500	40000	9	7	1.8	217450016	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	43500	16.8	10	47500	39500	39500	9	7	1.85	217189937	Yes
EL18KSLV-060-230A**	CK40HT-48B-***TDR	SL280UH090XV48B	R-454B	43500	16.8	10	47500	39500	39500	9	7	1.85	217450015	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	- - -	R-454B	46500	14.7	10	47500	40500	40000	8.1	6.6	1.75	216618948	N/A
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	43500	16	10	48000	40000	40000	8.5	7	1.8	217189994	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL195UH080NE48C	R-454B	43000	16	10	47500	39000	39500	8.5	7	1.8	217189942	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	43500	15.6	10	47500	39500	40000	8.5	7	1.8	217189998	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	43000	16.2	10	47500	39000	39500	8.5	7	1.8	217450022	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	43500	15.8	10	48000	39500	40000	8.5	7	1.8	217450034	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	43500	15.9	10	47500	39500	39500	8.5	7	1.8	217450021	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	43500	15.9	10	47500	39500	39500	8.5	7	1.8	217189996	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	43500	15.9	10	47500	39500	39500	8.5	7	1.8	217189995	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	43000	16.15	10	47000	39000	39500	8.5	7	1.8	217450023	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	43000	17.15	10	47500	39000	39500	9	7	1.8	217450024	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	7	1.8	217189999	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	43500	15.8	10	48000	39500	40000	8.5	7	1.8	217450035	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217450025	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	216769613	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	44000	16	10	47500	39500	39500	8.5	7	1.8	217189947	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217189948	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	43500	16.15	10	47500	39500	40000	8.5	7	1.8	217450033	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217450032	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	43000	16.2	10	47500	39500	40000	8.5	7	1.8	217450026	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	43500	16.45	10	47500	39500	39500	8.5	7	1.8	217450027	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217450037	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	43500	16.15	10	47500	39500	39500	8.5	7	1.8	217189943	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217450036	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	43500	15.7	10	47500	39500	39500	8.5	7	1.8	217190000	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217450028	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	7	1.8	217450038	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	7	1.8	218730783	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	218730773	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	43500	16.05	10	47500	39500	40000	8.5	7	1.8	217189945	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	43500	16.35	10	47500	39500	39500	8.5	7	1.8	217450029	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	43500	16.35	10	47500	39500	39500	8.5	7	1.8	217450030	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	43500	16.05	10	47500	39500	40000	8.5	7	1.8	217189946	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL280UH110V60C	R-454B	43500	16.35	10	47500	39500	40000	8.5	7	1.8	217189944	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	43500	16.35	10	47500	39500	40000	8.5	7	1.8	217450031	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	43500	16	10	47500	39500	40000	8.5	7	1.8	217189992	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	43500	16.05	10	47500	39500	40000	8.5	7	1.8	216769612	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	43500	16	10	48000	39500	40000	8.5	7	1.8	217189993	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	7	1.8	217189997	Yes
EL18KSLV-060-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	43500	16.1	10	47500	39500	40000	8.5	7	1.8	217189949	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	- - -	R-454B	51500	14.7	10	54000	43500	41500	8.5	7	1.9	216618952	N/A
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL180UH100NE60C	R-454B	52500	15.9	9.8	55000	44500	41000	8.5	6.5	1.85	217190001	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL195UH100NE60C	R-454B	52500	16	10	54500	44000	40500	8.5	7	1.85	217189979	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	53000	16.1	10	54500	44000	40500	8.5	7	1.85	217450079	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	53000	16.3	10	54000	43500	40000	8.5	7	1.85	217189974	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	53000	16.3	10	54000	43500	40000	8.5	7	1.85	217189973	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	53000	16.05	10	55000	44500	40500	8.5	7	1.85	216769622	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	53000	16.1	10	54500	44000	40500	8.5	7	1.85	217450080	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	53000	16.35	10	54500	44000	40500	8.5	7	1.85	216769621	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	53500	16.65	10	54500	44000	40500	8.5	7	1.85	217189975	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	53000	16.65	10	55000	44000	40500	8.5	7	1.8		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	ML196UH090XE60C	R-454B	53000	16.1	10	54500	44000	40500	8.5	7	1.85	217450081	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	ML196UH110XE60C	R-454B	53000	16.05	10	55000	44500	41000	8.5	7	1.85	217189980	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	ML296UH110XV60C	R-454B	53000	16	10	54500	44000	40500	8.5	7	1.85	217450083	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	ML297UH090XV60C	R-454B	53000	16.05	10	55000	44500	40500	8.5	7	1.85	218730788	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	ML297UH110XV60C	R-454B	53000	16.35	10	54500	44000	40500	8.5	7	1.85	218730789	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL280UH080NV60C	R-454B	53000	16	10	55000	44500	41000	8.5	7	1.85	217189971	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL280UH090V60C	R-454B	53000	16.55	10	54500	44000	40500	8.5	7	1.85	217450074	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL280UH090XV60C	R-454B	53000	16.55	10	54500	44000	40500	8.5	7	1.85	217450075	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL280UH100NV60C	R-454B	53000	16.15	10	54500	44000	41000	8.5	7	1.85	217189972	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL280UH110V60C	R-454B	53000	16	10	54500	44000	40500	8.5	7	1.85	217189970	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL280UH110XV60C	R-454B	53000	16	10	54500	44000	40500	8.5	7	1.85	217450076	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SL297UH080NV60C	R-454B	53000	16	9.8	55000	44500	41000	8.5	7	1.85	216769620	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SLP99UH090XV60C	R-454B	53000	16.05	10	55000	44500	40500	8.5	7	1.85	217189978	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**-TDR	SLP99UH110XV60C	R-454B	53000	16.45	10	54500	44000	41000	8.5	7	1.85	217189977	Yes
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	---	R-454B	51500	14.7	10	54000	43500	41500	8.5	7	1.9	216618953	N/A
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	EL297UH135XE60D	R-454B	53000	15.7	10	54500	44000	40500	8.1	6.5	1.85	217450085	Yes
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	EL297UH135XV60D	R-454B	53500	16.4	10	54500	44000	40500	8.5	6.5	1.85	216769626	Yes
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	ML180UH135E60D	R-454B	53000	16	10	54500	44000	40500	8.1	6.5	1.85	217190002	Yes
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	ML196UH135XE60D	R-454B	53000	15.5	10	54500	44000	40500	8.1	6.5	1.85	217450086	N/A
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	ML297UH135XV60D	R-454B	53500	16.4	10	54500	44000	40500	8.5	6.5	1.85	218730782	Yes
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	SL280UH135V60D	R-454B	53500	16.5	10	54000	43500	40000	8.5	6.5	1.85	217450084	Yes
EL18KSLV-060-230A**	CK40HT-60D-**-TDR	SLP99UH135XV60D	R-454B	53500	16.45	10	54500	44000	40500	8.5	6.5	1.85	217189981	Yes
EL19KPV-024-230A**	CBK43UHET-024-DV-**-	---	R-454B	23800	19.5	12.5	22600	14400	12900	7.5	6	1.7	218461885	N/A
EL19KPV-024-230A**	CBK45UHET-024-230-**-	---	R-454B	24000	19.5	13	23600	15000	15600	8.5	6.6	1.78	217194646	No
EL19KPV-024-230A**	CBK45UHET-030-230-**-	---	R-454B	24000	19.5	13	24000	16000	15800	8.5	6.8	1.88	217446980	No
EL19KPV-024-230A**	CBK45UHPT-024-230-**-	---	R-454B	23400	16.5	12.4	23600	15000	15600	8.2	6.5	1.74	217194645	No
EL19KPV-024-230A**	CBK45UHPT-030-230-**-	---	R-454B	24000	15.5	12	24000	16400	16200	8.2	6.7	1.84	217446979	No
EL19KPV-024-230A**	CBK45UHV-024-230-**-	---	R-454B	23800	19	12.8	23600	15100	15600	8.2	6.5	1.76	217194182	No
EL19KPV-024-230A**	CBK45UHV-030-230-**-	---	R-454B	24000	20	13	24000	16000	15800	8.2	6.7	1.88	217446972	No
EL19KPV-024-230A**	CBK47UHET-018-230-**-	---	R-454B	23400	19	12.6	23600	14100	14200	7.8	6.4	1.94	217194643	No
EL19KPV-024-230A**	CBK47UHET-024-230-**-	---	R-454B	23400	19	12.6	23400	14100	14100	8	6.4	1.94	217194642	No
EL19KPV-024-230A**	CBK47UHET-030-230-**-	---	R-454B	23600	18.5	12.6	23400	15000	15600	8.5	6.9	2.04	217194644	No
EL19KPV-024-230A**	CBK48MVT-018/024-230-**-	---	R-454B	23400	18.5	12.4	23400	14200	14300	8	6.5	1.8	217194129	No
EL19KPV-024-230A**	CBK48MVT-030-230-**-	---	R-454B	23600	19.5	12.8	23200	14900	15500	8.5	6.8	2.04	217194130	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	---	R-454B	23000	15.5	11.7	24000	17000	17000	8.5	7	1.98	217446871	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL180UH040NE36A	R-454B	23800	19.5	13	24000	16600	16500	8.5	7.1	2.02	217446872	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL180UH060NE36A	R-454B	23800	19.5	13	24000	16600	16500	8.5	7.1	2.02	217446873	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL280UH045E36A	R-454B	23400	20	13	24000	16200	16200	8.5	7.1	2.02	217446874	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL280UH070E36A	R-454B	24000	19	13	24000	16700	16600	8.5	7.1	2.02	217446875	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL280UH070XE36A	R-454B	24000	19	13	24000	16700	16600	8.5	7.1	2.02	217446876	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH030V36A	R-454B	23800	19	13	24000	16400	16400	8.5	7	2.04	217446877	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH045E36A	R-454B	23200	19	13	24000	16200	16200	8.5	7.1	2	217446878	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH045V36A	R-454B	23600	19	13	24000	16300	16300	8.5	7	2.02	217446879	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH045XE36A	R-454B	23200	19	13	24000	16200	16200	8.5	7.1	2	217446880	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH070E36A	R-454B	23600	18	13	24000	16400	16400	8.5	7.1	2.02	217446881	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH070V36A	R-454B	23600	19.5	13	24000	16400	16300	8.5	7	2.02	217446882	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH070XE36A	R-454B	23600	18	13	24000	16300	16300	8.5	7.1	2.02	217446883	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	SL280UH060NV36A	R-454B	23600	19	13	24000	16400	16400	8.5	7	2.02	217446884	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	SL280UH070V36A	R-454B	23600	18.5	13	24000	16400	16400	8.5	7	2.02	217446885	No
EL19KPV-024-230A**	CK40[C,U]T-24A-**-TDR	SL280UH070XV36A	R-454B	23600	18.5	13	24000	16400	16400	8.5	7	2.02	217446886	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	---	R-454B	23000	15.5	11.7	24000	17000	17000	8.5	7	1.98	217446836	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL195UH040NE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	7.1	2.02	217446747	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL195UH060NE36B	R-454B	24000	18	12.8	25400	16700	16700	8.5	7.1	2.02	217446838	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL196UH030XE36B	R-454B	23200	19.5	13	24000	16300	16300	8.5	7	2	217446839	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL196UH045XE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	7.1	2.02	217446840	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL196UH070XE36B	R-454B	24000	18.5	13	24000	16600	16500	8.5	7.1	2.04	217446841	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL280UH045E36A	R-454B	23600	20	13	24000	16200	16200	8.5	7.1	2.02	217446863	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL280UH070E36A	R-454B	24000	19	13	24000	16700	16600	8.5	7.1	2.02	217446864	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL280UH090E36B	R-454B	24000	19	13	24000	16600	16600	8.5	7.1	2.02	217446842	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL297UH045XE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	7.1	2.02	217446868	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL297UH045XV36B	R-454B	23600	19	13	24000	16400	16400	8.5	7	2.02	217446869	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL297UH070XE36B	R-454B	24000	18.5	12.8	24000	16700	16700	8.5	7.1	2.02	217446867	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL297UH070XV36B	R-454B	23600	19	13	24000	16300	16300	8.5	7	2.02	217446870	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML180UH070E36B	R-454B	23800	18.5	13	24000	16400	16300	8.5	7.1	2.02	217446843	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML180UH070V36B	R-454B	23800	19.5	13	24000	16400	16300	8.5	7	2.04	217446844	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML180UH070V48B	R-454B	24000	19.5	13	24000	16400	16400	8.5	7	2.04	217446845	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML180UH070XE36B	R-454B	23800	18.5	13	24000	16400	16300	8.5	7.1	2.02	217446846	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML180UH090V48B	R-454B	24000	19.5	13	24000	16600	16600	8.5	7	2.02	217446847	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML193UH030XE36B	R-454B	23000	19.5	13	24000	16200	16200	8.5	7	2	217446848	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML193UH045XE36B	R-454B	24000	19	13	24000	16700	16600	8.5	7.1	2.02	217446849	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML193UH070XE36B	R-454B	24000	19	13	24000	16600	16500	8.5	7.1	2.04	217446850	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**-TDR	ML196UH030XE36B	R-454B	23000	19	13	2400							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML197UH060XE36B	R-454B	24000	18.5	13	24000	16600	16600	8.5	7.1	2.02	218747710	N/A
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	23600	19	13	24000	16400	16400	8.5	7	2.02	217446854	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	23800	18.5	12.8	24000	16600	16600	8.5	7	2	217446855	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML297UH045XV36B	R-454B	23600	19	13	25400	16500	16500	8.5	7	2	218690669	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML297UH070XV36B	R-454B	23800	18.5	12.8	25200	16400	16400	8.5	7	2.02	218690693	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	23600	18.5	13	24000	16500	16500	8.5	7	2	217446856	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23800	19.5	13	24000	16300	16300	8.5	7	2.04	217446857	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	23800	19.5	13	24000	16300	16300	8.5	7	2.04	217446858	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090XV48B	R-454B	23800	19.5	13	24000	16300	16300	8.5	7	2.04	217446859	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	23600	19	13	25000	16400	16400	8.5	7	2.02	217446860	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	23600	19	13	25000	16400	16400	8.5	7	2.02	217446861	No
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23800	19	13	24000	16300	16300	8.5	7	2.02	217446862	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	23200	16.5	11.5	24000	15400	14400	8	6.4	1.82	217446949	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	24000	19	12.8	23800	15000	14000	8.2	6.5	1.88	217446950	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	24000	19	12.8	23800	15000	14000	8.2	6.5	1.88	217446951	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	23600	20	13	23400	14700	13700	8.2	6.5	1.88	217446952	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	24000	19	12.6	23800	15100	14100	8.2	6.5	1.88	217446953	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	24000	19	12.6	23800	15100	14100	8.2	6.5	1.88	217446955	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	24000	19.5	13	23600	14800	13900	8.1	6.4	1.88	217446957	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	23400	19	13	23200	14600	13700	8.2	6.5	1.86	217446959	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	23600	19.5	13	23400	14700	13800	8.1	6.4	1.88	217446962	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	23400	19	13	23200	14600	13700	8.2	6.5	1.86	217446964	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	23800	18	13	23400	14800	13800	8.2	6.5	1.88	217446966	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	23800	19.5	13	23400	14700	13800	8.1	6.4	1.88	217446967	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	23800	18.5	13	23400	14800	13800	8.2	6.5	1.88	217446968	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	23800	19.5	13	23400	14800	13800	8.1	6.4	1.88	217446969	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	23800	19	13	23400	14800	13900	8.1	6.4	1.88	217446970	No
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	23800	19	13	23400	14800	13900	8.1	6.4	1.88	217446971	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	23200	16.5	11.5	24000	15400	14400	8	6.4	1.82	217446835	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	24000	18	12.4	23600	15100	14200	8.2	6.5	1.86	217446887	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	24000	18	12.4	23600	15100	14100	8.2	6.5	1.86	217446888	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	23400	19.5	12.8	23200	14700	13800	8.1	6.4	1.86	217446889	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	24000	18	12.4	24000	15100	14200	8.2	6.5	1.86	217446890	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	24000	18	12.8	23800	15000	14000	8.2	6.5	1.88	217446891	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH045E36A	R-454B	23800	20	13	23400	14700	13700	8.2	6.5	1.88	217446928	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH070E36A	R-454B	24000	19	12.6	23800	15100	14100	8.2	6.5	1.88	217446930	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	23400	19	13	23000	14500	13600	8.2	6.5	1.86	217446892	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	24000	16	12.4	24000	15200	14200	8.1	6.4	1.86	217446893	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	24000	16	12.4	24000	15200	14200	8.1	6.4	1.86	217446894	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	24000	18	12.6	24000	15100	14100	8.2	6.5	1.88	217446938	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	23800	19	12.8	23600	14800	13900	8.1	6.4	1.86	217446939	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	24000	18	12.6	24000	15100	14100	8.2	6.5	1.88	217446936	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	23800	19.5	13	23400	14800	13800	8.1	6.4	1.88	217446941	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	24000	18.5	13	23600	14800	13800	8.2	6.5	1.88	217446895	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	24000	19.5	13	23600	14800	13800	8.2	6.4	1.9	217446896	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	24000	19.5	13	23600	14800	13900	8	6.4	1.9	217446897	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	24000	18.5	13	23600	14800	13800	8.2	6.5	1.88	217446898	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	24000	19.5	12.8	23800	15000	14000	8.1	6.4	1.88	217446899	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23400	19.5	13	23200	14600	13700	8.1	6.4	1.86	217446900	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	24000	19	12.6	24000	15100	14100	8.2	6.5	1.88	217446901	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	24000	19	12.8	23800	15000	14000	8.2	6.5	1.88	217446902	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	23400	19	12.8	23200	14600	13700	8.1	6.4	1.84	217446903	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	24000	18	12.4	24000	15100	14200	8.2	6.5	1.86	217446904	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	24000	18	12.8	23800	15000	14000	8.2	6.5	1.88	217446905	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	24000	15.5	12.2	24000	15200	14200	8	6.4	1.86	217446910	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML197UH030XE36B	R-454B	23200	19	12.5	22800	14600	13700	8.2	6.4	1.86	218745059	N/A
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML197UH060XE36B	R-454B	24000	18	12.5	23400	15000	14000	8.2	6.5	1.9	218747711	N/A
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	23800	19	13	23400	14800	13800	8.1	6.4	1.88	217446913	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23800	18.5	12.6	23800	15000	14000	8.1	6.4	1.86	217446914	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH045XV36B	R-454B	23800	19	13	23600	14900	13900	8.1	6.4	1.88	218690670	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH070XV36B	R-454B	23800	18.5	12.6	23600	14800	13800	8.1	6.4	1.88	218690694	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23800	19	12.8	23600	14900	13900	8.1	6.4	1.86	217446916	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	23800	19.5	13	23400	14700	13800	8.2	6.4	1.88	217446918	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	23800	19	13	23400	14700	13800	8.1	6.4	1.9	217446919	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	23800	19	13	23400	14700	13800	8.1	6.4	1.9	217446922	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23800	19.5	12.8	23400	14800	13900	8.1	6.4	1.86	217446923	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23800	19	12.8	23400	14800	13900	8.1	6.4	1.86	217446925	No
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	19.5	13	23400	14700	13800	8.2	6.4	1.88	217446926	No
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	23400	16	11.7	23600	16000	15700	8.2	6.7	1.84	217194166	No
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	24000	19	13	23400	15700	15300	8.5	6.8	1.88	217194167	No
EL19KPV-024-230A**	CK40[C,U]T-36A-**+													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH045E36A	R-454B	23800	18.5	13	23000	15300	15000	8.5	6.8	1.86	217194173	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH045V36A	R-454B	24000	19	13.2	23000	15400	15100	8.5	6.7	1.88	217194174	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH045XE36A	R-454B	23800	18.5	13	23000	15300	15000	8.5	6.8	1.86	217194175	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH070E36A	R-454B	24000	18	13	23200	15500	15100	8.5	6.8	1.88	217194176	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH070V36A	R-454B	24000	19	13.2	23000	15400	15100	8.5	6.7	1.88	217194177	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH070XE36A	R-454B	24000	18	13	23000	15400	15100	8.5	6.8	1.88	217194178	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	SL280UH060NV36A	R-454B	24000	19	13	23200	15400	15100	8.5	6.7	1.88	217194179	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	SL280UH070V36A	R-454B	24000	18	12.8	23200	15500	15200	8.5	6.7	1.88	217194180	No
EL19KPV-024-230A**	CK40[C,U]T-36A-***TDR	SL280UH070XV36A	R-454B	24000	18	12.8	23200	15500	15200	8.5	6.7	1.88	217194181	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	- - -	R-454B	23400	16	11.7	24000	16000	15700	8.5	6.8	1.84	217194131	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL195UH040NE36B	R-454B	24000	18	12.6	23200	15800	15500	8.5	6.8	1.88	217194132	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL195UH060NE36B	R-454B	24000	18	12.6	23200	15800	15500	8.5	6.8	1.88	217194133	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL196UH030XE36B	R-454B	23800	19	13	23000	15400	15000	8.5	6.7	1.86	217194134	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL196UH045XE36B	R-454B	24000	18	12.6	23600	15800	15500	8.5	6.8	1.88	217194135	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL196UH070XE36B	R-454B	24000	18	13	23400	15700	15300	8.5	6.8	1.9	217194136	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL280UH090E36B	R-454B	24000	19	12.8	23400	15700	15400	8.5	6.8	1.9	217194137	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL280UH090E48B	R-454B	24000	16	12.4	23600	15800	15500	8.5	6.7	1.88	217194138	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL280UH090XE48B	R-454B	24000	16	12.4	23600	15800	15500	8.5	6.7	1.88	217194139	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH045XE36B	R-454B	24000	18	12.6	23600	15800	15400	8.5	6.8	1.88	217194163	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH045XV36B	R-454B	24000	18.5	12.8	23200	15600	15300	8.5	6.7	1.88	217194164	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XE36B	R-454B	24000	18	12.6	23600	15800	15400	8.5	6.8	1.88	217194162	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XV36B	R-454B	24000	18.5	13	23200	15500	15200	8.5	6.7	1.88	217194165	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070E36B	R-454B	24000	18.5	13.2	23200	15400	15100	8.5	6.8	1.9	217194140	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V36B	R-454B	24000	19	13.4	23200	15400	15100	8.5	6.7	1.9	217194141	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V48B	R-454B	24000	19.5	13.4	23200	15500	15100	8.2	6.7	1.9	217194142	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070XE36B	R-454B	24000	18.5	13.2	23200	15400	15100	8.5	6.8	1.9	217194143	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH090V48B	R-454B	24000	19.5	12.8	23400	15700	15300	8.5	6.8	1.88	217194144	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML193UH030XE36B	R-454B	23600	19	13	22800	15300	15000	8.5	6.7	1.86	217194145	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML193UH045XE36B	R-454B	24000	19	12.8	23400	15700	15400	8.5	6.8	1.88	217194146	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML193UH070XE36B	R-454B	24000	19	13	23400	15700	15300	8.5	6.8	1.9	217194147	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH030XE36B	R-454B	23800	19	13	23000	15400	15000	8.5	6.7	1.86	217194148	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH045XE36B	R-454B	24000	18	12.6	23600	15800	15500	8.5	6.8	1.88	217194149	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE36B	R-454B	24000	18	13	23400	15700	15300	8.5	6.8	1.9	217194150	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE48B	R-454B	24000	14.7	12	23600	16000	15700	8.2	6.7	1.86	217447200	N/A
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML197UH030XE36B	R-454B	23600	19	12.5	23000	13300	11700	7.8	6.1	1.7	218745060	N/A
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML197UH060XE36B	R-454B	24000	18	12.5	23400	13700	12000	7.8	6.2	1.7	218747712	N/A
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML296UH045XV36B	R-454B	24000	19	13	23200	15400	15100	8.5	6.7	1.88	217194151	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML296UH070XV36B	R-454B	24000	19	13	23200	15500	15200	8.5	6.7	1.88	217194152	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML297UH045XV36B	R-454B	24000	19	13	23600	13500	12000	8.5	6.1	1.7	218690671	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	ML297UH070XV36B	R-454B	24000	19	13	23600	13400	11900	8.5	6.1	1.72	218690695	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SL280UH080NV48B	R-454B	24000	18.5	12.8	23200	15500	15200	8.5	6.7	1.88	217194153	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SL280UH090V36B	R-454B	24000	19	13.2	23000	15400	15100	8.5	6.7	1.88	217194154	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SL280UH090V48B	R-454B	24000	18.5	13.2	23000	15400	15100	8.5	6.7	1.88	217194155	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SL280UH090XV48B	R-454B	24000	18.5	13.2	23000	15400	15100	8.5	6.7	1.88	217194156	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SL297UH040NV36B	R-454B	24000	19	13	23000	15500	15200	8.5	6.7	1.88	217194157	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SL297UH060NV36B	R-454B	24000	19	13	23000	15500	15200	8.5	6.7	1.88	217194158	No
EL19KPV-024-230A**	CK40[C,U]T-36B-***TDR	SLP99UH070XV36B	R-454B	24000	19	13	23200	15400	15100	8.5	6.7	1.88	217194159	No
EL19KPV-024-230A**	CK40[C,U]T-36C-***TDR	ML197UH080XE48C	R-454B	24000	16	12.5	23600	13900	12100	7.8	6.1	1.68	218747726	N/A
EL19KPV-024-230A**	CK40[C,U]T-36C-***TDR	ML297UH090XV36C	R-454B	24000	19.5	13	23400	13300	11800	7.8	6.1	1.72	218695100	No
EL19KPV-024-230A**	CK40DT-42B-***TDR	- - -	R-454B	23200	16.5	11.7	24000	16500	15000	8.5	6.9	1.96	217507701	No
EL19KPV-024-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	23800	20	13	24000	15900	14500	9	7	2.02	217507615	No
EL19KPV-024-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	24000	18.5	12.6	25600	16100	14700	8.5	6.9	2	217507614	No
EL19KPV-024-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	23800	19.5	12.8	25400	16000	14600	9	7	2.02	217507616	No
EL19KPV-024-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	24000	20	13	24000	15900	14500	9	7	2.04	217507617	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	23200	17.5	12.6	23800	16200	14900	7.8	6.2	1.5	217446973	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	23200	17.5	12.6	23800	16200	14900	7.8	6.2	1.5	217446974	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	22800	19	13	22600	15700	14300	7.5	6.1	1.46	217447203	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	23400	18.5	12.6	23800	16300	15000	7.8	6.2	1.52	217446975	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	23400	18.5	12.6	23800	16300	15000	7.8	6.2	1.52	217446976	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	23200	18.5	12.8	22800	16000	14600	7.5	6.1	1.5	217447204	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	22600	18	13	22400	15600	14100	7.5	6.1	1.44	217447205	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	22800	18.5	12.8	22600	15800	14400	7.5	6.1	1.46	217447206	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	22600	18	13	22400	15600	14100	7.5	6.1	1.44	217447207	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	23000	17.5	12.8	22800	15900	14500	7.8	6.1	1.48	217446977	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	23000	18.5	13	22800	15900	14500	7.5	6.1	1.48	217447208	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	23000	17.5	12.8	22800	15900	14500	7.8	6.1	1.48	217446978	No
EL19KPV-024-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	23000	18	12.8	22800	15900	14600	7.5	6.1	1.48	217447209	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	23000	18	12.8	22800	15900	14600	7.5	6.1	1.48	217447210	N/A
EL19KPV-024-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	23000	18	12.8	22800	15900	14600	7.5	6.1	1.48	217447211	N/A
EL19KPV-024-230A**	CK40HT-30B-***TDR	- - -	R-454B	21600	15.2	11	24000	15900	15700	8.1	6.7	1.84	217446837	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	6			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	22000	17.5	12.4	23600	15000	14900	8.2	6.7	1.88	217446912	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	22400	14.7	11.7	24000	15600	15300	8.2	6.7	1.88	217447201	N/A
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	22400	14.7	11.7	24000	15600	15300	8.2	6.7	1.88	217447202	N/A
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	22400	16.5	11.7	24000	15600	15200	8.5	6.8	1.88	217446961	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	22200	17.5	12.2	24000	15300	15100	8.2	6.7	1.9	217446963	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	22400	17	12	24000	15600	15200	8.5	6.8	1.88	217446960	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	22200	18	12.4	24000	15200	15100	8.2	6.7	1.9	217446965	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	22400	17	12.4	24000	15300	15100	8.5	6.8	1.9	217446915	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	22400	18	12.4	24000	15200	15100	8.2	6.7	1.92	217446917	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	22400	18	12.4	24000	15300	15100	8.2	6.7	1.92	217446920	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	22400	17	12.4	24000	15300	15100	8.5	6.8	1.9	217446921	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	22400	18	12	24000	15500	15100	8.2	6.7	1.88	217446924	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	22000	17.5	12.4	23600	15100	15000	8.2	6.7	1.88	217446927	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	22600	17.5	12	24000	15600	15200	8.5	6.8	1.88	217446929	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	22600	17.5	12.2	24000	15500	15100	8.5	6.8	1.9	217446931	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML196UH030XE36B	R-454B	22000	17	12.4	23800	15100	15000	8.2	6.7	1.88	217446933	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML196UH045XE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	6.7	1.88	217446935	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML196UH070XE36B	R-454B	22600	17	12.2	24000	15500	15100	8.5	6.8	1.9	217446937	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML197UH030XE36B	R-454B	21800	17	12	23600	15300	14900	8.1	6.6	1.8	218745061	N/A
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML197UH060XE36B	R-454B	22400	17	12	24000	15600	15300	8.2	6.6	1.84	218747713	N/A
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML296UH045XV36B	R-454B	22200	17.5	12.4	24000	15300	15100	8.2	6.7	1.9	217446940	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML296UH070XV36B	R-454B	22200	17	12	24000	15500	15300	8.2	6.7	1.88	217446942	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML297UH045XV36B	R-454B	22200	17.5	12.4	24200	15400	15100	8.2	6.5	1.82	218690672	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	ML297UH070XV36B	R-454B	22200	17	12	24000	15400	15000	8.2	6.5	1.82	218690696	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SL280UH080NV48B	R-454B	22200	17.5	12	24000	15400	15200	8.2	6.7	1.88	217446943	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SL280UH090V36B	R-454B	22200	18	12.4	23800	15200	15000	8.2	6.7	1.9	217446944	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SL280UH090V48B	R-454B	22200	18	12.4	23800	15200	15000	8.2	6.7	1.92	217446945	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SL280UH090XV48B	R-454B	22200	18	12.4	23800	15200	15000	8.2	6.7	1.92	217446954	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SL297UH040NV36B	R-454B	22200	18	12.2	23800	15300	15100	8.2	6.7	1.9	217446946	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SL297UH060NV36B	R-454B	22200	17.5	12	23800	15300	15200	8.2	6.7	1.88	217446947	No
EL19KPV-024-230A**	CK40HT-30B-***TDR	SLP99UH070XV36B	R-454B	22200	18	12.4	24000	15200	15100	8.2	6.7	1.9	217446948	No
EL19KPV-036-230A**	CBK43UHET-036-DV-**	---	R-454B	35000	17	10.5	35800	21200	16400	8.5	6.7	2.16	218330856	N/A
EL19KPV-036-230A**	CBK45UHET-036-230-**	---	R-454B	36000	14.7	10.5	32600	19500	17600	8.2	6.5	2.16	217550091	N/A
EL19KPV-036-230A**	CBK45UHET-042-230-**	---	R-454B	35800	17.5	10.5	32800	20800	17000	8.5	6.7	2.06	217194648	N/A
EL19KPV-036-230A**	CBK45UHV-036-230-**	---	R-454B	36000	17	10.5	32800	19600	17600	8.2	6.4	2.16	217194196	N/A
EL19KPV-036-230A**	CBK45UHV-042-230-**	---	R-454B	35600	18	10.5	32000	20200	16400	8.5	6.6	2.1	217194647	N/A
EL19KPV-036-230A**	CBK47UHET-036-230-**	---	R-454B	34800	18	11.5	32800	20800	17400	8	6.9	2.3	217496794	No
EL19KPV-036-230A**	CBK47UHET-036-460-**	---	R-454B	34800	18	11.5	32800	20800	17400	8	6.9	2.3	217595427	No
EL19KPV-036-230A**	CBK48MVT-036-230-**	---	R-454B	35200	18	11.2	34200	21600	17700	8.4	6.75	2.2	217194183	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	EL180UH040NE36A	R-454B	33200	17	10.5	36000	21800	16500	8.1	6.5	1.9	217194333	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	EL180UH060NE36A	R-454B	33200	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194335	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	EL280UH045E36A	R-454B	33800	16.5	10.5	36000	22000	16700	8.1	6.5	1.88	217194336	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	EL280UH070E36A	R-454B	33200	16.5	10.5	36000	21600	16400	8.1	6.5	1.9	217194339	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	EL280UH070XE36A	R-454B	33200	16.5	10.5	36000	21600	16400	8.1	6.5	1.9	217194341	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH030V36A	R-454B	33600	17	10.5	36000	21800	16500	7.8	6.4	1.9	217194344	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH045E36A	R-454B	33400	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194345	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH045V36A	R-454B	33600	17	10.5	36000	21800	16600	7.8	6.4	1.88	217194347	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH045XE36A	R-454B	33400	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194349	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH070E36A	R-454B	33200	17	10.5	36000	21800	16600	8.1	6.5	1.88	217194352	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH070V36A	R-454B	33600	16.5	10.5	36000	22000	16600	7.8	6.3	1.88	217194355	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	ML180UH070XE36A	R-454B	33400	17	10.5	36000	21800	16500	8.1	6.5	1.9	217194358	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	SL280UH060NV36A	R-454B	33600	17.5	10.5	36000	21800	16500	8.2	6.5	1.9	217194361	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	SL280UH070V36A	R-454B	33400	16.5	10.5	36000	22000	16800	8.1	6.5	1.86	217194364	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36A-***TDR	SL280UH070XV36A	R-454B	33400	16.5	10.5	36000	22000	16800	8.1	6.5	1.86	217194367	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL180UH080NE48B	R-454B	33000	15.5	10.5	36000	21600	16400	7.8	6.4	1.9	217194234	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL195UH040NE36B	R-454B	33000	16.5	10.5	36800	21600	16500	8.1	6.5	1.9	217194235	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL195UH060NE36B	R-454B	33000	17	10.5	36800	21600	16400	8.1	6.5	1.9	217194236	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL196UH030XE36B	R-454B	33200	16	10.5	36000	21800	16600	8	6.4	1.88	217194237	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL196UH070XE36B	R-454B	33600	17	10.5	36000	21800	16600	8.1	6.5	1.88	217194238	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL280UH090E36B	R-454B	33800	17.5	10.5	36000	21600	16400	8.2	6.5	1.9	217194239	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL280UH090E48B	R-454B	33600	16	11	36000	21600	16300	8	6.4	1.92	217194240	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL280UH090XE48B	R-454B	33600	16	11	36000	21600	16300	8	6.4	1.92	217194241	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL297UH045XE36B	R-454B	33000	17	10.5	36000	21600	16400	8.1	6.5	1.9	217194265	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL297UH045XV36B	R-454B	33400	17	10	36000	22200	16800	8.1	6.5	1.86	217194266	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL297UH070XE36B	R-454B	33400	17	10.5	36000	21800	16600	8.2	6.5	1.88	217194264	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	EL297UH070XV36B	R-454B	33600	17	10.5	36000	22000	16700	8.1	6.5	1.88	217194267	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML180UH070E36B	R-454B	33600	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194242	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML180UH070V36B	R-454B	33600	17	10.5	36000	21600	16400	8	6.4	1.9	217194243	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML180UH070V48B	R-454B	34000	17.5	11	36000	21800	16500	8	6.4	1.9	217194244	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML180UH070XE36B	R-454B	33600	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194245	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML180UH090E48B	R-454B	33400	16	11								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML193UH070XE36B	R-454B	33000	16.5	10.5	36000	21600	16400	8.1	6.5	1.9	217194251	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML196UH030XE36B	R-454B	33200	16	10.5	36000	21800	16600	8	6.4	1.88	217194252	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML196UH070XE36B	R-454B	33600	17	10.5	36000	21800	16600	8.1	6.5	1.88	217194253	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	22000	16800	7.8	6.4	1.86	217194254	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML197UH030XE36B	R-454B	33600	16.5	10.5	36000	22000	17600	8	6.5	1.94	218745062	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML197UH060XE36B	R-454B	33800	17	10.5	36000	21800	17400	8.1	6.5	1.96	218745068	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML296UH045XV36B	R-454B	33600	16	10.5	36000	22000	16600	7.8	6.3	1.88	217194255	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML296UH070XV36B	R-454B	33600	16.5	10.5	36000	21800	16600	7.8	6.3	1.88	217194256	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML297UH045XV36B	R-454B	33600	16	10.5	36000	22200	17700	7.8	6.4	1.92	218690673	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	ML297UH070XV36B	R-454B	33600	16.5	10.5	36000	22000	17600	7.8	6.4	1.94	218690697	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SL280UH080NV48B	R-454B	33600	17	10.5	36000	22000	16600	8.2	6.5	1.88	217194257	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SL280UH090V36B	R-454B	33800	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194258	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SL280UH090V48B	R-454B	33600	17	10.5	36000	21800	16600	8.2	6.5	1.9	217194259	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SL280UH090XV48B	R-454B	33600	17	10.5	36000	21800	16600	8.2	6.5	1.9	217194260	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SL297UH040NV36B	R-454B	33600	17.5	10.5	37000	22000	16700	8.2	6.5	1.86	217194261	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SL297UH060NV36B	R-454B	33800	17	10.5	37000	22000	16700	8.2	6.5	1.88	217194262	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36B-***TDR	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	21800	16600	8.2	6.5	1.88	217194263	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL180UH100NE60C	R-454B	33600	15.2	10.5	36000	21800	16600	7.8	6.4	1.88	217194268	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL195UH080NE48C	R-454B	33200	15.5	10.5	36400	21600	16400	8	6.4	1.9	217194269	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL196UH090XE48C	R-454B	33400	16	10.5	36000	21600	16400	8	6.4	1.92	217194272	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL280UH110E48C	R-454B	33200	16	11	36000	21400	16200	8	6.4	1.94	217194274	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL297UH090XE48C	R-454B	33400	16	10.5	36000	21600	16400	8	6.4	1.92	217194318	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL297UH090XV36C	R-454B	33600	17	10.5	36000	21800	16600	8.2	6.5	1.9	217194320	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL297UH090XV48C	R-454B	33600	17	10.5	36000	22000	16700	8.1	6.5	1.88	217194322	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL297UH090XV60C	R-454B	33600	16	10.5	36000	21800	16600	8.1	6.5	1.88	217194323	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL297UH110XV48C	R-454B	33600	17	10.5	36000	21800	16600	8.1	6.5	1.9	217194326	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	EL297UH110XV60C	R-454B	33600	16.5	10.5	36000	21800	16500	8.1	6.5	1.9	217194328	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML180UH110E60C	R-454B	33800	15.5	10.5	36000	21800	16400	7.8	6.4	1.9	217194276	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML180UH110V60C	R-454B	34000	17	11	36000	21800	16500	8	6.4	1.9	217194277	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML180UH110XE60C	R-454B	33800	15.5	10.5	36000	21800	16400	7.8	6.4	1.9	217194279	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML193UH090XE36C	R-454B	33400	17.5	10.5	36000	21600	16400	8.2	6.5	1.9	217194281	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML193UH090XE48C	R-454B	33200	16	10.5	36000	21600	16300	8	6.4	1.92	217194283	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML193UH110XE48C	R-454B	33200	16	11	36000	21400	16300	8.1	6.4	1.92	217194285	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML196UH090XE36C	R-454B	33400	17	10.5	36000	21800	16500	8.1	6.5	1.9	217194287	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML196UH090XE48C	R-454B	33200	16	10.5	36000	21600	16300	8	6.4	1.92	217194289	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML197UH030XE36B	R-454B	33600	16.5	10.5	36000	22000	17600	8	6.5	1.94	218745117	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML197UH060XE36B	R-454B	33800	17	10.5	36000	21800	17400	8.1	6.5	1.96	218745123	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML197UH080XE48C	R-454B	33400	16	10.5	36000	21600	17200	8	6.5	1.98	218745052	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML296UH090XV48C	R-454B	33600	16.5	10.5	36000	21800	16500	7.8	6.4	1.9	217194292	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML296UH110XV60C	R-454B	33600	17	10.5	36000	21800	16400	7.8	6.4	1.9	217194293	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML297UH090XV36C	R-454B	33600	16.5	10.5	37000	21800	17400	7.8	6.4	1.96	218695101	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	ML297UH110XV60C	R-454B	33800	17	10.5	36000	21800	17400	7.8	6.4	1.96	218732592	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL280UH080NV60C	R-454B	33800	17	10.5	36000	21800	16500	8.2	6.5	1.9	217194294	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL280UH090V60C	R-454B	33800	16.5	10.5	36000	21800	16400	8.1	6.5	1.9	217194296	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL280UH090XV60C	R-454B	33800	16.5	10.5	36000	21800	16400	8.1	6.5	1.9	217194298	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL280UH100NV60C	R-454B	33800	17	10.5	36000	21800	16500	8.1	6.5	1.9	217194300	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL280UH110V60C	R-454B	33800	16.5	10.5	36000	21800	16500	8.1	6.5	1.9	217194302	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL280UH110XV60C	R-454B	33800	16.5	10.5	36000	21800	16500	8.1	6.5	1.9	217194304	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL297UH080NV48C	R-454B	33600	17.5	10.5	36000	21800	16600	8.2	6.5	1.9	217194306	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SL297UH080NV60C	R-454B	33800	16.5	10.5	36800	21800	16600	8.2	6.5	1.88	217194308	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SLP99UH090XV36C	R-454B	33600	17	10.5	36000	21800	16600	8.2	6.5	1.88	217194310	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	22000	16700	8.1	6.5	1.88	217194312	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SLP99UH090XV60C	R-454B	33600	16	10.5	36000	21800	16600	8.1	6.5	1.88	217194314	N/A
EL19KPV-036-230A**	CK40[C,U]T-30/36C-***TDR	SLP99UH110XV60C	R-454B	33600	16.5	10.5	36000	21800	16500	8.1	6.5	1.9	217194316	N/A
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	- - -	R-454B	34200	15.5	10	32800	19500	15600	8.2	6.3	1.86	217507619	N/A
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	EL180UH040NE36A	R-454B	34400	18.5	11	32200	18800	14900	8.2	6.3	1.9	217194222	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	EL180UH060NE36A	R-454B	34400	18.5	11	32200	18800	14900	8.2	6.3	1.9	217194223	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	EL280UH045E36A	R-454B	34800	19	11	32600	19000	15100	8.2	6.3	1.9	217194224	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	EL280UH070E36A	R-454B	34400	18.5	11	32000	18700	14800	8.2	6.3	1.92	217194225	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	EL280UH070XE36A	R-454B	34400	18.5	11	32000	18700	14800	8.2	6.3	1.92	217194226	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH030V36A	R-454B	34800	18	11	32400	18800	15000	8.1	6.2	1.92	217194227	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH045E36A	R-454B	34600	18.5	11	32200	18700	14900	8.2	6.3	1.92	217194228	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH045V36A	R-454B	34800	18	11	32400	18900	15000	8.1	6.2	1.92	217194229	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH045XE36A	R-454B	34600	18.5	11	32200	18700	14900	8.2	6.3	1.92	217194230	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH070E36A	R-454B	34600	18	11	32400	18900	15000	8.2	6.3	1.9	217194231	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH070V36A	R-454B	34800	18	11	32600	18900	15100	8.1	6.2	1.9	217194232	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	ML180UH070XE36A	R-454B	34600	18	11	32200	18800	14900	8.2	6.3	1.92	217194233	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	SL280UH060NV36A	R-454B	34800	18.5	11	32400	18800	15000	8.2	6.3	1.92	217194193	No
EL19KPV-036-230A**	CK40[C,U]T-36A-***TDR	SL280UH070V36A	R-454B	34600	17.5	10.5	32600	19100	15200	8.2	6.3	1.88	217194194	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	34400	18.5	10.5	32200	18800	15000	8.2	6.2	1.9	217194200	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	34800	18	11	32400	18900	15000	8.2	6.3	1.92	217194201	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH045E36A	R-454B	35200	19	11	32400	19000	15100	8.2	6.3	1.92	217507587	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH070E36A	R-454B	34600	18.5	11.2	31800	18700	14800	8.2	6.3	1.92	217507588	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	34800	19	11.2	32200	18700	14800	8.2	6.3	1.94	217194202	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	34800	17	11.2	32200	18600	14800	8.2	6.3	1.94	217194203	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	34800	17	11.2	32200	18600	14800	8.2	6.3	1.94	217194204	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	34200	18	11	32000	18600	14800	8.2	6.3	1.92	217194221	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	34600	18	10.5	32600	19100	15300	8.2	6.3	1.88	217194191	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	34600	18	11	32400	18900	15000	8.2	6.3	1.9	217194220	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	34800	18	11	32600	19000	15100	8.2	6.3	1.9	217194192	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	34800	18	11	32400	18800	14900	8.2	6.3	1.92	217194205	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	34800	18.5	11.2	32200	18700	14900	8.2	6.2	1.94	217194206	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	35200	18.5	11.2	32400	18800	14900	8.2	6.2	1.94	217194207	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	34800	18	11	32400	18800	14900	8.2	6.3	1.92	217194208	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	34600	17.5	11.2	32000	18500	14700	8.2	6.3	1.94	217194209	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	34800	18	11	32400	18900	15000	8.2	6.2	1.92	217194210	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	34600	17.5	11.2	32000	18500	14700	8.2	6.3	1.94	217194211	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	34400	18.5	10.5	32400	19000	15100	8.2	6.3	1.9	217194212	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	34400	18	11	32000	18700	14900	8.2	6.3	1.92	217194213	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	34400	18.5	11	32000	18600	14800	8.2	6.3	1.92	217194214	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	34400	18.5	10.5	32200	18800	15000	8.2	6.2	1.9	217194215	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	34800	18	11	32400	18900	15000	8.2	6.3	1.92	217194216	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	34800	16	10.5	32600	19100	15200	8.2	6.3	1.88	217194217	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML197UH030XE36B	R-454B	35000	18.5	10.5	32200	19200	15500	8.2	6.3	1.94	218745063	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML197UH060XE36B	R-454B	35000	18	11	32000	19100	15400	8.5	6.4	1.96	218747714	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	34800	17.5	11	32400	18900	15100	8.1	6.2	1.9	217194218	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	34800	17.5	11	32400	18900	15100	8.1	6.2	1.92	217194219	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML297UH045XV36B	R-454B	34800	17.5	11	32800	19400	15600	8.1	6.3	1.92	218690674	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML297UH070XV36B	R-454B	34800	17.5	11	32600	19200	15500	8.1	6.3	1.94	218690698	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	34800	18	11	32400	18900	15100	8.2	6.3	1.92	217194184	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	35000	18	11.2	32400	18800	14900	8.2	6.3	1.92	217194185	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	34800	18	11	32400	18900	15000	8.2	6.3	1.92	217194186	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34800	18	11	32400	18900	15000	8.2	6.3	1.92	217194187	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	34800	18.5	10.5	32400	19100	15200	8.2	6.3	1.9	217194188	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	34800	18	10.5	32400	19000	15200	8.2	6.3	1.9	217194189	N/A
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	34800	18	11	32400	18900	15000	8.2	6.3	1.92	217194190	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	- - -	R-454B	34200	15.5	10	33000	19500	15600	8.2	6.3	1.86	218073848	N/A
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL180UH100NE60C	R-454B	35200	16	11	32400	18900	15000	8.2	6.3	1.92	218073849	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL195UH080NE48C	R-454B	34600	17.5	11	32000	18700	14900	8.2	6.3	1.92	218073855	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL195UH100NE60C	R-454B	34800	15.5	10.5	32400	19000	15100	8.2	6.2	1.9	218073779	N/A
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL196UH090XE48C	R-454B	35000	17	11.2	32000	18600	14700	8.2	6.3	1.94	218073857	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL280UH110E48C	R-454B	34800	17.5	11.5	31800	18400	14600	8.2	6.3	1.96	218073895	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH070XV36B	R-454B	35000	18.5	11	32400	18800	15000	8.2	6.3	1.92	218073866	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XE48C	R-454B	35000	17.5	11.2	32000	18600	14800	8.2	6.3	1.94	218073854	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV36C	R-454B	35200	18.5	11.2	32200	18700	14800	8.2	6.3	1.94	218073907	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV48C	R-454B	35200	18	11.2	32400	18800	14900	8.2	6.3	1.94	218073865	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV60C	R-454B	35200	17.5	11.2	32200	18700	14900	8.2	6.3	1.94	218073906	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XE60C	R-454B	35600	16	11.2	32600	19000	15100	8.2	6.2	1.92	218073894	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV48C	R-454B	35200	18	11.2	32200	18700	14800	8.2	6.3	1.94	218073905	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV60C	R-454B	35200	17.5	11.2	32200	18700	14800	8.2	6.3	1.94	218073864	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH090E60C	R-454B	35400	16	11.2	32400	18800	14900	8.2	6.2	1.94	218073899	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH110V60C	R-454B	35600	18.5	11.2	32400	18700	14900	8.2	6.2	1.94	218073900	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH090XE36C	R-454B	35000	18	11.2	32200	18700	14800	8.2	6.3	1.94	218073896	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH090XE48C	R-454B	34800	17	11.2	32000	18600	14700	8.2	6.3	1.94	218073898	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH110XE48C	R-454B	34800	17.5	11.2	32000	18500	14600	8.2	6.3	1.96	218073850	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH110XE60C	R-454B	35600	16	11.2	32600	18900	15000	8.2	6.2	1.94	218073851	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE36C	R-454B	35000	18	11.2	32200	18800	14900	8.2	6.3	1.92	218073860	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE48C	R-454B	35000	17	11.2	32000	18600	14700	8.2	6.3	1.94	218073869	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE60C	R-454B	35600	16	11.2	32600	18900	15000	8.2	6.2	1.92	218073852	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH110XE60C	R-454B	35800	15.5	11	32800	19000	15100	8.2	6.2	1.92	218073901	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH030XE36B	R-454B	35000	17.5	11	32200	19200	15500	8.5	6.4	1.94	218745118	N/A
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH060XE36B	R-454B	34600	18	11.2	31600	18800	15000	8.5	6.4	1.98	218747724	N/A
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH080XE48C	R-454B	35000	17	11.2	31600	18800	15100	8.2	6.3	1.98	218747702	N/A
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH090XV48C	R-454B	35000	18	11.2	32200	18700	14800	8.2	6.2	1.94	218073867	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH110XV60C	R-454B	35000	18	11.2	32200	18700	14800	8.2	6.2	1.94	218073867	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH090XV36C	R-454B	35000	18	11.2	32400	19000	15300	8.2	6.3	1.96	218695102	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH110XV60C	R-454B	35000	18.5	11.2	32000	19000	15200	8.2	6.3	1.98	218732593	N/A
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH080NV60C	R-454B	35200	18	11.2	32200	18700	14800	8.2	6.3	1.94	218073853	No
EL19KPV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090V60C	R-454B	35400	17.5	11.5	32200	18600						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV60C	R-454B	35000	17.5	11	32400	18800	15000	8.2	6.3	1.92	218073908	No
EL19KPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV36C	R-454B	35200	18.5	11.2	32400	18800	14900	8.2	6.3	1.94	218073861	No
EL19KPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV48C	R-454B	35200	18	11.2	32400	18800	14900	8.2	6.3	1.94	218073862	No
EL19KPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV60C	R-454B	35200	17.5	11.2	32200	18700	14900	8.2	6.3	1.94	218073904	No
EL19KPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH110XV60C	R-454B	35200	18	11.2	32200	18700	14800	8.2	6.3	1.94	218073863	No
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	- - -	R-454B	34800	14.7	9.8	33600	20800	16900	7.8	6.2	2	217446982	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL180UH060NE36A	R-454B	35600	17	10.5	32800	20200	16200	8	6.3	2.06	217507625	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL180UH080NE48B	R-454B	35000	15.5	10.5	32600	20000	16100	7.8	6.2	2.06	217194338	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL195UH040NE36B	R-454B	35000	16.5	10.5	32800	20000	16100	7.8	6.3	2.04	217194340	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL195UH060NE36B	R-454B	35200	16.5	10.5	32800	20000	16100	8	6.3	2.06	217194343	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL196UH030XE36B	R-454B	35200	16	10	33000	20200	16300	7.8	6.3	2.04	217194346	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL196UH045XE36B	R-454B	35000	16.5	10	32800	20200	16200	7.8	6.3	2.04	217194348	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL196UH070XE36B	R-454B	35000	16.5	10.5	32600	19900	15900	8	6.3	2.06	217194351	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL280UH045E36A	R-454B	36000	17.5	10.5	33000	20400	16400	8.1	6.3	2.06	217507627	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL280UH070E36A	R-454B	35400	17	10.5	32600	20000	16100	8	6.3	2.06	217507628	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL280UH090E36B	R-454B	35600	17.5	10.5	32800	20000	16100	8.1	6.3	2.08	217194354	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL280UH090E48B	R-454B	35600	16	10.5	32800	20000	16000	8	6.3	2.08	217194356	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL280UH090XE48B	R-454B	35600	16	10.5	32800	20000	16000	8	6.3	2.08	217194360	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL297UH045XE36B	R-454B	35000	16.5	10.5	32600	20000	16000	8	6.3	2.06	217194405	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL297UH045XV36B	R-454B	35200	16.5	10	33200	20400	16500	7.5	6.2	2.02	217194408	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL297UH070XE36B	R-454B	35000	16.5	10.5	32600	20000	16000	8	6.3	2.06	217194404	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	EL297UH070XV36B	R-454B	35400	17	10.5	33200	20400	16300	7.8	6.2	2.04	217194410	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH070E36B	R-454B	35600	17	10.5	33000	20200	16200	8	6.3	2.06	217194362	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH070V36B	R-454B	35400	17	10.5	32800	20000	16100	7.8	6.2	2.08	217194365	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH070V48B	R-454B	35800	17	10.5	33000	20200	16200	7.8	6.3	2.1	217194368	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH070XE36B	R-454B	35600	17	10.5	33000	20200	16200	8	6.3	2.06	217194370	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH090E48B	R-454B	35200	16	10.5	32400	19800	15800	7.8	6.3	2.08	217194371	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH090V48B	R-454B	35600	16.5	10.5	33000	20200	16300	7.8	6.2	2.06	217194372	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML180UH090XE48B	R-454B	35200	16	10.5	32400	19800	15800	7.8	6.3	2.08	217194374	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML193UH030XE36B	R-454B	35200	16	10	33000	20400	16400	8	6.3	2.04	217194376	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML193UH045XE36B	R-454B	35200	16.5	10.5	32800	20000	16100	8	6.3	2.06	217194378	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML193UH070XE36B	R-454B	35000	16.5	10.5	32600	20000	16000	8	6.3	2.06	217194380	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML196UH030XE36B	R-454B	35200	16	10	33000	20200	16300	7.8	6.3	2.04	217194383	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML196UH045XE36B	R-454B	35000	16.5	10	32800	20200	16200	7.8	6.3	2.04	217194385	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML196UH070XE36B	R-454B	35000	16.5	10.5	32600	19900	15900	8	6.3	2.06	217194386	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML196UH070XE48B	R-454B	35400	15.2	10	33400	20400	16500	7.8	6.2	2.04	217194389	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML197UH030XE36B	R-454B	35600	16.5	10	33400	21000	16900	8	6.3	2.08	218745064	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML197UH060XE36B	R-454B	35000	16.5	10.5	32800	20400	16400	7.8	6.3	2.1	218745069	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML296UH045XV36B	R-454B	35400	16	10.5	33200	20200	16300	7.8	6.2	2.06	217194391	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML296UH070XV36B	R-454B	35400	16	10.5	33000	20200	16300	7.8	6.2	2.06	217194392	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML297UH045XV36B	R-454B	35400	16	10.5	33200	21000	17000	7.8	6.2	2.06	218690675	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	ML297UH070XV36B	R-454B	35400	16	10.5	33000	21000	16900	7.8	6.2	2.08	218690699	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SL280UH080NV48B	R-454B	35400	17	10.5	33000	20200	16300	7.8	6.2	2.06	217194394	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SL280UH090V36B	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.08	217194396	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SL280UH090V48B	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.06	217194397	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SL280UH090XV48B	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.06	217194398	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SL297UH040NV36B	R-454B	35600	17	10	33000	20400	16400	7.8	6.2	2.04	217194399	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SL297UH060NV36B	R-454B	35600	17	10	33000	20400	16400	7.8	6.2	2.04	217194400	N/A
EL19KPV-036-230A**	CK40[C,U]T-48B-***TDR	SLP99UH070XV36B	R-454B	35400	17	10.5	33000	20200	16300	7.8	6.2	2.06	217194401	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	- - -	R-454B	34800	14.7	9.8	33600	20800	16900	7.8	6.2	2	217507618	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL180UH100NE60C	R-454B	35800	15.2	10.5	33200	20200	16300	7.8	6.2	2.06	217194270	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	35200	15.5	10.5	32600	20000	16000	7.8	6.3	2.06	217194271	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	35400	14.7	10	33000	20400	16400	7.8	6.2	2.04	217507620	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	35600	16	10.5	32800	20000	16000	8	6.3	2.08	217194273	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	35400	16	10.5	32400	19800	15800	8	6.3	2.1	217194275	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	35400	16	10.5	32800	20000	16000	8	6.3	2.08	217194324	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.08	217194325	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	35400	16.5	10.5	33000	20200	16300	7.8	6.2	2.06	217194327	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	35600	16	10.5	33000	20200	16200	7.8	6.2	2.08	217194329	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.08	217194330	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	35600	16.5	10.5	33000	20200	16100	7.8	6.2	2.08	217194331	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH090E48B	R-454B	35400	16	10.5	32200	19800	15800	8	6.3	2.1	217507621	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	35800	15.5	10.5	33000	20200	16100	8	6.3	2.1	217194278	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	36000	17	10.5	33000	20200	16100	7.8	6.3	2.1	217194280	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110XE60C	R-454B	35800	15.5	10.5	33000	20200	16100	8	6.3	2.1	217194282	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	35400	17	10.5	32800	20000	16100	8	6.3	2.08	217194284	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	35400	16	10.5	32600	20000	16000	7.8	6.3	2.08	217194286	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	35400	16	10.5	32600	19900	15900	8	6.3	2.1	217194288	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	35400	17	10.5	33000	20200	16200	8	6.3	2.06	217194290	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	35400	16	10.5	32600	20000	16000	7.8	6.3	2.08	217194291	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV36C	R-454B	35600	16.5	10.5	33800	20800	16700	7.8	6.3	2.1	218695103	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH110XV60C	R-454B	36000	17	10.5	33400	20600	16700	7.8	6.3	2.12	218732594	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	35600	17	10.5	32800	20000	16100	7.8	6.2	2.08	217194299	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	6.2	2.1	217194301	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	6.2	2.1	217194303	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	6.2	2.08	217194305	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH110V60C	R-454B	35600	16	10.5	33000	20000	16100	7.8	6.2	2.08	217194307	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH110XV60C	R-454B	35600	16	10.5	33000	20000	16100	7.8	6.2	2.08	217194309	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV48C	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.08	217194311	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	35800	16.5	10.5	32800	20200	16200	7.8	6.2	2.06	217194313	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV36C	R-454B	35600	17	10.5	33000	20200	16200	7.8	6.2	2.06	217194315	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	35600	16.5	10.5	33000	20200	16300	7.8	6.2	2.06	217194317	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	35600	16	10.5	33000	20200	16200	7.8	6.2	2.06	217194319	N/A
EL19KPV-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	35600	16.5	10.5	33000	20200	16200	7.8	6.2	2.08	217194321	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	EL280DF090E48B	R-454B	34400	15.5	11	35000	20400	16400	8	6.3	2.1	217446752	No
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	34600	16.5	10.5	35400	20800	16800	8	6.3	2.06	217447050	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XE48B	R-454B	34400	16	10.5	35400	20800	16800	8	6.3	2.04	217447035	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XV48B	R-454B	34600	16	10.5	35600	21000	17000	8	6.3	2.04	217447055	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	ML180DF090E48B	R-454B	34400	15.5	11.2	34600	20400	16300	8	6.3	2.1	217446753	No
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	34400	16	10.5	35400	20800	16900	8	6.3	2.04	217447039	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	34200	16	10.5	34800	20600	16500	8	6.3	2.08	217447041	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	34600	16	10.5	35400	21000	16900	8	6.3	2.04	217447044	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	ML296DF070XV48B	R-454B	34800	15.5	10.5	35600	21000	16900	7.5	6.2	2.04	217447033	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	34600	16.5	10.5	35400	21000	16900	8	6.3	2.04	217447046	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	SL280DF090V48B	R-454B	34600	16.5	10.5	35400	20800	16800	8	6.3	2.06	217447048	N/A
EL19KPV-036-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	34600	16.5	10.5	35400	20800	16800	8	6.3	2.06	217447052	N/A
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	- - -	R-454B	34000	14.3	10	36000	21200	17300	7.8	6.3	2.02	217447061	N/A
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	EL297DF090XE48C	R-454B	34400	16	11.2	35000	20400	16400	8	6.3	2.1	217446750	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	ML180DF110E60C	R-454B	35200	15.5	11.2	35200	20600	16500	8	6.3	2.12	217446754	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	ML193DF090XE48C	R-454B	34600	15.5	11.2	35000	20400	16400	8	6.3	2.1	217446755	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	ML196DF090XE48C	R-454B	34400	15.5	11.2	34600	20400	16300	8	6.3	2.12	217446756	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	ML296DF090XV60C	R-454B	35000	16	11	35400	20800	16700	7.8	6.2	2.08	217446757	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	ML297DF090XV60C	R-454B	34800	16	10.5	35400	20800	16800	7.5	6.1	2.06	218732590	N/A
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SL280DF080NV60C	R-454B	34800	16	11	35200	20600	16600	8	6.3	2.1	217446762	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SL280DF090V60C	R-454B	35000	16.5	11.2	35200	20600	16500	8	6.3	2.1	217446748	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SL280DF110V60C	R-454B	35000	16.5	11.2	35200	20600	16500	8	6.3	2.12	217446758	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV36C	R-454B	34800	17	11	35200	20600	16700	8.1	6.3	2.08	217446759	No
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV48C	R-454B	34800	17	10.5	35400	20800	16700	8	6.3	2.08	217447060	N/A
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV60C	R-454B	34800	16.5	11	35400	20800	16700	8	6.3	2.08	217446760	N/A
EL19KPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF110XV60C	R-454B	34800	16	11	35400	20800	16700	8	6.3	2.08	217446761	No
EL19KPV-036-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	35000	16	10.5	35200	19400	16700	8	6.2	1.94	217194416	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	35200	17.5	10.5	35600	19700	17000	7.8	6.1	1.9	217194425	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	34800	17	10	35600	19700	17000	8	6.2	1.9	217194415	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	35000	17	10	35800	19800	17100	7.5	6.1	1.88	217194426	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	ML180DF070E36B	R-454B	34800	17	10.5	35200	19400	16700	8.1	6.2	1.94	217194417	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	ML180DF090E48B	R-454B	34800	16.5	10.5	35200	19300	16600	8	6.2	1.96	217194418	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	ML193DF045XE36B	R-454B	34600	17	10.5	35200	19500	16800	8.1	6.2	1.92	217194419	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	ML193DF070XE36B	R-454B	34600	17	10.5	35200	19500	16800	8	6.2	1.92	217194420	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	ML196DF045XE36B	R-454B	34600	17	10.5	35200	19500	16800	8.1	6.2	1.92	217194421	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	35200	17	10.5	35800	19800	17100	8	6.2	1.9	217194422	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	35200	17.5	10.5	35600	19700	17000	7.8	6.1	1.9	217194423	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	35200	17.5	10.5	35600	19600	16900	7.8	6.1	1.92	217194424	N/A
EL19KPV-036-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	35200	18	10.5	35600	19700	17000	7.8	6.1	1.9	217194427	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	- - -	R-454B	34600	14.7	9.5	36000	23000	17800	8.5	6.7	2.1	217507631	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	34800	16.5	10.5	35400	22200	16800	8.5	6.7	2.2	217447062	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	6.7	2.16	217447073	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	6.7	2.16	217447074	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	34800	16	10.5	35400	22200	16900	8.5	6.7	2.2	217447063	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	34800	16.5	10.5	35400	22000	16800	8.5	6.7	2.2	217447064	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	ML296DF070XV48B	R-454B	35200	16.5	10	35800	22600	17300	8.2	6.6	2.14	217507636	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	35200	16.5	10	35800	22400	17200	8.2	6.6	2.16	217507635	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	ML297DF070XV48B	R-454B	35200	16.5	10	35800	23200	17900	8.2	6.6	2.16	218690647	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	35000	16.5	10	36000	23000	17600	8.5	6.7	2.2	218732591	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	35200	16.5	10.5	35800	22200	17000	8.5	6.7	2.18	217447072	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	35200	17	10.5	35600	22200	17000	8.5	6.7	2.2	217447066	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	35200	17	10.5	35600	22200	16900	8.5	6.7	2.2	217447067	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SLP99DF070XV36B	R-454B	35200	17.5	10	35600	22400	17200	8.5	6.7	2.14	217507637	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	35200	18	10	35800	22400	17100	8.5	6.7	2.18	217447068	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	35000	17.5	10	35800	22400	17200	8.5	6.7	2.16	217447069	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	6.7	2.16	217447070	N/A
EL19KPV-036-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	35200	17	10	35800</							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40HT-36A-***TDR	EL280UH070XE36A	R-454B	33600	17.5	10.5	32600	21600	16500	8.1	6.4	1.96	217447087	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH030V36A	R-454B	34000	17.5	10.5	33200	21800	16700	7.8	6.3	1.96	217447078	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH045E36A	R-454B	33800	17.5	10.5	32800	21800	16600	8.1	6.4	1.96	217447079	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH045V36A	R-454B	34000	17.5	10.5	33200	22000	16800	7.8	6.3	1.94	217447088	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH045XE36A	R-454B	33800	17.5	10.5	32800	21800	16600	8.1	6.4	1.96	217447080	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH070E36A	R-454B	33600	17.5	10.5	33000	21800	16700	8.1	6.4	1.94	217447081	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH070V36A	R-454B	34000	17	10.5	33400	22200	16900	7.8	6.3	1.94	217447089	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	ML180UH070XE36A	R-454B	33600	17.5	10.5	32800	21800	16600	8.1	6.4	1.94	217447082	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	SL280UH060NV36A	R-454B	34000	18	10.5	33200	22000	16800	8.1	6.4	1.96	217447083	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	SL280UH070V36A	R-454B	34000	18	10.5	33400	22000	17000	8.1	6.4	1.94	217447084	N/A
EL19KPV-036-230A**	CK40HT-36A-***TDR	SL280UH070XV36A	R-454B	34000	18	10.5	33400	22000	17000	8.1	6.4	1.94	217447085	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL180UH100NE60C	R-454B	34600	15.5	11	32800	21000	16500	8.1	6.4	2.06	217194332	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL195UH040NE36B	R-454B	34200	17	10.5	32600	21000	16600	8.2	6.4	2.02	217507623	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL195UH060NE36B	R-454B	34200	17	11	32600	20800	16300	8.2	6.5	2.06	217507624	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL195UH080NE48C	R-454B	34000	16.5	10.5	32200	20800	16400	8.2	6.4	2.04	217194334	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL195UH100NE60C	R-454B	34400	14.7	10.5	32600	21200	16600	8.1	6.4	2.02	217507622	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL196UH090XE48C	R-454B	34400	16.5	11.2	32600	20800	16300	8.2	6.4	2.08	217194337	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL280UH110E48C	R-454B	34200	16.5	11.2	32200	20600	16100	8.2	6.5	2.1	217194342	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL297UH090XE48C	R-454B	34400	16.5	11.2	32400	20800	16300	8.2	6.4	2.08	217194407	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL297UH090XV36C	R-454B	34600	17.5	11	32800	21000	16500	8	6.4	2.06	217194409	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL297UH090XV48C	R-454B	34600	17	10.5	33000	21200	16600	8	6.4	2.04	217194411	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL297UH090XV60C	R-454B	34600	16.5	11	32800	21000	16500	8	6.4	2.06	217194412	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL297UH110XV48C	R-454B	34600	17	11	32800	21000	16500	8	6.4	2.06	217194413	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	EL297UH110XV60C	R-454B	34600	16.5	11	32800	21000	16500	8	6.4	2.06	217194414	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML180UH070E36B	R-454B	34800	17.5	11	32600	21000	16500	8.2	6.5	2.06	217507589	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML180UH110E60C	R-454B	34800	16	11.2	32800	21000	16400	8.1	6.4	2.08	217194350	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML180UH110V60C	R-454B	35000	17.5	11.2	32800	21000	16400	8.1	6.4	2.08	217194353	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML180UH110XE60C	R-454B	34800	16	11.2	32800	21000	16400	8.1	6.4	2.08	217194357	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML193UH045XE36B	R-454B	34200	17	11	32400	20800	16400	8.2	6.5	2.04	217507590	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML193UH070XE36B	R-454B	34200	17	11	32200	20800	16300	8.2	6.5	2.06	217507591	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML193UH090XE36C	R-454B	34200	17.5	11	32600	20800	16300	8.2	6.5	2.06	217194359	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML193UH090XE48C	R-454B	34200	16.5	11.2	32400	20800	16200	8.2	6.4	2.08	217194363	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML193UH110XE48C	R-454B	34200	16.5	11.2	32400	20600	16200	8.2	6.5	2.08	217194366	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML196UH045XE36B	R-454B	34000	17	10.5	32400	21000	16400	8.2	6.4	2.04	217507626	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML196UH090XE36C	R-454B	34400	17.5	11	32800	21000	16400	8.2	6.5	2.06	217194402	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML196UH090XE48C	R-454B	34200	16.5	11.2	32400	20800	16300	8.2	6.4	2.08	217194369	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML197UH030XE36B	R-454B	34600	17.5	10.5	33800	23200	17400	8.1	6.5	2	218745120	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML197UH060XE36B	R-454B	34000	17	11	33200	22600	17000	8.1	6.5	2.04	218747725	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML197UH080XE48C	R-454B	35000	16.5	11	33800	23000	17300	8.1	6.4	2.04	218747703	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML296UH090XV48C	R-454B	34400	17	11	32600	20800	16400	8.1	6.4	2.06	217194373	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML296UH110XV60C	R-454B	34600	17	11.2	32600	20800	16400	8.1	6.4	2.08	217194375	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML297UH090XV36C	R-454B	34600	17	11	34200	23000	17300	7.8	6.4	2.02	218695104	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	ML297UH110XV60C	R-454B	34600	17.5	11	33800	23000	17300	7.5	6.4	2.04	218732595	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL280UH080NV60C	R-454B	34600	17.5	11.2	32800	21000	16400	8	6.4	2.08	217194377	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL280UH090V60C	R-454B	34600	17	11.2	32800	20800	16400	8.1	6.4	2.08	217194379	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL280UH090XV60C	R-454B	34600	17	11.2	32800	20800	16400	8.1	6.4	2.08	217194381	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL280UH100NV60C	R-454B	34600	17	11.2	32800	21000	16400	8.1	6.4	2.08	217194382	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL280UH110V60C	R-454B	34600	16.5	11	32800	21000	16400	8	6.4	2.08	217194384	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL280UH110XV60C	R-454B	34600	16.5	11	32800	21000	16400	8	6.4	2.08	217194387	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL297UH080NV48C	R-454B	34600	17.5	11	32800	21000	16500	8.1	6.4	2.06	217194388	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SL297UH080NV60C	R-454B	34800	17	11	32600	21000	16500	8	6.4	2.06	217194403	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV36C	R-454B	34600	17.5	11	32800	21000	16500	8	6.4	2.06	217194390	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV48C	R-454B	34600	17	10.5	33000	21200	16600	8	6.4	2.04	217194393	N/A
EL19KPV-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV60C	R-454B	34600	16.5	11	32800	21000	16500	8	6.4	2.06	217194406	No
EL19KPV-036-230A**	CK40HT-36C-***TDR	SLP99UH110XV60C	R-454B	34600	17	11	32800	21000	16500	8	6.4	2.06	217194395	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	35000	16	10.5	31600	20800	16800	8.2	6.5	2.06	217507638	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL195UH060NE36B	R-454B	34600	17.5	10.5	31600	21000	16800	8.2	6.5	2.02	217507657	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	34400	17	10.5	31200	20600	16600	8.2	6.5	2.04	217507639	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL195UH100NE60C	R-454B	34600	15.2	10.5	31600	21000	16800	8.2	6.4	2.04	217507640	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	34600	16.9	10.5	31200	20600	16500	8.2	6.5	2.08	217507641	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	34600	17	11	31000	20400	16300	8.2	6.5	2.1	217507592	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH045XV36B	R-454B	34800	18	10.5	31600	21000	16900	8.2	6.5	2.04	217507665	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	34800	17	10.5	31200	20600	16500	8.2	6.5	2.08	217507664	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	35000	18	10.5	31400	20800	16600	8.2	6.5	2.08	217507666	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	35000	18	10.5	31600	20800	16700	8.2	6.5	2.06	217507667	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	35000	17	10.5	31400	20800	16600	8.2	6.5	2.08	217507668	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	35000	18	10.5	31400	20800	16600	8.2	6.5	2.08	217507669	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	35000	17.5	10.5	31400	20600	16600	8.2	6.5	2.08	217507670	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML180UH070E36B	R-454B	35000	18	10.5	31600	20800	16700	8.2	6.5	2.06	217507658	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML180UH090E48B	R-454B	34600	17	11	31000	20400	16300	8.2	6.5	2.08	217507599	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	35000	16	10.5	31400	20800	16600	8.2	6.5	2.08	217507642	N/A
EL19KPV-036-230A**	CK40HT-													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	34600	17	11	31000	20400	16400	8.2	6.5	2.08	217507594	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML196UH045XE36B	R-454B	34400	17.5	10.5	31400	20800	16700	8.2	6.5	2.04	217507659	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	34800	18	10.5	31400	20800	16600	8.2	6.5	2.06	217507646	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML197UH030XE36B	R-454B	34600	17.5	10.5	32000	21600	16900	8.2	6.5	2	218745121	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML197UH060XE36B	R-454B	34200	17.5	10.5	31400	21000	16500	8.2	6.5	2.02	218745125	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	34400	16.5	10.5	31600	21200	16500	8.2	6.5	2.04	218745085	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML296UH070XV36B	R-454B	34600	16.5	10	31800	21000	17000	8	6.4	2.02	217507660	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	35000	17	10.5	31600	20800	16800	8.2	6.4	2.06	217507647	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	35000	17.5	10.5	31600	20800	16700	8.2	6.5	2.08	217507648	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML297UH070XV36B	R-454B	34600	16.5	10	31800	21600	16900	8	6.4	2	218690700	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	34600	17.5	10.5	33000	21400	16800	8.1	6.4	2.02	218695105	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	ML297UH110XV60C	R-454B	34600	17.5	10.5	31800	21400	16800	8.2	6.4	2.04	218732596	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH080NV48B	R-454B	35000	18	10.5	31600	20800	16800	8.2	6.5	2.06	217507661	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	35000	17.5	10.5	31400	20800	16600	8.2	6.5	2.08	217507649	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	6.5	2.1	217507595	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	6.5	2.1	217507596	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	35000	17.5	10.5	31400	20800	16600	8.2	6.5	2.08	217507650	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	6.5	2.1	217507597	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	6.5	2.1	217507598	No
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL297UH040NV36B	R-454B	34800	18	10.5	31600	21000	16900	8.2	6.5	2.04	217507662	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL297UH060NV36B	R-454B	34800	18	10.5	31600	21000	16900	8.2	6.5	2.04	217507663	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	35000	18	10.5	31600	20800	16700	8.2	6.5	2.06	217507651	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	35000	17	10.5	31600	20800	16700	8.2	6.5	2.06	217507652	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	35000	18	10.5	31400	20800	16700	8.2	6.5	2.06	217507653	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV48C	R-454B	35000	18	10.5	31600	20800	16700	8.2	6.5	2.06	217507654	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV60C	R-454B	35000	17	10.5	31400	20800	16600	8.2	6.5	2.08	217507655	N/A
EL19KPV-036-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	35000	17.5	10.5	31400	20600	16600	8.2	6.5	2.08	217507656	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	- - -	R-454B	34200	14.3	9.5	32400	21800	17300	8	6.4	2	217507629	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL180UH060NE36A	R-454B	34600	16.5	10	31400	21000	16600	8.2	6.5	2.06	217507633	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL180UH080NE48B	R-454B	34200	15.2	10	31800	20800	16500	8.2	6.5	2.06	217447016	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL195UH040NE36B	R-454B	34000	16	10	31600	20800	16500	8.2	6.5	2.04	217447017	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL195UH060NE36B	R-454B	34200	16.5	10	31600	20800	16500	8.2	6.5	2.06	217447018	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL196UH030XE36B	R-454B	34200	15.5	10	32000	21000	16600	8.2	6.5	2.04	217447019	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL196UH070XE36B	R-454B	34800	16.5	10	32200	21200	16700	8.2	6.5	2.06	217447020	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL280UH045E36A	R-454B	35200	17	10	31800	21200	16800	8.2	6.5	2.06	217507634	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL280UH070E36A	R-454B	34600	16.5	10	31400	20800	16500	8.2	6.5	2.06	217507635	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL280UH090E36B	R-454B	34600	17	10.5	32000	20800	16500	8.2	6.5	2.08	217447021	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	34600	15.5	10.5	32000	20800	16400	8.2	6.5	2.08	217447022	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	34600	15.5	10.5	32000	20800	16400	8.2	6.5	2.08	217447023	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL297UH045XE36B	R-454B	34000	16.5	10	31800	20800	16400	8.2	6.5	2.06	217447057	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL297UH045XV36B	R-454B	34800	16.5	10	32400	21200	16800	8.2	6.5	2.04	217447058	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL297UH070XE36B	R-454B	34600	16.5	10	32200	21200	16700	8.2	6.5	2.04	217447056	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	EL297UH070XV36B	R-454B	34800	17	10	32400	21200	16700	8.2	6.5	2.06	217447059	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH070E36B	R-454B	34800	16.5	10	32200	21000	16600	8.2	6.5	2.08	217447024	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH070V36B	R-454B	34800	16.5	10.5	32000	21000	16500	8.2	6.4	2.08	217447025	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	35200	16.5	10.5	32200	21000	16600	8.2	6.4	2.1	217447026	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH070XE36B	R-454B	34800	16.5	10	32200	21000	16600	8.2	6.5	2.08	217447027	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	34600	15.5	10.5	31800	20800	16300	8.2	6.5	2.1	217447028	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	34800	16.5	10	32400	21200	16700	8.2	6.4	2.06	217447029	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	34600	15.5	10.5	31800	20800	16300	8.2	6.5	2.1	217447030	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML193UH030XE36B	R-454B	34400	16	10	32200	21200	16800	8.2	6.5	2.04	217447031	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML193UH045XE36B	R-454B	34200	16	10	32000	20800	16500	8.2	6.5	2.06	217447032	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML193UH070XE36B	R-454B	34200	16	10	31800	20800	16400	8.2	6.5	2.06	217447034	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML196UH030XE36B	R-454B	34600	16	10	32400	21200	16800	8.2	6.5	2.04	217447036	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML196UH070XE36B	R-454B	34800	16.5	10	32200	21200	16700	8.2	6.5	2.06	217447037	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML196UH070XE48B	R-454B	34800	15.2	10	32400	21200	16800	8.2	6.5	2.06	217447038	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML197UH030XE36B	R-454B	34600	16	10	32400	21800	17400	8.2	6.5	2.02	218745067	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML197UH060XE36B	R-454B	34800	16.5	10	32200	21600	17200	8.2	6.5	2.04	218745070	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML296UH045XV36B	R-454B	34800	15.5	10	32400	21200	16700	8.1	6.4	2.06	217447040	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML296UH070XV36B	R-454B	34600	15.5	10	32600	21400	17000	8.1	6.4	2.02	217447042	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML297UH045XV36B	R-454B	34800	15.5	10	32400	22000	17500	8.1	6.4	2.02	218690676	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	ML297UH070XV36B	R-454B	34600	15.5	10	32600	21800	17400	8.1	6.4	2.04	218690701	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL280UH070V36A	R-454B	34400	16.5	10	33000	21800	17300	8.2	6.5	2.06	218461882	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	34800	16.5	10	32400	21200	16700	8.2	6.5	2.06	217447043	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL280UH090V36B	R-454B	35000	17	10.5	32200	21000	16500	8.2	6.5	2.08	217447045	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	34800	17	10.5	32200	21000	16600	8.2	6.5	2.08	217447047	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL280UH090XV48B	R-454B	34800	17	10.5	32200	21000	16600	8.2	6.5	2.08	217447049	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL297UH040NV36B	R-454B	34800	16.5	10	31800	21200	16900	8.2	6.5	2.04	217447051	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SL297UH060NV36B	R-454B	34800	16.5	10	31800	21200	16900	8.2	6.5	2.04	217447053	N/A
EL19KPV-036-230A**	CK40HT-48B-***TDR	SLP99UH070XV36B	R-454B	34800	17	10	32200	21000	16700	8.2	6.5	2.06	217447054	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	- - -	R-454B	34600	14.7	9.5	32200	21600	17300	8	6.4	2.04	217507630	N/A
EL19KPV-036-230A**														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	34800	16	10.5	31200	20400	16200	8.2	6.5	2.12	217446986	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	35000	16	10	31600	20800	16400	8.2	6.5	2.12	217447010	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	35400	17	10	31800	20800	16600	8.2	6.5	2.12	217447011	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	35200	17	10	32000	21000	16600	8.2	6.4	2.1	217447012	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	35400	16.5	10	31800	20800	16600	8.2	6.4	2.12	217447013	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	35400	17	10	31800	20800	16500	8.2	6.5	2.12	217447014	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	6.5	2.12	217447015	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	35400	15.5	10	31800	20800	16500	8.2	6.5	2.12	217446987	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	35600	17	10	32000	21000	16600	8.2	6.4	2.14	217446988	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	35400	15.5	10	31800	20800	16500	8.2	6.5	2.12	217446989	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML193UH090XE36C	R-454B	35000	17	10	31600	20800	16500	8.2	6.5	2.1	217446990	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	34800	16	10	31400	20600	16300	8.2	6.5	2.1	217446991	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	34800	16	10	31400	20600	16300	8.2	6.5	2.12	217446992	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML196UH090XE36C	R-454B	35000	17	10	31800	20800	16600	8.2	6.5	2.1	217446993	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	34800	16	10	31600	20600	16400	8.2	6.5	2.12	217446994	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML197UH030XE36B	R-454B	35000	16.5	10	31800	21200	16900	7.8	6.2	2.06	218745122	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML197UH060XE36B	R-454B	35000	16.5	10	31600	21200	16800	7.8	6.3	2.06	218745126	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	35400	16	10	31600	21200	16700	7.8	6.2	2.08	218745054	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	35400	16	10	32000	21000	16700	8.2	6.4	2.1	217446995	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	35600	16.5	10	32000	21000	16700	8.2	6.4	2.12	217446996	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML297UH090XV36C	R-454B	35000	16.5	10	32200	21200	16700	7.5	6.2	2.06	218695106	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	35200	17	10	31600	21200	16700	7.5	6.2	2.06	218732597	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH080NV48B	R-454B	35200	17	10	32000	21000	16700	8.2	6.4	2.1	217447009	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	35400	17	10	31800	20800	16500	8.2	6.5	2.12	217446997	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	35400	16.5	10.5	31800	20800	16400	8.2	6.5	2.14	217446998	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	35400	16.5	10.5	31800	20800	16400	8.2	6.5	2.14	217446999	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	35400	16.5	10	31800	20800	16600	8.2	6.4	2.12	217447000	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH110V60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	6.5	2.14	217447001	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	6.5	2.14	217447002	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	35200	17	10	32000	21000	16600	8.2	6.4	2.1	217447003	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	35400	16.5	10	31600	21000	16700	8.2	6.4	2.1	217447004	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV36C	R-454B	35200	17	10	31800	21000	16600	8.2	6.5	2.12	217447005	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	35200	17	10	32000	21000	16600	8.2	6.4	2.1	217447006	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	35200	16.5	10	31800	21000	16600	8.2	6.4	2.12	217447007	N/A
EL19KPV-036-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	6.5	2.12	217447008	N/A
EL19KPV-048-230A**	CBK43UHET-048-DV-**	---	R-454B	48000	17	11	47500	29200	29600	7.8	6.4	1.87	218330863	No
EL19KPV-048-230A**	CBK43UHET-060-DV-**	---	R-454B	48000	17	11	49500	30800	31600	8.6	6.9	2.07	218330857	No
EL19KPV-048-230A**	CBK45UHET-048-230-**	---	R-454B	48000	18	11.7	47000	28600	23400	7.8	6.3	2.06	217194653	No
EL19KPV-048-230A**	CBK45UHET-060-230-**	---	R-454B	47000	17.5	11.2	47000	28400	21000	8.2	6.5	1.98	217194652	No
EL19KPV-048-230A**	CBK45UHVT-048-230-**	---	R-454B	48000	18.5	11.5	47000	28600	23600	7.5	6.2	2.06	217194650	N/A
EL19KPV-048-230A**	CBK45UHVT-060-230-**	---	R-454B	47500	17	11.2	48000	28800	21400	8.1	6.4	1.96	217194649	No
EL19KPV-048-230A**	CBK47UHET-048-230-**	---	R-454B	47500	18	11.5	47500	28200	23400	8.2	6.5	2.06	217194651	No
EL19KPV-048-230A**	CBK47UHET-048-460-**	---	R-454B	47500	18	11.5	47500	28200	23400	8.2	6.5	2.06	217595419	No
EL19KPV-048-230A**	CBK47UHET-060-230-**	---	R-454B	48000	17.5	11.2	48000	32400	32800	9	7.4	2.24	217446749	No
EL19KPV-048-230A**	CBK47UHET-060-460-**	---	R-454B	48000	17.5	11.2	48000	32400	32800	9	7.4	2.24	217595424	No
EL19KPV-048-230A**	CBK48MVT-048-230-**	---	R-454B	48000	18.2	11.2	48000	29800	23200	8.4	6.6	2	217194428	No
EL19KPV-048-230A**	CBK48MVT-060-230-**	---	R-454B	48000	18	11.2	47500	32200	32600	9	7.4	2.26	217194429	No
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	EL280UH090E48B	R-454B	47500	18	11.5	45500	28200	22200	7.8	6.2	1.8	217194529	No
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	EL280UH090XE48B	R-454B	47500	18	11.5	45500	28200	22200	7.8	6.2	1.8	217194532	No
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	ML180UH070V48B	R-454B	48000	18	11.5	46000	28400	22400	7.5	6.1	1.82	217194535	N/A
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	ML180UH090E48B	R-454B	47500	18	11.7	45500	28000	22000	7.8	6.2	1.82	217194537	No
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	ML180UH090V48B	R-454B	48000	17.5	11.2	46500	28600	22400	7.5	6.1	1.8	217194540	N/A
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	ML180UH090XE48B	R-454B	47500	18	11.7	45500	28000	22000	7.8	6.2	1.82	217194541	No
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	ML196UH070XE48B	R-454B	47000	17	11	46000	28400	22400	7.5	6.1	1.78	217194546	N/A
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	SL280UH080NV48B	R-454B	48000	18	11.2	46500	28600	22600	7.5	6.1	1.78	217194548	N/A
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	SL280UH090V48B	R-454B	48000	18	11.2	46000	28400	22400	7.5	6.1	1.8	217194549	N/A
EL19KPV-048-230A**	CK40[C,U]T-48B-***TDR	SL280UH090XV48B	R-454B	48000	18	11.2	46000	28400	22400	7.5	6.1	1.8	217194550	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	---	R-454B	47000	15.2	10.5	47000	29000	22800	7.5	6.2	1.78	217194431	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL180UH100NE60C	R-454B	48000	17.5	11.2	46500	28600	22400	7.8	6.2	1.8	217194470	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	47000	17	11.5	45500	28000	22000	7.8	6.1	1.8	217194471	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	47000	16.9	11.2	46000	28400	22400	7.5	6.1	1.78	217194472	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	6.2	1.8	217194473	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL196UH110XE60C	R-454B	47500	17	11.7	45500	28000	22000	7.8	6.2	1.82	217194474	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	48000	18	11.7	45500	28000	22000	7.8	6.2	1.82	217194475	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E60C	R-454B	47500	17	11.7	45000	27600	21800	7.8	6.2	1.84	217194476	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL280UH110XE60C	R-454B	47500	17	11.7	45000	27600	21800	7.8	6.2	1.84	217194477	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	6.2	1.82	217194507	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	48000	18	11.2	46500	28600	22600	7.5	6.1	1.78	217194510	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	48000	17.5	11.2	46500	28600	22400	7.5	6.1	1.8	217194512	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XE60C	R-454B	47500	17	11.5	45500	28000	22000	7.8	6.2	1.82	217194514	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	48000	18	11.2	46000	28400	22400	7.5	6.1	1.8	217194515	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	48000	18	11.2	46000	2						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	48000	18	11.7	46000	28200	22200	7.5	6.1	1.82	217194480	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML180UH110XE60C	R-454B	48000	18	11.5	46000	28400	22200	7.8	6.2	1.82	217194481	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	6.2	1.8	217194482	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	6.2	1.82	217194483	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	47500	17	11.7	45500	27800	21800	7.8	6.2	1.82	217194484	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	6.2	1.82	217194485	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	47500	17	11.7	45500	27800	22000	7.8	6.2	1.82	217194486	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML196UH110XE60C	R-454B	47500	17	11.5	45500	28000	22000	7.8	6.2	1.82	217194487	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML197UH080XE48C	R-454B	48000	18	11.5	46500	28600	22800	7.8	6.2	1.86	218747727	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	48000	17	11.2	46500	28600	22400	7.5	6.1	1.8	217194488	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	48000	17.5	11.5	46000	28400	22200	7.5	6.1	1.82	217194489	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV60C	R-454B	48000	18	11.2	47000	29000	23200	7.5	6.1	1.84	218695144	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	ML297UH110XV60C	R-454B	48000	17.5	11.5	46000	29000	23000	7.5	6.2	1.84	218690717	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	48000	18.5	11.5	46000	28200	22200	7.8	6.1	1.82	217194490	No
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	48000	18	11.5	46000	28400	22400	7.5	6.1	1.8	217194491	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	48000	18	11.5	46000	28400	22400	7.5	6.1	1.8	217194492	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	48000	18	11.5	46000	28400	22200	7.5	6.1	1.82	217194493	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL280UH110V60C	R-454B	48000	18	11.5	46000	28400	22200	7.5	6.1	1.82	217194494	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL280UH110XV60C	R-454B	48000	18	11.5	46000	28400	22200	7.5	6.1	1.82	217194495	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV48C	R-454B	48000	18.5	11.2	46000	28400	22400	7.5	6.1	1.8	217194497	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	48000	18	11.2	46500	28600	22400	7.5	6.1	1.78	217194498	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	48000	18	11.2	46500	28600	22400	7.5	6.1	1.8	217194500	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	48000	17.5	11.2	46000	28600	22400	7.5	6.1	1.8	217194502	N/A
EL19KPV-048-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	48000	18	11.2	46000	28400	22400	7.5	6.1	1.8	217194504	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	- - -	R-454B	46500	15.5	10.5	47500	29800	24200	8.5	6.7	1.86	217582634	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL180UH100NE60C	R-454B	47000	17.5	10.5	47000	29400	23800	8.5	6.7	1.88	217577852	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL195UH100NE60C	R-454B	46500	16.5	10.5	46500	29200	23800	8.5	6.7	1.86	217577853	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL196UH090XE48C	R-454B	46500	17.5	11	46500	29000	23400	8.5	6.7	1.9	217577818	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL196UH110XE60C	R-454B	47000	17	11.2	46500	28800	23400	8.5	6.7	1.92	217577819	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E48C	R-454B	47000	18	11.2	46500	28800	23400	9	6.7	1.92	217577854	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E60C	R-454B	48000	17.5	11.2	47000	29200	23800	9	6.7	1.92	217577855	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110XE60C	R-454B	48000	17.5	11.2	47000	29200	23800	9	6.7	1.92	217577856	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XE48C	R-454B	46500	18	11.2	46000	28800	23400	8.5	6.7	1.9	217577829	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV48C	R-454B	47500	18.5	11	47000	29400	23800	8.5	6.7	1.9	217577830	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV60C	R-454B	47500	18	11	47000	29200	23800	8.5	6.7	1.9	217577831	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XE60C	R-454B	46500	17	11.2	46000	28800	23400	8.5	6.7	1.92	217577832	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV48C	R-454B	47500	18.5	11	47000	29200	23600	8.5	6.7	1.9	217577833	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	6.7	1.92	217577834	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	46500	17	11.2	46000	28600	23200	8.5	6.7	1.92	217577857	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	47500	17.5	11.2	47000	29200	23600	9	6.7	1.92	217577858	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	47500	18	11.2	46500	29000	23600	8.5	6.6	1.92	217577859	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	47500	17.5	11.2	47000	29200	23600	9	6.7	1.92	217577860	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	46500	17.5	11	46500	28800	23400	8.5	6.7	1.9	217577861	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	47000	18	11.2	46500	28800	23400	8.5	6.7	1.92	217577862	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	46500	17	11.2	46000	28600	23200	8.5	6.7	1.92	217577863	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	48000	17.5	10.5	48000	29800	24200	8.5	6.7	1.88	217577820	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	46500	17	11.2	46500	28800	23400	8.5	6.7	1.92	217577821	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	46500	17.5	11	47000	29400	24400	9	6.8	1.96	218747731	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	47500	17	10.5	47000	29400	23800	8.5	6.6	1.9	217577822	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	47500	17.5	11	47000	29200	23600	8.5	6.6	1.92	217577823	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	47000	17.5	10.5	47500	29800	24800	8.5	6.7	1.94	218695145	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	47500	17.5	11	47500	29800	24600	8.5	6.7	1.94	218690718	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	6.7	1.92	217577864	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	47500	18.5	11.2	47000	29000	23600	8.5	6.7	1.92	217577865	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	47500	18.5	11.2	47000	29000	23600	8.5	6.7	1.92	217577866	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	6.7	1.9	217577867	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	47500	18	11.2	47000	29000	23600	8.5	6.7	1.92	217577868	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	47500	18	11.2	47000	29000	23600	8.5	6.7	1.92	217577869	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	47000	17.5	10.5	47500	29800	24200	8.5	6.7	1.84	217577824	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	47000	18	10.5	47000	29400	23800	8.5	6.7	1.88	217577825	N/A
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	47500	18.5	11	47000	29200	23800	8.5	6.7	1.9	217577826	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	47500	18	11	47000	29200	23800	8.5	6.7	1.9	217577827	No
EL19KPV-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	6.7	1.9	217577828	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	- - -	R-454B	47500	15.5	10.5	48000	30200	24200	8.1	6.4	1.84	217194430	N/A
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL180UH100NE60C	R-454B	48000	17.5	11	47500	29600	23800	8.2	6.4	1.84	217194432	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL195UH100NE60C	R-454B	47000	17	11	47000	29600	23800	8.1	6.4	1.82	217194433	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH090XE48C	R-454B	47500	18	11.2	47000	29200	23400	8.2	6.4	1.86	217446763	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	47500	17	11.5	46500	29000	23400	8.2	6.4	1.88	217194434	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	48000	18	11.5	47000	29200	23400	8.2	6.4	1.88	217194435	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	48000	17.5	11.5	47000	29000	23400	8.2	6.4	1.88	217194	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	6.4	1.86	217194465	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E48B	R-454B	47500	18	11.5	46500	29000	23400	8.2	6.4	1.88	217446764	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	47500	17	11.5	46500	29000	23200	8.2	6.4	1.88	217194438	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	6.4	1.88	217194439	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	48000	18	11.5	47000	29200	23600	8	6.3	1.88	217194440	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	6.4	1.88	217194441	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	47500	18	11.2	46500	29200	23400	8.2	6.4	1.86	217194442	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	47500	17.5	11.5	46500	29200	23400	8.2	6.4	1.88	217194443	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	48000	17.5	11.2	47000	29400	23600	8.2	6.4	1.86	217194444	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE48C	R-454B	47500	18	11.2	47000	29200	23400	8.2	6.4	1.86	217194445	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	48000	17.5	11.2	47500	29400	23600	8.2	6.4	1.86	217194446	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	47500	17	11.5	46500	29200	23400	8.2	6.4	1.86	217194447	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	47500	18	11.2	47000	30000	24400	8.2	6.5	1.96	218747728	N/A
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	48000	17	11.2	47500	29600	23800	8	6.3	1.86	217194448	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	48000	17.5	11.2	47500	29400	23600	8	6.3	1.88	217194449	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV60C	R-454B	48000	18	11	48000	30600	24800	8.1	6.4	1.94	218695146	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH110XV60C	R-454B	48000	17.5	11.2	48000	30400	24800	8	6.5	1.94	218690719	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	48000	18.5	11.5	47500	29400	23600	8.2	6.4	1.88	217194450	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	48000	18	11.2	47500	29600	23600	8.2	6.4	1.86	217194451	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	48000	18	11.2	47500	29600	23600	8.2	6.4	1.86	217194452	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	48000	18.5	11.2	47500	29400	23600	8.2	6.4	1.88	217194453	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	6.4	1.88	217194454	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	6.4	1.88	217194455	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV48C	R-454B	48000	18.5	11.2	47500	29600	23800	8.2	6.4	1.86	217194456	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	48000	18	11	47500	29800	24000	8.2	6.4	1.84	217194457	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV48C	R-454B	48000	18	11.2	47500	29800	23800	8.2	6.4	1.84	217194458	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	6.4	1.86	217194459	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	6.4	1.86	217194460	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	- - -	R-454B	47500	15.5	10.5	48000	29200	24200	8.5	6.6	1.92	217582635	N/A
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	48000	17.5	11	47500	28800	23800	8.5	6.7	1.94	217577870	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	47500	15.5	10.5	47000	28600	23400	8.5	6.6	1.9	217577871	N/A
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL196UH090XE48C	R-454B	48000	17.5	11.2	46500	28200	23200	8.5	6.6	1.96	217577835	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	48000	17	11.5	46500	28200	23000	8.5	6.6	1.96	217577836	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E48C	R-454B	48000	18	11.5	47000	28200	23400	8.5	6.7	1.98	217577872	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	48000	17	11.5	46500	28200	23400	8.5	6.7	2	217577873	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	48000	17	11.5	46500	28200	23400	8.5	6.7	2	217577874	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XE48C	R-454B	47500	18	11.2	46500	28200	23000	8.5	6.6	1.96	217577846	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV48C	R-454B	48000	18.5	11.2	47500	28800	23800	8.5	6.6	1.96	217577847	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	48000	18	11.2	47000	28600	23800	8.5	6.6	1.96	217577848	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	47500	17	11.2	46500	28200	23000	8.5	6.6	1.96	217577849	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	6.7	1.96	217577850	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	6.7	1.98	217577851	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH070V48B	R-454B	48000	18	11.2	47000	28600	23600	8.5	6.6	1.98	217577888	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	47500	17	11.5	46500	28000	23000	8.5	6.6	1.96	217577885	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	48000	17.5	11.2	47000	28600	23600	8.5	6.7	1.98	217577876	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	48000	18	11.5	47000	28400	23600	8.5	6.6	1.98	217577877	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	48000	17.5	11.2	47000	28600	23600	8.5	6.7	1.98	217577878	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH090XE48C	R-454B	47500	17.5	11.2	46500	28200	23000	8.5	6.6	1.94	217577879	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE48C	R-454B	48000	18	11.2	46500	28200	23000	8.5	6.6	1.96	217577880	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	47500	17	11.5	46500	28000	22800	8.5	6.6	1.96	217577881	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	48000	17	11.2	47000	28600	23600	8.5	6.7	1.96	217577837	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	48000	17	11.2	46500	28200	23000	8.5	6.6	1.96	217577838	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	48000	17	11.2	47500	28800	23800	8.5	6.5	1.96	217577839	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	48000	17.5	11.2	47000	28600	23600	8.5	6.6	1.98	217577840	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	6.7	1.98	217577882	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	48000	18.5	11.2	47000	28400	23600	8.5	6.7	1.98	217577883	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	48000	18.5	11.2	47000	28400	23600	8.5	6.7	1.98	217577884	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	48000	18	11.2	47000	28600	23600	8.5	6.6	1.98	217577885	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	48000	18	11.2	47000	28400	23600	8.5	6.7	1.98	217577886	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	48000	18	11.2	47000	28400	23600	8.5	6.7	1.98	217577887	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV48C	R-454B	48000	18	10.5	48000	29200	24200	8.5	6.6	1.9	217577841	N/A
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	48000	18	11	47500	28800	23800	8.5	6.6	1.94	217577842	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV48C	R-454B	48000	18.5	11.2	47500	28600	23800	8.5	6.7	1.96	217577843	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	48000	18	11.2	47000	28600	23800	8.5	6.6	1.96	217577844	No
EL19KPV-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	6.7	1.98	217577845	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	- - -	R-454B	47000	15.5	10.5	48000	31800	25200	8.2	6.5	1.86	217507672	N/A
EL19KPV-048-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	48000	18	11.2	48000	31400	24800	8.1	6.4	1.88	217507612	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	48000	18	11.2	50500	31400	24800	8.1	6.4	1.88	217507613	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	47500	17.5	11.7	48000	30600	24200	8.2	6.6	1.94	217507600	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	47500	17.5	11.2	5000							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	48000	17	11	51500	32400	26200	8	6.6	1.94	218690651	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	48000	17.5	11.2	51500	32400	26000	8.1	6.6	1.96	218690655	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	48000	17.5	11.2	48000	31200	24800	8.1	6.4	1.88	217507611	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	48000	18	11.5	50500	31000	24600	8.2	6.4	1.9	217507605	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	48000	18	11.5	50500	31000	24600	8.2	6.5	1.92	217507606	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	48000	18	11	50500	31400	25000	8.1	6.4	1.88	217507607	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	48000	18	11.2	48000	31400	24800	8.1	6.4	1.88	217507608	No
EL19KPV-048-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	48000	18	11.2	50500	31400	24800	8.1	6.4	1.88	217507609	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	- - -	R-454B	48000	18	11.2	48000	30400	29600	7.5	6.4	1.92	217447212	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	EL297DF090XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	6.4	1.9	217447119	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	6.4	1.9	217447120	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	47500	18	11.7	48000	29800	28800	8	6.5	1.96	217446822	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	47000	18	11.2	48000	30200	29400	8	6.5	1.92	217446823	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	47000	17	11.2	48000	30000	29000	8	6.5	1.94	217446824	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	47000	17	11.2	48000	30000	29200	8	6.5	1.94	217446825	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	48000	17	11	48000	30600	29800	7.5	6.3	1.9	217447115	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	48000	17	11	48000	31400	29800	7.5	6.4	1.88	218690652	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	47500	17.5	11.2	51000	31200	29800	7.5	6.4	1.88	218690656	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	48000	18	11.2	48000	30400	29600	7.5	6.4	1.92	217447114	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	48000	18	11.2	48000	30200	29400	7.8	6.4	1.92	217446826	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	48000	18.5	11.5	48000	30200	29400	7.8	6.4	1.94	217446827	No
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV48C	R-454B	47500	18.5	11	48000	30600	29800	7.5	6.4	1.9	217447116	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	6.4	1.9	217447117	N/A
EL19KPV-048-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	6.4	1.9	217447118	N/A
EL19KPV-048-230A**	CK40DT-60D-***TDR	- - -	R-454B	47000	16	10.5	48000	33600	30600	8.5	6.9	1.9	217447110	N/A
EL19KPV-048-230A**	CK40DT-60D-***TDR	EL297DF090XV60C	R-454B	48000	18.5	11.2	48000	33200	30200	8.5	6.9	1.9	217446828	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	EL297DF110XE60C	R-454B	47500	17.5	11.5	48000	32600	29800	8.5	6.9	1.92	217446829	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	EL297DF110XV60C	R-454B	48000	18.5	11.2	48000	33200	30200	8.5	6.9	1.9	217446830	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	ML297DF110XV60C	R-454B	48000	18	11	51000	33200	30200	8.2	6.7	1.88	218695115	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	SL280DF090V60C	R-454B	48000	18.5	11.5	48000	33000	30000	8.5	6.9	1.92	217446831	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	48000	18.5	11.5	48000	32800	30000	8.5	6.9	1.92	217446832	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	SLP99DF090XV60C	R-454B	48000	18.5	11.2	48000	33200	30200	8.5	6.9	1.9	217446833	No
EL19KPV-048-230A**	CK40DT-60D-***TDR	SLP99DF110XV60C	R-454B	48000	18.5	11	48000	33200	30400	8.5	6.9	1.9	217446834	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	48000	16.5	11.2	45500	28200	26600	8.1	6.4	1.84	217446769	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	48000	16.5	11.2	45500	28200	26600	8.1	6.4	1.84	217446770	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	48000	18.5	11.5	45500	28200	26600	7.8	6.3	1.86	217446771	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	48000	16.5	11.5	45500	28000	26400	8.1	6.4	1.84	217446772	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	47500	18	11.2	45500	28200	26600	7.8	6.3	1.82	217446773	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	48000	16.5	11.5	45500	28000	26400	8.1	6.4	1.84	217446774	No
EL19KPV-048-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	47500	16	11.2	45500	28400	26800	8	6.4	1.82	217446775	No
EL19KPV-048-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	44000	16	10.5	46500	28200	28600	8.2	6.6	1.86	217194466	N/A
EL19KPV-048-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	44000	16	10.5	46500	28200	28600	8.2	6.6	1.86	217194467	N/A
EL19KPV-048-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	44500	16.9	10.5	46500	28200	28600	8.1	6.5	1.88	217447092	N/A
EL19KPV-048-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	44000	16	10.5	46500	28000	28400	8.2	6.6	1.86	217194468	N/A
EL19KPV-048-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	44000	16.5	10.5	46500	28200	28400	8.1	6.5	1.84	217270668	N/A
EL19KPV-048-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	44000	16	10.5	46500	28000	28400	8.2	6.6	1.86	217194469	N/A
EL19KPV-048-230A**	CK40HT-48B-***TDR	ML196UH070XE48B	R-454B	44000	15.5	10	47000	28400	28800	8.2	6.6	1.84	217447093	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	- - -	R-454B	47500	16	10.5	47500	30000	24200	7.5	6.2	1.76	217447091	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	48000	17.5	11.2	47000	29600	23800	7.5	6.2	1.78	217194496	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	47500	16.9	10.5	47000	29600	23600	7.5	6.1	1.74	217194499	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	47500	18	11.5	46000	29000	23200	7.5	6.1	1.78	217507671	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	48000	17	11.5	46000	28800	23000	7.5	6.1	1.78	217194501	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	48000	18	11.5	46500	29000	23400	7.8	6.2	1.8	217194503	No
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	48000	17	11.5	46000	28800	23000	7.5	6.1	1.8	217194505	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	48000	17	11.5	46000	28800	23000	7.5	6.1	1.8	217194506	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	48000	18	11.2	47000	29600	24000	7.5	6.1	1.78	217194542	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	6.1	1.78	217194543	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	47500	17	11.5	46000	28800	23000	7.5	6.1	1.78	217194544	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	48000	18	11.2	47000	29400	23800	7.5	6.1	1.78	217194545	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	6.1	1.8	217194547	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	48000	17.5	11.2	47000	29400	23800	7.8	6.2	1.8	217194508	No
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.8	6.2	1.8	217194509	No
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	48000	18	11.7	46500	29200	23600	7.5	6.1	1.82	217194511	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.8	6.2	1.8	217194513	No
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	47500	17.5	11.2	46000	29000	23200	7.5	6.1	1.78	217194516	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	47500	18	11.5	46000	29000	23000	7.5	6.1	1.78	217194518	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.5	6.2	1.8	217194519	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	47500	18	11.5	46000	29000	23200	7.5	6.1	1.78	217194520	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	48000	17.5	11.2	46500	29200	23600	7.5	6.2	1.78	217194521	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	47500	17	11.5	46000	29000	23000	7.5	6.1	1.78	217194522	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	47500	18	11.2	47500	29800	23800	7.8	6.2	1.8	218747729	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH080NV48B	R-454B	48000	18.5	11.2	47000	29600	23800	7.5	6.1	1.78	217447100	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	48000	18.5	11.5	46500	29200	23600	7.5	6.1	1.8	217194525	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	48000	18	11.5	47000	29400	23800	7.5	6.1	1.8	217194526	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	48000	18	11.5	47000	29400	23800	7.5	6.1	1.8	217194527	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	48000	18.5	11.5	46500	29200	23600	7.5	6.1	1.8	217194528	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH110V60C	R-454B	48000	18	11.5	46500	29200	23600	7.5	6.1	1.8	217194530	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	48000	18	11.5	46500	29200	23600	7.5	6.1	1.8	217194531	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	48000	18.5	11.2	47000	29400	23800	7.5	6.1	1.8	217194533	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	48000	18	11	47000	29600	24000	7.5	6.1	1.78	217194534	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	48000	18	11.2	47000	29600	23800	7.5	6.1	1.78	217194536	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	6.1	1.78	217194538	N/A
EL19KPV-048-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	6.1	1.8	217194539	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	- - -	R-454B	46500	17.5	11	47500	29400	29000	8.1	6.5	1.9	217447213	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL180UH100NE60C	R-454B	46500	17	10.5	47500	29600	29200	8.2	6.6	1.88	217447111	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL195UH100NE60C	R-454B	45500	16.5	10.5	47500	29400	29000	8.2	6.6	1.86	217194531	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL196UH090XE48C	R-454B	46000	17	11	47000	29000	28800	8.2	6.6	1.9	217446787	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	47000	17	11	47500	29400	29000	8.2	6.6	1.9	217446788	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	46500	18	11.2	47000	29000	28800	8.2	6.7	1.92	217446789	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	46500	17	11.2	47000	29000	28600	8.2	6.7	1.92	217446790	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	46500	17	11.2	47000	29000	28600	8.2	6.7	1.92	217446791	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV48C	R-454B	46500	17	11	47500	29400	29200	8.2	6.6	1.9	217446815	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	46500	17	11	47500	29400	29000	8.2	6.6	1.9	217446816	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	46500	17	11	47500	29400	29000	8.2	6.6	1.9	217446817	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV48C	R-454B	47000	17	11	47500	29400	29000	8.2	6.6	1.9	217446818	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	47000	17	11.2	47500	29200	29000	8.2	6.6	1.92	217446819	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	46000	17	11.2	46500	28800	28600	8.2	6.6	1.9	217446792	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	46500	17.5	11.2	47500	29200	29000	8.2	6.7	1.9	217446793	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	6.6	1.92	217446794	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	46500	17.5	11.2	47500	29200	29000	8.2	6.7	1.9	217446795	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML193UH090XE48C	R-454B	46000	17	11	47000	29000	28800	8.2	6.6	1.9	217446796	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	46000	17.5	11.2	47000	29000	28600	8.2	6.6	1.9	217446797	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	46500	17	11	47500	29200	29000	8.2	6.6	1.9	217446798	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE48C	R-454B	46000	17	11	47000	29000	28800	8.2	6.6	1.9	217446799	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	46500	17	11	47500	29400	29000	8.2	6.6	1.9	217446800	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	46000	16.5	11.2	47000	29000	28600	8.2	6.6	1.9	217446801	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML197UH080XE48C	R-454B	46500	17	11	48000	30000	28800	8.2	6.7	1.88	218747730	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	47000	17	11	48000	29600	29200	8.1	6.5	1.9	217446802	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	47000	17.5	11.2	47500	29400	29000	8.1	6.6	1.92	217446803	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML297UH090XV60C	R-454B	47000	17.5	10.5	48500	30400	29200	8.1	6.5	1.88	218695148	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	47000	17.5	11.2	48500	30400	29200	8.1	6.6	1.88	218690721	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH080NV48B	R-454B	46500	16.9	10.5	48000	29600	29200	8.2	6.6	1.9	217447113	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	47000	17	11.2	47500	29200	29000	8.2	6.6	1.92	217446804	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	6.6	1.92	217446805	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	6.6	1.92	217446806	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	47000	17	11.2	47500	29400	29000	8.2	6.6	1.92	217446807	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	6.6	1.92	217446808	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	6.6	1.92	217446809	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL297UH080NV48C	R-454B	46500	16.5	11	47500	29400	29000	8.2	6.6	1.9	217446810	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SL297UH080NV60C	R-454B	46500	16.5	10.5	48000	29600	29400	8.2	6.6	1.88	217446811	N/A
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV48C	R-454B	46500	17	11	47500	29400	29000	8.2	6.6	1.9	217446812	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV60C	R-454B	47000	17	11	47500	29400	29000	8.2	6.6	1.9	217446813	No
EL19KPV-048-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	47000	17	11.2	47500	29200	29000	8.2	6.6	1.92	217446814	No
EL19KPV-060-230A**	CBK43UHET-060-DV-**	- - -	R-454B	56000	16.5	9.5	57500	37200	31400	8	6.4	1.89	218330858	N/A
EL19KPV-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	54500	14.7	9.8	58000	38000	32600	8.5	7	2.2	217447123	N/A
EL19KPV-060-230A**	CBK45UHVT-060-230-**	- - -	R-454B	54500	16.5	9.8	58000	38000	32600	8.5	6.9	2.2	217194654	N/A
EL19KPV-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	52500	16.5	9	57500	37000	30000	8.2	6.5	1.84	217491799	N/A
EL19KPV-060-230A**	CBK47UHET-060-460-**	- - -	R-454B	52500	16.5	9	57500	37000	30000	8.2	6.5	1.84	217595426	N/A
EL19KPV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	57000	17	9.8	57000	37600	29400	8.2	6.6	1.9	217194551	N/A
EL19KPV-060-230A**	CK40[C],UJT-48B-***TDR	ML180UH090V48B	R-454B	55000	16.5	9.8	57000	38000	31400	7.8	6.4	1.96	217194641	N/A
EL19KPV-060-230A**	CK40[C],UJT-48B-***TDR	ML196UH070XE48B	R-454B	54500	16.5	9.8	56500	38000	31200	8.2	6.6	1.96	217507691	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	ML180UH100NE60C	R-454B	54500	17	10	56000	37800	30800	8.2	6.6	1.98	217194607	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL195UH100NE60C	R-454B	55000	16.5	10	56500	38000	31200	8.2	6.6	1.98	217194608	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL196UH110XE60C	R-454B	55000	16.5	10	56000	37600	30800	8.2	6.6	2	217194610	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E60C	R-454B	55500	17	10	56000	37600	30800	8.2	6.6	2	217194613	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL280UH110XE60C	R-454B	55500	17	10	56000	37600	30800	8.2	6.6	2	217194614	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV60C	R-454B	55500	17	9.8	56500	38000	31200	8.2	6.6	1.98	217194636	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XE60C	R-454B	54500	16.5	10	56000	37600	30800	8.2	6.6	1.98	217194637	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV60C	R-454B	55500	17.5	10	56500	38000	31200	8.2	6.6	2	217194638	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	ML180UH090E60C	R-454B	55000	16.5	10	56000	37600	30800	8.2	6.6	2	217194615	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	ML180UH110E60C	R-454B	55000	17	10	56000	37400	30600	8.2	6.6	2	217194616	N/A
EL19KPV-060-230A**	CK40[C],UJT-48C-***TDR	ML180UH110V60C	R-454B	56000	17	10	56500	37800	31000	8.1	6.			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	55500	16.5	10	56500	38000	31400	8	6.4	1.98	217507678	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	55500	16.5	10	56500	38000	31200	8.1	6.5	2	217194622	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV60C	R-454B	55000	17	10	56500	38000	31000	7.5	6.3	1.98	218695149	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	ML297UH110XV60C	R-454B	55500	16.5	10	56500	38000	31400	8.1	6.3	1.98	218690722	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	55500	17.5	10	56500	37800	31000	8.2	6.6	2	217194623	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	55500	17.5	10	56500	38000	31000	8.2	6.6	2	217194624	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	55500	17.5	10	56500	38000	31000	8.2	6.6	2	217194625	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	55500	17.5	10	56500	38000	31000	8.2	6.6	2	217194626	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH110V60C	R-454B	55500	17.5	10	56500	37800	31000	8.2	6.6	2	217194627	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL280UH110XV60C	R-454B	55500	17.5	10	56500	37800	31000	8.2	6.6	2	217194628	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	55500	17.5	9.8	56500	38000	31400	8.2	6.6	1.98	217194629	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	55500	17	10	56500	38000	31200	8.2	6.6	1.98	217194630	N/A
EL19KPV-060-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	55500	17.5	10	56500	38000	31200	8.2	6.6	2	217194631	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL180UH100NE60C	R-454B	56500	16.5	9.8	57500	38500	31600	8.2	6.6	2.02	217194558	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL195UH100NE60C	R-454B	56500	16.5	10	56500	38000	31200	8.2	6.6	2.02	217194559	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL196UH110XE60C	R-454B	57000	16.5	10	57000	38000	31400	8.2	6.6	2.04	217194560	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E60C	R-454B	57500	16.5	10	57000	38000	31400	8.2	6.7	2.04	217194561	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL280UH110XE60C	R-454B	57500	16.5	10	57000	38000	31400	8.2	6.7	2.04	217194562	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV60C	R-454B	56500	17	10	56500	38000	31200	8.2	6.6	2.04	217194581	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XE60C	R-454B	56500	16.5	10	57000	38000	31400	8.2	6.6	2.04	217194582	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV60C	R-454B	57000	17	10	56500	38000	31200	8.2	6.6	2.04	217194583	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	57000	16.5	10	57000	38500	31600	8.2	6.6	2.04	217194563	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	57500	17	10	57000	38000	31400	8.2	6.6	2.04	217194564	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	57000	17	10	56500	37800	31000	8.2	6.6	2.06	217194565	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	57500	17	10	57000	38000	31400	8.2	6.6	2.04	217194566	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	57000	16.5	10	57000	38000	31400	8.2	6.7	2.04	217194567	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	56500	16.5	10	57000	38000	31200	8.2	6.7	2.04	217194568	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	57000	16.5	10	57500	38500	31600	8.2	6.6	2.02	217194569	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	57000	16	10	57000	38000	31400	8.1	6.5	2.04	217194570	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	57000	16.5	10	56500	38000	31200	8.1	6.5	2.04	217194571	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	56500	16.5	9.8	57000	38500	31600	8	6.5	2.02	218695150	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	57000	16.5	10	56500	38000	31400	8.1	6.5	2.04	218690723	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	6.7	2.06	217194572	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	6.6	2.06	217194573	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	6.6	2.06	217194574	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	6.7	2.06	217194575	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	57000	17	10	56500	38000	31000	8.2	6.6	2.06	217194576	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	57000	17	10	56500	38000	31000	8.2	6.6	2.06	217194577	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	56500	17	10	57000	38000	31400	8.2	6.6	2.02	217194578	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	57000	17	10	56500	38000	31200	8.2	6.6	2.04	217194579	N/A
EL19KPV-060-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	57000	17	10	56500	38000	31200	8.2	6.6	2.04	217194580	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	56500	16.5	10	56500	37200	31000	8.5	6.7	2.04	217194584	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	56000	16.5	10	55500	36600	30400	8.5	6.7	2.06	217194585	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	56500	16.5	10	56000	36800	30800	8.5	6.7	2.06	217194586	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	57000	16.5	10	56500	37000	30800	8.5	6.7	2.06	217194587	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	57000	16.5	10	56500	37000	30800	8.5	6.7	2.06	217194588	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	56500	17	10	56000	36800	30600	8.5	6.7	2.06	217194609	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	56500	16.5	10	56000	36800	30800	8.5	6.7	2.06	217194611	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	56500	17.5	10	56000	36600	30600	8.5	6.7	2.08	217194612	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH070V48B	R-454B	57000	17	10	56500	36800	30600	8.2	6.5	2.08	217507677	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	57000	16.5	10	56500	37000	31000	8.5	6.7	2.06	217194589	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	57000	17	10	56500	37000	30800	8.5	6.7	2.06	217194590	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	57000	17	10	56000	36400	30200	8.2	6.6	2.1	217194591	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	57000	17	10	56500	37000	30800	8.5	6.7	2.06	217194592	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	56500	17	10	56000	36800	30600	8.5	6.7	2.06	217194593	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	56500	17	10	56000	36800	30600	8.5	6.7	2.06	217194594	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	57000	16.5	10	56500	37200	31000	8.5	6.7	2.06	217194595	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	56500	16	10	56000	36800	30600	8.2	6.6	2.06	217194596	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	56500	16.5	10	56000	36600	30400	8.2	6.6	2.08	217194597	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML297UH090XV60C	R-454B	56500	16.5	9.8	56500	37000	30800	8	6.5	2.06	218695151	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	ML297UH110XV60C	R-454B	56500	16.5	10	56000	36800	30600	8.2	6.5	2.06	218690724	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	56500	17.5	10	55500	36400	30400	8.5	6.7	2.1	217194598	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	6.7	2.08	217194599	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	6.7	2.08	217194600	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	6.7	2.08	217194601	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	6.7	2.08	217194602	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	6.7	2.08	217194603	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	56500	17.5	10	56000	37000	30800	8.5	6.7	2.06	217194604	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	56500	17	10	56000	36800	30600	8.5	6.7	2.08	217194605	N/A
EL19KPV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	6.7	2.08	217194606	N/A
EL19KPV-														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	ML180UH135E60D	R-454B	57500	16.5	10	56000	35000	27000	7.8	6.2	1.86	217194555	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	ML196UH110XE60C	R-454B	57500	16.5	10	56000	35200	27400	7.8	6.2	1.86	217507676	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	ML196UH135XE60D	R-454B	57000	16	10	55500	34800	26800	7.8	6.2	1.88	217194556	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	ML297UH090XV60C	R-454B	57000	16.5	10	55500	35000	27200	7.5	6.1	1.86	218695152	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	ML297UH135XV60D	R-454B	57500	17	10	55500	34800	27000	7.5	6.1	1.86	218695122	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	57500	17.5	10.5	55500	34600	26800	7.8	6.2	1.88	217194552	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	SL297UH080NV60C	R-454B	57000	17.5	10	56000	35000	27200	7.8	6.2	1.86	217507673	N/A
EL19KPV-060-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	57500	17.5	10.5	55500	34800	26800	7.8	6.2	1.88	217194553	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	6.5	1.94	217447198	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	6.5	1.94	217447199	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	54500	17	10	58500	37800	30200	8.2	6.6	1.98	217447190	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	54500	16.5	9.8	60000	38500	31000	8.1	6.5	1.92	217447191	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML296DF070XV48B	R-454B	53500	16	9.5	59500	38500	30800	7.5	6.3	1.94	217507700	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	54000	16	9.8	60000	38500	31000	7.5	6.3	1.94	217447192	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML297DF070XV48B	R-454B	53500	16	9.5	59500	39000	31400	7.5	6.2	1.88	218690645	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	54000	16	9.8	60000	38500	31200	7.5	6.3	1.9	218690653	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	54000	16.5	9.8	60500	38500	31000	7.5	6.3	1.92	218695116	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	54000	17	10	59500	38000	30600	8.2	6.5	1.96	217447197	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	54500	17.5	10	59500	38000	30600	8.2	6.5	1.96	217447193	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	54500	17.5	10	59000	38000	30400	8.2	6.6	1.98	217447194	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	54000	17.5	9.5	59500	38500	31000	8.2	6.5	1.92	217507699	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	6.5	1.94	217447195	N/A
EL19KPV-060-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	6.5	1.94	217447196	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	EL297DF090XV60C	R-454B	54000	15.5	9.5	59500	39000	32000	8.5	6.7	1.94	217507697	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	54000	16	9.5	59500	39000	32000	8.5	6.7	1.96	217507698	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	53500	17.5	10	58500	38500	31200	8.5	6.8	2	217447187	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	54000	16.5	9.5	60000	39500	32000	8.5	6.7	1.94	217507694	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	54000	16	9.8	59500	39000	31800	8.5	6.7	1.96	217447186	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	54500	16.5	9.8	59500	39000	31600	8.5	6.7	1.98	217447188	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	54500	16.5	9.8	59500	38500	31400	8.5	6.7	1.98	217447189	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV60C	R-454B	54000	15.5	9.5	59500	39000	32000	8.5	6.7	1.94	217507695	N/A
EL19KPV-060-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	54000	15.5	9.5	59500	39000	32000	8.5	6.7	1.96	217507696	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	EL297DF090XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	6.7	2.04	217447179	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	EL297DF110XE60C	R-454B	54500	16.5	10	59000	38500	32000	8.2	6.7	2.08	217447180	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	EL297DF110XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	6.7	2.04	217447181	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	ML297DF110XV60C	R-454B	55500	16.5	9.8	60500	40500	32800	8.1	6.6	2.04	218695117	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	SL280DF090V60C	R-454B	55500	17.5	10	59000	38500	32200	8.5	6.7	2.06	217447182	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	55500	17.5	10	59000	38500	32200	8.5	6.7	2.08	217447183	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	SLP99DF090XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	6.7	2.04	217447184	N/A
EL19KPV-060-230A**	CK40DT-60D-***TDR	SLP99DF110XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	6.7	2.04	217447185	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	55000	17	9.5	55000	37800	30800	8.5	6.6	1.88	217507692	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	54500	17	9.8	54000	37000	30200	8.5	6.6	1.88	217447124	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	54500	17	10	54000	36800	30000	8.5	6.6	1.9	217447125	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	55500	17	9.8	55000	37600	30800	8.5	6.6	1.9	217447126	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	55500	17	9.8	55000	37600	30800	8.5	6.6	1.9	217447127	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	54500	18	10	54000	36800	29800	8.5	6.6	1.86	217447148	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	54500	18	10	54000	36600	29800	8.5	6.6	1.88	217447149	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	55000	17	9.8	54500	37200	30400	8.5	6.6	1.88	218697150	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	54500	18	10	53500	36600	29600	8.5	6.6	1.88	217447151	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	54500	18	10	53500	36600	29600	8.5	6.6	1.88	217447152	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	55500	17	9.8	55000	37800	30800	8.5	6.6	1.88	217447128	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	55500	17.5	9.8	55000	37600	30600	8.5	6.6	1.9	217447129	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	55000	17.5	10	53500	36400	29600	8.2	6.5	1.92	217447130	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	55500	17.5	9.8	55000	37600	30600	8.5	6.6	1.9	217447131	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	55500	17	9.8	55000	37400	30600	8.5	6.6	1.88	217447132	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	55000	17	9.8	54500	37200	30400	8.5	6.6	1.88	217447133	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	55500	16.5	9.8	55000	37800	30800	8.5	6.6	1.88	217447134	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	55000	17	10	54000	37000	30000	8.2	6.5	1.9	217447135	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	55000	17.5	10	54000	36600	29800	8.2	6.5	1.9	217447136	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	55000	17.5	10	55000	37000	31400	8.2	6.5	1.94	218695153	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	55000	17.5	10	54000	37200	31600	8.2	6.5	1.94	218690725	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH080NV48B	R-454B	54500	17.5	10	54000	36800	29800	8.5	6.6	1.86	217507693	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	54500	18	10	53500	36600	29600	8.5	6.6	1.88	217447137	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	54500	18	10	53500	36400	29400	8.5	6.6	1.88	217447138	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	54500	18	10	53500	36400	29400	8.5	6.6	1.88	217447139	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	54500	18	10	53500	36600	29600	8.5	6.6	1.88	217447140	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH110V60C	R-454B	54500	18	10	53500	36400	29600	8.5	6.6	1.88	217447141	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	54500	18	10	53500	36400	29600	8.5	6.6	1.88	217447142	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	54500	18	10	54000	36600	29800	8.5	6.6	1.88	217447143	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	54500	17.5	9.8	54000	37000	30000	8.5	6.6	1.86	217447144	N/A
EL19KPV-060-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	54500	18	10	54000	36600	29800	8.5	6.6			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	55500	16.5	10	55000	36600	30800	8.1	6.5	1.94	217447155	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	56000	16.5	10	55500	37000	31000	8.2	6.5	1.94	217447156	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	56000	16.5	10	55500	37000	31000	8.2	6.5	1.94	217447157	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	55500	17.5	10	55000	36400	30600	8.1	6.5	1.96	217447176	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	55500	16.5	10	55000	36600	30800	8.1	6.5	1.94	217447177	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	56000	17.5	10	54500	36400	30400	8.2	6.5	1.96	217447178	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	56000	16.5	9.8	55500	37000	31200	8.1	6.5	1.94	217447158	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	56000	17	10	55500	36800	31000	8.2	6.5	1.94	217447159	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	56000	17	10	55000	36400	30600	7.8	6.4	1.96	217447160	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	56000	17	10	55500	36800	31000	8.2	6.5	1.94	217447161	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	55500	17	10	55500	36800	31000	8.2	6.5	1.94	217447162	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	55000	17	10	55000	36600	30800	8.2	6.5	1.94	217447163	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	56000	16.5	9.8	55500	37000	31200	8.1	6.5	1.94	217447164	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	55500	16.5	10	55000	36800	31000	7.8	6.3	1.94	217447165	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	56000	16.5	10	55000	36600	30800	7.8	6.4	1.96	217447166	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML297UH090XV60C	R-454B	55500	16.5	9.8	56000	38500	32800	7.8	6.4	1.96	218695154	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	56000	16.5	10	55000	38000	32600	7.8	6.4	1.98	218690726	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	56000	17.5	10	54500	36200	30400	8.2	6.5	1.96	217447167	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	56000	18	10	54500	36200	30400	8.2	6.5	1.96	217447168	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	56000	18	10	54500	36200	30400	8.2	6.5	1.96	217447169	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	56000	17.5	10	54500	36400	30400	8.2	6.5	1.96	217447170	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	56000	17.5	10	54500	36200	30400	8.2	6.5	1.96	217447171	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	56000	17.5	10	54500	36200	30400	8.2	6.5	1.96	217447172	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SL297UH080NV60C	R-454B	55500	17.5	9.8	55000	36800	31000	8.1	6.5	1.94	217447173	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV60C	R-454B	55500	17.5	10	54500	36400	30600	8.1	6.5	1.96	217447174	N/A
EL19KPV-060-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	56000	17.5	10	54500	36400	30400	8.2	6.5	1.96	217447175	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	EL180UH100NE60C	R-454B	56000	16.9	9.8	56500	38000	31200	8.2	6.6	1.98	217507682	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	EL196UH110XE60C	R-454B	56000	16.5	10	56000	37800	30800	8.2	6.6	2	217507683	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	EL297UH110XV60C	R-454B	56000	17.5	10	56000	37400	30600	8.2	6.6	2.02	217507689	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	56000	16	9.8	56500	38000	31000	8.2	6.6	1.98	217194639	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	56000	17.5	10	56000	37600	30600	8.2	6.6	2.02	217194640	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML180UH090E60C	R-454B	56500	16.5	10	56500	38000	31000	8.2	6.6	2	217507679	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML180UH110E60C	R-454B	56500	17	10	56500	37800	30800	8.2	6.6	2	217507680	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML180UH110XE60C	R-454B	56500	17	10	56500	37800	30800	8.2	6.6	2	217507684	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	56000	16	10	56000	37800	30800	8.2	6.6	2	217194632	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML193UH110XE60C	R-454B	56000	16.5	10	56000	37800	30800	8.2	6.6	2	217507681	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML196UH110XE60C	R-454B	56500	16.5	10	56500	38000	31000	8.2	6.6	2	217507685	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML196UH135XE60D	R-454B	56500	15.5	9.8	57000	38000	31400	8.2	6.6	1.98	217194633	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML297UH090XV60C	R-454B	56000	16.5	9.8	56500	38000	31200	7.8	6.4	1.98	218695155	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	ML297UH135XV60D	R-454B	56000	16.5	10	56000	38000	31000	7.8	6.4	2	218695123	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	SL280UH080NV60C	R-454B	56000	17.5	10	56000	37600	30600	8.2	6.6	2.02	217507686	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	SL280UH090V60C	R-454B	56000	17.5	10	55500	37400	30400	8.2	6.6	2.02	217507690	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	56000	17.5	10	55500	37400	30400	8.2	6.6	2.02	217194634	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	SL297UH080NV60C	R-454B	56000	17.5	10	56000	37800	31000	8.2	6.6	1.98	217507687	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	SLP99UH090XV60C	R-454B	56000	17.5	10	56000	37600	30600	8.2	6.6	2.02	217507688	N/A
EL19KPV-060-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	56000	17.5	10	56000	37600	30600	8.2	6.6	2.02	217194635	N/A
EL21KLV-024-230A**	CBK45UHET-024-230-**	---	R-454B	24000	19	13	25400	21200	17300	10.2	7.8	2.12	217443135	No
EL21KLV-024-230A**	CBK45UHPT-024-230-**	---	R-454B	23400	17	13	25000	21200	17300	9.8	7.5	2.06	217443109	No
EL21KLV-024-230A**	CBK45UHPT-030-230-**	---	R-454B	23800	17	12.4	24000	22000	18100	9	7.5	2.12	217121561	Both
EL21KLV-024-230A**	CBK45UHVT-024-230-**	---	R-454B	24000	20	13	25200	21200	17300	9.8	7.5	2.1	217443134	No
EL21KLV-024-230A**	CBK45UHVT-030-230-**	---	R-454B	24000	20.5	13	24000	21600	17800	8.5	7.5	2.16	217121962	Both
EL21KLV-024-230A**	CBK47UHET-024-230-**	---	R-454B	24000	20.5	13	24000	22400	18600	9.8	7.8	2.3	217121964	Both
EL21KLV-024-230A**	CBK47UHET-030-230-**	---	R-454B	23800	20.5	13	24000	22000	17900	9.8	7.5	2.14	217121963	Both
EL21KLV-024-230A**	CBK48MVT-018/024-230-**	---	R-454B	23600	20.5	13	24800	22400	18600	10	8	2.3	217115280	Both
EL21KLV-024-230A**	CBK48MVT-030-230-**	---	R-454B	24000	20.5	12	25200	21800	17900	10	8	2.22	217115278	Both
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	---	R-454B	23400	15.2	11.7	25200	20000	14700	8.2	6.6	1.7	217443118	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	EL180UH040NE36A	R-454B	23600	19	13	24600	19200	14200	8.5	6.7	1.74	217443071	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	EL180UH060NE36A	R-454B	23800	19	13	24600	19200	14200	8.5	6.7	1.74	217443072	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	EL280UH045E36A	R-454B	23400	19.5	13	24000	18800	13900	8.2	6.6	1.74	217443073	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	EL280UH070E36A	R-454B	24000	19	13	24600	19300	14300	8.5	6.7	1.74	217443074	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	EL280UH070XE36A	R-454B	24000	19	13	24600	19300	14300	8.5	6.7	1.74	217443075	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	ML180UH030V36A	R-454B	23800	19	13	24200	19000	14100	8.2	6.6	1.74	217443076	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	ML180UH045V36A	R-454B	23600	19	13	24000	18800	14000	8.2	6.6	1.74	217443077	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	ML180UH070E36A	R-454B	23600	18	13	24200	18900	14000	8.5	6.7	1.74	217443078	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	ML180UH070V36A	R-454B	23600	19	13	24200	18900	14000	8.2	6.6	1.74	217443079	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	ML180UH070XE36A	R-454B	23600	18	13	24200	18900	14000	8.5	6.7	1.74	217443080	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	SL280UH060NV36A	R-454B	23600	19	13	24600	19200	14200	8.5	6.7	1.76	217443119	No
EL21KLV-024-230A**	CK40[C,U]T-24A-***TDR	SL280UH070V36A	R-454B	23600	18.5	13	24600	19200	14200	8.5	6.7	1.74	217443081	No
EL21KLV-024-230A**	CK40[C,U]T-24B-***TDR	---	R-454B	23400	15.2	11.7	25200	20000	14700	8.2	6.6	1.7	217443120	No
EL21KLV-024-230A**	CK40[C,U]T-24B-***TDR	EL195UH040NE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	6.7	1.74	217443083	No
EL21KLV-024-230A**	CK40[C,U]T-24B-***TDR	EL195UH060NE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	6.7	1.74	217443084	No
EL21KLV-024-230A**	CK40[C,U]T-24B-***TDR	EL19												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	24000	18	12.5	24600	19300	14300	8.5	6.7	1.74	217443101	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	23600	19	13	24600	19300	14300	8.5	6.7	1.74	217443102	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	24000	18	12.5	24600	19300	14300	8.5	6.7	1.74	217443100	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	23600	19	13	24600	19200	14200	8.5	6.7	1.76	217443129	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	23800	18.5	13	24200	18900	14000	8.5	6.7	1.74	217443088	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	23800	19	13	24200	19000	14000	8.2	6.6	1.76	217443121	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	24000	19.5	13	24400	19000	14100	8.1	6.5	1.76	217443122	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	23800	18.5	13	24200	18900	14000	8.5	6.7	1.74	217443089	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	23800	19	13	24600	19300	14200	8.2	6.6	1.74	217443090	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	24000	19	13	24600	19300	14300	8.5	6.7	1.74	217443091	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	24000	19	13	24600	19200	14200	8.5	6.7	1.76	217443123	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	6.7	1.74	217443092	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	24000	18	13	24600	19200	14200	8.5	6.7	1.76	217443124	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML197UH030XE36B	R-454B	23200	18.5	13	23600	18700	13900	8.2	6.6	1.72	218745093	N/A
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML197UH060XE36B	R-454B	24000	18	13	24000	19200	14200	8.5	6.7	1.76	217443122	N/A
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	23600	19	13	24200	19000	14000	8.2	6.6	1.74	217443093	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	23800	18.5	12.5	24600	19200	14200	8.2	6.6	1.72	217443094	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	23600	18.5	13	24600	19300	14300	8.5	6.7	1.74	217443095	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23600	19.5	13	24600	19200	14100	8.5	6.7	1.76	217443125	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	23600	19	13	24600	19200	14100	8.5	6.7	1.76	217443126	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090XV48B	R-454B	23600	19	13	24600	19200	14100	8.5	6.7	1.76	217443127	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	23600	19.5	13	24600	19300	14200	8.5	6.7	1.74	217443096	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	23600	19	13	24600	19300	14300	8.5	6.7	1.74	217443097	No
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	19	13	24600	19200	14200	8.5	6.7	1.76	217443128	No
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	22200	16	11.2	24000	22400	18000	9.4	7.5	2.04	217115279	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	23200	20	12.6	24000	22000	17600	9.8	7.5	2.1	217121529	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	23200	20	12.6	24000	22000	17600	9.8	7.5	2.1	217121530	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	22800	19.5	13	24000	21600	17300	9.8	7.5	2.1	217121537	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	23200	19.5	12.6	24000	22000	17700	9.8	7.5	2.1	217121538	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	23200	19.5	12.6	24000	22000	17700	9.8	7.5	2.1	217121539	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	23000	19.5	13	24000	21800	17400	9.6	7.5	2.1	217121544	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	22800	19.5	13	24000	21600	17300	9.5	7.5	2.08	217121545	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	23000	19	13	24000	21800	17500	9.8	7.5	2.1	217121546	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	23000	20	13	24000	21600	17400	9.6	7.5	2.1	217121548	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	23000	19	13	24000	21600	17400	9.8	7.5	2.1	217121551	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	23000	19.5	13	24800	22000	17600	10	7.8	2.12	217115281	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	22800	18.5	12.6	25000	22000	17700	9.8	7.8	2.1	217115282	Both
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	22800	18.5	12.6	25000	22000	17700	9.8	7.8	2.1	217115283	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	22200	16	11.2	24000	22400	18000	9.4	7.5	2.04	217115294	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	7.5	2.08	217121531	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	7.5	2.08	217121532	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	7.5	2.08	217121535	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	23400	19	12.8	24000	22000	17700	9.8	7.8	2.1	217121536	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	23200	16.5	12.4	24000	22000	17800	9.6	7.5	2.08	217121540	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	23200	16.5	12.4	24000	22000	17800	9.6	7.5	2.08	217121541	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	7.5	2.1	217121542	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	22800	19	12.6	25000	22000	17800	9.8	7.8	2.1	217115291	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	23200	19	12.4	24000	22000	17800	9.8	7.5	2.1	217121543	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	23000	19	12.8	25000	22000	17700	9.8	7.8	2.12	217115292	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	23200	19	13	24000	21800	17400	9.8	7.5	2.1	217121547	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	23200	20	13	24000	21800	17400	9.6	7.5	2.1	217121549	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	23200	19.5	13	24000	21800	17400	9	7.5	2.12	217121550	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	23200	19	13	24000	21800	17400	9.8	7.5	2.1	217121552	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	23200	20	12.6	24000	22000	17700	9.6	7.5	2.1	217121553	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	23200	19.5	12.6	24000	22000	17700	9.8	7.5	2.1	217121554	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	23400	19.5	12.8	24000	22000	17700	9.8	7.5	2.1	217121555	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	7.5	2.08	217121556	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	23400	19	12.8	24000	22000	17700	9.8	7.8	2.1	217121557	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	23000	15.2	11.7	24000	22400	18000	9.4	7.5	2.06	217121558	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML197UH030XE36B	R-454B	22600	19	12.5	24000	21800	17400	9.6	7.5	2.04	218745094	N/A
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML197UH060XE36B	R-454B	23400	19	12.5	24000	22200	17800	9.8	7.5	2.1	218747705	N/A
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	23000	19.5	12.8	24000	21600	17400	9.5	7.5	2.1	217121559	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23000	19.5	12.8	24000	21800	17500	9.6	7.5	2.1	217121560	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	22800	19	12.6	25000	22000	17700	9.8	7.8	2.1	217115284	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	23000	19	13	24800	21800	17600	9.8	7.8	2.12	217115285	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	23000	19	13	24800	22000	17600	9.8	7.8	2.12	217115286	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	23000	19	13	24800	22000	17600	9.8	7.8	2.12	217115287	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23000	20	12.8	25000	22000	17700	10	7.8	2.12	217115288	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23000	19.5	12.8	25000	22000	17700	9.8	7.8	2.1	217115289	Both
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	23000	19	12.8	24800	22000	17600	9.8	7.			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	23600	19.5	12.5	26800	19700	16300	8.5	7	2.02	217443138	No
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	23600	19	12.5	26800	19700	16400	8.5	7	2.02	217443139	No
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	ML196DF045XE36B	R-454B	23600	18.5	12.5	26800	19700	16300	8.5	7	2.02	217443140	No
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	23600	17.5	12.5	26800	19800	16400	8.5	7	2.02	217443141	No
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	23200	19.5	12.5	26800	19700	16300	8.5	7	2	217443142	No
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	SL280DF090V48B	R-454B	23200	20	12.5	26800	19700	16300	8.5	7.1	2	217443143	No
EL21KLV-024-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	23400	20	12.5	26800	19700	16300	8.5	7.1	2	217443145	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	- - -	R-454B	22600	16.5	11.5	27400	20200	16800	8.2	6.9	1.98	217443161	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SL280DF080NV60C	R-454B	23200	18	12.5	26600	19600	16200	8.5	7	2.02	217443163	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SL280DF090V60C	R-454B	23400	18.5	12.5	26600	19600	16200	8.5	7	2.02	217443150	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SL280DF110V60C	R-454B	23400	18.5	12.5	26600	19600	16200	8.5	7	2.04	217443152	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV36C	R-454B	23400	20.5	13	26600	19600	16200	8.5	7.1	2.04	217443154	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV48C	R-454B	23400	19.5	12.5	26600	19600	16200	8.5	7.1	2.02	217443155	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV60C	R-454B	23200	18.5	12.5	26800	19600	16200	8.5	7	2.02	217443157	No
EL21KLV-024-230A**	CK40DT-30/36C-***TDR	SLP99DF110XV60C	R-454B	23200	18.5	12.5	26800	19700	16300	8.5	7	2.02	217443159	No
EL21KLV-024-230A**	CK40HT-24A-***TDR	- - -	R-454B	23400	16	12	25400	21800	18100	8.2	6.9	1.94	217443132	Both
EL21KLV-024-230A**	CK40HT-24A-***TDR	EL180UH040NE36A	R-454B	23800	20	13	24800	21200	17500	8.5	7	1.96	217443186	Both
EL21KLV-024-230A**	CK40HT-24A-***TDR	EL180UH060NE36A	R-454B	23800	20	13	24800	21200	17500	8.5	7	1.96	217443188	Both
EL21KLV-024-230A**	CK40HT-24A-***TDR	EL280UH070E36A	R-454B	24000	20	13	24800	21400	17600	8.5	7	1.98	217443189	Both
EL21KLV-024-230A**	CK40HT-24A-***TDR	EL280UH070XE36A	R-454B	24000	20	13	24800	21400	17600	8.5	7	1.98	217443187	Both
EL21KLV-024-230A**	CK40HT-24A-***TDR	ML180UH030V36A	R-454B	23800	20	13	24600	21000	17300	8.2	6.9	1.98	217443190	Both
EL21KLV-024-230A**	CK40HT-24B-***TDR	ML197UH030XE36B	R-454B	23000	21	13.5	24000	22000	18100	8.2	6.8	1.9	218745112	N/A
EL21KLV-024-230A**	CK40HT-24B-***TDR	ML197UH060XE36B	R-454B	24000	20	13.5	24000	22400	18400	8.5	7	1.94	218747720	N/A
EL21KLV-024-230A**	CK40HT-30A-***TDR	- - -	R-454B	21600	15.5	11.2	25000	21400	17500	8.5	7.2	2	217443133	Both
EL21KLV-024-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	22600	18.5	12	24600	21000	17100	9	7.4	2.06	217443191	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	22600	18.5	12	24600	21000	17100	9	7.4	2.06	217443192	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	22200	20.5	12.5	24200	20600	16700	9	7.3	2.04	217443193	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	22800	19.5	12	24600	21000	17200	9	7.4	2.06	217443194	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	22800	19.5	12	24600	21000	17200	9	7.4	2.06	217443195	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	22600	19.5	12.5	24400	20800	16900	8.5	7.3	2.06	217443196	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	22200	19.5	12.5	24200	20600	16800	8.5	7.3	2.04	217443197	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	22400	18	12.5	24200	20800	16900	9	7.4	2.04	217443198	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	22400	19.5	12.5	24200	20600	16900	8.5	7.3	2.06	217443199	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	22200	18.5	12.5	24200	20600	16800	9	7.4	2.04	217443200	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	22400	20	12.5	24600	21000	17100	9	7.5	2.06	217443201	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	22200	19.5	12.5	24600	21000	17100	9	7.5	2.06	217443202	No
EL21KLV-024-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	22200	19.5	12.5	24600	21000	17100	9	7.5	2.06	217443203	No
EL21KLV-024-230A**	CK40HT-30B-***TDR	- - -	R-454B	22800	16	11.7	24600	21200	17500	8.5	7.2	1.98	217443131	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	23800	18.5	12.5	24400	21000	17200	9	7.4	2.04	217443147	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	23800	18.5	12.5	24400	21000	17200	9	7.4	2.04	217443148	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	23200	19	13	23800	20400	16800	9	7.3	2.02	217443149	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL196UH045XE36B	R-454B	23800	18.5	12.5	24400	21000	17300	9	7.4	2.04	217443151	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	23800	18.5	13	24400	21000	17200	9	7.4	2.04	217443153	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	23800	16.5	12.5	24400	21000	17300	9	7.3	2.04	217443156	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	23800	16.5	12.5	24400	21000	17300	9	7.3	2.04	217443158	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	23800	18.5	13	24400	21000	17200	9	7.4	2.04	217443183	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	23600	19.5	13	24400	20800	17100	9.4	7.4	2.06	217443184	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	23800	18.5	13	24400	21000	17200	9	7.4	2.04	217443182	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	23600	20	13	24400	20800	17000	9.4	7.5	2.06	217443185	No
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	23800	19	13	24000	20600	16900	9	7.4	2.06	217443160	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	23800	20	13	24000	20600	16900	9	7.3	2.06	217443162	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	23800	20	13	24000	20600	16900	8.5	7.2	2.06	217443164	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	23800	19	13	24000	20600	16900	9	7.4	2.06	217443165	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	23800	20	13	24400	20800	17100	9	7.3	2.04	217443166	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	23800	19.5	13	24400	20800	17200	9	7.4	2.04	217443167	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	23800	19.5	13	24400	20800	17100	9	7.4	2.06	217443168	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML196UH045XE36B	R-454B	23800	18.5	12.5	24400	21000	17300	9	7.4	2.04	217443169	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML196UH070XE36B	R-454B	23800	18.5	13	24400	20800	17100	9	7.4	2.06	217443170	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML196UH070XE48B	R-454B	23600	15.5	12.5	24600	21000	17300	9	7.3	2.02	217443103	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML197UH030XE36B	R-454B	23200	19	13	24000	21200	16800	9	7.2	1.92	218745113	N/A
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML197UH060XE36B	R-454B	23800	18.5	13	24000	21600	17200	9.4	7.4	1.96	218747706	N/A
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML296UH045XV36B	R-454B	23600	19.5	13	24000	20600	16900	9	7.2	2.04	217443171	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	ML296UH070XV36B	R-454B	23600	19	13	24200	20800	17100	8.5	7.2	2.04	217443172	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SL280UH080NV48B	R-454B	23200	19.5	13	24400	20800	17200	9	7.4	2.04	217443173	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SL280UH090V36B	R-454B	23600	20	13	24200	20800	17000	9.4	7.5	2.08	217443174	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SL280UH090V48B	R-454B	23600	19.5	13	24200	20800	17000	9.4	7.5	2.08	217443175	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SL280UH090XV48B	R-454B	23600	19.5	13	24200	20800	17000	9.4	7.5	2.08	217443179	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SL297UH040NV36B	R-454B	23600	20	13	24400	20800	17100	9.4	7.5	2.06	217443176	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SL297UH060NV36B	R-454B	23600	20	13	24400	20800	17100	9.4	7.4	2.06	217443177	Both
EL21KLV-024-230A**	CK40HT-30B-***TDR	SLP99UH070XV36B	R-454B	23600	20	13	24200	20800	17000	9.4	7.5	2.06	217443178	Both
EL21KLV-036-230A**	CBK45UHET-042-230-**	- - -	R-454B	34400	19.5	11.7	32200	29400	24400	8.5	7.4	2.06	217121968	Both
EL21KLV-036-230A**	CBK45UHV-036-230-**	- - -	R-454B	34600	19.5	12	32000	29200	24200					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CBK47UHET-042-230-**	---	R-454B	34000	16.5	10	32200	30000	24400	8.5	7.3	2.1	217121965	N/A
EL21KLV-036-230A**	CBK48MVT-036-230-**	---	R-454B	34000	20	11.7	33600	31800	25400	10	7.7	2.1	217117000	Both
EL21KLV-036-230A**	CBK48MVT-042-230-**	---	R-454B	34000	18.5	10.5	32200	30000	24400	9	7.3	2.1	217117038	N/A
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	---	R-454B	32000	14.7	10.5	33800	27800	23000	9.8	7.8	2.2	217443408	N/A
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	EL180UH040NE36A	R-454B	32600	19	11.2	33200	27200	22600	10.4	8.1	2.26	217443407	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	EL180UH060NE36A	R-454B	32600	19	11.2	33200	27200	22600	10.4	8.1	2.26	217443204	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	EL280UH045E36A	R-454B	33200	18	11.2	33600	27200	22800	10.4	8.1	2.26	217443205	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	EL280UH070E36A	R-454B	32600	19	11.5	33000	27000	22400	10.4	8.1	2.26	217443206	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	EL280UH070XE36A	R-454B	32600	19	11.5	33000	27000	22400	10.4	8.1	2.26	217443207	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH030V36A	R-454B	33000	18	11.5	33400	27200	22600	10	7.8	2.26	217443208	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH045E36A	R-454B	33000	19	11.5	33200	27200	22400	10.4	8.1	2.26	217443209	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH045V36A	R-454B	33000	18	11.2	33400	27400	22600	9.8	7.8	2.26	217443210	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH045XE36A	R-454B	33000	19	11.5	33200	27200	22400	10.4	8.1	2.26	217443211	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH070E36A	R-454B	32800	18	11.2	33400	27200	22600	10.4	8.1	2.24	217443212	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH070V36A	R-454B	33000	18	11.2	33400	27400	22800	9.8	7.8	2.26	217443213	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	ML180UH070XE36A	R-454B	32800	18.5	11.5	33200	27200	22600	10.4	8.1	2.26	217443214	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	SL280UH060NV36A	R-454B	32000	18.5	11	32000	30000	18400	8.8	7.2	2.22	217443215	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	SL280UH070V36A	R-454B	33000	18.5	11.2	33800	27800	23000	10.4	8.1	2.24	217443216	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**-TDR	SL280UH070XV36A	R-454B	33000	18.5	11.2	33800	27800	23000	10.4	8.1	2.24	217443217	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	---	R-454B	32000	14.7	10.5	33800	27800	23000	9.8	7.8	2.2	217443409	N/A
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL180UH080NE48B	R-454B	32600	16	11.5	33200	27000	22400	10.2	8	2.26	217443218	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL195UH040NE36B	R-454B	32400	18	11.2	33200	27000	22600	10.2	8	2.24	217443219	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL195UH060NE36B	R-454B	32600	18	11.5	33200	27000	22400	10.4	8.1	2.26	217443220	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL196UH030XE36B	R-454B	32600	17	11.2	33200	27200	22600	10.2	8	2.24	217443221	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL196UH070XE36B	R-454B	33000	18	11.2	33400	27400	22600	10.2	8.1	2.26	217443222	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL280UH090E36B	R-454B	33000	19	11.7	33200	27200	22400	10.4	8.1	2.28	217443223	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL280UH090E48B	R-454B	33000	17	11.7	33000	27000	22400	10.4	8.1	2.28	217443224	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL280UH090XE48B	R-454B	33000	17	11.7	33000	27000	22400	10.4	8.1	2.28	217443225	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL297UH045XE36B	R-454B	32400	18	11.5	33200	27000	22400	10.4	8.1	2.24	217443249	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL297UH045XV36B	R-454B	33000	19	11.2	34000	27800	23000	10.4	8.1	2.24	217443250	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL297UH070XE36B	R-454B	32800	18.5	11.2	33400	27400	22600	10.4	8.1	2.24	217443248	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	EL297UH070XV36B	R-454B	33000	19	11.5	33800	27600	23000	10.4	8.2	2.26	217443251	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070E36B	R-454B	33000	18.5	11.5	33400	27200	22600	10.4	8.1	2.28	217443226	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070V36B	R-454B	33000	18.5	11.7	33200	27200	22400	10	8	2.28	217443227	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070V48B	R-454B	33400	18.5	11.7	33400	27000	22600	10.2	8	2.3	217443228	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH070XE36B	R-454B	33000	18.5	11.5	33400	27200	22600	10.4	8.1	2.28	217443229	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH090E48B	R-454B	32800	17	11.7	33000	27000	22400	10.4	8.1	2.28	217443230	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH090V48B	R-454B	33200	18	11.5	33400	27400	22600	10	8	2.26	217443231	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML180UH090XE48B	R-454B	32800	17	11.7	33000	27000	22400	10.4	8.1	2.28	217443232	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML193UH030XE36B	R-454B	32800	17.5	11.2	33400	27400	22600	10.2	8.1	2.24	217443233	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML193UH045XE36B	R-454B	32600	17.5	11.2	33000	27000	22600	10.4	8.1	2.24	217443234	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML193UH070XE36B	R-454B	32600	18	11.5	33000	27000	22400	10.4	8.1	2.26	217443235	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML196UH030XE36B	R-454B	33000	18.5	11.2	33600	27400	22800	10.2	8	2.24	217443236	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML196UH070XE36B	R-454B	33000	18	11.2	33400	27400	22600	10.4	8.1	2.26	217443237	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML196UH070XE48B	R-454B	33000	16	11.2	33400	27400	22600	10.2	8.1	2.26	217443238	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML197UH030XE36B	R-454B	33000	18.5	11.2	33600	27800	23000	10.2	7.8	2.22	218745055	N/A
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML197UH060XE36B	R-454B	33000	18	11.2	33600	27600	22800	10.2	8	2.22	218747707	N/A
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML296UH045XV36B	R-454B	33000	17	11.2	33400	27400	22600	10	7.8	2.26	217443239	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML296UH070XV36B	R-454B	32800	16.9	11	33800	27600	23000	9.6	7.8	2.22	217443240	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML297UH045XV36B	R-454B	33000	17	11.2	33800	28000	23200	10	7.8	2.2	218690667	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	ML297UH070XV36B	R-454B	32800	16.9	11	33800	27800	23000	9.6	7.8	2.22	218690690	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SL280UH080NV48B	R-454B	33000	19	11.2	33800	27600	23000	10.4	8.2	2.26	217443241	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SL280UH090V36B	R-454B	33200	19.5	11.7	33600	27400	22800	10.4	8.2	2.3	217443242	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SL280UH090V48B	R-454B	33200	19	11.5	33600	27400	22800	10.4	8.2	2.28	217443243	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SL280UH090XV48B	R-454B	33200	19	11.5	33600	27400	22800	10.4	8.2	2.28	217443244	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SL297UH040NV36B	R-454B	33000	19	11.2	34000	27800	23200	10.4	8.1	2.24	217443245	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SL297UH060NV36B	R-454B	33000	18.5	11.2	34000	27800	23200	10.4	8.1	2.24	217443246	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**-TDR	SLP99UH070XV36B	R-454B	33000	19	11.5	33800	27600	22800	10.4	8.2	2.28	217443247	No
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	---	R-454B	32400	14.7	10.5	30800	28200	22200	8.5	6.9	2	217117050	N/A
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	EL180UH040NE36A	R-454B	33600	18	11.2	30800	28000	21800	8.5	7	2.04	217121587	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	EL180UH060NE36A	R-454B	33600	18	11.2	30800	28000	21800	8.5	7	2.04	217121588	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	EL280UH045E36A	R-454B	34000	18	11.2	31000	28200	22200	8.5	7.1	2.06	217121969	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	EL280UH070E36A	R-454B	33600	16.5	11.5	30600	27800	21800	8.5	7	2.04	217121589	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	EL280UH070XE36A	R-454B	33600	16.5	11.5	30600	27800	21800	8.5	7	2.04	217121590	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH030V36A	R-454B	33400	18.5	11.5	30400	27600	21600	8.5	6.9	2.04	217121591	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045E36A	R-454B	33800	18	11.5	30600	28000	21800	8.5	7.1	2.06	217121592	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045V36A	R-454B	33200	18.5	11.5	30400	27600	21600	8.5	6.9	2.04	217121593	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045XE36A	R-454B	33800	18	11.5	30600	28000	21800	8.5	7.1	2.06	217121594	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070E36A	R-454B	33600	17	11.2	30800	28000	22000	8.5	7	2.04	217121595	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070V36A	R-454B	33000	18.5	11.5	30200	27600	21400	8.5	6.9	2.04	217121596	Both
EL21KLV-036-230A**	CK40[C,U]T-36A-													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	33400	16.5	11.2	30600	27800	21800	8.5	7	2.04	217121563	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	33400	15.5	11.2	30800	27800	21800	8.5	7	2.04	217121564	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	33400	16	11.2	30800	27800	21800	8.5	7	2.04	217121565	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	33400	17.5	11.2	30800	28000	22000	8.5	7	2.04	217121566	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	34000	18	11.2	31000	28000	21800	8.5	7.1	2.04	217121567	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	33800	18.5	11.5	30600	27800	21800	9	7.1	2.06	217121568	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	33800	17	11.7	30600	27800	21600	8.5	7.1	2.08	217121569	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	33800	17	11.7	30600	27800	21600	8.5	7.1	2.08	217121570	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	33400	16	11.2	30400	27800	21600	8.5	7	2.04	217121586	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	33800	18	11	31400	28600	22600	8.5	7.1	2.04	217117047	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	33800	16	11.2	30800	28200	22000	8.5	7	2.04	217121585	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	34000	18.5	11.2	31200	28400	22400	9	7.1	2.06	217117048	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	34000	18.5	11.5	30800	28000	22000	8.5	7.1	2.06	217121966	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	33400	19	11.7	30200	27600	21400	8.5	6.9	2.06	217121571	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	33400	19	11.7	30200	27600	21400	8.5	6.9	2.06	217121572	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	34000	18.5	11.5	30800	28000	22000	8.5	7.1	2.06	217121967	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	33800	17.5	11.7	30400	27600	21600	8.5	7.1	2.08	217121573	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	33200	19	11.5	30200	27600	21400	8.5	6.9	2.04	217121574	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	33800	17.5	11.7	30400	27600	21600	8.5	7.1	2.08	217121575	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	33600	17.5	11.2	31000	28200	22000	8.5	7	2.04	217121576	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	33400	16	11.2	30600	27800	21800	8.5	7	2.04	217121577	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	33400	16.5	11.5	30400	27800	21600	8.5	7	2.04	217121578	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	33400	17.5	11.2	30800	28000	22000	8.5	7	2.04	217121580	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	34000	18	11.2	31000	28200	22000	8.5	7.1	2.06	217121581	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	33800	16	11	31200	28400	22200	8.5	7	2.04	217121582	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML197UH030XE36B	R-454B	33800	17.5	11.2	31600	28800	22400	8.5	7	2	218745056	N/A
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML197UH060XE36B	R-454B	34000	18	11.2	31600	28600	22200	8.5	7	2.02	218747708	N/A
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	33200	18	11.5	30200	27600	21400	8.5	6.9	2.04	217121583	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	33000	18	11.5	30200	27600	21400	8.5	6.9	2.04	217121584	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML297UH070XV36B	R-454B	33000	18	11.5	31200	28400	22000	8.5	6.9	2	218690691	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	34000	18.5	11.2	31200	28400	22200	9	7.1	2.06	217117040	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	34000	18.5	11.5	31200	28200	22200	9	7.1	2.08	217117041	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	34000	18.5	11.2	31200	28400	22200	9	7.1	2.06	217117042	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34000	18.5	11.2	31200	28400	22200	9	7.1	2.06	217117043	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	33800	18.5	11	31400	28600	22600	9	7.1	2.04	217117044	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	33800	18.5	11	31400	28600	22400	8.5	7.1	2.04	217117045	Both
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	34000	18.5	11.2	31200	28400	22200	9	7.1	2.06	217117046	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	- - -	R-454B	32400	14.7	10.5	30800	28200	22200	8.5	6.9	2	218073778	N/A
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL180UH100NE60C	R-454B	34200	16	11.5	31000	28200	22000	8.5	7	2.08	218073749	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL195UH080NE48C	R-454B	34000	18	11	31200	28400	22400	8.5	7.1	2.06	218073876	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL195UH100NE60C	R-454B	33800	15.5	11.2	31000	28200	22000	8.5	7	2.04	218073754	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL196UH090XE48C	R-454B	34000	17	11.7	30600	27800	21600	8.5	7.1	2.08	218073757	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL280UH110E48C	R-454B	33800	17.5	11.7	30400	27600	21400	9	7.1	2.08	218073750	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH070XV36B	R-454B	33200	18.5	11.7	30200	27400	21400	8.5	7	2.06	218073768	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XE48C	R-454B	34000	17.5	11.7	30600	27800	21600	8.5	7.1	2.08	218073752	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV36C	R-454B	33200	18.5	11.7	30200	27400	21400	8.5	7	2.06	218073881	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV48C	R-454B	33200	18.5	11.7	30200	27400	21400	8.5	7	2.06	218073767	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV60C	R-454B	33200	18	11.7	30200	27400	21400	8.5	7	2.06	218073880	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XE60C	R-454B	34400	16	11.5	31200	28200	22200	8.5	7.1	2.08	218073748	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV48C	R-454B	33200	18.5	11.7	30000	27400	21400	8.5	7	2.06	218073766	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV60C	R-454B	33200	18	11.7	30000	27400	21200	8.5	7	2.06	218073765	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH090E60C	R-454B	34400	16	11.5	31000	28000	22000	8.5	7.1	2.08	218073753	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML180UH110V60C	R-454B	34400	18.5	11.7	30800	28000	21800	8.5	7	2.1	218073755	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH090XE36C	R-454B	34000	18.5	11.5	30600	27800	21800	8.5	7.1	2.06	218073870	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH090XE48C	R-454B	34200	17.5	11.5	30800	28000	22000	9	7.1	2.08	218073875	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH110XE48C	R-454B	33800	17.5	11.7	30400	27600	21600	8.5	7.1	2.08	218073871	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML193UH110XE60C	R-454B	34200	16	11.5	31000	28200	22000	8.5	7.1	2.08	218073751	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE36C	R-454B	34000	18	11.5	30800	28000	21800	8.5	7.1	2.06	218073762	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE48C	R-454B	34000	17	11.7	30600	27800	21600	8.5	7.1	2.08	218073769	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH090XE60C	R-454B	34200	16	11.5	31000	28200	22000	8.5	7.1	2.08	218073872	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH110XE60C	R-454B	34400	15.5	11.2	31200	28400	22200	8.5	7.1	2.08	218073756	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH030XE36B	R-454B	34000	17.5	11.2	31600	28800	22400	8.5	7	2	218745114	N/A
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH060XE36B	R-454B	33400	18	11.5	31000	28200	21800	8.5	7	2.02	218747721	N/A
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH080XE48C	R-454B	34000	17	11.7	31200	28400	22000	8.5	7	2.02	218747698	N/A
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH090XV48C	R-454B	33400	18	11.5	30400	27600	21600	8.5	7	2.06	218073884	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH110XV60C	R-454B	34000	18.5	11.7	30600	27800	21800	8.5	7	2.08	218073882	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH090XV36C	R-454B	33800	18.5	11.7	31200	28200	22000	8.5	6.9	2.02	218695097	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH110XV60C	R-454B	33600	19	11.5	31200	28200	22000	8.5	6.9	2.02	218732598	N/A
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH080NV60C	R-454B	33200	18	11.7	30200	27400	21400	8.5	7	2.06	218073873	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090V60C	R-454B	33400	18.5									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV60C	R-454B	33200	17.5	11.5	30200	27600	21400	8.5	7	2.04	218073883	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV36C	R-454B	33200	18.5	11.7	30200	27400	21400	8.5	7	2.06	218073879	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV48C	R-454B	33200	18.5	11.7	30200	27400	21400	8.5	7	2.06	218073763	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV60C	R-454B	33200	17.5	11.7	30200	27400	21400	8.5	7	2.06	218073878	Both
EL21KLV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH110XV60C	R-454B	33200	18	11.7	30000	27400	21400	8.5	7	2.06	218073764	Both
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	- - -	R-454B	32600	15.5	10.5	34400	28800	19600	8.5	7.1	2.26	217443410	N/A
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	EL280DF090E48B	R-454B	33600	17	11.5	34000	28400	19200	9	7.2	2.34	217443254	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	33800	19	11	34200	28400	19100	9.2	7.3	2.4	217443264	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XE48B	R-454B	33400	18	11	34400	28600	19400	9	7.2	2.26	217443253	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XV48B	R-454B	33800	18.5	10.5	35000	29200	19800	9	7.2	2.2	217443267	N/A
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	ML180DF090E48B	R-454B	33600	17.5	11.5	33800	28200	19100	9	7.2	2.34	217443255	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	33600	19	11	34400	28800	19500	9	7.2	2.26	217443256	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	33400	18	11.2	34000	28400	19300	9	7.2	2.32	217443258	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	34000	18	11	34400	28800	19500	9	7.2	2.26	217443260	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	ML296DF070XV48B	R-454B	33800	17	11	34600	28800	19500	8.5	7	2.26	217443262	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	ML297DF070XV48B	R-454B	33800	17	11	35400	29000	19700	8.5	6.9	2.22	218690646	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	33800	18.5	11	34800	29200	19700	9	7.2	2.24	217443261	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	SL280DF090V48B	R-454B	33800	19	11.2	34800	29000	19700	9	7.2	2.24	217443263	No
EL21KLV-036-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	33800	19.5	11.2	34200	28400	19200	9.2	7.3	2.36	217443265	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	- - -	R-454B	32600	15.5	10.5	34400	28800	19600	8.5	7.1	2.26	217443413	N/A
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	EL297DF090XE48C	R-454B	33600	17.5	11.5	33800	28200	19100	9	7.2	2.34	217443268	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	ML180DF110E60C	R-454B	34200	17	11.7	34200	28400	19200	9	7.2	2.36	217443275	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	ML193DF090XE48C	R-454B	33600	17.5	11.5	34000	28400	19100	9	7.2	2.34	217443280	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	ML196DF090XE48C	R-454B	33800	17.5	11.7	33800	28200	19100	9	7.2	2.36	217443283	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	ML296DF090XV60C	R-454B	34000	18	11.2	34400	28600	19400	8.5	7.1	2.3	217443293	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	ML297DF090XV60C	R-454B	33600	18	11.2	34800	28800	19400	8.5	7.1	2.28	218732585	N/A
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SL280DF080NV60C	R-454B	34000	18	11.5	34400	28800	19400	9	7.3	2.32	217443314	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SL280DF090V60C	R-454B	34000	18.5	11.5	34400	28600	19300	9.2	7.3	2.34	217443297	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SL280DF110V60C	R-454B	34000	18.5	11.5	34400	28600	19300	9.2	7.3	2.34	217443300	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV36C	R-454B	34000	19.5	11.2	34600	28800	19500	9.4	7.3	2.3	217443303	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV48C	R-454B	34000	19	11.2	34600	28800	19500	9.2	7.3	2.28	217443305	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV60C	R-454B	34000	18.5	11.2	34600	28800	19500	9	7.3	2.28	217443308	No
EL21KLV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF110XV60C	R-454B	34000	18.5	11.2	34600	28800	19500	9.2	7.3	2.28	217443311	No
EL21KLV-036-230A**	CK40HT-30A-***TDR	- - -	R-454B	31200	14.3	10.5	31800	31000	24400	8.5	7.1	1.92	217443412	N/A
EL21KLV-036-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	32400	17.5	11.2	31600	30600	24000	8.5	7.2	1.94	217443272	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	32400	17.5	11.2	31600	30600	24000	8.5	7.2	1.94	217443273	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	33000	18.5	11.2	32000	31000	24200	9	7.2	1.96	217443276	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	32400	18	11.5	31600	30600	23800	8.5	7.1	1.94	217443278	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	32400	18	11.5	31600	30600	23800	8.5	7.1	1.94	217443281	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	32800	17.5	11.5	31800	30800	24000	8.5	7	1.96	217443284	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	32600	18	11.5	31600	30600	24000	8.5	7.2	1.96	217443285	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	32800	17.5	11.2	32000	31000	24200	8.5	7	1.96	217443287	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	32600	18	11.5	31600	30600	24000	8.5	7.2	1.96	217443288	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	32600	17.5	11.2	31800	30800	24000	8.8	7.2	1.94	217443289	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	33000	17	11.2	32000	31000	24400	8.5	7	1.96	217443290	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	32600	17.5	11.2	31600	30600	24000	8.8	7.2	1.96	217443292	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	32800	18	11.2	32000	31000	24200	9	7.3	2	217443294	Both
EL21KLV-036-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	32800	18	11.2	32000	31000	24200	9	7.3	2	217443295	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	- - -	R-454B	31800	14.7	10.5	30800	28200	22800	8.5	7.3	2.36	217443411	N/A
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL180UH080NE48B	R-454B	33000	16	11	30600	27800	22400	9	7.3	2.42	217443257	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	32800	17.5	11.2	30600	27800	22400	9	7.4	2.4	217443259	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	33000	18	11.5	30600	27800	22400	9	7.4	2.42	217443262	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	32800	17	11.2	30800	28000	22600	9	7.4	2.4	217443266	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	33400	18	11.2	31000	28000	22600	9	7.4	2.42	217443269	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	33200	19	11.5	30600	27600	22400	9	7.4	2.46	217443270	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	33200	17	11	30600	27600	22400	9	7.4	2.46	217443271	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	33200	17	11	30600	27600	22400	9	7.4	2.46	217443274	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	32800	18	11	30400	27800	22400	9	7.4	2.42	217443331	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	33200	18.5	11.2	31400	28400	23000	9	7.5	2.4	217443332	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	33200	18	11.2	30800	28000	22600	9	7.4	2.42	217443328	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	33400	19	11.2	31400	28200	22800	9.4	7.5	2.42	217443334	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	33400	18	11.5	30800	27800	22600	9	7.4	2.44	217443277	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	33400	18.5	11.5	30800	27800	22400	8.8	7.3	2.46	217443279	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	33800	18.5	11.7	30800	27800	22600	9	7.3	2.48	217443282	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	33400	18	11.5	30800	27800	22600	9	7.4	2.44	217443286	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH090E48B	R-454B	33200	17	11.7	30400	27800	22200	9	7.4	2.46	217443291	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	33400	17.5	11.2	31000	28000	22600	9	7.3	2.44	217443296	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML180UH090XE48B	R-454B	33200	17	11.7	30400	27800	22200	9	7.4	2.46	217443298	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	32800	17.5	11	31000	28200	22600	9	7.4	2.4	217443299	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	33000	17.5	11.2	30600	27800	22400	9	7.4	2.42	217443301	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	33000	18	11.5	30400	27800	22200	9	7.4	2.42	217443302	Both
EL21KLV-036-230														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML197UH060XE36B	R-454B	33400	18	11.2	31600	28400	22800	9	7.3	2.36	218747709	N/A
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML296UH045XV36B	R-454B	33400	17	11.2	31000	28000	22600	8.5	7.2	2.42	217443310	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML296UH070XV36B	R-454B	33200	16.5	11	31200	28200	23000	8.5	7.2	2.38	217443313	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML297UH045XV36B	R-454B	33400	17	11.2	31800	28600	23200	8.5	7.1	2.32	218690668	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	ML297UH070XV36B	R-454B	33200	16.5	11	31800	28400	23000	8.5	7.1	2.34	218690692	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SL280UH080NV48B	R-454B	33400	18.5	11.2	31400	28200	22800	9	7.5	2.42	217443315	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SL280UH090V36B	R-454B	33600	19	11	31200	28000	22600	9.4	7.5	2.46	217443316	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SL280UH090V48B	R-454B	33400	19	11.5	31200	28000	22800	9.4	7.5	2.46	217443317	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SL280UH090XV48B	R-454B	33400	19	11.5	31200	28000	22800	9.4	7.5	2.46	217443326	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SL297UH040NV36B	R-454B	33200	19	11.2	31600	28400	23200	9	7.5	2.38	217443318	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SL297UH060NV36B	R-454B	33200	18.5	11.2	31600	28400	23200	9	7.4	2.4	217443320	Both
EL21KLV-036-230A**	CK40HT-30B-***TDR	SLP99UH070XV36B	R-454B	33400	19	11	31200	28200	22800	9.4	7.5	2.44	217443321	Both
EL21KLV-036-230A**	CK40HT-36C-***TDR	EL180UH100NE60C	R-454B	33400	14.7	11.5	32200	26800	21400	9.4	7.3	2.04	217443414	N/A
EL21KLV-036-230A**	CK40HT-36C-***TDR	EL297UH090XV36C	R-454B	33600	17.5	11.7	32400	27000	21600	9.6	7.4	2.04	217443366	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	EL297UH090XV48C	R-454B	33400	17	11.5	32400	27000	21600	9.6	7.4	2.04	217443367	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	EL297UH090XV60C	R-454B	33600	16.5	11.7	32400	27000	21600	9.6	7.4	2.04	217443368	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	EL297UH110XV48C	R-454B	33600	17	11.7	32400	27000	21600	9.6	7.4	2.04	217443369	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	EL297UH110XV60C	R-454B	33600	17	11.7	32400	27000	21600	9.6	7.4	2.04	217443370	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML180UH110E60C	R-454B	33600	15.2	11.7	32000	26600	21400	9.4	7.4	2.06	217443107	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML180UH110V60C	R-454B	33800	16.5	11.7	32200	26800	21400	9.2	7.3	2.06	217443343	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML180UH110XE60C	R-454B	33600	15.2	11.7	32000	26600	21400	9.4	7.4	2.06	217443108	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML197UH030XE36B	R-454B	33400	17	11.2	33600	27400	22000	9	7.1	1.92	218745115	N/A
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML197UH060XE36B	R-454B	33000	16.5	11.7	32800	27000	21600	9	7.1	1.92	218747722	N/A
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML197UH080XE48C	R-454B	33000	15.5	11.7	33000	27000	21600	9	7.1	1.92	218747715	N/A
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML296UH090XV48C	R-454B	33600	16	11.5	32400	26800	21400	9	7.2	2.04	217443346	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML296UH110XV60C	R-454B	33800	16.5	11.7	32200	26800	21400	9	7.3	2.04	217443347	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML297UH090XV36C	R-454B	33600	16.5	11.5	33400	27200	22000	8.5	7	1.92	218695098	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	ML297UH110XV60C	R-454B	33600	16.5	11.7	33400	27200	22000	8.5	7	1.94	218732599	N/A
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL280UH080NV60C	R-454B	33600	17	11.7	32400	27000	21600	9.6	7.4	2.04	217443348	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL280UH090V60C	R-454B	33600	17	11.7	32400	26800	21400	9.6	7.4	2.06	217443349	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL280UH090XV60C	R-454B	33600	17	11.7	32400	26800	21400	9.6	7.4	2.06	217443350	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL280UH100NV60C	R-454B	33600	16.5	11.7	32400	27000	21600	9.6	7.4	2.04	217443352	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL280UH110V60C	R-454B	33600	16.9	11.7	32400	27000	21600	9.6	7.4	2.04	217443353	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL280UH110XV60C	R-454B	33600	16.9	11.7	32400	27000	21600	9.6	7.4	2.04	217443355	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL297UH080NV48C	R-454B	33400	17.5	11.5	32400	27000	21600	9.6	7.4	2.04	217443356	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SL297UH080NV60C	R-454B	33400	16.5	11.5	32600	27200	21800	9.6	7.4	2.02	217443364	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV36C	R-454B	33400	17.5	11.7	32400	27000	21600	9.6	7.4	2.04	217443358	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV48C	R-454B	33400	17	11.5	32400	27000	21600	9.6	7.4	2.04	217443360	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV60C	R-454B	33600	16.5	11.7	32400	27000	21600	9.4	7.4	2.04	217443365	No
EL21KLV-036-230A**	CK40HT-36C-***TDR	SLP99UH110XV60C	R-454B	33600	17	11.7	32400	27000	21600	9.6	7.4	2.04	217443361	No
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	32800	15.2	11.2	31400	31000	22600	9.4	7.3	1.92	217443104	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	32400	16	11.2	31200	30800	22200	9.4	7.3	1.9	217443309	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	32600	16	11.5	31000	30600	22000	9.4	7.3	1.92	217443312	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	32600	16.5	11.5	31200	30600	22200	9.6	7.4	1.92	217443351	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	32800	18.5	11.2	31600	31200	22600	9.6	7.5	1.94	217443354	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	32800	18	11.2	31600	31200	22600	9.6	7.5	1.92	217443357	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	32800	17.5	11.2	31600	31200	22600	9.6	7.4	1.94	217443359	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	32800	18	11.2	31600	31200	22600	9.8	7.5	1.94	217443362	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	32800	17.5	11.5	31600	31200	22600	9.6	7.5	1.94	217443363	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	33000	15.5	11.5	31400	30800	22400	9.6	7.4	1.94	217443105	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	33200	17.5	11.5	31400	31000	22400	9.4	7.3	1.94	217443319	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	33000	15.5	11.5	31400	30800	22400	9.6	7.4	1.94	217443316	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	32600	18	11.2	31200	30800	22200	9.4	7.3	1.92	217443322	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	32400	16	11.2	31000	30600	22000	9.4	7.3	1.9	217443323	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	32600	18	11.2	31400	30800	22400	9.4	7.3	1.92	217443324	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	32600	16	11.5	31000	30600	22000	9.4	7.3	1.92	217443325	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML197UH030XE36B	R-454B	32600	17.5	11	31800	32400	22800	9.4	7.3	1.84	218745116	N/A
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML197UH060XE36B	R-454B	32200	17.5	11.2	31200	31800	22600	9.5	7.3	1.86	218747723	N/A
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	32600	16	11.5	31400	31800	22600	9.5	7.4	1.88	218747699	N/A
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	33000	16.9	11.2	31600	31000	22600	9	7.3	1.92	217443327	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	33000	17	11.2	31400	31000	22400	9.2	7.3	1.94	217443329	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	32800	17	11.2	31600	32200	22600	9	7.2	1.86	218695099	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	ML297UH110XV60C	R-454B	32800	17.5	11.2	31600	32200	22600	9	7.3	1.86	218732600	N/A
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	32800	18	11.2	31600	31200	22600	9.6	7.5	1.94	217443330	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	33000	18	11.5	31600	31000	22400	9.6	7.5	1.94	217443333	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	33000	18	11.5	31600	31000	22400	9.6	7.5	1.94	217443335	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	32800	17.5	11.2	31600	31200	22600	9.6	7.4	1.94	217443336	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	32800	17.5	11.5	31600	31200	22600	9.6	7.4	1.94	217443337	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	32800	17.5	11.5	31600	31200	22600	9.6	7.4	1.94	217443338	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL297UH040NV36B	R-454B	32600	18	11	32000	31600	23000	9.6	7.4	1.9	217551304	Both
EL21KLV-036-230A**	CK40HT-42C-***TDR	SL297UH060NV36B	R-454B	32600	18	11	32000	31600	23000	9.6	7.4			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40HT-42C-**-TDR	SLP99UH090XV60C	R-454B	32800	17.5	11.2	31600	31200	22600	9.6	7.4	1.94	217443344	Both
EL21KLV-036-230A**	CK40HT-42C-**-TDR	SLP99UH110XV60C	R-454B	32800	18	11.5	31600	31200	22600	9.6	7.5	1.94	217443345	Both
EL21KLV-048-230A**	CBK45UHET-048-230-**-	---	R-454B	46500	19	12	45000	38500	31200	8.5	7.1	2.1	217121631	No
EL21KLV-048-230A**	CBK45UHET-060-230-**-	---	R-454B	47000	19.5	11.7	44000	38000	34800	9	7.4	2.2	217121640	Both
EL21KLV-048-230A**	CBK45UHV-048-230-**-	---	R-454B	46500	19.5	12	44500	38000	33200	8.5	7.1	2.08	217121639	Both
EL21KLV-048-230A**	CBK45UHV-060-230-**-	---	R-454B	47000	19.5	11.7	44000	38000	34400	8.5	7.3	2.18	217121632	Both
EL21KLV-048-230A**	CBK47UHET-048-230-**-	---	R-454B	47000	19.5	12	45000	38000	33200	9	7.3	2.12	217462486	Both
EL21KLV-048-230A**	CBK47UHET-048-460-**-	---	R-454B	47000	19.5	12	45000	38000	33200	9	7.3	2.12	217595425	Both
EL21KLV-048-230A**	CBK47UHET-060-230-**-	---	R-454B	47000	18.5	11.7	44000	38500	33000	8.5	7.3	2.1	217121638	Both
EL21KLV-048-230A**	CBK47UHET-060-460-**-	---	R-454B	47000	18.5	11.7	45000	38500	33000	8.5	7.3	2.1	217595418	Both
EL21KLV-048-230A**	CBK48MVT-048-230-**-	---	R-454B	47500	20.5	12.5	45000	37800	33000	9	7.4	2.14	217462485	Both
EL21KLV-048-230A**	CBK48MVT-060-230-**-	---	R-454B	48000	20.5	12	44500	38000	32600	9	7.1	2.08	217117001	Both
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	---	R-454B	45500	16.2	11.2	49000	36000	30000	8.2	6.8	2.1	217117054	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL180UH100NE60C	R-454B	46500	19	11.7	48000	35800	29800	8.2	6.8	2.12	217121608	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL195UH100NE60C	R-454B	46000	18	11.7	48000	35600	29600	8.2	6.8	2.08	217121609	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL196UH110XE60C	R-454B	46500	18.5	12.2	47500	35000	29000	8.2	6.8	2.14	217121610	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL280UH110E48C	R-454B	46500	20	12.2	47500	35200	29200	8.2	6.9	2.16	217121611	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL280UH110E60C	R-454B	46500	19	12.2	47500	35200	29200	8.2	6.9	2.16	217121612	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL280UH110XE60C	R-454B	46500	19	12.2	47500	35200	29200	8.2	6.9	2.16	217121613	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL297UH090XV48C	R-454B	46500	20	11.7	49000	36000	29800	8.2	6.8	2.12	217117085	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL297UH090XV60C	R-454B	46500	19.5	11.7	49000	35800	29800	8.2	6.8	2.12	217117086	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL297UH110XE60C	R-454B	46000	18.5	12.2	47500	35000	29000	8.2	6.8	2.14	217121628	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL297UH110XV48C	R-454B	46500	20	11.7	49000	35800	29600	8.2	6.8	2.14	217117079	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	EL297UH110XV60C	R-454B	47000	20	12	49000	35800	29600	8.2	6.9	2.14	217117088	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML180UH090E48B	R-454B	46500	19	12.2	47500	35000	29000	8.2	6.8	2.14	217121627	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML180UH090E60C	R-454B	46000	18.5	12.2	47500	35000	29000	8.2	6.8	2.14	217121614	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML180UH110E60C	R-454B	47000	19.5	12	48000	35600	29400	8.2	6.9	2.14	217121615	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML180UH110V60C	R-454B	47000	20	12.4	47500	35200	29200	8.2	6.8	2.16	217121616	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML180UH110XE60C	R-454B	47000	19.5	12	48000	35600	29400	8.2	6.9	2.14	217121617	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML193UH090XE48C	R-454B	46000	19	12	47500	35200	29200	8.2	6.8	2.12	217121618	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML193UH110XE48C	R-454B	46500	19	12.2	47500	35200	29200	8.2	6.8	2.14	217121619	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML193UH110XE60C	R-454B	46500	19	12	48000	35400	29400	8.2	6.8	2.14	217121620	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML196UH090XE48C	R-454B	46000	19	12	47500	35200	29200	8.2	6.8	2.14	217121621	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML196UH090XE60C	R-454B	46500	19	12	48000	35600	29400	8.2	6.8	2.14	217121622	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML196UH110XE60C	R-454B	46500	18.5	12.2	47500	35200	29200	8.2	6.8	2.14	217121623	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML197UH080XE48C	R-454B	45500	19.5	12	44500	35200	29200	8.1	6.7	2.12	218747700	N/A
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML296UH090XV48C	R-454B	46500	19	12	48000	35200	29200	8.1	6.7	2.14	217121624	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML296UH110XV60C	R-454B	46500	19	12.2	48000	35200	29200	8	6.7	2.14	217121971	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML297UH090XV60C	R-454B	46000	19.5	11.7	45500	35800	29800	7.8	6.6	2.1	218695156	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	ML297UH110XV60C	R-454B	46500	19	12.2	45500	35800	29600	8	6.6	2.1	218690727	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL280UH080NV60C	R-454B	47000	20.5	12.2	48000	35600	29400	8.5	6.9	2.16	217117072	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL280UH090V60C	R-454B	47000	20	12	48000	35600	29600	8.2	6.9	2.14	217117073	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL280UH090XV60C	R-454B	47000	20	12	48000	35600	29600	8.2	6.9	2.14	217117074	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL280UH100NV60C	R-454B	47000	20	12	48000	35600	29600	8.2	6.9	2.14	217117076	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL280UH110V60C	R-454B	47000	20	12	48000	35600	29600	8.2	6.9	2.14	217117078	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL280UH110XV60C	R-454B	47000	20	12	48000	35600	29600	8.2	6.9	2.14	217117079	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL297UH080NV48C	R-454B	46500	19.5	11.2	48000	36400	30400	8.2	6.8	2.06	217117080	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SL297UH080NV60C	R-454B	46500	20	11.7	49000	35800	29600	8.2	6.9	2.14	217117081	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SLP99UH090XV48C	R-454B	46500	20	11.7	49000	35800	29800	8.2	6.8	2.12	217117082	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SLP99UH090XV60C	R-454B	46500	19.5	11.7	49000	35800	29800	8.2	6.8	2.12	217117083	No
EL21KLV-048-230A**	CK40[C],UJT-50/60C-**-TDR	SLP99UH110XV60C	R-454B	47000	20	12	49000	35800	29600	8.2	6.8	2.14	217117084	No
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	---	R-454B	46000	16.5	11.2	48500	40500	34800	9	7.5	2.1	217117095	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL180UH100NE60C	R-454B	47500	19.5	11.7	47500	40500	34800	9.6	7.5	2.12	217121641	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL195UH100NE60C	R-454B	46500	17.5	11.5	47000	40000	34600	9	7.4	2.08	217121972	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL196UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	7.5	2.1	217121642	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL196UH110XE60C	R-454B	47000	19	12	47500	39500	34000	8.5	7.5	2.12	217121973	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL280UH110E48C	R-454B	47500	20.5	12.2	47000	39500	34200	9.6	7.5	2.14	217121643	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL280UH110E60C	R-454B	47500	19.5	12.2	46500	39500	34000	9.6	7.5	2.14	217121644	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL280UH110XE60C	R-454B	47500	19.5	12.2	46500	39500	34000	9.6	7.5	2.14	217121645	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL297UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	7.5	2.12	217121656	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL297UH090XV48C	R-454B	47000	20	11.7	47000	39500	34400	9.5	7.5	2.1	217117118	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL297UH090XV60C	R-454B	47000	20	11.7	47000	39500	34400	9.5	7.5	2.1	217117119	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XE60C	R-454B	47000	19	12	46500	39500	34200	9.5	7.5	2.12	217121657	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XV48C	R-454B	47500	20.5	11.7	46500	39500	34200	9.5	7.5	2.1	217117120	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XV60C	R-454B	47500	20	11.7	46500	39500	34200	9.5	7.5	2.1	217117121	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	ML180UH090E60C	R-454B	47000	19.5	12	46500	39500	34000	9.5	7.5	2.12	217121646	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110E60C	R-454B	47500	20	12	47000	40000	34400	9.6	7.5	2.14	217121647	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110V60C	R-454B	47500	20.5	12.2	47000	39500	34000	9	7.4	2.14	217121648	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110XE60C	R-454B	47500	20	12	47000	40000	34400	9.6	7.5	2.14	217121649	Both
EL21KLV-048-230A**	CK40[C],UJT-60C-**-TDR	ML193UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	7.5	2.12	217121650	Both
EL21KLV-048-230A**	CK40[C													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	47000	19.5	12	48000	39500	34200	9	7.4	2.12	217121654	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	47000	20	12	47500	39500	34000	9	7.4	2.12	217121655	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	ML297UH090XV60C	R-454B	46000	20	11.7	44500	34400	31000	8.2	6.7	2	218695157	No
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	ML297UH110XV60C	R-454B	47000	20	12	45000	34600	31200	9	6.7	2	218690728	No
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	47500	20.5	12	47500	39500	34000	9.5	7.5	2.12	217117107	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	47500	20.5	12	47500	39500	34200	9.5	7.5	2.12	217117108	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	47500	20.5	12	47500	39500	34200	9.5	7.5	2.12	217117109	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	47500	20.5	12	47500	39500	34200	9.5	7.5	2.12	217117110	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	47500	20	12	46500	39500	34200	9.5	7.5	2.1	217117111	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	47500	20	12	46500	39500	34200	9.5	7.5	2.1	217117112	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV48C	R-454B	47000	19.5	11.2	47000	40000	34800	9.4	7.4	2.06	217117113	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	47000	20	11.7	46500	39500	34200	9.5	7.5	2.1	217117114	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV48C	R-454B	47000	20	11.7	47000	39500	34400	9.5	7.5	2.1	217117115	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	47000	20	11.7	47000	39500	34400	9.5	7.5	2.1	217117116	Both
EL21KLV-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	47500	20	11.7	46500	39500	34200	9.5	7.5	2.1	217117117	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	- - -	R-454B	46500	15.7	11.2	48500	41000	35000	8.2	7.3	1.98	217117096	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	EL297UH110XV60C	R-454B	47500	20	12.2	47500	40000	34000	9	7.2	1.98	217117105	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XE60D	R-454B	47500	18	12.2	47500	40000	34000	9	7.3	2	217121637	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	48000	20	12.2	47500	40000	34000	9	7.3	2	217117106	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	ML180UH135E60D	R-454B	47000	18.5	12.2	47500	40000	33800	9	7.3	1.98	217121635	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	ML196UH135XE60D	R-454B	48000	17.5	12.2	48000	40500	34200	9	7.3	2	217121636	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	ML197UH080XE48C	R-454B	47500	19.5	12	44000	36400	30800	8.2	6.7	1.88	218747716	N/A
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	ML297UH090XV60C	R-454B	47500	20	12	44000	36400	31000	8	6.6	1.88	218695158	No
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	ML297UH135XV60D	R-454B	47500	20	12	44000	36400	30800	8.1	6.6	1.88	218695124	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	48000	20	12.4	47500	40000	33800	9	7.3	2	217117101	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	SL297UH080NV48C	R-454B	47500	19.5	11.5	48000	40500	34400	9	7.2	1.96	217117102	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	SL297UH080NV60C	R-454B	47500	20	12	47500	40000	34000	9	7.2	1.98	217117103	Both
EL21KLV-048-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	48000	20	12.2	47500	40000	34000	9	7.3	1.98	217117104	Both
EL21KLV-048-230A**	CK40DT-48C-***TDR	- - -	R-454B	46000	17	11	51000	39000	32600	8.1	6.9	2.04	217443372	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	6.9	2.04	217443403	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	7	2.04	217443404	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	47000	19	11.7	50500	39000	32200	8	6.7	2.04	217443391	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	47000	19	11.7	50500	39000	32800	8	6.7	2.02	218690654	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	47000	20	11.7	50500	39000	32600	8	6.8	2.02	218695118	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	46500	20.5	11.7	50500	38500	32200	8.2	6.9	2.04	217443401	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	47000	20.5	12	50000	38500	32000	8.2	6.9	2.06	217443392	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	47000	20.5	12	50000	38500	32000	8.2	6.9	2.06	217443394	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	6.9	2.02	217443397	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	6.9	2.02	217443398	No
EL21KLV-048-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	6.9	2.04	217443399	No
EL21KLV-048-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	48000	20	12	52000	44500	39500	8.2	7.2	1.98	218695119	Both
EL21KLV-048-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	46500	19	12	48000	41500	33400	8.1	6.8	1.96	217121633	No
EL21KLV-048-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	46500	18.5	11.7	48000	42000	33600	8	6.7	1.94	217121634	No
EL21KLV-048-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	46500	19.5	11.5	49000	42000	33800	8.2	6.9	1.94	217117097	No
EL21KLV-048-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	47500	19.5	13.4	47000	40500	32200	8.5	6.9	2.04	217117098	No
EL21KLV-048-230A**	CK40HT-48B-***TDR	SL280UH090XV48B	R-454B	47500	19.5	13.4	47000	40500	32200	8.5	6.9	2.04	217117099	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	46000	18.5	11.7	44000	38500	33600	8.1	6.8	1.96	217121598	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	45000	18	11.5	43500	38000	33600	7.8	6.7	1.94	217121599	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	46000	19.5	11.5	44000	38500	34200	8.1	6.8	1.96	217117068	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	46000	19.5	11.7	44000	38500	34000	8.1	6.8	1.96	217117069	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	46000	20	11.7	44000	38000	34000	8.1	6.8	1.96	217117070	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	46000	19.5	11.7	44000	38000	34000	8.1	6.8	1.96	217117071	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	46000	18.5	11.7	44000	38000	33400	8.1	6.8	1.96	217121600	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	46000	19	12	43500	38000	33200	8.2	6.8	1.98	217121601	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	46500	19.5	12.2	43500	38000	33200	7.8	6.7	1.98	217121602	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	46000	19	12	43500	38000	33200	8.2	6.8	1.98	217121603	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	46000	18.5	12	43500	38000	33200	8.1	6.8	1.96	217121604	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	46000	18.5	11.7	43500	38000	33200	8.1	6.8	1.96	217121605	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	45000	19	11.7	43500	38500	33400	8.2	6.9	1.92	218747717	N/A
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	46000	18.5	11.7	44500	38000	33600	7.8	6.7	1.98	217121606	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	46000	18.5	12	44500	38000	33400	7.8	6.7	1.98	217121607	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	45000	19	11.5	45000	39500	34000	7.8	6.7	1.92	218695159	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	46000	18.5	12	44500	39500	34000	7.8	6.7	1.92	218690729	No
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH080NV48B	R-454B	46000	20	11.7	44000	38500	34200	8.1	6.8	1.96	217117067	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	46000	20	12	43500	38000	33800	8.2	6.8	1.98	217117056	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	46000	20	11.7	44000	38000	33800	8.2	6.8	1.96	217117057	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	46000	20	11.7	44000	38000	33800	8.2	6.8	1.96	217117058	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	46000	20	12	44000	38000	33800	8.2	6.8	1.96	217117059	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH110V60C	R-454B	46000	19.5	12	44000	38000	33800	8.1	6.8	1.96	217117060	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	46000	19.5	12	44000	38000	33800	8.1	6.8	1.96	217117061	Both
EL21KLV-048-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	45500	19	11	44000	39000	34800	8	6.7	1.92		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	- - -	R-454B	45000	16	11	44500	37200	34000	8.2	7.1	2.02	217443371	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL180UH100NE60C	R-454B	46000	18.5	11.5	43500	36800	33400	8.5	7.1	2.02	217443373	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL195UH100NE60C	R-454B	45500	18	11.5	43000	36600	33400	8.5	7.1	2.02	217443374	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	46000	19.5	12	43000	36200	32800	8.5	7.1	2.04	217443375	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV48C	R-454B	46000	20	11.7	43500	36800	33400	8.5	7.1	2.04	217443400	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	46000	19.5	11.7	43500	36600	33400	8.5	7.1	2.04	217443402	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	46000	20	11.7	43500	36600	33200	8.5	7.1	2.04	217443405	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	46000	20	11.7	43500	36600	33200	8.5	7.1	2.04	217443406	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	45500	19	11.7	43500	36400	33200	8.5	7.1	2.04	217443376	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	46500	19.5	12	43500	36400	33000	8.2	7	2.06	217443377	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	45500	19	11.7	43500	36400	33200	8.5	7.1	2.04	217443378	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	45500	18.5	11.7	43500	36400	33200	8.5	7.1	2.04	217443379	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	45500	18.5	11.7	43500	36400	33200	8.5	7.1	2.02	217443380	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML197UH080XE48C	R-454B	45500	19	11.7	43500	37600	33200	8	6.9	1.96	218747718	N/A
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	46000	18.5	11.7	44000	36800	33400	8	6.9	2.04	217443381	No
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	46000	19	11.7	44000	36400	33200	8.1	7	2.04	217443382	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	46000	20	11.7	44000	36400	33200	8.5	7.1	2.04	217443383	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	46000	20	12	43500	36400	33200	8.5	7.1	2.04	217443384	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	46000	20	12	43500	36400	33200	8.5	7.1	2.04	217443385	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	46000	19.5	11.7	44000	36600	33200	8.5	7.1	2.04	217443386	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	46000	20	12	43500	36400	33200	8.5	7.1	2.04	217443387	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	46000	20	12	43500	36400	33200	8.5	7.1	2.04	217443388	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV48C	R-454B	45500	19	11	43500	37400	34200	8.2	7	1.98	217443389	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	46000	19.5	11.7	44000	36800	33400	8.5	7.1	2.04	217443390	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV48C	R-454B	46000	20	11.7	43500	36600	33400	8.5	7.1	2.04	217443393	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	46000	19.5	11.7	43500	36600	33400	8.5	7.1	2.04	217443395	Both
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	46000	20	11.7	43500	36600	33200	8.5	7.1	2.04	217443396	Both
EL21KLV-048-230A**	CK40HT-60D-**+TDR	- - -	R-454B	46000	16	11.5	47000	40500	32200	8.5	6.9	1.92	217117055	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	47000	20.5	12.4	45500	39500	31400	8.5	7	1.96	217117093	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	47000	18	12.4	45500	39500	31400	8.5	7	1.94	217121630	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	47000	20.5	12.6	45500	39500	31400	8.5	7	1.96	217117094	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	47500	18.5	12.2	46000	40000	31800	8.5	7	1.96	217121625	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	47500	18	12.4	46000	40000	31600	8.5	7	1.96	217121626	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML197UH080XE48C	R-454B	47000	19.5	12	42500	37400	31600	8.2	6.7	1.94	218747719	N/A
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML297UH090XV60C	R-454B	47000	20	12	43000	37400	31600	7.8	6.6	1.94	218695160	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML297UH135XV60D	R-454B	47000	20	12	43000	37400	31600	8	6.6	1.94	218695125	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	47000	20.5	12.4	45500	39500	31400	8.5	7	1.96	217117089	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	47000	20.5	12.6	45500	39500	31200	8.5	7	1.96	217117075	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL297UH080NV48C	R-454B	47000	20.5	12.4	46000	39500	31400	8.5	7	1.94	217117090	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	47000	20	12.2	46000	40000	31600	8.5	7	1.94	217117091	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	47000	20.5	12.4	46000	39500	31400	8.5	7	1.94	217117092	No
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	47000	20.5	12.6	45500	39500	31400	8.5	7	1.96	217117077	No
EL21KLV-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	54000	17	11.2	52500	45500	38500	8.5	7.3	2.16	217121528	Both
EL21KLV-060-230A**	CBK45UHV-060-230-**	- - -	R-454B	54000	19	11.5	52500	45500	38500	8.5	7.1	2.16	217121526	Both
EL21KLV-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	53500	18.5	11.2	54000	43500	38000	8.5	7.2	2.16	217121527	No
EL21KLV-060-230A**	CBK47UHV-060-460-**	- - -	R-454B	53500	18.5	11.2	55000	43500	38000	8.5	7.2	2.16	217595416	No
EL21KLV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	55500	20	11.5	55500	44000	38500	9	7.2	2.14	217116999	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL180UH100NE60C	R-454B	55000	19.5	11	54500	46000	35800	8.5	7	2.08	217121488	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	55000	19	11.2	54000	45500	35400	8.5	7	2.12	217121489	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	55500	19.5	11.2	54500	45500	35600	8.5	7	2.12	217121490	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	55500	19.5	11.2	54500	45500	35600	8.5	7	2.12	217121491	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	54000	20	11.2	54500	46000	36000	8.5	7	2.1	217117014	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	54000	20	11.5	54500	46000	35800	8.5	7.1	2.1	217117017	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	55500	19	11.2	54500	46000	35600	8.5	7	2.1	217121492	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	55500	19.5	11.2	54000	45500	35600	8.5	7	2.12	217121493	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	55500	19.5	11.2	54000	45500	35600	8.5	7	2.12	217121494	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	55000	19.5	11.2	54000	45500	35400	8.5	7	2.12	217121495	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	55500	19	11.2	54500	46000	35800	8.5	7	2.1	217121496	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	54500	20.5	11.7	54000	45500	35600	8.5	7.1	2.12	217117003	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	54500	20	11.5	54000	45500	35400	8.5	7.1	2.12	217117004	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	54500	20	11.5	54000	45500	35400	8.5	7.1	2.12	217117005	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	54500	20.5	11.7	54000	45500	35600	8.5	7.1	2.12	217117006	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	54500	20	11.5	54000	45500	35600	8.5	7.1	2.12	217117008	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	54500	20	11.5	54000	45500	35600	8.5	7.1	2.12	217117010	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	54000	20	11.5	54500	46000	35800	8.5	7.1	2.1	217117011	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	54000	19.5	11.5	54500	46000	35800	8.5	7	2.1	217117012	No
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	54000	20	11.5	54500	46000	35800	8.5	7.1	2.1	217117013	No
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	- - -	R-454B	54000	16	11.2	54000	43500	34600	8.5	7	2.14	217117022	No
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	55500	19.5	11.5	53500	44000	35000	8.5	7	2.14	217121507	No
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	55000	19	11.7	52500	43500	34400	8.5	7	2.14	217121508	No
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	55000	20	11.7	53500	44000	35000	8.5	7.1	2.16	217117033	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH070V48B	R-454B	55500	20	12	52500	43000	34200	8.2	6.9	2.18	217121521	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	56000	19.5	11.7	53500	44000	34800	8.5	7	2.16	217121512	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	56000	20	11.7	53000	44000	34800	8.5	7	2.16	217121513	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	55000	20.5	12.2	52000	42500	33800	8.5	6.9	2.18	217121514	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	56000	20	11.7	53000	44000	34800	8.5	7	2.16	217121515	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	55500	19.5	11.7	53000	43500	34600	8.5	7	2.16	217121516	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	55500	19.5	11.7	53000	43500	34600	8.5	7	2.14	217121517	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	56000	19	11.5	53500	44000	35000	8.5	7	2.14	217121518	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	55000	19.5	12	53500	43000	34200	8.2	6.9	2.16	217121519	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	55000	19.5	12	52500	43000	34200	8.2	6.9	2.16	217121520	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	7.1	2.16	217117023	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	55000	20.5	12	53000	43500	34600	8.5	7.1	2.18	217117024	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	55000	20.5	12	53000	43500	34600	8.5	7.1	2.18	217117025	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	7.1	2.16	217117026	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	7.1	2.16	217117027	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	7.1	2.16	217117028	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	55000	20	11.7	53500	44500	35200	8.5	7.1	2.14	217117029	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	55000	20	11.7	53500	44000	35000	8.5	7.1	2.14	217117030	No
EL21KLV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	55000	20	11.7	53500	44000	35000	8.5	7.1	2.16	217117031	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	- - -	R-454B	52500	16	11.2	54000	40500	34600	8.5	7	2.14	217117021	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH110XV60C	R-454B	53000	20	11.7	53000	40500	34600	8.5	7.1	2.14	217117036	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XE60D	R-454B	53500	18.5	11.2	53000	40500	34600	8.5	7.1	2.12	217121525	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	53000	20.5	11.7	53000	40000	34400	8.5	7.1	2.14	217117037	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	ML180UH135E60D	R-454B	54000	19	11.5	52500	40000	34200	8.5	7.1	2.14	217121523	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	ML196UH135XE60D	R-454B	53500	18.5	11.7	52500	40000	34000	8.5	7.1	2.14	217121524	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	53000	20.5	11.7	52500	40000	34200	9	7.2	2.16	217117034	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	SL297UH080NV60C	R-454B	53000	20.5	11.7	53000	40500	34600	8.5	7.1	2.14	217117035	No
EL21KLV-060-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	53000	20.5	11.7	53000	40000	34400	8.5	7.1	2.14	217117122	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	52000	17.5	10.5	54500	42500	32800	8.5	6.9	2.14	217443110	N/A
EL21KLV-060-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	53000	18.5	11	54500	43000	32800	8.5	7	2.16	217443111	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	53000	18.5	11	54500	43000	32800	8.5	7	2.16	217443112	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	53000	18.5	11	54500	43000	32800	8.5	7	2.16	217443113	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	52500	18	11	54500	42500	32600	8.5	7	2.16	217443114	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	52500	18	11	54500	42500	32600	8.5	7	2.16	217443115	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	52500	18.5	11	54000	42500	32600	8.5	7	2.16	217443116	No
EL21KLV-060-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	52500	18	10.5	54500	43000	32800	8.5	7	2.14	217443117	N/A
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	EL180UH100NE60C	R-454B	52500	18.5	10.5	54500	42500	31800	8.5	6.9	2.04	217493294	N/A
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	53000	18	11	53500	42000	31400	8.5	6.9	2.08	217493276	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	53500	18.5	11	54000	42500	31800	8.5	6.9	2.08	217493277	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	53500	18.5	11	54000	42500	31800	8.5	6.9	2.08	217493278	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	52500	19.5	11.2	55000	43000	32000	8.5	6.9	2.06	217493292	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	6.9	2.06	217493293	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	53000	18	10.5	54500	42500	31800	8.5	6.9	2.06	217493295	N/A
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	53000	18.5	11	54500	42500	31600	8.5	6.9	2.08	217493279	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	53000	18.5	11	54000	42500	31600	8.5	6.9	2.08	217493280	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	53000	18.5	11	54000	42500	31600	8.5	6.9	2.08	217493281	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	52500	18.5	11	53500	42000	31400	8.5	6.9	2.06	217465361	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	53000	18	10.5	54500	42500	31800	8.5	6.9	2.06	217493296	N/A
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	52500	18.5	11.2	53000	41500	31200	8.2	6.7	2.08	217493282	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	53000	18.5	11.2	53000	41500	31000	8.2	6.8	2.1	217493283	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	6.9	2.06	217493284	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	53000	19.5	11.2	54500	42500	31600	8.5	7	2.1	217493285	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	53000	19.5	11.2	54000	42500	31600	8.5	7	2.1	217493286	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	6.9	2.06	217493287	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	53000	19.5	11.2	54500	42500	31600	8.5	6.9	2.08	217493288	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	53000	19.5	11.2	54500	42500	31600	8.5	6.9	2.08	217493289	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SL297UH080NV60C	R-454B	52500	19	11	55000	43000	32000	8.5	6.9	2.06	217493290	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV60C	R-454B	52500	19.5	11	54500	42500	32000	8.5	6.9	2.06	217454968	No
EL21KLV-060-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	6.9	2.08	217493291	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	- - -	R-454B	52500	15	10.7	54000	44000	35800	8.5	7	2.08	217117002	N/A
EL21KLV-060-230A**	CK40HT-60D-***TDR	EL180UH100NE60C	R-454B	54500	19	11.5	53500	44000	35800	8.5	7	2.06	217121502	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	EL196UH110XE60C	R-454B	54500	18.5	11.7	53000	43500	35600	8.5	7	2.08	217121503	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	EL297UH110XV60C	R-454B	54000	19.5	11.7	52500	43500	35400	8.5	7	2.08	217117019	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	54500	17.5	11.5	53000	44000	35800	8.5	7	2.06	217121506	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	54000	19.5	11.7	52500	43500	35200	8.5	7	2.08	217117020	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	ML180UH090E60C	R-454B	55000	19	11.5	53000	44000	35800	8.5	7	2.08	217121497	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	ML180UH110E60C	R-454B	55000	19.5	11.7	53000	43500	35600	8.5	7	2.08	217121498	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	ML180UH110XE60C	R-454B	55000	19.5	11.7	53000	43500	35600	8.5	7	2.08	217121504	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	54500	18	11.7	53000	43500	35400	8.5	7	2.08	217121499	No
EL21KLV-060-230A**	CK40HT-60D-***TDR	ML193UH110XE60C	R-454B	54500	19	11.7								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	CK40HT-60D-**-**TDR	SL297UH080NV60C	R-454B	54000	19.5	11.7	53000	43500	35600	8.5	7	2.06	217117016	No
EL21KLV-060-230A**	CK40HT-60D-**-**TDR	SLP99UH090XV60C	R-454B	54000	19.5	11.7	52500	43500	35400	8.5	7	2.08	217117018	No
EL21KLV-060-230A**	CK40HT-60D-**-**TDR	SLP99UH135XV60D	R-454B	54000	19.5	11.7	52500	43500	35200	8.5	7	2.08	217117009	No
ML14KP1-018-230A**	CBK43UHET-018-DV-**-**	---	R-454B	18600	15.5	12.5	16200	10400	8200	7.5	6.1	2.01	218330843	N/A
ML14KP1-018-230A**	CBK43UHET-024-DV-**-**	---	R-454B	18000	15.5	12.5	16000	10300	8200	7.5	6.6	2	218330844	N/A
ML14KP1-018-230A**	CBK45UHET-024-230-**-**	---	R-454B	18000	16	13.8	17600	10800	8200	7.8	6.6	2	215685483	No
ML14KP1-018-230A**	CBK45UHPT-018-230-**-**	---	R-454B	18000	14.3	12.8	17900	10900	8100	7.5	6.35	1.86	215685480	N/A
ML14KP1-018-230A**	CBK45UHPT-024-230-**-**	---	R-454B	18000	15.2	13.2	17800	10900	8400	7.8	6.6	1.98	215685482	No
ML14KP1-018-230A**	CBK45UHV-018-230-**-**	---	R-454B	18000	16	13.6	17700	10700	8100	7.8	6.6	1.86	215685481	No
ML14KP1-018-230A**	CBK45UHV-024-230-**-**	---	R-454B	18000	16	13.8	17700	10800	8400	7.8	6.6	1.98	215685484	No
ML14KP1-018-230A**	CBK47UHET-018-230-**-**	---	R-454B	18000	15.5	13.6	17600	10500	8300	7.8	6.6	2.04	215685486	No
ML14KP1-018-230A**	CBK47UHET-024-230-**-**	---	R-454B	18000	15.5	13.6	17700	10500	8300	7.8	6.6	2.08	217219630	No
ML14KP1-018-230A**	CBK48MVT-018/024-230-**-**	---	R-454B	18000	16	13.8	17700	10500	8300	7.8	6.6	2.06	215685485	No
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17400	10400	7800	7.5	6.35	1.9	215685487	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	EL280UH045E36A	R-454B	18000	15.5	13.6	17800	10500	8000	7.5	6.35	1.9	215685488	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	EL280UH070E36A	R-454B	18000	16	14	17700	10400	7800	7.5	6.35	1.9	215685489	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	EL280UH070XE36A	R-454B	18000	16	14	17700	10400	7800	7.5	6.35	1.9	215685490	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10300	7800	7.5	6.35	1.92	215685491	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH045E36A	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685492	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH045V36A	R-454B	18000	16	14	17400	10300	7800	7.5	6.35	1.92	215685493	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH045XE36A	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685494	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH070E36A	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685495	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH070V36A	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685496	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	ML180UH070XE36A	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685497	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	SL280UH060NV36A	R-454B	18000	16	14	17600	10300	7800	7.5	6.35	1.92	215685498	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	SL280UH070V36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685499	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685500	N/A
ML14KP1-018-230A**	CK40[C],UJT-24A-**-**TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.88	215685501	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	6.35	1.92	215685502	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	6.35	1.88	215685503	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	6.35	1.88	215685504	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL196UH070XE36B	R-454B	18000	16	13.6	17600	10400	7800	7.5	6.35	1.88	215685505	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL280UH090E36B	R-454B	18000	16	13.8	17600	10400	7900	7.5	6.35	1.92	215685506	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685507	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685508	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.9	215685509	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685510	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML180UH070E36B	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685511	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17400	10300	7700	7.5	6.35	1.92	215685512	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML180UH070V48B	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685513	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML180UH070XE36B	R-454B	18000	16	14	17600	10400	7800	7.5	6.35	1.92	215685514	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	7800	7.5	6.35	1.96	215685515	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10500	7900	7.5	6.35	1.9	215685516	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685517	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685518	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	6.35	1.88	215685519	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	6.35	1.88	215685520	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	6.35	1.9	215685521	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML197UH030XE36B	R-454B	18000	16	13.5	17800	10500	7900	7.5	6	1.88	218745128	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML197UH060XE36B	R-454B	18000	16	13.5	17500	10300	7800	7.5	6	1.9	218745140	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.9	215685522	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	6.35	1.9	215685523	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17800	10500	8000	7.5	6.35	1.9	215685524	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	SL280UH090V36B	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685525	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	SL280UH090V48B	R-454B	18000	16	14	17700	10400	7800	7.5	6.35	1.92	215685526	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	6.35	1.92	215685527	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	6.35	1.9	215685528	N/A
ML14KP1-018-230A**	CK40[C],UJT-24B-**-**TDR	SLP99UH070XV36B	R-454B	18000	16	14	17500	10300	7800	7.5	6.35	1.92	215685529	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	EL180UH040NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	6.35	1.94	215685530	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	EL180UH060NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	6.35	1.94	215685531	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	EL280UH045E36A	R-454B	18000	16	13.4	17800	10500	8200	7.5	6.35	1.94	215685532	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	6.35	1.98	215685533	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	6.35	1.98	215685534	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH030V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	6.35	1.96	215685535	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH045E36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685536	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH045V36A	R-454B	18000	16.5	14	17400	10200	8000	7.5	6.35	1.96	215685537	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH045XE36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685538	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685539	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH070V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	6.35	1.96	215685540	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685541	N/A
ML14KP1-018-230A**	CK40[C],UJT-30A-**-**TDR	SL280UH060NV3												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685547	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	6.35	1.94	215685548	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.94	215685549	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	18000	16	13.6	17600	10300	8100	7.5	6.35	1.96	215685550	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.96	215685551	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685552	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.96	215685553	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685554	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685555	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685556	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14	17400	10200	8000	7.5	6.35	1.98	215685557	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	18000	16.5	13.8	17500	10300	8000	7.5	6.35	1.96	215685558	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	6.35	1.96	215685559	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	8000	7.5	6.35	2	215685560	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.6	17800	10400	8200	7.5	6.35	1.96	215685561	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	8100	7.5	6.35	1.96	215685562	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685563	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	6.35	1.94	215685564	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	6.35	1.94	215685565	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685566	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685567	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.94	215685568	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17700	10400	8200	7.5	6.35	1.94	215685569	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	18000	16.5	14	17500	10300	8000	7.5	6.35	1.98	215685570	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	18000	16.5	13.8	17700	10300	8000	7.5	6.35	1.96	215685571	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.6	17700	10400	8100	7.5	6.35	1.96	215685572	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	6.35	1.98	215685573	N/A
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	6.35	1.96	215685574	N/A
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	6.6	1.9	215685669	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	18000	15.5	13.4	18000	11100	8400	7.8	6.6	1.94	215685670	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	18000	15.2	13	18000	11200	8400	7.8	6.6	1.9	215685671	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	6.6	1.9	215685672	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	6.6	1.9	215685673	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	6.6	1.92	215685674	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	6.6	1.94	215685675	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	6.6	1.92	215685676	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	18000	15.2	13	18000	11200	8500	7.8	6.6	1.92	215685677	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	18000	14.7	12.8	18000	11300	8500	7.8	6.6	1.88	215685678	N/A
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	18000	15.5	13.2	18000	11100	8300	7.8	6.6	1.92	215685679	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	18000	15.5	13.4	18000	11100	8300	7.8	6.6	1.92	215685680	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	6.6	1.94	215685681	No
ML14KP1-018-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	18000	14.3	12.4	18000	11400	8700	7.5	6.35	1.88	215685682	N/A
ML14KP1-018-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	6.6	1.88	215685683	N/A
ML14KP1-018-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	6.6	1.86	215685684	N/A
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	6.6	1.94	215685575	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	6.6	1.94	215685576	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	18000	15.5	13.4	17800	11100	8100	7.8	6.6	1.92	215685577	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	6.6	1.96	215685578	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	6.6	1.96	215685579	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	6.6	1.92	215685580	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	6.6	1.94	215685581	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	18000	16	14	17500	10900	7900	7.8	6.6	1.94	215685582	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	6.6	1.94	215685583	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	6.6	1.96	215685584	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	18000	16	13.8	17600	10900	8000	7.8	6.6	1.96	215685585	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	6.6	1.96	215685586	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	6.6	1.96	215685587	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	6.6	1.92	215685588	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	6.6	1.92	215685589	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685590	N/A
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685591	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	6.35	1.92	215685592	N/A
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685593	N/A
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685594	N/A
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	6.6	1.96	215685595	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685596	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685597	N/A
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	6.6	1.94	215685598	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685599	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	6.6	1.94	2156	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML193UH045XE36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	6.6	1.94	215685606	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	6.6	1.96	215685607	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	6.35	1.92	215685608	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685609	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	6.35	1.94	215685610	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML197UH030XE36B	R-454B	18000	15.5	13.5	18000	11000	8400	7.8	6.1	1.92	218745130	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML197UH060XE36B	R-454B	18000	16	13.5	17900	10800	8200	7.8	6.1	1.94	218745144	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML296UH045XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	6.6	1.94	215685611	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	ML296UH070XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	6.6	1.94	215685612	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	18000	11000	8400	7.5	6.35	1.92	215685613	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	SL280UH090V36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	6.6	1.96	215685614	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	SL280UH090V48B	R-454B	18000	16	13.8	18000	10900	8300	7.8	6.6	1.96	215685615	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	SL297UH040NV36B	R-454B	18000	15.5	13.6	18000	10900	8300	7.5	6.35	1.94	215685616	N/A
ML14KP1-018-230A**	CK40HT-24B-***TDR	SL297UH060NV36B	R-454B	18000	16	13.6	17900	10900	8300	7.8	6.6	1.96	215685617	No
ML14KP1-018-230A**	CK40HT-24B-***TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	6.6	1.94	215685618	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	6.35	1.9	215685619	N/A
ML14KP1-018-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	6.35	1.96	215685620	N/A
ML14KP1-018-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	6.35	1.96	215685621	N/A
ML14KP1-018-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	18000	16	13.8	17900	10600	8300	7.8	6.6	1.96	215685622	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	6.6	2	215685623	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	6.6	2	215685624	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	2	215685625	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685626	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	18000	16	14.2	17600	10500	8100	7.8	6.6	1.98	215685628	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685627	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685629	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685630	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685631	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	6.6	1.98	215685632	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	6.6	1.96	215685633	No
ML14KP1-018-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	6.6	1.96	215685634	No
ML14KP1-018-230A**	CK40HT-30B-***TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	6.35	1.88	215685635	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL180UH080NE48B	R-454B	18000	14.7	12.8	18000	11000	8600	7.5	6.35	1.9	215685636	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	6.35	1.98	215685637	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685638	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	6.35	1.94	215685639	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	6.35	1.98	215685640	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	6.35	1.98	215685641	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	6.35	1.98	215685642	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	6.35	1.98	215685643	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	6.35	1.98	215685644	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685645	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.98	215685646	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	6.35	1.98	215685647	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17500	10400	8000	7.5	6.35	1.98	215685648	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	18000	16.5	14.2	17600	10400	8100	7.5	6.35	1.98	215685649	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	6.35	1.98	215685650	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	18000	17	14.4	17600	10400	8100	7.5	6.35	2.02	215685651	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10700	8300	7.5	6.35	1.98	215685652	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	18000	16.5	14	17700	10600	8200	7.5	6.35	1.98	215685653	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	18000	16.5	14	17700	10500	8200	7.5	6.35	2	215685654	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	6.35	1.94	215685655	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	6.35	1.98	215685656	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	6.35	1.98	215685657	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML197UH030XE36B	R-454B	18000	16	13.5	17800	10700	8200	7.8	6.1	1.96	218745132	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML197UH060XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.8	6.1	1.98	218745146	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML296UH045XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.98	215685658	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	ML296UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685659	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	SL280UH080NV48B	R-454B	18000	15.5	13.6	17700	10600	8300	7.5	6.35	1.96	215685660	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	SL280UH090V36B	R-454B	18000	16.5	14.2	17500	10400	8100	7.5	6.35	2	215685661	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	SL280UH090V48B	R-454B	18000	16.5	14.2	17700	10600	8200	7.8	6.6	2	215685662	No
ML14KP1-018-230A**	CK40HT-30B-***TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	6.35	1.98	215685663	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	SL297UH060NV36B	R-454B	18000	16	14	17600	10500	8100	7.5	6.35	1.96	215685664	N/A
ML14KP1-018-230A**	CK40HT-30B-***TDR	SLP99UH070XV36B	R-454B	18000	16.5	14	17600	10400	8100	7.5	6.35	1.98	215685665	N/A
ML14KP1-024-230A**	CBK43UHET-018-DV-**	- - -	R-454B	22800	15.2	12	20400	12900	10600	7.8	6.6	2.04	218330845	No
ML14KP1-024-230A**	CBK43UHET-024-DV-**	- - -	R-454B	23200	15.2	12.5	20600	13200	10200	7.5	6.08	1.92	218330846	N/A
ML14KP1-024-230A**	CBK43UHET-030-DV-**	- - -	R-454B	22800	15.2	12.5	20400	12900	11000	7.8	6.6	2.04	218330847	N/A
ML14KP1-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	24000	15.2	13	22000	13900	11000	7.8	6.7	2.06	215710130	No
ML14KP1-024-230A**	CBK45UHET-030-230-**	- - -	R-454B	24000	16	13.8	22000	14200	11300	8.1	6.95	2.16	215710131	No
ML14KP1-024-230A**	CBK45UHPT-024-230-**	- - -	R-454B	23400	14.3	12.4	22000	14000	11000	7.8	6.7	1.98	215710129	N/A
ML14KP1-024-230A**	CBK45UHPT-030-230-**	- - -	R-454B	23600	14.3	12.4	22200	14500	11500	7.5	6.45	2.04	215710132	N/A
ML14KP1-024-230A**	CBK45UHV-024-230-**	- - -	R-454B	23800	14.7	12.8	22000	13900	110					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CBK48MVT-018/024-230-**	---	R-454B	23800	15.2	12.8	22200	14100	11200	8.2	7.05	2.16	215710137	No
ML14KP1-024-230A**	CBK48MVT-030-230-**	---	R-454B	24000	15.5	13	22200	14100	11400	8.2	7.05	2.2	215710138	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	EL180UH040NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	6.7	2.02	215710139	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	EL180UH060NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	6.7	2.02	215710140	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	6.7	2.04	215710141	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	6.7	2.02	215710142	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.5	6.45	2.02	215710143	N/A
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH030V36A	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	6.7	2.04	215710144	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH045E36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.5	6.45	2	215710145	N/A
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH045V36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	6.7	2.02	215710146	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH045XE36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.8	6.7	2	215710147	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH070E36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	6.7	2.04	215710148	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21800	14200	10800	7.8	6.7	2.04	215710149	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	ML180UH070XE36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	6.7	2.04	215710150	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	SL280UH060NV36A	R-454B	23600	15.5	13	22000	14300	10800	7.8	6.7	2.02	215710151	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	SL280UH070V36A	R-454B	23800	15.5	13.2	22000	14300	10900	7.8	6.7	2.04	215710152	No
ML14KP1-024-230A**	CK40[C],UJT-24A-***TDR	SL280UH070XV36A	R-454B	23600	15.2	12.8	22200	14400	11000	7.8	6.7	2.02	215710153	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL180UH080NE48B	R-454B	23600	14.7	12.8	22200	14400	11000	7.8	6.7	2.02	215710154	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL195UH040NE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710155	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL195UH060NE36B	R-454B	23800	14.7	12.8	22200	14600	11100	7.8	6.7	2.02	215710156	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL196UH030XE36B	R-454B	23200	15.2	13	21600	14200	10700	7.8	6.7	2	215710157	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710158	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL196UH070XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710159	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL280UH090E36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	6.7	2.02	215710160	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	6.85	2.04	215710161	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	6.85	2.06	215710162	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL297UH045XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	6.7	2.02	215710163	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL297UH045XV36B	R-454B	23600	15.2	13	22000	14400	10900	7.8	6.7	2.02	215710164	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL297UH070XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	6.7	2.02	215710165	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	EL297UH070XV36B	R-454B	23600	15.5	13.2	22000	14300	10800	7.8	6.7	2.04	215710166	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH070E36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	6.7	2.04	215710167	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH070V36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	6.7	2.06	215710168	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH070V48B	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	6.7	2.04	215710169	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH070XE36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	6.7	2.04	215710170	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH090E48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	6.85	2.04	215710171	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH090V48B	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	6.7	2.02	215710172	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML180UH090XE48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	6.85	2.04	215710173	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML193UH030XE36B	R-454B	23000	15.5	13	21600	14100	10600	7.8	6.7	2	215710174	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML193UH045XE36B	R-454B	23800	15.2	12.8	22400	14600	11000	7.8	6.7	2.02	215710175	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	6.7	2.04	215710176	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML196UH030XE36B	R-454B	23000	15.2	12.8	21600	14100	10700	7.8	6.7	1.98	215710177	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	6.7	2	215710178	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	6.7	2.04	215710179	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML196UH070XE48B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	6.7	2.02	215710180	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML197UH030XE36B	R-454B	23000	15.2	13	21400	14000	10700	7.8	6.2	2	218745159	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML197UH060XE36B	R-454B	23800	15.2	13	22000	14400	11000	8	6.3	2.04	218745172	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML296UH045XV36B	R-454B	23400	15.5	13	21800	14300	10800	7.8	6.7	2.02	215710181	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML296UH070XV36B	R-454B	23600	14.7	12.6	22200	14500	11000	7.8	6.7	2	215710182	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML297UH045XV36B	R-454B	23400	15.5	13	21400	14100	10700	7.8	6.2	2	218690658	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	ML297UH070XV36B	R-454B	23600	14.7	12.6	22000	14400	11000	7.8	6.3	2.04	218690678	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	SL280UH080NV48B	R-454B	23400	15.2	12.8	22000	14300	10900	7.8	6.7	2	215710183	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	SL280UH090V36B	R-454B	23800	15.5	13.2	22000	14400	10900	7.8	6.7	2.04	215710184	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	SL280UH090V48B	R-454B	23600	15.5	13	22000	14300	10800	7.8	6.7	2.02	215710185	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	SL297UH040NV36B	R-454B	23400	14.7	12.8	22000	14400	10900	7.8	6.7	2	215710186	N/A
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	SL297UH060NV36B	R-454B	23400	15.2	13	22000	14300	10800	7.8	6.7	2.02	215710187	No
ML14KP1-024-230A**	CK40[C],UJT-24B-***TDR	SLP99UH070XV36B	R-454B	23600	15.5	13	22000	14300	10800	7.8	6.7	2.02	215710188	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	EL180UH040NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	6.85	2.14	215710189	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	EL180UH060NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	6.85	2.14	215710190	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	EL280UH045E36A	R-454B	24000	15.5	13.2	21600	13800	11200	8	6.85	2.16	215710191	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	EL280UH070E36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	6.85	2.14	215710192	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	EL280UH070XE36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	6.85	2.14	215710193	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH030V36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.16	215710194	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH045E36A	R-454B	23800	15.5	13.2	21600	13800	11200	7.8	6.7	2.14	215710195	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH045V36A	R-454B	24000	15.5	13.2	21800	13900	11200	8	6.85	2.14	215710196	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH045XE36A	R-454B	23800	15.5	13.2	21600	13800	11200	7.8	6.7	2.14	215710197	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH070E36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	6.85	2.14	215710198	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH070V36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	6.85	2.16	215710199	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH070XE36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	6.85	2.14	215710200	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	SL280UH060NV36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.14	215710201	No
ML14KP1-024-230A**	CK40[C],UJT-30A-***TDR	SL280UH070V36A	R-454B	24000	15.5	13	22000	14000	11400	8	6.85	2.16	215710202</	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710208	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710209	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	23800	15.5	13.2	21400	13700	11100	7.8	6.7	2.12	215710210	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	6.95	2.16	215710211	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	6.95	2.16	215710212	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	6.85	2.12	215710213	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	24000	15.2	13	22000	14000	11400	8	6.85	2.14	215710214	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	6.85	2.12	215710215	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.14	215710216	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.16	215710217	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	24000	15.5	13.2	21800	13900	11300	8	6.85	2.16	215710218	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	6.95	2.18	215710219	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.16	215710220	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	6.95	2.18	215710221	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14200	11500	8	6.85	2.14	215710222	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	6.95	2.18	215710223	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23800	15.5	13	21600	13800	11200	7.8	6.7	2.12	215710224	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	24000	15.2	12.8	22200	14300	11600	8	6.85	2.14	215710225	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22000	14200	11500	8.1	6.95	2.14	215710226	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	6.7	2.1	215710227	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	6.85	2.12	215710228	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	6.95	2.14	215710229	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22200	14300	11600	8	6.85	2.12	215710230	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML197UH030XE36B	R-454B	23600	15.2	13	21200	13700	11300	7.8	6.3	2.12	218745160	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML197UH060XE36B	R-454B	24000	15.2	13	21800	14000	11700	8.1	6.4	2.18	218745173	N/A
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	6.85	2.14	215710231	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13	21800	14000	11400	8	6.85	2.16	215710232	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH045XV36B	R-454B	24000	15.5	13	21200	13700	11300	8	6.3	2.12	218690659	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH070XV36B	R-454B	24000	15.5	13	21600	14000	11500	8	6.4	2.16	218690679	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23800	15.2	12.8	21800	14000	11400	7.8	6.7	2.12	215710233	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11400	8	6.85	2.16	215710234	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	21800	14000	11300	8	6.85	2.14	215710235	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	24000	15.2	12.8	22000	14100	11500	7.8	6.7	2.12	215710236	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	24000	15.2	13	21800	14000	11300	8	6.85	2.12	215710237	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	6.85	2.14	215710238	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL280DF090E48B	R-454B	23600	15.2	13	23000	14700	11400	8.2	7.05	2.1	215710352	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	7.05	2.06	215710339	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	23200	14.7	12.8	22600	14700	11300	8.2	7.05	2.08	215710340	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	23400	14.3	12.6	23000	14900	11500	8.2	7.05	2.06	215710341	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	23400	14.3	12.4	23200	14900	11600	8.2	7.05	2.06	215710342	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	23200	14.7	12.8	22600	14600	11300	8.2	7.05	2.08	215710343	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML180DF090E48B	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	7.05	2.1	215710353	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	7.05	2.08	215710344	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	23600	14.7	12.8	23000	14800	11500	8.2	7.05	2.1	215710345	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	7.05	2.08	215710346	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	7.05	2.06	215710347	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	23200	14.3	12.4	23200	14900	11600	8.2	7.05	2.06	215710348	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	23400	14.7	12.8	22800	14700	11400	8.2	7.05	2.08	215710349	N/A
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	23000	14.7	12.8	22600	14600	11200	8.2	7.05	2.08	215710350	N/A
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	7.05	2.1	215710354	No
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	ML180DF110E60C	R-454B	23600	14.7	12.8	23200	14900	11500	8.2	7.05	2.08	215710351	N/A
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	23600	15.2	13	23000	14700	11400	8.2	7.05	2.12	215710355	No
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	23600	15.2	13.2	22800	14600	11300	8.2	7.05	2.12	215710356	No
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	23400	15.2	13	22600	14600	11300	8.2	7.05	2.1	215710357	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	EL180UH040NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	6.7	1.96	215710239	N/A
ML14KP1-024-230A**	CK40HT-24A-***+TDR	EL180UH060NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	6.7	1.96	215710240	N/A
ML14KP1-024-230A**	CK40HT-24A-***+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21600	14000	10500	7.8	6.7	1.96	215710241	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	EL280UH070E36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	6.7	1.96	215710242	N/A
ML14KP1-024-230A**	CK40HT-24A-***+TDR	EL280UH070XE36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	6.7	1.96	215710243	N/A
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH030V36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	6.7	1.98	215710244	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	6.45	1.94	215710245	N/A
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH045V36A	R-454B	23600	15.5	13.2	21600	14100	10600	7.8	6.7	1.96	215710246	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	6.45	1.94	215710247	N/A
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	21600	14200	10700	7.8	6.7	1.98	215710248	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21600	14200	10600	7.8	6.7	1.96	215710249	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	ML180UH070XE36A	R-454B	23800	15.2	13.2	21800	14200	10700	7.8	6.7	1.98	215710250	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	SL280UH060NV36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	6.7	1.96	215710251	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	SL280UH070V36A	R-454B	23800	15.2	13	22000	14300	10800	7.8	6.7	1.98	215710252	No
ML14KP1-024-230A**	CK40HT-24A-***+TDR	SL280UH070XV36A	R-454B	23800	15.2	13	22000	14300	10800	7.8	6.7	1.98	215710253	No
ML14KP1-024-230A**	CK40HT-24B-***+TDR	EL180UH08												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL280UH090E36B	R-454B	23200	15.2	13.2	21600	14100	10500	7.8	6.7	1.98	215710260	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10800	8.1	6.95	2.02	215710261	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10700	8.1	6.95	2	215710262	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL297UH045XE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	6.85	1.96	215710263	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL297UH045XV36B	R-454B	23800	15.2	13	22200	14400	10700	8	6.85	1.98	215710264	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL297UH070XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.96	215710265	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	EL297UH070XV36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	6.95	2	215710266	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH070E36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	6.95	2	215710267	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH070V36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	6.95	2	215710268	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22200	14300	10700	8.1	6.95	2.02	215710269	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH070XE36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	6.95	2	215710270	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	6.95	2.02	215710271	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH090V48B	R-454B	24000	15.2	13	22400	14400	10800	8	6.85	1.98	215710272	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	6.95	2.02	215710273	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML193UH030XE36B	R-454B	23400	15.2	13.2	21800	14100	10500	7.8	6.7	1.96	215710274	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML193UH045XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.98	215710275	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	6.95	2	215710276	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	6.7	1.98	215710277	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	6.85	1.96	215710278	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	6.95	2	215710279	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22400	14500	10900	8	6.85	1.96	215710280	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML197UH030XE36B	R-454B	23200	14.7	13	21600	14100	10800	8	6.3	2	218745161	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML197UH060XE36B	R-454B	24000	15.2	13	22200	14500	11100	8.2	6.4	2.04	218745174	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML296UH045XV36B	R-454B	23600	15.2	13	22000	14300	10600	8	6.85	1.98	215710281	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML296UH070XV36B	R-454B	23800	15.2	13.2	22200	14300	10700	8	6.85	2	215710282	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML297UH045XV36B	R-454B	23600	15.2	13	22000	14300	10900	8	6.3	2.02	218690660	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	ML297UH070XV36B	R-454B	23800	15.2	13.2	22000	14400	11000	8	6.4	2.04	218690680	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	SL280UH080NV48B	R-454B	23400	14.7	12.8	22000	14400	10700	7.8	6.7	1.96	215710283	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	SL280UH090V36B	R-454B	23800	15.2	13	22200	14300	10700	8.1	6.95	2	215710284	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	SL280UH090V48B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	6.95	2	215710285	No
ML14KP1-024-230A**	CK40HT-24B-***TDR	SL297UH040NV36B	R-454B	23600	14.7	12.6	22200	14400	10800	8	6.85	1.98	215710286	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	SL297UH060NV36B	R-454B	23600	14.7	12.8	22000	14300	10700	8	6.85	1.98	215710287	N/A
ML14KP1-024-230A**	CK40HT-24B-***TDR	SLP99UH070XV36B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	6.95	2	215710288	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	6.85	2.02	215710289	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	6.85	2.02	215710290	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	22000	14100	10900	7.8	6.7	2.04	215710291	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	6.85	2.04	215710292	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	6.85	2.04	215710293	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	23600	15.2	13	22200	14200	11100	8	6.85	2.06	215710294	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	6.7	2.02	215710295	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	23400	15.2	13.2	22000	14100	11000	7.8	6.7	2.04	215710296	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	6.7	2.02	215710297	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	22200	14200	11000	8	6.85	2.04	215710298	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	22200	14200	11000	8	6.85	2.04	215710299	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	23400	15.2	13	22200	14200	11000	7.8	6.7	2.04	215710300	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	23600	15.2	13	22200	14300	11100	8	6.85	2.04	215710301	No
ML14KP1-024-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	6.85	2.02	215710302	N/A
ML14KP1-024-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	6.85	2.02	215710303	N/A
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL180UH080NE48B	R-454B	24000	15.2	13.2	22200	14100	11100	8	6.85	2.06	215710304	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	24000	15.2	13	22400	14200	11200	7.8	6.7	2.04	215710305	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	24000	15.2	13	22200	14200	11200	8	6.85	2.04	215710306	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	23600	15.5	13.2	21800	13800	10800	7.8	6.7	2.04	215710307	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	6.7	2.02	215710308	N/A
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	24000	15.2	12.8	22400	14300	11200	7.8	6.7	2.04	215710309	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	23400	15.5	13.4	21600	13700	10700	7.8	6.7	2.06	215710310	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	6.85	2.08	215710311	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	6.85	2.08	215710312	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	6.7	2.04	215710313	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	23800	15.2	12.8	22000	14100	11100	7.8	6.7	2.04	215710314	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	6.7	2.04	215710315	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	6.85	2.06	215710316	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	6.85	2.08	215710317	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	24000	16	13.4	21800	13900	10900	8	6.85	2.1	215710318	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	24000	15.5	13.4	22000	13900	10900	8	6.85	2.08	215710319	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	6.85	2.08	215710320	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	6.95	2.1	215710321	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14100	11100	8	6.85	2.06	215710322	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	6.95	2.1	215710323	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	23400	15.5	13.2	21600	13700	10800	7.8	6.7	2.06	215710324	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	24000	15.2	13	22200	14200	11200	8	6.85	2.06	215710325	No
ML14KP1-024-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	24000	15.5	13.2	22200	14100	11100	8	6.85	2.06	215710326	No
ML14KP1-														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML197UH030XE36B	R-454B	23400	15.5	13	21600	13800	10800	8	6.3	2.06	218745162	N/A
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML197UH060XE36B	R-454B	24000	15.2	13	22200	14100	11100	8.1	6.4	2.08	218745175	N/A
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	6.7	2.06	215710331	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13.2	22000	13900	10900	8	6.85	2.06	215710332	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML297UH045XV36B	R-454B	23800	15.5	13.2	21600	13700	10700	7.8	6.2	2.02	218690661	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML297UH070XV36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	6.3	2.06	218690681	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	23600	15.2	13	21800	14000	11000	7.8	6.7	2.04	215710333	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	6.85	2.08	215710334	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	22000	13900	10900	8	6.85	2.06	215710335	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	23800	15.2	13	22000	14000	11000	7.8	6.7	2.04	215710336	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	6.7	2.04	215710337	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	15.5	13.2	22000	13900	10900	7.8	6.7	2.06	215710338	No
ML14KP1-030-230A**	CBK43UHET-024-DV-**	---	R-454B	27800	14.3	12	26200	16600	13200	7.5	6.7	2.01	218330848	N/A
ML14KP1-030-230A**	CBK43UHET-030-DV-**	---	R-454B	27800	14.3	12	26200	16400	13200	7.5	6.15	1.98	218330849	N/A
ML14KP1-030-230A**	CBK43UHET-036-DV-**	---	R-454B	29400	15.5	12.8	28200	18300	13600	8.1	7	1.99	218330850	No
ML14KP1-030-230A**	CBK45UHET-030-230-**	---	R-454B	29600	15.5	12.8	27600	17400	12700	7.8	6.6	1.92	215712350	No
ML14KP1-030-230A**	CBK45UHET-036-230-**	---	R-454B	29600	15.2	13	27000	18100	14300	8.2	6.95	2.12	215712351	No
ML14KP1-030-230A**	CBK45UHPT-030-230-**	---	R-454B	29200	14.3	12	28000	17800	13200	7.5	6.35	1.86	215712349	N/A
ML14KP1-030-230A**	CBK45UHPT-036-230-**	---	R-454B	29600	14.7	12.4	27000	18200	14400	8.2	6.95	2.08	215712352	N/A
ML14KP1-030-230A**	CBK45UHV-030-230-**	---	R-454B	29200	15.5	13	27200	17200	12600	7.8	6.6	1.94	215712353	No
ML14KP1-030-230A**	CBK45UHV-036-230-**	---	R-454B	29600	15.2	12.8	26800	18000	14300	8.2	6.95	2.12	215712354	No
ML14KP1-030-230A**	CBK47UHET-030-230-**	---	R-454B	29000	15.5	13	27400	16900	13200	8.1	6.85	1.98	215712355	No
ML14KP1-030-230A**	CBK47UHET-036-230-**	---	R-454B	29600	15.5	13	27800	17500	14200	8.2	6.95	2.08	215712356	No
ML14KP1-030-230A**	CBK47UHET-036-460-**	---	R-454B	29600	15.5	13	27800	17500	14200	8.2	6.95	2.08	217595428	No
ML14KP1-030-230A**	CBK48MVT-030-230-**	---	R-454B	29200	15.2	13	27200	16800	13200	8.1	6.85	1.98	215712357	No
ML14KP1-030-230A**	CBK48MVT-036-230-**	---	R-454B	29600	15.5	13	27600	17400	14000	8.2	6.95	2.08	215712358	No
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL180UH060NE36A	R-454B	29200	14.7	12.4	27200	17200	13600	7.5	6.35	1.96	215712359	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL280UH045E36A	R-454B	28800	15.5	12.8	26600	16800	13200	7.5	6.35	1.98	215712360	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL280UH070E36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.96	215712361	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	EL280UH070XE36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.96	215712362	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	6.35	1.98	215712363	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045E36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	6.35	1.98	215712364	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	6.35	1.98	215712365	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH045XE36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	6.35	1.98	215712366	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH070E36A	R-454B	28600	15.2	12.8	26400	16800	13200	7.5	6.35	1.96	215712367	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	6.35	1.96	215712368	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	ML180UH070XE36A	R-454B	28400	15.5	12.8	26400	16700	13200	7.5	6.35	1.98	215712369	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	26800	17000	13400	7.5	6.35	1.98	215712370	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	SL280UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.98	215712371	N/A
ML14KP1-030-230A**	CK40[C],UJT-30A-**+TDR	SL280UH070XV36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.98	215712372	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL195UH040NE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712373	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL195UH060NE36B	R-454B	28800	14.7	12.4	26800	17000	13500	7.5	6.35	1.96	215712374	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	6.35	1.96	215712375	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	6.35	1.94	215712376	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712377	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL280UH090E36B	R-454B	28800	15.5	12.8	26600	16700	13200	7.5	6.35	1.98	215712378	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL280UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712379	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL280UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712380	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH045XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712381	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH045XV36B	R-454B	28600	14.7	12.4	26800	16900	13400	7.5	6.35	1.96	215712382	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH070XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712383	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	EL297UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	6.35	1.98	215712384	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070E36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.98	215712385	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070V36B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712386	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070V48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	1.98	215712387	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH070XE36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	6.35	1.98	215712388	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	2	215712389	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH090V48B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	6.35	1.96	215712390	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML180UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	6.35	2	215712391	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML193UH030XE36B	R-454B	28600	15.2	12.6	26600	16900	13300	7.5	6.35	1.96	215712392	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML193UH045XE36B	R-454B	28400	15.2	12.6	26400	16800	13200	7.5	6.35	1.96	215712393	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML193UH070XE36B	R-454B	29000	15.2	12.6	27000	17100	13500	7.5	6.35	1.98	215712394	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	6.35	1.96	215712395	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	6.35	1.94	215712396	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712397	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML196UH070XE48B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	6.35	1.96	215712398	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML197UH060XE36B	R-454B	29200	15.2	12.5	26800	16900	13400	7.5	6.1	2	218745176	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML296UH045XV36B	R-454B	28600	15.2	12.6	26600	16800	13300	7.5	6.35	1.98	215712399	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML296UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	6.35	1.98	215712400	N/A
ML14KP1-030-230A**	CK40[C],UJT-30B-**+TDR	ML297UH070XV36B	R-454B	28800	15.2	12.6	27000	16900	13400	7.5	6.1	2	2186906	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	28800	15.2	12.6	26800	17000	13400	7.5	6.35	1.98	215712406	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	6.35	1.94	215712407	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	6.35	1.94	215712408	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	29600	16	13.2	26400	17000	13400	7.5	6.35	1.98	215712409	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712410	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712411	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	29600	15.5	13.2	26600	17100	13600	7.5	6.35	1.98	215712412	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	6.35	1.96	215712413	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	29600	15.5	13.2	26600	17200	13600	7.5	6.35	1.98	215712414	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	6.35	1.96	215712415	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712416	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712417	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	29600	16	13.2	26400	16900	13300	7.5	6.35	1.96	215712418	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.96	215712419	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.96	215712420	N/A
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	6.35	1.94	215712421	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	29600	15.5	12.8	26800	17300	13600	7.5	6.35	1.94	215712422	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	6.35	1.96	215712423	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	29600	15.2	12.8	26800	17200	13700	7.5	6.35	1.96	215712424	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	6.35	1.94	215712425	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	6.35	1.94	215712426	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	6.35	1.94	215712427	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	6.35	1.98	215712428	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	6.35	1.98	215712429	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	6.35	1.98	215712430	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	6.35	1.96	215712431	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	6.35	1.96	215712432	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	6.35	1.96	215712433	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712434	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	6.35	1.96	215712435	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	6.35	1.98	215712436	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	6.35	1.98	215712437	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	6.35	1.96	215712438	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	6.6	1.98	215712439	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712440	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	6.6	1.98	215712441	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	29600	15.5	13	26400	17100	13400	7.5	6.35	1.96	215712442	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	29600	15.5	13	26400	17000	13400	7.5	6.35	1.96	215712443	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	29600	15.5	13	26800	17200	13600	7.5	6.35	1.96	215712444	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	6.35	1.94	215712445	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	6.35	1.94	215712446	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	6.35	1.94	215712447	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	6.35	1.96	215712448	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML197UH030XE36B	R-454B	29800	15.5	13	26200	16800	13300	7.5	6.1	2	218745164	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML197UH060XE36B	R-454B	29800	15.5	13	26200	16700	13200	7.5	6.1	2.02	218745177	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	6.35	1.96	215712449	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.96	215712450	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML297UH070XV36B	R-454B	29600	15.5	13.2	26600	17000	13500	7.5	6.1	2	218690683	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.94	215712451	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	6.35	1.98	215712452	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	6.35	1.98	215712453	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	6.35	1.94	215712454	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	29600	15.5	12.8	26600	17100	13600	7.5	6.35	1.96	215712455	N/A
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	29600	15.5	13	26600	17100	13500	7.5	6.35	1.96	215712456	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL180UH100NE60C	R-454B	30000	15.5	13.2	26600	17000	13500	7.5	6.6	1.96	218073781	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL195UH080NE48C	R-454B	29800	15.5	13	26400	17100	13400	7.5	6.6	1.94	218073795	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL195UH100NE60C	R-454B	30000	15.2	13	26400	17100	13500	7.5	6.6	1.94	218073796	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL196UH090XE48C	R-454B	29600	16	13.4	26200	16800	13200	7.5	6.6	1.96	218073799	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL196UH110XE60C	R-454B	30000	15.5	13	26800	17100	13600	7.5	6.7	1.98	218073782	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL280UH110E48C	R-454B	30000	16	13.4	26200	16800	13200	7.5	6.7	1.98	218073783	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL280UH110E60C	R-454B	30000	15.5	13	26800	17100	13600	7.5	6.7	1.98	218073789	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL280UH110XE60C	R-454B	30000	15.5	13	26800	17100	13600	7.5	6.7	1.98	218073790	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XE48C	R-454B	29600	16	13.4	26200	16800	13200	7.5	6.6	1.96	218073792	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV36C	R-454B	29600	16	13.4	26200	16800	13200	7.5	6.6	1.96	218073805	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL297UH090XV48C	R-454B	29800	16	13.4	26200	16900	13200	7.5	6.6	1.96	218073804	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XE60C	R-454B	30000	15.5	13.2	26600	17100	13600	7.5	6.7	1.98	218073780	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	EL297UH110XV48C	R-454B	30000	16	13.4	26600	17000	13400	7.5	6.7	1.98	218073803	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	ML180UH090E60C	R-454B	30000	15.5	13.2	26600	17100	13500	7.5	6.7	1.98	218073794	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-**+TDR	ML180UH110E60C	R-454B	30000	16	13.4	26400	17000	13300</					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE48C	R-454B	29600	16	13.4	26200	16800	13200	7.5	6.6	1.96	218073807	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE60C	R-454B	30000	16	13.2	26600	17100	13500	7.5	6.7	2	218073791	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML196UH110XE60C	R-454B	30000	15.5	13	26800	17200	13600	7.5	6.7	1.98	218073798	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML197UH030XE36B	R-454B	30000	15.5	13	26200	16700	13300	7.5	6.1	2.02	218745165	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML197UH060XE36B	R-454B	30000	16	13	26200	16700	13200	7.5	6.1	2.02	218745178	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML197UH080XE48C	R-454B	29800	16	13	26000	16600	13100	7.5	6.1	2.02	218745127	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML296UH090XV48C	R-454B	29800	15.5	13.2	26200	16900	13300	7.5	6.6	1.96	218073806	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	ML297UH090XV36C	R-454B	29600	16	13	26000	16600	13100	7.5	6.1	2.02	218695085	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV48C	R-454B	29600	15.2	12.8	26400	17100	13500	7.5	6.6	1.92	218073797	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV36C	R-454B	29400	16	13.4	26000	16700	13100	7.5	6.6	1.96	218073801	N/A
ML14KP1-030-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV48C	R-454B	30000	15.5	13.2	26800	17100	13600	7.5	6.7	1.98	218073802	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	29600	14.7	12.6	29600	18700	14400	8.2	6.95	2.02	215712458	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	EL297DF045XE36B	R-454B	29400	14.7	12.6	29400	18600	14300	8.1	6.85	2	215712459	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	6.85	2.02	215712460	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	29600	14.3	12.4	29400	18700	14400	8.1	6.85	2	215712461	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	29400	14.3	12.2	29600	18800	14500	8.1	6.85	1.98	215712462	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML180DF070E36B	R-454B	29400	14.7	12.6	29200	18500	14200	8.1	6.85	2.02	215712463	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML180DF090E48B	R-454B	29600	14.7	12.8	29400	18500	14200	8.2	6.95	2.04	215712464	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML193DF045XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	6.85	2	215712465	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML193DF070XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	6.85	2	215712466	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML196DF045XE36B	R-454B	29600	14.3	12.6	29600	18700	14400	8.1	6.85	2	215712467	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	29600	14.3	12.4	29600	18700	14500	8.1	6.85	2	215712468	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML296DF070XV48B	R-454B	29600	14.3	12.4	29600	18700	14400	8.1	6.85	2	215712469	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	ML297DF070XV48B	R-454B	29600	14.3	12.4	29400	18500	14400	8.1	6.4	2.02	218690642	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	6.85	2.02	215712470	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	29600	14.7	12.6	29400	18600	14300	8.1	6.85	2	215712471	N/A
ML14KP1-030-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	6.85	2	215712472	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	29000	14.7	12.2	28200	17700	14000	7.5	6.35	1.84	215712473	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	28600	15.5	12.8	27600	17100	13600	7.5	6.35	1.86	215712474	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	29000	14.7	12.4	28000	17600	13900	7.5	6.35	1.84	215712475	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	29000	14.7	12.4	28000	17600	13900	7.5	6.35	1.84	215712476	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	6.35	1.86	215712477	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	6.35	1.84	215712478	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	27800	17400	13800	7.5	6.35	1.86	215712479	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	6.35	1.84	215712480	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	28400	15.2	12.6	27400	17100	13600	7.5	6.35	1.84	215712481	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	27800	17300	13700	7.5	6.35	1.84	215712482	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	28400	15.5	12.6	27400	17100	13500	7.5	6.35	1.84	215712483	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	6.35	1.86	215712484	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	6.35	1.84	215712485	N/A
ML14KP1-030-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	6.35	1.84	215712486	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL180UH080NE48B	R-454B	29400	15.2	12.6	27000	17400	13700	7.8	6.6	1.94	215712487	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712488	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	29000	15.2	12.6	26600	17200	13500	7.8	6.6	1.96	215712489	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	6.35	1.94	215712490	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712491	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712492	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	29200	15.5	13	26600	17100	13400	7.8	6.6	1.98	215712493	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712494	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712495	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	29000	15.5	12.8	26600	17100	13400	7.8	6.6	1.94	215712496	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	29000	15.2	12.4	26800	17300	13600	7.8	6.6	1.94	215712497	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	29200	15.2	12.4	27000	17400	13700	7.8	6.6	1.96	215712498	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	29200	15.2	12.6	26800	17200	13500	7.8	6.6	1.96	215712499	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	6.6	1.96	215712500	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712501	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712502	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	6.6	1.96	215712503	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712504	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712505	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML180UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	6.6	1.98	215712506	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	29000	15.2	12.6	26800	17200	13500	7.8	6.6	1.96	215712507	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	28800	15.2	12.6	26600	17100	13400	7.5	6.35	1.94	215712508	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13700	7.8	6.6	1.96	215712509	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	6.35	1.94	215712510	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712511	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML196UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13600	7.8	6.6	1.96	215712512	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML196UH070XE48B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712513	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML197UH030XE36B	R-454B	29400	15.5	12.5	26800	17200	13400	7.5	6.1	1.88	218745168	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	ML197UH060XE36B	R-454B	29200	15.5	12.5	26800	17100	13300	7.5	6.1	1.88	218745179	N/A
ML14KP1-030-230A**	CK40HT-30B													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40HT-30B-***TDR	SL280UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	6.6	1.96	215712518	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	SL297UH040NV36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	6.6	1.94	215712519	N/A
ML14KP1-030-230A**	CK40HT-30B-***TDR	SL297UH060NV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	6.6	1.94	215712520	No
ML14KP1-030-230A**	CK40HT-30B-***TDR	SLP99UH070XV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	6.6	1.96	215712521	No
ML14KP1-030-230A**	CK40HT-36A-***TDR	EL180UH060NE36A	R-454B	28600	14.3	12.2	27400	17600	13800	7.5	6.35	1.8	215712522	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	EL280UH045E36A	R-454B	28200	15.2	12.6	26800	17100	13400	7.5	6.35	1.82	215712523	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	EL280UH070E36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	6.35	1.8	215712524	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	EL280UH070XE36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	6.35	1.8	215712525	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH030V36A	R-454B	28600	14.7	12.4	27200	17300	13600	7.5	6.35	1.82	215712526	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH045E36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	6.35	1.8	215712527	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH045V36A	R-454B	28400	14.7	12.4	27200	17300	13600	7.5	6.35	1.82	215712528	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH045XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	6.35	1.8	215712529	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH070E36A	R-454B	28000	14.7	12.4	26600	17100	13400	7.5	6.35	1.8	215712530	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	6.35	1.82	215712531	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	ML180UH070XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	6.35	1.8	215712532	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	SL280UH060NV36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	6.35	1.82	215712533	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	SL280UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	6.35	1.82	215712534	N/A
ML14KP1-030-230A**	CK40HT-36A-***TDR	SL280UH070XV36A	R-454B	28200	14.7	12.2	27200	17400	13700	7.5	6.35	1.8	215712535	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL180UH080NE48B	R-454B	28800	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712536	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL195UH040NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712537	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL195UH060NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712538	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	6.35	1.8	215712539	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712540	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL196UH070XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712541	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL280UH090E36B	R-454B	28600	14.7	12.6	27200	17100	13500	7.5	6.35	1.84	215712542	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL280UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712543	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL280UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712544	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL297UH045XE36B	R-454B	28400	14.7	12.4	27200	17100	13500	7.5	6.35	1.82	215712545	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL297UH045XV36B	R-454B	28400	14.3	12	27400	17300	13700	7.5	6.35	1.82	215712546	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL297UH070XE36B	R-454B	28800	14.3	12.2	27600	17400	13800	7.5	6.35	1.82	215712547	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	EL297UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.82	215712548	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH070E36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	6.35	1.84	215712549	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH070V36B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712550	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH070V48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712551	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH070XE36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	6.35	1.84	215712552	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.86	215712553	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH090V48B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.82	215712554	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML180UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	6.35	1.86	215712555	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML193UH030XE36B	R-454B	28400	14.7	12.2	27200	17100	13600	7.5	6.35	1.82	215712556	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML193UH045XE36B	R-454B	28200	14.7	12.2	27200	17000	13500	7.5	6.35	1.82	215712557	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML193UH070XE36B	R-454B	28800	14.3	12.2	27600	17300	13800	7.5	6.35	1.84	215712558	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	6.35	1.8	215712559	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712560	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML196UH070XE36B	R-454B	28800	14.7	12.2	27600	17300	13700	7.5	6.35	1.84	215712561	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML196UH070XE48B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712562	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML197UH060XE36B	R-454B	29000	14.3	12	27600	17300	13700	7.5	6	1.84	218745180	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML296UH045XV36B	R-454B	28400	14.7	12.2	27200	17100	13500	7.5	6.35	1.82	215712563	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	ML296UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.84	215712564	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	SL280UH080NV48B	R-454B	28600	14.3	12.2	27400	17200	13700	7.5	6.35	1.82	215712565	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	SL280UH090V36B	R-454B	28600	14.7	12.4	27400	17100	13600	7.5	6.35	1.84	215712566	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	SL280UH090V48B	R-454B	28600	14.7	12.4	27400	17200	13600	7.5	6.35	1.84	215712567	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	SL297UH040NV36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	6.35	1.82	215712568	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	SL297UH060NV36B	R-454B	28600	14.3	12.2	27400	17300	13700	7.5	6.35	1.82	215712569	N/A
ML14KP1-030-230A**	CK40HT-36B-***TDR	SLP99UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	6.35	1.82	215712570	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL195UH080NE48C	R-454B	29200	14.3	12.4	27400	17400	13800	7.8	6.6	1.94	215712571	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL195UH100NE60C	R-454B	29600	14.3	12.6	27400	17400	13800	8	6.8	1.94	215712572	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL196UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	6.8	1.96	215712573	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712574	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL280UH110E48C	R-454B	29600	14.7	12.8	27200	17300	13700	8	6.8	1.96	215712575	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL280UH110E60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712576	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL280UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712577	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL297UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	6.8	1.96	215712578	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL297UH090XV36C	R-454B	29000	14.7	12.6	27200	17300	13700	7.8	6.6	1.94	215712579	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL297UH090XV48C	R-454B	29200	14.3	12.4	27200	17400	13700	7.8	6.6	1.94	215712580	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL297UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	6.8	1.96	215712581	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	EL297UH110XV48C	R-454B	29200	14.7	12.8	27000	17200	13600	8	6.8	1.96	215712582	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML180UH090E60C	R-454B	29600	14.7	12.8	27400	17400	13800	8	6.8	1.96	215712583	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML180UH110E60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	6.8	1.96	215712584	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML180UH110XE60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	6.8	1.96	215712585	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML193UH090XE36C	R-454B	29000	14.7	12.6	27000	17200	13600	8	6.8	1.94	215712586	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML196UH090XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	6.8	1.96	215712592	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	6.8	1.94	215712593	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML197UH030XE36B	R-454B	28800	14.7	12.5	27200	17300	13700	7.8	6.1	1.84	218745170	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML197UH060XE36B	R-454B	28800	14.7	12.5	27200	17200	13600	7.8	6.1	1.86	218745181	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML197UH080XE48C	R-454B	28800	14.7	12.5	27000	17100	13500	7.8	6.1	1.86	218745150	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML296UH090XV48C	R-454B	29000	14.7	12.6	27000	17200	13600	7.8	6.6	1.94	215712594	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML296UH110XV60C	R-454B	29400	14.7	12.6	27400	17300	13700	8	6.8	1.94	215712595	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	ML297UH090XV36C	R-454B	28400	14.7	12.5	27000	17100	13500	7.8	6.1	1.86	218695086	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	SL297UH080NV48C	R-454B	29000	14.3	12.2	27200	17400	13800	7.8	6.6	1.92	215712596	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	SLP99UH090XV36C	R-454B	29000	14.3	12.4	27200	17300	13700	7.8	6.6	1.94	215712597	N/A
ML14KP1-030-230A**	CK40HT-36C-***TDR	SLP99UH090XV48C	R-454B	29400	14.7	12.6	27200	17300	13700	7.8	6.6	1.94	215712598	N/A
ML14KP1-036-230A**	CBK43UHET-036-DV-**	---	R-454B	35400	14.7	12	34800	22400	17800	7.8	6.39	1.96	218330851	N/A
ML14KP1-036-230A**	CBK43UHET-042-DV-**	---	R-454B	36000	15.2	12.5	31400	21200	16500	7.8	6.2	1.96	218461883	No
ML14KP1-036-230A**	CBK45UHET-036-230-**	---	R-454B	36000	15.2	13	34400	20600	15900	7.8	6.7	1.9	215735595	No
ML14KP1-036-230A**	CBK45UHVT-042-230-**	---	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	6.35	1.88	215863844	N/A
ML14KP1-036-230A**	CBK45UHPT-036-230-**	---	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	6.45	1.86	215735588	N/A
ML14KP1-036-230A**	CBK45UHPT-042-230-**	---	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	6.35	1.84	215863848	N/A
ML14KP1-036-230A**	CBK45UHVT-036-230-**	---	R-454B	36000	15.2	13	34200	20400	15700	7.8	6.7	1.9	215735596	No
ML14KP1-036-230A**	CBK45UHVT-042-230-**	---	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	6.35	1.88	215863845	N/A
ML14KP1-036-230A**	CBK47UHET-036-230-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	215735597	No
ML14KP1-036-230A**	CBK47UHET-036-460-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	217595430	No
ML14KP1-036-230A**	CBK47UHET-042-230-**	---	R-454B	36000	16	13.2	34000	20000	16300	7.8	6.6	2.06	215863846	No
ML14KP1-036-230A**	CBK48MVT-036-230-**	---	R-454B	35400	14.7	12.6	35600	20600	16800	8	6.85	2.04	215735598	N/A
ML14KP1-036-230A**	CBK48MVT-042-230-**	---	R-454B	36000	16	13.4	34200	20200	16300	7.8	6.6	2.06	215863847	No
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	215744725	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.86	215744726	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	215744727	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	215744728	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	215744729	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	215744730	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744731	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	215744732	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	215744733	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	6.45	1.86	215744734	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	6.45	1.86	215744735	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	6.45	1.86	215744736	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	215744737	N/A
ML14KP1-036-230A**	CK40[C],UJT-36A-***TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	215744738	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744739	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.82	215744740	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	215744741	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	6.45	1.9	215744742	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	6.45	1.9	215744743	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	6.45	1.88	215744744	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.84	215744745	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	6.45	1.84	215744746	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.84	215744747	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	215744748	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	215744749	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	6.45	1.88	215744750	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	6.45	1.9	215744751	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	215744752	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	215744753	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	6.45	1.86	215744754	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	215744755	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	6.45	1.84	215744756	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	215744757	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744758	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	215744759	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	215744760	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	20200	16600	7.5	6.1	1.88	218745102	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	20000	16500	7.5	6.1	1.88	218745080	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744761	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	215744762	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML297UH045XV36B	R-454B	36000	14.7	12.6	34000	20000	16400	7.5	6	1.84	218690665	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	ML297UH070XV36B	R-454B	36000	14.7	12.6	34000	20000	16200	7.5	6	1.86	218690688	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	215744763	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	6.45	1.88	215744764	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	215744765	N/A
ML14KP1-036-230A**	CK40[C],UJT-36B-***TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	6.45	1.86	215744766	N/A
ML14														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL195UH100NE60C	R-454B	35800	15.5	13	34200	20600	17500	7.8	6.6	2	218073826	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL196UH090XE48C	R-454B	36000	16	13.6	33800	20400	17200	8	6.6	2.04	218073830	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL196UH110XE60C	R-454B	36000	16.5	13.6	33800	20400	17200	8	6.6	2.06	218073810	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL280UH110E48C	R-454B	35800	16.5	13.8	33600	20200	17000	8	6.6	2.06	218073811	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL280UH110E60C	R-454B	36000	16.5	13.8	34000	20400	17200	8	6.6	2.06	218073817	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL280UH110XE60C	R-454B	36000	16.5	13.8	34000	20400	17200	8	6.6	2.06	218073818	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XE48C	R-454B	35600	16.5	13.6	33600	20200	17000	7.8	6.6	2.04	218073822	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XV36C	R-454B	35600	16.5	13.6	33600	20200	17100	7.8	6.6	2.04	218073842	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XV48C	R-454B	35800	16	13.4	33800	20400	17200	7.8	6.6	2.04	218073841	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XV60C	R-454B	36000	16	13.4	34200	20600	17400	8	6.6	2.04	218073840	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XE60C	R-454B	36000	16	13.6	33800	20400	17200	8	6.6	2.04	218073808	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XV48C	R-454B	35800	16.5	13.6	33600	20200	17100	8	6.6	2.04	218073839	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XV60C	R-454B	36000	16	13.6	34200	20600	17400	8	6.6	2.06	218073838	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH090E60C	R-454B	35800	16.5	13.6	33800	20200	17100	8	6.6	2.04	218073824	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH110E60C	R-454B	35600	16.5	13.6	33400	20200	17000	7.8	6.6	2.04	218073812	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH110V60C	R-454B	36000	16.5	13.6	34200	20400	17300	8.1	6.7	2.06	218073828	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH110XE60C	R-454B	35600	16.5	13.6	33400	20200	17000	7.8	6.6	2.04	218073813	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH090XE36C	R-454B	36000	16	13.4	34000	20400	17300	8	6.6	2.04	218073814	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH090XE48C	R-454B	35800	16	13.4	33800	20200	17200	7.8	6.6	2.04	218073823	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH110XE48C	R-454B	35800	16.5	13.6	33600	20200	17100	8	6.6	2.06	218073815	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH110XE60C	R-454B	35800	16.5	13.6	33800	20200	17100	8	6.6	2.04	218073816	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE36C	R-454B	36000	16	13.4	34000	20400	17300	8	6.6	2.04	218073833	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE48C	R-454B	36000	16	13.6	33800	20400	17200	8	6.6	2.04	218073846	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE60C	R-454B	35800	16.5	13.6	33800	20200	17100	8	6.6	2.04	218073819	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH110XE60C	R-454B	36000	16	13.6	34000	20400	17200	8	6.6	2.04	218073829	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	20200	16600	7.5	6.1	1.88	218745103	N/A
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML197UH060XE36B	R-454B	35800	15.5	12.5	33200	19800	16100	7.5	6	1.88	218745086	N/A
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	33200	19800	16200	7.5	6.1	1.9	218745145	N/A
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML296UH090XV48C	R-454B	36000	16	13.4	34000	20400	17300	8	6.6	2.04	218073845	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML296UH110XV60C	R-454B	36000	16	13.6	34000	20400	17200	8	6.6	2.04	218073843	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML297UH090XV36C	R-454B	36000	15.5	13	33400	20000	16200	7.5	6.1	1.88	218695092	N/A
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	ML297UH110XV60C	R-454B	36000	15.2	12.5	34400	20400	16700	7.8	6.1	1.9	218732601	N/A
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH080NV60C	R-454B	36000	16	13.6	34000	20400	17300	8	6.6	2.06	218073820	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH090V60C	R-454B	36000	16.5	13.8	34000	20400	17300	8.1	6.7	2.06	218073831	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH090XV60C	R-454B	36000	16.5	13.8	34000	20400	17300	8.1	6.7	2.06	218073832	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH100NV60C	R-454B	36000	16	13.4	34400	20600	17400	8	6.6	2.06	218073821	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV48C	R-454B	35800	15.5	13	34200	20600	17500	7.8	6.5	2	218073827	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV60C	R-454B	36000	15.5	13.2	34600	20800	17600	8	6.6	2.04	218073844	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV36C	R-454B	36000	16	13.4	34000	20400	17300	8	6.6	2.04	218073835	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV48C	R-454B	35800	16	13.4	33800	20400	17200	8	6.6	2.04	218073836	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV60C	R-454B	36000	16	13.4	34400	20600	17500	8	6.6	2.04	218073834	No
ML14KP1-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH110XV60C	R-454B	36000	16	13.6	34000	20400	17300	8	6.6	2.06	218073837	No
ML14KP1-036-230A**	CK40[C,U]T-48B-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34600	20200	16700	7.5	6.1	1.92	218745104	N/A
ML14KP1-036-230A**	CK40[C,U]T-48B-***TDR	ML197UH060XE36B	R-454B	36000	15.5	13	33800	19800	16200	7.5	6.1	1.92	218745087	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	6.7	1.98	215735643	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	6.45	1.98	215735644	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.98	215735645	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.98	215735646	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	2	215735647	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	6.7	2	215735648	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	215735649	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	215735650	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	6.7	1.98	215735658	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	6.45	1.98	215735798	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.98	215735799	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	6.7	1.98	215735800	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	215735801	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	6.7	1.98	215735802	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	215735803	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	2	215735659	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	6.7	2	215735660	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	6.7	2	215735661	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	6.45	1.96	215735662	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	2	215735663	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	6.7	1.98	215735664	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	215735665	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	215735666	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	215735667	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	215735668	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	215735669	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV36C	R-454B	36000	15.5	13	34400	20000	16600	7.8	6.1	1.96	218695093	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	2	215735672	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	215735673	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	215735674	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	215735675	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	6.45	1.98	215735676	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	6.45	1.98	215735677	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.98	215735678	N/A
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	6.7	1.98	215735679	No
ML14KP1-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	1.98	215735680	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216021148	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	6.45	1.92	216021149	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	216021150	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	6.45	1.92	216021151	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	6.45	1.94	216021152	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	6.45	1.94	216021153	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	6.45	1.9	216021154	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216021155	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.94	216021156	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216021157	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	216021158	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	6.45	1.92	216021159	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.94	216021160	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	6.45	1.94	216021161	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	6.45	1.96	216021162	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	216021163	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.96	216021164	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	216021165	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.92	216021166	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	6.45	1.92	216021167	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	6.45	1.94	216021168	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	6.45	1.92	216021169	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	216021170	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	6.45	1.94	216021171	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	6.45	1.92	216021172	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	19800	16300	7.5	6.1	1.88	218745106	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	19600	16200	7.5	6.1	1.9	218745089	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	35600	15.2	12.5	33200	19300	15900	7.5	6.1	1.9	218745167	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	216021173	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	216021174	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV36C	R-454B	36000	15.2	12.5	33600	19600	16200	7.5	6.1	1.92	218695094	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	6.45	1.94	216021175	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	216021176	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	216021177	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	6.45	1.94	216021178	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	6.45	1.9	216021179	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	6.45	1.9	216021180	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.92	216021181	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	216021182	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.94	216021183	N/A
ML14KP1-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	216021184	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	216021186	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	216021187	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	6.45	1.74	216021188	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	216021189	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	6.45	1.76	216021190	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	216021191	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	6.45	1.76	216021192	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	216021193	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	216021194	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	216021195	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	6.45	1.76	216021196	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	216021197	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	216021198	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	216021199	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	216021200	N/A
ML14KP1-036-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	216021201	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.94	215735681	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	EL195UH060NE36B	R-454B	36000	15.									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.92	215735689	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	215735690	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	215735691	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	215735692	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	6.7	1.96	215735693	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	6.7	2	215735694	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	215735695	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	1.98	215735696	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	6.7	1.96	215735697	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	1.98	215735698	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	6.45	1.92	215735699	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML193UH045XE36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.94	215735700	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML193UH070XE36B	R-454B	36000	15.2	13	35000	20400	16700	7.5	6.45	1.94	215735701	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	6.45	1.92	215735702	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	215735703	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.94	215735704	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML197UH030XE36B	R-454B	36000	15.2	12.5	34800	20400	16800	7.8	6.1	1.94	218745107	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML197UH060XE36B	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.1	1.94	218745090	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	215735705	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	215735706	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML297UH045XV36B	R-454B	36000	15.2	13	35000	20000	16500	7.5	6.1	1.92	218690666	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	ML297UH070XV36B	R-454B	36000	15.2	13	35000	19900	16300	7.5	6.1	1.92	218690689	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	6.45	1.96	215735707	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	215735708	No
ML14KP1-036-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	6.45	1.96	215735709	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	215735710	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	215735711	N/A
ML14KP1-036-230A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.96	215735712	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	6.45	1.96	215735713	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	6.45	1.96	215735714	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	6.45	1.96	215735715	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.96	215735716	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	215735717	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	6.7	1.98	215735718	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	215735719	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	215735720	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215735721	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	6.7	1.96	215735722	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	215735723	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	6.45	1.96	215735724	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	6.45	1.96	215735725	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	215735726	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215735727	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	6.7	2	215735728	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215735729	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215735730	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215735731	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.94	215735732	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	215735733	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	215735734	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215735735	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.94	215735736	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	1.96	215735737	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215735738	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	215735739	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML197UH030XE36B	R-454B	36000	15.2	12.5	34400	20200	16800	7.5	6.1	1.92	218745108	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML197UH060XE36B	R-454B	35800	15.5	13	33800	19700	16300	7.5	6.1	1.92	218745091	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	34000	19900	16400	7.8	6.1	1.94	218745169	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	215735740	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	6.7	1.96	215735741	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	36000	15.5	13	34200	20200	16600	7.8	6.1	1.94	218695095	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	215735742	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	215735743	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	215735744	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	215735745	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	6.45	1.92	215735746	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	6.45	1.94	215735747	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	6.45	1.96	215735748	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	215735749	N/A
ML14KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	6.7	1.96	215735750	No
ML14KP1-036-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	6.45	1.86	216021206	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	216021207	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	216021208	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	216021209	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	216021210	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	6.45	1.88	216021211	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	216021212	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	216021213	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216021214	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	216021215	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	216021216	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	216021217	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	216021218	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	6.45	1.88	216021219	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	216021220	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216021221	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	36000	15.2	13	34400	19800	16100	7.5	6.45	1.86	216021222	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.88	216021223	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	36000	15.2	13	34600	20000	16200	7.5	6.45	1.88	216021224	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	216021225	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	6.45	1.88	216021226	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216021227	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	6.45	1.86	216021228	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34200	19900	16200	7.5	6	1.82	218745109	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	34200	19800	16100	7.5	6	1.84	218745092	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	35800	15.2	13	33800	19500	15800	7.5	5.9	1.84	218745171	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	6.45	1.86	216021229	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	216021230	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	ML297UH090XV36C	R-454B	36000	15.2	12.5	34200	19700	16000	7.5	5.9	1.82	218695096	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	6.45	1.88	216021231	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	216021232	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	216021233	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	216021234	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	6.45	1.84	216021235	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	6.45	1.84	216021236	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	216021237	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	216021238	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	6.45	1.86	216021239	N/A
ML14KP1-036-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	6.45	1.88	216021240	N/A
ML14KP1-036-233A**	CBK43UHET-036-DV-**	---	R-454B	35400	14.7	12	34800	22400	17800	7.8	6.39	1.96	218693638	N/A
ML14KP1-036-233A**	CBK43UHET-042-DV-**	---	R-454B	36000	15.2	12.5	31400	21200	16500	7.8	6.2	1.96	218693639	No
ML14KP1-036-233A**	CBK45UHET-036-230-**	---	R-454B	36000	15.2	13	34400	20600	15900	7.8	6.7	1.9	217320850	No
ML14KP1-036-233A**	CBK45UHET-042-230-**	---	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	6.35	1.88	217320851	N/A
ML14KP1-036-233A**	CBK45UHPT-036-230-**	---	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	6.45	1.86	217320848	N/A
ML14KP1-036-233A**	CBK45UHPT-042-230-**	---	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	6.35	1.84	217320852	N/A
ML14KP1-036-233A**	CBK45UHV-036-230-**	---	R-454B	36000	15.2	13	34200	20400	15700	7.8	6.7	1.9	217320853	No
ML14KP1-036-233A**	CBK45UHV-042-230-**	---	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	6.35	1.88	217320854	N/A
ML14KP1-036-233A**	CBK47UHET-036-230-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	217320855	No
ML14KP1-036-233A**	CBK47UHET-036-460-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	217595420	No
ML14KP1-036-233A**	CBK47UHET-042-230-**	---	R-454B	36000	16	13.2	34000	20000	16300	7.8	6.6	2.06	217320856	No
ML14KP1-036-233A**	CBK48MVT-036-230-**	---	R-454B	35400	14.7	12.6	35600	20600	16800	8	6.85	2.04	217320857	No
ML14KP1-036-233A**	CBK48MVT-042-230-**	---	R-454B	36000	16	13.4	34200	20200	16300	7.8	6.6	2.06	217320858	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	217320859	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.86	217320860	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	217320861	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	217320862	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	217320863	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	217320864	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217320865	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	217320866	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	217320867	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	6.45	1.86	217320868	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	6.45	1.86	217320869	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	6.45	1.86	217320870	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	217320871	N/A
ML14KP1-036-233A**	CK40[C,U]T-36A-***TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	217320872	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-***TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217320873	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-***TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.82	217320874	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-***TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	217320875	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-***TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	6.45	1.9	217320876	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-***TDR	EL280UH090E48B	R-454B	36000	15.2	13								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	217320882	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	217320883	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	6.45	1.88	217320884	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	6.45	1.9	217320885	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	217320886	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	217320887	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	6.45	1.86	217320888	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	217320889	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	6.45	1.84	217320890	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	217320891	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217320892	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	217320893	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	217320894	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	20200	16600	7.5	6.1	1.88	218747749	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	20000	16500	7.5	6.1	1.88	218747741	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217320895	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	217320896	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217320897	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	6.45	1.88	217320898	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	217320899	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	6.45	1.86	217320900	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	6.45	1.86	217320901	N/A
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	6.45	1.86	217320902	N/A
ML14KP1-036-233A**	CK40[C,U]T-36C-**+TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	20200	16600	7.5	6.1	1.88	218747750	N/A
ML14KP1-036-233A**	CK40[C,U]T-36C-**+TDR	ML197UH060XE36B	R-454B	35800	15.5	12.5	33200	19800	16100	7.5	6	1.88	218747742	N/A
ML14KP1-036-233A**	CK40[C,U]T-36C-**+TDR	ML197UH080XE48C	R-454B	36000	15.5	13	33200	19800	16200	7.5	6.1	1.9	218747757	N/A
ML14KP1-036-233A**	CK40[C,U]T-36C-**+TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34600	20200	16700	7.5	6.1	1.92	218747751	N/A
ML14KP1-036-233A**	CK40[C,U]T-48B-**+TDR	ML197UH060XE36B	R-454B	36000	15.5	13	33800	19800	16200	7.5	6.1	1.92	218747743	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	6.7	1.98	217320903	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	6.45	1.98	217320904	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.98	217320905	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.98	217320906	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	2	217320907	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	6.7	2	217320908	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	217320909	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	217320910	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	6.7	1.98	217320918	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	6.45	1.98	217320919	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.98	217320920	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	6.7	1.98	217320921	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217320922	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	6.7	1.98	217320923	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217320924	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	2	217320925	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	6.7	2	217320926	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	6.7	2	217320927	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	6.45	1.96	217320928	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	2	217320929	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	6.7	1.98	217320930	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217320931	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	217320932	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217320933	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217320934	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	217320935	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34600	20200	16700	7.5	6.1	1.94	218747752	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML197UH060XE36B	R-454B	36000	15.5	13	33800	19700	16200	7.5	6.1	1.94	218747744	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML197UH080XE48C	R-454B	36000	15.5	13	34200	19900	16300	7.5	6.1	1.96	218747765	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	6.7	1.98	217320936	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	217320937	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	2	217320938	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	217320939	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	217320940	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217320941	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	6.45	1.98	217320942	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	6.45	1.98	217320943	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.98	217320944	N/A
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	6.7	1.98	217320945	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	1.98	217320946	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***+TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217320947	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217320954	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.94	217320955	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217320956	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	217320957	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	6.45	1.92	217320958	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.94	217320959	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	6.45	1.94	217320960	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	6.45	1.96	217320961	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	217320962	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.96	217320963	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	217320964	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.92	217320965	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	6.45	1.92	217320966	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	6.45	1.94	217320967	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	6.45	1.92	217320968	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	217320969	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	6.45	1.94	217320970	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	6.45	1.92	217320971	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML197UH030XE36C	R-454B	36000	14.7	12.5	33800	19800	16300	7.5	6.1	1.88	218747753	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	19600	16200	7.5	6.1	1.9	218747745	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	35600	15.2	12.5	33200	19300	15900	7.5	6.1	1.9	218747766	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	217320972	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	217320973	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	6.45	1.94	217320974	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	217320975	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	217320976	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	6.45	1.94	217320977	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	6.45	1.9	217320978	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	6.45	1.9	217320979	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.92	217320980	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217320981	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.94	217320982	N/A
ML14KP1-036-233A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	217320983	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	EL196DF090XE48C	R-454B	35800	15.2	12.8	36000	20400	16000	7.5	6.45	1.74	217320984	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	217320985	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	217320986	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	6.45	1.74	217320987	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	217320988	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	6.45	1.76	217320989	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	217320990	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	6.45	1.76	217320991	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	217320992	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	217320993	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	217320994	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	6.45	1.76	217320995	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	217320996	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	217320997	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	217320998	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	217320999	N/A
ML14KP1-036-233A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	217321000	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.94	217321001	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	217321002	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	6.45	1.92	217321003	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	6.45	1.92	217321004	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	6.7	1.98	217321005	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	217321006	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	217321007	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	217321008	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.92	217321009	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	217321010	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	217321011	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	217321012	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	6.7	1.96	217321013	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	6.7	2	217321014	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	217321015	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	1.98	217321016	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	6.7	1.96	217321017	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	1.98	217321018	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	6.45	1.92	2	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML197UH060XE36B	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.1	1.94	218747746	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	217321025	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	217321026	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	6.45	1.96	217321027	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	217321028	No
ML14KP1-036-233A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	6.45	1.96	217321029	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	217321030	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	217321031	N/A
ML14KP1-036-233A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.96	217321032	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	6.45	1.96	217321033	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	6.45	1.96	217321034	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	6.45	1.96	217321035	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.96	217321036	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	217321037	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	6.7	1.98	217321038	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	217321039	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	217321040	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217321041	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	6.7	1.96	217321042	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	217321043	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	6.45	1.96	217321044	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	6.45	1.96	217321045	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	217321046	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217321047	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	6.7	2	217321048	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217321049	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217321050	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217321051	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.94	217321052	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	217321053	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	217321054	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217321055	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.94	217321056	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	1.96	217321057	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217321058	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	217321059	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML197UH030XE36B	R-454B	36000	15.2	12.5	34400	20200	16800	7.5	6.1	1.92	218747755	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML197UH060XE36B	R-454B	35800	15.5	13	33800	19700	16300	7.5	6.1	1.92	218747747	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	34000	19900	16400	7.8	6.1	1.94	218747767	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	217321060	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	6.7	1.96	217321061	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217321062	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	217321063	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	217321064	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217321065	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	6.45	1.92	217321066	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	6.45	1.94	217321067	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	6.45	1.96	217321068	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	217321069	N/A
ML14KP1-036-233A**	CK40HT-42C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	6.7	1.96	217321070	No
ML14KP1-036-233A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	217321071	No
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	6.45	1.86	217321072	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	6.45	1.86	217321073	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	6.45	1.84	217321074	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	6.45	1.86	217321075	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	6.45	1.86	217321076	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	217321077	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	217321078	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	217321079	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	217321080	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	6.45	1.88	217321081	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	217321082	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	217321083	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	12.8	34600	20000	16300	7.5	6.45	1.88	217321084	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	217321085	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	217321086	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	217321087	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	217321088	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	6.45	1.88	217321089	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	217321090	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.2</									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	6.45	1.88	217321096	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	217321097	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	6.45	1.86	217321098	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34200	19900	16200	7.5	6	1.82	218747756	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	34200	19800	16100	7.5	6	1.84	218747748	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	35800	15.2	13	33800	19500	15800	7.5	5.9	1.84	218747768	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	6.45	1.86	217321099	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	217321100	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	6.45	1.88	217321101	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	217321102	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	217321103	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	217321104	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	6.45	1.84	217321105	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	6.45	1.84	217321106	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	217321107	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	217321108	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	6.45	1.86	217321109	N/A
ML14KP1-036-233A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	6.45	1.88	217321110	N/A
ML14KP1-036-463A**	CBK43UHET-036-DV-**	---	R-454B	35400	14.7	12	34800	22400	17800	7.8	6.39	1.96	218693640	N/A
ML14KP1-036-463A**	CBK43UHET-042-DV-**	---	R-454B	36000	15.2	12.5	31400	21200	16500	7.8	6.2	1.96	218693641	No
ML14KP1-036-463A**	CBK45UHET-036-230-**	---	R-454B	36000	15.2	13	34400	20600	15900	7.8	6.7	1.9	217602208	No
ML14KP1-036-463A**	CBK45UHET-042-230-**	---	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	6.35	1.88	217602209	N/A
ML14KP1-036-463A**	CBK45UHPT-036-230-**	---	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	6.45	1.86	217602205	N/A
ML14KP1-036-463A**	CBK45UHPT-042-230-**	---	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	6.35	1.84	217602210	N/A
ML14KP1-036-463A**	CBK45UHVT-036-230-**	---	R-454B	36000	15.2	13	34200	20400	15700	7.8	6.7	1.9	217602211	No
ML14KP1-036-463A**	CBK45UHVT-042-230-**	---	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	6.35	1.88	217602212	N/A
ML14KP1-036-463A**	CBK47UHET-036-230-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	217602213	No
ML14KP1-036-463A**	CBK47UHET-036-460-**	---	R-454B	35400	15.2	12.8	35600	20400	16600	8	6.85	2.04	217602214	No
ML14KP1-036-463A**	CBK47UHET-042-230-**	---	R-454B	36000	16	13.2	34000	20000	16300	7.8	6.6	2.06	217602215	No
ML14KP1-036-463A**	CBK48MVT-036-230-**	---	R-454B	35400	14.7	12.6	35600	20600	16800	8	6.85	2.04	217602216	N/A
ML14KP1-036-463A**	CBK48MVT-042-230-**	---	R-454B	36000	16	13.4	34200	20200	16300	7.8	6.6	2.06	217602217	No
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	217602218	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.86	217602220	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	217602223	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	6.45	1.84	217602226	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	217602229	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	217602232	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217602235	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	6.45	1.86	217602238	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	217602240	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	6.45	1.86	217602241	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	6.45	1.86	217602242	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	6.45	1.86	217602243	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	217602244	N/A
ML14KP1-036-463A**	CK40[C,U]T-36A-***TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	6.45	1.84	217602245	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217602246	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.82	217602247	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	6.45	1.84	217602248	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	6.45	1.9	217602249	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	6.45	1.9	217602250	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	6.45	1.88	217602251	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.84	217602252	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	6.45	1.84	217602253	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.84	217602254	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	6.45	1.86	217602255	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	217602256	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	6.45	1.88	217602257	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	6.45	1.9	217602258	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	6.45	1.86	217602259	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	217602260	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	6.45	1.86	217602261	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	6.45	1.88	217602262	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	6.45	1.84	217602263	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	217602264	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217602265	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	6.45	1.86	217602266	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	6.45	1.84	217602267	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	20200	16600	7.5	6.1	1.88	218747781	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	20000	16500	7.5	6.1	1.88	218747773	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	6.45	1.86	217602268	N/A
ML14KP1-036-463A**	CK													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	6.45	1.86	217602274	N/A
ML14KP1-036-463A**	CK40[C,U]T-36B-***TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	6.45	1.86	217602275	N/A
ML14KP1-036-463A**	CK40[C,U]T-36C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	20200	16600	7.5	6.1	1.88	218747782	N/A
ML14KP1-036-463A**	CK40[C,U]T-36C-***TDR	ML197UH060XE36B	R-454B	35800	15.5	12.5	33200	19800	16100	7.5	6	1.88	218747774	N/A
ML14KP1-036-463A**	CK40[C,U]T-36C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	33200	19800	16200	7.5	6.1	1.9	218747789	N/A
ML14KP1-036-463A**	CK40[C,U]T-48B-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34600	20200	16700	7.5	6.1	1.92	218747783	N/A
ML14KP1-036-463A**	CK40[C,U]T-48B-***TDR	ML197UH060XE36B	R-454B	36000	15.5	13	33800	19800	16200	7.5	6.1	1.92	218747775	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	6.7	1.98	217602276	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	6.45	1.98	217602277	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	6.7	1.98	217602278	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	1.98	217602279	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	6.45	2	217602280	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	6.7	2	217602281	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	217602282	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	6.7	2.02	217602283	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH090XE48C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	217602284	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	6.45	1.98	217602285	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.98	217602286	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	6.7	1.98	217602287	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217602288	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	6.7	1.98	217602289	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL296UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217602290	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	6.7	1.98	217602291	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	6.45	1.98	217602292	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.98	217602293	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	6.7	1.98	217602294	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217602295	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	6.7	1.98	217602296	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217602297	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	2	217602298	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	6.7	2	217602299	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	6.7	2	217602300	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	6.45	1.96	217602301	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	2	217602302	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	6.7	1.98	217602303	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217602304	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	217602305	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217602306	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	6.45	1.98	217602307	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	217602308	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34600	20200	16700	7.5	6.1	1.94	218747784	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML197UH060XE36B	R-454B	36000	15.5	13	33800	19700	16200	7.5	6.1	1.94	218747776	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	34200	19900	16300	7.5	6.1	1.96	218747797	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	6.7	1.98	217602309	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	6.45	1.98	217602310	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	2	217602311	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	217602312	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	2	217602313	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	6.7	2	217602314	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	6.45	1.98	217602315	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	6.45	1.98	217602316	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.98	217602317	N/A
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	6.7	1.98	217602318	No
ML14KP1-036-463A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	6.7	1.98	217602319	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217602320	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	6.45	1.92	217602321	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	217602322	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	6.45	1.92	217602323	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	6.45	1.94	217602324	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	6.45	1.94	217602325	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	6.45	1.9	217602326	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217602327	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.94	217602328	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217602329	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	217602330	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	6.45	1.92	217602331	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.94	217602332	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	6.45	1.94	217602333	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	6.45	1.96	217602334	N/A
ML14KP1-036-46														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	6.45	1.92	217602341	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.94	217602342	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	6.45	1.94	217602343	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	6.45	1.92	217602344	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	33800	19800	16300	7.5	6.1	1.88	218747785	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	33600	19600	16200	7.5	6.1	1.9	218747777	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	35600	15.2	12.5	33200	19300	15900	7.5	6.1	1.9	218747798	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	217602345	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	6.45	1.92	217602346	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	6.45	1.94	217602347	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	217602348	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	6.45	1.94	217602349	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	6.45	1.94	217602350	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	6.45	1.9	217602351	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	6.45	1.9	217602352	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	6.45	1.92	217602353	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	6.45	1.92	217602354	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	6.45	1.94	217602355	N/A
ML14KP1-036-463A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	6.45	1.94	217602356	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	EL196DF090XE48C	R-454B	35800	15.2	12.8	36000	20400	16000	7.5	6.45	1.74	217602357	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	217602358	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	217602359	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	6.45	1.74	217602360	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	217602361	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	6.45	1.76	217602362	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	217602363	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	6.45	1.76	217602364	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	217602365	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	217602366	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	6.45	1.74	217602367	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	6.45	1.76	217602368	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	6.45	1.76	217602369	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	6.45	1.74	217602370	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	217602371	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	6.45	1.74	217602372	N/A
ML14KP1-036-463A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	6.45	1.72	217602373	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.94	217602374	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	217602375	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	6.45	1.92	217602376	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	6.45	1.92	217602377	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	6.7	1.98	217602378	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	217602379	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	217602380	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	217602381	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.92	217602382	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	6.45	1.94	217602383	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	217602384	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	217602385	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	6.7	1.96	217602386	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	6.7	2	217602387	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	6.7	1.96	217602388	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	1.98	217602389	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	6.7	1.96	217602390	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	6.7	1.98	217602391	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	6.45	1.92	217602392	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML193UH045XE36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.94	217602393	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML193UH070XE36B	R-454B	36000	15.2	13	35000	20400	16700	7.5	6.45	1.94	217602394	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	6.45	1.92	217602395	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	6.45	1.96	217602396	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	6.45	1.94	217602397	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML197UH030XE36B	R-454B	36000	15.2	12.5	34800	20400	16800	7.8	6.1	1.94	218747786	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML197UH060XE36B	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.1	1.94	218747778	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	217602398	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	6.45	1.96	217602399	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	6.45	1.96	217602400	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	6.7	1.98	217602401	No
ML14KP1-036-463A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	6.45	1.96	217602402	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	217602403	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	6.45	1.96	217602404	N/A
ML14KP1-036-463A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	36000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	6.7	1.98	217602411	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	217602412	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	6.7	1.98	217602413	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217602414	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	6.7	1.96	217602415	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	217602416	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	6.45	1.96	217602417	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	6.45	1.96	217602418	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.96	217602419	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217602420	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	6.7	2	217602421	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217602422	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217602423	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217602424	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.94	217602425	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	217602426	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	6.7	1.96	217602427	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217602428	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	6.45	1.94	217602429	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	6.7	1.96	217602430	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217602431	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	217602432	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML197UH030XE36B	R-454B	36000	15.2	12.5	34400	20200	16800	7.5	6.1	1.92	218747787	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML197UH060XE36B	R-454B	35800	15.5	13	33800	19700	16300	7.5	6.1	1.92	218747779	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	36000	15.5	13	34000	19900	16400	7.8	6.1	1.94	218747799	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	6.45	1.96	217602433	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	6.7	1.96	217602434	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	6.7	1.98	217602435	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	217602436	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	6.7	1.98	217602437	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	6.7	1.98	217602438	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	6.45	1.92	217602439	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	6.45	1.94	217602440	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	6.45	1.96	217602441	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	6.45	1.94	217602442	N/A
ML14KP1-036-463A**	CK40HT-42C-***TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	6.7	1.96	217602443	No
ML14KP1-036-463A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	6.7	1.96	217602444	No
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	6.45	1.86	217602445	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	6.45	1.86	217602446	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	6.45	1.84	217602447	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	6.45	1.86	217602448	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	6.45	1.86	217602449	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	217602450	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	217602451	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	6.45	1.88	217602452	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	217602453	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	6.45	1.88	217602454	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	217602455	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.86	217602456	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	217602457	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	217602458	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	6.45	1.88	217602460	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	217602461	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	6.45	1.88	217602462	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	6.45	1.88	217602463	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML193UH090XE36C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	217602464	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	36000	15.2	13	34400	19800	16100	7.5	6.45	1.86	217602465	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	6.45	1.88	217602466	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	36000	15.2	13	34600	20000	16200	7.5	6.45	1.88	217602467	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	217602468	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	6.45	1.88	217602469	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	6.45	1.88	217602470	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	6.45	1.86	217602471	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML197UH030XE36B	R-454B	36000	14.7	12.5	34200	19900	16200	7.5	6	1.82	218747788	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML197UH060XE36B	R-454B	36000	14.7	12.5	34200	19800	16100	7.5	6	1.84	218747780	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	35800	15.2	13	33800	19500	15800	7.5	5.9	1.84	218747800	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	6.45	1.86	217602472	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	6.45	1.86	217602473	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	6.45	1.88	217602474	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	6.45	1.9	217602475	N/A
ML14KP1-036-463A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	36000	15.									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40HT-48C-**-TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	6.45	1.86	217602480	N/A
ML14KP1-036-463A**	CK40HT-48C-**-TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	6.45	1.86	217602481	N/A
ML14KP1-036-463A**	CK40HT-48C-**-TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	6.45	1.86	217602482	N/A
ML14KP1-036-463A**	CK40HT-48C-**-TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	6.45	1.88	217602483	N/A
ML14KP1-042-230A**	CBK43UHET-042-DV-**-	---	R-454B	40500	14.3	12	38000	24800	19800	7.5	6.25	2.02	218330859	N/A
ML14KP1-042-230A**	CBK43UHET-048-DV-**-	---	R-454B	42000	15.2	12.6	39500	25400	19800	7.5	6.5	1.98	218330860	N/A
ML14KP1-042-230A**	CBK45UHET-042-230-**-	---	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	6.5	2.02	215739992	N/A
ML14KP1-042-230A**	CBK45UHET-048-230-**-	---	R-454B	40500	14.3	12	40000	25400	20000	8	6.95	2.02	215739993	N/A
ML14KP1-042-230A**	CBK45UHPT-042-230-**-	---	R-454B	41000	14.3	12	40500	25600	20600	7.5	6.5	2	215739991	N/A
ML14KP1-042-230A**	CBK45UHV-042-230-**-	---	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2	215739994	No
ML14KP1-042-230A**	CBK45UHV-048-230-**-	---	R-454B	41000	15.2	12.8	39500	25000	19600	8	6.95	2.08	215739995	No
ML14KP1-042-230A**	CBK47UHET-042-230-**-	---	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	7.1	2.14	215739996	No
ML14KP1-042-230A**	CBK47UHET-048-230-**-	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	215739997	No
ML14KP1-042-230A**	CBK47UHET-048-460-**-	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	217595432	No
ML14KP1-042-230A**	CBK48MVT-042-230-**-	---	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	7	2.14	215739998	No
ML14KP1-042-230A**	CBK48MVT-048-230-**-	---	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	7.1	2.14	215739999	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	6.5	2.04	215740000	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	215740001	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	215740002	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	215740003	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	6.75	2.12	215740004	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	215740005	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	215740006	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	215740007	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.08	215740008	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740009	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	215740010	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	6.75	2.08	215740011	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	215740012	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	215740013	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	6.75	2.12	215740014	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	215740015	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	215740016	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	215740017	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	6.75	2.1	215740018	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	215740019	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	6.75	2.1	215740020	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	215740021	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	6.5	2.08	215740022	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	215740023	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740024	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	215740025	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML197UH080XE48C	R-454B	40500	15.5	12.5	39000	24600	20200	7.8	6.3	2.08	218745081	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740026	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740027	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML297UH090XV36C	R-454B	41000	15.2	12.5	39500	24800	20400	7.5	6.3	2.06	218695082	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML297UH090XV60C	R-454B	41000	15.2	12.5	39500	25000	20400	7.8	6.3	2.08	218695126	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	ML297UH110XV60C	R-454B	41500	15.2	12.8	39000	24600	20200	7.8	6.3	2.08	218690702	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.1	215740028	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	215740029	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	215740030	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	215740031	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740032	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740033	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	215740034	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	215740035	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	6.75	2.08	215740036	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	215740037	No
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	215740038	N/A
ML14KP1-042-230A**	CK40[C, U]T-48C-**-TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	215740039	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	6.75	2.02	215740040	N/A
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	6.75	2.04	215740041	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	6.75	2.02	215740042	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	215740043	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	6.75	2.08	215740044	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	215740045	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	215740046	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	215740047	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	215740048	No
ML14KP1-042-230A**	CK40[C, U]T-49C-**-TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8</				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	215740055	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	6.95	2.08	215740056	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	215740057	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	6.75	2.04	215740058	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	6.75	2.06	215740059	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	6.75	2.06	215740060	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.06	215740061	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	215740062	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.06	215740063	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.04	215740064	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	6.75	2.06	215740065	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	41000	15.5	13	38500	24800	19200	7.8	6.3	2.04	218745082	N/A
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740066	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	215740067	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV36C	R-454B	41500	15.2	12.5	39000	25000	19700	7.8	6.3	2.04	218695083	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	41500	15.5	12.5	39000	25200	19700	7.5	6.3	2.04	218695127	N/A
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	42000	15.5	12.8	38500	25000	19400	7.8	6.3	2.04	218697073	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	215740068	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	215740069	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	215740070	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	215740071	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	215740072	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	215740073	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740074	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	215740075	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	6.75	2.04	215740076	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	215740077	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	6.75	2.02	215740078	No
ML14KP1-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	6.75	2.04	215740079	No
ML14KP1-042-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740080	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740081	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	7	2	215740082	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740083	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740084	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740085	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	6.95	1.94	215740086	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	41000	14.3	12	42000	27200	21400	8	6.4	1.96	218690648	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	40500	14.3	12	42000	27200	21600	8.1	6.4	1.96	218695110	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740087	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	215740088	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	6.95	1.98	215740089	N/A
ML14KP1-042-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740090	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740091	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740092	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	215740093	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	7	2	215740094	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740095	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740096	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	6.95	1.98	215740097	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740098	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	41500	14.3	12.4	42000	27200	21600	8	6.4	1.98	218690649	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	41000	14.3	12	42000	27200	21600	8.1	6.4	1.96	218695111	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.96	215740099	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	215740100	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	6.95	1.98	215740101	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	6.95	1.96	215740102	N/A
ML14KP1-042-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	215740103	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	6.5	2	215740104	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	6.5	2.04	215740105	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	6.75	2.04	215740106	No
ML14KP1-042-230A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	6.75	2.04	215740107	No
ML14KP1-042-230A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	6.5	2	215740108	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	215740109	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	215740110	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	6.5	2.04	215740111	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	215740112	No
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	6.5	2.02	215740113	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	215740114	No
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	6.5	1.98	215740115	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5</			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	215740120	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	6.5	2	215740121	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	6.5	2.02	215740122	N/A
ML14KP1-042-230A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	215740123	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	215865130	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	215865131	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	215865132	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	215865133	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	6.45	1.86	215865134	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	215865135	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	215865136	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	215865137	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	215865138	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	215865139	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	215865140	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.84	215865141	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	215865142	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.86	215865143	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	215865144	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	6.45	1.84	215865145	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	215865146	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	215865147	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	215865148	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	6.45	1.84	215865149	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	215865150	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.84	215865151	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.86	215865152	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	39500	14.7	12	39000	23800	18600	7.5	6	1.82	218745083	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	215865153	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	215865154	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	40000	14.3	12	39500	24200	18900	7.5	6	1.8	218695084	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML297UH090XV60C	R-454B	40500	14.3	12	39500	24200	18900	7.5	6	1.82	218695128	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	ML297UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	6	1.82	218690704	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	6.45	1.86	215865155	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	215865156	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	215865157	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	215865158	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	215865159	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	215865160	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.82	215865161	N/A
ML14KP1-042-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	6.45	1.84	215865162	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	6.5	1.84	215740124	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	6.5	1.82	215740125	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	6.5	1.82	215740126	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.82	215740127	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740128	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	6.5	1.84	215740129	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	215740130	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740131	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	215740132	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740133	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	215740134	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	215740135	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	6.5	1.82	215740136	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	215740137	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.8	215740138	N/A
ML14KP1-042-230A**	CK40HT-48B-***TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	6.5	1.82	215740139	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	6.45	1.82	215865163	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	215865164	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	215865165	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	6.45	1.8	215865166	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	6.45	1.82	215865167	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	6.45	1.82	215865168	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	6.45	1.82	215865169	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	6.45	1.82	215865170	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	6.45	1.8	215865171	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	215865172	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	39000	14.3	12	38500	23600	18500	7.5	6	1.82	218745084	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	6.45	1.8	215865173	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	40000	14.3	11.7	39500	24200	19000	7.5	6	1.8	218695129	N/A
ML14KP1-042-230A**	CK40HT-48C-***TDR	ML297UH110XV60												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-233A**	CBK43UHET-048-DV-**	---	R-454B	42000	15.2	12.6	39500	25400	19800	7.5	6.5	1.98	218693643	N/A
ML14KP1-042-233A**	CBK45UHET-042-230**	---	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	6.5	2.02	217623705	N/A
ML14KP1-042-233A**	CBK45UHET-048-230**	---	R-454B	40500	14.3	12	40000	25400	20000	8	6.95	2.02	217623706	N/A
ML14KP1-042-233A**	CBK45UHPT-042-230**	---	R-454B	41000	14.3	12	40500	25600	20600	7.5	6.5	2	217623701	N/A
ML14KP1-042-233A**	CBK45UHV-042-230**	---	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2	217623707	No
ML14KP1-042-233A**	CBK45UHV-048-230**	---	R-454B	41000	15.2	12.8	39500	25000	19600	8	6.95	2.08	217623708	No
ML14KP1-042-233A**	CBK47UHET-042-230**	---	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	7.1	2.14	217623709	No
ML14KP1-042-233A**	CBK47UHET-048-230**	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	217623710	No
ML14KP1-042-233A**	CBK47UHET-048-460**	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	217623711	No
ML14KP1-042-233A**	CBK48MVT-042-230**	---	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	7	2.14	217623712	No
ML14KP1-042-233A**	CBK48MVT-048-230**	---	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	7.1	2.14	217623713	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	6.5	2.04	217623714	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	217623715	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	217623716	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	217623717	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	6.75	2.12	217623718	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	217623719	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	217623720	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	217623721	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.08	217623722	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623723	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	217623724	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	6.75	2.08	217623725	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	217623726	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	217623727	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	6.75	2.12	217623728	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	217623729	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	217623730	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	217623731	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	6.75	2.1	217623732	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	217623733	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	6.75	2.1	217623734	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	217623735	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	6.5	2.08	217623736	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	217623737	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623738	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	217623739	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML197UH080XE48C	R-454B	40500	15.5	12.5	39000	24600	20200	7.8	6.3	2.08	218747769	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623740	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623741	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.1	217623742	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	217623743	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	217623744	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623745	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623746	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623747	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	217623748	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	217623749	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	6.75	2.08	217623750	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623751	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	217623752	N/A
ML14KP1-042-233A**	CK40[C,U]T-48C-**-TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	217623753	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	6.75	2.02	217623754	N/A
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	6.75	2.04	217623755	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	6.75	2.02	217623756	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	217623757	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	6.75	2.08	217623758	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	217623759	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	217623760	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	217623761	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	217623762	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623763	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.04	217623764	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	6.75	2.06	217623765	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	6.75	2.04	217623766	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	6.75	2.04	217623767	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	6.95	2.08	217623768	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	217623769	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	6.95	2.08	217623770	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**-TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	217623771	No
ML14KP1-042														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.06	217623777	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.04	217623778	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	6.75	2.06	217623779	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	41000	15.5	13	38500	24800	19200	7.8	6.3	2.04	218747770	N/A
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623780	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	217623781	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	217623782	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	217623783	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	217623784	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	217623785	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	217623786	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	217623787	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623788	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	217623789	No
ML14KP1-042-233A**	CK40DT-48C-***TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	6.75	2.04	217623790	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623791	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	6.75	2.02	217623792	No
ML14KP1-042-233A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	6.75	2.04	217623793	No
ML14KP1-042-233A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	217623794	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	217623795	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	7	2	217623796	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	217623797	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	217623798	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	217623799	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	6.95	1.94	217623800	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	217623801	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	217623802	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	6.95	1.98	217623803	N/A
ML14KP1-042-233A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	217623804	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217623805	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217623806	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	217623807	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	7	2	217623808	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217623809	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217623810	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	6.95	1.98	217623811	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217623812	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.96	217623813	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217623814	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	6.95	1.98	217623815	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	6.95	1.96	217623816	N/A
ML14KP1-042-233A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	217623817	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	6.5	2	217623818	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	6.5	2.04	217623819	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	6.75	2.04	217623820	No
ML14KP1-042-233A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	6.75	2.04	217623821	No
ML14KP1-042-233A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	6.5	2	217623822	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	217623823	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	217623824	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	6.5	2.04	217623825	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	217623826	No
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	6.5	2.02	217623827	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	217623828	No
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	6.5	1.98	217623829	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	217623830	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	6.5	2.02	217623831	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	6.5	2.02	217623832	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.04	217623833	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	217623834	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	6.5	2	217623835	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	6.5	2.02	217623836	N/A
ML14KP1-042-233A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	217623837	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	217623854	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	217623855	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	217623856	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	217623857	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	6.45	1.86	217623858	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	217623859	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	217623860	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	217623861	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.86	217623867	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	217623868	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	6.45	1.84	217623869	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	217623870	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	217623871	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217623872	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	6.45	1.84	217623873	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	217623874	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.84	217623875	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.86	217623876	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	39500	14.7	12	39000	23800	18600	7.5	6	1.82	218747771	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	217623877	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217623878	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	6.45	1.86	217623879	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217623880	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217623881	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	217623882	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	217623883	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	217623884	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.82	217623885	N/A
ML14KP1-042-233A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	6.45	1.84	217623886	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	6.5	1.84	217623838	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	6.5	1.82	217623839	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	6.5	1.82	217623840	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.82	217623841	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217623842	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	6.5	1.84	217623843	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	217623844	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217623845	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	217623846	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217623847	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	217623848	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	217623849	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	6.5	1.82	217623850	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217623851	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.8	217623852	N/A
ML14KP1-042-233A**	CK40HT-48B-***TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	6.5	1.82	217623853	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	6.45	1.82	217623887	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	217623888	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	217623889	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	6.45	1.8	217623890	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	6.45	1.82	217623891	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	6.45	1.82	217623892	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	6.45	1.82	217623893	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	6.45	1.82	217623894	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	6.45	1.8	217623895	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	217623896	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	39000	14.3	12	38500	23600	18500	7.5	6	1.82	217623877	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	6.45	1.8	217623897	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	6.45	1.82	217623898	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	6.45	1.82	217623899	N/A
ML14KP1-042-233A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	217623900	N/A
ML14KP1-042-463A**	CBK45UHET-042-230-**	---	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	6.5	2.02	217623901	N/A
ML14KP1-042-463A**	CBK45UHET-048-230-**	---	R-454B	40500	14.3	12	40000	25400	20000	8	6.95	2.02	217623902	N/A
ML14KP1-042-463A**	CBK45UHPT-042-230-**	---	R-454B	41000	14.3	12	40500	25600	20600	7.5	6.5	2	217623702	N/A
ML14KP1-042-463A**	CBK45UHV-042-230-**	---	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2	217623903	No
ML14KP1-042-463A**	CBK45UHV-048-230-**	---	R-454B	41000	15.2	12.8	39500	25000	19600	8	6.95	2.08	217623904	No
ML14KP1-042-463A**	CBK47UHET-042-230-**	---	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	7.1	2.14	217623905	No
ML14KP1-042-463A**	CBK47UHET-048-230-**	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	217623906	No
ML14KP1-042-463A**	CBK47UHET-048-460-**	---	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	7.1	2.14	217623907	No
ML14KP1-042-463A**	CBK48MVT-042-230-**	---	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	7	2.14	217623908	No
ML14KP1-042-463A**	CBK48MVT-048-230-**	---	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	7.1	2.14	217623909	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	6.5	2.04	217623910	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	217623911	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	217623912	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	217623913	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	6.75	2.12	217623914	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	217623915	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	217623916	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	217623917	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	6.75	2.08	217623923	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	6.75	2.12	217623924	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	217623925	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.12	217623926	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	6.75	2.1	217623927	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	6.75	2.1	217623928	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.1	217623929	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	6.75	2.1	217623930	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	217623931	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	6.5	2.08	217623932	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	217623933	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623934	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	6.75	2.1	217623935	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML197UH080XE48C	R-454B	40500	15.5	12.5	39000	24600	20200	7.8	6.3	2.08	218747801	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623936	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623937	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	6.75	2.1	217623938	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	217623939	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	6.75	2.12	217623940	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	6.75	2.1	217623941	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623942	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623943	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	217623944	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	6.75	2.1	217623945	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	6.75	2.08	217623946	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	6.75	2.1	217623947	No
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	6.75	2.08	217623948	N/A
ML14KP1-042-463A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	6.75	2.1	217623949	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	6.75	2.02	217623950	N/A
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	6.75	2.04	217623951	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	6.75	2.02	217623952	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	217623953	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	6.75	2.08	217623954	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	217623955	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	6.95	2.06	217623956	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	217623957	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	217623958	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623959	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.04	217623960	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	6.75	2.06	217623961	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	6.75	2.04	217623962	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	6.75	2.04	217623963	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	6.95	2.08	217623964	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	217623965	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	6.95	2.08	217623966	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	6.75	2.06	217623967	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	6.75	2.04	217623968	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	6.75	2.06	217623969	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	6.75	2.06	217623970	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.06	217623971	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	6.75	2.04	217623972	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	6.75	2.06	217623973	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	6.75	2.04	217623974	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	6.75	2.06	217623975	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	41000	15.5	13	38500	24800	19200	7.8	6.3	2.04	218747802	N/A
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623976	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	217623977	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	6.75	2.06	217623978	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	217623979	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	6.75	2.04	217623980	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	6.75	2.04	217623981	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	217623982	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.06	217623983	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623984	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	6.75	2.06	217623985	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	6.75	2.04	217623986	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	6.75	2.04	217623987	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	6.75	2.02	217623988	No
ML14KP1-042-463A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	6.75	2.04	217623989	No
ML14KP1-042-463A**	CK40DT-48C-***TDR													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-463A**	CK40DT-48C-***+TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	6.95	1.94	217623996	N/A
ML14KP1-042-463A**	CK40DT-48C-***+TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	217623997	N/A
ML14KP1-042-463A**	CK40DT-48C-***+TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.98	217623998	N/A
ML14KP1-042-463A**	CK40DT-48C-***+TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	6.95	1.98	217623999	N/A
ML14KP1-042-463A**	CK40DT-48C-***+TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	6.95	1.96	217624000	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217624001	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217624002	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	217624003	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	7	2	217624004	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217624005	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217624006	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	6.95	1.98	217624007	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217624008	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.96	217624009	N/A
ML14KP1-042-463A**	CK40DT-42B-***+TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	6.95	1.98	217624010	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	6.95	1.98	217624011	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	6.95	1.96	217624012	N/A
ML14KP1-042-463A**	CK40DT-50/60C-***+TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	6.95	1.96	217624013	N/A
ML14KP1-042-463A**	CK40DT-42B-***+TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	6.5	2	217624014	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	6.5	2.04	217624015	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	6.75	2.04	217624016	No
ML14KP1-042-463A**	CK40HT-42B-***+TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	6.75	2.04	217624017	No
ML14KP1-042-463A**	CK40HT-42B-***+TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	6.5	2	217624018	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	217624019	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	217624020	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	6.5	2.04	217624021	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	217624022	No
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	6.5	2.02	217624023	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	6.75	2.04	217624024	No
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	6.5	1.98	217624025	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	217624026	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	6.5	2.02	217624027	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	6.5	2.02	217624028	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.04	217624029	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	6.5	2.02	217624030	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	6.5	2	217624031	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	6.5	2.02	217624032	N/A
ML14KP1-042-463A**	CK40HT-42B-***+TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	6.5	2.02	217624033	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	217624050	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	6.45	1.84	217624051	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	217624052	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	217624053	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	6.45	1.86	217624054	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	217624055	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.88	217624056	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	217624057	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	217624058	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.84	217624059	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	217624060	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.84	217624061	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	217624062	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	6.45	1.86	217624063	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	6.45	1.86	217624064	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	6.45	1.84	217624065	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	217624066	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	6.45	1.84	217624067	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217624068	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	6.45	1.84	217624069	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	6.45	1.84	217624070	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.84	217624071	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	6.45	1.86	217624072	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML197UH080XE48C	R-454B	39500	14.7	12	39000	23800	18600	7.5	6	1.82	218747803	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	217624073	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217624074	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	6.45	1.86	217624075	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217624076	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	6.45	1.86	217624077	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	6.45	1.86	217624078	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	6.45	1.84	217624079	N/A
ML14KP1-042-463A**	CK40HT-42C-***+TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-463A**	CK40HT-48B-**+TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.82	217624037	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217624038	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	6.5	1.84	217624039	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	217624040	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217624041	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	6.5	1.84	217624042	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217624043	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	217624044	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	6.5	1.8	217624045	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	6.5	1.82	217624046	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	6.5	1.82	217624047	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	6.5	1.8	217624048	N/A
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	6.5	1.82	217624049	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	6.45	1.82	217624083	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	217624084	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	6.45	1.82	217624085	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	6.45	1.8	217624086	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	6.45	1.82	217624087	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	6.45	1.82	217624088	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	6.45	1.82	217624089	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	6.45	1.82	217624090	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	6.45	1.8	217624091	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	217624092	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML197UH080XE48C	R-454B	39000	14.3	12	38500	23600	18500	7.5	6	1.82	218747804	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	6.45	1.8	217624093	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	6.45	1.82	217624094	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	6.45	1.82	217624095	N/A
ML14KP1-042-463A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	6.45	1.8	217624096	N/A
ML14KP1-048-230A**	CBK43UHET-048-DV-**	---	R-454B	48000	14.3	12	46000	28400	22400	7.5	6.3	1.93	218330861	N/A
ML14KP1-048-230A**	CBK43UHET-060-DV-**	---	R-454B	47500	14.3	12	46500	31000	25600	7.8	6.7	2.1	218330862	N/A
ML14KP1-048-230A**	CBK45UHET-048-230-**	---	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	6.5	2.04	215746601	N/A
ML14KP1-048-230A**	CBK45UHET-060-230-**	---	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	7.1	2.2	215746602	N/A
ML14KP1-048-230A**	CBK45UHV-048-230-**	---	R-454B	48000	14.7	12.4	47000	29200	23400	8	6.95	2.04	215746603	N/A
ML14KP1-048-230A**	CBK45UHV-060-230-**	---	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	7	2.18	215746604	N/A
ML14KP1-048-230A**	CBK47UHET-048-230-**	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	215746605	No
ML14KP1-048-230A**	CBK47UHET-048-460-**	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	215746606	No
ML14KP1-048-230A**	CBK47UHET-060-230-**	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	215746607	N/A
ML14KP1-048-230A**	CBK47UHET-060-460-**	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	215746608	N/A
ML14KP1-048-230A**	CBK48MVT-048-230-**	---	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	7.1	2.2	215746609	No
ML14KP1-048-230A**	CBK48MVT-060-230-**	---	R-454B	48000	15.5	13	47000	29600	23400	8.2	7.1	2.12	215746610	No
ML14KP1-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	215866046	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	215866047	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	215866048	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	215866049	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	215866050	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	215866051	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	215866052	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	6.45	1.9	215866053	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	215866054	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	215866055	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.92	215866056	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	215866057	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	215866058	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	215866059	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	6.45	1.9	215866060	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	215866061	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	215866062	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML197UH080XE48C	R-454B	47000	14.7	12	45500	28600	22600	7.5	6	1.86	218745151	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	215866063	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	6.45	1.9	215866064	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML297UH090XV60C	R-454B	47000	14.3	12	46000	29000	23200	7.5	6	1.86	218695130	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML297UH110XV60C	R-454B	48000	14.3	12.4	46000	29000	23000	7.5	6	1.86	218697076	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	215866065	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	215866066	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	215866067	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	215866068	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	215866069	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	215866070	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.86	215866071	N/A
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	215866072	N/A
ML14KP1-048-230A**	CK40[C,U]T-													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	215746613	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	215746614	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.1	215746615	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	6.75	2.06	215746616	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	215746617	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	215746618	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XE48C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	215746619	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	6.75	2.08	215746620	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	215746621	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	215746622	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	6.75	2.12	215746623	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	215746624	No
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	6.75	2.12	215746625	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	6.75	2.1	215746626	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	215746627	No
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	6.75	2.12	215746628	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.08	215746629	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746630	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.1	215746631	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	48000	15.2	12.5	45500	29200	23600	7.8	6.3	2.08	218745152	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746632	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	215746633	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	48000	14.7	12	46000	29800	24200	7.8	6.3	2.06	218695131	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	48000	14.7	12.6	46000	29600	24000	7.8	6.3	2.06	218690707	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	215746634	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746635	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746636	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	215746637	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	215746638	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	215746639	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746640	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746641	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	6.75	2.08	215746642	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	215746643	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	215746644	N/A
ML14KP1-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	215746645	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	215746646	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	6.5	1.98	215746647	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	215746648	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	215746649	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	6.5	1.92	215746650	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	215746651	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.94	215746652	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.94	215746653	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.96	215746654	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	215746655	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.98	215746656	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	215746657	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	6.5	1.94	215746658	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	6.5	1.96	215746659	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.96	215746660	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.94	215746661	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	215746662	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	46500	14.3	12	45500	28400	22600	7.5	6.1	1.92	218745153	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	215746663	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV60C	R-454B	47000	14.3	12	46000	28400	22600	7.5	6.1	1.92	218695132	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.96	215746664	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	215746665	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	215746666	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	215746667	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	215746668	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	215746669	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	6.5	1.92	215746670	N/A
ML14KP1-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	215746671	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	215746672	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	215746673	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	215746674	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746675	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E48C	R-454B	48000	15.2	13	46							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746681	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215746682	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	215746683	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	6.95	2.14	215746684	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	215746685	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	7	2.16	215746686	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	215746687	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	215746688	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	6.95	2.12	215746689	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	215746690	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	215746691	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	6.95	2.1	215746692	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746693	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML197UH080XE48C	R-454B	48000	15.2	12.5	46000	29600	23600	8	6.4	2.08	218745154	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746694	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746695	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML297UH090XV60C	R-454B	48000	14.7	12.5	46500	30000	24000	8.1	6.4	2.08	218695133	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	ML297UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24000	8	6.4	2.08	218690708	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	6.95	2.14	215746696	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	215746697	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	215746698	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	215746699	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	215746700	No
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	215746701	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	6.75	2.06	215746702	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746703	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	6.75	2.12	215746704	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215746705	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	215746706	N/A
ML14KP1-048-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	215746707	N/A
ML14KP1-048-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	6.5	1.78	215746708	N/A
ML14KP1-048-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	6.5	1.8	215746709	N/A
ML14KP1-048-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	6.5	1.8	215746710	N/A
ML14KP1-048-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	47000	14.3	12	48000	31200	24200	7.5	6	1.76	218695112	N/A
ML14KP1-048-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	6.5	1.78	215746711	N/A
ML14KP1-048-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	6.5	1.78	215746712	N/A
ML14KP1-048-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	215866074	N/A
ML14KP1-048-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	215866075	N/A
ML14KP1-048-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	6.5	1.8	215746713	N/A
ML14KP1-048-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	6.45	1.8	215866076	N/A
ML14KP1-048-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	6.45	1.8	215866077	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	6.45	1.68	215866078	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	215866079	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	215866080	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.7	215866081	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	215866082	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.68	215866083	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	215866084	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	215866085	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	46500	14.3	12	46500	29800	23000	7.5	6	1.66	218745155	N/A
ML14KP1-048-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	47000	14.3	12	46500	29800	23000	7.5	5.9	1.64	218695134	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	215866086	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	6.7	1.86	215866087	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	215866088	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	215866089	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	6.45	1.84	215866090	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23200	7.5	6.35	1.82	218011866	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	215866091	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	6.45	1.84	215866092	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	215866093	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	6.7	1.9	215866094	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	215866095	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	6.7	1.88	215866096	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	215866097	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	6.45	1.84	215866098	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	6.45	1.84	215866099	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	6.7	1.88	215866100	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	6.45	1.86	215866101	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	215866102	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	ML197UH080XE48C	R-454B	48000	14.7									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	215866106	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	215866107	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	215866108	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	215866109	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	215866110	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	6.45	1.82	215866111	N/A
ML14KP1-048-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	215866112	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47000	29400	23000	7.5	6.5	1.96	217996689	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	6.45	1.94	216021527	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	216021528	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	6.45	1.94	216021529	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.94	216021530	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	ML197UH080XE48C	R-454B	47500	14.7	12	45500	28600	22600	7.5	6.1	1.92	218745157	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	ML297UH090XV60C	R-454B	48000	14.3	12	46000	29000	23000	7.5	6.1	1.9	218695136	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	ML297UH135XV60D	R-454B	48000	14.3	12.2	45500	28600	22600	7.5	6.2	1.98	218690730	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	216021531	N/A
ML14KP1-048-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	6.45	1.96	216021532	N/A
ML14KP1-048-233A**	CBK43UHET-048-DV-**-	---	R-454B	48000	14.3	12	46000	28400	22400	7.5	6.3	1.93	218693644	N/A
ML14KP1-048-233A**	CBK43UHET-060-DV-**-	---	R-454B	47500	14.3	12	46500	31000	25600	7.8	6.7	2.1	218693645	N/A
ML14KP1-048-233A**	CBK45UHET-048-230-**-	---	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	6.5	2.04	217321111	N/A
ML14KP1-048-233A**	CBK45UHET-060-230-**-	---	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	7.1	2.2	217321113	N/A
ML14KP1-048-233A**	CBK45UHVT-048-230-**-	---	R-454B	48000	14.7	12.4	47000	29200	23400	8	6.95	2.04	217321114	N/A
ML14KP1-048-233A**	CBK45UHVT-060-230-**-	---	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	7	2.18	217321115	N/A
ML14KP1-048-233A**	CBK47UHET-048-230-**-	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	217321116	No
ML14KP1-048-233A**	CBK47UHET-048-460-**-	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	217595421	No
ML14KP1-048-233A**	CBK47UHET-060-230-**-	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	217321117	N/A
ML14KP1-048-233A**	CBK47UHET-060-460-**-	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	217595422	N/A
ML14KP1-048-233A**	CBK48MVT-048-230-**-	---	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	7.1	2.2	217321118	No
ML14KP1-048-233A**	CBK48MVT-060-230-**-	---	R-454B	48000	15.5	13	47000	29600	23400	8.2	7.1	2.12	217321119	No
ML14KP1-048-233A**	CK40[C],UJT-48B-***TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	217321120	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	217321121	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	217321122	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	217321123	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	217321124	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	217321125	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	217321126	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	6.45	1.9	217321127	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217321128	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217321129	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.92	217321130	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	217321131	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	217321132	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	217321133	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	6.45	1.9	217321134	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217321135	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	217321136	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML197UH080XE48C	R-454B	47000	14.7	12	45500	28600	22600	7.5	6	1.86	218747758	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	217321137	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	6.45	1.9	217321138	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	217321139	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	217321140	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	217321141	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	217321142	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	217321143	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	217321144	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.86	217321145	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	217321146	N/A
ML14KP1-048-233A**	CK40[C],UJT-48C-***TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217321147	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	6.75	2.1	217321148	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.08	217321149	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	217321150	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	6.75	2.14	217321151	No
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	217321152	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	217321153	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.1	217321154	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	6.75	2.06	217321155	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	217321156	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	217321157	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	217321158	N/A
ML14KP1-048-233A**	CK40[C],UJT-49C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	6.75	2.08	21732115	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	6.75	2.1	217321165	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	217321166	No
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	6.75	2.12	217321167	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.08	217321168	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321169	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.1	217321170	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	48000	15.2	12.5	45500	29200	23600	7.8	6.3	2.08	218747759	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321171	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	217321172	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	217321173	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321174	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321175	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	217321176	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	217321177	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	217321178	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321179	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321180	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	6.75	2.08	217321181	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	6.75	2.1	217321182	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	6.75	2.1	217321183	N/A
ML14KP1-048-233A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217321184	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	217321185	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	6.5	1.98	217321186	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	217321187	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	217321188	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	6.5	1.92	217321189	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	217321190	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.94	217321191	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.94	217321192	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.96	217321193	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	217321194	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.98	217321195	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	217321196	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	6.5	1.94	217321197	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	6.5	1.96	217321198	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.96	217321199	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.94	217321200	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	217321201	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	46500	14.3	12	45500	28400	22600	7.5	6.1	1.92	218747760	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	217321202	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.96	217321203	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	217321204	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	217321205	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	217321206	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	217321207	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	217321208	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	6.5	1.92	217321209	N/A
ML14KP1-048-233A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	217321210	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	217321211	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	217321212	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	217321213	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217321214	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	6.95	2.14	217321215	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	7	2.14	217321216	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	7	2.14	217321217	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	6.95	2.14	217321218	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	6.75	2.12	217321219	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217321220	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	217321221	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217321222	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217321223	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	217321224	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	6.95	2.14	217321225	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	217321226	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	7	2.16	217321227	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	217321228	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	217321229	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	6.95	2.12	217321230	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	6.95	2.14	217321237	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	217321238	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	217321239	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	217321240	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	217321241	No
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	217321242	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	6.75	2.06	217321243	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217321244	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	6.75	2.12	217321245	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217321246	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217321247	N/A
ML14KP1-048-233A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217321248	N/A
ML14KP1-048-233A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	6.5	1.78	217321249	N/A
ML14KP1-048-233A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	6.5	1.8	217321250	N/A
ML14KP1-048-233A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	6.5	1.8	217321251	N/A
ML14KP1-048-233A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	6.5	1.78	217321252	N/A
ML14KP1-048-233A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	6.5	1.78	217321253	N/A
ML14KP1-048-233A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	217321254	N/A
ML14KP1-048-233A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	217321255	N/A
ML14KP1-048-233A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	6.5	1.8	217321256	N/A
ML14KP1-048-233A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	6.45	1.8	217321257	N/A
ML14KP1-048-233A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	6.45	1.8	217321258	N/A
ML14KP1-048-233A**	CK40HT-48B-***TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	6.45	1.68	217321259	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	217321260	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	217321261	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.7	217321262	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	217321263	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.68	217321264	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	217321265	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	217321266	N/A
ML14KP1-048-233A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	46500	14.3	12	46500	29800	23000	7.5	6	1.66	218747762	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	217321267	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	6.7	1.86	217321268	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	217321269	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	217321270	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	6.45	1.84	217321271	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23200	7.5	6.35	1.82	218011868	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217321272	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	6.45	1.84	217321273	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	217321274	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	6.7	1.9	217321275	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	217321276	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	6.7	1.88	217321277	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	217321278	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	6.45	1.84	217321279	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	6.45	1.84	217321280	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	6.7	1.88	217321281	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	6.45	1.86	217321282	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	217321283	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML197UH080XE48C	R-454B	48000	14.7	12	46500	29600	23200	7.8	6.2	1.82	218747763	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	6.7	1.86	217321284	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217321285	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	217321286	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217321287	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217321288	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	217321289	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	217321290	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	217321291	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	6.45	1.82	217321292	N/A
ML14KP1-048-233A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217321293	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47000	29400	23000	7.5	6.5	1.96	217996691	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	6.45	1.94	217321294	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	217321295	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	6.45	1.94	217321296	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.94	217321297	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	ML197UH080XE48C	R-454B	47500	14.7	12	45500	28600	22600	7.5	6.1	1.92	218747764	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	ML194UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	217321298	N/A
ML14KP1-048-233A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	6.45	1.96	217321299	N/A
ML14KP1-048-463A**	CBK43UHET-048-DV-**	---	R-454B	48000	14.3	12	46000	28400	22400	7.5	6.3	1.93	218693646	N/A
ML14KP1-048-463A**	CBK43UHET-060-DV-**	---	R-454B	47500	14.3	12	46							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-463A**	CBK47UHET-048-460.**	---	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	7.1	2.2	217602488	No
ML14KP1-048-463A**	CBK47UHET-060-230.**	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	217602489	N/A
ML14KP1-048-463A**	CBK47UHET-060-460.**	---	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	7	2.06	217602490	N/A
ML14KP1-048-463A**	CBK48MVT-048-230.**	---	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	7.1	2.2	217602491	No
ML14KP1-048-463A**	CBK48MVT-060-230.**	---	R-454B	48000	15.5	13	47000	29600	23400	8.2	7.1	2.12	217602492	No
ML14KP1-048-463A**	CK40[C,U]T-48B.**+TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	217602493	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	217602494	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	217602495	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	217602496	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	217602497	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	6.45	1.9	217602498	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	217602499	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	6.45	1.9	217602500	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217602501	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217602502	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.92	217602503	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	217602504	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	6.45	1.9	217602505	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	217602506	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	6.45	1.9	217602507	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217602508	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.9	217602509	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML197UH080XE48C	R-454B	47000	14.7	12	45500	28600	22600	7.5	6	1.86	218747790	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	6.45	1.88	217602510	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	6.45	1.9	217602511	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	6.45	1.9	217602512	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	217602513	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.9	217602514	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	217602515	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	217602516	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	6.45	1.9	217602517	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.86	217602518	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	6.45	1.88	217602519	N/A
ML14KP1-048-463A**	CK40[C,U]T-48C.**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	6.45	1.88	217602520	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	6.75	2.1	217602521	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.08	217602522	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	217602523	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	6.75	2.14	217602524	No
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	217602525	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	6.95	2.14	217602526	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.1	217602527	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	6.75	2.06	217602528	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.1	217602529	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	217602530	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.12	217602531	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	6.75	2.08	217602532	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	6.75	2.08	217602533	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	217602534	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	6.75	2.12	217602535	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	217602536	No
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	6.75	2.12	217602537	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	6.75	2.1	217602538	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	6.75	2.12	217602539	No
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	6.75	2.12	217602540	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	6.75	2.08	217602541	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217602542	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	6.75	2.1	217602543	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML197UH080XE48C	R-454B	48000	15.2	12.5	45500	29200	23600	7.8	6.3	2.08	218747791	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217602544	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	217602545	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.12	217602546	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217602547	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217602548	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	217602549	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	217602550	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	6.75	2.12	217602551	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217602552	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	6.75	2.1	217602553	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	6.75	2.08	217602554	N/A
ML14KP1-048-463A**	CK40[C,U]T-49C.**+T													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.98	217602561	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	6.5	1.92	217602562	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	217602563	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.94	217602564	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.94	217602565	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.96	217602566	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	217602567	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.98	217602568	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	6.5	1.96	217602569	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	6.5	1.94	217602570	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	6.5	1.96	217602571	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	6.5	1.96	217602572	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.94	217602573	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	6.5	1.96	217602574	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	46500	14.3	12	45500	28400	22600	7.5	6.1	1.92	218747792	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	217602575	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	6.5	1.96	217602576	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	217602577	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	6.5	1.94	217602578	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	217602579	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	217602580	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	6.5	1.96	217602581	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	6.5	1.92	217602582	N/A
ML14KP1-048-463A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	6.5	1.96	217602583	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	217602584	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	217602585	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	217602586	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602587	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	6.95	2.14	217602588	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	7	2.14	217602589	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	7	2.14	217602590	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	6.95	2.14	217602591	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	6.75	2.12	217602592	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217602593	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	6.95	2.1	217602594	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602595	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217602596	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	6.95	2.1	217602597	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	6.95	2.14	217602598	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	217602599	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	7	2.16	217602600	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	6.95	2.12	217602601	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	217602602	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	6.95	2.12	217602603	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	217602604	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	6.95	2.14	217602605	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	6.95	2.1	217602606	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602607	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML197UH080XE48C	R-454B	48000	15.2	12.5	46000	29600	23600	8	6.4	2.08	218747793	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602608	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602609	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	6.95	2.14	217602610	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	217602611	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	217602612	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	217602613	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	6.95	2.12	217602614	No
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	6.95	2.12	217602615	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	6.75	2.06	217602616	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602617	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	6.75	2.12	217602618	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217602619	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.1	217602620	N/A
ML14KP1-048-463A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	6.95	2.12	217602621	N/A
ML14KP1-048-463A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	6.5	1.78	217602622	N/A
ML14KP1-048-463A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	6.5	1.8	217602623	N/A
ML14KP1-048-463A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	6.5	1.8	217602624	N/A
ML14KP1-048-463A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	6.5	1.78	217602625	N/A
ML14KP1-048-463A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	6.5	1.78	217602626	N/A
ML14KP1-048-463A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	6.45	1.8	217602627	N/A
ML14KP1-04														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-463A**	CK40HT-48C-**-TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	6.45	1.7	217602634	N/A
ML14KP1-048-463A**	CK40HT-48C-**-TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.7	217602635	N/A
ML14KP1-048-463A**	CK40HT-48C-**-TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	217602636	N/A
ML14KP1-048-463A**	CK40HT-48C-**-TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	6.45	1.68	217602637	N/A
ML14KP1-048-463A**	CK40HT-48C-**-TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	217602638	N/A
ML14KP1-048-463A**	CK40HT-48C-**-TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	6.45	1.68	217602639	N/A
ML14KP1-048-463A**	CK40HT-48C-**-TDR	ML197UH080XE48C	R-454B	46500	14.3	12	46500	29800	23000	7.5	6	1.66	218747794	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	217602640	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	6.7	1.86	217602641	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	217602642	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	6.7	1.88	217602643	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	6.45	1.84	217602644	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23200	7.5	6.35	1.82	218011869	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217602645	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	6.45	1.84	217602646	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	217602647	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	6.7	1.9	217602648	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	217602649	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	6.7	1.88	217602650	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	6.7	1.88	217602651	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	6.45	1.84	217602652	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	6.45	1.84	217602653	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	6.7	1.88	217602654	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	6.45	1.86	217602655	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.86	217602656	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML197UH080XE48C	R-454B	48000	14.7	12	46500	29600	23200	7.8	6.2	1.82	218747795	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	6.7	1.86	217602657	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217602658	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	6.7	1.88	217602659	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217602660	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217602661	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	217602662	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	217602663	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	6.7	1.86	217602664	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	6.45	1.82	217602665	N/A
ML14KP1-048-463A**	CK40HT-51/61C-**-TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	6.7	1.86	217602666	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	EL297UH090XV60C	R-454B	48000	14.3	12.2	47000	29400	23000	7.5	6.5	1.96	217996692	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	6.45	1.94	217602667	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	217602668	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	6.45	1.94	217602669	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.94	217602670	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	ML197UH080XE48C	R-454B	47500	14.7	12	45500	28600	22600	7.5	6.1	1.92	218747796	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	6.45	1.96	217602671	N/A
ML14KP1-048-463A**	CK40HT-60D-**-TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	6.45	1.96	217602672	N/A
ML14KP1-060-230A**	CBK43UHET-060-DV-**-	- - -	R-454B	55000	14.3	11.7	55500	34000	26800	7.5	6.4	2.02	218374285	N/A
ML14KP1-060-230A**	CBK45UHET-060-230-**-	- - -	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	6.6	2.26	215747668	N/A
ML14KP1-060-230A**	CBK45UHVT-060-230-**-	- - -	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	7.1	2.24	215747670	N/A
ML14KP1-060-230A**	CBK47UHET-060-230-**-	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2	215747669	N/A
ML14KP1-060-230A**	CBK47UHET-060-460-**-	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2	217595412	N/A
ML14KP1-060-230A**	CBK48MVT-060-230-**-	- - -	R-454B	58000	14.3	12	55500	35400	29600	8	7	2.2	215747671	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	6.6	2.02	215747672	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	6.6	2.04	215747673	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	6.6	2	215747674	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	6.6	2	215747675	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	6.6	1.98	215747676	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	6.6	2.02	215747677	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	6.6	2.04	215747805	N/A
ML14KP1-060-230A**	CK40[C],UJT-49C-**-TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	6.6	2.04	215747806	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747678	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06	215747679	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06	215747805	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL297UH090XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04	217970917	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	215747681	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	6.6	2.02	215747682	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04	215747683	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	215747684	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	215747685	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	6.85	2.08	215747686	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	215747687	N/A
ML14KP1-060-230A**	CK40[C],UJT-60C-**-TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	6.85	2.06	215747693	N/A
ML14KP1-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	215747694	N/A
ML14KP1-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	215747695	N/A
ML14KP1-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	215747696	N/A
ML14KP1-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	6.85	2.04	215747697	N/A
ML14KP1-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	6.6	1.98	216021569	N/A
ML14KP1-060-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	6.6	1.98	216021570	N/A
ML14KP1-060-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	6.6	1.96	216021571	N/A
ML14KP1-060-230A**	CK40DT-60D-***TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	6.6	1.84	215747698	N/A
ML14KP1-060-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	6.6	1.82	215747699	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98	216021570	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	6.6	1.98	215747701	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	6.6	1.98	215747702	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	6.6	1.98	215747703	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	58000	14.3	12	56000	35800	29000	7.5	6.6	1.98	216021588	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	6.6	2	215747704	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98	215747705	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	6.6	1.98	215747706	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98	215747707	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.96	215747708	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	57000	14.3	12.2	55500	35400	28200	7.5	6.6	1.94	217014498	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98	215747709	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	57500	14.3	12	54500	36000	28800	7.5	6.1	1.9	218690716	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	6.6	1.98	215747710	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	6.6	1.94	215747711	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	6.6	1.98	215747712	N/A
ML14KP1-060-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.98	215747713	N/A
ML14KP1-060-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	6.6	1.94	216021572	N/A
ML14KP1-060-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	6.6	1.94	216021573	N/A
ML14KP1-060-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	6.6	1.94	216021574	N/A
ML14KP1-060-233A**	CBK43UHET-060-DV-**	---	R-454B	55000	14.3	11.7	55500	34000	26800	7.5	6.4	2.02	218693648	N/A
ML14KP1-060-233A**	CBK45UHET-060-230-**	---	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	6.6	2.26	217321300	N/A
ML14KP1-060-233A**	CBK45UHVT-060-230-**	---	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	7.1	2.24	217321302	N/A
ML14KP1-060-233A**	CBK47UHET-060-230-**	---	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2	217321303	N/A
ML14KP1-060-233A**	CBK47UHET-060-230-**	---	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2	217595423	N/A
ML14KP1-060-233A**	CBK48MVT-060-230-**	---	R-454B	58000	14.3	12	55500	35400	29600	8	7	2.2	217321304	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	6.6	2.02	217321305	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	6.6	2.04	217321306	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	6.6	2	217321307	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	6.6	2	217321308	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	6.6	1.98	217321309	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	6.6	2.02	217321310	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	6.6	2.04	217321311	N/A
ML14KP1-060-233A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	6.6	2.04	217321312	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	217321313	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06	217321314	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06	217321315	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04	217970919	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	217321316	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	6.6	2.02	217321317	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04	217321318	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	217321319	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	217321320	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	6.85	2.08	217321321	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06	217321322	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	217321323	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	6.85	2.04	217321324	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	6.6	2	217321325	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	6.85	2.04	217321326	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04	217321327	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	6.85	2.06	217321328	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	217321329	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	217321330	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04	217321331	N/A
ML14KP1-060-233A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	6.85	2.04	217321332	N/A
ML14KP1-060-233A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	6.6	1.98	217321333	N/A
ML14KP1-060-233A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	6.6	1.98	217321334	N/A
ML14KP1-060-233A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	6.6	1.96	217321335	N/A
ML14KP1-060-233A**	CK40DT-60D-***TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	6.6	1.84	217321336	N/A
ML14KP1-060-233A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	6.6	1		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star	
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	6.6		2	217321342	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98		217321343	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	6.6	1.98		217321344	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98		217321345	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.96		217321346	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	57000	14.3	12.2	55500	35400	28200	7.5	6.6	1.94		217321347	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98		217321348	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	6.6	1.98		217321349	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	6.6	1.94		217321350	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	6.6	1.98		217321351	N/A
ML14KP1-060-233A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.98		217321352	N/A
ML14KP1-060-233A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	6.6	1.94		217321353	N/A
ML14KP1-060-233A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	6.6	1.94		217321354	N/A
ML14KP1-060-233A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	6.6	1.94		217321355	N/A
ML14KP1-060-463A**	CBK43UHET-060-DV-**	---	R-454B	55000	14.3	11.7	55500	34000	26800	7.5	6.4	2.02		218693649	N/A
ML14KP1-060-463A**	CBK45UHET-060-230-**	---	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	6.6	2.26		217602207	N/A
ML14KP1-060-463A**	CBK45UHV-060-230-**	---	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	7.1	2.24		217602673	N/A
ML14KP1-060-463A**	CBK47UHET-060-230-**	---	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2		217602674	N/A
ML14KP1-060-463A**	CBK47UHET-060-460-**	---	R-454B	57500	14.3	11.7	55500	35600	29600	8	7	2.2		217602675	N/A
ML14KP1-060-463A**	CBK48MVT-060-230-**	---	R-454B	58000	14.3	12	55500	35400	29600	8	7	2.2		217602676	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	6.6	2.02		217602677	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	6.6	2.04		217602678	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	6.6	2		217602679	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	6.6	2		217602680	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	6.6	1.98		217602681	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	6.6	2.02		217602682	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	6.6	2.04		217602683	N/A
ML14KP1-060-463A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	6.6	2.04		217602684	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04		217602685	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06		217602686	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	6.85	2.06		217602687	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04		217970920	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04		217602688	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	6.6	2.02		217602689	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	6.6	2.04		217602690	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06		217602691	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06		217602692	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	6.85	2.08		217602693	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	6.85	2.06		217602694	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04		217602695	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	6.85	2.04		217602696	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	6.6	2		217602697	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	6.85	2.04		217602698	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	6.85	2.04		217602699	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	6.85	2.06		217602700	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04		217602701	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04		217602702	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	6.85	2.04		217602703	N/A
ML14KP1-060-463A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	6.85	2.04		217602704	N/A
ML14KP1-060-463A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	6.6	1.98		217602705	N/A
ML14KP1-060-463A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	6.6	1.98		217602706	N/A
ML14KP1-060-463A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	6.6	1.96		217602707	N/A
ML14KP1-060-463A**	CK40DT-60D-***TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	6.6	1.84		217602708	N/A
ML14KP1-060-463A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	6.6	1.82		217602709	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98		217602710	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	6.6	1.98		217602711	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	6.6	1.98		217602712	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	6.6	1.98		217602713	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	58000	14.3	12	56000	35800	29000	7.5	6.6	1.98		218013234	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	6.6	2		217602714	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98		217602715	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	6.6	1.98		217602716	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	6.6	1.98		217602717	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	6.6	1.96		217602718	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	57000	14.3	12.2	55500	35400	28200	7.5	6.6	1.94		217602719	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	6.6	1.98		217602720	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	6.6	1.98		217602721	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	6.6	1.94		217602722	N/A
ML14KP1-060-463A**	CK40HT-51/61C-***TDR	SL280UH090XV60													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-018-230A**	CBK45UHET-024-230.**	---	R-454B	18700	16.1	10.6	18400	15000	13500	8.7	7	1.9	218616019	Yes
ML15KSPV-018-230A**	CBK45UHPT-024-230.**	---	R-454B	18500	14.5	10.4	18300	15100	13700	8.4	6.9	2	218679971	N/A
ML15KSPV-018-230A**	CBK45UHV-018-230.**	---	R-454B	18000	16.2	11	18000	15000	12600	8.5	6.8	1.8	218082937	Both
ML15KSPV-018-230A**	CBK45UHVT-024-230.**	---	R-454B	18700	16.2	10.7	18400	15000	13400	8.7	7	1.9	218616020	Yes
ML15KSPV-018-230A**	CBK47UHET-024-230.**	---	R-454B	18400	15.5	10.5	18400	15000	13500	8.7	7	1.9	218616021	Yes
ML15KSPV-018-230A**	CBK48MVT-018/024-230.**	---	R-454B	18600	16.4	10.7	18400	15000	13400	8.8	7	1.9	218616022	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	---	R-454B	18300	14.3	9.7	18200	13800	13200	7.9	6.4	1.8	218616075	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	EL180UH040NE36A	R-454B	18100	15.4	10.2	18500	15500	14000	8.3	6.7	1.9	218617499	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	EL180UH060NE36A	R-454B	18100	15.4	10.2	18500	15500	14000	8.3	6.7	1.9	218617500	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	EL280UH070E36A	R-454B	18500	15.9	10.3	18500	15500	14000	8.3	6.7	1.9	218617501	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	EL280UH070XE36A	R-454B	18500	15.9	10.3	18500	15500	14000	8.3	6.7	1.9	218617532	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	ML180UH030V36A	R-454B	18100	16.5	10.4	18500	15400	13900	8.4	6.7	1.9	218617533	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	ML180UH045E36A	R-454B	18300	15.6	10.4	18500	15500	13900	8.3	6.7	1.9	218617502	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	ML180UH045V36A	R-454B	18000	16.5	10.3	18500	15500	13900	8.4	6.7	1.9	218617534	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	ML180UH045XE36A	R-454B	18300	15.6	10.4	18500	15500	13900	8.3	6.7	1.9	218617503	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24A.**+TDR	ML180UH070V36A	R-454B	18000	16	10.3	18500	15500	13900	8.3	6.7	1.9	218617535	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	---	R-454B	18000	14.3	9.8	18000	13000	13000	7.8	6.4	1.8	218082944	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL195UH040NE36B	R-454B	18400	14.7	10.2	18600	15600	14000	8.2	6.7	1.9	218616125	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL195UH060NE36B	R-454B	18400	14.9	10.3	18600	15600	14000	8.2	6.7	1.9	218616126	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL196UH030XE36B	R-454B	18500	14.9	10.1	18700	15600	14100	8.1	6.6	1.9	218616138	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL196UH045XE36B	R-454B	18400	14.7	10.2	18600	15600	14000	8.2	6.7	1.9	218616139	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL196UH070XE36B	R-454B	18400	14.7	10.2	18600	15600	14000	8.2	6.7	1.9	218616140	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL280UH090E36B	R-454B	18500	15.7	10.4	18500	15500	13900	8.3	6.7	1.9	218617536	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL297UH045XE36B	R-454B	18400	14.9	10.3	18600	15600	14000	8.2	6.7	1.9	218616141	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	EL297UH070XE36B	R-454B	18400	14.9	10.2	18600	15600	14000	8.2	6.7	1.9	218616142	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML180UH070V36B	R-454B	18000	16.4	10.3	18500	15500	13900	8.4	6.7	1.9	218617537	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML193UH030XE36B	R-454B	18500	17.1	10.2	18600	15600	14000	8.5	6.8	1.9	218617538	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML193UH045XE36B	R-454B	18400	15.6	10.3	18600	15600	14000	8.3	6.7	1.9	218617539	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML193UH070XE36B	R-454B	18400	15.7	10.3	18600	15500	14000	8.3	6.7	1.9	218617540	Yes
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML196UH030XE36B	R-454B	18500	15	10.1	18700	15600	14100	8.2	6.6	1.9	218616143	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML196UH045XE36B	R-454B	18400	14.6	10.2	18600	15600	14000	8.2	6.7	1.9	218616127	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	ML196UH070XE36B	R-454B	18500	14.9	10.3	18600	15500	14000	8.2	6.7	1.9	218616128	N/A
ML15KSPV-018-230A**	CK40[C,U]T-24B.**+TDR	SLP99UH070XV36B	R-454B	18600	16.3	10.3	18600	15500	14000	8.4	6.7	1.9	218617504	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	---	R-454B	18400	14.3	9.8	18100	13700	13200	7.8	6.4	1.8	218616076	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	EL180UH040NE36A	R-454B	18200	15.5	10.3	18500	15500	13900	8.2	6.7	1.9	218617505	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	EL180UH060NE36A	R-454B	18200	15.5	10.3	18500	15500	13900	8.2	6.7	1.9	218617506	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	EL280UH045E36A	R-454B	18100	15.7	10.5	18400	15400	13900	8.2	6.6	1.9	218617507	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	EL280UH070E36A	R-454B	18600	16	10.4	18500	15500	13900	8.2	6.7	1.9	218617508	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	EL280UH070XE36A	R-454B	18600	16	10.4	18500	15500	13900	8.2	6.7	1.9	218617541	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	ML180UH030V36A	R-454B	18200	16.5	10.5	18400	15400	13900	8.3	6.7	1.9	218617542	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	ML180UH045E36A	R-454B	18400	15.7	10.4	18500	15500	13900	8.2	6.6	1.9	218617509	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	ML180UH045V36A	R-454B	18100	16.4	10.4	18500	15400	13900	8.3	6.7	1.9	218617543	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	ML180UH045XE36A	R-454B	18400	15.7	10.4	18500	15500	13900	8.2	6.6	1.9	218617510	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30A.**+TDR	ML180UH070V36A	R-454B	18100	16	10.4	18500	15400	13900	8.2	6.7	1.9	218617544	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	---	R-454B	18400	14.3	9.8	18100	13700	13200	7.8	6.4	1.8	218616077	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL195UH040NE36B	R-454B	18500	14.8	10.3	18600	15600	14000	8.1	6.6	1.9	218616129	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL195UH060NE36B	R-454B	18600	15	10.3	18600	15500	14000	8.1	6.6	1.9	218616130	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL196UH045XE36B	R-454B	18500	14.8	10.3	18600	15600	14000	8.1	6.6	1.9	218616144	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL196UH070XE36B	R-454B	18500	14.8	10.3	18600	15600	14000	8.1	6.6	1.9	218616145	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL280UH090E36B	R-454B	18700	15.8	10.5	18500	15500	13900	8.2	6.6	1.9	218617545	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL297UH045XE36B	R-454B	18600	15	10.4	18600	15500	14000	8.1	6.6	1.9	218616146	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	EL297UH070XE36B	R-454B	18500	15	10.3	18600	15500	14000	8.1	6.6	1.9	218616147	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	ML180UH070V36B	R-454B	18100	16.4	10.4	18400	15400	13900	8.2	6.7	1.9	218617546	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	ML193UH030XE36B	R-454B	18600	15.2	10.3	18600	15600	14000	8.1	6.6	1.9	218617547	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	ML193UH045XE36B	R-454B	18600	15.7	10.4	18600	15500	14000	8.2	6.6	1.9	218617548	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	ML193UH070XE36B	R-454B	18500	15.8	10.4	18500	15500	13900	8.2	6.6	1.9	218617549	Yes
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	ML196UH045XE36B	R-454B	18500	14.8	10.3	18600	15600	14000	8.1	6.6	1.9	218616131	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	ML196UH070XE36B	R-454B	18600	15	10.4	18500	15500	14000	8.1	6.6	1.9	218616132	N/A
ML15KSPV-018-230A**	CK40[C,U]T-30B.**+TDR	SLP99UH070XV36B	R-454B	18700	16.4	10.4	18500	15500	13900	8.2	6.6	1.9	218617511	Yes
ML15KSPV-018-230A**	CK40DT-24A.**+TDR	---	R-454B	18500	14.5	9.8	18200	13700	13200	8	6.5	1.9	218616081	N/A
ML15KSPV-018-230A**	CK40DT-24A.**+TDR	EL280DF070E36A	R-454B	18500	15.4	10.3	18600	15500	13900	8.4	6.8	1.9	218617530	Yes
ML15KSPV-018-230A**	CK40DT-24A.**+TDR	ML180DF045E36A	R-454B	18100	15.3	10.2	18600	15500	13900	8.4	6.8	1.9	218617531	Yes
ML15KSPV-018-230A**	CK40DT-24B.**+TDR	---	R-454B	18500	14.5	9.8	18200	13700	13200	8	6.5	1.9	218616082	N/A
ML15KSPV-018-230A**	CK40DT-24B.**+TDR	EL297DF045XE36B	R-454B	18400	14.6	10.2	18700	15600	14000	8.2	6.7	1.9	218616152	N/A
ML15KSPV-018-230A**	CK40DT-24B.**+TDR	ML193DF045XE36B	R-454B	18500	15.7	10.4	18600	15500	13900	8.4	6.8	1.9	218617573	Yes
ML15KSPV-018-230A**	CK40DT-24B.**+TDR	ML193DF070XE36B	R-454B	18500	15.8	10.4	18600	15500	13900	8.4	6.8	1.9	218617574	Yes
ML15KSPV-018-230A**	CK40DT-24B.**+TDR	ML196DF045XE36B	R-454B	18500	15	10.3	18600	15500	13900	8.3	6.7	1.9	218616137	N/A
ML15KSPV-018-230A**	CK40HT-24A.**+TDR	EL180UH040NE36A	R-454B	18000	15.4	10.2	18500	15500	14000	8.3	6.7	1.9	218617512	Yes
ML15KSPV-018-230A**	CK40HT-24A.**+TDR	EL180UH060NE36A	R-454B	18000	15.4	10.2	18500	15500	14000	8.3	6.7	1.9	218617513	Yes
ML15KSPV-018-230A**	CK40HT-24A.**+TDR	EL280UH045E36A	R-454B	17900	16.2	10.4	18400	15400	13900	8.4	6.7	1.9	218617514	Yes
ML15KSPV-018-230A**	CK40HT-24A.**+TDR													

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-018-230A**	CK40HT-24A-**-TDR	ML180UH045XE36A	R-454B	18300	15.6	10.4	18500	15500	13900	8.3	6.7	1.9	218617517	Yes
ML15KSPV-018-230A**	CK40HT-24A-**-TDR	ML180UH070V36A	R-454B	18000	16	10.3	18500	15500	13900	8.3	6.7	1.9	218617553	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	- - -	R-454B	18700	14.3	9.9	18200	13700	13200	7.8	6.4	1.8	218616078	N/A
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL195UH040NE36B	R-454B	18700	15.1	10.3	18600	15500	14000	8.2	6.7	1.9	218616133	N/A
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL195UH060NE36B	R-454B	18800	15.3	10.4	18600	15500	13900	8.2	6.7	1.9	218617518	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL196UH045XE36B	R-454B	18700	15	10.3	18600	15500	14000	8.2	6.7	1.9	218616148	N/A
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL196UH070XE36B	R-454B	18800	15.1	10.4	18600	15500	14000	8.2	6.7	1.9	218616149	N/A
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL280UH090E36B	R-454B	18900	16.8	10.6	18500	15400	13900	8.4	6.7	1.9	218617554	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL297UH045XE36B	R-454B	18800	15.4	10.4	18600	15500	13900	8.2	6.7	1.9	218617555	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	EL297UH070XE36B	R-454B	18700	15.3	10.4	18600	15500	13900	8.2	6.7	1.9	218617556	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	ML180UH070V36B	R-454B	18300	16.3	10.5	18500	15500	13900	8.2	6.7	1.9	218617557	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	ML193UH030XE36B	R-454B	18800	16.5	10.4	18600	15500	13900	8.4	6.7	1.9	218617558	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	ML193UH045XE36B	R-454B	18800	15.9	10.4	18600	15500	13900	8.3	6.7	1.9	218617559	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	ML193UH070XE36B	R-454B	18700	16	10.5	18600	15500	13900	8.3	6.7	1.9	218617560	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	ML196UH045XE36B	R-454B	18700	15	10.3	18600	15500	14000	8.2	6.7	1.9	218616134	N/A
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	ML196UH070XE36B	R-454B	18800	15.3	10.5	18600	15500	13900	8.2	6.7	1.9	218617519	Yes
ML15KSPV-018-230A**	CK40HT-24B-**-TDR	SLP99UH070XV36B	R-454B	18900	16.6	10.5	18600	15500	13900	8.4	6.7	1.9	218617520	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	- - -	R-454B	18800	14.7	9.9	18200	13700	13100	8.1	6.5	1.9	218616079	N/A
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	EL180UH040NE36A	R-454B	18500	15.7	10.4	18600	15400	13800	8.6	6.9	2	218617521	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	EL180UH060NE36A	R-454B	18500	15.7	10.4	18600	15400	13800	8.6	6.9	2	218617522	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	EL280UH045E36A	R-454B	18300	17.2	10.6	18500	15300	13700	8.8	7	2	218617523	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	EL280UH070E36A	R-454B	18900	16.5	10.5	18600	15400	13800	8.6	6.9	2	218617524	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	EL280UH070XE36A	R-454B	18900	16.5	10.5	18600	15400	13800	8.6	6.9	2	218617561	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	ML180UH030V36A	R-454B	18500	16.6	10.6	18500	15300	13700	8.6	6.9	2	218617562	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	ML180UH045E36A	R-454B	18800	16.2	10.6	18600	15400	13800	8.6	6.9	2	218617525	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	ML180UH045V36A	R-454B	18500	16.6	10.5	18500	15400	13800	8.6	6.9	2	218617563	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	ML180UH045XE36A	R-454B	18800	16.2	10.6	18600	15400	13800	8.6	6.9	2	218617526	Yes
ML15KSPV-018-230A**	CK40HT-30A-**-TDR	ML180UH070V36A	R-454B	18500	16.2	10.5	18500	15400	13800	8.6	6.9	2	218617564	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	- - -	R-454B	18600	14.4	9.9	18200	13700	13200	7.9	6.4	1.9	218616080	N/A
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL195UH040NE36B	R-454B	18700	15	10.3	18600	15500	14000	8.2	6.6	1.9	218616135	N/A
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL195UH060NE36B	R-454B	18800	15.2	10.4	18600	15500	13900	8.2	6.6	1.9	218617527	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL196UH045XE36B	R-454B	18700	14.9	10.3	18600	15500	14000	8.2	6.6	1.9	218616150	N/A
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL196UH070XE36B	R-454B	18700	15	10.4	18600	15500	14000	8.2	6.6	1.9	218616151	N/A
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL280UH090E36B	R-454B	18900	16.7	10.6	18500	15500	13900	8.4	6.7	1.9	218617565	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL297UH045XE36B	R-454B	18800	15.3	10.4	18600	15500	13900	8.2	6.6	1.9	218617566	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	EL297UH070XE36B	R-454B	18700	15.2	10.4	18600	15500	13900	8.2	6.6	1.9	218617567	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML180UH070V36B	R-454B	18200	16.5	10.5	18500	15400	13800	8.4	6.7	1.9	218617568	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML193UH030XE36B	R-454B	17900	15.4	10.4	18500	15400	13900	8.2	6.7	1.9	218617569	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML193UH045XE36B	R-454B	18800	15.9	10.4	18600	15500	13900	8.3	6.7	1.9	218617570	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML193UH070XE36B	R-454B	18700	16	10.5	18600	15500	13900	8.3	6.7	1.9	218617571	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML196UH030XE36B	R-454B	18000	15.4	10.3	18500	15500	13900	8.2	6.7	1.9	218617572	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML196UH045XE36B	R-454B	18700	14.9	10.3	18600	15500	14000	8.2	6.6	1.9	218616136	N/A
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	ML196UH070XE36B	R-454B	18800	15.2	10.5	18600	15500	13900	8.2	6.6	1.9	218617528	Yes
ML15KSPV-018-230A**	CK40HT-30B-**-TDR	SLP99UH070XV36B	R-454B	18900	16.6	10.5	18600	15500	13900	8.4	6.7	1.9	218617529	Yes
ML15KSPV-024-230A**	CBK43UHET-024-DV**	- - -	R-454B	23800	16.3	9.2	25000	18800	18600	8.9	7.1	1.9	218616023	Yes
ML15KSPV-024-230A**	CBK43UHET-030-DV**	- - -	R-454B	23800	16.3	9.2	25000	18800	18600	8.9	7.1	1.9	218616024	Yes
ML15KSPV-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	24200	16.2	9.3	25000	18800	18700	8.7	6.8	1.9	218616025	Yes
ML15KSPV-024-230A**	CBK45UHET-030-230-**	- - -	R-454B	24200	16.2	9.4	24800	18700	18700	8.5	6.7	1.8	218616026	Yes
ML15KSPV-024-230A**	CBK45UHVT-024-230-**	- - -	R-454B	24000	16	9	24000	18600	18000	8.5	6.8	1.8	218082938	Yes
ML15KSPV-024-230A**	CBK45UHVT-030-230-**	- - -	R-454B	24000	16.2	9.1	25000	18900	18900	8.5	6.7	1.8	218616027	Yes
ML15KSPV-024-230A**	CBK47UHET-024-230-**	- - -	R-454B	23600	15.8	9.3	24800	18700	18600	8.7	6.8	1.8	218616028	Yes
ML15KSPV-024-230A**	CBK47UHET-030-230-**	- - -	R-454B	24400	16.7	9.5	24800	18600	18500	8.9	6.9	1.9	218616029	Yes
ML15KSPV-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	23800	16.8	9	25000	18900	18800	8.8	6.9	1.8	218616030	Yes
ML15KSPV-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	24000	16.2	9.3	24800	18700	18500	8.9	6.9	1.9	218616031	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL180UH040NE36A	R-454B	23000	15.9	9.2	23800	18300	18400	8.1	6.6	1.8	218616153	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL180UH060NE36A	R-454B	23000	15.9	9.2	23800	18300	18400	8.1	6.6	1.8	218616154	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL280UH045E36A	R-454B	22800	16.2	9.5	23600	18100	18200	8.1	6.7	1.8	218616155	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL280UH070E36A	R-454B	22400	15.5	9.5	23400	18100	18200	8.1	6.6	1.7	218616156	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	EL280UH070XE36A	R-454B	22600	15.5	9.5	23400	18100	18200	8.1	6.6	1.7	218616228	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH030V36A	R-454B	22600	15.5	9.5	23400	18100	18200	8.1	6.6	1.7	218616229	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH045E36A	R-454B	23000	15.7	9.2	23800	18300	18400	8.1	6.6	1.8	218616157	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH045V36A	R-454B	22800	15.7	9.4	23600	18100	18200	8.1	6.6	1.8	218617605	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH045XE36A	R-454B	22600	15.6	9.5	23400	18100	18200	8.1	6.6	1.8	218616158	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH070E36A	R-454B	23000	15.2	9.4	23600	18200	18300	8	6.6	1.8	218616159	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH070V36A	R-454B	22800	15.8	9.4	23600	18100	18200	8.1	6.6	1.8	218617606	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	ML180UH070XE36A	R-454B	22800	15.2	9.4	23600	18100	18200	8	6.6	1.8	218616160	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	SL280UH060NV36A	R-454B	22800	15.6	9.4	23600	18100	18200	8.1	6.6	1.8	218616161	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24A-**-TDR	SL280UH070XV36A	R-454B	23000	15.5	9.3	23600	18200	18300	8	6.6	1.8	218616230	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**-TDR	- - -	R-454B	23400	14.3	8.5	23200	17600	18400	8.2	6.7	1.75	218082945	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL195UH040NE36B	R-454B	22800	15	9.1	23800	18400	18500	8	6.6	1.7	218616162	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**-TDR	EL195UH060NE36B	R-454B	22800	15.1	9.1	23800	18400	18500	8	6.6	1.7	218616163	N/A
ML15KSPV-024-														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	23000	15.2	9.1	23800	18300	18400	8.1	6.6	1.8	218617608	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	22600	15.8	9.4	23600	18200	18300	8.1	6.6	1.8	218617609	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	23000	15.1	9.1	23800	18300	18400	8	6.6	1.8	218616234	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	22800	15.8	9.5	23400	18100	18200	8.1	6.6	1.8	218617610	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	23000	15.2	9.5	23600	18100	18200	8	6.6	1.8	218616164	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	22800	15.8	9.5	23400	18100	18200	8.1	6.6	1.8	218617611	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	23000	16.3	9.5	23600	18100	18200	8.1	6.7	1.8	218617612	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	23000	15.2	9.5	23600	18100	18200	8	6.6	1.8	218616165	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090E48B	R-454B	23200	14.3	9.3	23800	18200	18300	7.9	6.6	1.8	218616166	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	23000	16	9.2	23800	18300	18400	8.1	6.6	1.8	218617613	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090XE48B	R-454B	23200	14.3	9.3	23800	18200	18300	7.9	6.6	1.8	218616167	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	22800	16.1	9.1	23800	18300	18500	8.2	6.7	1.7	218616235	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	23000	15.7	9.2	23800	18300	18400	8.1	6.7	1.8	218617614	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	23000	15.8	9.3	23600	18200	18300	8.1	6.7	1.8	218617615	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	22600	15.8	9.4	23600	18200	18300	8.1	6.6	1.7	218616236	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	22800	15.1	9.1	23800	18400	18500	8	6.6	1.7	218616168	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	23000	15	9.1	23800	18300	18500	8	6.6	1.8	218616169	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	22800	16.1	9.4	23600	18200	18300	8.1	6.7	1.8	218617616	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	22600	16	9.4	23600	18100	18200	8.1	6.7	1.8	218617617	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML297UH045XV36B	R-454B	22600	15.8	9.4	23600	18200	18300	8.1	6.6	1.8	218729685	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML297UH070XV36B	R-454B	22800	15.8	9.5	23400	18100	18200	8.1	6.6	1.8	218729686	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	22600	15.4	9.2	23600	18200	18300	8.1	6.6	1.7	218616170	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23000	16.1	9.5	23600	18100	18200	8.1	6.7	1.8	218617618	Yes
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	22600	16.3	9.4	23600	18100	18200	8.1	6.7	1.8	218616171	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	22600	15.9	9.4	23600	18100	18200	8.1	6.7	1.8	218616172	N/A
ML15KSPV-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23000	15.9	9.5	23600	18100	18200	8.1	6.7	1.8	218616173	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	23200	15.9	9.3	23600	18300	18400	8	6.6	1.7	218616175	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	23200	15.9	9.3	23600	18300	18400	8	6.6	1.7	218616176	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	23000	16.2	9.6	23400	18100	18200	8.1	6.6	1.7	218616178	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	22800	15.6	9.6	23400	18000	18200	8	6.6	1.7	218616177	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	22800	15.6	9.6	23400	18000	18200	8	6.6	1.7	218616238	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	23000	15.8	9.6	23600	18100	18200	8	6.6	1.7	218616239	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	23200	15.7	9.3	23600	18300	18400	8	6.6	1.7	218616180	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	23000	15.8	9.5	23600	18100	18200	8	6.6	1.7	218616240	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	23200	15.7	9.3	23600	18300	18400	8	6.6	1.7	218616207	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	23200	15.3	9.5	23600	18200	18300	7.9	6.5	1.7	218616179	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	23000	15.9	9.5	23600	18100	18200	8	6.6	1.7	218616241	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	23200	15.3	9.5	23600	18200	18300	7.9	6.5	1.7	218616206	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	23200	15.7	9.5	23600	18200	18300	8	6.6	1.7	218616174	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	23200	15.5	9.4	23600	18200	18300	8	6.6	1.7	218616237	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	23200	15.1	9.2	23800	18400	18500	7.9	6.5	1.7	218616209	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	23200	15.3	9.2	23800	18400	18500	7.9	6.5	1.7	218616210	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	22800	15.9	9.4	23600	18100	18300	8	6.6	1.7	218616247	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	23000	15.1	9.1	23800	18400	18500	7.9	6.5	1.7	218616245	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	23200	15.2	9.2	23800	18400	18500	7.9	6.5	1.7	218616246	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	22800	15.7	9.7	23400	18000	18200	8	6.6	1.7	218616243	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	23600	14.4	9.2	23800	18400	18400	7.8	6.5	1.7	218616211	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	23600	14.4	9.4	23800	18300	18400	7.8	6.5	1.8	218616248	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	23200	15.3	9.2	23800	18400	18500	7.9	6.5	1.7	218616249	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	23000	15.8	9.4	23600	18200	18300	8	6.6	1.7	218616251	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	23200	15.2	9.2	23800	18300	18400	8	6.6	1.7	218616250	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	23200	15.9	9.5	23600	18100	18300	8	6.6	1.7	218616252	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	23200	15.4	9.6	23600	18100	18200	7.9	6.5	1.7	218616185	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	23000	15.9	9.6	23400	18000	18200	8	6.6	1.7	218616244	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	23200	15.4	9.6	23600	18100	18200	7.9	6.5	1.7	218616208	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23200	15.7	9.2	23800	18400	18500	8	6.6	1.7	218616254	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	23200	15.7	9.2	23800	18300	18400	8	6.6	1.7	218616255	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	23200	15.8	9.4	23600	18300	18400	8	6.6	1.7	218616256	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	22800	15.9	9.4	23600	18100	18300	8	6.6	1.7	218616253	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	23200	15.1	9.1	23800	18400	18500	7.9	6.5	1.7	218616212	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	23200	15.1	9.3	23600	18200	18300	7.9	6.5	1.7	218616213	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	23000	16.2	9.5	23600	18100	18300	8.1	6.6	1.7	218616257	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23200	16.1	9.5	23600	18200	18300	8	6.6	1.7	218616258	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH045XV36B	R-454B	23000	15.9	9.5	23600	18100	18300	8	6.6	1.7	218729687	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH070XV36B	R-454B	23000	15.9	9.6	23400	18100	18200	8	6.6	1.7	218729688	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23000	15.5	9.4	23600	18200	18300	8	6.6	1.7	218616181	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	23200	16.2	9.6	23600	18100	18200	8	6.6	1.7	218616242	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23200	16.3	9.5	23600	18200	18300	8	6.6	1.7	218616182	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23000	15.9	9.4	23600	18200	18300	8	6.6	1.7	218616183	N/A
ML15KSPV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH030V36A	R-454B	23400	16.5	9.7	23600	18000	18000	8.2	6.7	1.8	218617621	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH045E36A	R-454B	23600	16	9.4	23800	18200	18200	8.1	6.6	1.8	218617581	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH045V36A	R-454B	23400	16.2	9.6	23600	18000	18100	8.2	6.7	1.8	218617622	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH045XE36A	R-454B	23600	16	9.4	23800	18200	18200	8.1	6.6	1.8	218617583	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH070E36A	R-454B	23600	15.6	9.6	23600	18100	18100	8.1	6.6	1.8	218617580	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH070V36A	R-454B	23400	16.3	9.6	23600	18100	18100	8.2	6.7	1.8	218617623	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	ML180UH070XE36A	R-454B	23600	15.6	9.6	23600	18100	18100	8.1	6.6	1.8	218617582	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	SL280UH060NV36A	R-454B	23600	16.1	9.6	23600	18100	18100	8.1	6.6	1.8	218617575	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36A-***TDR	SL280UH070XV36A	R-454B	23600	15.9	9.5	23600	18100	18100	8.1	6.6	1.8	218617619	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL195UH040NE36B	R-454B	23400	15.3	9.3	23800	18300	18300	8	6.6	1.8	218616214	N/A
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL195UH060NE36B	R-454B	23400	15.5	9.3	23800	18300	18300	8	6.6	1.8	218616215	N/A
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL196UH030XE36B	R-454B	23200	16.1	9.5	23600	18100	18100	8.1	6.7	1.8	218617627	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL196UH045XE36B	R-454B	23400	15.3	9.2	23800	18300	18300	8	6.6	1.8	218616259	N/A
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL196UH070XE36B	R-454B	23400	15.4	9.3	23800	18300	18300	8	6.6	1.8	218616260	N/A
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL280UH090E36B	R-454B	23200	16.1	9.7	23400	17900	18000	8.2	6.7	1.8	218617625	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH045XE36B	R-454B	23600	15.5	9.3	23800	18300	18300	8.1	6.6	1.8	218617628	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH045XV36B	R-454B	23400	16.2	9.5	23600	18100	18100	8.2	6.7	1.8	218617630	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XE36B	R-454B	23400	15.4	9.3	23800	18300	18200	8.1	6.6	1.8	218617629	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XV36B	R-454B	23600	16.3	9.6	23600	18100	18100	8.2	6.7	1.8	218617631	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070E36B	R-454B	23600	15.6	9.7	23600	18100	18000	8.1	6.6	1.8	218617584	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V36B	R-454B	23400	16.2	9.7	23400	18000	18000	8.2	6.7	1.8	218617626	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML180UH070XE36B	R-454B	23600	15.6	9.7	23600	18100	18000	8.1	6.6	1.8	218617585	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML193UH030XE36B	R-454B	23400	16.1	9.3	23800	18300	18300	8.1	6.6	1.8	218617633	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML193UH045XE36B	R-454B	23600	16	9.4	23800	18300	18300	8.1	6.6	1.8	218617634	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML193UH070XE36B	R-454B	23600	16.2	9.5	23600	18200	18200	8.1	6.7	1.8	218617635	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH030XE36B	R-454B	23200	16	9.5	23600	18100	18100	8.1	6.7	1.8	218617632	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH045XE36B	R-454B	23400	15.3	9.3	23800	18300	18300	8	6.6	1.8	218616216	N/A
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE36B	R-454B	23600	15.3	9.4	23600	18200	18100	8.1	6.6	1.8	218617589	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML296UH045XV36B	R-454B	23400	16.6	9.6	23600	18100	18100	8.2	6.7	1.8	218617636	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	ML296UH070XV36B	R-454B	23400	16.5	9.6	23600	18100	18100	8.2	6.7	1.8	218617637	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	SL280UH090V36B	R-454B	23600	16.6	9.7	23600	18000	18000	8.2	6.7	1.8	218617624	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	SL297UH040NV36B	R-454B	23600	16.6	9.6	23600	18100	18100	8.2	6.7	1.8	218617586	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	SL297UH060NV36B	R-454B	23400	16.2	9.5	23600	18100	18100	8.2	6.7	1.8	218617587	Yes
ML15KSPV-024-230A**	CK40[C,U]T-36B-***TDR	SLP99UH070XV36B	R-454B	23600	16.4	9.7	23600	18000	18000	8.2	6.7	1.8	218617588	Yes
ML15KSPV-024-230A**	CK40DT-24A-***TDR	EL280DF070E36A	R-454B	23000	15.8	9.2	23800	18300	18300	8.2	6.7	1.8	218616201	N/A
ML15KSPV-024-230A**	CK40DT-24A-***TDR	ML180DF045E36A	R-454B	23000	15.6	9.2	23800	18300	18300	8.2	6.7	1.8	218616203	N/A
ML15KSPV-024-230A**	CK40DT-24A-***TDR	ML180DF070E36A	R-454B	23000	14.5	9	24000	18400	18400	8	6.7	1.8	218616202	N/A
ML15KSPV-024-230A**	CK40DT-24A-***TDR	SL280DF070V36A	R-454B	23000	15.6	9.3	23800	18200	18200	8.2	6.7	1.8	218617668	Yes
ML15KSPV-024-230A**	CK40DT-24B-***TDR	EL297DF045XE36B	R-454B	23000	14.9	9.1	23800	18300	18400	8.1	6.7	1.8	218616277	N/A
ML15KSPV-024-230A**	CK40DT-24B-***TDR	EL297DF045XV36B	R-454B	22800	15.8	9.4	23600	18100	18100	8.2	6.7	1.8	218617671	Yes
ML15KSPV-024-230A**	CK40DT-24B-***TDR	ML180DF070E36B	R-454B	23000	15	9.2	23800	18300	18300	8.1	6.7	1.8	218616204	N/A
ML15KSPV-024-230A**	CK40DT-24B-***TDR	ML193DF045XE36B	R-454B	23200	15.8	9.3	23800	18200	18300	8.2	6.7	1.8	218617672	Yes
ML15KSPV-024-230A**	CK40DT-24B-***TDR	ML193DF070XE36B	R-454B	23200	15.9	9.3	23800	18200	18200	8.2	6.7	1.8	218617673	Yes
ML15KSPV-024-230A**	CK40DT-24B-***TDR	ML196DF045XE36B	R-454B	23000	15.2	9.2	23800	18300	18300	8.1	6.7	1.8	218616205	N/A
ML15KSPV-024-230A**	CK40DT-24B-***TDR	ML296DF045XV36B	R-454B	22800	15.2	9	23800	18400	18400	8.1	6.7	1.8	218617674	Yes
ML15KSPV-024-230A**	CK40DT-24B-***TDR	ML297DF070XV48B	R-454B	23000	15.7	9	23800	18400	18400	8.2	6.7	1.8	218729693	N/A
ML15KSPV-024-230A**	CK40DT-24B-***TDR	SL280DF060NV36B	R-454B	23000	15.4	9.3	23600	18200	18200	8.1	6.7	1.8	218617669	Yes
ML15KSPV-024-230A**	CK40DT-24B-***TDR	SLP99DF070XV36B	R-454B	22800	15.9	9.4	23600	18200	18200	8.2	6.7	1.8	218617670	Yes
ML15KSPV-024-230A**	CK40HT-24A-***TDR	EL180UH040NE36A	R-454B	22800	15.9	9.2	23800	18300	18400	8.1	6.6	1.7	218616187	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	EL180UH060NE36A	R-454B	22800	15.9	9.2	23800	18300	18400	8.1	6.6	1.7	218616188	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	EL280UH045E36A	R-454B	22800	16.2	9.5	23600	18100	18200	8.1	6.7	1.8	218616190	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	EL280UH070E36A	R-454B	22400	15.5	9.5	23400	18100	18200	8	6.6	1.7	218616189	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	EL280UH070XE36A	R-454B	22400	15.4	9.5	23400	18100	18200	8	6.6	1.7	218616262	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH030V36A	R-454B	22800	16.1	9.5	23600	18100	18200	8.1	6.6	1.8	218617638	Yes
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH045E36A	R-454B	22800	15.7	9.2	23800	18300	18400	8.1	6.6	1.7	218616192	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH045V36A	R-454B	22800	15.7	9.4	23600	18100	18300	8.1	6.6	1.7	218616263	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH045XE36A	R-454B	22600	15.5	9.5	23400	18100	18200	8.1	6.6	1.7	218616218	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH070E36A	R-454B	22800	15.2	9.4	23600	18200	18300	8	6.6	1.8	218616191	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH070V36A	R-454B	22800	15.8	9.4	23600	18200	18300	8.1	6.6	1.8	218617639	Yes
ML15KSPV-024-230A**	CK40HT-24A-***TDR	ML180UH070XE36A	R-454B	22800	15.1	9.4	23600	18200	18300	8	6.6	1.8	218616217	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	SL280UH060NV36A	R-454B	22800	15.7	9.3	23600	18200	18300	8.1	6.6	1.8	218616186	N/A
ML15KSPV-024-230A**	CK40HT-24A-***TDR	SL280UH070XV36A	R-454B	22800	15.5	9.3	23600	18200	18300	8	6.6	1.8	218616261	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL195UH040NE36B	R-454B	23200	15.2	9.2	23800	18400	18400	8	6.6	1.8	218616193	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL195UH060NE36B	R-454B	23200	15.5	9.2	23800	18400	18400	8	6.6	1.8	218616194	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL196UH030XE36B	R-454B	23000	16	9.5	23600	18100	18500	8.1	6.6	1.7	218616264	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL196UH045XE36B	R-454B	23200	15.2	9.2	23800	18400	18400	8	6.6	1.8	218616265	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL196UH070XE36B	R-454B	23200	15.4	9.2	23800	18400	18400	8	6.6	1.8	218616266	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL280UH090E36B	R-454B	23200	15.9	9.7	23400	18000	18300	8.1	6.6	1.7	218616267	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL280UH090XE48B	R-454B	23600	14.7	9.4	23800	18300	18300	7.9	6.6	1.8	218616268	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL297UH045XE36B	R-454B	23400	15.4	9.2	23800	18300	18400	8	6.6	1.8	218616269	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	EL												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML180UH070XE36B	R-454B	23400	15.5	9.6	23600	18100	18200	8.1	6.6	1.8	218617591	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML193UH030XE36B	R-454B	23200	16	9.2	23800	18400	18400	8.1	6.6	1.8	218617643	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML193UH045XE36B	R-454B	23400	15.9	9.3	23800	18300	18400	8.1	6.6	1.8	218617644	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML193UH070XE36B	R-454B	23400	16.1	9.4	23800	18200	18300	8.1	6.7	1.8	218617645	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML196UH030XE36B	R-454B	23000	16	9.5	23600	18100	18500	8.1	6.6	1.7	218616271	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML196UH045XE36B	R-454B	23200	15.2	9.2	23800	18400	18400	8	6.6	1.8	218616219	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML196UH070XE36B	R-454B	23400	15.3	9.4	23800	18200	18200	8.1	6.6	1.8	218617592	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML296UH045XV36B	R-454B	23200	16.4	9.6	23600	18100	18200	8.2	6.7	1.8	218617646	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML296UH070XV36B	R-454B	23400	16.4	9.5	23600	18100	18200	8.2	6.7	1.8	218617647	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML297UH045XV36B	R-454B	23200	16	9.5	23600	18100	18500	8.1	6.6	1.7	218729689	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	ML297UH070XV36B	R-454B	23200	16.1	9.6	23600	18000	18400	8.1	6.6	1.7	218729690	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	SL280UH080NV48B	R-454B	23200	15.7	9.4	23600	18200	18500	8.1	6.6	1.7	218616220	N/A
ML15KSPV-024-230A**	CK40HT-24B-***TDR	SL280UH090V36B	R-454B	23400	16.4	9.6	23600	18100	18100	8.2	6.7	1.8	218617648	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	SL297UH040NV36B	R-454B	23400	16.4	9.5	23600	18100	18200	8.2	6.7	1.8	218617593	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	SL297UH060NV36B	R-454B	23400	16	9.5	23600	18100	18200	8.1	6.6	1.8	218617594	Yes
ML15KSPV-024-230A**	CK40HT-24B-***TDR	SLP99UH070XV36B	R-454B	23400	16.2	9.6	23600	18100	18200	8.1	6.7	1.8	218617595	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	- - -	R-454B	24000	14.3	8.7	22800	18400	19000	8.3	6.8	1.8	218616083	N/A
ML15KSPV-024-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	23600	16.4	9.4	23800	18200	18100	8.4	6.8	1.8	218616195	N/A
ML15KSPV-024-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	23600	16.4	9.4	23800	18200	18100	8.4	6.8	1.8	218616196	N/A
ML15KSPV-024-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	23400	16.5	9.7	23600	18000	17900	8.4	6.8	1.9	218617597	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	23200	16	9.7	23600	18000	17900	8.4	6.8	1.8	218616197	N/A
ML15KSPV-024-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	23200	16	9.7	23600	18000	17900	8.4	6.8	1.8	218617650	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	23400	16.4	9.7	23600	18000	17900	8.4	6.8	1.8	218617651	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	23600	16.2	9.4	23800	18200	18100	8.4	6.8	1.8	218617599	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	23400	16	9.6	23600	18000	17900	8.4	6.8	1.8	218617652	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	23400	16.1	9.7	23600	18000	17900	8.4	6.8	1.8	218617601	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	23600	15.6	9.6	23600	18100	18000	8.3	6.8	1.8	218617598	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	23600	16.3	9.6	23600	18000	17900	8.4	6.8	1.9	218617653	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	23600	15.6	9.6	23600	18000	17900	8.3	6.8	1.8	218617600	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	23600	16.1	9.6	23600	18100	18000	8.4	6.8	1.8	218617596	Yes
ML15KSPV-024-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	23600	16	9.5	23800	18100	18000	8.4	6.8	1.8	218617649	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	23400	15.3	9.2	23800	18400	18400	8	6.6	1.8	218616221	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	23400	15.5	9.2	23800	18400	18400	8	6.6	1.8	218616222	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	23000	16.1	9.5	23600	18100	18200	8.1	6.6	1.8	218617654	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL196UH045XE36B	R-454B	23400	15.3	9.2	23800	18400	18400	8	6.6	1.8	218616272	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	23400	15.4	9.2	23800	18400	18400	8	6.6	1.8	218616273	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	23200	16	9.7	23400	18000	18000	8.1	6.6	1.8	218617655	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	23800	14.6	9.5	23800	18300	18300	7.9	6.5	1.8	218616223	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	23800	14.6	9.5	23800	18300	18300	7.9	6.5	1.8	218616274	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	23400	15.5	9.3	23800	18300	18400	8	6.6	1.8	218616275	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	23400	16	9.5	23600	18200	18200	8.1	6.6	1.8	218617656	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	23400	15.4	9.3	23800	18300	18300	8	6.6	1.8	218616276	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	23400	16.3	9.6	23600	18100	18100	8.1	6.6	1.8	218617657	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	23400	15.6	9.6	23600	18100	18100	8	6.6	1.8	218616224	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	23200	16	9.7	23600	18000	18100	8.1	6.6	1.8	218617658	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	23600	16.5	9.7	23600	18100	18100	8.1	6.6	1.8	218617659	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	23400	15.6	9.6	23600	18100	18100	8	6.6	1.8	218616225	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH090E48B	R-454B	23800	14.8	9.5	23800	18300	18200	7.9	6.5	1.8	218616198	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	23400	16.3	9.4	23800	18200	18300	8.1	6.6	1.8	218617660	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML180UH090XE48B	R-454B	23800	14.8	9.5	23800	18300	18200	7.9	6.5	1.8	218616199	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	23400	16	9.2	23800	18400	18400	8.1	6.6	1.8	218617661	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	23600	16	9.3	23800	18300	18300	8.1	6.6	1.8	218617662	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	23600	16.2	9.5	23800	18200	18200	8.1	6.6	1.8	218617663	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML196UH030XE36B	R-454B	23400	16.2	9.3	23800	18400	18400	8.1	6.6	1.8	218617664	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML196UH045XE36B	R-454B	23400	15.3	9.2	23800	18400	18400	8	6.6	1.8	218616226	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML196UH070XE36B	R-454B	23400	15.3	9.4	23600	18200	18200	8	6.6	1.8	218616227	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML296UH045XV36B	R-454B	23400	16.4	9.6	23600	18100	18200	8.2	6.6	1.8	218617665	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML296UH070XV36B	R-454B	23400	16.5	9.6	23600	18100	18200	8.1	6.6	1.8	218617666	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML297UH045XV36B	R-454B	23200	16	9.6	23600	18100	18200	8.1	6.6	1.8	218729691	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	ML297UH070XV36B	R-454B	23200	16.1	9.7	23600	18000	18100	8.1	6.6	1.8	218729692	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	SL280UH080NV48B	R-454B	23200	15.7	9.5	23600	18200	18200	8.1	6.6	1.8	218617602	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	SL280UH090V36B	R-454B	23600	16.4	9.7	23600	18100	18100	8.1	6.6	1.8	218617667	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	SL297UH040NV36B	R-454B	23400	16.4	9.5	23600	18100	18200	8.2	6.6	1.8	218617603	Yes
ML15KSPV-024-230A**	CK40HT-30B-***TDR	SL297UH060NV36B	R-454B	23400	16	9.5	23600	18100	18200	8.1	6.6	1.8	218616200	N/A
ML15KSPV-024-230A**	CK40HT-30B-***TDR	SLP99UH070XV36B	R-454B	23400	16.2	9.6	23600	18100	18100	8.1	6.6	1.8	218617604	Yes
ML15KSPV-030-230A**	CBK43UHET-030-DV**	- - -	R-454B	29400	16.1	10.7	31000	23200	20200	9.1	7.3	2.1	218616038	N/A
ML15KSPV-030-230A**	CBK43UHET-036-DV**	- - -	R-454B	29600	16.4	10.8	31200	23000	20200	9.2	7.4	2.2	218616039	N/A
ML15KSPV-030-230A**	CBK45UHET-030-230-**	- - -	R-454B	29600	16.2	11	30600	23000	19500	8.7	6.9	1.9	218616032	No
ML15KSPV-030-230A**	CBK45UHET-036-230-**	- - -	R-454B	30400	16.3	11	31000	23000	19500	9	7.1	2	218616033	No
ML15KSPV-030-230A**	CBK45UHPT-036-230-**	- - -	R-454B	30000	14.5	11.5	31000	23200	21200	8.5	7	2.2	218679972	N/A
ML15KSPV-030-230A**	CBK45UHVT-030-230-**	- - -	R-454B	30000	16	11	30000	23400	19000	8.8	6.8	1.8	218082939	No
ML15KSPV-030-230A**	CBK45UHVT-036-230-**</													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-030-230A**	CBK48MVT-036-230-**	- - -	R-454B	29600	16.6	11.4	30800	22800	19300	9.2	7.2	2.1	218616037	No
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	EL180UH060NE36A	R-454B	28000	14.7	10.6	29600	22600	20000	8.1	6.7	1.9	218616278	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	EL280UH045E36A	R-454B	28400	15.2	10.7	29800	22600	20000	8.2	6.7	2	218616279	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	EL280UH070E36A	R-454B	28600	14.8	10.4	30000	23000	20200	8.2	6.7	1.9	218616280	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	EL280UH070XE36A	R-454B	28600	14.8	10.4	30000	23000	20200	8.2	6.7	1.9	218616382	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH030V36A	R-454B	28400	15.9	10.7	29600	22600	19900	8.3	6.8	2	218616383	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH045E36A	R-454B	28200	15.1	10.7	29600	22600	19900	8.2	6.7	2	218616281	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH045V36A	R-454B	28400	15.9	10.7	29800	22600	20000	8.3	6.8	2	218616384	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH045XE36A	R-454B	28200	15.1	10.7	29600	22600	19900	8.2	6.7	2	218616282	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH070E36A	R-454B	28200	14.9	10.7	29600	22600	20000	8.2	6.7	1.9	218616283	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH070V36A	R-454B	28200	15.7	10.6	29600	22600	20000	8.3	6.7	1.9	218616385	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	ML180UH070XE36A	R-454B	28200	14.9	10.7	29600	22600	20000	8.2	6.7	1.9	218616284	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	SL280UH060NV36A	R-454B	28200	15.6	10.7	29600	22600	19900	8.3	6.7	2	218616285	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30A-***TDR	SL280UH070XV36A	R-454B	28000	15.4	10.7	29600	22600	19900	8.2	6.7	1.9	218616386	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL195UH040NE36B	R-454B	28400	14.6	10.3	30000	23000	20200	8.1	6.7	1.9	218616286	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL195UH060NE36B	R-454B	28400	14.8	10.6	29800	22800	20000	8.2	6.7	1.9	218616287	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL196UH030XE36B	R-454B	28200	14.8	10.5	29800	22800	20000	8.1	6.7	1.9	218616387	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL196UH045XE36B	R-454B	28400	14.6	10.3	30000	23000	20200	8.1	6.7	1.9	218616388	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL196UH070XE36B	R-454B	28200	14.7	10.5	29800	22800	20000	8.1	6.7	1.9	218616389	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL280UH090E36B	R-454B	28600	15.2	10.8	29800	22600	19900	8.2	6.7	2	218616390	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL280UH090E48B	R-454B	28600	14.5	10.7	29800	22800	20000	8.2	6.7	2	218616288	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL280UH090XE48B	R-454B	28600	14.5	10.7	29800	22800	20000	8.2	6.7	2	218616391	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL297UH045XE36B	R-454B	28200	14.8	10.6	29800	22800	20000	8.2	6.7	1.9	218616392	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL297UH045XV36B	R-454B	28000	15.5	10.6	29600	22600	20000	8.3	6.7	1.9	218616393	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL297UH070XE36B	R-454B	28200	14.8	10.6	29800	22800	20000	8.2	6.7	1.9	218616394	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	EL297UH070XV36B	R-454B	28200	15.7	10.7	29600	22600	19900	8.3	6.7	2	218616395	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML180UH070E36B	R-454B	28200	14.9	10.7	29600	22600	20000	8.2	6.7	2	218616289	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML180UH070V36B	R-454B	28400	16	10.8	29600	22600	19900	8.3	6.8	2	218616396	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML180UH070V48B	R-454B	28400	16.2	10.8	29600	22600	19900	8.3	6.7	2	218616397	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML180UH070XE36B	R-454B	28200	14.9	10.7	29600	22600	20000	8.2	6.7	2	218616290	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML180UH090E48B	R-454B	28600	14.5	10.7	29800	22800	20000	8.2	6.7	2	218616291	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML180UH090XE48B	R-454B	28600	14.5	10.7	29800	22800	20000	8.2	6.7	2	218616292	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML193UH030XE36B	R-454B	28400	15	10.5	29800	22800	20000	8.1	6.7	1.9	218616398	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML193UH045XE36B	R-454B	28200	15	10.6	29800	22800	20000	8.2	6.7	1.9	218616399	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML193UH070XE36B	R-454B	28200	14.8	10.7	29600	22600	20000	8.2	6.7	1.9	218616400	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML196UH030XE36B	R-454B	28200	14.8	10.5	29800	22800	20000	8.1	6.7	1.9	218616401	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML196UH045XE36B	R-454B	28200	14.6	10.5	29800	22800	20000	8.1	6.7	1.9	218616293	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML196UH070XE36B	R-454B	28200	14.8	10.7	29600	22600	19900	8.2	6.7	2	218616294	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML296UH045XV36B	R-454B	28000	16	10.7	29600	22600	19900	8.3	6.8	1.9	218616402	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML296UH070XV36B	R-454B	28200	15.8	10.7	29600	22600	19900	8.3	6.8	1.9	218616403	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML297UH045XV36B	R-454B	28000	15.5	10.6	29600	22600	20000	8.3	6.7	1.9	218729694	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	ML297UH070XV36B	R-454B	28200	15.7	10.7	29600	22600	19900	8.3	6.7	2	218729695	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	SL280UH080NV48B	R-454B	28000	15.5	10.5	29600	22800	20000	8.2	6.7	1.9	218616295	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	SL280UH090V36B	R-454B	28400	16	10.8	29600	22600	19900	8.3	6.7	2	218616404	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	SL297UH040NV36B	R-454B	28200	16	10.6	29600	22600	20000	8.3	6.7	1.9	218616296	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	SL297UH060NV36B	R-454B	28000	15.7	10.6	29600	22600	20000	8.3	6.7	1.9	218616297	N/A
ML15KSPV-030-230A**	CK40[C,U]T-30B-***TDR	SLP99UH070XV36B	R-454B	28200	15.8	10.8	29600	22600	19900	8.3	6.7	2	218616298	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	- - -	R-454B	29800	14.3	10.4	29600	22000	21400	8.2	6.8	2	218616084	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	EL180UH040NE36A	R-454B	28600	15	10.8	29800	22600	19900	8.3	6.8	2	218616299	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	EL180UH060NE36A	R-454B	28600	15	10.8	29800	22600	19900	8.3	6.8	2	218616300	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	EL280UH045E36A	R-454B	29000	15.5	10.9	29800	22600	19900	8.4	6.8	2	218616301	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	EL280UH070E36A	R-454B	28800	15.4	10.8	29800	22600	19900	8.4	6.8	2	218616302	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	EL280UH070XE36A	R-454B	28800	15.4	10.8	29800	22600	19900	8.4	6.8	2	218616405	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH030V36A	R-454B	29000	16.3	10.9	29800	22600	19900	8.5	6.8	2	218616406	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH045E36A	R-454B	28800	15.3	10.9	29800	22600	19800	8.3	6.8	2	218616303	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH045V36A	R-454B	28800	16.3	10.8	29800	22600	19900	8.5	6.8	2	218616407	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH045XE36A	R-454B	28800	15.3	10.9	29800	22600	19800	8.3	6.8	2	218616304	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH070E36A	R-454B	28800	15.2	10.8	29800	22600	19900	8.4	6.8	2	218616305	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH070V36A	R-454B	28600	16	10.8	29800	22600	19900	8.4	6.8	2	218616408	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	ML180UH070XE36A	R-454B	28800	15.2	10.8	29800	22600	19900	8.4	6.8	2	218616306	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	SL280UH060NV36A	R-454B	28800	16	10.8	29800	22600	19900	8.4	6.8	2	218616307	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36A-***TDR	SL280UH070XV36A	R-454B	28800	15.6	10.7	30000	22800	19900	8.5	6.8	2	218616409	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	- - -	R-454B	29600	14.3	10.2	30000	22000	20400	8.5	6.8	2	218082946	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL180UH080NE48B	R-454B	29000	14.3	10.5	30200	23000	20000	8.3	6.8	2	218616308	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL195UH040NE36B	R-454B	28800	15	10.6	30000	22800	20000	8.3	6.8	2	218616309	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL195UH060NE36B	R-454B	28800	15.1	10.7	30000	22800	20000	8.3	6.8	2	218616310	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL196UH030XE36B	R-454B	28800	15	10.6	30000	22800	20000	8.3	6.8	2	218616410	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL196UH045XE36B	R-454B	28800	14.9	10.6	30000	22800	20000	8.3	6.8	2	218616411	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL196UH070XE36B	R-454B	28800	15	10.6	30000	22800	20000	8.3	6.8	2	218616412	N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL280UH090E36B	R-454B	29000	15.4	10.9	30000	22800	20000	8.4				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	EL297UH070XV36B	R-454B	28800	16	10.9	30000	22800	20000	8.5	6.8		2	218616418 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH070E36B	R-454B	28800	15.3	10.8	30000	22800	20000	8.4	6.8		2	218616312 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V36B	R-454B	29000	16.4	11	30000	22800	20000	8.5	6.9		2	218617676 No
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH070V48B	R-454B	29000	16.4	10.9	30000	22800	20000	8.5	6.8		2	218616419 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH070XE36B	R-454B	28800	15.3	10.8	30000	22800	20000	8.4	6.8		2	218616313 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH090E48B	R-454B	29200	14.8	10.9	30000	22800	20000	8.4	6.8		2	218616314 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH090V48B	R-454B	29000	16.1	10.7	30000	22800	20000	8.5	6.9		2	218616420 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML180UH090XE48B	R-454B	29200	14.8	10.9	30000	22800	20000	8.4	6.8		2	218616315 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML193UH030XE36B	R-454B	28800	15.2	10.7	30000	22800	20000	8.3	6.8		2	218616421 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML193UH045XE36B	R-454B	28800	15.2	10.7	30000	22800	20000	8.3	6.8		2	218616422 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML193UH070XE36B	R-454B	28800	15.2	10.8	30000	22800	20000	8.3	6.8		2	218616423 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML196UH030XE36B	R-454B	28800	15	10.6	30000	22800	20000	8.3	6.8		2	218616424 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML196UH045XE36B	R-454B	28800	14.9	10.6	30000	22800	20000	8.3	6.8		2	218616316 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE36B	R-454B	28800	15.2	10.9	30000	22800	20000	8.4	6.8		2	218616317 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML196UH070XE48B	R-454B	29000	14.3	10.5	30000	22800	20000	8.2	6.7		2	218616425 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML296UH045XV36B	R-454B	28600	15.8	10.8	30000	22800	20000	8.4	6.8		2	218616426 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML296UH070XV36B	R-454B	28600	16.2	10.8	30000	22800	20000	8.5	6.9		2	218616427 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML297UH045XV36B	R-454B	28600	15.9	10.8	29800	22600	19900	8.4	6.8		2	218729696 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	ML297UH070XV36B	R-454B	28800	16	10.9	29800	22600	19800	8.5	6.8		2	218729697 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	SL280UH080NV48B	R-454B	28600	15.7	10.7	30000	22800	20000	8.4	6.8		2	218616318 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	SL280UH090V36B	R-454B	29000	16.2	11	30000	22800	20000	8.5	6.8		2	218617677 No
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	SL297UH040NV36B	R-454B	29000	15.8	10.6	30000	22800	20000	8.5	6.8		2	218616319 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	SL297UH060NV36B	R-454B	28600	15.9	10.8	30000	22800	20000	8.5	6.8		2	218616320 N/A
ML15KSPV-030-230A**	CK40[C,U]T-36B-***TDR	SLP99UH070XV36B	R-454B	28800	16	10.9	30000	22800	20000	8.5	6.8		2	218616321 N/A
ML15KSPV-030-230A**	CK40DT-24A-***TDR	EL280DF070E36A	R-454B	27800	15.1	10.4	30000	22800	20000	8.4	6.9		2	218616370 N/A
ML15KSPV-030-230A**	CK40DT-24A-***TDR	ML180DF045E36A	R-454B	27600	14.5	10.3	30000	23000	20200	8.6	7.1		2	218616371 N/A
ML15KSPV-030-230A**	CK40DT-24A-***TDR	ML180DF070E36A	R-454B	27800	14.3	10.2	30000	23000	20200	8.4	6.9		2	218616372 N/A
ML15KSPV-030-230A**	CK40DT-24A-***TDR	SL280DF070V36A	R-454B	27800	15.4	10.4	30000	22800	20000	8.5	6.9		2	218616483 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	- - -	R-454B	29600	14.3	10.4	29800	22000	21400	8.1	6.7		2	218616070 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	EL280DF090E48B	R-454B	28800	14.5	10.7	29800	22800	20000	8.3	6.8		2	218616373 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	EL297DF045XE36B	R-454B	28400	14.6	10.5	30000	22800	20000	8.2	6.7		2	218616484 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	28600	15.6	10.8	29800	22600	19900	8.4	6.8		2	218616485 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	EL297DF070XV48B	R-454B	28200	15.6	10.4	30000	22800	20000	8.4	6.8		2	218616486 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML180DF070E36B	R-454B	28600	14.7	10.6	30000	22800	20000	8.2	6.7		2	218616374 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	28600	15.1	10.7	29800	22600	19900	8.3	6.8		2	218616487 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	28600	15.1	10.7	29800	22600	19900	8.3	6.8		2	218616488 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML196DF045XE36B	R-454B	28400	14.8	10.6	29800	22800	20000	8.3	6.8		2	218616375 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	28400	14.4	10.5	30000	22800	20000	8.2	6.7		2	218616376 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML296DF045XV36B	R-454B	28400	15	10.3	30000	22800	20000	8.3	6.8		2	218616489 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML296DF070XV48B	R-454B	28400	15.3	10.4	30000	22800	20000	8.3	6.8		2	218616490 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	ML297DF070XV48B	R-454B	28600	15.4	10.2	30200	23000	20200	8.3	6.8		2	218729702 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	28400	15.3	10.6	29800	22600	19900	8.3	6.8		2	218616491 N/A
ML15KSPV-030-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	28600	15.4	10.5	30000	22800	20000	8.3	6.8		2	218616492 N/A
ML15KSPV-030-230A**	CK40DT-42B-***TDR	- - -	R-454B	30200	14.7	10.5	30000	22000	21200	8.4	6.9	2.1	218616089 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	29600	15	10.9	30200	22600	19800	8.6	6.9	2.1	218616377 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	EL297DF045XE36B	R-454B	29200	15	10.7	30200	22800	19900	8.5	6.9	2.1	218616493 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	29200	16.1	11	30000	22600	19700	8.7	7	2.1	218617682 No	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	29000	16.1	10.7	30200	22800	19900	8.6	6.9	2.1	218616494 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML180DF070E36B	R-454B	29200	15.1	10.8	30200	22600	19900	8.6	6.9	2.1	218616378 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML180DF090E48B	R-454B	29600	14.9	10.9	30000	22600	19800	8.6	6.9	2.1	218616379 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML193DF045XE36B	R-454B	29200	15.5	10.9	30000	22600	19800	8.5	6.9	2.1	218616495 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML193DF070XE36B	R-454B	29600	15.3	10.7	30200	22800	20000	8.6	6.9	2.1	218616496 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML196DF045XE36B	R-454B	29400	15.3	10.6	30200	22800	20000	8.6	6.9	2.1	218616380 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	29200	14.9	10.8	30200	22800	19900	8.5	6.9	2.1	218616381 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML296DF070XV48B	R-454B	29000	15.8	10.7	30200	22800	19900	8.6	6.9	2.1	218616497 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	ML297DF070XV48B	R-454B	29200	15.9	10.5	30400	23000	20000	8.7	7	2.1	218729703 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	29000	15.8	10.9	30000	22600	19800	8.6	7	2.1	218616498 N/A	
ML15KSPV-030-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	29000	16.1	10.8	30000	22600	19800	8.7	7	2.1	218616499 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	- - -	R-454B	29800	14.6	10.4	30000	22000	21400	8.4	6.9	2.1	218616085 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	28600	15.1	10.7	30000	22800	19900	8.6	7	2.1	218616322 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	29000	15.6	10.8	30000	22600	19800	8.7	7	2.1	218616323 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	28800	15.6	10.8	30000	22600	19900	8.6	7	2.1	218616324 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	28800	16.3	10.8	30000	22600	19900	8.8	7	2.1	218616428 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	28800	15.5	10.8	30000	22600	19800	8.6	7	2.1	218616325 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	28800	16.3	10.8	30000	22600	19900	8.8	7	2.1	218616429 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	28800	15.5	10.8	30000	22600	19800	8.6	7	2.1	218616326 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	28800	15.3	10.8	30000	22600	19900	8.6	7	2.1	218616327 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	28600	16.1	10.8	30000	22600	19800	8.7	7	2.1	218616430 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	28800	15.3	10.8	30000	22600	19900	8.6	7	2.1	218616328 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	28800	15.9	10.7	30000	22600	19900	8.8	7	2.1	218616329 N/A	
ML15KSPV-030-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	28800	15.8	10.7	30000	22600	19900	8.7	7	2.1	218616431 N/A	
ML15KSPV-0														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	28600	14.9	10.6	30000	22800	20000	8.2	6.7	2	218616432	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	28600	14.8	10.6	30000	22800	20000	8.3	6.7	2	218616433	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	28600	14.8	10.6	30000	22800	20000	8.3	6.8	2	218616434	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	29000	15.3	10.9	29800	22600	19900	8.4	6.8	2	218616435	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	29000	14.7	10.8	30000	22800	19900	8.3	6.8	2	218616333	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	29000	14.7	10.8	30000	22800	19900	8.3	6.8	2	218616436	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	28600	15	10.7	29800	22800	20000	8.3	6.8	2	218616437	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	28600	15.8	10.7	29800	22600	19900	8.4	6.8	2	218616438	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	28600	15	10.7	30000	22800	20000	8.3	6.8	2	218616439	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	28600	15.8	10.9	29800	22600	19800	8.4	6.8	2	218616440	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	28600	15.2	10.8	29800	22600	19900	8.3	6.8	2	218616334	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	28800	16.1	10.9	29800	22600	19800	8.4	6.8	2	218616441	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	28800	16.4	10.9	29800	22600	19800	8.4	6.8	2	218616442	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	28600	15.2	10.8	29800	22600	19900	8.3	6.8	2	218616335	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	29000	14.7	10.8	29800	22600	19900	8.3	6.8	2	218616336	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	28800	16.1	10.7	30000	22800	20000	8.5	6.8	2	218616443	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	29000	14.7	10.8	29800	22600	19900	8.3	6.8	2	218616337	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	28800	15.1	10.7	30000	22800	20000	8.3	6.7	2	218616444	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	28600	15.2	10.7	29800	22800	20000	8.3	6.8	2	218616445	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	28600	15.2	10.8	29800	22600	19900	8.3	6.8	2	218616446	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	28600	14.9	10.6	30000	22800	20000	8.2	6.7	2	218616447	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	28600	14.8	10.6	30000	22800	20000	8.3	6.7	2	218616338	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	28600	15.1	10.8	29800	22600	19900	8.3	6.8	2	218616339	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	28800	14.3	10.5	30000	23000	20000	8.2	6.7	2	218616448	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	28600	15.6	10.8	29800	22600	19900	8.4	6.8	2	218616449	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	28600	15.7	10.8	29800	22600	19900	8.4	6.8	2	218616450	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML297UH045XV36B	R-454B	28400	15.7	10.7	29800	22600	19900	8.4	6.8	2	218729698	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	ML297UH070XV36B	R-454B	28600	15.8	10.9	29800	22600	19800	8.4	6.8	2	218729699	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	28400	15.7	10.6	29800	22800	20000	8.4	6.8	2	218616340	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	28800	16.1	10.9	29800	22600	19800	8.4	6.8	2	218616451	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	28600	16.1	10.7	29800	22600	19900	8.4	6.8	2	218616341	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	28400	15.8	10.7	29800	22600	19900	8.4	6.8	2	218616342	N/A
ML15KSPV-030-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	28600	15.9	10.9	29600	22600	19800	8.4	6.8	2	218616343	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	EL180UH060NE36A	R-454B	27000	14.3	10.2	29600	22800	20000	8.1	6.7	1.9	218616344	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	EL280UH045E36A	R-454B	27400	14.8	10.3	29600	22800	20000	8.1	6.7	1.9	218616345	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	EL280UH070E36A	R-454B	27400	14.4	10	30000	23000	20200	8.2	6.7	1.9	218616346	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	EL280UH070XE36A	R-454B	27200	14.8	10.3	29600	22800	20000	8.1	6.7	1.9	218616452	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH030V36A	R-454B	27400	15.5	10.3	29600	22800	20000	8.3	6.8	1.9	218616453	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH045E36A	R-454B	27200	14.7	10.4	29600	22800	20000	8.1	6.7	1.9	218616347	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH045V36A	R-454B	27200	15.5	10.3	29600	22800	20000	8.3	6.8	1.9	218616454	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH045XE36A	R-454B	27200	14.7	10.4	29600	22800	20000	8.1	6.7	1.9	218616348	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH070E36A	R-454B	27200	14.5	10.3	29600	22800	20000	8.2	6.7	1.9	218616349	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH070V36A	R-454B	27200	15.2	10.4	29400	22800	20000	8.3	6.8	1.9	218616455	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	ML180UH070XE36A	R-454B	27200	14.5	10.3	29600	22800	20000	8.2	6.7	1.9	218616350	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	SL280UH060NV36A	R-454B	27200	15	10.3	29600	22800	20000	8.3	6.8	1.9	218616351	N/A
ML15KSPV-030-230A**	CK40HT-36A-**+TDR	SL280UH070XV36A	R-454B	27200	14.9	10.2	29600	22800	20000	8.2	6.8	1.9	218616456	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	- - -	R-454B	29400	14.3	10.3	29800	22200	21400	8.1	6.7	2	218616087	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL180UH080NE48B	R-454B	28600	14.3	10.3	30000	23000	20200	8.2	6.7	1.9	218616352	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL195UH040NE36B	R-454B	28200	14.8	10.5	29800	22800	20000	8.3	6.7	1.9	218616353	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL195UH060NE36B	R-454B	28400	14.9	10.6	29800	22800	20000	8.3	6.8	2	218616354	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL196UH030XE36B	R-454B	28200	14.9	10.5	29800	22800	20000	8.2	6.7	1.9	218616457	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL196UH045XE36B	R-454B	28400	14.7	10.3	30000	23000	20200	8.3	6.8	1.9	218616458	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL196UH070XE36B	R-454B	28400	14.8	10.5	29800	22800	20000	8.3	6.7	2	218616459	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL280UH090E36B	R-454B	28600	15.3	10.8	29800	22800	20000	8.3	6.7	2	218616460	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL280UH090E48B	R-454B	28600	14.5	10.7	29800	22800	20000	8.3	6.8	2	218616355	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL280UH090XE48B	R-454B	28600	14.5	10.7	29800	22800	20000	8.3	6.8	2	218616461	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL297UH045XE36B	R-454B	28400	15	10.6	29800	22800	20000	8.3	6.8	2	218616462	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL297UH045XV36B	R-454B	28200	15.7	10.6	29800	22800	20000	8.4	6.8	2	218616463	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL297UH070XE36B	R-454B	28400	15	10.6	29800	22800	20000	8.3	6.8	2	218616464	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	EL297UH070XV36B	R-454B	28400	15.9	10.7	29800	22600	20000	8.4	6.8	2	218616465	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH070E36B	R-454B	28400	15.1	10.7	29800	22800	20000	8.3	6.8	2	218616356	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH070V36B	R-454B	28400	16.1	10.8	29600	22600	19900	8.4	6.8	2	218616466	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH070V48B	R-454B	28400	16.4	10.8	29600	22600	19900	8.4	6.8	2	218616467	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH070XE36B	R-454B	28400	15.1	10.7	29800	22800	20000	8.3	6.8	2	218616357	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH090E48B	R-454B	28600	14.6	10.7	29800	22600	20000	8.3	6.8	2	218616358	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH090V48B	R-454B	28400	15.9	10.6	29800	22800	20000	8.4	6.8	2	218616468	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML180UH090XE48B	R-454B	28600	14.6	10.7	29800	22600	20000	8.3	6.8	2	218616359	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML193UH030XE36B	R-454B	28400	15.1	10.6	29800	22800	20000	8.2	6.7	2	218616469	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML193UH045XE36B	R-454B	28400	15.1	10.6	29800	22800	20000	8.2	6.7	2	218616470	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML193UH070XE36B	R-454B	28400	15.2	10.7	29800	22800	20000	8.2	6.7	2	218616471	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML196UH030XE36B	R-454B	28200	14.9									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star	
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML296UH070XV36B	R-454B	28200	15.6	10.7	29800	22800	20000	8.4	6.8		2	218616475	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML297UH045XV36B	R-454B	28200	15.7	10.6	29800	22800	20000	8.4	6.8		2	218729700	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	ML297UH070XV36B	R-454B	28200	15.8	10.8	29600	22600	19900	8.4	6.8		2	218729701	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	SL280UH080NV48B	R-454B	28200	15.7	10.6	29800	22800	20000	8.3	6.8	1.9		218616362	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	SL280UH090V36B	R-454B	28400	16.1	10.8	29600	22600	19900	8.4	6.8		2	218616476	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	SL297UH040NV36B	R-454B	28200	16.1	10.7	29800	22800	20000	8.4	6.8		2	218616363	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	SL297UH060NV36B	R-454B	28200	15.8	10.7	29800	22800	20000	8.4	6.8		2	218616364	N/A
ML15KSPV-030-230A**	CK40HT-36B-**+TDR	SLP99UH070XV36B	R-454B	28400	16	10.8	29600	22600	19900	8.4	6.8		2	218616365	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	--	R-454B	30000	14.5	10.5	30000	22000	21400	8.4	6.9		2.1	218616088	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	EL195UH080NE48C	R-454B	29200	14.7	10.8	30200	22800	19900	8.5	6.9		2.1	218616366	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	EL196UH090XE48C	R-454B	29200	14.9	10.9	30200	22800	19900	8.5	6.9		2.1	218616477	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	EL280UH110E48C	R-454B	29400	15.3	11	30000	22600	19800	8.6	7		2.1	218616779	No
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	EL297UH090XE48C	R-454B	29400	15	10.9	30200	22600	19900	8.6	6.9		2.1	218616479	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	29000	16.2	11	30000	22600	19700	8.7	7		2.1	218616768	No
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	29000	16.2	11	29800	22600	19700	8.7	7		2.1	218616780	No
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE36C	R-454B	29200	15.6	10.9	30000	22600	19800	8.6	6.9		2.1	218616482	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE48C	R-454B	29200	15	10.9	30000	22600	19800	8.6	6.9		2.1	218616478	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE48C	R-454B	29200	15.2	11	30000	22600	19800	8.6	6.9		2.1	218616781	No
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE36C	R-454B	29200	15.6	10.9	30000	22600	19900	8.6	6.9		2.1	218616368	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE48C	R-454B	29200	15	10.9	30200	22600	19900	8.6	6.9		2.1	218616369	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	29000	16.4	10.9	30000	22600	19800	8.8	7		2.1	218616480	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	ML297UH090XV36C	R-454B	29000	16.2	11	29800	22600	19700	8.7	7		2.1	218730793	No
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	29000	16.2	10.9	30000	22600	19800	8.7	7		2.1	218616368	N/A
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	28800	16.2	11	29800	22600	19700	8.7	7		2.1	218616765	No
ML15KSPV-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	29000	16.1	10.9	30000	22600	19800	8.7	7		2.1	218616367	N/A
ML15KSPV-036-230A**	CBK43UHET-036-DV**	--	R-454B	34600	16.2	9.4	35600	24600	22200	8.4	6.9		2.2	218616041	N/A
ML15KSPV-036-230A**	CBK43UHET-042-DV**	--	R-454B	35400	16	9.5	35600	24800	22200	8.3	6.7		2.2	218616042	N/A
ML15KSPV-036-230A**	CBK45UHET-036-230-**	--	R-454B	35600	16.4	9.7	35400	25400	22000	8.6	6.8		2.2	218616043	N/A
ML15KSPV-036-230A**	CBK45UHET-042-230-**	--	R-454B	35600	16.1	9.5	35600	25800	22200	8.4	6.6		2.2	218616044	N/A
ML15KSPV-036-230A**	CBK45UHPT-036-230-**	--	R-454B	35000	14.5	9.9	35200	24400	22000	8.5	6.8		2.2	218679973	N/A
ML15KSPV-036-230A**	CBK45UHPT-042-230-**	--	R-454B	35200	14.5	10	35400	24400	22000	8.4	6.8		2.2	218679974	N/A
ML15KSPV-036-230A**	CBK45UHVT-036-230-**	--	R-454B	35400	16	9.5	35400	25000	22000	8.5	6.8		2	218082940	N/A
ML15KSPV-036-230A**	CBK45UHVT-042-230-**	--	R-454B	35800	16.2	9.9	35400	25400	21800	8.5	6.6		2.2	218616045	N/A
ML15KSPV-036-230A**	CBK47UHET-036-230-**	--	R-454B	34600	16.3	9.5	35400	25600	22000	8.6	6.7		2.2	218616046	N/A
ML15KSPV-036-230A**	CBK47UHET-042-230-**	--	R-454B	36000	16.2	10.2	35000	25000	21600	8.6	6.7		2.3	218616047	N/A
ML15KSPV-036-230A**	CBK48MVT-036-230-**	--	R-454B	34400	16.1	9.6	35400	25400	22000	8.6	6.7		2.2	218616048	N/A
ML15KSPV-036-230A**	CBK48MVT-042-230-**	--	R-454B	36200	16.4	10	35400	25200	21800	8.7	6.7		2.3	218616049	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	34200	15.5	9.1	34400	24400	22000	7.6	6.3		2	218616507	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	34200	15.5	9.1	34400	24400	22000	7.6	6.3		2	218616508	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	34600	15.9	9.1	34600	24600	22200	7.7	6.3		2	218616510	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	34200	15.3	9.2	34200	24200	22000	7.6	6.3		2	218616509	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	34200	15.3	9.2	34200	24200	22000	7.6	6.3		2	218616691	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	34400	15.4	9.2	34400	24400	22000	7.6	6.3		2	218616694	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	34000	15.6	9.2	34400	24400	22000	7.7	6.3		2	218616512	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	34400	15.3	9.1	34400	24400	22000	7.6	6.3		2	218616696	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	34000	15.6	9.2	34400	24400	22000	7.7	6.3		2	218616514	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	34200	15.5	9.2	34400	24400	22000	7.6	6.3		2	218616511	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	34200	15.4	9.2	34200	24200	22000	7.6	6.3		2	218616698	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	34200	15.5	9.2	34400	24400	22000	7.6	6.3		2	218616513	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	34400	15.3	9.2	34400	24400	22000	7.6	6.3		2	218616506	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36B	R-454B	34200	15.1	9.2	34400	24400	22000	7.6	6.3		2	218616689	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	34400	14.3	9	34600	24600	22200	7.5	6.2		2	218616526	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	34000	15.2	9.1	34400	24400	22000	7.6	6.3		2	218616520	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	34000	15.3	9.2	34200	24200	22000	7.6	6.3		2	218616521	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	34000	14.7	9.1	34400	24400	22000	7.6	6.2		2	218616711	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	33800	15.2	9.1	34400	24400	22000	7.6	6.3		2	218616707	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	34000	15.3	9.1	34400	24400	22000	7.6	6.3		2	218616709	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	34400	16.1	9.3	34200	24200	21800	7.7	6.3	2.1		218616702	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	34400	14.7	9.4	34200	24200	21800	7.6	6.2		2.1	218616527	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	34400	14.7	9.4	34200	24200	21800	7.6	6.2		2.1	218616737	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	34200	15.4	9.1	34600	24600	22200	7.6	6.3		2	218616713	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	34000	15.1	9.2	34400	24400	22000	7.6	6.3		2	218616718	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	34000	15.3	9.1	34400	24400	22000	7.6	6.3		2	218616716	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	34200	15.3	9.2	34200	24200	22000	7.6	6.3		2	218616720	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180DF090E48B	R-454B	34600	15	9.3	34400	24200	22000	7.6	6.2		2.1	218616529	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	34400	15.5	9.2	34400	24400	22000	7.6	6.3		2	218616515	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	34400	15.6	9.3	34200	24200	21800	7.6	6.3	2.1		218616705	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	34800	15.8	9.3	34200	24200	21800	7.7	6.3		2.1	218616739	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	34400	15.5	9.2	34400	24400	22000	7.6	6.3		2	218616516	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH09													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	34000	15.5	9.1	34400	24400	22000	7.7	6.3	2	218616722	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	33800	15.2	9.2	34200	24400	22000	7.6	6.3	2	218616522	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	34400	15.3	9.1	34400	24400	22000	7.6	6.3	2	218616523	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	34200	14.3	9	34600	24600	22200	7.5	6.2	2	218616743	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	34200	15.3	9.2	34200	24200	22000	7.6	6.3	2	218616730	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	34400	14.8	9.1	34400	24400	22000	7.6	6.2	2	218616732	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML297UH045XV36B	R-454B	34000	15.1	9.2	34400	24400	22000	7.6	6.3	2	218729704	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	ML297UH070XV36B	R-454B	34200	15.3	9.2	34200	24200	22000	7.6	6.3	2	218729705	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	34200	15.2	9.2	34400	24400	22000	7.6	6.3	2	218616525	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	34600	15.6	9.3	34200	24200	21800	7.6	6.3	2.1	218616700	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	34400	15.5	9.3	34200	24200	21800	7.6	6.3	2.1	218616524	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	34400	15.5	9.3	34200	24200	21800	7.6	6.3	2.1	218616735	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	34200	15.3	9.2	34200	24400	22000	7.6	6.3	2	218616517	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	34200	15.2	9.2	34400	24400	22000	7.6	6.3	2	218616518	N/A
ML15KSPV-036-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	34400	15.4	9.3	34200	24200	21800	7.6	6.3	2	218616519	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	34200	14.4	9.3	33400	24200	21200	8.3	6.5	2	218616090	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	34800	15.8	9.3	34400	24400	22000	7.8	6.4	2.1	218616532	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	34800	15.8	9.3	34600	24400	22000	7.8	6.4	2.1	218616533	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	35200	16.2	9.3	34600	24400	22000	7.8	6.4	2.1	218616535	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	34800	15.5	9.4	34400	24200	21800	7.8	6.4	2.1	218616534	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	34800	15.5	9.4	34400	24200	21800	7.8	6.4	2.1	218616748	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	35000	15.6	9.3	34600	24400	22000	7.8	6.4	2.1	218616749	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	34600	15.8	9.3	34400	24400	21800	7.8	6.4	2.1	218616537	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	35000	15.5	9.3	34600	24400	22000	7.8	6.4	2.1	218616751	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	34600	15.8	9.3	34400	24400	21800	7.8	6.4	2.1	218616539	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	35000	15.7	9.3	34400	24400	21800	7.8	6.4	2.1	218616536	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	34800	15.7	9.4	34400	24200	21800	7.8	6.4	2.1	218616754	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	35000	15.7	9.3	34400	24400	21800	7.8	6.4	2.1	218616538	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	35200	15.6	9.3	34600	24400	22000	7.8	6.4	2.1	218616531	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	34800	15.3	9.3	34400	24400	21800	7.8	6.4	2.1	218616746	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	- - -	R-454B	35000	14.3	9.5	34200	24600	21400	8.5	6.8	2	218082947	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	35000	14.6	9.2	34800	24600	22200	8.2	6.5	2.1	218616550	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	34600	15.5	9.3	34400	24400	22000	8.2	6.5	2.1	218616545	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	34800	15.6	9.4	34400	24200	21800	8.3	6.6	2.1	218616546	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	34800	15	9.2	34600	24400	22000	8.2	6.5	2.1	218616766	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	34600	15.4	9.3	34600	24400	22000	8.2	6.5	2.1	218616762	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	34800	15.5	9.3	34600	24400	22000	8.2	6.5	2.1	218616764	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	35200	16.3	9.5	34400	24200	21800	8.3	6.6	2.1	218616758	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	35200	15	9.5	34400	24200	21800	8.2	6.5	2.1	218616551	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	35200	15	9.5	34400	24200	21800	8.2	6.5	2.1	218616791	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	35000	15.7	9.2	34600	24400	22000	8.3	6.6	2.1	218616769	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	34800	15.3	9.3	34400	24200	21800	8.2	6.6	2.1	218616773	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	34800	15.6	9.3	34600	24400	22000	8.3	6.6	2.1	218616771	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	35000	15.5	9.4	34400	24200	21800	8.3	6.6	2.1	218616775	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180DF090E48B	R-454B	35400	15.3	9.5	34400	24200	21800	8.2	6.5	2.1	218616553	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	35200	15.8	9.4	34400	24400	21800	8.3	6.6	2.1	218616540	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	35200	15.9	9.5	34400	24200	21800	8.3	6.6	2.1	218616760	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	35400	16	9.5	34400	24200	21800	8.3	6.6	2.1	218616793	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	35200	15.8	9.4	34400	24400	21800	8.3	6.6	2.1	218616541	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	35200	15.1	9.6	34200	24000	21600	8.2	6.5	2.1	218616552	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	35200	15.5	9.3	34600	24400	22000	8.3	6.6	2.1	218616796	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	35200	15.1	9.6	34200	24000	21600	8.2	6.5	2.1	218616554	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	34800	15.9	9.2	34600	24600	22000	8.2	6.6	2.1	218616779	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	35000	15.4	9.1	34800	24600	22200	8.2	6.5	2.1	218616781	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	35000	15.6	9.3	34600	24400	22000	8.3	6.6	2.1	218616783	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	34800	15.8	9.2	34600	24400	22000	8.2	6.5	2.1	218616777	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	34400	15.4	9.3	34400	24200	21800	8.2	6.5	2.1	218616757	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	35000	15.5	9.3	34600	24400	22000	8.3	6.6	2.1	218616548	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	35000	14.6	9.1	34800	24600	22200	8.1	6.5	2.1	218616798	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	35200	15	9.2	34600	24400	22000	8.2	6.5	2.1	218616785	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	35200	15.1	9.3	34600	24400	22000	8.2	6.5	2.1	218616787	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	35000	15.5	9.3	34400	24200	21800	8.3	6.6	2.1	218616549	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	35400	15.9	9.5	34400	24200	21800	8.3	6.6	2.1	218616756	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34800	15.9	9.6	34200	24000	21600	8.3	6.6	2.1	218616789	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	35000	15.6	9.4	34400	24200	21800	8.3	6.6	2.1	218616542	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	34800	15.4	9.3	34400	24400	21800	8.2	6.6	2.1	218616543	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	35000	15.6	9.5	34400	24200	21800	8.3	6.6	2.1	218616544	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-**+TDR	- - -	R-454B	34200	14.4	9.3	33400	24200	21200	8.3	6.5	2	218616091	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL180UH100NE60C	R-454B	36400	14.8	9.9	35600	24400	22800	8.1	6.5	2.1	218700796	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-**+TDR	EL195UH080NE48C												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL280UH110XE60C	R-454B	37000	14.9	9.9	35600	24200	22800	8.1	6.5	2.1	218700803	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XE48C	R-454B	36000	15.5	10.1	35200	24000	22400	8.2	6.6	2.1	218700804	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XV36C	R-454B	36000	16.4	10.1	35200	24000	22400	8.4	6.7	2.1	218700805	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XV48C	R-454B	36200	16.3	10	35400	24200	22600	8.4	6.6	2.1	218700806	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH090XV60C	R-454B	36600	16.1	9.9	35600	24200	22800	8.3	6.6	2.1	218700807	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XE60C	R-454B	36600	14.7	9.9	35600	24400	22800	8.1	6.5	2.1	218700808	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XV48C	R-454B	36000	16.4	10.1	35200	24000	22400	8.4	6.7	2.1	218700809	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XV60C	R-454B	36600	16.3	10	35400	24200	22600	8.3	6.6	2.1	218700810	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH090E60C	R-454B	36800	15.1	10.1	35400	24200	22600	8.1	6.5	2.1	218700811	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH110E60C	R-454B	36600	15.2	10	35400	24200	22600	8.1	6.5	2.1	218700812	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH110V60C	R-454B	36600	16.9	10	35400	24200	22600	8.4	6.6	2.1	218700813	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML180UH110XE60C	R-454B	36600	15.3	10	35400	24200	22600	8.1	6.5	2.1	218700814	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH090XE36C	R-454B	36200	16.6	10	35400	24200	22600	8.4	6.7	2.1	218700815	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH090XE48C	R-454B	36200	15.8	10.1	35200	24000	22400	8.3	6.6	2.1	218700816	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH110XE48C	R-454B	35800	15.7	10.2	35200	24000	22400	8.3	6.6	2.1	218700817	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML193UH110XE60C	R-454B	36600	14.8	9.9	35600	24200	22800	8.1	6.5	2.1	218700818	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE36C	R-454B	35800	16.6	10.1	35200	24000	22400	8.4	6.7	2.1	218700819	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE48C	R-454B	36000	15.4	10.1	35200	24000	22400	8.2	6.6	2.1	218700820	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH090XE60C	R-454B	36600	14.8	9.9	35600	24200	22800	8.1	6.5	2.1	218700821	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML196UH110XE60C	R-454B	36800	14.5	9.8	35800	24400	22800	8.1	6.5	2.1	218700822	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML296UH090XV48C	R-454B	36000	16.6	10	35200	24000	22600	8.4	6.7	2.1	218700823	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML296UH110XV60C	R-454B	36400	16.8	10	35400	24200	22600	8.4	6.6	2.1	218700824	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML297UH090XV60C	R-454B	34800	16.1	9.5	34200	25000	21600	8.1	6.5	2.1	218700825	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	ML297UH110XV60C	R-454B	35400	17.4	9.4	34400	25200	21800	8.1	6.4	2.1	218700826	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH080NV60C	R-454B	36400	16.3	9.8	35400	24200	21800	8.4	6.6	2.1	218700827	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH090V60C	R-454B	36600	16.5	9.9	35400	24200	21600	8.4	6.6	2.1	218700828	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH090XV60C	R-454B	36600	16.5	9.9	35400	24200	21600	8.4	6.6	2.1	218700829	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH100NV60C	R-454B	36600	16.2	9.8	35600	24200	21800	8.3	6.6	2.1	218700830	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH110V60C	R-454B	36800	16.5	9.7	35600	24200	22000	8.4	6.6	2.1	218700831	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL280UH110XV60C	R-454B	36800	16.5	9.7	35600	24200	22000	8.4	6.6	2.1	218700832	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV48C	R-454B	36000	16.3	9.8	35200	24000	21600	8.4	6.7	2.1	218700833	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV60C	R-454B	36600	16.2	9.6	35600	24400	22000	8.4	6.6	2.1	218700834	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV36C	R-454B	36000	16.4	9.9	35200	24000	21600	8.4	6.6	2.1	218700835	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV48C	R-454B	35800	16.3	9.9	35200	24000	21600	8.4	6.6	2.1	218700836	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV60C	R-454B	36600	16.1	9.7	35600	24200	21800	8.4	6.6	2.1	218700837	N/A
ML15KSPV-036-230A**	CK40[C,U]T-36C-***TDR	SLP99UH110XV60C	R-454B	36600	16.4	9.8	35400	24200	21800	8.4	6.6	2.1	218700838	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	- - -	R-454B	34400	14.4	9.4	33400	24200	21000	8.2	6.5	2	218616092	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL180UH100NE60C	R-454B	35600	14.3	9.4	34400	24400	21800	7.5	6.2	2.1	218616555	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH080NE48C	R-454B	35200	14.8	9.5	34400	24200	21800	7.6	6.3	2.1	218616556	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL195UH100NE60C	R-454B	35600	14.5	9.4	34600	24400	22000	7.5	6.2	2.1	218616557	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH090XE48C	R-454B	35400	15.1	9.6	34200	24200	21600	7.6	6.3	2.1	218616800	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL196UH110XE60C	R-454B	35800	14.7	9.5	34600	24400	22000	7.5	6.2	2.1	218616803	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E48C	R-454B	35600	15.4	9.7	34200	24000	21600	7.6	6.3	2.1	218616805	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110E60C	R-454B	36000	14.5	9.5	34600	24400	21800	7.5	6.2	2.1	218616558	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL280UH110XE60C	R-454B	36000	14.5	9.5	34600	24400	21800	7.5	6.2	2.1	218616807	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XE48C	R-454B	35400	15.2	9.6	34200	24000	21600	7.6	6.3	2.1	218616809	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	35200	15.6	9.5	34400	24200	21800	7.7	6.3	2.1	218616811	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	35200	15.8	9.6	34200	24000	21600	7.7	6.3	2.1	218616813	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	35600	15.7	9.5	34400	24200	21800	7.7	6.3	2.1	218616815	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XE60C	R-454B	35800	14.3	9.4	34600	24400	22000	7.5	6.2	2.1	218616818	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	35200	15.9	9.7	34200	24000	21600	7.8	6.3	2.1	218616820	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH090E60C	R-454B	35800	14.8	9.6	34400	24200	21800	7.5	6.2	2.1	218616559	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	35800	14.8	9.6	34400	24200	21800	7.5	6.2	2.1	218616560	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	35800	16.3	9.6	34400	24200	21800	7.7	6.3	2.1	218616822	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	35400	16.1	9.5	34400	24200	21800	7.8	6.3	2.1	218616823	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	35200	15	9.6	34200	24000	21600	7.6	6.3	2.1	218616824	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	35400	15.3	9.7	34200	24000	21600	7.6	6.3	2.1	218616825	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	35800	14.4	9.5	34400	24200	21800	7.5	6.2	2.1	218616826	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	35400	16.2	9.5	34400	24200	21800	7.8	6.3	2.1	218616827	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	35400	15	9.6	34200	24000	21600	7.6	6.3	2.1	218616561	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	35800	14.4	9.5	34400	24400	21800	7.5	6.2	2.1	218616828	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	35400	15.5	9.5	34400	24200	21800	7.7	6.3	2.1	218616829	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	35400	16.3	9.6	34200	24200	21600	7.7	6.3	2.1	218616830	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV36C	R-454B	35200	15.6	9.5	34400	24200	21800	7.7	6.3	2.1	218729707	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV60C	R-454B	35600	15.7	9.5	34400	24200	21800	7.7	6.3	2.1	218729708	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH110XV60C	R-454B	35600	15.8	9.6	34400	24200	21800	7.7	6.3	2.1	218729706	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	35600	15.8	9.6	34400	24200	21800	7.7	6.3	2.1	218616500	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	35800	16	9.7	34200	24000	21600	7.7	6.3	2.1	218616831	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	35800	16	9.7	34200	24000	21600	7.7	6.3	2.1	218616832	N/A
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-45											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	35600	15.8	9.6	34400	24200	21800	7.7	6.3	2.1	218616567	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	- - -	R-454B	34000	14.3	9.3	33400	24200	21200	8.2	6.5	2	218616071	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	EL280DF090E48B	R-454B	35000	14.8	9.3	34600	24400	22000	7.6	6.3	2.1	218616672	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF045XE36B	R-454B	33800	14.8	9.3	34200	24200	21800	7.7	6.3	2.1	218616913	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	34600	15.1	9.1	34600	24400	22000	7.7	6.3	2.1	218616914	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XE48B	R-454B	34600	15.2	9	34800	24600	22200	7.7	6.3	2	218616918	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XV48B	R-454B	34400	14.7	9	34600	24600	22200	7.7	6.3	2	218616919	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML180DF070E36B	R-454B	34400	15.3	9.3	34400	24200	21800	7.7	6.3	2.1	218616668	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	33800	15.1	9.3	34200	24200	21800	7.7	6.3	2.1	218616915	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	34800	15.3	9.2	34600	24400	22000	7.7	6.3	2.1	218616916	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML196DF045XE36B	R-454B	34400	15.4	9.2	34400	24400	22000	7.7	6.3	2.1	218616670	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	34600	15	9	34800	24600	22200	7.7	6.3	2	218616674	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML296DF045XV36B	R-454B	34400	14.6	9	34800	24600	22200	7.6	6.3	2	218616917	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	ML296DF070XV48B	R-454B	34600	14.9	9.1	34600	24400	22000	7.7	6.3	2.1	218616920	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	34600	14.7	9	34800	24600	22200	7.6	6.3	2	218616911	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	SL280DF090V48B	R-454B	34800	15	9	34800	24600	22200	7.7	6.3	2.1	218616503	N/A
ML15KSPV-036-230A**	CK40DT-30/36B-***TDR	SLP99DF070XV36B	R-454B	34600	14.9	9.2	34600	24400	22000	7.7	6.3	2.1	218616912	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	- - -	R-454B	34000	14.3	9.3	33400	24200	21200	8.2	6.5	2	218616072	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	EL297DF090XE48C	R-454B	34600	14.7	9.4	34200	24200	21800	7.6	6.3	2.1	218690221	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	ML180DF110E60C	R-454B	35400	14.7	9.5	34400	24200	21800	7.5	6.2	2.1	218690215	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	ML193DF090XE48C	R-454B	34800	14.8	9.5	34200	24200	21800	7.6	6.3	2.1	218690219	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	ML196DF090XE48C	R-454B	34800	14.9	9.5	34200	24200	21800	7.6	6.3	2.1	218690214	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	ML196DF110XE60C	R-454B	35200	14.3	9.3	34600	24400	22000	7.5	6.2	2.1	218690218	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	ML296DF090XV60C	R-454B	34800	15	9.3	34400	24400	22000	7.7	6.3	2.1	218690222	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SL280DF080NV60C	R-454B	35200	15	9.2	34600	24600	22200	7.6	6.3	2.1	218690226	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SL280DF090V60C	R-454B	35200	15.3	9.3	34600	24600	22000	7.7	6.3	2.1	218690220	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SL280DF110V60C	R-454B	35200	15.5	9.4	34400	24400	22000	7.7	6.3	2.1	218690216	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV36C	R-454B	34800	15.5	9.4	34400	24400	22000	7.7	6.3	2.1	218690217	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV48C	R-454B	34600	15.5	9.3	34400	24400	22000	7.7	6.3	2.1	218690225	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV60C	R-454B	35000	15.1	9.1	34800	24600	22200	7.6	6.3	2.1	218690223	N/A
ML15KSPV-036-230A**	CK40DT-30/36C-***TDR	SLP99DF110XV60C	R-454B	35000	15.3	9.1	34800	24800	22200	7.7	6.3	2.1	218690224	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	- - -	R-454B	34800	14.6	9.4	33600	24200	21000	8.5	6.6	2.1	218616097	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	35800	15.3	9.5	34600	24200	21800	7.8	6.4	2.2	218616680	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	EL297DF045XE36B	R-454B	34800	15.5	9.5	34400	24200	21800	8	6.5	2.2	218616923	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	35400	15.5	9.4	34600	24200	21800	8	6.5	2.2	218616924	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	35400	15.5	9.2	34800	24600	22000	8	6.5	2.2	218616928	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	35400	15.1	9	35000	24600	22200	7.9	6.4	2.2	218616929	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML180DF070E36B	R-454B	35400	15.7	9.5	34600	24200	21800	8	6.5	2.2	218616676	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML193DF045XE36B	R-454B	35400	16.1	9.3	34800	24400	21800	8.1	6.5	2.2	218616925	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML193DF070XE36B	R-454B	35600	15.8	9.3	34800	24400	22000	8	6.5	2.2	218616926	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML196DF045XE36B	R-454B	35400	15.7	9.4	34600	24200	21800	8	6.5	2.2	218616678	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	35600	15.4	9.2	34800	24600	22000	7.9	6.5	2.2	218616683	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML296DF045XV36B	R-454B	35200	15	9.2	34800	24400	22000	7.9	6.5	2.1	218616927	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	ML296DF070XV48B	R-454B	35400	15.3	9.3	34600	24400	21800	8	6.5	2.2	218616930	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	35600	15.2	9.2	34800	24600	22000	7.9	6.5	2.2	218616921	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	35600	15.5	9.3	34800	24400	22000	8	6.5	2.2	218616504	N/A
ML15KSPV-036-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	35400	15.4	9.4	34600	24200	21800	8	6.5	2.2	218616922	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	- - -	R-454B	35000	14.7	9.5	33800	24200	20800	8.6	6.7	2.1	218616098	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	35800	15.3	9.7	34600	24000	21600	8	6.5	2.3	218616931	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	36400	14.4	9.5	34800	24400	21800	7.7	6.4	2.2	218616932	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	36200	15.9	9.4	34800	24400	22000	8	6.5	2.2	218616933	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	36600	15.3	9.8	34600	24000	21600	7.8	6.4	2.3	218616685	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	35800	15.4	9.7	34400	24000	21600	8	6.5	2.3	218616934	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	35800	15.4	9.7	34400	24000	21600	8	6.5	2.3	218616687	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	36400	14.5	9.5	34800	24400	21800	7.7	6.4	2.2	218616935	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	35800	15.6	9.6	34600	24200	21600	8	6.5	2.3	218616936	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	36200	15.8	9.4	34800	24400	22000	7.9	6.4	2.2	218729713	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	36200	15.9	9.4	34800	24400	22000	8	6.5	2.2	218729714	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	36200	15.6	9.5	34800	24400	21800	8	6.5	2.2	218616937	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	36400	15.9	9.6	34800	24200	21800	8	6.5	2.3	218616938	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	36400	16.1	9.7	34600	24200	21600	8	6.5	2.3	218616505	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	36000	16	9.6	34600	24200	21600	8.1	6.5	2.3	218616939	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	35800	16	9.6	34600	24200	21600	8.1	6.5	2.2	218616940	N/A
ML15KSPV-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	36200	15.7	9.4	34800	24400	21800	8	6.5	2.2	218616941	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	EL180UH040NE36A	R-454B	32400	15.1	8.8	34200	24400	22200	7.7	6.3	2	218616569	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	EL180UH060NE36A	R-454B	32400	15.1	8.8	34200	24400	22200	7.7	6.3	2	218616570	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	EL280UH045E36A	R-454B	32800	15.5	8.8	34400	24600	22200	7.7	6.3	2	218616572	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	EL280UH070E36A	R-454B	32400	14.9	8.9	34200	24400	22000	7.7	6.3	2	218616571	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	EL280UH070XE36A	R-454B	32400	14.9	8.9	34200	24400	22000	7.7	6.3	2	218616834	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	ML180UH030V36A	R-454B	32800	14.9	8.8	34200	24400	22200	7.7	6.3	2	218616835	N/A
ML15KSPV-036-230A**	CK40HT-36A-***TDR	ML180UH045E36A	R-454B	32200	15.2	8.8	34200	24400	22200</					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	CK40HT-36A-**-TDR	ML180UH070XE36A	R-454B	32600	15.1	8.8	34200	24400	22200	7.7	6.3	2	218616575	N/A
ML15KSPV-036-230A**	CK40HT-36A-**-TDR	SL280UH060NV36A	R-454B	32800	14.8	8.8	34200	24400	22200	7.7	6.3	2	218616568	N/A
ML15KSPV-036-230A**	CK40HT-36A-**-TDR	SL280UH070XV36A	R-454B	32400	14.6	8.8	34200	24400	22200	7.6	6.3	2	218616833	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	- - -	R-454B	33600	14.3	9.2	33400	24400	21400	8.2	6.5	2	218616093	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL180UH080NE48B	R-454B	34200	14.5	9	34800	24600	22400	7.6	6.3	2	218616590	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL195UH040NE36B	R-454B	33800	15.4	9.1	34400	24400	22200	7.7	6.4	2	218616582	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL195UH060NE36B	R-454B	34000	15.5	9.2	34400	24200	22000	7.7	6.4	2	218616583	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL196UH030XE36B	R-454B	34000	14.9	9.1	34600	24400	22200	7.7	6.3	2	218616843	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL196UH045XE36B	R-454B	33800	15.4	9.1	34400	24400	22200	7.7	6.4	2	218616841	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL196UH070XE36B	R-454B	34000	15.5	9.1	34600	24400	22200	7.7	6.3	2	218616842	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL280UH090E36B	R-454B	34400	16.3	9.3	34400	24200	22000	7.8	6.4	2.1	218616839	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL280UH090E48B	R-454B	34400	14.9	9.4	34200	24200	21800	7.6	6.3	2.1	218616592	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL280UH090XE48B	R-454B	34400	14.9	9.4	34200	24200	21800	7.6	6.3	2.1	218616855	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL297UH045XE36B	R-454B	34200	15.6	9.1	34600	24600	22200	7.7	6.3	2	218616844	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL297UH045XV36B	R-454B	34000	15.3	9.2	34400	24400	22000	7.7	6.3	2	218616846	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL297UH070XE36B	R-454B	34000	15.5	9.1	34600	24400	22200	7.7	6.4	2	218616845	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	EL297UH070XV36B	R-454B	34200	15.5	9.2	34400	24200	22000	7.7	6.3	2	218616847	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180DF090E48B	R-454B	34600	15.1	9.3	34400	24200	22000	7.6	6.3	2.1	218616596	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH070E36B	R-454B	34400	15.8	9.2	34400	24400	22000	7.7	6.3	2	218616577	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH070V36B	R-454B	34400	15.8	9.3	34200	24200	22000	7.8	6.4	2.1	218616840	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH070V48B	R-454B	34600	16	9.3	34400	24200	22000	7.8	6.4	2.1	218616856	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH070XE36B	R-454B	34400	15.8	9.2	34400	24400	22000	7.7	6.3	2	218616578	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH090E48B	R-454B	34400	15.4	9.4	34200	24200	21800	7.6	6.3	2.1	218616594	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH090V48B	R-454B	34400	15.4	9.1	34400	24400	22000	7.7	6.3	2	218616857	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML180UH090XE48B	R-454B	34600	15.1	9.3	34400	24200	22000	7.6	6.3	2.1	218616598	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML193UH030XE36B	R-454B	34000	15.1	9	34600	24600	22200	7.7	6.3	2	218616849	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML193UH045XE36B	R-454B	34200	15.3	9	34600	24600	22200	7.7	6.3	2	218616850	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML193UH070XE36B	R-454B	34200	15.6	9.1	34600	24400	22200	7.7	6.3	2	218616851	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML196UH030XE36B	R-454B	34000	15.7	9.1	34600	24400	22200	7.8	6.4	2	218616848	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML196UH045XE36B	R-454B	33800	15.4	9.2	34400	24400	22000	7.7	6.4	2	218616584	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML196UH070XE36B	R-454B	34200	15.4	9.1	34600	24400	22200	7.7	6.3	2	218616585	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML196UH070XE48B	R-454B	34200	14.5	9	34800	24600	22400	7.5	6.3	2	218616858	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML296UH045XV36B	R-454B	34200	14.9	9.1	34600	24400	22200	7.6	6.3	2	218616852	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	ML296UH070XV36B	R-454B	34200	15	9.1	34600	24400	22200	7.7	6.3	2	218616853	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SL280UH080NV48B	R-454B	34200	15.4	9.2	34400	24400	22000	7.7	6.3	2	218616588	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SL280UH090V36B	R-454B	34400	15.8	9.3	34400	24200	22000	7.8	6.4	2.1	218616838	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SL280UH090V48B	R-454B	34200	15.9	9.4	34200	24000	21800	7.8	6.4	2.1	218616586	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SL280UH090XV48B	R-454B	34200	15.9	9.4	34200	24000	21800	7.8	6.4	2.1	218616854	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SL297UH040NV36B	R-454B	34200	15.5	9.2	34400	24400	22000	7.7	6.4	2	218616579	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SL297UH060NV36B	R-454B	34000	15.3	9.2	34400	24400	22000	7.7	6.3	2	218616580	N/A
ML15KSPV-036-230A**	CK40HT-36B-**-TDR	SLP99UH070XV36B	R-454B	34200	15.6	9.3	34200	24200	22000	7.7	6.4	2.1	218616581	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	- - -	R-454B	34400	14.6	9.4	33600	24200	21000	8.5	6.6	2.1	218616094	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL195UH080NE48C	R-454B	35200	15.1	9.3	34800	24400	22000	7.8	6.4	2.2	218616606	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL196UH090XE48C	R-454B	35000	15.3	9.5	34400	24200	21600	7.9	6.4	2.2	218616863	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL280UH110E48C	R-454B	35600	14.5	9.4	34800	24400	21800	7.7	6.4	2.2	218616862	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL297UH090XE48C	R-454B	35000	15.2	9.5	34400	24200	21600	7.9	6.5	2.2	218616864	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL297UH090XV36C	R-454B	35000	15.8	9.4	34600	24200	21800	8	6.5	2.2	218616859	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL297UH090XV48C	R-454B	35000	16.1	9.5	34400	24000	21600	8	6.5	2.2	218616865	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	EL297UH110XV48C	R-454B	35200	16.1	9.5	34400	24200	21600	8	6.5	2.2	218616866	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	ML193UH090XE36C	R-454B	35000	16.3	9.5	34400	24200	21800	8.1	6.5	2.2	218616861	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	ML193UH090XE48C	R-454B	35200	15.4	9.4	34600	24200	21800	7.9	6.4	2.2	218616867	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	ML193UH110XE48C	R-454B	35400	15.6	9.5	34600	24200	21800	7.9	6.5	2.2	218616868	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	ML196UH090XE36C	R-454B	35000	16.4	9.4	34600	24200	21800	8.1	6.5	2.2	218616860	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	ML196UH090XE48C	R-454B	35200	15.2	9.4	34600	24400	21800	7.9	6.4	2.2	218616608	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	ML296UH090XV48C	R-454B	35200	16.2	9.4	34400	24200	21800	8	6.5	2.2	218616869	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	SL297UH080NV48C	R-454B	35200	15.8	9.4	34600	24200	21800	8	6.5	2.2	218616602	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	SLP99UH090XV36C	R-454B	35200	16	9.4	34600	24200	21800	8	6.5	2.2	218616600	N/A
ML15KSPV-036-230A**	CK40HT-36C-**-TDR	SLP99UH090XV48C	R-454B	35200	15.8	9.4	34600	24200	21800	8	6.5	2.2	218616604	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	- - -	R-454B	35200	14.7	9.5	33800	24200	20800	8.6	6.7	2.2	218616095	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL180UH080NE48B	R-454B	35800	14.8	9.5	34800	24200	21800	7.9	6.4	2.2	218616610	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL195UH060NE36B	R-454B	35800	15.9	9.6	34600	24200	21600	8.1	6.5	2.2	218616612	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL196UH030XE36B	R-454B	35800	16.3	9.5	34800	24400	21800	8.2	6.6	2.2	218616870	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL196UH070XE36B	R-454B	35800	15.9	9.5	34800	24200	21800	8.1	6.5	2.2	218616871	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL280UH090E36B	R-454B	36200	16.6	9.7	34600	24000	21600	8.1	6.5	2.3	218616872	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL280UH090E48B	R-454B	36200	15.4	9.7	34600	24000	21600	7.9	6.4	2.3	218616614	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL280UH090XE48B	R-454B	36200	15.4	9.7	34600	24000	21600	7.9	6.4	2.3	218616873	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL297UH045XE36B	R-454B	36000	16	9.4	34800	24400	21800	8.1	6.5	2.2	218616874	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL297UH045XV36B	R-454B	36000	15.4	9.4	34800	24400	21800	8	6.5	2.2	218616875	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL297UH070XE36B	R-454B	35800	16	9.6	34600	24000	21600	8.1	6.5	2.2	218616876	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	EL297UH070XV36B	R-454B	36000	16.4	9.7	34600	24000	21600	8.2	6.5	2.3	218616877	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML180UH070E36B	R-454B	36200	16.2	9.6	34800	24200	21600	8.1	6.5	2.2	218616616	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML180UH090V48B	R-454B	36200	15.9	9.5	34800	24200	21800	8	6.5	2.2	218616880	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML180UH090XE48B	R-454B	36200	15.5	9.8	34400	24000	21400	7.9	6.5	2.3	218616622	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML193UH030XE36B	R-454B	36000	16.2	9.4	34800	24400	21800	8.1	6.5	2.2	218616881	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML193UH045XE36B	R-454B	35600	16.2	9.5	34600	24200	21600	8.1	6.5	2.2	218616882	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML193UH070XE36B	R-454B	35800	16.3	9.6	34600	24000	21600	8.2	6.5	2.2	218616883	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML196UH030XE36B	R-454B	35800	16.1	9.4	34800	24400	21800	8.1	6.5	2.2	218616884	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML196UH070XE36B	R-454B	35800	15.9	9.7	34400	24000	21600	8.1	6.5	2.3	218616624	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML196UH070XE48B	R-454B	36000	14.5	9.3	35000	24400	22000	7.8	6.4	2.2	218616885	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML296UH045XV36B	R-454B	36000	15.9	9.6	34600	24200	21600	8	6.5	2.2	218616886	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML296UH070XV36B	R-454B	36000	16	9.6	34600	24200	21600	8.1	6.5	2.2	218616887	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	ML297UH045XV36B	R-454B	36000	15.4	9.4	34800	24400	21800	8	6.5	2.2	218729709	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	SL280UH080NV48B	R-454B	36000	15.9	9.5	34800	24200	21600	8.1	6.5	2.2	218616626	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	SL280UH090V36B	R-454B	36200	16.4	9.8	34400	24000	21400	8.1	6.5	2.3	218616888	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	SL280UH090V48B	R-454B	36200	16.1	9.7	34600	24200	21600	8	6.5	2.3	218616501	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	SL297UH040NV36B	R-454B	36000	16	9.5	34600	24200	21600	8.1	6.5	2.2	218616628	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	SL297UH060NV36B	R-454B	35800	15.8	9.5	34600	24200	21800	8.1	6.5	2.2	218616630	N/A
ML15KSPV-036-230A**	CK40HT-42B-**-TDR	SLP99UH070XV36B	R-454B	36000	16	9.7	34600	24000	21600	8.1	6.5	2.3	218616632	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	- - -	R-454B	34400	14.4	9.4	33400	24200	21000	8.2	6.5	2	218616096	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL180UH100NE60C	R-454B	35400	14.3	9.4	34600	24400	22000	7.5	6.2	2.1	218616634	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL195UH080NE48C	R-454B	35200	14.8	9.5	34400	24200	21800	7.6	6.3	2.1	218616637	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL195UH100NE60C	R-454B	35600	14.5	9.4	34600	24400	22000	7.5	6.2	2.1	218616639	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL196UH090XE48C	R-454B	35400	15	9.6	34200	24200	21800	7.6	6.3	2.1	218616889	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL196UH110XE60C	R-454B	35800	14.6	9.4	34600	24400	22000	7.5	6.2	2.1	218616890	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL280UH110E48C	R-454B	35600	15.3	9.7	34200	24000	21600	7.6	6.3	2.1	218616891	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL280UH110E60C	R-454B	36000	14.4	9.5	34600	24400	22000	7.5	6.2	2.1	218616641	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL280UH110XE60C	R-454B	36000	14.4	9.5	34600	24400	22000	7.5	6.2	2.1	218616892	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH090XE48C	R-454B	35400	15.1	9.6	34400	24200	21800	7.6	6.3	2.1	218616893	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH090XV36C	R-454B	35200	15.6	9.5	34400	24200	21800	7.7	6.3	2.1	218616894	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH090XV48C	R-454B	35200	15.8	9.6	34200	24200	21600	7.8	6.3	2.1	218616895	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH090XV60C	R-454B	35600	15.6	9.5	34400	24200	21800	7.7	6.3	2.1	218616896	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH110XE60C	R-454B	35800	14.6	9.4	34600	24400	22000	7.5	6.2	2.1	218616897	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH110XV48C	R-454B	35200	15.9	9.7	34200	24000	21600	7.8	6.3	2.1	218616898	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	EL297UH110XV60C	R-454B	35600	15.8	9.5	34400	24200	21800	7.7	6.3	2.1	218616899	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML180UH090E60C	R-454B	35800	14.7	9.6	34400	24200	21800	7.5	6.2	2.1	218616643	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML180UH110E60C	R-454B	35600	14.8	9.6	34400	24200	21800	7.5	6.2	2.1	218616646	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML180UH110V60C	R-454B	35800	16.3	9.6	34400	24200	21800	7.7	6.3	2.1	218616900	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML180UH110XE60C	R-454B	35600	14.8	9.6	34400	24200	21800	7.5	6.2	2.1	218616648	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML193UH090XE36C	R-454B	35400	16.1	9.5	34400	24200	21800	7.8	6.3	2.1	218616901	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML193UH090XE48C	R-454B	35200	15	9.6	34200	24000	21600	7.6	6.3	2.1	218616902	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML193UH110XE48C	R-454B	35400	15.3	9.7	34200	24000	21600	7.6	6.3	2.1	218616903	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML193UH110XE60C	R-454B	35800	14.3	9.5	34400	24400	21800	7.5	6.2	2.1	218616904	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML196UH090XE36C	R-454B	35400	16.2	9.5	34400	24200	21800	7.8	6.3	2.1	218616905	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML196UH090XE48C	R-454B	35400	15	9.6	34200	24000	21600	7.6	6.3	2.1	218616650	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML196UH090XE60C	R-454B	35800	14.3	9.4	34600	24400	21800	7.5	6.2	2.1	218616906	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML196UH110XE60C	R-454B	35800	14.4	9.4	34600	24400	22000	7.5	6.2	2.1	218616652	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML296UH090XV48C	R-454B	35400	16	9.5	34400	24200	21800	7.7	6.3	2.1	218616907	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML296UH110XV60C	R-454B	35400	16.3	9.6	34400	24200	21800	7.8	6.3	2.1	218616908	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML297UH090XV36C	R-454B	35200	15.6	9.5	34400	24200	21800	7.7	6.3	2.1	218729711	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML297UH090XV60C	R-454B	35600	15.6	9.5	34400	24200	21800	7.7	6.3	2.1	218729712	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	ML297UH110XV60C	R-454B	35600	15.8	9.5	34400	24200	21800	7.7	6.3	2.1	218729710	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SL280UH080NV60C	R-454B	35600	15.8	9.6	34400	24200	21800	7.7	6.3	2.1	218616502	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SL280UH090V60C	R-454B	35800	16	9.6	34400	24200	21600	7.7	6.3	2.1	218616909	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SL280UH090XV60C	R-454B	35800	16	9.6	34400	24200	21600	7.7	6.3	2.1	218616910	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SL280UH100NV60C	R-454B	35600	15.7	9.5	34400	24200	21800	7.7	6.3	2.1	218616654	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SL297UH080NV48C	R-454B	35200	15.8	9.6	34200	24000	21600	7.8	6.3	2.1	218616656	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SL297UH080NV60C	R-454B	35600	15.7	9.3	34600	24400	22000	7.7	6.3	2.1	218616658	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SLP99UH090XV36C	R-454B	35400	15.8	9.5	34400	24200	21800	7.7	6.3	2.1	218616660	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SLP99UH090XV48C	R-454B	35200	15.7	9.6	34200	24200	21600	7.7	6.3	2.1	218616662	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SLP99UH090XV60C	R-454B	35600	15.6	9.4	34600	24400	22000	7.7	6.3	2.1	218616664	N/A
ML15KSPV-036-230A**	CK40HT-42C-**-TDR	SLP99UH110XV60C	R-454B	35600	15.8	9.6	34400	24200	21800	7.7	6.3	2.1	218616666	N/A
ML15KSPV-042-230A**	CBK43UHET-042-DV**	- - -	R-454B	41500	16.6	9.2	43500	33200	28000	8.9	7	2.1	218616050	N/A
ML15KSPV-042-230A**	CBK43UHET-048-DV**	- - -	R-454B	42000	16.2	9.2	43500	33400	28000	8.7	6.9	2	218616051	N/A
ML15KSPV-042-230A**	CBK45UHET-042-230**	- - -	R-454B	41500	16.8	9.6	43500	33200	28000	8.8	6.9	2	218616052	N/A
ML15KSPV-042-230A**	CBK45UHET-048-230**	- - -	R-454B	42500	16.6	10	43000	32800	27600	8.7	6.8	2	218616053	N/A
ML15KSPV-042-230A**	CBK45UHVT-042-230**	- - -	R-454B	42000	16.2	9.8	42500	33000	26800	8.8	6.8	2	218082941	N/A
ML15KSPV-042-230A**	CBK45UHVT-048-230**	- - -	R-454B	42500	17.2	10	43000	32800	27400	8.7	6.8	2	218616054	N/A
ML15KSPV-042-230A**	CBK47UHET-042-230**	- - -	R-454B	42500	17.1	10	43500	32800	27400	9	7	2.2	218616055	N/A
ML15KSPV-042-230A**	CBK47UHET-048-230**	- - -	R-454B	43000	16.9	9.9	43500	33000	27600	9	7	2.1	218616056	N/A
ML15KSPV-042-230A**	CBK48MVT-042-230**	- - -	R-454B	42500	17.3	10	43500	32800	27400	9.1	7	2.1	218616057	N/A
ML15KSPV-042-230A**	CBK48MVT-048-230**	- - -	R-454B	42500	17.3	10.1	43000	32600	27400	8.8	6.9	2.1	218616058	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	- - -	R-454B	39500	14.6	9.7	40500	30200	28200	8.4	6.6	1.9	218616099	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	EL180UH080NE48B												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	ML180UH090E48B	R-454B	40500	16.2	9.7	42000	32800	27600	7.8	6.4	2	218616946	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	ML180UH090V48B	R-454B	40500	16.4	9.5	42500	33000	27800	7.9	6.4	2	218617025	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	ML180UH090XE48B	R-454B	40500	16.2	9.7	42000	32800	27600	7.8	6.4	2	218616947	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	ML196UH070XE48B	R-454B	40000	15.2	9.4	42500	33200	28000	7.8	6.4	1.9	218617026	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	SL280UH080NV48B	R-454B	40000	16.3	9.5	42500	33000	27800	7.9	6.4	1.9	218616943	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	SL280UH090V48B	R-454B	40500	16.6	9.6	42500	33000	27800	7.9	6.4	2	218616942	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48B-**-TDR	SL280UH090XV48B	R-454B	40500	16.7	9.7	42000	32800	27600	7.9	6.4	2	218617022	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	- - -	R-454B	40000	14.3	9.8	41000	28000	27000	8.5	6.8	1.8	218082948	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL195UH080NE48C	R-454B	40000	15.9	9.6	42500	33000	27800	7.8	6.4	2	218616948	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL195UH100NE60C	R-454B	40500	15.1	9.6	42500	33000	27800	7.8	6.3	2	218616949	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL196UH090XE48C	R-454B	40500	16.1	9.7	42000	33000	27600	7.8	6.4	2	218617028	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL196UH110XE60C	R-454B	40500	15.3	9.7	42500	33000	27800	7.8	6.3	2	218617029	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL280UH110E48C	R-454B	40500	16.4	9.8	42000	32800	27600	7.9	6.4	2	218617030	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL280UH110E60C	R-454B	41000	15.5	9.7	42500	33000	27600	7.7	6.3	2	218616950	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL280UH110XE60C	R-454B	41000	15.5	9.7	42500	33000	27600	7.7	6.3	2	218617031	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH090XE48C	R-454B	40500	16.2	9.7	42000	32800	27600	7.8	6.4	2	218617032	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH090XV36C	R-454B	40000	16.7	9.5	42500	33200	27800	7.9	6.4	1.9	218617033	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH090XV48C	R-454B	40000	16.5	9.7	42000	32800	27600	7.9	6.4	2	218617034	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH090XV60C	R-454B	40500	16.3	9.6	42500	33000	27800	7.8	6.4	2	218617035	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH110XE60C	R-454B	40500	15.3	9.7	42500	33000	27800	7.8	6.3	2	218617027	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH110XV48C	R-454B	40500	16.6	9.6	42500	33000	27800	7.9	6.4	2	218617036	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	EL297UH110XV60C	R-454B	40500	16.5	9.7	42500	33000	27800	7.9	6.4	2	218617037	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML180UH090E60C	R-454B	40500	15.8	9.8	42000	32800	27600	7.8	6.4	2	218616951	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML180UH110E60C	R-454B	41000	15.9	9.7	42500	33000	27800	7.8	6.4	2	218616952	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML180UH110V60C	R-454B	40500	17.2	9.8	42000	32800	27600	7.9	6.4	2	218617038	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML180UH110XE60C	R-454B	41000	15.9	9.7	42500	33000	27800	7.8	6.4	2	218616953	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML193UH090XE36C	R-454B	40500	16.6	9.6	42500	33000	27800	7.9	6.4	2	218617039	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML193UH090XE48C	R-454B	40500	16.1	9.7	42000	32800	27600	7.8	6.4	2	218617040	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML193UH110XE48C	R-454B	40500	16.3	9.8	42000	32800	27600	7.9	6.4	2	218617041	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML193UH110XE60C	R-454B	40500	15.4	9.7	42000	32800	27600	7.8	6.3	2	218617042	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML196UH090XE36C	R-454B	40500	16.7	9.5	42500	33200	27800	7.9	6.4	1.9	218617043	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML196UH090XE48C	R-454B	40500	16	9.7	42000	32800	27600	7.8	6.4	2	218616954	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML196UH090XE60C	R-454B	40500	15.4	9.7	42000	32800	27600	7.8	6.3	2	218617044	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML196UH110XE60C	R-454B	40500	15.1	9.6	42500	33000	27800	7.7	6.3	2	218616955	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML296UH090XV48C	R-454B	40500	16.1	9.6	42500	33000	27800	7.8	6.4	2	218617045	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML296UH110XV60C	R-454B	40500	16.8	9.6	42500	33000	27800	7.9	6.4	2	218617046	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML297UH090XV36C	R-454B	40000	16.7	9.5	42500	33200	27800	7.9	6.4	1.9	218729716	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML297UH090XV60C	R-454B	40500	16.3	9.6	42500	33000	27800	7.8	6.4	2	218729717	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	ML297UH110XV60C	R-454B	40500	16.5	9.7	42500	33000	27800	7.9	6.4	2	218729715	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL280UH080NV60C	R-454B	40500	16.6	9.7	42500	32800	27600	7.9	6.4	2	218617016	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL280UH090V60C	R-454B	41000	16.7	9.8	42500	32800	27600	7.9	6.4	2	218617047	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL280UH090XV60C	R-454B	41000	16.7	9.8	42500	32800	27600	7.9	6.4	2	218617048	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL280UH100NV60C	R-454B	40500	16.5	9.7	42500	33000	27800	7.9	6.4	2	218616956	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL280UH110XV60C	R-454B	40500	16.8	9.7	42500	33000	27600	7.9	6.4	2	218617049	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL297UH080NV48C	R-454B	40500	16.3	9.6	42500	33000	27800	7.9	6.4	2	218616957	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SL297UH080NV60C	R-454B	40500	16.6	9.6	42500	33000	27800	7.9	6.4	2	218616958	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SLP99UH090XV36C	R-454B	41000	16.9	10	42000	32600	27400	7.9	6.4	2	218616959	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SLP99UH090XV48C	R-454B	40500	16.4	9.6	42500	33000	27800	7.9	6.4	2	218616960	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SLP99UH090XV60C	R-454B	40500	16.3	9.5	42500	33200	27800	7.8	6.4	2	218616961	N/A
ML15KSPV-042-230A**	CK40[C,U]T-48C-**-TDR	SLP99UH110XV60C	R-454B	40500	16.6	9.7	42500	33000	27600	7.9	6.4	2	218616962	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	- - -	R-454B	40500	14.9	10	41000	30200	28000	8.6	6.7	2	218616100	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL195UH080NE48C	R-454B	41500	16.3	9.8	42500	32800	27600	7.9	6.4	2	218616963	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL195UH100NE60C	R-454B	42000	15.6	9.9	42500	32800	27600	7.8	6.4	2	218616964	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL196UH090XE48C	R-454B	41500	16.5	9.9	42500	32800	27600	7.9	6.4	2	218617051	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL196UH110XE60C	R-454B	42000	15.8	10	42500	32800	27600	7.8	6.4	2	218617052	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL280UH110E48C	R-454B	42000	16.9	10.1	42500	32600	27400	8	6.4	2	218617053	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL280UH110E60C	R-454B	42000	16	10	42500	32800	27600	7.8	6.4	2	218616965	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL280UH110XE60C	R-454B	42000	16	10	42500	32800	27600	7.8	6.4	2	218617054	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XE48C	R-454B	42000	16.7	10	42500	32800	27600	7.9	6.4	2	218617055	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV36C	R-454B	42000	17.3	9.8	43000	33000	27800	8	6.4	2	218617056	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV48C	R-454B	43000	17	9.9	43000	33000	27600	8	6.4	2.1	218617050	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV60C	R-454B	42000	16.8	9.8	43000	33000	27600	7.9	6.4	2	218617057	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH110XE60C	R-454B	42000	15.8	9.9	42500	32800	27600	7.9	6.4	2	218617058	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH110XV48C	R-454B	42000	17.1	9.9	43000	32800	27600	8	6.4	2	218617059	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	EL297UH110XV60C	R-454B	42000	16.9	9.9	42500	32800	27600	8	6.4	2	218617060	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	ML180UH090E60C	R-454B	42000	16.3	10.1	42500	32600	27400	7.9	6.4	2	218616966	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	ML180UH110E60C	R-454B	41500	16.3	10.1	42500	32600	27400	7.9	6.4	2	218616967	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	ML180UH110V60C	R-454B	42500	17	9.9	43000	32800	27600	7.9	6.4	2	218617061	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	ML180UH110XE60C	R-454B	41500	16.3	10.1	42500	32600	27400	7.9	6.4	2	218616968	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	ML193UH090XE36C	R-454B	41500	17	9.9	42500	32800	27600	8	6.5	2	218617062	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-**-TDR	ML												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	42000	16	9.8	43000	33000	27600	7.9	6.4	2	218617067	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	42000	15.7	9.8	43000	33000	27800	7.8	6.4	2	218616970	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	42000	16.6	9.8	43000	33000	27600	7.9	6.4	2	218617068	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	42000	16.7	9.9	42500	32800	27600	8	6.4	2	218617069	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV36C	R-454B	41500	17.1	9.7	43000	33000	27800	8	6.5	2	218729719	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	42000	16.8	9.8	43000	33000	27600	7.9	6.4	2	218729720	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	42000	16.9	9.9	42500	32800	27600	8	6.4	2	218729718	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	42000	17	10	42500	32800	27400	8	6.4	2	218617017	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	42000	17.2	10	42500	32800	27400	8	6.4	2	218617070	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	42000	17.2	10	42500	32800	27400	8	6.4	2	218617071	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	42000	16.9	9.9	43000	33000	27600	8	6.4	2	218616971	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	42000	17.3	10	42500	32800	27600	8	6.4	2	218617072	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	42000	16.8	9.9	42500	32800	27600	8	6.4	2	218616972	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	42000	16.8	9.8	43000	33000	27800	8	6.4	2	218616973	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV36C	R-454B	42500	17.3	10.3	42500	32400	27200	8	6.4	2.1	218616974	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	42000	16.8	9.9	43000	32800	27600	8	6.4	2	218616975	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	42000	16.8	9.8	43000	33000	27800	7.9	6.4	2	218616976	N/A
ML15KSPV-042-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	42000	17	10	42500	32800	27600	8	6.4	2	218616977	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	- - -	R-454B	39500	14.8	9.8	41000	30200	28000	8.7	6.8	2	218616105	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	40500	16.2	9.7	42500	33000	27600	8.1	6.5	2	218617009	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	EL297DF045XE36B	R-454B	39000	16.3	9.6	42000	32800	27600	8.2	6.6	2	218617123	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	40500	15.6	9.3	43500	33600	28200	8.1	6.5	2	218617124	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	38500	16.2	9.5	42000	32600	27400	8.2	6.6	2	218617125	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	40500	15.6	9.1	43500	33600	28200	8.1	6.6	2	218617126	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML180DF070E36B	R-454B	40000	16.7	9.6	42500	32800	27600	8.2	6.6	2	218617010	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML180DF090E48B	R-454B	41000	16.4	9.6	43000	33200	27800	8.1	6.5	2.1	218617011	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML193DF045XE36B	R-454B	40000	16.8	9.5	42500	33000	27800	8.2	6.6	2	218617127	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML193DF070XE36B	R-454B	40000	16.9	9.5	42500	33000	27800	8.2	6.6	2	218617128	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML196DF045XE36B	R-454B	39500	16.6	9.6	42500	33000	27600	8.2	6.6	2	218617012	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	40500	16.4	9.3	43000	33400	28000	8.2	6.6	2	218617013	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	ML296DF070XV48B	R-454B	40500	15.5	9.3	43000	33400	28000	8.1	6.5	2	218617129	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	40500	15.8	9.3	43000	33400	28000	8.1	6.5	2	218617130	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	40500	16	9.3	43000	33400	28000	8.1	6.6	2	218617020	N/A
ML15KSPV-042-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	40500	15.7	9.3	43000	33400	28000	8.1	6.5	2	218617122	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	- - -	R-454B	40000	15	9.9	41000	30200	28000	8.8	6.8	2	218616106	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	41000	16.4	9.8	43000	32800	27600	8.2	6.6	2.1	218617132	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	41000	15.5	9.7	43000	33000	27600	8.1	6.5	2.1	218617133	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	41500	16.3	10	42500	32800	27400	8.1	6.6	2.1	218617014	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	41500	16.6	9.6	43000	33200	27800	8.2	6.6	2.1	218617131	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	41000	16.5	9.8	42500	32800	27400	8.2	6.6	2.1	218617015	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	41000	15.6	9.8	43000	33000	27600	8.1	6.5	2.1	218617134	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	41000	16.5	9.7	43000	33000	27600	8.2	6.6	2.1	218617135	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	41000	16.5	9.4	43500	33400	28000	8.2	6.6	2.1	218729727	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	41000	16.9	9.6	43000	33000	27600	8.3	6.6	2.1	218729728	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	41000	16.6	9.7	43000	33000	27600	8.2	6.6	2.1	218617136	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	41000	16.9	9.8	43000	32800	27400	8.3	6.6	2.1	218617137	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	41000	17.1	9.9	42500	32800	27400	8.3	6.6	2.1	218617021	N/A
ML15KSPV-042-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	41000	16.7	9.8	43000	32800	27600	8.2	6.6	2.1	218617138	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	- - -	R-454B	40500	15	9.9	41500	30200	28000	8.8	6.9	2	218616101	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	EL180UH080NE48B	R-454B	41000	16	9.6	43000	33200	27800	8.2	6.6	2.1	218616978	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	41500	17.1	9.8	43000	33000	27600	8.3	6.6	2.1	218617074	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	41500	16.5	9.9	43000	32800	27400	8.2	6.6	2.1	218616979	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	41500	16.5	9.9	43000	32800	27400	8.2	6.6	2.1	218617075	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	41000	16	9.4	43500	33400	28000	8.2	6.6	2.1	218617073	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	41500	16.9	9.5	43500	33400	28000	8.2	6.6	2.1	218617076	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML180UH070V36B	R-454B	41500	17	9.8	43000	33000	27600	8.3	6.6	2.1	218617077	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	41500	17.2	9.8	43000	33000	27600	8.3	6.6	2.1	218617078	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	41000	16.6	9.9	42500	32800	27400	8.2	6.6	2.1	218616980	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML180UH090V48B	R-454B	41500	16.7	9.7	43000	33000	27600	8.3	6.6	2.1	218617079	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	41000	16.6	9.9	42500	32800	27400	8.2	6.6	2.1	218616981	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	41000	15.7	9.4	43500	33400	28000	8.1	6.6	2.1	218617080	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML296UH045XV36B	R-454B	41500	16.1	9.6	43500	33200	27800	8.2	6.6	2.1	218617081	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML296UH070XV36B	R-454B	41500	16.1	9.6	43000	33200	27800	8.2	6.6	2.1	218617082	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	ML297UH045XV36B	R-454B	41000	16.3	9.6	43000	33000	27800	8.2	6.6	2.1	218729721	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	41500	16.5	9.6	43000	33200	27800	8.2	6.6	2.1	218616982	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	41500	17.1	9.8	43000	32800	27600	8.3	6.6	2.1	218617083	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	41500	16.9	9.8	43000	33000	27600	8.3	6.6	2.1	218616983	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	41500	16.2	9.5	43500	33200	28000	8.2	6.6	2.1	218616984	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	41500	16.1	9.5	43500	33200	28000	8.2	6.6	2.1	218616985	N/A
ML15KSPV-042-230A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	42000	17.1	9.8	43000	33000	27600	8.2	6.6	2.1	218616986	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	- - -	R-454B	39500	14.6	9.7	40500	30200	28200	8.4	6.6	1.9	218616102	N/A
ML15KSPV-04														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	40500	16.4	9.8	42000	32800	27600	7.8	6.4	2	218617087	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL280UH110E60C	R-454B	41000	15.4	9.7	42500	33000	27600	7.8	6.3	2	218616989	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL280UH110XE60C	R-454B	41000	15.4	9.7	42500	33000	27600	7.8	6.3	2	218617088	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL297UH090XE48C	R-454B	40500	16.2	9.7	42500	33000	27600	7.8	6.4	2	218617089	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	40500	16.9	9.5	42500	33200	28000	7.9	6.4	2	218617084	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	40500	15.2	9.6	42500	33000	27800	7.8	6.3	2	218617090	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	40500	16.6	9.6	42500	33000	27800	7.9	6.4	2	218617091	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	40500	16.4	9.6	42500	33000	27800	7.9	6.4	2	218617092	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML180UH110E60C	R-454B	40500	15.7	9.8	42000	32800	27600	7.8	6.4	2	218616990	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML180UH110V60C	R-454B	41000	17	9.7	42500	33000	27800	7.9	6.4	2	218617093	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML180UH110XE60C	R-454B	40500	15.7	9.8	42000	32800	27600	7.8	6.4	2	218616991	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML193UH090XE36C	R-454B	40500	16.6	9.6	42500	33000	27800	7.9	6.4	2	218617094	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML193UH090XE48C	R-454B	40500	16.1	9.7	42000	32800	27600	7.8	6.4	2	218617095	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	40500	16.3	9.8	42000	32800	27600	7.9	6.4	2	218617096	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	40500	15.3	9.7	42500	32800	27600	7.8	6.4	2	218617097	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML196UH090XE36C	R-454B	40000	16.7	9.5	42500	33200	27800	8	6.4	2	218617098	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	40500	16	9.7	42000	32800	27600	7.8	6.4	2	218616992	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	40500	15.3	9.7	42500	33000	27600	7.8	6.4	2	218617099	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML196UH110XE60C	R-454B	40500	15.1	9.6	42500	33000	27800	7.7	6.3	2	218616993	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML296UH090XV48C	R-454B	40500	16	9.5	42500	33200	28000	7.8	6.4	2	218617100	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	40500	16.8	9.6	42500	33000	27800	7.9	6.4	2	218617101	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML297UH090XV36C	R-454B	40000	16.7	9.4	42500	33200	28000	7.9	6.4	1.9	218729723	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML297UH090XV60C	R-454B	40500	16.3	9.5	42500	33200	28000	7.9	6.4	2	218729724	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	ML297UH110XV60C	R-454B	40500	16.4	9.6	42500	33000	27800	7.9	6.4	2	218729722	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	40500	16.6	9.7	42500	33000	27800	7.9	6.4	2	218617018	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	41000	16.7	9.7	42500	33000	27600	7.9	6.4	2	218617102	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	41000	16.7	9.7	42500	33000	27600	7.9	6.4	2	218617103	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	41000	16.4	9.5	42500	33200	27800	7.9	6.4	2	218616994	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	40500	16.8	9.7	42500	33000	27800	7.9	6.4	2	218617104	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B	41000	16.9	9.9	42000	32600	27400	7.9	6.4	2	218616995	N/A
ML15KSPV-042-230A**	CK40HT-42C-***TDR	SLP99UH110XV60C	R-454B	40500	16.5	9.6	42500	33000	27800	7.9	6.4	2	218616996	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	---	R-454B	39000	14.6	9.6	41000	30400	28200	8.6	6.8	1.9	218616103	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	EL280UH090E36B	R-454B	40000	16.8	9.5	42500	33000	27800	8.1	6.5	2	218617105	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	40000	16.1	9.6	42500	33000	27800	8	6.5	2	218616997	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	40000	16.1	9.6	42500	33000	27800	8	6.5	2	218617106	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	EL297UH070XV36B	R-454B	40000	16.5	9.2	43000	33400	28200	8	6.5	2	218617107	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML180UH070V36B	R-454B	40000	16.7	9.5	42500	33000	27800	8.1	6.5	2	218617108	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	40000	16.8	9.5	42500	33000	27800	8.1	6.5	2	218617109	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	40000	16.2	9.6	42500	32800	27600	8	6.5	2	218616998	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	40000	16.4	9.4	42500	33200	27800	8.1	6.5	2	218617110	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	40000	16.2	9.6	42500	32800	27600	8	6.5	2	218616999	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML296UH045XV36B	R-454B	40000	15.8	9.3	43000	33400	28000	8	6.5	2	218617111	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML296UH070XV36B	R-454B	40000	15.8	9.3	43000	33200	28000	8	6.5	2	218617112	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	ML297UH045XV36B	R-454B	39500	16	9.3	42500	33200	28000	8.1	6.5	2	218729725	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	40000	16.1	9.3	43000	33400	28000	8	6.5	2	218617000	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	SL280UH090V36B	R-454B	39500	16.5	9	43500	34000	28600	8	6.5	2	218617113	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	40000	16.5	9.4	42500	33200	27800	8.1	6.5	2	218617019	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	SL297UH060NV36B	R-454B	39500	16.1	9.3	42500	33200	28000	8.1	6.5	2	218617001	N/A
ML15KSPV-042-230A**	CK40HT-48B-***TDR	SLP99UH070XV36B	R-454B	40500	16.7	9.5	42500	33000	27600	8.1	6.5	2	218617002	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	---	R-454B	39000	14.5	9.6	40500	30200	28200	8.4	6.6	1.9	218616104	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	40000	15	9.6	42000	33000	27800	7.7	6.3	1.9	218617114	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	40500	15.2	9.6	42500	33000	27800	7.7	6.3	2	218617004	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	40500	15.2	9.6	42500	33000	27800	7.7	6.3	2	218617115	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	40000	15	9.5	42000	33000	27800	7.7	6.3	1.9	218617116	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	40000	15.4	9.7	42000	32800	27600	7.8	6.3	2	218617003	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	40000	15.6	9.5	42500	33000	27800	7.8	6.4	1.9	218617005	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	40000	17	9.6	42000	32800	27600	7.9	6.4	2	218617017	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	40000	15.6	9.5	42500	33000	27800	7.8	6.4	1.9	218617006	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	40000	16.1	9.7	42000	32800	27600	7.8	6.4	2	218617118	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	40000	14.8	9.5	42500	33000	27800	7.7	6.3	1.9	218617007	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	40000	16.6	9.5	42500	33200	27800	7.8	6.4	1.9	218617119	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	40000	16.2	9.5	42500	33000	27800	7.8	6.4	1.9	218729726	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	40500	16.5	9.6	42500	33000	27800	7.8	6.4	2	218617120	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	40500	16.5	9.6	42500	33000	27800	7.8	6.4	2	218617121	N/A
ML15KSPV-042-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	40500	16.1	9.4	42500	33200	28000	7.8	6.4	1.9	218617008	N/A
ML15KSPV-048-230A**	CBK43UHET-048-DV**	---	R-454B	46000	16.5	9.7	47500	35600	29400	9.1	7	2.1	218616059	N/A
ML15KSPV-048-230A**	CBK43UHET-060-DV**	---	R-454B	46500	16.3	9.7	47500	35600	29400	9.2	7.1	2.2	218616060	N/A
ML15KSPV-048-230A**	CBK45UHET-048-230**	---	R-454B	46500	16.9	9.8	46500	35000	30000	9.2	7.1	2.2	218616061	N/A
ML15KSPV-048-230A**	CBK45UHET-060-230**	---	R-454B	47000	17.3	9.7	47500	35200	30200	9.4	7.2	2.3	218616062	N/A
ML15KSPV-048-230A**	CBK45UHVT-048-230**	---	R-454B	48000	16	9.5	48000	35600	30800	9	7	2	218082942	N/A
ML15KSPV-048-230A**	CBK45UHVT-060-230**	---	R-454B	47000	17.1	9.8	47000	35200	30200	9.4	7.2	2.3	218616063	N/A
ML15KSPV-048-230A**	CBK47UHET-048-230**	---	R-454B	46500	16.9	9.6	47500	35200	30200	9.6	7.3	2.3	218616064</	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E48B	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617148	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090XE48B	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617252	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	44500	17	9.5	45500	34600	29200	8.3	6.6	2.1	218617253	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090E48B	R-454B	44000	16.5	9.5	45500	34600	29000	8.2	6.6	2.1	218617149	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090V48B	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617254	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090XE48B	R-454B	44000	16.4	9.5	45500	34600	29000	8.2	6.6	2.1	218617150	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE48B	R-454B	43500	15.5	9.1	45500	35000	29600	8.2	6.5	2	218617255	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	SL280UH080NV48B	R-454B	44000	16.1	9.2	45500	35000	29400	8.2	6.6	2	218617146	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V48B	R-454B	44000	16.4	9.4	45500	34800	29400	8.2	6.6	2.1	218617145	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090XV48B	R-454B	44000	16.4	9.4	45500	34800	29400	8.2	6.6	2.1	218617251	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	- - -	R-454B	46000	14.3	9.2	48000	32600	28000	8.5	6.5	2	218082949	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	44500	15.8	9.2	46000	35000	29600	8.2	6.6	2.1	218617156	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	44000	16.1	9.4	45500	34800	29200	8.2	6.6	2.1	218617152	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	44000	15.4	9.2	46000	35000	29600	8.1	6.5	2.1	218617163	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	44000	16.4	9.4	45500	34800	29200	8.2	6.6	2.1	218617257	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	44500	15.6	9.3	46000	35000	29400	8.1	6.5	2.1	218617269	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	44500	15.7	9.6	45500	34600	29000	8.1	6.5	2.1	218617256	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	44500	15.7	9.6	45500	34600	29000	8.1	6.5	2.1	218617157	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	44500	15.7	9.6	45500	34600	29000	8.1	6.5	2.1	218617267	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	44000	16.3	9.5	45500	34600	29200	8.2	6.6	2.1	218617258	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	44000	17.3	9.5	45000	34600	29200	8.3	6.6	2	218617259	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	44500	16.1	9.3	45500	34800	29400	8.2	6.6	2.1	218617272	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	44500	15.7	9.3	46000	35000	29400	8.1	6.5	2.1	218617270	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	44500	16.3	9.5	45500	34600	29200	8.2	6.6	2.1	218617260	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	44500	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617271	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	44500	16.1	9.5	45500	34600	29200	8.2	6.5	2.1	218617158	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	44500	16.2	9.4	45500	34800	29400	8.2	6.6	2.1	218617159	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	44500	16.4	9.5	45500	34600	29200	8.2	6.6	2.1	218617268	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	44500	16.2	9.4	45500	34800	29400	8.2	6.6	2.1	218617160	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617261	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	44000	16.6	9.5	45500	34600	29200	8.2	6.6	2.1	218617262	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	44500	15.7	9.4	45500	34800	29400	8.1	6.5	2.1	218617274	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	44000	16.2	9.4	45500	34800	29200	8.2	6.6	2.1	218617153	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	44500	15.7	9.4	45500	34800	29400	8.1	6.5	2.1	218617273	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	44000	15.3	9.4	45500	34600	29200	8.1	6.5	2.1	218617164	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	44500	16	9.4	45500	34800	29200	8.2	6.6	2.1	218617263	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	44500	16.1	9.3	45500	34800	29400	8.2	6.6	2.1	218617275	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML297UH090XV60C	R-454B	44000	16.4	9.5	45500	34600	29000	8.2	6.6	2.1	218729730	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML297UH110XV60C	R-454B	44000	16.6	9.6	45000	34400	29000	8.2	6.6	2.1	218729729	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	44500	16.4	9.5	45500	34600	29200	8.2	6.6	2.1	218617154	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	44500	16.6	9.6	45500	34600	29000	8.2	6.6	2.1	218617264	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	44500	16.6	9.6	45500	34600	29000	8.2	6.6	2.1	218617265	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	44500	16.4	9.5	45500	34600	29200	8.2	6.6	2.1	218617155	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	44500	16.6	9.5	45500	34600	29200	8.2	6.6	2.1	218617266	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	44500	15.9	9.4	45500	34800	29200	8.2	6.6	2.1	218617151	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617161	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	44500	16	9.4	45500	34800	29400	8.2	6.6	2.1	218617139	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	44500	16.3	9.3	46000	34800	29400	8.2	6.6	2.1	218617140	N/A
ML15KSPV-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	44500	16.4	9.5	45500	34600	29200	8.2	6.6	2.1	218617162	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	- - -	R-454B	46500	14.4	9.4	48000	33400	28800	8.5	6.8	2	218616107	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL180UH100NE60C	R-454B	45500	16.3	9.5	46000	35000	29400	8.2	6.6	2.1	218617171	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL195UH080NE48C	R-454B	45500	16.6	9.7	45500	34600	29000	8.3	6.6	2.1	218617167	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	45500	15.9	9.5	46000	35000	29400	8.2	6.6	2.1	218617179	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	45500	16.8	9.7	46000	34600	29000	8.3	6.6	2.1	218617277	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	46000	16.1	9.6	46000	34800	29400	8.2	6.6	2.1	218617289	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	46000	16.2	9.9	45500	34400	29000	8.2	6.6	2.1	218617276	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	46000	16.2	9.9	45500	34400	29000	8.2	6.6	2.1	218617172	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	46000	16.2	9.9	45500	34400	29000	8.2	6.6	2.1	218617287	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	45500	16.7	9.8	45500	34600	29000	8.4	6.6	2.1	218617278	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	45500	17.7	9.8	45500	34400	29000	8.4	6.6	2.1	218617279	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	46000	16.6	9.6	46000	34800	29400	8.3	6.6	2.1	218617292	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	46000	16.1	9.6	46000	34800	29400	8.2	6.6	2.1	218617290	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	46000	16.8	9.8	46000	34600	29000	8.3	6.6	2.1	218617280	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	46000	16.8	9.7	46000	34600	29200	8.3	6.6	2.1	218617291	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	46000	16.6	9.8	46000	34600	29200	8.2	6.6	2.1	218617173	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	46000	16.7	9.7	46000	34800	29200	8.3	6.6	2.1	218617174	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	46000	16.9	9.8	46000	34600	29000	8.3	6.6	2.1	218617288	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	46000	16.7	9.7	46000	34800	29200	8.3	6.6	2.1	218617175	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	45500	16.8	9.7	46000	34600	29000	8.3	6.6	2.1	218617281	N/A
ML15KSPV-048-230A														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	46000	16.6	9.6	46000	34800	29200	8.3	6.6	2.1	218617295	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	45500	16.8	9.8	45500	34400	29000	8.3	6.6	2.1	218729732	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	45500	17.7	9.9	45500	34400	28800	8.3	6.6	2.1	218729731	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	46000	16.9	9.8	46000	34600	29000	8.3	6.6	2.1	218617169	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	46000	17.1	9.8	45500	34400	29000	8.3	6.6	2.1	218617284	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	46000	17.1	9.8	45500	34400	29000	8.3	6.6	2.1	218617285	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	46000	16.9	9.8	46000	34600	29000	8.3	6.6	2.1	218617170	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	46000	17.1	9.8	46000	34600	29000	8.3	6.6	2.1	218617286	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	46000	16.4	9.6	46000	34800	29200	8.3	6.6	2.1	218617165	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	45500	16.8	9.7	46000	34600	29000	8.3	6.6	2.1	218617176	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	46000	16.5	9.6	46000	34800	29200	8.3	6.6	2.1	218617166	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	46000	16.6	9.6	46000	34800	29400	8.3	6.6	2.1	218617178	N/A
ML15KSPV-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	46000	16.9	9.8	46000	34600	29000	8.3	6.6	2.1	218617177	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	43500	15.2	9.4	45000	34600	29200	8	6.5	2.1	218617297	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	44000	16.4	9.4	45500	34600	29200	8.2	6.5	2.1	218617298	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	44000	15.4	9.5	45000	34600	29200	8	6.5	2.1	218617181	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	44000	15.4	9.5	45000	34600	29200	8	6.5	2.1	218617299	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	43500	16.8	9.4	45000	34600	29200	8.2	6.6	2	218617300	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	43500	15.3	9.4	45000	34600	29200	8.1	6.5	2	218617296	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	44000	16.2	9.3	45500	34800	29200	8.2	6.6	2	218617301	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	43500	16.3	9.4	45000	34600	29200	8.2	6.5	2	218617302	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	44000	15.7	9.5	45000	34400	29000	8.1	6.5	2.1	218617182	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	44000	15.9	9.3	45500	34800	29400	8.1	6.5	2	218617183	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	44000	16.4	9.5	45000	34600	29000	8.2	6.6	2.1	218617303	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	44000	15.9	9.3	45500	34800	29400	8.1	6.5	2	218617184	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	43500	16.1	9.3	45500	34800	29200	8.2	6.6	2	218617304	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	43500	16.4	9.4	45500	34600	29200	8.2	6.6	2	218617305	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	44000	15.5	9.3	45500	34800	29400	8.1	6.5	2	218617306	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	43500	15.5	9.2	45500	34800	29400	8.1	6.5	2	218617307	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	43500	15.1	9.4	45500	34800	29200	8	6.5	2	218617185	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	43500	15.7	9.2	45500	34800	29400	8.1	6.5	2	218617308	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	44000	16.2	9.4	45500	34800	29200	8.2	6.5	2.1	218617186	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.5	2.1	218617309	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	44000	16.4	9.4	45000	34600	29200	8.2	6.5	2.1	218617310	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	43500	16.1	9.3	45500	34800	29200	8.2	6.5	2	218617187	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	44000	16.1	9.3	45500	34800	29400	8.2	6.6	2	218617311	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	44000	16.8	9.7	44500	34200	28800	8.2	6.6	2	218617188	N/A
ML15KSPV-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	44000	16.1	9.3	45500	34800	29200	8.2	6.5	2	218617189	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	- - -	R-454B	45000	14.4	9.2	48000	33600	28800	8.7	6.9	2.1	218616110	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	44000	16.5	9.6	45500	34400	29000	8.5	6.8	2.2	218617243	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	43500	15.7	9.3	45500	34800	29200	8.4	6.7	2.1	218617381	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	43500	15.6	8.9	46500	35400	29800	8.4	6.7	2.1	218617382	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	43500	16.6	9.3	46000	35000	29400	8.6	6.8	2.1	218617244	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	ML296DF070XV48B	R-454B	44000	15.7	9.2	46000	35000	29400	8.4	6.7	2.1	218617383	N/A
ML15KSPV-048-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	44000	16.2	9.1	46000	35000	29600	8.5	6.7	2.1	218617242	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	- - -	R-454B	45500	14.5	9.3	48000	33600	28800	8.8	7	2.1	218616111	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	44500	16.6	9.6	46000	34600	29000	8.6	6.8	2.2	218617385	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	45000	16.1	9.1	46500	35400	29800	8.5	6.8	2.1	218617392	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	EL297DF110XE60C	R-454B	45000	15.9	9.4	46500	35000	29600	8.4	6.7	2.2	218617391	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	45000	16.2	9.2	46500	35400	29800	8.5	6.8	2.1	218617393	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	45000	16.7	9.8	45500	34400	28800	8.5	6.8	2.2	218617247	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	44500	16.8	9.6	46000	34600	29200	8.6	6.8	2.2	218617386	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	44500	16.8	9.6	46000	34600	29000	8.6	6.8	2.2	218617245	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	45000	16	9.4	46500	35000	29400	8.4	6.7	2.2	218617394	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	45000	16	9.4	46500	35000	29400	8.5	6.7	2.2	218617395	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	45000	16.3	9.2	46500	35200	29800	8.5	6.8	2.2	218729735	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	ML297DF110XV60C	R-454B	44500	16.5	9.4	46000	35000	29400	8.5	6.8	2.2	218729736	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	45000	16.4	9.4	46500	35000	29400	8.5	6.8	2.2	218617388	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	45000	16.6	9.4	46500	35000	29400	8.5	6.8	2.2	218617387	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	45000	16.6	9.5	46000	34800	29400	8.5	6.8	2.2	218617246	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	44500	16.6	9.4	46000	34800	29400	8.5	6.8	2.2	218617384	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	45000	16	9.1	46500	35400	29800	8.5	6.7	2.1	218617390	N/A
ML15KSPV-048-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	44500	16.5	9.4	46000	35000	29400	8.5	6.8	2.2	218617389	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	- - -	R-454B	46000	14.6	9.3	48500	33600	28800	8.9	7	2.2	218616074	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	45500	16.8	9.9	46000	34400	28800	8.6	6.8	2.3	218617249	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	45000	16.8	9.6	46000	34800	29200	8.6	6.8	2.2	218617396	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	45000	16.9	9.7	46000	34600	29000	8.6	6.8	2.2	218617248	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	45000	16.4	9.2	46500	35200	29600	8.6	6.8	2.2	218729737	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	45000	16.6	9.4	46500	35000	29400	8.6	6.8	2.2	218729738	N/A
ML15KSPV-048-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	45500	16.6	9.5	46500	35000	294					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	ML180UH070V48B	R-454B	45500	17.3	9.7	46000	34800	29200	8.6	6.8	2.2	218617314	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	ML180UH090E48B	R-454B	45000	16.8	9.7	46000	34600	29000	8.6	6.8	2.2	218617194	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	ML180UH090V48B	R-454B	45000	16.6	9.5	46000	34800	29400	8.5	6.8	2.2	218617315	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	ML180UH090XE48B	R-454B	45000	16.9	9.7	46000	34600	29000	8.5	6.8	2.2	218617195	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	ML196UH070XE48B	R-454B	44500	15.9	9.4	46500	35000	29400	8.5	6.8	2.2	218617316	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	SL280UH080NV48B	R-454B	45000	16.3	9.4	46500	35000	29400	8.5	6.8	2.2	218617191	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	SL280UH090V48B	R-454B	45500	16.7	9.5	46000	35000	29400	8.5	6.8	2.2	218617190	N/A
ML15KSPV-048-230A**	CK40HT-42B-**-TDR	SL280UH090XV48B	R-454B	45500	16.7	9.5	46000	35000	29400	8.5	6.8	2.2	218617312	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL180UH100NE60C	R-454B	44000	15.8	9.2	46000	35000	29600	8.2	6.6	2	218617202	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL195UH080NE48C	R-454B	44000	16.1	9.4	45500	34600	29200	8.2	6.6	2	218617198	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL195UH100NE60C	R-454B	44000	15.4	9.2	46000	35000	29600	8.1	6.5	2	218617210	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL196UH090XE48C	R-454B	44000	16.3	9.4	45500	34600	29200	8.2	6.6	2.1	218617318	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL196UH110XE60C	R-454B	44500	15.5	9.3	46000	35000	29400	8.1	6.5	2.1	218617330	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL280UH110E48C	R-454B	44500	15.7	9.6	45500	34600	29000	8.1	6.5	2.1	218617317	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL280UH110E60C	R-454B	44500	15.7	9.6	45500	34600	29000	8.1	6.5	2.1	218617203	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL280UH110XE60C	R-454B	44500	15.7	9.6	45500	34600	29000	8.1	6.5	2.1	218617328	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL297UH090XE48C	R-454B	44000	16.3	9.5	45500	34600	29200	8.2	6.6	2.1	218617319	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL297UH090XV48C	R-454B	44000	17.3	9.5	45000	34600	29000	8.3	6.6	2.1	218617320	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL297UH090XV60C	R-454B	44500	16	9.2	46000	35000	29600	8.2	6.6	2.1	218617333	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL297UH110XE60C	R-454B	44500	15.6	9.3	46000	35000	29600	8.1	6.5	2.1	218617331	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL297UH110XV48C	R-454B	44500	16.2	9.4	45500	34800	29200	8.2	6.6	2.1	218617321	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	EL297UH110XV60C	R-454B	44500	16.2	9.4	45500	34800	29400	8.2	6.6	2.1	218617332	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML180UH090E60C	R-454B	44500	16.1	9.5	45500	34800	29200	8.2	6.6	2.1	218617204	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML180UH110E60C	R-454B	44500	16.1	9.4	45500	34800	29400	8.2	6.6	2.1	218617205	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML180UH110V60C	R-454B	44500	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617329	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML180UH110XE60C	R-454B	44500	16.1	9.4	45500	34800	29400	8.2	6.6	2.1	218617206	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML193UH090XE48C	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617322	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML193UH110XE48C	R-454B	44000	16.5	9.5	45500	34600	29200	8.2	6.6	2.1	218617323	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML193UH110XE60C	R-454B	44500	15.6	9.4	45500	34800	29400	8.1	6.5	2.1	218617335	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML196UH090XE48C	R-454B	44000	16.2	9.4	45500	34800	29200	8.2	6.6	2.1	218617199	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML196UH090XE60C	R-454B	44500	15.6	9.3	45500	34800	29400	8.1	6.5	2.1	218617334	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML196UH110XE60C	R-454B	44000	15.3	9.5	45500	34600	29200	8.1	6.5	2.1	218617211	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML296UH090XV48C	R-454B	44000	15.9	9.3	45500	34800	29400	8.2	6.6	2.1	218617324	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	ML296UH110XV60C	R-454B	44500	16	9.3	46000	35000	29600	8.2	6.6	2.1	218617336	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL280UH080NV60C	R-454B	44500	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617200	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL280UH090V60C	R-454B	44500	16.6	9.5	45500	34600	29200	8.2	6.6	2.1	218617325	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL280UH090XV60C	R-454B	44500	16.6	9.5	45500	34600	29200	8.2	6.6	2.1	218617326	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL280UH100NV60C	R-454B	44500	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617201	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL280UH110XV60C	R-454B	44500	16.6	9.4	45500	34800	29200	8.2	6.6	2.1	218617327	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL297UH080NV48C	R-454B	44500	15.8	9.3	46000	35000	29400	8.2	6.6	2.1	218617196	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SL297UH080NV60C	R-454B	44000	16.2	9.4	45500	34800	29200	8.2	6.6	2.1	218617207	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SLP99UH090XV48C	R-454B	44500	15.9	9.3	46000	35000	29600	8.2	6.6	2.1	218617197	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SLP99UH090XV60C	R-454B	44500	15.9	9.2	46000	35000	29600	8.2	6.6	2.1	218617209	N/A
ML15KSPV-048-230A**	CK40HT-42C-**-TDR	SLP99UH110XV60C	R-454B	44500	16.3	9.4	45500	34800	29200	8.2	6.6	2.1	218617208	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	EL180UH080NE48B	R-454B	43000	15.9	9.2	45500	34800	29200	8.4	6.7	2.1	218617212	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	EL280UH090E48B	R-454B	43500	16.3	9.3	45500	34800	29200	8.4	6.7	2.1	218617213	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	EL280UH090XE48B	R-454B	43500	16.3	9.3	45500	34800	29200	8.4	6.7	2.1	218617338	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	ML180UH070V48B	R-454B	43500	16.9	9.4	45500	34600	29200	8.4	6.7	2.1	218617339	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	ML180UH090E48B	R-454B	43500	16.5	9.4	45500	34600	29200	8.4	6.7	2.1	218617214	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	ML180UH090V48B	R-454B	43500	16.3	9.2	45500	34800	29400	8.4	6.7	2.1	218617340	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	ML180UH090XE48B	R-454B	43500	16.5	9.4	45500	34600	29200	8.4	6.7	2.1	218617215	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	ML196UH070XE48B	R-454B	43000	15.5	9	46000	35000	29600	8.4	6.7	2.1	218617341	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	SL280UH080NV48B	R-454B	43500	16	9.1	46000	35000	29600	8.4	6.7	2.1	218617141	N/A
ML15KSPV-048-230A**	CK40HT-48B-**-TDR	SL280UH090XV48B	R-454B	43500	16.4	9.2	45500	34800	29400	8.4	6.7	2.1	218617337	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL180UH100NE60C	R-454B	43500	15.5	9.1	46000	35000	29600	8.1	6.5	2	218617221	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL195UH080NE48C	R-454B	43500	15.9	9.3	45000	34600	29200	8.2	6.5	2	218617218	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL195UH100NE60C	R-454B	43500	15.1	9.1	45500	35000	29600	8.1	6.5	2	218617227	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL196UH090XE48C	R-454B	43500	16.1	9.3	45000	34600	29200	8.2	6.5	2	218617343	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL196UH110XE60C	R-454B	44000	15.3	9.2	45500	35000	29600	8.1	6.5	2	218617355	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL280UH110E48C	R-454B	44000	15.4	9.4	45000	34600	29000	8.1	6.5	2.1	218617342	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL280UH110E60C	R-454B	44000	15.4	9.4	45000	34600	29000	8.1	6.5	2.1	218617222	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL280UH110XE60C	R-454B	44000	15.4	9.4	45000	34600	29000	8.1	6.5	2.1	218617353	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL297UH090XE48C	R-454B	43500	16.1	9.4	45000	34600	29200	8.2	6.5	2	218617344	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL297UH090XV48C	R-454B	43500	17.1	9.4	45000	34600	29200	8.3	6.6	2	218617345	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL297UH090XV60C	R-454B	44000	15.7	9.1	45500	35000	29600	8.2	6.6	2	218617358	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL297UH110XE60C	R-454B	44000	15.3	9.2	45500	35000	29600	8.1	6.5	2	218617356	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL297UH110XV48C	R-454B	44000	16	9.3	45500	34800	29400	8.2	6.6	2	218617346	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	EL297UH110XV60C	R-454B	44000	15.9	9.2	45500	34800	29400	8.2	6.6	2	218617357	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	ML180UH090E60C	R-454B	44000	15.8	9.4	45500	34800	29200	8.1	6.5	2.1	218617327	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	ML180UH110E60C	R-454B	44000	15.9	9.3	45500	34800	29400	8.2	6.6	2	218617224	N/A
ML15KSPV-048-230A**	CK40HT-48C-**-TDR	ML180UH110V60C	R-454B	44000	16	9.3	45500	34800	29400	8.2				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	43500	16.1	9.3	45500	34800	29200	8.2	6.6	2	218617219	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	43500	15.5	9.2	45500	34800	29400	8.1	6.5	2	218617359	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	43500	15.1	9.4	45500	34600	29200	8	6.5	2.1	218617228	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	43500	15.7	9.2	45500	34800	29400	8.1	6.5	2	218617349	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	44000	15.6	9.1	45500	35000	29600	8.1	6.5	2	218617361	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	44000	16	9.3	45500	34800	29400	8.2	6.6	2	218617220	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.5	2.1	218617350	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	44000	16.3	9.4	45500	34800	29200	8.2	6.5	2.1	218617351	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	44000	16	9.3	45500	34800	29400	8.2	6.6	2	218617142	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	44000	16.4	9.4	45500	34600	29200	8.2	6.6	2.1	218617352	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	44000	15.5	9.2	45500	35000	29400	8.1	6.5	2	218617216	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	43500	16	9.2	45500	34800	29400	8.2	6.6	2	218617143	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	44000	15.6	9.1	45500	35000	29600	8.2	6.6	2	218617217	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	44000	15.6	9.1	46000	35000	29600	8.2	6.5	2	218617226	N/A
ML15KSPV-048-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	44000	16	9.3	45500	34800	29200	8.2	6.5	2	218617144	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	- - -	R-454B	46000	14.5	9.3	48000	33600	28800	8.7	6.9	2.1	218616073	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	45500	15.9	9.7	46000	34600	29000	8.3	6.7	2.2	218617363	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	45500	17.1	9.7	46000	34600	29000	8.5	6.7	2.2	218617364	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	45500	16.1	9.8	46000	34600	29000	8.3	6.6	2.2	218617229	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	45500	16.1	9.8	46000	34600	29000	8.3	6.6	2.2	218617365	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV36C	R-454B	45000	17.4	9.7	45500	34600	29000	8.5	6.7	2.2	218617366	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	45000	15.9	9.7	46000	34600	29000	8.3	6.7	2.2	218617367	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV48C	R-454B	45500	16.9	9.6	46000	34800	29200	8.5	6.7	2.2	218617368	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	45000	16.9	9.7	45500	34600	29000	8.5	6.7	2.2	218617369	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	45500	16.4	9.8	45500	34400	28800	8.4	6.7	2.2	218617230	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	45500	16.5	9.6	46000	34800	29400	8.4	6.7	2.2	218617231	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	45500	17	9.8	45500	34400	29000	8.5	6.7	2.2	218617370	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	45500	16.5	9.6	46000	34800	29400	8.4	6.7	2.2	218617232	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML193UH090XE48C	R-454B	45000	16.7	9.6	46000	34800	29200	8.5	6.7	2.2	218617362	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	45000	17	9.7	46000	34600	29000	8.4	6.7	2.2	218617371	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	45500	16.1	9.6	46000	34800	29200	8.3	6.7	2.2	218617372	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	45500	16.1	9.5	46000	34800	29400	8.3	6.7	2.2	218617373	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	45000	15.7	9.7	46000	34600	29200	8.3	6.6	2.2	218617233	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	45000	16.4	9.5	46000	34800	29200	8.4	6.7	2.2	218617374	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	45000	16.5	9.7	46000	34600	29000	8.4	6.7	2.2	218617375	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	45000	16.9	9.7	45500	34600	29000	8.5	6.7	2.2	218729733	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	45500	16.8	9.7	46000	34600	29000	8.5	6.7	2.2	218617234	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	45000	17.2	9.9	45500	34400	28800	8.5	6.7	2.2	218617376	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	45000	17.2	9.9	45500	34400	28800	8.5	6.7	2.2	218617377	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	45000	17	9.7	45500	34600	29000	8.5	6.7	2.2	218617235	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	45000	17.4	9.8	45500	34400	28800	8.5	6.7	2.2	218617378	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV36C	R-454B	45000	17.4	9.8	45500	34400	28800	8.5	6.7	2.2	218617236	N/A
ML15KSPV-048-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	45500	16.9	9.7	46000	34600	29200	8.5	6.7	2.2	218617237	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	- - -	R-454B	46000	14.3	9.3	48000	33600	28800	8.6	6.8	2	218616109	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	45500	15	9.7	45500	34600	29000	8.1	6.6	2.1	218617379	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	EL297UH135XV60D	R-454B	45500	16.9	9.8	45500	34400	28800	8.4	6.7	2.2	218617380	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	45500	15.4	9.5	46000	34800	29400	8.2	6.6	2.1	218617239	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	ML196UH135XE60D	R-454B	45500	14.8	9.6	46000	34800	29200	8.1	6.5	2.1	218617238	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	ML297UH135XV60D	R-454B	45500	16.9	9.8	45500	34400	28800	8.4	6.7	2.2	218729734	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	45500	16.9	9.9	45500	34400	28800	8.4	6.7	2.2	218617240	N/A
ML15KSPV-048-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	45000	17	9.8	45500	34400	28800	8.4	6.7	2.2	218617241	N/A
ML15KSPV-060-230A**	CBK43UHET-060-DV**	- - -	R-454B	53000	15.3	8.7	55000	40500	37400	8.1	6.6	1.8	218616067	N/A
ML15KSPV-060-230A**	CBK45UHVT-060-230**	- - -	R-454B	53500	16.1	9.5	54000	41000	37000	8.7	6.8	1.9	218616068	N/A
ML15KSPV-060-230A**	CBK45UHVT-060-230**	- - -	R-454B	55000	16	9.2	55000	42000	36600	8.5	6.8	1.8	218082943	N/A
ML15KSPV-060-230A**	CBK47UHET-060-230**	- - -	R-454B	54500	15.6	9.7	54500	41000	36800	8.7	6.9	1.9	218616069	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	50000	14.3	8.5	52500	40500	38000	7.8	6.3	1.6	218617447	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	50000	14.3	8.7	52000	40000	37800	7.8	6.3	1.6	218617399	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	51000	14.7	8.9	52000	40000	37600	7.8	6.3	1.6	218617445	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	50000	14.3	8.4	52500	40500	38000	7.8	6.3	1.6	218617450	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	50000	14.3	8.5	52500	40500	38000	7.8	6.3	1.6	218617448	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	50000	14.3	8.5	52500	40500	38000	7.8	6.3	1.6	218617449	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	50500	14.6	8.5	52500	40500	38000	7.8	6.3	1.6	218617404	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	50500	14.6	8.5	52500	40500	38000	7.8	6.3	1.6	218617405	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	50500	14.7	8.6	52000	40000	38000	7.9	6.3	1.6	218617446	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	51000	15	8.6	52500	40500	38000	7.9	6.3	1.6	218617406	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	50000	14.3	8.5	52500	40500	38000	7.8	6.3	1.6	218617452	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	50000	14.3	8.5	52500	40500	38000	7.8	6.3	1.6	218617451	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	50500	14.3	8.4	53000	41000	38500	7.8	6.3	1.6	218617401	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	50000	14.3	8.5	52500	40500	38000	7.8	6.3	1.6	218617453	N/A
ML15KSPV-060-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	50500	14.5	8.6	52000	40000	38000	7.8	6.3	1.6	218617443	N/A
ML15														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL180UH100NE60C	R-454B	53500	14.8	8.8	54000	40500	37600	8.2	6.5	1.8	218617411	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL195UH100NE60C	R-454B	53500	15.1	9	53500	40500	37400	8.3	6.6	1.8	218617419	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL196UH110XE60C	R-454B	54000	15.3	9	54000	40500	37400	8.3	6.6	1.8	218617459	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110E60C	R-454B	54000	15.5	9.2	53000	40000	36800	8.3	6.6	1.8	218617412	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL280UH110XE60C	R-454B	54500	15.8	9.4	53000	40000	36800	8.4	6.6	1.8	218617457	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH090XV60C	R-454B	53500	15.2	8.9	53500	40500	37400	8.3	6.6	1.8	218617462	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XE60C	R-454B	53500	15.3	8.9	54000	40500	37400	8.3	6.6	1.8	218617460	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	EL297UH110XV60C	R-454B	54000	15.5	9	53500	40000	37200	8.3	6.6	1.8	218617461	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH090E60C	R-454B	54000	15.7	9	54000	40500	37400	8.4	6.6	1.8	218617413	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110E60C	R-454B	54000	15.7	9	54000	40500	37400	8.4	6.6	1.8	218617414	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110V60C	R-454B	54000	15.9	9.2	53500	40000	37000	8.4	6.6	1.8	218617458	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML180UH110XE60C	R-454B	54500	16.1	9.1	53500	40500	37200	8.4	6.6	1.8	218617415	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML193UH110XE60C	R-454B	54000	15.4	9	53500	40500	37400	8.3	6.6	1.8	218617464	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH090XE60C	R-454B	54000	15.3	9	54000	40500	37400	8.3	6.6	1.8	218617463	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML196UH110XE60C	R-454B	54000	15.2	8.9	54000	40500	37600	8.3	6.5	1.8	218617460	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	ML296UH110XV60C	R-454B	54000	15.3	9	53500	40500	37200	8.3	6.6	1.8	218617465	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH080NV60C	R-454B	54000	15.2	8.9	54000	40500	37400	8.3	6.6	1.8	218617409	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090V60C	R-454B	54000	15.7	9.1	53500	40000	37000	8.4	6.6	1.8	218617454	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH090XV60C	R-454B	54000	15.3	9	54000	40500	37400	8.3	6.5	1.8	218617455	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH100NV60C	R-454B	54000	15.4	9	53500	40500	37200	8.3	6.6	1.8	218617410	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110V60C	R-454B	54000	15.2	9	53500	40500	37200	8.3	6.5	1.8	218617408	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL280UH110XV60C	R-454B	54000	15.2	9	53500	40500	37200	8.3	6.5	1.8	218617456	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SL297UH080NV60C	R-454B	53500	15.1	8.8	54000	40500	37600	8.3	6.6	1.8	218617416	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH090XV60C	R-454B	54000	15.3	8.9	54000	40500	37400	8.3	6.6	1.8	218617418	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60C-***TDR	SLP99UH110XV60C	R-454B	54000	15.6	9.1	53500	40000	37200	8.4	6.6	1.8	218617417	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XE60D	R-454B	53000	14.3	9	53000	40000	37400	7.9	6.4	1.7	218617466	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	53000	15.3	9	53000	40000	37400	8.1	6.4	1.7	218617467	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	ML180UH135E60D	R-454B	53000	14.7	8.9	53000	40500	37600	8	6.4	1.7	218617422	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	ML196UH135XE60D	R-454B	53000	14.3	8.9	53000	40000	37600	7.9	6.4	1.7	218617402	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	ML297UH135XV60D	R-454B	53000	15.3	9	53000	40000	37400	8.1	6.4	1.7	218729739	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	53000	15.4	9.2	52500	40000	37200	8.1	6.4	1.7	218617421	N/A
ML15KSPV-060-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	53000	15.4	9	53000	40000	37400	8.1	6.4	1.7	218617423	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	EL297DF090XV60C	R-454B	51500	14.4	8.5	54000	40500	37800	8.4	6.6	1.8	218617486	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	EL297DF110XE60C	R-454B	51500	14.7	8.8	53500	40500	37400	8.4	6.6	1.8	218617485	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	51500	14.4	8.5	54000	41000	37800	8.4	6.6	1.8	218617487	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	52000	15.4	9.1	53000	40000	36800	8.5	6.7	1.8	218617440	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	51500	14.8	8.6	54000	40500	37800	8.4	6.6	1.8	218617488	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	51500	14.4	8.6	53500	40500	37600	8.3	6.6	1.8	218617489	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	51500	14.4	8.5	54000	40500	37800	8.4	6.6	1.8	218729741	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	51500	14.4	8.5	54000	41000	37800	8.4	6.6	1.8	218729742	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	51500	14.5	8.6	54000	40500	37800	8.4	6.6	1.8	218617482	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	52000	14.8	8.7	53500	40500	37400	8.4	6.6	1.8	218617481	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	52000	14.9	8.8	53500	40500	37400	8.4	6.6	1.8	218617439	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV60C	R-454B	51500	14.3	8.4	54000	41000	38000	8.3	6.6	1.8	218617484	N/A
ML15KSPV-060-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	51500	14.4	8.4	54000	41000	38000	8.4	6.6	1.8	218617483	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	EL297DF090XV60C	R-454B	51500	14.6	8.6	53500	40500	37600	8.4	6.6	1.8	218617495	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	EL297DF110XE60C	R-454B	52000	14.8	8.8	53500	40500	37400	8.4	6.6	1.8	218617494	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	EL297DF110XV60C	R-454B	51500	14.6	8.6	54000	40500	37600	8.4	6.6	1.8	218617496	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	ML180DF110E60C	R-454B	52000	15.5	9.1	53000	40000	36800	8.5	6.7	1.8	218617442	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	ML196DF110XE60C	R-454B	52000	14.9	8.6	54000	40500	37600	8.4	6.6	1.8	218617497	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	ML296DF090XV60C	R-454B	51500	14.3	8.6	53500	40500	37600	8.3	6.6	1.8	218617498	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	SL280DF080NV60C	R-454B	52000	14.7	8.6	54000	40500	37600	8.4	6.6	1.8	218617491	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	SL280DF090V60C	R-454B	52000	14.9	8.7	53500	40500	37400	8.4	6.6	1.8	218617490	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	52000	15	8.8	53500	40000	37200	8.4	6.6	1.8	218617441	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	SLP99DF090XV60C	R-454B	51500	14.5	8.5	54000	41000	37800	8.4	6.6	1.8	218617493	N/A
ML15KSPV-060-230A**	CK40DT-60D-***TDR	SLP99DF110XV60C	R-454B	51500	14.6	8.5	54000	41000	37800	8.4	6.6	1.8	218617492	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL180UH100NE60C	R-454B	52000	14.3	8.6	53500	41000	38000	8.1	6.5	1.7	218617403	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL195UH100NE60C	R-454B	51500	14.7	8.8	53000	40500	37600	8.2	6.5	1.7	218617434	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	52000	14.8	8.8	53500	40500	37800	8.2	6.5	1.7	218617473	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	52000	15	9	52500	40000	37200	8.2	6.5	1.7	218617427	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	52500	15.1	8.7	53500	40500	37800	8.2	6.5	1.7	218617471	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	52000	14.8	8.6	53500	40500	37800	8.2	6.5	1.7	218617476	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	52000	14.9	8.7	53500	40500	37800	8.2	6.5	1.7	218617474	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	52000	15.1	8.8	53000	40500	37600	8.2	6.5	1.7	218617475	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	52500	15.3	8.8	53500	40500	37800	8.2	6.5	1.7	218617428	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	52500	15.3	8.7	53500	40500	37800	8.2	6.5	1.7	218617429	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	52500	15.4	8.9	53000	40000	37400	8.2	6.5	1.7	218617472	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	52500	15.3	8.7	53500	40500	37800	8.2	6.5	1.7	218617430	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	52000	15	8.7	53500	40500	37800	8.2	6.5	1.7	218617478	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	52000	14.9	8.8	53500	40500	37					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	52500	14.9	8.7	53500	40500	37800	8.2	6.5	1.7	218617426	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	52500	14.7	8.8	53500	40500	37600	8.2	6.5	1.7	218617424	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	52500	14.7	8.8	53500	40500	37600	8.2	6.5	1.7	218617470	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	SL297UH080NV60C	R-454B	52000	14.7	8.6	53500	40500	38000	8.2	6.5	1.7	218617431	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV60C	R-454B	52000	14.8	8.6	53500	40500	37800	8.2	6.5	1.7	218617433	N/A
ML15KSPV-060-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	52000	15.2	8.8	53000	40500	37600	8.2	6.5	1.7	218617432	N/A
ML15KSPV-060-230A**	CK40HT-60D-***TDR	EL297UH135XE60D	R-454B	52000	14.3	8.9	52500	40000	37400	7.9	6.4	1.7	218617480	N/A
ML15KSPV-060-230A**	CK40HT-60D-***TDR	ML180UH135E60D	R-454B	52000	14.5	8.8	53000	40500	37800	8	6.4	1.7	218617437	N/A
ML15KSPV-060-230A**	CK40HT-60D-***TDR	ML297UH135XV60D	R-454B	52500	15.1	8.9	53000	40000	37400	8.1	6.4	1.7	218729740	N/A
ML15KSPV-060-230A**	CK40HT-60D-***TDR	SL280UH135V60D	R-454B	52500	15.2	9.1	52500	40000	37200	8.1	6.4	1.7	218617436	N/A
ML15KSPV-060-230A**	CK40HT-60D-***TDR	SLP99UH135XV60D	R-454B	52500	15.2	8.9	53000	40000	37400	8.1	6.4	1.7	218617438	N/A
ML16KP2-024-230A**	CBK43UHET-018-DV-**	---	R-454B	24000	16	12	21600	12900	9900	7.5	6.5	1.92	218472582	N/A
ML16KP2-024-230A**	CBK43UHET-024-DV-**	---	R-454B	24000	16	12	21600	12900	9900	7.5	6.5	1.92	218668464	N/A
ML16KP2-024-230A**	CBK43UHET-030-DV-**	---	R-454B	24000	16	12	21600	12900	9900	7.5	6.5	1.92	218472583	N/A
ML16KP2-024-230A**	CBK45UHET-024-230-**	---	R-454B	24000	17.5	13	21600	12900	10300	7.5	6.5	2.06	218472458	N/A
ML16KP2-024-230A**	CBK45UHET-030-230-**	---	R-454B	24000	17.5	13	21200	12800	10000	7.5	6.6	2.04	218472463	N/A
ML16KP2-024-230A**	CBK45UHPT-030-230-**	---	R-454B	24000	15.2	12	21600	13200	10300	7.5	6.6	1.96	218472462	N/A
ML16KP2-024-230A**	CBK45UHVT-024-230-**	---	R-454B	24000	17	12.5	21800	13200	10500	7.5	6.5	2.02	218472457	N/A
ML16KP2-024-230A**	CBK45UHVT-030-230-**	---	R-454B	24000	17	13	21000	12700	9900	7.5	6.6	2.02	218472459	N/A
ML16KP2-024-230A**	CBK47UHET-018-230-**	---	R-454B	23800	16.5	12.5	22200	13600	10700	8.1	6.8	2.1	218457523	No
ML16KP2-024-230A**	CBK47UHET-024-230-**	---	R-454B	24000	16.5	12.8	22000	13900	11000	8	6.9	2.1	218457518	No
ML16KP2-024-230A**	CBK47UHET-030-230-**	---	R-454B	24000	16.5	12.5	22600	13800	10700	8.2	7	2.14	218457548	No
ML16KP2-024-230A**	CBK47UHET-036-230-**	---	R-454B	24000	16	12	23000	14100	11000	8.1	6.9	2.08	218457577	No
ML16KP2-024-230A**	CBK48MVT-018/024-230-**	---	R-454B	24000	17	13	22400	13600	10800	8.1	6.8	2.12	218457522	No
ML16KP2-024-230A**	CBK48MVT-030-230-**	---	R-454B	24000	16.5	12.5	22600	13700	10700	8.2	7	2.14	218457575	No
ML16KP2-024-230A**	CBK48MVT-036-230-**	---	R-454B	24000	16.5	12.5	22400	13600	10500	8.1	6.9	2.12	218457576	No
ML16KP2-024-230A**	CK40[C],UJT-24B-***TDR	ML196UH070XE36B	R-454B	24000	16.5	12.5	21600	12900	9900	7.5	6.4	1.88	218472464	N/A
ML16KP2-024-230A**	CK40[C],UJT-24B-***TDR	ML197UH060XE36B	R-454B	24000	16.5	12.5	21600	12900	9900	7.5	6.4	1.88	218475072	N/A
ML16KP2-024-230A**	CK40[C],UJT-24B-***TDR	SLP99UH070XV36B	R-454B	24000	17	13	21600	12800	9800	7.5	6.4	1.9	218472465	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	---	R-454B	23200	14.7	11.5	22200	13500	10700	7.5	6.5	1.86	218472460	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	EL180UH040NE36A	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.92	218472466	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	EL180UH060NE36A	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.92	218472467	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	EL280UH045E36A	R-454B	23400	17	13	21200	12600	9800	7.5	6.5	1.94	218472468	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	EL280UH070E36A	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.92	218472469	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	EL280UH070XE36A	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.92	218472470	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH030V36A	R-454B	23600	17	13	21200	12700	9900	7.5	6.5	1.94	218472471	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH045E36A	R-454B	23200	17	13	21000	12500	9800	7.5	6.5	1.92	218472472	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH045V36A	R-454B	23800	17	13	21400	12800	10000	7.5	6.5	1.94	218472473	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH045XE36A	R-454B	23200	17	13	21000	12500	9800	7.5	6.5	1.92	218472474	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH070E36A	R-454B	23600	17	13	21400	12700	9900	7.5	6.5	1.94	218472475	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH070V36A	R-454B	23800	17.5	13	21400	12800	10000	7.5	6.5	1.94	218472476	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	ML180UH070XE36A	R-454B	23600	17	13	21200	12700	9900	7.5	6.5	1.94	218472477	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	SL280UH060NV36A	R-454B	23200	17	13	21000	12600	9800	7.5	6.5	1.92	218472478	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	SL280UH070V36A	R-454B	23800	17	13	21400	12800	10000	7.5	6.5	1.94	218472479	N/A
ML16KP2-024-230A**	CK40[C],UJT-30A-***TDR	SL280UH070XV36A	R-454B	23800	17	13	21400	12800	10000	7.5	6.5	1.94	218472480	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	---	R-454B	23200	14.7	11.5	22200	13500	10700	7.5	6.5	1.86	218472481	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL195UH040NE36B	R-454B	23800	16.5	12.5	21600	13000	10200	7.5	6.5	1.92	218472482	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL195UH060NE36B	R-454B	23800	16.5	12.5	21600	13000	10200	7.5	6.5	1.92	218472483	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL196UH030XE36B	R-454B	23200	16.5	13	21000	12600	9900	7.5	6.5	1.92	218472484	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL196UH045XE36B	R-454B	23800	16.5	12.5	21800	13100	10200	7.5	6.5	1.9	218472485	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL196UH070XE36B	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.94	218472486	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL280UH045E36A	R-454B	23400	17.5	13	21200	12600	9800	7.5	6.5	1.94	218472510	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL280UH070E36A	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.92	218472511	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL280UH090E36B	R-454B	23000	17	13	20800	12500	9700	7.5	6.5	1.92	218472487	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL280UH090E48B	R-454B	23800	16	12.5	21800	13100	10300	7.5	6.5	1.9	218472488	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL280UH090XE48B	R-454B	23800	16	12.5	21800	13100	10300	7.5	6.5	1.9	218472489	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL297UH045XE36B	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.9	218472513	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL297UH045XV36B	R-454B	23200	17	13	21200	12600	9900	7.5	6.5	1.92	218472514	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL297UH070XE36B	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.92	218472512	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	EL297UH070XV36B	R-454B	23200	17	13	21000	12600	9800	7.5	6.5	1.94	218472515	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML180UH070E36B	R-454B	23600	17	13	21200	12700	9900	7.5	6.5	1.94	218472490	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML180UH070V36B	R-454B	23800	17	13	21400	12700	9900	7.5	6.5	1.96	218472491	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML180UH070V48B	R-454B	23800	16.5	13	21400	12700	9900	7.5	6.5	1.96	218472492	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML180UH070XE36B	R-454B	23600	17	13	21200	12700	9900	7.5	6.5	1.94	218472493	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML180UH090V48B	R-454B	23800	17.5	13	21600	12900	10100	7.5	6.5	1.92	218472494	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML193UH030XE36B	R-454B	23000	17	13	21000	12500	9800	7.5	6.5	1.92	218472495	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML193UH045XE36B	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.92	218472496	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML193UH070XE36B	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.94	218472497	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML196UH030XE36B	R-454B	23200	16.5	13	21000	12600	9800	7.5	6.5	1.92	218472498	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML196UH045XE36B	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.92	218472499	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML196UH070XE36B	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.94	218472500	N/A
ML16KP2-024-230A**	CK40[C],UJT-30B-***TDR	ML196UH070XE48B	R-											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23800	17	12.5	21600	13000	10200	7.5	6.5	1.9	218597144	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH045XV36B	R-454B	23800	17	13	21400	12800	10000	7.5	6.5	1.92	218690662	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	ML297UH070XV36B	R-454B	23800	17	12.5	21200	12800	10100	7.5	6.5	1.94	218690685	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23800	17	12.5	21600	12900	10200	7.5	6.5	1.92	218472503	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	23800	17	13	21400	12700	9900	7.5	6.5	1.96	218472504	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	23600	17	13	21200	12700	9900	7.5	6.5	1.96	218472505	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	23600	17	13	21200	12700	9900	7.5	6.5	1.96	218472506	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23800	17	13	21600	12900	10100	7.5	6.5	1.92	218472507	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23600	17	13	21400	12800	10100	7.5	6.5	1.92	218472508	N/A
ML16KP2-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	24000	17.5	13	21400	12800	10000	7.5	6.5	1.94	218472509	N/A
ML16KP2-024-230A**	CK40DT-24B-**+TDR	EL297DF045XV36B	R-454B	24000	17	13	23400	14100	10900	8.1	6.8	2.04	218457587	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	EL297DF070XE48B	R-454B	24000	16.5	12.5	23600	14200	11000	8	6.8	2	218457585	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	EL297DF070XV48B	R-454B	24000	17	12.5	23600	14300	11100	8	6.8	1.98	218457588	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	ML180DF070E36B	R-454B	23800	16.5	13	23200	14000	10800	8	6.8	2.02	218457584	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	ML193DF045XE36B	R-454B	24000	17	12.5	23400	14200	11000	8	6.8	2	218457586	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	ML193DF070XE36B	R-454B	24000	17	12.5	23400	14200	11000	8	6.8	2	218457586	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	ML196DF045XE36B	R-454B	24000	17	12.5	23400	14200	11000	8	6.8	2	218457580	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	ML196DF070XE48B	R-454B	24000	16.5	12.5	23600	14200	11100	8	6.8	2	218457581	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	ML296DF045XV36B	R-454B	23400	16.5	12.5	23200	14000	10900	7.8	6.8	2	218457578	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	SL280DF060NV36B	R-454B	23800	16.5	13	23400	14000	10900	8	6.8	2.02	218457582	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	SL280DF090V48B	R-454B	24000	17	12.5	23600	14200	11100	8	6.8	2	218457583	No
ML16KP2-024-230A**	CK40DT-24B-**+TDR	SLP99DF070XV36B	R-454B	23600	17	13	23200	13900	10800	8	6.8	2.04	218457589	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	---	R-454B	24000	15.2	11.7	23600	14000	10800	7.5	6.6	1.9	218472561	N/A
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	24000	17.5	13	23000	13400	10200	7.8	6.7	1.98	218457543	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	24000	16.5	12.5	23000	13500	10400	7.8	6.6	1.94	218457535	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	24000	17	12.5	23200	13600	10400	7.8	6.6	1.94	218457545	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	24000	17	13	22800	13300	10200	7.8	6.6	1.98	218457536	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	24000	17	13	23000	13500	10300	7.8	6.6	1.96	218457537	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	24000	17	13	23000	13500	10300	7.8	6.6	1.96	218457538	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	24000	17	13	23000	13500	10300	7.8	6.6	1.96	218457539	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	24000	16.5	12.5	23200	13600	10400	7.8	6.6	1.94	218457540	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	24000	17	13	22800	13400	10200	7.8	6.6	1.96	218457541	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	SL280DF070V36A	R-454B	24000	17	13	22800	13300	10200	7.8	6.6	1.98	218457546	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	24000	17	12.5	23000	13500	10400	7.8	6.6	1.96	218457542	No
ML16KP2-024-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	24000	17	13	22600	13200	10100	7.8	6.6	1.98	218457544	No
ML16KP2-024-230A**	CK40DT-30/36C-**+TDR	---	R-454B	23400	14.7	11.5	24000	14100	10900	7.5	6.5	1.84	218472519	N/A
ML16KP2-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	24000	17	13	22600	13100	10000	7.8	6.6	2	218457547	No
ML16KP2-024-230A**	CK40HT-24A-**+TDR	---	R-454B	23600	15.2	11.7	22600	13700	10800	7.5	6.5	1.86	218472560	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	24000	17	13	22000	13200	10200	7.5	6.5	1.92	218472567	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	24000	17	13	22000	13200	10200	7.5	6.5	1.92	218472575	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	23800	17.5	13	21400	12800	9900	7.5	6.5	1.94	218472568	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	24000	17.5	13	22000	13200	10300	7.5	6.5	1.94	218472576	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	24000	17.5	13	22000	13200	10300	7.5	6.5	1.94	218472569	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	24000	17	13	21800	13000	10100	7.5	6.5	1.94	218472577	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	24000	17.5	13	22000	13200	10200	7.5	6.6	1.94	218472570	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	24000	17	13	21800	13100	10100	7.5	6.5	1.94	218472578	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	24000	17.5	13	22000	13200	10200	7.5	6.6	1.94	218472579	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	24000	17	13	21600	13000	10000	7.5	6.5	1.94	218472580	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	24000	17.5	13	22000	13100	10200	7.5	6.6	1.94	218472571	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	24000	17	13	21600	12900	10000	7.5	6.5	1.94	218472581	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	23800	17	13	21400	12900	10000	7.5	6.5	1.94	218472572	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	24000	17	13	21800	13100	10100	7.5	6.5	1.94	218472573	N/A
ML16KP2-024-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	24000	17	13	21800	13100	10100	7.5	6.5	1.94	218472574	N/A
ML16KP2-024-230A**	CK40HT-24B-**+TDR	---	R-454B	23400	14.7	11.7	22800	14000	11000	7.5	6.6	1.9	218472559	N/A
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	24000	16.5	12.5	22200	13500	10500	7.8	6.6	1.94	218457549	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	24000	16.5	12.5	22200	13500	10500	7.8	6.6	1.94	218457550	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	23400	16.5	13	21800	13200	10300	7.5	6.6	1.96	218472564	N/A
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	24000	16.5	12.5	22400	13600	10600	7.8	6.6	1.94	218457551	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	24000	16.5	13	22200	13400	10500	7.8	6.7	1.98	218457562	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL280UH045E36A	R-454B	23600	17	13	21800	13100	10200	7.8	6.7	1.98	218457563	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL280UH070E36A	R-454B	24000	17	13	22200	13500	10500	7.8	6.6	1.96	218457564	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	24000	17	13	22200	13500	10500	7.8	6.6	1.96	218457552	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	24000	16.5	12.5	22200	13600	10600	7.8	6.6	1.94	218457572	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	23800	17	13	22000	13300	10400	7.8	6.6	1.96	218457573	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	24000	16.5	12.5	22200	13500	10600	7.8	6.6	1.94	218457571	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	24000	17	13	22000	13300	10300	7.8	6.7	1.98	218457574	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	ML180UH045E36A	R-454B	23400	17	13	21600	13100	10200	7.8	6.6	1.98	218457565	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	24000	17	13	22000	13200	10300	7.8	6.7	1.98	218457566	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	24000	17	13.5	22000	13300	10300	7.8	6.7	2	218457553	No
ML16KP2-024-230A**	CK40HT-24B-**+TDR	ML180UH070V48B	R-454B	24000	16	13	22000	13300	10300	7.5	6.6	2	218472561	N/A
ML16KP2-024-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	24000	17	13	22000	13200	10300	7.8	6.7	1.98	218457554	No
ML16KP2-024-230A**	CK40HT-													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML196UH030XE36B	R-454B	23200	16.5	13	21600	13100	10200	7.5	6.6	1.96	218472565	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML196UH045XE36B	R-454B	24000	16.5	13	22200	13400	10500	7.8	6.7	1.96	218457557	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML196UH070XE36B	R-454B	24000	16.5	13	22200	13400	10500	7.8	6.7	1.98	218457558	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML196UH070XE48B	R-454B	24000	15.5	12.5	22400	13700	10700	7.5	6.6	1.92	218472563	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML197UH030XE36B	R-454B	23200	16.5	13	21600	13100	10200	7.5	6.6	1.96	218745148	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML197UH060XE36B	R-454B	24000	16.5	13	22200	13400	10500	7.8	6.7	1.98	218745074	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML296UH045XV36B	R-454B	24000	17	13	22000	13400	10400	7.8	6.7	1.98	218457568	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML296UH070XV36B	R-454B	23800	16.5	12.5	22200	13500	10500	7.5	6.6	1.94	218597146	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML297UH045XV36B	R-454B	24000	17	13	22200	13500	10500	7.8	6.6	1.96	218690663	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML297UH070XV36B	R-454B	23800	16.5	12.5	22000	13400	10400	7.5	6.7	1.96	218690686	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	SL280UH080NV48B	R-454B	23600	16.5	13	22000	13300	10400	7.5	6.6	1.94	218472566	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	SL280UH090V36B	R-454B	24000	17	13.5	22000	13300	10300	7.8	6.7	2	218457559	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	SL280UH090V48B	R-454B	24000	17	13	21800	13200	10300	7.8	6.7	1.98	218457569	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	SL297UH040NV36B	R-454B	24000	17	13	22200	13400	10500	7.8	6.7	1.96	218457570	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	SL297UH060NV36B	R-454B	23800	17	13	22000	13400	10400	7.8	6.6	1.96	218457560	No
ML16KP2-024-230A**	CK40HT-24B-***TDR	SLP99UH070XV36B	R-454B	24000	17	13	22200	13400	10400	7.8	6.7	1.98	218457561	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	EL180UH040NE36A	R-454B	22800	16	12	21600	13000	10200	7.8	6.7	1.96	218457590	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	EL180UH060NE36A	R-454B	22800	16	12	21600	13000	10200	7.8	6.7	1.96	218457524	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	EL280UH045E36A	R-454B	22400	16	12.5	21200	12700	9900	7.8	6.7	1.98	218457525	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	EL280UH070E36A	R-454B	22800	16	12	21800	13000	10200	7.8	6.7	1.96	218457526	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	EL280UH070XE36A	R-454B	22800	16	12	21800	13000	10200	7.8	6.7	1.96	218457527	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH030V36A	R-454B	22800	16	12.5	21400	12800	10000	7.8	6.7	1.98	218457528	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH045E36A	R-454B	22200	16	12.5	21200	12600	9900	7.5	6.6	1.98	218472566	N/A
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH045V36A	R-454B	22800	16	12.5	21600	12800	10100	7.8	6.7	1.98	218457529	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH045XE36A	R-454B	22200	16	12.5	21200	12600	9900	7.5	6.6	1.98	218472517	N/A
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH070E36A	R-454B	22600	16	12.5	21400	12800	10000	7.8	6.7	1.98	218457530	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH070V36A	R-454B	22800	16	12	21600	12900	10100	7.8	6.7	1.98	218457531	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	ML180UH070XE36A	R-454B	22800	16	12.5	21400	12800	10000	7.8	6.7	1.98	218457532	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	SL280UH060NV36A	R-454B	22400	16	12.5	21200	12700	9900	7.5	6.6	1.98	218472518	N/A
ML16KP2-024-230A**	CK40HT-30A-***TDR	SL280UH070V36A	R-454B	22800	16	12	21600	12900	10100	7.8	6.7	1.98	218457533	No
ML16KP2-024-230A**	CK40HT-30A-***TDR	SL280UH070XV36A	R-454B	22800	16	12	21600	12900	10100	7.8	6.7	1.98	218457534	No
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL180UH040NE36A	R-454B	24000	16	13	22200	13200	10200	7.5	6.5	1.88	218472548	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL180UH060NE36A	R-454B	24000	16	13	22200	13200	10200	7.5	6.5	1.88	218472549	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL195UH040NE36B	R-454B	24000	15.5	12.5	22200	13200	10200	7.5	6.5	1.86	218472520	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL195UH060NE36B	R-454B	24000	15.5	12.5	22200	13200	10200	7.5	6.5	1.86	218472521	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL196UH030XE36B	R-454B	23200	15.5	13	21600	13000	9900	7.5	6.5	1.86	218472522	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL196UH045XE36B	R-454B	24000	15.5	12.5	22200	13300	10300	7.5	6.5	1.86	218472523	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL196UH070XE36B	R-454B	24000	16	13	22200	13200	10200	7.5	6.5	1.88	218472524	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL280UH045E36A	R-454B	23600	16	13	21800	12800	9900	7.5	6.5	1.9	218472550	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL280UH070E36A	R-454B	24000	16	12.5	22200	13200	10200	7.5	6.5	1.88	218472551	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL280UH090E36B	R-454B	23200	16	13	21400	12800	9800	7.5	6.5	1.88	218472525	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL280UH090E48B	R-454B	24000	14.7	12.5	22200	13300	10300	7.5	6.5	1.86	218472526	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL280UH090XE48B	R-454B	24000	14.7	12.5	22200	13300	10300	7.5	6.5	1.86	218472527	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL297UH045XE36B	R-454B	24000	15.5	12.5	22200	13300	10300	7.5	6.5	1.86	218472556	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL297UH045XV36B	R-454B	23800	16	13	22000	13100	10100	7.5	6.5	1.88	218472557	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL297UH070XE36B	R-454B	24000	16	12.5	22200	13300	10300	7.5	6.5	1.86	218472555	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	EL297UH070XV36B	R-454B	23400	16	13	21600	12900	9900	7.5	6.5	1.88	218472558	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH045E36A	R-454B	23400	16	13	21600	12900	9900	7.5	6.5	1.88	218472552	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH070E36A	R-454B	23800	16	13	22000	13000	10100	7.5	6.5	1.9	218472553	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH070E36B	R-454B	23800	16	13	21800	13000	10000	7.5	6.5	1.9	218472528	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH070V36B	R-454B	24000	16	13	21800	13000	10000	7.5	6.5	1.9	218472529	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH070V48B	R-454B	24000	15.5	13	21800	13000	10000	7.5	6.5	1.9	218472530	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH070XE36B	R-454B	23800	16	13	21800	13000	10000	7.5	6.5	1.9	218472531	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML180UH090V48B	R-454B	24000	16.5	13	22200	13200	10200	7.5	6.5	1.88	218472532	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML193UH030XE36B	R-454B	23200	15.5	13	21600	12900	9900	7.5	6.5	1.88	218472533	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML193UH045XE36B	R-454B	24000	16	12.5	22200	13200	10200	7.5	6.5	1.86	218472534	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML193UH070XE36B	R-454B	24000	16	13	22200	13200	10200	7.5	6.5	1.88	218472535	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML196UH030XE36B	R-454B	23200	15.5	13	21600	13000	9900	7.5	6.5	1.86	218472536	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML196UH045XE36B	R-454B	23800	15.5	13	22000	13100	10200	7.5	6.5	1.88	218472537	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML196UH070XE36B	R-454B	24000	16	13	22200	13200	10200	7.5	6.5	1.88	218472538	N/A
ML16KP2-024-230A**	CK40HT-24B-***TDR	ML196UH070XE48B	R-454B	23800	14.3	12.5	22400	13400	10400	7.5	6.5	1.84	218472539	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML197UH030XE36B	R-454B	23200	15.5	13	21800	13000	9900	7.5	6.5	1.88	218745149	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML197UH060XE36B	R-454B	24000	16	13	22200	13200	10200	7.8	6.6	1.88	218745075	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML296UH045XV36B	R-454B	24000	16	13	22000	13100	10100	7.5	6.5	1.88	218472540	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML296UH070XV36B	R-454B	23200	15.5	12.5	21800	13100	10000	7.5	6.4	1.86	218597145	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML297UH045XV36B	R-454B	24000	16	13	22000	13000	10100	7.5	6.5	1.88	218690664	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	ML297UH070XV36B	R-454B	23200	15.5	12.5	21800	13100	10100	7.5	6.5	1.88	218690687	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	SL280UH070V36A	R-454B	23800	16	13	22000	13000	10100	7.5	6.5	1.9	218472541	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	SL280UH080NV48B	R-454B	24000	16	13	22200	13200	10200	7.5	6.5	1.88	218472542	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	SL280UH090V36B	R-454B	24000	16	13	22000	13000	10000	7.5	6.5	1.9	218472543	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	SL280UH090V48B	R-454B	23800	16	13	21800	12900	10000	7.5	6.5	1.9	218472544	N/A
ML16KP2-024-230A**	CK40HT-30B-***TDR	SL280UH090XV48B	R-454B	23800	16									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CBK43UHET-036-DV-**	---	R-454B	36000	16.5	12.5	36000	22600	17900	8.2	7	2.02	218457673	No
ML16KP2-036-230A**	CBK43UHET-042-DV-**	---	R-454B	36000	16.5	12.5	33600	21000	16700	7.5	6.43	1.98	218597377	N/A
ML16KP2-036-230A**	CBK45UHET-036-230-**	---	R-454B	36000	17	13	34000	21400	17800	7.8	6.8	2.06	218457597	No
ML16KP2-036-230A**	CBK45UHET-042-230-**	---	R-454B	36000	17	12.5	34800	22200	18100	8.1	6.9	2.06	218457645	No
ML16KP2-036-230A**	CBK45UHPT-042-230-**	---	R-454B	36000	16	12.5	34800	22200	18000	8.1	6.9	2.06	218457644	No
ML16KP2-036-230A**	CBK45UHV-036-230-**	---	R-454B	36000	17.5	13	34200	21600	17600	7.8	6.8	2.02	218457596	No
ML16KP2-036-230A**	CBK45UHV-042-230-**	---	R-454B	36000	17	12.5	34200	21800	17700	8	6.9	2.06	218457642	No
ML16KP2-036-230A**	CBK47UHET-030-230-**	---	R-454B	36000	16.5	13	35200	21800	16800	7.8	6.7	1.96	218457594	No
ML16KP2-036-230A**	CBK47UHET-036-230-**	---	R-454B	36000	16.4	12.6	34000	22200	17000	8	6.73	1.96	218457519	No
ML16KP2-036-230A**	CBK47UHET-042-230-**	---	R-454B	36000	17	13	35000	20600	15700	8	6.7	1.96	218457595	No
ML16KP2-036-230A**	CBK48MVT-030-230-**	---	R-454B	36000	16.5	13	35400	21800	16800	7.8	6.8	1.98	218457592	No
ML16KP2-036-230A**	CBK48MVT-036-230-**	---	R-454B	36000	17	13	36000	22200	17100	8	6.8	1.98	218457593	No
ML16KP2-036-230A**	CBK48MVT-042-230-**	---	R-454B	36000	17	13	35000	20600	15700	8	6.7	1.96	218457591	No
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	EL280UH045E36A	R-454B	36000	16.5	12.5	34200	21200	16100	7.5	6.4	1.78	218597364	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH030V36A	R-454B	36000	16.5	12.5	34600	21400	16300	7.5	6.4	1.78	218597167	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045E36A	R-454B	36000	16.5	12.5	34000	21000	15800	7.5	6.3	1.78	218615000	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045V36A	R-454B	36000	16.5	12	34800	21600	16400	7.5	6.3	1.76	218612907	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH045XE36A	R-454B	36000	16.5	12.5	34000	21000	15800	7.5	6.3	1.78	218615001	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070V36A	R-454B	36000	16.5	12	35000	21600	16500	7.5	6.4	1.76	218597346	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	ML180UH070XE36A	R-454B	36000	16.5	12.5	34000	21000	15900	7.5	6.3	1.78	218615002	N/A
ML16KP2-036-230A**	CK40[C,U]T-36A-**-TDR	SL280UH060NV36A	R-454B	36000	16.5	12.5	34000	21000	15900	7.5	6.3	1.78	218615003	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	EL280UH045E36A	R-454B	36000	17	12.5	34400	21200	16100	7.5	6.4	1.78	218597148	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	EL280UH090E36B	R-454B	36000	17	13	34000	20800	15800	7.5	6.4	1.8	218597370	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	EL280UH090E48B	R-454B	36000	16.5	13	33800	20800	15700	7.5	6.4	1.8	218597156	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	EL280UH090XE48B	R-454B	36000	16.5	13	33800	20800	15700	7.5	6.4	1.8	218597176	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	EL297UH070XE36B	R-454B	36000	16	12.5	34200	21000	16000	7.5	6.3	1.78	218614999	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML180UH070E36B	R-454B	36000	16.5	12.5	34000	21000	15900	7.5	6.4	1.78	218597255	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML180UH070V36B	R-454B	36000	17	12.5	34400	21200	16100	7.5	6.4	1.8	218597172	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML180UH070XE36B	R-454B	36000	16.5	12.5	34000	21000	15900	7.5	6.4	1.78	218597329	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML180UH090E48B	R-454B	36000	16.5	13	33800	20800	15600	7.5	6.4	1.8	218597331	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML180UH090V48B	R-454B	36000	16.5	12.5	34600	21400	16200	7.5	6.4	1.78	218597210	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML180UH090XE48B	R-454B	36000	16.5	13	33800	20800	15600	7.5	6.4	1.8	218597291	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML193UH045XE36B	R-454B	36000	16	12.5	34400	21200	16200	7.5	6.3	1.76	218612906	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML196UH070XE36B	R-454B	36000	16.5	12.5	34200	21000	16000	7.5	6.3	1.78	218597324	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML196UH070XE48B	R-454B	36000	16	12.5	34200	21200	16000	7.5	6.4	1.78	218597361	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML197UH030XE36B	R-454B	36000	16.5	12.5	34400	21200	16100	7.5	6.3	1.76	218745095	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML197UH060XE36B	R-454B	36000	16.5	12.5	34400	21000	16000	7.5	6.3	1.78	218745076	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML296UH045XV36B	R-454B	36000	16.5	12.5	34200	21200	16000	7.5	6.4	1.78	218597155	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	ML297UH045XV36B	R-454B	36000	16.5	12.2	34600	21400	16200	7.5	6.3	1.76	218732576	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	SL280UH080NV48B	R-454B	36000	16.5	12.5	34400	21200	16200	7.5	6.4	1.78	218597384	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	SL280UH090V36B	R-454B	36000	17	13	34000	21000	15800	7.5	6.4	1.8	218597189	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	SL280UH090V48B	R-454B	36000	17	12.5	34600	21200	16100	7.5	6.4	1.8	218597215	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	SL280UH090XV48B	R-454B	36000	17	12.5	34600	21200	16100	7.5	6.4	1.8	218597321	N/A
ML16KP2-036-230A**	CK40[C,U]T-36B-**-TDR	SLP99UH070XV36B	R-454B	36000	16.5	12.5	34200	21200	16000	7.5	6.4	1.78	218597318	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL180UH080NE48B	R-454B	36000	16.5	12.5	33800	20800	15800	7.5	6.3	1.78	218615004	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL180UH100NE60C	R-454B	36000	16.5	12.5	34200	21000	16000	7.5	6.4	1.8	218597295	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL195UH080NE48C	R-454B	36000	16.5	12.5	34600	21400	16200	7.5	6.4	1.78	218612909	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL196UH090XE48C	R-454B	36000	16.5	13	33800	20800	15700	7.5	6.4	1.8	218597229	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL280UH090E36B	R-454B	36000	17	13	33800	20800	15800	7.5	6.4	1.8	218597297	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL280UH090E48B	R-454B	36000	16.5	13	33600	20600	15500	7.5	6.4	1.8	218597335	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL280UH090XE48B	R-454B	36000	16.5	13	33600	20600	15500	7.5	6.4	1.8	218597256	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL280UH110E48C	R-454B	36000	17	13	33600	20600	15500	7.5	6.4	1.8	218597229	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL297UH045XV36B	R-454B	36000	16.5	12.5	34200	21200	16000	7.5	6.3	1.78	218615006	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL297UH090XE48C	R-454B	36000	16.5	13	33600	20600	15500	7.5	6.3	1.8	218597356	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL297UH090XV48C	R-454B	36000	16.5	13	33800	20800	15700	7.5	6.4	1.8	218597221	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL297UH090XV60C	R-454B	36000	17	13	34200	21000	15900	7.5	6.4	1.8	218597374	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL297UH110XE60C	R-454B	36000	16.5	13	34600	21200	16100	7.5	6.4	1.8	218597184	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	EL297UH110XV60C	R-454B	36000	17	13	34200	21000	15900	7.5	6.4	1.8	218597287	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML180UH070E36B	R-454B	36000	17	13	34200	21000	15900	7.5	6.4	1.8	218597245	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML180UH070XE36B	R-454B	36000	17	13	34200	21000	15900	7.5	6.4	1.8	218597266	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML180UH090E48B	R-454B	36000	16.5	13	33600	20600	15500	7.5	6.4	1.8	218597308	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML180UH090E60C	R-454B	36000	16.5	13	34200	21000	15900	7.5	6.4	1.8	218597247	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML180UH090XE48B	R-454B	36000	16.5	13	33600	20600	15500	7.5	6.4	1.8	218597353	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML180UH110V60C	R-454B	36000	17	13	34200	21000	15800	7.5	6.4	1.82	218597216	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML193UH070XE36B	R-454B	36000	16.5	12.5	33800	20800	15700	7.5	6.3	1.78	218612908	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML193UH090XE36C	R-454B	36000	16.5	13	34000	20800	15800	7.5	6.4	1.8	218597300	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML193UH090XE48C	R-454B	36000	16.5	13	33800	20800	15700	7.5	6.4	1.8	218597274	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML193UH110XE48C	R-454B	36000	16.5	13	33600	20600	15600	7.5	6.4	1.8	218597240	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML193UH110XE60C	R-454B	36000	16.5	13	34400	21200	16000	7.5	6.4	1.8	218597254	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML196UH030XE36B	R-454B	36000	16.5	12.5	34200	21200	16100	7.5	6.3	1.78	218612912	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**-TDR	ML196UH045XE36B	R-454B	36000	16	12.5	34200	21000	16000	7.5	6.3	1.		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML196UH110XE60C	R-454B	36000	16.5	12.5	34600	21200	16100	7.5	6.4	1.8	218597358	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH030XE36B	R-454B	36000	16.5	12.5	34400	21200	16100	7.5	6.3	1.78	218745065	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH060XE36B	R-454B	36000	16.5	13	33800	20800	15600	7.5	6.3	1.78	218745099	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML197UH080XE48C	R-454B	36000	16.5	13	34000	20800	15700	7.5	6.4	1.8	218745129	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH045XV36B	R-454B	36000	16.5	12.5	34200	21000	16000	7.5	6.4	1.78	218597200	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH090XV48C	R-454B	36000	16.5	13	34000	20800	15800	7.5	6.4	1.8	218597362	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML296UH110XV60C	R-454B	36000	17	13	33800	20800	15800	7.5	6.4	1.8	218597340	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH045XV36B	R-454B	36000	16.5	12.5	34600	21200	16200	7.5	6.3	1.76	218732577	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH090XV36C	R-454B	36000	17	13	34200	21000	15900	7.5	6.4	1.8	218695087	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	ML297UH110XV60C	R-454B	36000	17	12.5	34800	21200	16100	7.5	6.4	1.8	218732582	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH080NV48B	R-454B	36000	16.5	12.5	34400	21200	16100	7.5	6.4	1.78	218597261	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH080NV60C	R-454B	36000	17	13	34000	21000	15800	7.5	6.4	1.8	218597168	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090V36B	R-454B	36000	17	13	34000	20800	15800	7.5	6.4	1.8	218597208	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090V48B	R-454B	36000	17	13	34400	21200	16000	7.5	6.4	1.8	218597315	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090V60C	R-454B	36000	17	13	34000	20800	15800	7.5	6.4	1.82	218597338	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090XV48B	R-454B	36000	17	13	34400	21200	16000	7.5	6.4	1.8	218597190	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH090XV60C	R-454B	36000	17	13	34000	20800	15800	7.5	6.4	1.82	218597348	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL280UH100NV60C	R-454B	36000	17	13	34400	21000	15900	7.5	6.4	1.8	218597153	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL297UH060NV36B	R-454B	36000	16.5	12.5	34200	21200	16000	7.5	6.3	1.78	218612910	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL297UH080NV48C	R-454B	36000	16.5	12	34600	21400	16300	7.5	6.3	1.76	218615005	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SL297UH080NV60C	R-454B	36000	16.5	12.5	34600	21200	16100	7.5	6.4	1.78	218597367	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SLP99UH090XV36C	R-454B	36000	17	13	34000	21000	15800	7.5	6.4	1.8	218597378	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SLP99UH090XV48C	R-454B	36000	16.5	13	33800	20800	15700	7.5	6.4	1.8	218597345	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SLP99UH090XV60C	R-454B	36000	17	13	34400	21200	16000	7.5	6.4	1.8	218597360	N/A
ML16KP2-036-230A**	CK40[C,U]T-36C-**+TDR	SLP99UH110XV60C	R-454B	36000	17	13	34000	21000	15800	7.5	6.4	1.8	218597257	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL180UH060NE36A	R-454B	36000	16.5	12.5	33000	20200	15300	7.5	6.4	1.8	218597162	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL180UH080NE48B	R-454B	35600	16	12.5	32600	20200	15200	7.5	6.3	1.78	218612899	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL196UH030XE36B	R-454B	35600	16	12	33000	20200	15400	7.5	6.3	1.78	218615008	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH045E36A	R-454B	36000	16.5	12.5	33400	20200	15400	7.5	6.4	1.8	218597173	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH070E36A	R-454B	35600	16.5	12.5	32800	20000	15200	7.5	6.4	1.8	218597177	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E36B	R-454B	36000	16.5	12.5	32800	20200	15100	7.5	6.4	1.8	218597174	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E48B	R-454B	36000	16.5	13	32800	20000	15100	7.5	6.4	1.82	218597352	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090XE48B	R-454B	36000	16.5	13	32800	20000	15100	7.5	6.4	1.82	218597341	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH045XE36B	R-454B	36000	16.5	12.5	33200	20400	15400	7.5	6.3	1.78	218597298	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH070XE36B	R-454B	36000	16.5	12.5	33200	20400	15300	7.5	6.3	1.78	218597250	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH070XV36B	R-454B	35600	16.5	12.5	32600	20000	15100	7.5	6.4	1.8	218597333	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070E36B	R-454B	36000	16.5	12.5	33000	20200	15300	7.5	6.4	1.8	218597305	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V36B	R-454B	35600	16.5	12.5	32400	20000	15000	7.5	6.4	1.8	218597147	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	36000	16.5	13	32600	20000	15000	7.5	6.4	1.82	218597214	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070XE36B	R-454B	36000	16.5	12.5	33000	20200	15300	7.5	6.4	1.8	218597354	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090E48B	R-454B	35600	16.5	13	32400	19900	14900	7.5	6.4	1.82	218597238	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090V48B	R-454B	35600	16.5	12.5	32600	20000	15100	7.5	6.3	1.8	218615009	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090XE48B	R-454B	35600	16.5	13	32400	19900	14900	7.5	6.4	1.82	218597222	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML193UH030XE36B	R-454B	35600	16	12	33200	20400	15500	7.5	6.3	1.78	218612900	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML193UH045XE36B	R-454B	35600	16	12.5	32800	20200	15200	7.5	6.3	1.78	218597161	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML193UH070XE36B	R-454B	35600	16	12.5	32600	20000	15100	7.5	6.4	1.8	218597302	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH030XE36B	R-454B	36000	16.5	12.5	33200	20400	15400	7.5	6.3	1.78	218597371	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH045XE36B	R-454B	35600	16.5	12.5	33000	20400	15400	7.5	6.3	1.78	218612901	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE36B	R-454B	36000	16.5	12.5	33200	20200	15400	7.5	6.4	1.8	218597249	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE48B	R-454B	36000	16	12.5	33200	20200	15400	7.5	6.4	1.8	218597368	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML197UH030XE36B	R-454B	36000	16.5	12.5	33400	20400	15400	7.5	6.3	1.78	218745066	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML197UH060XE36B	R-454B	36000	16.5	12.5	33400	20200	15400	7.5	6.4	1.8	218745077	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML296UH045XV36B	R-454B	35600	16.5	12.5	32600	20000	15100	7.5	6.3	1.8	218612902	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	ML297UH045XV36B	R-454B	35400	16.5	12.5	33000	20200	15200	7.5	6.3	1.78	218732578	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH080NV48B	R-454B	36000	16.5	12.5	33400	20400	15500	7.5	6.4	1.8	218597288	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V36B	R-454B	36000	17	13	33000	20000	15200	7.5	6.4	1.82	218597193	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V48B	R-454B	36000	17	12.5	33400	20200	15500	7.5	6.4	1.8	218597332	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090XV48B	R-454B	36000	17	12.5	33400	20200	15500	7.5	6.4	1.8	218597149	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SL297UH040NV36B	R-454B	35600	16.5	12.5	33000	20200	15300	7.5	6.3	1.78	218612903	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SL297UH060NV36B	R-454B	36000	16	12.5	33200	20400	15400	7.5	6.3	1.78	218597207	N/A
ML16KP2-036-230A**	CK40[C,U]T-48B-**+TDR	SLP99UH070XV36B	R-454B	35600	16.5	12.5	32600	20000	15000	7.5	6.4	1.8	218612904	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	36000	16	12.5	33200	20200	15300	7.5	6.4	1.8	218597350	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	35600	16	12.5	32800	20200	15200	7.5	6.3	1.78	218615010	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	36000	15.5	12.5	33200	20400	15400	7.5	6.4	1.78	218597357	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	35600	16.5	12.5	32800	20000	15100	7.5	6.4	1.82	218597332	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	35600	16.5	13	32400	19800	14900	7.5	6.4	1.82	218597285	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	36000	16.5	12.5	32800	20000	15100	7.5	6.4	1.82	218597278	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	35600	16.5	13	32600	20000	15000	7.5	6.4	1.82	218597342	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	36000	16.5	12.5	32800	20000	15100	7.5	6.4	1.8	218597170	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH09												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110E60C	R-454B	36000	16.5	13	33000	20000	15200	7.5	6.4	1.82	218597289	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110V60C	R-454B	36000	17	13	33000	20000	15200	7.5	6.4	1.84	218597351	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML180UH110XE60C	R-454B	36000	16.5	13	33000	20000	15200	7.5	6.4	1.82	218597317	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE36C	R-454B	36000	16.5	12.5	32800	20000	15200	7.5	6.4	1.8	218597365	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH090XE48C	R-454B	35600	16.5	12.5	32600	20000	15100	7.5	6.4	1.8	218597343	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE48C	R-454B	35600	16.5	13	32600	19900	15000	7.5	6.4	1.82	218597169	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML193UH110XE60C	R-454B	36000	16.5	12.5	33200	20200	15300	7.5	6.4	1.82	218597191	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE36C	R-454B	36000	16.5	12.5	33000	20200	15200	7.5	6.4	1.8	218597301	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE48C	R-454B	35600	16.5	12.5	32800	20000	15100	7.5	6.4	1.82	218597186	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML196UH090XE60C	R-454B	36000	16.5	12.5	33400	20200	15400	7.5	6.4	1.82	218597248	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML197UH030XE36C	R-454B	36000	16.5	12.5	33400	20400	15500	7.5	6.4	1.78	218597406	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML197UH060XE36B	R-454B	35800	16.5	12.5	32800	20000	15000	7.5	6.4	1.8	218745100	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML197UH080XE48C	R-454B	36000	16.5	13	33000	20000	15100	7.5	6.4	1.82	218745131	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML296UH090XV48C	R-454B	36000	16.5	12.5	32800	20000	15100	7.5	6.4	1.8	218597213	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML296UH110XV60C	R-454B	36000	16.5	13	32800	20000	15100	7.5	6.4	1.82	218597304	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH090XV36C	R-454B	36000	16.5	12.5	33000	20000	15100	7.5	6.4	1.8	218695088	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	ML297UH110XV60C	R-454B	36000	16.5	12.5	33600	20200	15500	7.5	6.4	1.8	218732583	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	36000	16.5	13	33000	20000	15200	7.5	6.4	1.82	218597282	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	36000	17	13	33000	20000	15100	7.5	6.4	1.84	218597381	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	36000	17	13	33000	20000	15100	7.5	6.4	1.84	218597160	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	36000	17	12.5	33200	20200	15300	7.5	6.4	1.82	218597236	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV48C	R-454B	36000	16	12	33600	20600	15700	7.5	6.3	1.76	218612905	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	36000	16.5	12.5	33400	20400	15500	7.5	6.4	1.8	218597166	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV36C	R-454B	36000	16.5	12.5	33000	20200	15200	7.5	6.4	1.82	218597271	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	35600	16.5	12.5	32800	20000	15100	7.5	6.4	1.8	218597164	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	36000	17	12.5	33200	20200	15400	7.5	6.4	1.82	218597344	N/A
ML16KP2-036-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	36000	17	13	33000	20000	15200	7.5	6.4	1.82	218597294	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL180UH100NE60C	R-454B	36000	16	12.5	33400	19900	15200	7.5	6.3	1.76	218597231	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	36000	16.5	13	33600	20000	15300	7.5	6.4	1.78	218597198	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	36000	16.5	13	32800	19500	14700	7.5	6.3	1.78	218597290	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XE48C	R-454B	36000	16.5	13	33000	19600	15000	7.5	6.3	1.78	218612925	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	36000	17	13	33400	19900	15200	7.5	6.3	1.78	218597334	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	36000	16.5	12.5	33600	20000	15300	7.5	6.4	1.78	218597192	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	36000	17	12.5	33600	20000	15300	7.5	6.3	1.78	218597183	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	36000	17	13	33400	19800	15100	7.5	6.3	1.78	218597314	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E48B	R-454B	36000	16.5	13	33000	19500	14900	7.5	6.3	1.78	218597296	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	36000	16.5	13	33400	19800	15100	7.5	6.3	1.78	218597233	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	36000	16.5	13	33200	19700	15100	7.5	6.3	1.78	218597372	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	36000	17	13	33400	19800	15100	7.5	6.3	1.8	218597303	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	36000	16.5	13	33200	19700	15100	7.5	6.3	1.78	218597243	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	36000	16.5	13	33000	19700	14900	7.5	6.3	1.76	218615018	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	36000	16.5	13	32800	19600	14800	7.5	6.3	1.78	218612922	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	36000	16.5	13	33400	19900	15200	7.5	6.3	1.78	218597275	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	36000	16.5	13	33600	19900	15200	7.5	6.3	1.78	218597185	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	36000	16	12.5	33800	20000	15300	7.5	6.4	1.78	218597376	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH060XE36B	R-454B	36000	16.5	12.5	33600	19900	15200	7.5	6.3	1.76	218745101	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	36000	16.5	13	33200	19600	14900	7.5	6.3	1.76	218745158	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	36000	16.5	13	33200	19700	15000	7.5	6.3	1.78	218612923	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH090XV36C	R-454B	36000	16.5	13	33600	19900	15200	7.5	6.3	1.78	218695089	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	ML297UH110XV60C	R-454B	36000	17	12.5	34000	20000	15400	7.5	6.3	1.76	218732584	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH080NV60C	R-454B	36000	16.5	13	33200	19800	15100	7.5	6.3	1.78	218597280	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090V60C	R-454B	36000	17	13	33200	19700	15000	7.5	6.3	1.8	218597252	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH090XV60C	R-454B	36000	17	13	33200	19700	15000	7.5	6.3	1.8	218597311	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	36000	17	13	33600	19900	15200	7.5	6.3	1.78	218597179	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	36000	16.5	12.5	33800	20000	15400	7.5	6.3	1.76	218597228	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV36C	R-454B	36000	16.5	13	33200	19800	15100	7.5	6.3	1.78	218612924	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	36000	17	12.5	33600	20000	15300	7.5	6.3	1.78	218597220	N/A
ML16KP2-036-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	36000	17	13	33200	19800	15100	7.5	6.3	1.78	218597347	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	EL280DF090E48B	R-454B	36000	16	12.5	36000	22200	16900	7.5	6.4	1.72	218472618	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	EL297DF045XV36B	R-454B	36000	16	12.5	36000	22200	17000	7.5	6.3	1.7	218472623	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	EL297DF070XE48B	R-454B	35600	15.5	12	36000	22600	17300	7.5	6.3	1.68	218615019	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	ML180DF090E48B	R-454B	36000	16	12.5	36000	22000	16800	7.5	6.4	1.72	218472619	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	ML193DF045XE36B	R-454B	35600	15.5	12	36000	22600	17300	7.5	6.3	1.68	218597253	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	ML193DF070XE36B	R-454B	36000	15.5	12	36000	22200	17000	7.5	6.3	1.7	218472620	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	ML196DF070XE48B	R-454B	36000	16	12	36000	22600	17300	7.5	6.3	1.68	218472621	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	ML296DF070XV48B	R-454B	36000	16	12	36000	22400	17200	7.5	6.3	1.7	218472617	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	ML297DF070XV48B	R-454B	36000	15.7	11.7	36000	23000	17700	7.5	6.3	1.66	218732575	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	SL280DF060NV36B	R-454B	35600	16	12	36000	22400	17100	7.5	6.3	1.7	218597230	N/A
ML16KP2-036-230A**	CK40DT-30/36B-***TDR	SL280DF070V36A	R-454B	36000	16	12.5	36000	22200	17000	7.5	6.3	1.7	218472625	N/A
ML16KP2-036-230A**	CK40DT-30/36B													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	ML196DF090XE48C	R-454B	36000	16	12.5	36000	22000	16800	7.5	6.4	1.72	218472607	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	ML196DF110XE60C	R-454B	36000	16	12.5	36000	22400	17200	7.5	6.4	1.7	218472608	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	ML296DF090XV60C	R-454B	36000	16.5	12.5	36000	22400	17200	7.5	6.4	1.7	218472609	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	ML297DF090XV60C	R-454B	36000	16	12.5	36000	22200	17000	7.5	6.4	1.72	218732579	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SL280DF080NV60C	R-454B	36000	16.5	12.5	36000	22400	17200	7.5	6.4	1.7	218472616	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SL280DF090V60C	R-454B	36000	16.5	12.5	36000	22400	17100	7.5	6.4	1.7	218472610	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SL280DF110V60C	R-454B	36000	16.5	12.5	36000	22200	17000	7.5	6.4	1.72	218472611	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV36C	R-454B	36000	16.5	12.5	36000	22000	16900	7.5	6.4	1.72	218472612	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV48C	R-454B	36000	16	12.5	36000	22200	17000	7.5	6.3	1.7	218472613	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SLP99DF090XV60C	R-454B	36000	16.5	12	36000	22600	17300	7.5	6.4	1.7	218472614	N/A
ML16KP2-036-230A**	CK40DT-30/36C-***TDR	SLP99DF110XV60C	R-454B	36000	16.5	12	36000	22600	17300	7.5	6.3	1.68	218472615	N/A
ML16KP2-036-230A**	CK40DT-42B-***TDR	- - -	R-454B	36000	14.7	11.7	36000	22800	17900	7.8	6.6	1.84	218472627	N/A
ML16KP2-036-230A**	CK40DT-42B-***TDR	EL280DF090E48B	R-454B	36000	16	12.5	36000	22200	17200	7.8	6.7	1.9	218457647	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	36000	16	12.5	36000	22200	17300	7.8	6.6	1.88	218457656	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	EL297DF070XE48B	R-454B	36000	15.5	12.5	36000	22600	17600	7.8	6.6	1.86	218457646	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	36000	15.5	12	36000	22600	17600	7.5	6.6	1.84	218472628	N/A
ML16KP2-036-230A**	CK40DT-42B-***TDR	ML180DF070E36B	R-454B	36000	16	12.5	36000	22200	17300	7.8	6.6	1.88	218457648	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	ML180DF090E48B	R-454B	36000	16	13	36000	22000	17100	7.8	6.7	1.9	218457649	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	ML193DF045XE36B	R-454B	36000	15.5	12.5	36000	22200	17300	7.8	6.6	1.88	218457650	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	ML193DF070XE36B	R-454B	36000	15.5	12.5	36000	22200	17300	7.8	6.6	1.88	218457651	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	ML196DF045XE36B	R-454B	36000	15.5	12.5	36000	22200	17300	7.8	6.6	1.88	218457652	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	ML196DF070XE48B	R-454B	36000	16	12.5	36000	22600	17600	7.8	6.6	1.84	218457653	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	36000	16	12.5	36000	22200	17400	7.8	6.6	1.88	218457654	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	36000	16	12.5	36000	22200	17300	7.8	6.6	1.88	218457655	No
ML16KP2-036-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	36000	16	12.5	36000	22200	17300	7.8	6.6	1.88	218457657	No
ML16KP2-036-230A**	CK40DT-48C-***TDR	- - -	R-454B	36000	14.3	11.2	36000	23800	18600	7.5	6.5	1.76	218472584	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	EL297DF090XE48C	R-454B	36000	16	12	36000	23000	17800	7.5	6.5	1.8	218472586	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	EL297DF090XV60C	R-454B	36000	16	12	36000	23400	18200	7.5	6.4	1.76	218472601	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	EL297DF110XV60C	R-454B	36000	16	12	36000	23400	18200	7.5	6.4	1.76	218472602	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML180DF110E60C	R-454B	36000	16	12.5	36000	23200	17900	7.5	6.5	1.8	218472587	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML193DF090XE48C	R-454B	36000	15.5	12	36000	23000	17800	7.5	6.5	1.8	218472588	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML196DF090XE48C	R-454B	36000	16	12.5	36000	23000	17700	7.5	6.5	1.8	218472589	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML196DF110XE60C	R-454B	36000	15.5	12	36000	23400	18100	7.5	6.4	1.78	218472590	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML296DF070XV48B	R-454B	36000	15.5	12	36000	23200	18000	7.5	6.5	1.78	218472598	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML296DF090XV60C	R-454B	36000	16	12	36000	23600	18300	7.5	6.4	1.76	218472591	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML297DF070XV48B	R-454B	36000	15.5	12	36000	23200	18000	7.5	6.4	1.78	218690643	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	ML297DF090XV60C	R-454B	36000	15.7	12	36000	23200	17900	7.5	6.5	1.8	218732580	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SL280DF080NV60C	R-454B	36000	16	12	36000	23400	18100	7.5	6.4	1.78	218472599	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SL280DF090V60C	R-454B	36000	16	12.5	36000	23200	18000	7.5	6.5	1.78	218472592	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SL280DF110V60C	R-454B	36000	16	12.5	36000	23200	17900	7.5	6.5	1.8	218472593	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SLP99DF070XV36B	R-454B	36000	16	12	36000	23200	17900	7.5	6.5	1.78	218472600	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV36C	R-454B	36000	16	12	36000	23000	17800	7.5	6.5	1.8	218472594	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV48C	R-454B	36000	16	12	36000	23200	17900	7.5	6.5	1.78	218472595	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SLP99DF090XV60C	R-454B	36000	16	12	36000	23400	18200	7.5	6.4	1.76	218472596	N/A
ML16KP2-036-230A**	CK40DT-48C-***TDR	SLP99DF110XV60C	R-454B	36000	16	12	36000	23400	18200	7.5	6.4	1.76	218472597	N/A
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	- - -	R-454B	36000	15.2	12	36000	23800	19100	8.2	7.1	2.02	218457643	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	EL297DF090XE48C	R-454B	36000	16.5	13	36000	23000	18300	8.2	7.1	2.08	218457659	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	EL297DF090XV60C	R-454B	36000	17	12.5	36000	23600	18800	8.2	7.1	2.04	218457671	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	36000	17	12.5	36000	23600	18800	8.2	7	2.04	218457672	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	36000	16.5	13	36000	23200	18400	8.5	7.1	2.1	218457660	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	36000	16.5	13	36000	23200	18400	8.2	7.1	2.08	218457661	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	36000	16.5	13	36000	23000	18300	8.2	7.1	2.08	218457662	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	36000	16	13	36000	23400	18700	8.2	7.1	2.06	218457663	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	36000	16.5	12.5	36000	23600	18900	8.2	7.1	2.04	218457664	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	36000	16.5	13	36000	23200	18400	8.2	7.1	2.06	218732581	N/A
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	36000	16.5	13	36000	23400	18700	8.2	7.1	2.06	218457658	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	36000	17	13	36000	23400	18600	8.2	7.1	2.08	218457665	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	36000	17	13	36000	23200	18500	8.2	7.1	2.08	218457666	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV36C	R-454B	36000	16.5	13	36000	23000	18300	8.2	7.1	2.08	218457667	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV48C	R-454B	36000	16.5	12.5	36000	23200	18500	8.2	7.1	2.06	218457668	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV60C	R-454B	36000	16.5	12.5	36000	23600	18800	8.2	7.1	2.04	218457669	No
ML16KP2-036-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	36000	17	12.5	36000	23600	18800	8.2	7	2.04	218457670	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	- - -	R-454B	34400	14.3	11.5	35600	23000	18700	8.1	7	1.96	218472626	N/A
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL180UH100NE60C	R-454B	35400	15.5	12.5	35000	22400	18100	8.2	7	2.02	218457598	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL195UH040NE36B	R-454B	34800	15.5	12	35000	22600	18200	8.1	6.9	1.98	218457624	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL195UH060NE36B	R-454B	34800	15.5	12	35000	22600	18200	8.1	6.9	1.98	218457625	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL195UH080NE48C	R-454B	35400	16	12	35400	22800	18400	8.2	7	2	218457599	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL195UH100NE60C	R-454B	35000	15.2	12	35000	22600	18200	8.1	6.9	1.98	218457600	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL196UH090XE48C	R-454B	35200	16	12.5	34600	22200	17800	8.2	7	2.02	218457601	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL196UH110XE60C	R-454B	36000	16	12.5	35400	22600	18300	8.2	7.1	2.04	218457602	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL280UH110E48C	R-454B	36000	16.5	12.5	35000	22400	18100	8.2	7.1	2.06	218457603	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL297UH110XE60C	R-454B	35800	15.5	12.5	35200	22600	18200	8.2	7	2.04	218457639	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL297UH110XV48C	R-454B	35000	16	12.5	34400	22000	17800	8.2	7	2.02	218457640	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	EL297UH110XV60C	R-454B	35600	16.5	12.5	35000	22400	18100	8.2	7	2.04	218457641	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML180UH070E36B	R-454B	35400	16	12.5	35000	22400	18100	8.2	7	2.02	218457626	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML180UH090E60C	R-454B	35600	15.5	12.5	35000	22400	18100	8.2	7	2.04	218457604	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML180UH110E60C	R-454B	35600	16	12.5	34800	22400	18000	8.2	7	2.04	218457605	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML180UH110V60C	R-454B	35800	16.5	12.5	35000	22400	18000	8.2	7	2.04	218457606	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML180UH110XE60C	R-454B	35600	16	12.5	34800	22400	18000	8.2	7	2.04	218457607	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML193UH045XE36B	R-454B	35400	16	12	35200	22600	18300	8.1	7	2	218457627	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML193UH070XE36B	R-454B	34800	15.5	12.5	34600	22200	17900	8.2	7	2	218457628	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML193UH090XE36C	R-454B	35000	16	12.5	34800	22200	17900	8.2	7	2.02	218457608	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML193UH090XE48C	R-454B	35000	16	12.5	34600	22200	17800	8.2	7	2.02	218457609	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML193UH110XE48C	R-454B	35000	16	12.5	34400	22000	17700	8.2	7	2.02	218457610	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML193UH110XE60C	R-454B	35800	16	12.5	35200	22400	18200	8.2	7	2.04	218457629	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML196UH045XE36B	R-454B	35000	15.5	12	35000	22400	18100	8.2	7	2	218457630	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML196UH070XE36B	R-454B	35400	16	12	35000	22400	18100	8.2	7	2.02	218457631	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML196UH090XE36C	R-454B	35200	16	12.5	34800	22400	18000	8.2	7	2.02	218457632	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML196UH090XE48C	R-454B	35200	16	12.5	34600	22200	17800	8.2	7	2.02	218457611	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML196UH090XE60C	R-454B	35800	16	12.5	35200	22600	18200	8.2	7	2.04	218457612	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML196UH110XE60C	R-454B	36000	15.5	12.5	35400	22600	18300	8.2	7	2.02	218457613	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML197UH030XE36B	R-454B	35000	16	12	35000	22600	18200	8.1	7	2	218745097	N/A
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML197UH060XE36B	R-454B	35200	16	12	34800	22400	18100	8.2	7	2.02	218745078	N/A
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML197UH080XE48C	R-454B	35000	16	12.5	34400	22200	17800	8.2	7	2.02	218745133	N/A
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML296UH090XV48C	R-454B	35000	16	12.5	34800	22200	18000	8.2	7	2.02	218457614	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML296UH110XV60C	R-454B	35400	16	12.5	34800	22200	18000	8.2	7	2.02	218457615	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML297UH090XV36C	R-454B	35000	16	12.5	34800	22400	18100	8.2	7	2.02	218695090	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	ML297UH110XV60C	R-454B	34600	16	12.5	34400	22200	17800	8	7	2	218732586	N/A
ML16KP2-036-230A**	CK40HT-36C-***TDR	SL280UH080NV60C	R-454B	35400	16	12.5	35000	22400	18000	8.2	7	2.04	218457616	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SL280UH090V60C	R-454B	35600	16.5	12.5	35000	22400	18000	8.2	7	2.04	218457617	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SL280UH090XV60C	R-454B	35600	16.5	12.5	35000	22400	18000	8.2	7	2.04	218457618	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SL280UH100NV60C	R-454B	35600	16	12.5	35200	22600	18200	8.2	7	2.04	218457619	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SL297UH080NV48C	R-454B	35200	15.5	11.7	35600	22800	18600	8.2	7	1.98	218457620	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SL297UH080NV60C	R-454B	35800	16	12	35400	22800	18400	8.2	7	2.02	218457633	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV36C	R-454B	35400	16	12.5	34800	22400	18000	8.2	7	2.02	218457621	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV48C	R-454B	35000	16	12.5	34800	22200	17900	8.2	7	2.02	218457622	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SLP99UH090XV60C	R-454B	35800	16	12.5	35200	22600	18200	8.2	7	2.02	218457634	No
ML16KP2-036-230A**	CK40HT-36C-***TDR	SLP99UH110XV60C	R-454B	36000	16.5	12.5	35400	22600	18300	8.2	7	2.04	218457623	No
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL180UH040NE36A	R-454B	36000	16.5	12.5	33800	20400	15900	7.5	6.4	1.82	218597209	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL180UH060NE36A	R-454B	36000	16.5	12.5	33800	20400	15900	7.5	6.4	1.82	218597157	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL280UH045E36A	R-454B	36000	17	12.5	34200	20600	16100	7.5	6.4	1.84	218597217	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL280UH070E36A	R-454B	36000	16.5	12.5	33600	20400	15800	7.5	6.4	1.82	218597202	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL280UH070XE36A	R-454B	36000	16.5	12.5	33600	20400	15800	7.5	6.4	1.82	218597307	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL280UH090E36B	R-454B	36000	17	13	33600	20400	15800	7.5	6.4	1.84	218597235	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL280UH090E48B	R-454B	36000	17	13	33600	20400	15700	7.5	6.4	1.84	218597195	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL280UH090XE48B	R-454B	36000	17	13	33600	20400	15700	7.5	6.4	1.84	218597262	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL297UH045XE36B	R-454B	36000	16.5	12.5	33800	20600	16000	7.5	6.4	1.8	218597380	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	36000	16.5	12.5	34000	20800	16100	7.5	6.4	1.8	218597258	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL297UH070XE36B	R-454B	36000	16	12.5	33800	20600	16000	7.5	6.4	1.82	218597242	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	36000	16.5	13	33400	20400	15700	7.5	6.4	1.82	218615012	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML180UH070E36B	R-454B	36000	17	12.5	33800	20600	15900	7.5	6.4	1.84	218597316	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML180UH070V48B	R-454B	36000	16.5	13	33400	20200	15700	7.5	6.4	1.84	218612913	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML180UH070XE36B	R-454B	36000	17	12.5	33800	20600	15900	7.5	6.4	1.84	218597223	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML180UH090E48B	R-454B	36000	17	13	33400	20200	15600	7.5	6.4	1.84	218597199	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML180UH090XE48B	R-454B	36000	17	13	33400	20200	15600	7.5	6.4	1.84	218597260	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML193UH070XE36B	R-454B	36000	16.5	12.5	33400	20200	15700	7.5	6.4	1.82	218615011	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML196UH030XE36B	R-454B	36000	16.5	12.5	34000	20800	16100	7.5	6.4	1.8	218597152	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML196UH070XE36B	R-454B	36000	16.5	12.5	34000	20600	16000	7.5	6.4	1.82	218597212	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML196UH070XE48B	R-454B	36000	16.5	12.5	34000	20600	16100	7.5	6.4	1.82	218597225	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML197UH030XE36B	R-454B	36000	16.5	12.5	34200	20800	16100	7.5	6.4	1.8	218745071	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	ML197UH060XE36B	R-454B	36000	17	12.5	34200	20600	16000	7.5	6.4	1.82	218745079	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	36000	16.5	12.5	34200	20800	16200	7.5	6.4	1.82	218597201	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	36000	17	13	33800	20400	15900	7.5	6.4	1.84	218597379	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	36000	17	12.5	34200	20600	16200	7.5	6.4	1.84	218597196	N/A
ML16KP2-036-230A**	CK40HT-42B-***TDR	SL280UH090XV48B	R-454B	36000	17	12.5	34200	20600	16200	7.5	6.4	1.84	218597320	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	SL297UH060NV36B	R-454B	36000	16.5	12.5	34000	20800	16100	7.5	6.4	1.8	218612914	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	EL196UH090XE48C	R-454B	36000	16.5	12.5	34000	20400	15800	7.5	6.3	1.78	218615013	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	EL196UH110XE60C	R-454B	36000	16.5	13	34200	20400	15800	7.5	6.3	1.78	218612915	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	EL280UH110E48C	R-454B	36000	17	13	33600	20200	15500	7.5	6.3	1.8	218615014	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	EL297UH110XE60C	R-454B	36000	16.5	12.5	34200	20600	15800	7.5	6.3	1.78	218597178	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	36000	17	12.5	34200	20600	15700	7.5	6.3	1.78	218612918	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	36000	17	13	34000	20400	15600	7.5	6.3	1.78	218615016	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML180UH090E60C	R-454B	36000	16.5	13	34							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML193UH110XE48C	R-454B	36000	17	13	33800	20400	15700	7.5	6.3	1.8	218597204	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML193UH110XE60C	R-454B	36000	16.5	13	34200	20400	15700	7.5	6.3	1.78	218597273	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML196UH090XE48C	R-454B	36000	16.5	12.5	34000	20400	15800	7.5	6.3	1.78	218615015	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML196UH090XE60C	R-454B	36000	16.5	13	34200	20400	15700	7.5	6.3	1.78	218597359	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML197UH080XE48C	R-454B	36000	17	13	34200	20400	15800	7.5	6.3	1.78	218745134	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML296UH110XV60C	R-454B	36000	17	13	34200	20600	15700	7.5	6.3	1.78	218612916	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	ML297UH110XV60C	R-454B	36000	17	12.5	34600	20600	15800	7.5	6.3	1.76	218732587	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	36000	17	13	34200	20400	15800	7.5	6.3	1.78	218612917	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	36000	17	13	33800	20200	15600	7.5	6.3	1.8	218597326	N/A
ML16KP2-036-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	36000	17	13	33800	20200	15600	7.5	6.3	1.8	218597385	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	- - -	R-454B	36000	15	12	34600	21600	16700	7.5	6.4	1.78	218612926	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	36000	16	13	34000	21000	16200	7.5	6.4	1.8	218597322	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL195UH080NE48C	R-454B	36000	16.5	12.5	34400	21200	16500	7.5	6.4	1.78	218597281	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	36000	15.5	12.5	34000	21000	16300	7.5	6.4	1.78	218597267	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	36000	16.5	13	33600	20800	15900	7.5	6.4	1.82	218597266	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	36000	16	13	34400	21200	16300	7.5	6.5	1.82	218597187	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	36000	16.5	13	33600	20600	15900	7.5	6.4	1.84	218597232	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH090XE48C	R-454B	36000	16.5	13	33600	20800	16000	7.5	6.4	1.82	218597158	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	36000	16.5	13	33600	20600	15900	7.5	6.4	1.82	218597292	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH090XV48C	R-454B	36000	16.5	13	33800	20800	16000	7.5	6.4	1.8	218597165	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH090XV60C	R-454B	36000	16.5	13	34200	21000	16200	7.5	6.4	1.82	218597203	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH110XE60C	R-454B	36000	16	13	34400	21200	16300	7.5	6.5	1.82	218597197	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH110XV48C	R-454B	36000	16.5	13	33600	20600	15900	7.5	6.4	1.82	218597373	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	36000	17	13	34200	21000	16100	7.5	6.5	1.82	218597264	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	36000	16	13	34000	21000	16200	7.5	6.4	1.82	218597194	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	36000	16.5	13	34000	20800	16100	7.5	6.4	1.82	218597319	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	36000	17	13	34200	21000	16100	7.5	6.5	1.84	218597327	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	36000	16.5	13	34000	20800	16100	7.5	6.4	1.82	218597268	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML193UH090XE36C	R-454B	36000	16.5	13	33800	20800	16000	7.5	6.4	1.8	218597180	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	36000	16.5	13	33600	20600	15900	7.5	6.4	1.8	218597369	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	36000	16.5	13	33400	20600	15800	7.5	6.4	1.82	218597188	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	36000	16	13	34200	21000	16200	7.5	6.5	1.82	218597171	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML196UH090XE36C	R-454B	36000	16.5	13	34000	20800	16100	7.5	6.4	1.8	218597363	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	36000	16.5	13	33600	20800	15900	7.5	6.4	1.82	218597366	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	36000	16	13	34200	21000	16200	7.5	6.5	1.82	218597234	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	36000	16	12.5	34400	21200	16400	7.5	6.5	1.82	218597226	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML197UH030XE36B	R-454B	36000	16.5	12.5	34400	21200	16300	7.5	6.4	1.8	218745098	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML197UH060XE36B	R-454B	36000	16.5	13	34400	21000	16200	7.5	6.5	1.82	218745110	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	36000	16.5	13	34000	20800	16000	7.5	6.5	1.82	218745135	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	36000	16.5	13	33800	20800	16100	7.5	6.4	1.8	218597328	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	36000	16.5	13	33800	20800	16000	7.5	6.4	1.82	218597375	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML297UH090XV36C	R-454B	36000	16.5	13	34200	21000	16200	7.5	6.4	1.82	218695091	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	36000	16.5	12.5	34600	21200	16400	7.5	6.4	1.82	218732588	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL280UH080NV48B	R-454B	36000	16.5	12.5	34400	21200	16400	7.5	6.4	1.8	218597299	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	36000	16.5	13	34000	21000	16100	7.5	6.4	1.82	218597284	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	36000	17	13	34000	20800	16000	7.5	6.5	1.84	218597269	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	36000	17	13	34000	20800	16000	7.5	6.5	1.84	218597272	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	36000	16.5	13	34200	21000	16300	7.5	6.4	1.82	218597227	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	36000	16	12.5	34200	21200	16300	7.5	6.4	1.78	218597150	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	36000	16.5	12.5	34600	21200	16500	7.5	6.4	1.8	218597283	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV36C	R-454B	36000	16.5	13	34000	21000	16100	7.5	6.4	1.82	218597355	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	36000	16.5	13	33800	20800	16000	7.5	6.4	1.8	218597336	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	36000	16.5	12.5	34400	21200	16300	7.5	6.4	1.82	218597270	N/A
ML16KP2-036-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	36000	17	13	34000	21000	16100	7.5	6.4	1.82	218597313	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL180UH100NE60C	R-454B	36000	16.5	12.5	33800	20400	15400	7.5	6.3	1.78	218597239	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL196UH090XE48C	R-454B	36000	16.5	13	33400	20000	15100	7.5	6.3	1.78	218612919	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	36000	16.5	13	34200	20200	15500	7.5	6.3	1.8	218597286	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	36000	17	13	33200	19900	14900	7.5	6.3	1.8	218597265	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL297UH090XE48C	R-454B	36000	17	13	33400	20000	15100	7.5	6.3	1.78	218597263	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	36000	17	13	33800	20200	15400	7.5	6.3	1.78	218597349	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	36000	16.5	13	34000	20200	15500	7.5	6.3	1.78	218597246	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	36000	17	13	33800	20000	15300	7.5	6.3	1.8	218597382	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	36000	16.5	13	33800	20200	15300	7.5	6.3	1.78	218597224	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	36000	17	13	33600	20200	15200	7.5	6.3	1.8	218597339	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	36000	17	13	33800	20000	15300	7.5	6.3	1.8	218597277	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	36000	17	13	33600	20200	15200	7.5	6.3	1.8	218597175	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	36000	17	13	33200	20000	15000	7.5	6.3	1.78	218612920	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	36000	16.5	13	34000	20200	15400	7.5	6.3	1.8	218597310	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML196UH090XE48C	R-454B	36000	16.5	13	33400	20000	15100	7.5	6.3	1.78	218612921	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	36000	16.5	13	34000	20200	15400	7.5	6.3	1.78	218597309	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	36000	16.5	12.5	34200	20400	15500	7.5	6.3	1.78	218597159	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SL280UH080NV48B	R-454B	36000	17	12.5	34000	20400	15500	7.5	6.3	1.78	218597211	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	36000	17	13	33600	20200	15200	7.5	6.3	1.8	218597182	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	36000	17	13	33600	20000	15200	7.5	6.3	1.8	218597151	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	36000	17	13	33600	20000	15200	7.5	6.3	1.8	218597337	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	36000	17	13	34000	20200	15400	7.5	6.3	1.78	218597205	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SL297UH080NV60C	R-454B	36000	17	12.5	34200	20400	15600	7.5	6.3	1.78	218615017	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV36C	R-454B	36000	17	13	33600	20200	15300	7.5	6.3	1.78	218597163	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV60C	R-454B	36000	17	13	34000	20200	15500	7.5	6.3	1.78	218597312	N/A
ML16KP2-036-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	36000	17	13	33800	20000	15300	7.5	6.3	1.8	218597241	N/A
ML16KP2-048-230A**	CBK43UHET-048-DV-**	---	R-454B	47500	15	11.5	45000	28400	23000	7.5	6.7	2.06	218635787	N/A
ML16KP2-048-230A**	CBK43UHET-060-DV-**	---	R-454B	48000	16	11.7	47500	30200	24400	8.1	7	2.1	218457822	No
ML16KP2-048-230A**	CBK45UHET-048-230-**	---	R-454B	47000	16	12	43000	27200	21200	8	6.8	2.02	218457677	No
ML16KP2-048-230A**	CBK45UHET-060-230-**	---	R-454B	46000	15.5	12	43000	27000	21600	8.2	7	2.12	218457678	No
ML16KP2-048-230A**	CBK45UHV-048-230-**	---	R-454B	47000	16	12	43000	27200	21200	8	6.8	2.02	218630628	No
ML16KP2-048-230A**	CBK45UHV-060-230-**	---	R-454B	46500	15.5	12	43000	27000	21600	8.2	7	2.1	218457674	No
ML16KP2-048-230A**	CBK47UHET-048-230-**	---	R-454B	47000	16	12	45000	28800	23000	8.2	7	2.12	218457520	No
ML16KP2-048-230A**	CBK47UHET-060-230-**	---	R-454B	47500	15.5	11.7	44000	27400	21800	8.2	7	2.06	218457675	No
ML16KP2-048-230A**	CBK48MVT-048-230-**	---	R-454B	48000	17	12	45500	28800	23000	8.1	7	2.16	218457676	No
ML16KP2-048-230A**	CBK48MVT-060-230-**	---	R-454B	48000	16	12	44000	27400	22000	8.2	7	2.08	218457748	No
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	EL280UH090E48B	R-454B	45000	15.5	12	43000	27400	21400	7.5	6.6	1.88	218472634	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	EL280UH090XE48B	R-454B	45000	15.5	12	43000	27400	21400	7.5	6.6	1.88	218472635	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	EL297UH070XV36B	R-454B	44500	15.5	11.7	43000	27400	21400	7.5	6.5	1.86	218472646	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	ML180UH070V48B	R-454B	45000	15.5	12	43500	27600	21400	7.5	6.6	1.9	218472636	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	ML180UH090E48B	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.6	1.9	218472637	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	ML180UH090V48B	R-454B	45500	15.5	11.7	44000	28000	21800	7.5	6.6	1.88	218472638	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	ML180UH090XE48B	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.6	1.9	218472639	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	ML196UH070XE48B	R-454B	44500	15.2	11.7	43500	27600	21600	7.5	6.5	1.86	218472640	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	SL280UH080NV48B	R-454B	45000	15.2	11.7	43500	27600	21600	7.5	6.5	1.88	218472641	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	SL280UH090V36B	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.5	1.9	218472642	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	SL280UH090V48B	R-454B	45000	15.5	11.7	43500	27600	21400	7.5	6.6	1.88	218472643	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	SL280UH090XV48B	R-454B	45000	15.5	11.7	43500	27600	21400	7.5	6.6	1.88	218472644	N/A
ML16KP2-048-230A**	CK40[C],UJT-48B-***TDR	SLP99UH070XV36B	R-454B	44500	15.5	11.7	43000	27400	21200	7.5	6.5	1.88	218472645	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL180UH100NE60C	R-454B	45500	15.5	11.7	44000	27800	21800	7.5	6.6	1.88	218472647	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL195UH100NE60C	R-454B	44500	14.7	11.5	43500	27800	21600	7.5	6.5	1.86	218472648	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL196UH090XE48C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.88	218472649	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL196UH110XE60C	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.6	1.9	218472650	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E48C	R-454B	45500	15.5	12	43000	27400	21200	7.5	6.6	1.9	218472651	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL280UH110E60C	R-454B	45000	15.5	12	42500	27000	20800	7.5	6.6	1.9	218472652	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL280UH110XE60C	R-454B	45000	15.5	12	42500	27000	20800	7.5	6.6	1.9	218472653	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XE48C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.9	218472676	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV36C	R-454B	45000	15.5	12	43000	27200	21000	7.5	6.5	1.9	218472677	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV48C	R-454B	45000	15.5	11.7	43500	27600	21600	7.5	6.6	1.88	218472678	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH090XV60C	R-454B	45000	15.5	11.7	43500	27600	21400	7.5	6.6	1.9	218472679	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XE60C	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.6	1.9	218472680	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV48C	R-454B	45000	15.5	12	43000	27400	21400	7.5	6.6	1.9	218472681	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	EL297UH110XV60C	R-454B	45000	15.5	12	43000	27400	21400	7.5	6.6	1.9	218472682	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH090E48B	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.6	1.9	218472675	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH090E60C	R-454B	45000	15.5	12	43000	27200	21000	7.5	6.6	1.9	218472654	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH110E60C	R-454B	45500	15.5	12	43500	27600	21600	7.5	6.6	1.9	218472655	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH110V60C	R-454B	46000	16	12	44000	28000	22000	7.8	6.7	1.92	218457686	No
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML180UH110XE60C	R-454B	45500	15.5	12	43500	27600	21600	7.5	6.6	1.9	218472656	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML193UH090XE48C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.88	218472657	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML193UH110XE48C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.9	218472658	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML193UH110XE60C	R-454B	45000	15.5	12	43000	27200	21000	7.5	6.5	1.9	218472659	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML196UH090XE48C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.88	218472660	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML196UH090XE60C	R-454B	45000	15.5	12	43000	27200	21000	7.5	6.5	1.9	218472661	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML196UH110XE60C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.9	218472662	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML197UH080XE48C	R-454B	45000	15.5	12	43000	27400	21200	7.5	6.6	1.88	218745137	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML296UH090XV48C	R-454B	45000	15.5	11.7	43500	27600	21400	7.5	6.6	1.88	218597390	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML296UH110XV60C	R-454B	45000	15.5	12	43000	27200	21000	7.5	6.5	1.9	218472663	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML297UH090XV60C	R-454B	45500	15.5	11.7	43500	27800	21800	7.5	6.6	1.88	218695137	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	ML297UH110XV60C	R-454B	45000	15.5	12	43500	27800	21600	7.5	6.6	1.88	218690710	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH080NV60C	R-454B	45000	15.5	12	43000	27200	21200	7.5	6.6	1.9	218472664	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH090V60C	R-454B	46000	16	11.7	44000	27800	21800	7.5	6.6	1.9	218472665	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH090XV60C	R-454B	46000	16	11.7	44000	27800	21800	7.5	6.6	1.9	218472666	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH100NV60C	R-454B	45500	15.5	12	43500	27600	21400	7.5	6.6	1.9	218472667	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH110V60C	R-454B	46000	16	12	44000	27800	21600	7.5	6.6	1.9	218472668	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL280UH110XV60C	R-454B	46000	16	12	44000	27800	21600	7.5	6.6	1.9	218472669	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL297UH080NV48C	R-454B	44500	14.7	11.2	43500	28000	21800	7.5	6.5	1.84	218472670	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SL297UH080NV60C	R-454B	45500	15.5	11.2	44500	28400	22200	7.5	6.6	1.86	218472671	N/A
ML16KP2-048-230A**	CK40[C],UJT-48C-***TDR	SLP99UH090XV48C	R-454B	45500	15.5	11.7	43500	27600	21600	7.5				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL195UH100NE60C	R-454B	47000	15.5	11.7	43000	27000	21600	7.5	6.6	1.9	218472683	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL196UH090XE48C	R-454B	47500	16	12	42500	26800	21200	7.5	6.6	1.94	218472684	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL196UH110XE60C	R-454B	47500	16	12	42500	26600	21200	7.8	6.6	1.94	218457688	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E48C	R-454B	48000	16.5	12	42500	26600	21200	7.8	6.7	1.96	218457689	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110E60C	R-454B	48000	16.5	12	43000	27000	21600	7.8	6.7	1.96	218457690	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL280UH110XE60C	R-454B	48000	16.5	12	43000	27000	21600	7.8	6.7	1.96	218457691	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH070XV36B	R-454B	47000	16	12	42500	26800	21200	7.5	6.6	1.92	218472693	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XE48C	R-454B	47500	16	12	42500	26600	21200	7.5	6.6	1.94	218472690	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV36C	R-454B	47000	16	12	42000	26600	21000	7.5	6.6	1.94	218472691	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV48C	R-454B	48000	16	12	43000	27000	21600	7.8	6.6	1.94	218457710	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH090XV60C	R-454B	48000	16	12	43000	27000	21400	7.8	6.6	1.94	218457711	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XE60C	R-454B	47500	16	12	42500	26600	21200	7.8	6.6	1.94	218457712	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV48C	R-454B	48000	16	12	42500	26800	21400	7.8	6.6	1.94	218457713	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	EL297UH110XV60C	R-454B	48000	16	12	42500	26800	21200	7.8	6.6	1.94	218457714	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH090E60C	R-454B	47500	16	12	42000	26600	21000	7.8	6.6	1.94	218457692	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110E60C	R-454B	48000	16.5	12	43000	27000	21400	7.8	6.7	1.96	218457693	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110V60C	R-454B	48000	16	12	42500	26600	21200	7.8	6.7	1.96	218457694	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML180UH110XE60C	R-454B	48000	16.5	12	43000	27000	21400	7.8	6.7	1.96	218457695	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH090XE48C	R-454B	47500	16	12	42500	26800	21200	7.5	6.6	1.94	218472685	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE48C	R-454B	47500	16	12	42500	26600	21200	7.8	6.6	1.94	218457696	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML193UH110XE60C	R-454B	47000	16	12	42000	26400	21000	7.8	6.6	1.94	218457697	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE48C	R-454B	47500	16	12	42500	26800	21200	7.5	6.6	1.94	218472686	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH090XE60C	R-454B	47000	16	12	42000	26400	21000	7.8	6.6	1.94	218457698	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML196UH110XE60C	R-454B	47500	16	12	42500	26600	21200	7.8	6.6	1.94	218457699	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML197UH080XE48C	R-454B	47000	16	12	42500	26600	21200	7.8	6.6	1.94	21845138	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH090XV48C	R-454B	48000	16	12	42500	27000	21400	7.8	6.6	1.94	218457700	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML296UH110XV60C	R-454B	47000	16	12	42000	26400	21000	7.5	6.6	1.94	218472687	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH090XV60C	R-454B	48000	16	11.7	43000	27200	21800	7.5	6.6	1.92	218695138	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	ML297UH110XV60C	R-454B	47000	16	12	43000	27000	21600	7.5	6.6	1.92	218690711	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH080NV60C	R-454B	47500	16	12	42500	26600	21200	7.8	6.6	1.94	218457701	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V36B	R-454B	47500	16	12	42000	26600	21000	7.8	6.6	1.94	218457715	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090V60C	R-454B	48000	16.5	12	42500	26600	21200	7.8	6.7	1.96	218457702	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH090XV60C	R-454B	48000	16.5	12	42500	26600	21200	7.8	6.7	1.96	218457703	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH100NV60C	R-454B	48000	16	12	43000	27000	21400	7.8	6.7	1.94	218457704	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110V60C	R-454B	48000	16.5	12	43000	27000	21400	7.8	6.7	1.96	218457705	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL280UH110XV60C	R-454B	48000	16.5	12	43000	27000	21400	7.8	6.7	1.96	218457706	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV48C	R-454B	47000	15.5	11.5	43000	27200	21800	7.5	6.6	1.88	218472688	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SL297UH080NV60C	R-454B	48000	16	12	43000	27200	21600	7.5	6.6	1.92	218472689	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH070XV36B	R-454B	47000	16	12	42500	26600	21200	7.5	6.6	1.92	218472692	N/A
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV48C	R-454B	48000	16	12	43000	27000	21600	7.8	6.6	1.94	218457707	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH090XV60C	R-454B	48000	16	12	43000	27000	21600	7.8	6.6	1.94	218457708	No
ML16KP2-048-230A**	CK40[C,U]T-49C-***TDR	SLP99UH110XV60C	R-454B	48000	16	12	42500	26600	21200	7.8	6.6	1.94	218457709	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	- - -	R-454B	44500	14.3	11	43500	28000	22000	7.5	6.7	1.88	218472631	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL180UH100NE60C	R-454B	45000	15.5	11.5	43000	27600	21800	7.5	6.6	1.9	218472694	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL195UH100NE60C	R-454B	44500	15.2	11.2	42500	27600	21600	7.5	6.6	1.86	218472695	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH090XE48C	R-454B	45000	15.5	11.7	42500	27200	21200	7.5	6.6	1.9	218472696	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL196UH110XE60C	R-454B	45000	15.5	12	42500	27000	21000	7.8	6.7	1.92	218457716	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E48C	R-454B	45000	16	12	42500	27200	21200	7.8	6.7	1.92	218457717	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110E60C	R-454B	45000	16	12	42500	27000	21000	7.8	6.7	1.94	218457718	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL280UH110XE60C	R-454B	45000	16	12	42500	27000	21000	7.8	6.7	1.94	218457719	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV36C	R-454B	45000	16	12	42000	27000	21000	7.5	6.6	1.92	218472706	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV48C	R-454B	45000	15.5	11.7	43000	27600	21600	7.5	6.6	1.9	218472707	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH090XV60C	R-454B	45000	15.5	11.7	43000	27400	21400	7.5	6.6	1.9	218472708	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XE60C	R-454B	44500	15.5	11.7	42500	27000	21000	7.5	6.6	1.92	218472709	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV48C	R-454B	45000	15.5	11.7	42500	27400	21400	7.5	6.6	1.92	218472710	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	EL297UH110XV60C	R-454B	45000	16	11.7	42500	27400	21400	7.8	6.7	1.92	218457734	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E48B	R-454B	45000	16	12	42500	27000	21000	7.5	6.7	1.92	218472705	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH090E60C	R-454B	45000	15.5	12	42000	27000	21000	7.5	6.6	1.92	218472697	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110E60C	R-454B	45500	16	11.7	43000	27400	21400	7.8	6.7	1.92	218457720	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110V60C	R-454B	45500	16	12	42500	27200	21200	7.8	6.7	1.94	218457721	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML180UH110XE60C	R-454B	45500	16	11.7	43000	27400	21400	7.8	6.7	1.92	218457722	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH090XE48C	R-454B	44500	15.5	11.7	42500	27200	21200	7.5	6.6	1.9	218472698	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE48C	R-454B	45000	15.5	11.7	42500	27000	21200	7.8	6.6	1.92	218457723	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML193UH110XE60C	R-454B	45500	15.5	11.7	43000	27400	21400	7.8	6.7	1.92	218457724	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE48C	R-454B	45000	15.5	11.7	42500	27200	21200	7.5	6.6	1.9	218472699	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH090XE60C	R-454B	45000	15.5	11.7	43000	27400	21400	7.8	6.7	1.92	218457725	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML196UH110XE60C	R-454B	45000	15.5	11.7	42500	27000	21200	7.8	6.6	1.92	218457726	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML197UH080XE48C	R-454B	45000	15.5	11.7	42500	27200	21200	7.5	6.6	1.9	218745139	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH090XV48C	R-454B	45000	15.5	11.7	43000	27400	21400	7.5	6.6	1.9	218597389	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	ML296UH110XV60C	R-454B	45000	15.5	12	42000	27000	21000	7.5				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH100NV60C	R-454B	45500	16	11.7	43000	27400	21400	7.8	6.7	1.92	218457730	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110V60C	R-454B	45500	16	11.7	43000	27600	21400	7.8	6.7	1.92	218457731	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SL280UH110XV60C	R-454B	45500	16	11.7	43000	27600	21400	7.8	6.7	1.92	218457732	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV48C	R-454B	44500	15.2	11.2	43000	27800	21800	7.5	6.6	1.86	218472701	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SL297UH080NV60C	R-454B	45000	15.5	11.5	43000	27600	21600	7.5	6.6	1.9	218472702	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV48C	R-454B	45500	15.5	11.7	43000	27600	21600	7.5	6.6	1.9	218472703	N/A
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH090XV60C	R-454B	45500	15.5	11.7	43000	27600	21600	7.8	6.7	1.92	218457733	No
ML16KP2-048-230A**	CK40[C,U]T-50/60C-***TDR	SLP99UH110XV60C	R-454B	45000	16	11.7	42500	27200	21200	7.5	6.6	1.92	218472704	N/A
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	- - -	R-454B	44000	14.3	11.2	43000	28200	23400	8.5	7.3	2.14	218472761	N/A
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	EL180UH100NE60C	R-454B	45500	16	11.7	43000	28000	23000	8.5	7.2	2.16	218457786	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	EL195UH100NE60C	R-454B	44500	15.5	11.5	42500	27800	23000	8.2	7.2	2.14	218457793	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	EL297UH110XV60C	R-454B	45500	16	12	42000	27400	22400	8.2	7.2	2.18	218457795	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XE60D	R-454B	45000	15.5	12	42000	27400	22600	8.5	7.3	2.2	218457796	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	EL297UH135XV60D	R-454B	46000	16	12	42500	27400	22600	8.5	7.2	2.2	218457797	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	ML180UH135E60D	R-454B	45500	16	11.7	43000	27800	23000	8.5	7.3	2.18	218457787	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	ML196UH110XE60C	R-454B	45000	16	12	42000	27400	22600	8.5	7.3	2.2	218457794	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	ML196UH135XE60D	R-454B	45500	15.5	12	42500	27600	22600	8.5	7.2	2.18	218457788	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	ML197UH080XE48C	R-454B	45000	16	12	42000	27400	22400	8.2	7.2	2.16	218745163	N/A
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	ML297UH090XV60C	R-454B	45000	16	11.7	42500	27800	22800	8.2	7.2	2.16	218695140	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	ML297UH135XV60D	R-454B	46000	16	12.5	42000	27200	22200	8.5	7.3	2.26	218695120	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	SL280UH135V60D	R-454B	46000	16.5	12	43000	27800	22800	8.5	7.3	2.2	218457789	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	SL297UH080NV48C	R-454B	45000	15.5	11.5	43000	28000	23400	8.2	7.2	2.12	218457790	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	SL297UH080NV60C	R-454B	45500	16	11.7	42500	27800	22800	8.2	7.2	2.16	218457791	No
ML16KP2-048-230A**	CK40[C,U]T-60D-***TDR	SLP99UH135XV60D	R-454B	45500	16	12	42500	27400	22400	8.5	7.2	2.2	218457792	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	EL297DF090XV60C	R-454B	46000	16	11.7	46000	28800	22600	7.8	6.6	1.86	218457746	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	EL297DF110XV60C	R-454B	46000	16	11.7	46000	28600	22600	7.8	6.6	1.88	218457747	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML180DF110E60C	R-454B	47000	16.5	12	46000	28200	22200	7.8	6.7	1.9	218457736	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML193DF090XE48C	R-454B	45500	16	12	45500	28200	22200	7.8	6.7	1.9	218457737	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML196DF090XE48C	R-454B	46000	16	12	45500	28000	22000	7.8	6.7	1.92	218457738	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML196DF110XE60C	R-454B	45500	16	12	45500	28000	22000	7.8	6.7	1.92	218457739	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML296DF090XV60C	R-454B	46000	16	12	45500	28200	22200	7.8	6.7	1.9	218457740	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML297DF090XV60C	R-454B	46000	16	12	45500	28200	22200	7.8	6.7	1.88	218690650	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	ML297DF110XV60C	R-454B	46500	16	11.5	46500	29000	23000	7.5	6.6	1.84	218695113	N/A
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	SL280DF080NV60C	R-454B	46500	16	11.7	46000	28400	22400	7.8	6.7	1.88	218457735	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	SL280DF090V60C	R-454B	46500	16	12	46000	28400	22400	7.8	6.7	1.9	218457741	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	SL280DF110V60C	R-454B	46000	16	12	45500	28200	22200	7.8	6.7	1.9	218457742	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV48C	R-454B	46000	16	11.5	46000	28600	22600	7.8	6.6	1.86	218457743	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	SLP99DF090XV60C	R-454B	46000	16	11.7	46000	28800	22600	7.8	6.6	1.86	218457744	No
ML16KP2-048-230A**	CK40DT-50/60C-***TDR	SLP99DF110XV60C	R-454B	46000	16	11.7	46000	28600	22600	7.8	6.6	1.88	218457745	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	- - -	R-454B	45500	14.7	11.2	47500	29400	23200	8.1	6.9	1.9	218472629	N/A
ML16KP2-048-230A**	CK40DT-60D-***TDR	EL297DF090XV60C	R-454B	47000	16	11.7	47000	29200	22800	8.1	6.8	1.88	218457679	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	EL297DF110XE60C	R-454B	47000	16	12	47000	29000	22600	8.1	6.8	1.9	218457680	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	EL297DF110XV60C	R-454B	47000	16	11.7	47000	29000	22800	8.1	6.8	1.9	218457681	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	ML297DF110XV60C	R-454B	46500	16	11.7	47500	29400	23000	8.1	6.8	1.88	218695114	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	SL280DF090V60C	R-454B	47000	16	12	47000	28800	22400	8.1	6.8	1.92	218457682	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	SL280DF110V60C	R-454B	46500	16	12	46500	28600	22200	8.1	6.8	1.94	218457683	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	SLP99DF090XV60C	R-454B	47000	16	11.7	47000	29200	22800	8	6.8	1.88	218457684	No
ML16KP2-048-230A**	CK40DT-60D-***TDR	SLP99DF110XV60C	R-454B	47000	16	11.7	47000	29000	22800	8.1	6.8	1.9	218457685	No
ML16KP2-048-230A**	CK40HT-48B-***TDR	- - -	R-454B	43500	14.3	11.2	42500	27000	21200	7.5	6.6	1.9	218472632	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	EL280UH090E48B	R-454B	45000	15.5	12	42500	26600	20600	7.5	6.6	1.92	218472711	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	EL280UH090XE48B	R-454B	45000	15.5	12	42500	26600	20600	7.5	6.6	1.92	218472712	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	EL297UH070XV36B	R-454B	44500	16	11.7	42000	26600	20800	7.5	6.5	1.9	218472723	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	ML180UH070V48B	R-454B	45500	16	12	42500	26600	20800	7.5	6.6	1.92	218472713	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	ML180UH090E48B	R-454B	45000	16	12	42000	26400	20600	7.5	6.6	1.92	218472714	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	ML180UH090V48B	R-454B	45000	15.5	11.7	43000	27000	21200	7.5	6.5	1.9	218472715	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	ML180UH090XE48B	R-454B	45000	16	12	42000	26400	20600	7.5	6.6	1.92	218472716	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	ML196UH070XE48B	R-454B	44500	15.5	11.7	42500	26800	21000	7.5	6.5	1.9	218472717	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	SL280UH080NV48B	R-454B	45000	15.5	11.7	42500	26800	21000	7.5	6.5	1.9	218472718	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	SL280UH090V36B	R-454B	45000	16	12	42000	26400	20600	7.5	6.6	1.92	218472719	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	SL280UH090V48B	R-454B	45500	16	12	42500	26800	20800	7.5	6.5	1.92	218472720	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	SL280UH090XV48B	R-454B	45500	16	12	42500	26800	20800	7.5	6.5	1.92	218472721	N/A
ML16KP2-048-230A**	CK40HT-48B-***TDR	SLP99UH070XV36B	R-454B	45000	16	12	42000	26400	20800	7.5	6.5	1.92	218472722	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	- - -	R-454B	46000	14.7	11.2	44000	27600	22200	7.5	6.6	1.88	218472633	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL180UH100NE60C	R-454B	46500	16	11.7	43500	27200	22000	7.5	6.5	1.88	218472724	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL195UH100NE60C	R-454B	46000	15.5	11.5	43500	27400	22000	7.5	6.5	1.84	218472725	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL196UH090XE48C	R-454B	46000	16	12	43000	26600	21400	7.5	6.5	1.9	218472726	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL196UH110XE60C	R-454B	46000	16	12	43000	26600	21200	7.5	6.5	1.9	218472727	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL280UH110E48C	R-454B	46500	16	12	43000	26600	21400	7.5	6.5	1.92	218472728	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL280UH110E60C	R-454B	46500	16	12	43000	26600	21200	7.5	6.6	1.92	218472729	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL280UH110XE60C	R-454B	46500	16	12	43000	26600	21200	7.5	6.6	1.92	218472730	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL297UH090XV36C	R-454B	46000	16	12	43000	26600	21200	7.5	6.5	1.		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-048-230A**	CK40HT-48C-***TDR	EL297UH110XV60C	R-454B	46500	16	12	43500	26800	21600	7.5	6.5	1.9	218472759	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML180UH090E60C	R-454B	47000	16	12	43500	27000	21800	7.5	6.6	1.9	218472731	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML180UH110E60C	R-454B	47000	16	12	43500	27000	21600	7.5	6.6	1.9	218472732	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML180UH110V60C	R-454B	47000	16	12	43000	26600	21400	7.5	6.6	1.92	218472733	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML180UH110XE60C	R-454B	47000	16	12	43500	27000	21600	7.5	6.6	1.9	218472734	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML193UH090XE48C	R-454B	46000	16	12	43000	26600	21400	7.5	6.5	1.88	218472735	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML193UH110XE48C	R-454B	46000	16	12	43000	26600	21400	7.5	6.5	1.9	218472736	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML193UH110XE60C	R-454B	46500	16	12	43500	26800	21600	7.5	6.5	1.9	218472737	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML196UH090XE48C	R-454B	46000	16	12	43000	26600	21400	7.5	6.5	1.9	218472738	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML196UH090XE60C	R-454B	46500	16	12	43500	27000	21600	7.5	6.5	1.9	218472739	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML196UH110XE60C	R-454B	47000	16	11.7	43500	27200	21800	7.5	6.6	1.9	218472740	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML197UH080XE48C	R-454B	46000	15.5	12	43000	26800	21400	7.5	6.6	1.9	218745141	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML296UH090XV48C	R-454B	46500	16	11.7	43500	27000	21600	7.5	6.5	1.88	218597387	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML296UH110XV60C	R-454B	46000	16	12	43000	26400	21200	7.5	6.5	1.9	218472741	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML297UH090XV60C	R-454B	46500	16	11.7	43500	27200	22000	7.5	6.5	1.88	218695141	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	ML297UH110XV60C	R-454B	46000	16	12	43500	27200	21800	7.5	6.5	1.88	218690713	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH080NV48B	R-454B	46500	16	11.7	43500	27000	21600	7.5	6.5	1.88	218472753	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH080NV60C	R-454B	46500	16	12	43000	26600	21400	7.5	6.5	1.9	218472742	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH090V60C	R-454B	46500	16	12	43000	26600	21400	7.5	6.5	1.92	218472743	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH090XV60C	R-454B	46500	16	12	43000	26600	21400	7.5	6.5	1.92	218472744	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH100NV60C	R-454B	47000	16	12	43500	27000	21600	7.5	6.5	1.9	218472745	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH110V60C	R-454B	47000	16	12	43500	27000	21800	7.5	6.6	1.9	218472746	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL280UH110XV60C	R-454B	47000	16	12	43500	27000	21800	7.5	6.6	1.9	218472747	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL297UH080NV48C	R-454B	46000	15.5	11.2	43500	27400	22000	7.5	6.5	1.84	218472748	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SL297UH080NV60C	R-454B	46500	16	11.7	43500	27200	21800	7.5	6.5	1.88	218472749	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SLP99UH090XV48C	R-454B	46500	16	11.7	43500	27000	21800	7.5	6.5	1.88	218472750	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SLP99UH090XV60C	R-454B	47000	16	11.7	43500	27000	21800	7.5	6.5	1.9	218472751	N/A
ML16KP2-048-230A**	CK40HT-48C-***TDR	SLP99UH110XV60C	R-454B	46500	16	12	43000	26800	21400	7.5	6.5	1.9	218472752	N/A
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	- - -	R-454B	45000	14.7	11.2	44500	29400	23600	8.5	7.2	2.08	218472762	N/A
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL180UH100NE60C	R-454B	46000	16.5	11.2	45000	30000	24000	8.5	7.2	2.06	218457749	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL195UH100NE60C	R-454B	44500	15.5	11.5	43500	28600	23000	8.2	7.1	2.06	218457750	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL196UH090XE48C	R-454B	45000	16.5	12	43500	28400	22800	8.2	7.1	2.12	218457751	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL196UH110XE60C	R-454B	46000	16.5	11.5	45000	29600	23600	8.5	7.2	2.1	218457752	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E48C	R-454B	45500	16.5	12	43500	28600	22600	8.5	7.2	2.12	218457753	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL280UH110E60C	R-454B	45500	16.5	12	43000	28400	22600	8.5	7.2	2.14	218457754	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL280UH110XE60C	R-454B	45500	16.5	12	43000	28400	22600	8.5	7.2	2.14	218457755	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV36C	R-454B	45000	16.5	12	43000	28200	22600	8.2	7.1	2.12	218457780	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV48C	R-454B	45500	16.5	11.7	44000	29000	23000	8.2	7.2	2.1	218457781	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL297UH090XV60C	R-454B	45500	16.5	11.7	43500	28800	23000	8.2	7.2	2.1	218457782	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XE60C	R-454B	46000	16.5	11.7	44000	29000	23000	8.5	7.2	2.1	218457783	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV48C	R-454B	45500	16.5	12	43500	28800	22800	8.2	7.2	2.1	218457784	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	EL297UH110XV60C	R-454B	45500	16.5	12	43500	28800	22800	8.5	7.2	2.12	218457785	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML180UH090E60C	R-454B	45000	16	12	43000	28000	22600	8.2	7.2	2.12	218457756	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML180UH110E60C	R-454B	46000	16.5	12	43500	28800	22800	8.5	7.2	2.12	218457757	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML180UH110V60C	R-454B	46000	16.5	12	43500	28600	22600	8.5	7.2	2.14	218457758	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML180UH110XE60C	R-454B	46000	16.5	12	43500	28800	22800	8.5	7.2	2.12	218457759	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML193UH090XE48C	R-454B	45000	16	12	43500	28600	22800	8.2	7.2	2.1	218457760	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE48C	R-454B	45000	16.5	12	43000	28200	22600	8.2	7.2	2.12	218457761	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML193UH110XE60C	R-454B	45500	16.5	12	43500	28800	22800	8.5	7.2	2.12	218457762	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE48C	R-454B	45000	16.5	12	43500	28400	22800	8.2	7.1	2.12	218457763	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML196UH090XE60C	R-454B	45500	16.5	11.7	43500	28800	23000	8.5	7.2	2.1	218457764	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML196UH110XE60C	R-454B	45000	16	12	43000	28200	22600	8.2	7.2	2.12	218457765	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML197UH080XE48C	R-454B	45000	16	12	43500	28600	22800	8.2	7.2	2.1	218745142	N/A
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML296UH090XV48C	R-454B	45500	16	11.7	43500	28800	23000	8.2	7.2	2.1	218457766	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML296UH110XV60C	R-454B	45500	16.5	11.7	44000	29000	23000	8.5	7.2	2.12	218457767	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML297UH090XV60C	R-454B	45000	16.5	12	43500	28600	22800	8.2	7.2	2.1	218695142	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	ML297UH110XV60C	R-454B	45500	16.5	11.7	43500	28200	22800	8.5	7.1	2.1	218690714	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH080NV48B	R-454B	45500	16	11.7	43500	28800	23000	8.2	7.2	2.1	218457779	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH080NV60C	R-454B	45500	16.5	12	43500	28600	22800	8.2	7.2	2.12	218457768	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH090V60C	R-454B	45500	16.5	12	43500	28600	22600	8.5	7.2	2.12	218457769	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH090XV60C	R-454B	45500	16.5	12	43500	28600	22600	8.5	7.2	2.12	218457770	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH100NV60C	R-454B	46000	16.5	12	43500	28800	23000	8.5	7.2	2.12	218457771	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH110V60C	R-454B	46000	16.5	12	44000	29000	23000	8.5	7.2	2.12	218457772	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL280UH110XV60C	R-454B	46000	16.5	12	44000	29000	23000	8.5	7.2	2.12	218457773	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL297UH080NV48C	R-454B	45000	15.5	11.2	44000	29200	23400	8.2	7.1	2.04	218457774	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SL297UH080NV60C	R-454B	45500	16	11.7	44000	29000	23200	8.2	7.2	2.08	218457775	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV48C	R-454B	45500	16.5	11.7	44000	29000	23000	8.2	7.2	2.1	218457776	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SLP99UH090XV60C	R-454B	45500	16.5	12	43500	28600	22800	8.2	7.2	2.12	218457777	No
ML16KP2-048-230A**	CK40HT-51/61C-***TDR	SLP99UH110XV60C	R-454B	45500	16.5	12	43500	28600	22800	8.2	7.2	2.12	218457778	No
ML16KP2-048-230A**	CK40HT-60D-***TDR	- - -	R-454B	45000	14.7	11	46000	30000	24200	8.2	7.1	2.04	218472760	N/A
ML16KP2-048-230A**	CK40HT-60D-***TDR	EL180UH100NE60C	R-454B	46500	16	11.5	45500	29600	23800	8.2	7			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML16KP2-048-230A**	CK40HT-60D-**-TDR	EL297UH135XE60D	R-454B	47000	16	11.5	45500	29800	24000	8.2	7	2.06	218457819	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	EL297UH135XV60D	R-454B	47000	16.5	11.7	45500	29400	23600	8.2	7.1	2.1	218457820	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML180UH090E48B	R-454B	46000	16	11.7	44500	29000	23200	8.1	7	2.08	218457798	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML180UH090E60C	R-454B	45500	16	11.7	44500	28800	23000	8.1	7	2.08	218457799	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML180UH110E60C	R-454B	46500	16.5	11.7	45000	29400	23600	8.2	7.1	2.08	218457800	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML180UH110XE60C	R-454B	46500	16.5	11.7	45000	29400	23600	8.2	7.1	2.08	218457810	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML180UH135E60D	R-454B	46000	16	11.7	44500	29000	23200	8.2	7	2.08	218457801	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML193UH090XE48C	R-454B	45500	16	11.7	44500	29000	23200	8.1	7	2.06	218457811	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML193UH110XE60C	R-454B	45500	16	11.7	44500	28800	23000	8.1	7	2.08	218457802	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML196UH090XE48C	R-454B	46000	16	11.7	45000	29000	23200	8.1	7	2.06	218457812	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML196UH110XE60C	R-454B	46000	16	11.7	44500	29000	23200	8.1	7	2.08	218457813	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML196UH135XE60D	R-454B	47000	16	11.2	46000	30400	24200	8.2	7.1	2.06	218457803	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML197UH080XE48C	R-454B	46000	16	11.7	45000	29000	23200	8.1	7	2.08	218745143	N/A
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML297UH090XV60C	R-454B	46500	16	11.5	45500	29600	23800	8.1	7	2.06	218695143	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	ML297UH135XV60D	R-454B	47000	16.5	12	45000	29000	23000	8.2	7.1	2.14	218695121	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SL280UH080NV60C	R-454B	46000	16	11.7	44500	29000	23200	8.1	7	2.08	218457814	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SL280UH090V60C	R-454B	47000	16.5	11.7	45500	29600	23800	8.2	7.1	2.08	218457821	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SL280UH135V60D	R-454B	46500	16.5	11.7	45000	29200	23400	8.2	7.1	2.1	218457804	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SL297UH080NV48C	R-454B	45500	15.5	11.2	45000	29600	23800	8	6.9	2.02	218457815	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SL297UH080NV60C	R-454B	46000	16	11.5	45000	29400	23600	8.1	7	2.06	218457816	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SLP99UH090XV60C	R-454B	46500	16	11.7	45000	29400	23600	8.2	7	2.08	218457817	No
ML16KP2-048-230A**	CK40HT-60D-**-TDR	SLP99UH135XV60D	R-454B	47500	16.5	11.5	46000	30200	24000	8.2	7.1	2.08	218457805	No
ML16KP2-060-230A**	CBK43UHET-060-DV-**-	---	R-454B	56000	14.7	11	57500	36400	28400	7.5	6.8	1.96	218630630	N/A
ML16KP2-060-230A**	CBK45UHET-060-230-**-	---	R-454B	55500	14.7	11.5	55000	36200	29200	7.8	7	2.1	218630631	N/A
ML16KP2-060-230A**	CBK45UHV-060-230-**-	---	R-454B	55500	14.7	11.5	55000	36400	29200	7.8	7	2.1	218630632	N/A
ML16KP2-060-230A**	CBK47UHET-060-230-**-	---	R-454B	58500	15.8	12.2	54500	34200	27800	7.8	6.8	2.1	218457521	No
ML16KP2-060-230A**	CBK48MVT-060-230-**-	---	R-454B	57500	15.5	12	53500	34200	27800	7.8	6.8	2.1	218630629	No
ML16KP2-060-230A**	CK40[C],UJT-49C-**-TDR	EL280UH110E60C	R-454B	57000	16	12	53500	35000	28000	7.5	6.6	1.98	218630647	N/A
ML16KP2-060-230A**	CK40[C],UJT-49C-**-TDR	EL280UH110XE60C	R-454B	57000	16	12	53500	35000	28000	7.5	6.6	1.98	218630648	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XV48C	R-454B	57500	15.5	11.7	54000	33200	25400	7.5	6.5	1.92	218630637	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	EL297UH110XV60C	R-454B	57500	16	11.7	54000	33200	25400	7.5	6.5	1.92	218630638	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110E60C	R-454B	57000	15.5	12	53500	32600	25000	7.5	6.5	1.94	218630639	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	ML180UH110XE60C	R-454B	57000	15.5	12	53500	32600	25000	7.5	6.5	1.94	218630640	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	ML193UH110XE60C	R-454B	57500	15.5	11.7	54500	33400	25600	7.5	6.5	1.92	218630633	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	ML296UH110XV60C	R-454B	57000	15.5	11.7	54000	33000	25200	7.5	6.5	1.94	218630634	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH090V48B	R-454B	57000	15.5	11.7	54000	33000	25400	7.5	6.5	1.92	218630645	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH090V60C	R-454B	57500	16	12	54000	33000	25200	7.5	6.5	1.94	218630641	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH090XV48B	R-454B	57000	15.5	11.7	54000	33000	25400	7.5	6.5	1.92	218630646	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH090XV60C	R-454B	57500	16	12	54000	33000	25200	7.5	6.5	1.94	218630642	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH100NV60C	R-454B	57000	15.5	12	53500	32800	25200	7.5	6.5	1.94	218630635	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH110V60C	R-454B	57500	16	12	54000	33000	25200	7.5	6.5	1.94	218630643	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SL280UH110XV60C	R-454B	57500	16	12	54000	33000	25200	7.5	6.5	1.94	218630644	N/A
ML16KP2-060-230A**	CK40[C],UJT-60C-**-TDR	SLP99UH110XV60C	R-454B	57000	16	11.7	54000	33000	25200	7.5	6.5	1.94	218630636	N/A
SL22KLV-024-230A**	CBK48MVT-018/024-230-**-	---	R-454B	22200	19.5	12.6	17900	23200	21800	9	8	2.14	216776013	Both
SL22KLV-024-230A**	CBK48MVT-030-230-**-	---	R-454B	22400	20	13	23400	23000	21400	9	7.8	2.1	216968308	Both
SL22KLV-024-230A**	CBK48MVT-036-230-**-	---	R-454B	22400	20	13	23400	23000	21400	9	7.8	2.1	216776014	Both
SL22KLV-024-230A**	CBK48MVT-042-230-**-	---	R-454B	22600	20	13	23800	24000	22800	10.5	8.7	2.3	216379010	Both
SL22KLV-024-230A**	CK40[C],UJT-30A-**-TDR	SL280UH060NV36A	R-454B	22400	20	12.6	23800	24400	22800	8.2	7.1	1.78	216776063	Both
SL22KLV-024-230A**	CK40[C],UJT-30A-**-TDR	SL280UH070V36A	R-454B	22400	19	12.4	24000	24600	22800	8.2	7	1.78	216776064	Both
SL22KLV-024-230A**	CK40[C],UJT-30A-**-TDR	SL280UH070XV36A	R-454B	22400	19	12.4	24000	24600	22800	8.2	7	1.78	216776065	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	EL297UH045XV36B	R-454B	22200	19	12	24000	24600	23000	8.2	7	1.78	216776032	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	EL297UH070XV36B	R-454B	22200	19.5	12.2	24000	24600	22800	8.2	7.1	1.78	216776033	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SL280UH080NV48B	R-454B	22400	19.5	12.4	23800	24400	22800	8.2	7	1.78	216776025	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SL280UH090V36B	R-454B	22400	19.5	12.4	23800	24400	22800	8.2	7.1	1.78	216776026	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SL280UH090V48B	R-454B	22200	19	12.4	24000	24600	22800	8.2	7	1.78	216776027	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SL280UH090XV48B	R-454B	22200	19	12.4	24000	24600	22800	8.2	7	1.78	216776028	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SL297UH040NV36B	R-454B	22200	19.5	12.2	24000	24600	22800	8.2	7	1.78	216776029	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SL297UH060NV36B	R-454B	22200	19	12.2	24000	24600	22800	8.2	7	1.78	216776030	Both
SL22KLV-024-230A**	CK40[C],UJT-30B-**-TDR	SLP99UH070XV36B	R-454B	22200	19.5	12.2	24000	24600	22800	8.2	7.1	1.78	216776031	Both
SL22KLV-024-230A**	CK40[C],UJT-36A-**-TDR	SL280UH060NV36A	R-454B	22600	19	12.8	23400	22800	21800	8.5	7.5	2.08	216776060	Both
SL22KLV-024-230A**	CK40[C],UJT-36A-**-TDR	SL280UH070V36A	R-454B	22600	18.5	12.6	23400	22800	22000	8.5	7.5	2.08	216776061	Both
SL22KLV-024-230A**	CK40[C],UJT-36A-**-TDR	SL280UH070XV36A	R-454B	22600	18.5	12.6	23400	22800	22000	8.5	7.5	2.08	216776062	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	EL297UH045XV36B	R-454B	22600	18.5	12.4	23400	23000	22000	8.5	7.5	2.06	216776022	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	EL297UH070XV36B	R-454B	22600	19	12.4	23400	22800	22000	8.5	7.5	2.06	216776023	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SL280UH080NV48B	R-454B	22600	19	12.8	23400	22800	21800	8.5	7.5	2.08	216776015	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SL280UH090V36B	R-454B	22600	19	12.8	23400	22800	21800	8.5	7.5	2.08	216776016	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SL280UH090V48B	R-454B	22600	18	12.6	23400	22800	22000	8.5	7.5	2.08	216776017	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SL280UH090XV48B	R-454B	22600	18	12.6	23400	22800	22000	8.5	7.5	2.08	216776018	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SL297UH040NV36B	R-454B	22600	18.5	12.4	23400	22800	22000	8.5	7.5	2.06	216776019	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SL297UH060NV36B	R-454B	22600	18.5	12.4	23400	22800	22000	8.5	7.5	2.06	216776020	Both
SL22KLV-024-230A**	CK40[C],UJT-36B-**-TDR	SLP99UH070XV36B	R-454B	22600	19	12.4	23400	22800	22000	8.5	7.5	2.06	216776021</	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	EL297UH110XV60C	R-454B	22800	17.5	12.8	23400	20000	19000	8.5	7.3	2.1	218073775	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL280UH080NV60C	R-454B	22800	17.5	12.8	23400	20200	19000	8.5	7.4	2.1	218073886	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL280UH090V60C	R-454B	22800	17.5	13	23400	20000	19000	8.5	7.4	2.12	218073777	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL280UH090XV60C	R-454B	22800	17.5	13	23400	20000	19000	8.5	7.4	2.12	218073770	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL280UH100NV60C	R-454B	22800	17	12.8	23400	20200	19000	8.5	7.3	2.1	218073887	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL280UH110V60C	R-454B	22800	17	13	23400	20000	19000	8.5	7.3	2.1	218073892	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL280UH110XV60C	R-454B	22800	17	13	23400	20000	19000	8.5	7.3	2.1	218073893	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV48C	R-454B	22600	17.5	12.2	23600	20400	19300	8.5	7.3	2.06	218073771	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SL297UH080NV60C	R-454B	22800	16.9	12.8	23400	20200	19000	8.5	7.3	2.1	218073773	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV36C	R-454B	22800	19	12.8	23400	20200	19000	8.5	7.4	2.1	218073776	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV48C	R-454B	22600	18	12.8	23400	20200	19100	8.5	7.4	2.1	218073890	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SLP99UH090XV60C	R-454B	22600	17	12.8	23400	20200	19100	8.5	7.3	2.1	218073772	Both
SL22KLV-024-230A**	CK40[C,U]T-36C-***TDR	SLP99UH110XV60C	R-454B	22800	17.5	12.8	23400	20000	19000	8.5	7.4	2.1	218073891	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	EL297UH045XV36B	R-454B	22400	20	12.6	23800	18800	18000	8.5	7	1.86	216968305	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	EL297UH070XV36B	R-454B	22400	20	12.8	23800	18700	17900	8.5	7.1	1.86	216968306	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SL280UH080NV48B	R-454B	22600	20	13	23600	18600	17800	8.5	7.1	1.86	216968298	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SL280UH090V36B	R-454B	22600	20.5	13	23800	18600	17800	8.5	7.1	1.86	216968299	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SL280UH090V48B	R-454B	22400	19.5	12.8	23800	18700	17900	8.5	7.1	1.86	216968300	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SL280UH090XV48B	R-454B	22400	19.5	12.8	23800	18700	17900	8.5	7.1	1.86	216968301	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SL297UH040NV36B	R-454B	22400	20	12.8	23800	18700	17900	8.5	7.1	1.86	216968302	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SL297UH060NV36B	R-454B	22400	20	12.6	23800	18800	17900	8.5	7.1	1.86	216968303	Both
SL22KLV-024-230A**	CK40[C,U]T-48B-***TDR	SLP99UH070XV36B	R-454B	22400	20	12.8	23800	18700	17900	8.5	7.1	1.86	216968304	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV36C	R-454B	22600	20	13	23600	18600	17800	8.5	7.1	1.86	216968293	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV48C	R-454B	22600	19.5	13	23600	18600	17800	8.5	7.1	1.88	216968294	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	EL297UH090XV60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	7	1.88	216968295	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV48C	R-454B	22600	19.5	13	23800	18600	17800	8.5	7.1	1.86	216968296	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	EL297UH110XV60C	R-454B	22600	18	13	23800	18600	17800	8.5	7	1.86	216968297	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL280UH080NV60C	R-454B	22600	19	13.2	23600	18600	17700	8.5	7	1.88	216968281	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL280UH090V60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	7	1.88	216968282	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL280UH090XV60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	7	1.88	216968283	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL280UH100NV60C	R-454B	22600	18	13	23600	18600	17800	8.5	7	1.88	216968284	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL280UH110V60C	R-454B	22600	18	13	23800	18700	17900	8.5	7	1.86	216968285	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL280UH110XV60C	R-454B	22600	18	13	23800	18700	17900	8.5	7	1.86	216968286	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV48C	R-454B	22600	19.5	12.8	23800	18700	17900	8.5	7.1	1.86	216968287	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SL297UH080NV60C	R-454B	22400	17.5	12.8	23800	18700	17900	8.5	7	1.86	216968288	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV36C	R-454B	22600	20	13	23600	18600	17800	8.5	7.1	1.86	216968289	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV48C	R-454B	22600	19.5	13	23600	18600	17800	8.5	7.1	1.88	216968290	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SLP99UH090XV60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	7	1.88	216968291	Both
SL22KLV-024-230A**	CK40[C,U]T-48C-***TDR	SLP99UH110XV60C	R-454B	22600	18	13	23800	18700	17800	8.5	7	1.86	216968292	Both
SL22KLV-024-230A**	CK40DT-42B-***TDR	EL297DF045XV36B	R-454B	22000	18.5	12.2	24000	20200	18500	8.2	7	1.78	217476476	No
SL22KLV-024-230A**	CK40DT-42B-***TDR	EL297DF070XV48B	R-454B	21800	18	11.7	24000	20400	18700	8.2	6.9	1.74	217476458	No
SL22KLV-024-230A**	CK40DT-42B-***TDR	SL280DF060NV36B	R-454B	21800	18	12	24000	20200	18600	8.2	7	1.76	217476479	No
SL22KLV-024-230A**	CK40DT-42B-***TDR	SL280DF090V48B	R-454B	21800	18.5	12	24000	20400	18600	8.2	7	1.76	217476478	No
SL22KLV-024-230A**	CK40DT-42B-***TDR	SLP99DF070XV36B	R-454B	21800	19	12	24000	20200	18600	8.2	7	1.76	217476477	No
SL22KLV-024-230A**	CK40HT-42B-***TDR	EL297UH045XV36B	R-454B	23000	19.5	11.5	23400	28800	22800	10.2	8.5	2.24	216776112	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	EL297UH070XV36B	R-454B	23000	19.5	11.5	23200	21800	22400	9.8	8.2	2.24	216776111	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SL280UH080NV48B	R-454B	23200	19.5	11.7	23200	21800	22400	9.8	8.2	2.26	216776034	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SL280UH090V36B	R-454B	23200	20	11.7	23200	21800	22400	9.8	8.2	2.26	216776035	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SL280UH090V48B	R-454B	23000	19	11.7	23200	21800	22400	9.8	8.2	2.24	216776036	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SL280UH090XV48B	R-454B	23000	19	11.7	23200	21800	22400	9.8	8.2	2.24	216776037	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SL297UH040NV36B	R-454B	23000	19.5	11.5	23200	28800	22400	10.2	8.5	2.24	216776108	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SL297UH060NV36B	R-454B	23000	19.5	11.5	23400	28800	22400	10.2	8.5	2.24	216776109	Both
SL22KLV-024-230A**	CK40HT-42B-***TDR	SLP99UH070XV36B	R-454B	23000	19.5	11.5	23200	21800	22400	9.8	8.2	2.24	216776110	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	EL297UH045XV36B	R-454B	22800	20.5	12.4	22000	21800	22400	9.5	8	2.06	216776044	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	EL297UH090XV36C	R-454B	22800	20.5	12.8	22000	21600	22200	9.6	8	2.06	216776045	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	EL297UH090XV48C	R-454B	23000	20	12.8	21800	21600	22200	9.6	8	2.08	216776046	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	EL297UH090XV60C	R-454B	23000	19	12.8	22000	21600	22200	9.5	7.8	2.08	216776047	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	EL297UH110XV48C	R-454B	22800	19.5	12.8	22000	21800	22200	9.5	8	2.06	216776048	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	EL297UH110XV60C	R-454B	22800	18.5	12.8	22000	21600	22200	9.4	7.8	2.06	216776049	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH080NV48B	R-454B	23000	20.5	13	21800	21600	22200	9.6	8	2.08	216776041	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH080NV60C	R-454B	23000	19.5	13	21800	21600	22200	9.5	8	2.08	216776039	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH090V60C	R-454B	23000	18.5	13	21800	21600	22200	9.4	7.8	2.08	216776040	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH090XV60C	R-454B	23000	18.5	13	21800	21600	22200	9.4	7.8	2.08	216776059	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH100NV60C	R-454B	22800	18.5	12.8	22000	21600	22200	9.4	7.8	2.08	216776058	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH110V60C	R-454B	22800	18	12.8	22000	21800	22200	9.4	7.8	2.06	216776057	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL280UH110XV60C	R-454B	22800	18	12.8	22000	21800	22200	9.4	7.8	2.06	216776056	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL297UH040NV36B	R-454B	22800	20.5	12.6	22000	21800	22400	9.5	8	2.06	216776042	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL297UH060NV36B	R-454B	22800	20	12.6	22000	21800	22400	9.5	8	2.06	216776043	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL297UH080NV48C	R-454B	22800	20	12.6	22000	21800	22400	9.5	8	2.06	216776055	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SL297UH080NV60C	R-454B	22800	18	12.6	22000	21800	22400	9.4	7.8	2.06	216776054	Both
SL22KLV-024-230A**	CK40HT-42C-***TDR	SLP99UH090XV36C	R-454B											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-036-230A**	CBK48MVT-048-230-**	- - -	R-454B	35200	18.5	12.8	31600	33400	30400	8.2	7.4	2.18	216776066	Both
SL22KLV-036-230A**	CBK48MVT-060-230-**	- - -	R-454B	35200	20	13	32600	33600	33200	10.5	8.9	2.42	216776011	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	EL297UH070XV36B	R-454B	34200	17.5	12	30400	29800	27400	8.1	7.3	1.98	217895171	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV36C	R-454B	34400	18	12	30000	29600	27200	8	7.3	2	218045626	No
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV48C	R-454B	35200	19	12.8	31400	33800	31600	9	7.5	2.04	216776079	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	EL297UH090XV60C	R-454B	35200	19	12.8	31400	33800	31600	9	7.5	2.06	216776080	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	EL297UH110XV48C	R-454B	35200	19	12.8	31400	33800	31600	9	7.5	2.04	216776081	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	EL297UH110XV60C	R-454B	35200	18.5	12.8	31400	33800	31600	9	7.5	2.04	216776082	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	ML297UH090XV36C	R-454B	34800	19	12.5	30800	29600	26600	7.8	7	2.14	218695107	No
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH080NV60C	R-454B	35400	19.5	13.2	31000	33400	31200	9	7.8	2.08	216776068	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH090V36B	R-454B	34400	18	12	30000	29600	27200	8.1	7.4	2	217895170	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH090V60C	R-454B	35400	19	13	31200	33600	31400	9	7.5	2.06	216776069	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH090XV60C	R-454B	35400	19	13	31200	33600	31400	9	7.5	2.06	216776070	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH100NV60C	R-454B	35400	19	13.2	31000	33400	31200	9	7.8	2.08	216776071	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH110V60C	R-454B	35200	18.5	12.8	31200	33800	31600	9	7.5	2.06	216776072	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL280UH110XV60C	R-454B	35200	18.5	12.8	31200	33800	31600	9	7.5	2.06	216776073	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL297UH080NV48C	R-454B	35200	19	12.8	31200	33800	31600	9	7.5	2.06	216776074	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SL297UH080NV60C	R-454B	35200	18.5	12.6	31400	30000	27600	8.5	7.4	2	216776075	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SLP99UH070XV36B	R-454B	34200	17.5	12	30400	29800	27200	8.1	7.3	1.98	217895172	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SLP99UH090XV48C	R-454B	35200	19	12.8	31400	33800	31600	9	7.5	2.04	216776076	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SLP99UH090XV60C	R-454B	35200	19	12.8	31400	33800	31600	9	7.5	2.06	216776077	Both
SL22KLV-036-230A**	CK40[C,U]T-49C-**-TDR	SLP99UH110XV60C	R-454B	35200	18.5	12.8	31400	33800	31600	9	7.5	2.04	216776078	Both
SL22KLV-036-230A**	CK40[C,U]T-50/60C-**-TDR	SL280UH080NV60C	R-454B	34600	19.5	13	33800	33600	31600	7.5	6.8	2.04	216776113	N/A
SL22KLV-036-230A**	CK40[C,U]T-50/60C-**-TDR	SL280UH100NV60C	R-454B	34600	19	13	33800	33600	31600	7.5	6.8	2.04	216776114	N/A
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	EL297UH090XV48C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	7.8	2.1	217476517	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	EL297UH090XV60C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	7.8	2.1	217476518	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	EL297UH110XV48C	R-454B	35000	19	12.6	32000	28800	26600	9.8	7.8	2.12	217476519	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	EL297UH110XV60C	R-454B	35000	18.5	12.8	31800	28800	26600	9.8	7.8	2.12	217476520	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	ML297UH090XV36C	R-454B	34400	18.5	12.5	32200	28600	26600	8.5	7.4	2.02	218695108	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL280UH080NV60C	R-454B	35000	18.5	12.6	31800	28800	26600	9.8	7.8	2.12	217476506	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL280UH090V60C	R-454B	35000	19	12.8	31800	28600	26400	10	7.8	2.12	217476507	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL280UH090XV60C	R-454B	35000	19	12.8	31800	28600	26400	10	7.8	2.12	217476508	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL280UH100NV60C	R-454B	35000	18.5	12.8	32000	28800	26600	9.8	7.8	2.12	217476509	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL280UH110V60C	R-454B	35000	18.5	12.8	31800	28600	26600	9.8	7.8	2.12	217476510	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL280UH110XV60C	R-454B	35000	18.5	12.8	31800	28600	26600	9.8	7.8	2.12	217476511	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL297UH080NV48C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	7.8	2.1	217476512	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SL297UH080NV60C	R-454B	34800	18	12.6	32000	28800	26800	9.8	7.8	2.1	217476513	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SLP99UH090XV48C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	7.8	2.1	217476514	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SLP99UH090XV60C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	7.8	2.1	217476515	Both
SL22KLV-036-230A**	CK40[C,U]T-60C-**-TDR	SLP99UH110XV60C	R-454B	35000	18.5	12.8	31800	28800	26600	9.8	7.8	2.12	217476516	Both
SL22KLV-036-230A**	CK40[C,U]T-60D-**-TDR	EL297UH110XV60C	R-454B	33600	18.5	11.7	31600	26800	24400	9.4	7.5	2.14	217476463	Both
SL22KLV-036-230A**	CK40[C,U]T-60D-**-TDR	EL297UH135XV60D	R-454B	33600	18.5	11.7	31400	26600	24400	9.4	7.5	2.14	217476464	Both
SL22KLV-036-230A**	CK40[C,U]T-60D-**-TDR	SL280UH135V60D	R-454B	33600	18.5	11.7	31400	26600	24400	9.4	7.5	2.14	217476459	Both
SL22KLV-036-230A**	CK40[C,U]T-60D-**-TDR	SL297UH080NV48C	R-454B	33600	18.5	11.5	31600	26800	24600	9	7.5	2.12	217476460	Both
SL22KLV-036-230A**	CK40[C,U]T-60D-**-TDR	SL297UH080NV60C	R-454B	33600	18	11.2	31600	26800	24600	9	7.4	2.12	217476461	Both
SL22KLV-036-230A**	CK40[C,U]T-60D-**-TDR	SLP99UH135XV60D	R-454B	33600	18.5	11.7	31400	26600	24400	9.4	7.5	2.14	217476462	Both
SL22KLV-036-230A**	CK40HT-42B-**-TDR	SL280UH080NV48B	R-454B	35400	19.5	13	31400	33600	31200	8.2	7.3	2.06	216776083	Both
SL22KLV-036-230A**	CK40HT-42B-**-TDR	SL280UH090V48B	R-454B	35400	18.5	12.6	31600	33800	31400	8.2	7.2	2.04	216776084	Both
SL22KLV-036-230A**	CK40HT-42B-**-TDR	SL280UH090XV48B	R-454B	35400	18.5	12.6	31600	33800	31400	8.2	7.2	2.04	216776085	Both
SL22KLV-036-230A**	CK40HT-42B-**-TDR	SLP99UH070XV36B	R-454B	35200	19	12.4	31400	30000	27800	8.1	7	2	217476480	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	EL297UH090XV48C	R-454B	35400	20	13.2	31400	27800	26600	8.5	7.2	2.06	217476493	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	EL297UH090XV60C	R-454B	35400	19.5	13.4	31200	27800	26600	8.5	7.1	2.08	217476494	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	EL297UH110XV48C	R-454B	35400	20	13.4	31200	27800	26600	8.5	7.2	2.08	217476495	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	EL297UH110XV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	7.2	2.08	217476496	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	ML297UH090XV36C	R-454B	35000	19.5	13	31200	27600	26400	8.2	6.9	2	218695109	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH080NV48B	R-454B	35400	19.5	13.2	31400	28000	26800	8.5	7.1	2.06	217476492	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH080NV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	7.2	2.08	217476481	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH090V60C	R-454B	35600	20.5	13.6	31000	27600	26400	8.5	7.2	2.1	217476482	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH090XV60C	R-454B	35600	20.5	13.6	31000	27600	26400	8.5	7.2	2.1	217476483	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH100NV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	7.2	2.08	217476484	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH110V60C	R-454B	35400	20	13.4	31200	27600	26600	8.5	7.2	2.08	217476485	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL280UH110XV60C	R-454B	35400	20	13.4	31200	27600	26600	8.5	7.2	2.08	217476486	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL297UH080NV48C	R-454B	35400	20	13.2	31200	27800	26600	8.5	7.1	2.08	217476487	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SL297UH080NV60C	R-454B	35400	19.5	13.2	31400	28000	26800	8.5	7.1	2.06	217476488	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SLP99UH090XV48C	R-454B	35400	20	13.2	31200	27800	26600	8.5	7.2	2.08	217476489	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SLP99UH090XV60C	R-454B	35400	19.5	13.4	31200	27800	26600	8.5	7.1	2.08	217476490	Both
SL22KLV-036-230A**	CK40HT-51/61C-**-TDR	SLP99UH110XV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	7.2	2.08	217476491	Both
SL22KLV-036-230A**	CK40HT-60D-**-TDR	EL297UH110XV60C	R-454B	34400	17	12.6	32600	29600	30200	9.4	7.8	2.16	217476503	Both
SL22KLV-036-230A**	CK40HT-60D-**-TDR	EL297UH135XV60D	R-454B	34400	17	12.6	32600	29600	30000	9.4	7.8	2.16	217476481	Both
SL22KLV-036-230A**	CK40HT-60D-**-TDR	SL280UH080NV60C	R-454B	34400	17	12.4	32600	29600	30200	9.4	7.8	2.1		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-036-230A**	CK40HT-60D-**-**TDR	SLP99UH135XV60D	R-454B	34400	17	12.6	32600	29600	30000	9.4	7.8	2.16	217476498	Both
SL22KLV-048-230A**	CBK48MVT-048-230-**-	- - -	R-454B	45000	20	12	46000	42000	43500	8.5	7.4	1.92	216776087	Both
SL22KLV-048-230A**	CBK48MVT-060-230-**-	- - -	R-454B	45000	20	11.7	46500	44000	44500	9.8	8.1	2.1	216776012	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	EL297UH090XV48C	R-454B	45000	20	11.5	44500	39500	38000	8.1	6.7	1.68	217550310	No
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	EL297UH090XV60C	R-454B	45000	19.5	11.5	45000	46000	46500	8.5	7.2	1.84	216776118	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	EL297UH110XV60C	R-454B	45000	19.5	11.5	45000	45500	46000	8.5	7.2	1.84	216776119	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH080NV60C	R-454B	45500	20.5	12	44500	45000	45500	8.5	7.3	1.86	216776099	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH090V60C	R-454B	45000	19.5	11.7	44500	45500	46000	8.5	7.2	1.86	216776100	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH090XV60C	R-454B	45000	19.5	11.7	44500	45500	46000	8.5	7.2	1.86	216776101	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH100NV60C	R-454B	45500	20	12	44500	45000	45500	8.5	7.3	1.86	216776102	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH110V60C	R-454B	45000	19.5	11.7	45000	45500	46000	8.5	7.2	1.84	216776103	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH110XV60C	R-454B	45000	19.5	11.7	45000	45500	46000	8.5	7.2	1.84	216776104	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SL297UH080NV60C	R-454B	45000	19.5	11.5	45000	40000	38500	8.2	6.7	1.68	216776115	No
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SLP99UH090XV60C	R-454B	45000	19.5	11.5	45000	46000	46500	8.5	7.2	1.84	216776116	Both
SL22KLV-048-230A**	CK40[C,U]T-49C-**-**TDR	SLP99UH110XV60C	R-454B	45000	19.5	11.5	45000	45500	46000	8.5	7.2	1.84	216776099	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	EL297UH090XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	7.5	1.98	216776097	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	EL297UH110XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	7.5	1.98	216776098	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH080NV60C	R-454B	46000	20.5	12.4	45000	42500	44000	9.4	7.8	2.02	216776088	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH090V60C	R-454B	46000	20	12.2	45500	42500	44000	9.4	7.5	2	216776089	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH090XV60C	R-454B	46000	20	12.2	45500	42500	44000	9.4	7.5	2	216776090	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH100NV60C	R-454B	46000	20.5	12.4	45000	42500	44000	9.4	7.8	2.02	216776091	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH110V60C	R-454B	46000	20	12	45500	43000	44500	9	7.5	1.98	216776092	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH110XV60C	R-454B	46000	20	12	45500	43000	44500	9	7.5	1.98	216776093	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SL297UH080NV60C	R-454B	45500	20	11.7	45500	37400	37400	8.5	7.1	1.82	216776094	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SLP99UH090XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	7.5	1.98	216776095	Both
SL22KLV-048-230A**	CK40[C,U]T-60C-**-**TDR	SLP99UH110XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	7.5	1.98	216776096	Both
SL22KLV-048-230A**	CK40[C,U]T-60D-**-**TDR	EL297UH110XV60C	R-454B	43500	19	11.5	43500	39500	37600	7.8	6.7	1.84	217476469	No
SL22KLV-048-230A**	CK40[C,U]T-60D-**-**TDR	EL297UH135XV60D	R-454B	43500	19.5	11.5	43000	39500	37600	8	6.7	1.86	217476470	No
SL22KLV-048-230A**	CK40[C,U]T-60D-**-**TDR	SL280UH135V60D	R-454B	43500	19.5	11.5	43000	39500	37400	8	6.7	1.86	217476466	No
SL22KLV-048-230A**	CK40[C,U]T-60D-**-**TDR	SL297UH080NV60C	R-454B	43500	18.5	11.2	43500	40000	38000	7.8	6.7	1.84	217476467	No
SL22KLV-048-230A**	CK40[C,U]T-60D-**-**TDR	SLP99UH135XV60C	R-454B	43500	19.5	11.5	43000	39500	37600	7.8	6.7	1.86	217476468	No
SL22KLV-048-230A**	CK40HT-51/61C-**-**TDR	SL297UH080NV60C	R-454B	38500	15.5	10	45000	36800	38500	8	6.8	1.76	217551305	N/A
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	EL297UH110XV60C	R-454B	45000	19	12	44000	39000	37400	8.5	7.1	1.82	217476525	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	EL297UH135XV60D	R-454B	45000	19	12.2	44000	38500	37200	8.5	7.1	1.82	217476526	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	SL280UH080NV60C	R-454B	45000	19	12	44000	39000	37400	8.5	7.1	1.82	217476523	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	SL280UH090V60C	R-454B	45000	19	12.2	44000	38500	37200	8.5	7.1	1.82	217476527	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	SL280UH135V60D	R-454B	45500	19	12.2	44000	38500	37000	8.5	7.1	1.82	217476521	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	SL297UH080NV60C	R-454B	45000	18	11.7	44500	39000	37600	8.5	7.1	1.8	217476465	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	SLP99UH090XV60C	R-454B	45000	18.5	12	44000	39000	37400	8.5	7.1	1.82	217476524	Both
SL22KLV-048-230A**	CK40HT-60D-**-**TDR	SLP99UH135XV60C	R-454B	45000	19	12.2	44000	38500	37200	8.5	7.1	1.82	217476522	Both
SL22KLV-060-230A**	CBK48MVT-060-230-**-	- - -	R-454B	54500	19.5	11	55000	51000	45500	9.6	7.7	2.04	216776106	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	EL297UH090XV60C	R-454B	55500	19.5	11.5	51000	54500	41500	8.5	7	1.84	216776140	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	EL297UH110XV60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	6.7	1.84	216776141	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH080NV60C	R-454B	55500	20	11.7	50500	54000	41500	8.5	7.1	1.88	216776131	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH090V60C	R-454B	55500	19.5	11.7	50500	54500	41000	8.5	7	1.86	216776132	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH090XV60C	R-454B	55500	19.5	11.7	50500	54500	41000	8.5	7	1.86	216776133	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH100NV60C	R-454B	55500	20	11.7	50500	54000	41500	8.5	7.1	1.88	216776134	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH110V60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	6.7	1.84	216776135	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL280UH110XV60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	6.7	1.84	216776136	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SL297UH080NV60C	R-454B	55000	19	11.2	51000	54500	41500	8.5	6.9	1.84	216776137	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SLP99UH090XV60C	R-454B	55500	19.5	11.5	51000	54500	41500	8.5	7	1.84	216776138	Both
SL22KLV-060-230A**	CK40[C,U]T-49C-**-**TDR	SLP99UH110XV60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	6.7	1.84	216776139	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	EL297UH090XV60C	R-454B	56000	18.2	10.9	51500	48000	42500	8.5	7.1	1.94	216776129	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	EL297UH110XV60C	R-454B	56000	20	11.5	51000	60000	42500	9.4	7.5	1.94	216776130	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH080NV60C	R-454B	55000	21.1	11.7	51000	48500	42000	9	7.2	1.96	216776120	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH090V60C	R-454B	56000	20	11.7	51000	60000	42500	9.4	7.5	1.94	216776121	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH090XV60C	R-454B	56000	20	11.7	51000	60000	42500	9.4	7.5	1.94	216776122	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH100NV60C	R-454B	56000	20.5	11.7	51000	60000	42000	9.5	7.5	1.96	216776123	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH110V60C	R-454B	56000	20	11.5	51000	48500	42500	8.5	7.1	1.94	216776124	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL280UH110XV60C	R-454B	56000	20	11.5	51000	48500	42500	8.5	7.1	1.94	216776125	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SL297UH080NV60C	R-454B	56000	19.5	11.2	51500	60000	43000	9	7.4	1.92	216776126	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SLP99UH090XV60C	R-454B	56000	20	11.5	51500	48000	42500	8.5	7.1	1.94	216776127	Both
SL22KLV-060-230A**	CK40[C,U]T-60C-**-**TDR	SLP99UH110XV60C	R-454B	56000	20	11.5	51000	60000	42500	9.4	7.5	1.94	216776128	Both
SL22KLV-060-230A**	CK40[C,U]T-60D-**-**TDR	EL297UH110XV60C	R-454B	55000	19.5	11	56000	51500	43000	8.5	7	1.82	216776147	Both
SL22KLV-060-230A**	CK40[C,U]T-60D-**-**TDR	EL297UH135XV60D	R-454B	55000	19	11.2	56000	51500	43000	8.5	7	1.82	216776146	Both
SL22KLV-060-230A**	CK40[C,U]T-60D-**-**TDR	SL280UH135V60D	R-454B	55000	19.5	11.2	55500	51500	43000	8.5	7	1.82	216776143	Both
SL22KLV-060-230A**	CK40[C,U]T-60D-**-**TDR	SL297UH080NV60C	R-454B	55000	19	11	56000	52000	43500	8.5	7	1.8	216776144	Both
SL22KLV-060-230A**	CK40[C,U]T-60D-**-**TDR	SLP99UH135XV60D	R-454B	55000	19.5	11.2	56000	51500	43000	8.5	7	1.84	216776145	Both
SL22KLV-060-230A**	CK40HT-51/61C-**-**TDR	EL297UH090XV60C	R-454B	54500	18	10.5	55000	44500	35800	8.2	6.6	1.7	217476540	N/A
SL22KLV-060-230A**	CK40HT-51/61C-**-**TDR	EL297UH110XV60C	R-454B	54500	18.5	10.5	55							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	54500	18.5	11	55000	44000	35400	8.2	6.6	1.72	217476475	No
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	54000	18	10.5	55500	44500	36000	8.2	6.6	1.68	217476537	N/A
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	54500	18	10.5	55000	44000	35600	8.2	6.6	1.7	217476538	N/A
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	54500	18.5	10.5	55000	44000	35600	8.2	6.6	1.7	217476539	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	55000	18	10.5	56500	44500	36400	8.1	6.5	1.7	217476533	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	55000	18	10.5	56000	44500	36400	8.1	6.5	1.7	217476534	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	55000	18	10.5	56500	44500	36400	8.1	6.5	1.7	217476530	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH090V60C	R-454B	55000	18	10.5	56000	44500	36400	8.1	6.5	1.7	217476535	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	55000	18	10.5	56000	44000	36200	8.1	6.5	1.7	217476528	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	55000	17.5	10	56500	45000	36800	8	6.5	1.68	217476531	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	55000	17.5	10.5	56500	44500	36600	8.1	6.5	1.7	217476532	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	55000	18	10.5	56000	44500	36400	8.1	6.5	1.7	217476529	N/A
SL22KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	55000	18	10.5	56500	No	1.7	8.1	8.1	44500	217476533	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	55000	18	10.5	56000	No	1.7	8.1	8.1	44500	217476534	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	55000	18	10.5	56500	No	1.7	8.1	8.1	44500	217476530	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH090V60C	R-454B	55000	18	10.5	56000	No	1.7	8.1	8.1	44500	217476535	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	55000	18	10.5	56000	No	1.7	8.1	8.1	44000	217476528	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	55000	17.5	10	56500	No	1.68	8	8	45000	217476531	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	55000	17.5	10.5	56500	No	1.7	8.1	8.1	44500	217476532	Yes
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	55000	18	10.5	56000	No	1.7	8.1	8.1	44500	217476529	Yes