

SUBMITTAL DATA - INDOOR UNIT VVC**D**0**54S**4-**5**P

VRF Heat Pump & Heat Recovery

Job:	Engineer:			
Location:	Architect:			
Schedule No.:	Location:			
System Designation:	Date:			
	For: Peteroneo	Approval	Poviow	Construction

Vertical Air Handler Ducted Indoor Unit

FEATURES

- Flexible Installation
 Improve Air Quality
- · Increased Static Pressure
- Advanced Commissioning and Service

- Multiposition
- Supplemental Heat
- · Refrigerant R-32
- Compatible with VRF Water or Air Source Products

WARRANTY

• 10-year limited warranty.*See warranty for details.

SPECIFICATIONS			
PERFORMANCE			
Cooling Capacity1 (Btu/h)	54,000		
Heating Capacity1 (Btu/h)		60,000	
Airflow (CFM) Low/Medium/High		1093/1275/1603	
External Static Pressure (in. WC)	0.1~1.0		
Refrigerant Type	R-32		
Sound Pressure (dBA)	Low/Medium/High	39/41/43	
ELECTRICAL DATA			
Power Supply (Volts/ Phase/Hertz)		208/230V-1Ph-	
		60Hz	
Power Source Wire (No Heater)	14 AWG		
Transmission Cable	16 AWG		
Cooling Power Input (W)	341		
Cooling Current Input (A)	2.42		
Heating Power Input (W)	341		
Heating Current Input (A)	2.42		
Fan Motor Output x n (W)		590 x 1	
DIMENSIONS			
Unit Dimensions (in)	Height	24.50	
` ,	Width	58.75	
	Depth	21.75	
Liquid Pipe Connection (in)	3/8		
Gas Pipe Connection (in)	3/4		
Condensate Drain Connection (in)	FPT 3/4		
Unit Shipping Weight (lb)	176		
Unit Net Weight (lb)	162		



OPTIONAL ACCESSORIES		
V1FBS03-4P, VVC048-072 & MMD048 Filter Base	38B71	
V1EHK05-4P, 5kW Electric Heat Kit	38V06	
V1EHK06-4P, 10kW Electric Heat Kit	38V07	
V1EHK07-4P,15kW Electric Heat Kit	38V08	
VSTAT02P-1 Touch Screen Wired Controller	37P79	
VSTAT04P-1 Individual Wired Controller	37Y74	
VSTAT01P-1 Wireless Remote Controller	37Y73	

NOTES

- Nominal capacity are based on (Refrigerant Piping 25ft , Level Differences 0ft);
 - . Cooling : Indoor temperature 80°F DB, 67°F WB / Outdoor temperature 95°F DB, 75°F WB
- .Heating : Indoor temperature 70°F DB, 60°F WB / Outdoor temperature 47°F DB, 43°F WB
- Sound pressure was acquired in a dead room. Thus actual noise level may be different depending on the installation conditions.








SUBMITTAL DATA - INDOOR UNIT **VVCD054S4-5P**

VRF Heat Pump & Heat Recovery

DIMENSIONAL DRAWINGS - MM (Inches)



No.	Name	Description
1	Gas pipe connection	Ф19.05(3/4)
2	Liquid pipe connection	Ф9.52(3/8)
3	Drain pipe connection	FPT 3/4
4	Air outlet	
5	Air intake	