



PRODUCT SPECIFICATIONS

AHRI SYSTEM MATCHES - LENNOX OUTDOOR + ADP INDOOR

Bulletin No. 210860
September 2026a

Supersedes All Previous Versions

COIL LEGEND - +TXV = Thermal Expansion Valve
NOTE - All ratings include the use of a blower Time Delay Function.

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);
• Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
• High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
• Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.
When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities, or a thermostat with dual-fuel capabilities must be used (ordered extra).
To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	218630939	N/A
EL16KP1-018-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	218630940	N/A
EL16KP1-018-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	218630941	N/A
EL16KP1-018-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	218630942	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216967484	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216967491	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975034	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975045	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216967498	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975054	N/A
EL16KP1-018-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975065	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216967483	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216967490	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975033	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975044	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	6.35	1.88	217186353	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186358	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186363	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217183341	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	9400	7400	7.5	6.35	1.9	217183347	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	9400	7400	7.5	6.35	1.9	217183353	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	6.35	1.92	217183358	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186368	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217186373	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186378	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186383	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	18000	16	13.5	16000	9900	7500	7.8	6.6	1.92	217183364	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183370	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183376	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183382	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183388	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183393	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183399	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217183404	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183410	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183415	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	6.35	1.9	217183420	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217183425	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217183430	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	6.35	1.88	217186388	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186393	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.9	217186398	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186403	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186408	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216967497	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	6.6	1.92	217183436	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	6.6	1.92	217183442	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183447	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975053	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975064	N/A
EL16KP1-018-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186413	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216967485	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216967492	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975036	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975047	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186355	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186360	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186365	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217183342	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183348	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183354	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217183360	N/A
EL16KP1-018-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186370	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217186375	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186380	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186385	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183365	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183371	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183377	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183383	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183389	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183395	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183400	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217183406	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183411	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183417	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217183422	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183427	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217183432	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186390	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186395	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217186400	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186405	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186410	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216967499	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183437	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183443	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	6.35	1.98	217183449	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975056	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975067	N/A
EL16KPI-018-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186415	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	7	1.94	218387760	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6	1.9	218387762	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.88	218387764	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6	1.92	218387765	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6	1.88	218387766	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6	1.88	218387767	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6	1.88	218387768	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	7	1.92	218387769	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	7	1.96	218387771	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	7	1.96	218387773	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6	1.92	218387776	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387781	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387782	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.9	218387783	N/A
EL16KPI-018-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387784	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	7	1.92	218387786	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	7	1.94	218387788	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	7	1.94	218387790	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	7	1.94	218387792	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	7	1.96	218387794	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387796	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	7	1.96	218387797	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6	1.92	218387799	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	7	1.96	218387800	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387802	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6	1.9	218387805	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387806	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387807	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6	1.88	218387809	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6	1.88	218387810	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6	1.9	218387811	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.9	218387813	N/A
EL16KPI-018-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.9	218387814	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	7	1.96	218387815	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387817	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387819	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387822	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387823	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387824	N/A
EL16KPI-018-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387826	N/A
EL16KPI-018-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216978114	N/A
EL16KPI-018-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216978115	N/A
EL16KPI-018-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216978116	N/A
EL16KPI-018-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216977883	N/A
EL16KPI-018-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216977885	N/A
EL16KPI-018-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	18000	16									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216977886	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217183339	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183345	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183351	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183362	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183368	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183374	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183380	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183386	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183397	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183408	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216977889	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183434	N/A
EL16KPI-018-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183440	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	217230593	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217230594	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216977991	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216977992	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186352	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186357	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186362	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217183357	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL297DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.7	7	1.88	218387779	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.7	7	1.92	218387780	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186367	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217186372	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186377	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186382	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	17800	15	12.5	16400	10200	8000	7.7	7	1.88	218387785	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183392	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217183403	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183414	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.7	7	1.9	218387803	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.7	7	1.92	218387804	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217183419	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183424	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217183429	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	17800	15.2	13	16400	10100	8000	7.7	7	1.9	218387808	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186387	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186392	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217186397	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	17800	14.5	12.5	16400	10300	8100	7.7	7	1.86	218387812	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186402	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186407	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.7	6.5	1.9	216977887	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217230599	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217230600	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217230601	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183446	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216977993	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216977994	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.7	7	1.92	218387825	N/A
EL16KPI-018-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186412	N/A
EL16KPI-018-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967482	N/A
EL16KPI-018-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967489	N/A
EL16KPI-018-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975043	N/A
EL16KPI-018-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	216967496	N/A
EL16KPI-018-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975063	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967481	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967488	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975042	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	17900	15.2	13	16200	10100	7700	7.75	6.6	1.92	217183340	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	6.35	1.92	217183346	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	6.35	1.92	217183352	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183363	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183369	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	17900	15.2	13.5	15900	9900	7500	7.75	6.6	1.94	217183375	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183381	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183387	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183398	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183409	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	216967495	N/A
EL16KPI-018-230A**	LH18/36R*+TXV	SL280UH070V36A	R-4											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	6.35	1.94	216967486	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216967493	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	6.6	1.96	217183343	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183349	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183355	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183366	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183372	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183378	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183384	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183390	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183401	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183412	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216967500	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183438	N/A
EL16KPI-018-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183444	N/A
EL16KPI-018-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975040	N/A
EL16KPI-018-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975051	N/A
EL16KPI-018-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975060	N/A
EL16KPI-018-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975071	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	7	1.94	218387761	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6	1.9	218387763	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975039	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975050	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186356	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186361	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186366	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	7	1.92	218387770	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	9400	7400	7.5	6	1.9	218387772	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	9400	7400	7.5	6	1.9	218387774	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	6.35	1.92	217183361	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186371	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217186376	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186381	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186386	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	18000	16	13.5	16000	9900	7500	7.8	7	1.92	218387787	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387789	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	7	1.94	218387791	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387793	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387795	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183396	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387798	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217183407	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387801	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183418	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	6.35	1.9	217183423	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217183428	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217183433	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186391	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186396	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.9	217186401	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186406	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186411	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6	1.92	218387816	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	7	1.92	218387818	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	7	1.92	218387820	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183450	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975059	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975070	N/A
EL16KPI-018-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186416	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975035	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975046	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186354	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186359	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186364	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217183359	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186369	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217186374	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186379	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186384	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183394	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217183405	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183416	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186389	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186394	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217186399	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186404	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186409	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	6.35	1.98	217183448	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975055	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975066	N/A
EL16KPI-018-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186414	N/A
EL16KPI-018-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217230595	N/A
EL16KPI-018-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	217230597	N/A
EL16KPI-018-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217230602	N/A
EL16KPI-018-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217230596	N/A
EL16KPI-018-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	217230598	N/A
EL16KPI-018-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14.5	15900	9300	7400	7.5	6.35	1.92	217230603	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	6.35	1.94	216967487	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216967494	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613747	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	217613748	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613752	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613756	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.88	217613760	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	6.6	1.96	217183344	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183350	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183356	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613764	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613768	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613772	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613776	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183367	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183373	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183379	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183385	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183391	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217608824	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183402	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217608840	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183413	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217608849	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217608854	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217608859	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217608864	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613780	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613784	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217613788	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613792	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613796	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216967501	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183439	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183445	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613797	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613798	N/A
EL16KPI-018-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217613802	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	217608769	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217608773	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975037	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975048	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613750	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217613754	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217613758	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217608780	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217608784	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217608788	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6	1.92	218387777	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613762	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613766	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613770	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613774	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217608804	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217608807	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217608810	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217608813	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000</						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217608837	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217608842	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217608846	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217608851	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217608856	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217608861	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613778	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217613782	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217613786	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613790	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613794	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217608868	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217608872	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217608875	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217230604	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975057	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975068	N/A
EL16KPI-018-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217613800	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	6.35	1.94	217608770	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217608775	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975038	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975049	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613751	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613755	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.88	217613759	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.75	6.55	1.96	217608781	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217608785	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217608790	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6	1.92	218387778	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613763	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613767	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613771	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613775	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217608805	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217608808	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217608811	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217608814	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217608818	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217608822	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217608832	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217608839	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217608844	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217608847	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217608853	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217608858	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217608863	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613779	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613783	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217613787	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613791	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613795	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217608870	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217608873	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217608877	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217230605	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975058	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975069	N/A
EL16KPI-018-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217613801	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	6.6	1.94	217608768	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	6.6	1.94	217608771	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	216975032	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	6.6	1.96	216975041	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	18000	16	14	16300	9800	7900	7.5	6.35	1.94	217613749	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613753	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613757	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	18000	16	14.5	16200	10100	7700	7.8	6.6	1.92	217608779	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	18000	17	15	16200	9500	7800	7.8	6.6	2	217608783	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	18000	17	15	16200	9500	7800	7.8	6.6	2	217608786	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	18000	16	14.5	16400	9900	7900	7.8	7	1.96	218387775	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	18000	17	14.5	16000	9500	7700	7.5	6.35	1.98	217613761	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613765	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	6.6	1.94	217613769	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	18000	17	14.5	16300	9900</						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	18000	17	15	15900	9900	7500	7.8	6.6	1.94	217608809	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	1.98	217608812	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	18000	17	14.5	16000	10000	7600	7.8	6.6	1.96	217608815	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	18000	17	14.5	16000	9500	7700	7.5	6.35	1.98	217608819	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	18000	17	14.5	16000	9900	7600	7.8	6.6	1.96	217608827	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	18000	17	15	15900	9400	7600	7.5	6.35	1.98	217608835	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	18000	17	14.5	16000	10000	7600	7.8	6.6	1.96	217608841	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	18000	17	14.5	16000	9500	7700	7.5	6.35	1.98	217608845	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14.5	16400	10000	8000	7.8	6.6	1.94	217608850	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	18000	17	14.5	16100	9600	7800	7.5	6.35	1.98	217608855	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	18000	17	14.5	16100	9500	7800	7.5	6.35	2	217608860	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	18000	16	14	16300	9800	7900	7.5	6.35	1.94	217613777	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613781	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613785	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	6.6	1.94	217613789	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	6.6	1.94	217613793	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	18000	17	14.5	16000	10000	7600	7.8	6.6	1.96	217608867	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14.5	16100	10000	7600	7.8	6.6	1.92	217608871	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14.5	16100	10000	7600	7.8	6.6	1.92	217608874	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	18000	17	15	15900	9400	7700	7.5	6	2	218387821	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14.5	16400	9900	7900	7.5	6.35	1.94	216975052	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	6.6	1.96	216975061	N/A
EL16KPI-018-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	18000	17	14.5	16000	9400	7700	7.5	6.35	1.98	217613799	N/A
EL16KPI-018-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	17800	16	13	16100	9900	8000	7.55	6.4	1.92	218339513	N/A
EL16KPI-018-230A**	LW18*M7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	217290735	N/A
EL16KPI-018-230A**	LW24*K7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	216768264	N/A
EL16KPI-018-230A**	SK7*24+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	216439091	N/A
EL16KPI-018-230A**	SM7*18+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	216768265	N/A
EL16KPI-018-230A**	SM7*24+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	216439066	N/A
EL16KPI-024-230A**	BV**B6*25+TXV	---	R-454B	23400	14.5	12.5	20400	13000	10600	7.65	6.6	1.94	216626148	N/A
EL16KPI-024-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	218630943	N/A
EL16KPI-024-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	218630944	N/A
EL16KPI-024-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	218630945	N/A
EL16KPI-024-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	218630946	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967505	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967514	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	6.55	2	216975076	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	6.7	2	216975090	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	6.8	2.12	216967523	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	6.65	2.1	216975104	N/A
EL16KPI-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975119	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967504	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967513	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	6.55	2	216975075	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	6.7	2	216975089	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	6.7	2	217186419	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186425	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.65	6.55	2	217186431	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.95	6.8	2.14	217183453	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.8	6.7	2.02	217183459	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.5	6.45	2.02	217183465	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183471	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	6.55	2	217186437	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13	20400	13400	10500	7.8	6.7	2.02	217186443	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	6.55	2	217186449	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	6.9	2	217186455	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	6.8	2.14	217183477	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	23600	15.2	13	20000	12800	10800	7.75	6.65	2.12	217183483	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	23800	15.2	13	20200	12900	10800	7.95	6.8	2.12	217183489	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.8	6.7	2	217183495	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	6.8	2.12	217183501	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	6.95	2	217183507	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	6.8	2.14	217183513	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	6.95	2	217183519	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	6.8	2.12	217183525	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	6.95	2	217183531	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	6.7	2	217183537	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	23800	15.2	12.5	20800	13600	10600	7.8	6.7	2.02	217183543	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217183549	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	6.7	1.98	217186461	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186467	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217186473	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	ML296												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183555	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183561	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217183567	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	6.65	2.1	216975103	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975117	N/A
EL16KPI-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	6.7	2.02	217186491	N/A
EL16KPI-024-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	23000	15.1	13	20200	13200	10900	7.8	6.7	2.08	216623998	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967507	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967516	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975080	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975094	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967525	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975108	N/A
EL16KPI-024-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975126	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967506	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967515	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975079	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975093	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186421	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186427	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	6.65	2.02	217186433	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183454	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183460	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217183466	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183473	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186439	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217186445	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186451	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217186457	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183478	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183484	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183490	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217183496	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183502	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183509	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183514	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.06	217183521	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183526	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183533	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183539	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183545	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217183551	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186463	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186469	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217186475	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186481	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217186487	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967524	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217183556	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183562	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217183569	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975107	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975124	N/A
EL16KPI-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186493	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	7	2.14	218387185	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	7	2.14	218387188	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	7	2.02	218387191	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	7	2.02	218387193	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	7	2.1	218387195	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	7	1.96	218387197	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	7	2.02	218387199	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	7	1.96	218387201	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387204	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6	2.02	218387207	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	7	2.02	218387211	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	7	2.02	218387218	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	7	2.14	218387220	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	7	2.02	218387222	N/A
EL16KPI-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	7	2.04	218387224	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.98	218387228	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6	1.94	218387231	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	23600	15.2</									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	7	1.96	218387245	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	7	2.06	218387248	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	7	1.98	218387250	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	7	2.04	218387253	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	7	2.12	218387259	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	7	2.02	218387261	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	7	2.14	218387263	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	7	2.1	218387267	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	7	1.96	218387269	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	7	2.14	218387271	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	7	2.14	218387274	N/A
EL16KPI-024-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	7	2.16	218387276	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.96	218387278	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	7	2.04	218387281	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	7	1.98	218387284	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	7	2.04	218387288	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	7	2.12	218387290	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	7	2.12	218387292	N/A
EL16KPI-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	7	2.14	218387296	N/A
EL16KPI-024-230A**	L*19/36U+TXV+LEFE3A*	- - -	R-454B	23400	15.2	13	20400	13200	10900	7.9	7	2.1	218391123	N/A
EL16KPI-024-230A**	L*19/36U+TXV+LEFE4B*	- - -	R-454B	23600	16	12.5	20400	13200	10900	7.9	6.08	2.1	218391122	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	216967508	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	216967517	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	216975083	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	216975097	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	24000	15.2	13.5	20200	13000	10900	8	6.85	2.14	216967526	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217230614	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217230616	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	24000	15.2	13.5	20400	13000	11000	8	6.85	2.16	217230621	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	216975111	N/A
EL16KPI-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	216975133	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217608882	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217608887	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20400	13200	11100	8	6.85	2.12	217896439	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217613804	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217613806	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	6.7	2	217613811	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	6.7	2	217613816	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217613821	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217608895	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217608903	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217608914	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217896440	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20600	13400	10400	8.1	6.95	2.02	217896441	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20600	13400	10300	8.1	6.95	2	217896442	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217613826	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	6.7	2.02	217613831	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217613836	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217613841	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217608936	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217608941	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217608951	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217608957	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217608962	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217608969	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217608977	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	6.85	2.1	217608987	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217896443	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217608995	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217609004	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	6.95	2.1	217896444	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13100	10700	8	6.85	2.06	217896445	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	6.95	2.1	217896446	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217609014	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.06	217609024	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.04	217609034	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217613846	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	6.7	2	217613851	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.04	217613856	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	24000	15.2	13	20600	13200	10800	7.8	6.7	2.04	217896482	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	6.7	2.02	217613861	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	206							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	23800	15.2	13	20200	13000	11000	7.8	6.7	2.12	217896447	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217896448	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217896449	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	217613868	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217613870	N/A
EL16KPI-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217613875	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	7	2.02	218387187	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	7	2.02	218387190	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	7	2.04	218387192	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	7	2.04	218387194	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	7	2	218387196	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	7	2	218387198	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	7	2.04	218387200	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	7	1.96	218387203	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	7	2.14	218387206	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	7	2.14	218387209	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	7	2.02	218387214	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	7	2.04	218387219	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	7	2.02	218387221	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	7	2.04	218387223	N/A
EL16KPI-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	7	2	218387225	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.98	218387230	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6	1.94	218387233	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	7	1.96	218387236	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	7	2	218387239	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	7	1.98	218387242	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	7	2	218387244	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	7	1.96	218387247	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	7	2.1	218387249	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	7	1.98	218387252	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	7	2	218387254	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	7	2.12	218387260	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	7	2.06	218387262	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	7	2.04	218387264	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	7	2.1	218387268	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	7	2	218387270	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	7	2.04	218387272	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	7	2.02	218387275	N/A
EL16KPI-024-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	7	2	218387277	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.96	218387280	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	7	1.98	218387283	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	7	1.98	218387286	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	7	2.04	218387289	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	7	2.12	218387291	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	7	2.02	218387293	N/A
EL16KPI-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	7	2.02	218387297	N/A
EL16KPI-024-230A**	L*31/37U+TXV+LEFE3A*	- - -	R-454B	23800	15.2	12.5	20400	13200	10900	7.5	6.08	2.16	218391125	N/A
EL16KPI-024-230A**	L*31/37U+TXV+LEFE4B*	- - -	R-454B	24000	16	12.5	20400	13200	10900	7.5	6.08	2.16	218391124	N/A
EL16KPI-024-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977891	N/A
EL16KPI-024-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977895	N/A
EL16KPI-024-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	6.7	1.96	216977902	N/A
EL16KPI-024-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977890	N/A
EL16KPI-024-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977894	N/A
EL16KPI-024-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	6.7	1.96	216977901	N/A
EL16KPI-024-230A**	LD19/25Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977893	N/A
EL16KPI-024-230A**	LD19/25Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977897	N/A
EL16KPI-024-230A**	LD19/25Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216977904	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977892	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977896	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183451	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183457	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217183463	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183475	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183481	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183487	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183493	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183499	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183511	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183523	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216977903	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.16	217183553	N/A
EL16KPI-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	LD19/36Y**+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	6.7	2.12	216978002	N/A
EL16KPI-024-230A**	LD19/36Y**+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216978005	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217230606	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217230607	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	6.6	2.02	216977995	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	6.75	2.02	216977998	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217186417	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186423	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	6.6	2.02	217186429	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183469	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL297DF045XV36B	R-454B	23000	14.5	12.5	21000	13700	10900	8.1	7	2.06	218387216	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186435	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	6.85	1.98	217186441	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186447	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217183551	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML180DF070E36B	R-454B	23000	14.5	12.5	21000	13600	10900	8.1	7	2.06	218387226	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183505	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217183517	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183529	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML193DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	218387255	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML193DF070XE36B	R-454B	23400	14.5	12.5	21400	13800	11100	8.1	7	2.08	218387257	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183535	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183541	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217183547	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML196DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	218387265	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217186459	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186465	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217186471	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186477	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217186483	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	6.95	2.06	216977898	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217230612	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.16	217230613	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217230615	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217183565	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	6.7	2.12	216978001	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216978004	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SLP99DF070XV36B	R-454B	22800	14.5	12.5	21000	13600	10800	8.1	7	2.06	218387294	N/A
EL16KPI-024-230A**	LD19/36Z**+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186489	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	216977997	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	216978000	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186418	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217186424	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217186430	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL280UH090E36B	R-454B	23400	15.2	13.5	20000	12700	10300	7.8	6.7	2.06	217183470	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL297DF045XE36B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	7	2.06	218387215	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL297DF045XV36B	R-454B	23200	14.5	12.5	21000	13700	10900	8.2	7	2.08	218387217	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217186436	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217186442	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217186448	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217186454	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML180DF070E36B	R-454B	23200	14.5	12.5	21000	13600	10900	8.2	7	2.08	218387227	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217183506	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	6.85	2.1	217183518	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217183530	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML193DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7	2.08	218387256	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML193DF070XE36B	R-454B	23600	14.5	12.5	21400	13800	11100	8.2	7	2.1	218387258	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183536	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.06	217183542	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217183548	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML196DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7	2.08	218387266	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186460	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217186466	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217186472	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML296DF045XV36B	R-454B	23200	14.3	12.5	21600	13900	11200	8.2	7	2.06	218387273	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186478	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217186484	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	7.05	2.08	216977900	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217183566	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	216978003	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216978006	N/A
EL16KPI-024-230A**	LD24/35Z**+TXV	SLP99DF070XV36B	R-454B	23000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967503	N/A
EL16KPI-024-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967512	N/A
EL16KPI-024-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	6.75	1.94	216975074	N/A
EL16KPI-024-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	6.75	1.96	216975088	N/A
EL16KPI-024-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	6.65	2.02	216967521	N/A
EL16KPI-024-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	6.65	2	216975102	N/A
EL16KPI-024-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	6.65	2.02	216975116	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967502	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967511	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	6.75	1.94	216975073	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	6.75	1.96	216975087	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13	20000	13000	10100	7.75	6.7	1.96	217183452	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23800	15	12.5	20600	13500	10600	7.75	6.65	2.02	217183458	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	24000	14.5	13	20600	13500	10500	7.75	6.7	1.96	217183464	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20400	13300	10400	7.75	6.65	2.04	217183476	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23200	15.2	12.5	20000	12800	10800	7.65	6.55	2.1	217183482	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13	20000	13100	10200	7.75	6.7	1.96	217183488	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.75	6.65	2	217183494	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	6.65	2.04	217183500	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13	20000	13200	10200	7.75	6.7	1.96	217183512	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	6.65	2.04	217183524	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	6.65	2.02	216967520	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10500	7.75	6.65	2.04	217183554	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	15	13	20400	13300	10400	7.75	6.7	1.98	217183560	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	6.65	2	216975101	N/A
EL16KPI-024-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	6.65	2.02	216975115	N/A
EL16KPI-024-230A**	LH18/36R*+TXV+LEFE3A*	- - -	R-454B	22800	15.1	13	20200	13100	10900	7.7	6.65	2.06	216623991	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967509	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967518	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183455	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183461	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183467	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183479	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183485	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183491	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217183497	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183503	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183515	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183527	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967527	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217183557	N/A
EL16KPI-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	6.85	2.14	217183563	N/A
EL16KPI-024-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	6.6	2.02	216975085	N/A
EL16KPI-024-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	6.75	2.02	216975099	N/A
EL16KPI-024-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	6.7	2.12	216975113	N/A
EL16KPI-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975135	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387186	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387189	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	6.6	2.02	216975084	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	6.75	2.02	216975098	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	6.7	2	217186422	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186428	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.7	6.6	2.02	217186434	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	8	7	2.16	218387202	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387205	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6	2.02	218387208	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183474	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186440	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	6.85	1.98	217186446	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186452	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217186458	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20200	13000	10900	8	7	2.16	218387229	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	23600	15.2	13	20000	12800	10800	7.8	7	2.14	218387232	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	23800	15.2	13	20200	12900	10800	8	7	2.14	218387235	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	23600	15.2	13	20000	12800	10800	7.8	7	2.14	218387238	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	23800	15.2	13	20200	12900	10900	8	7	2.14	218387241	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183510	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	23800	15.2	13	20200	12900	10900	8	7	2.16	218387246	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217183522	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13	20200	12900	10900	8	7	2.14	218387251	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183534	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	23000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186470	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217186476	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	23600	15.2	13	20400	13300	10200	8	6.85	1.98	217186482	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13	20600	13300	10300	8	6.85	2	217186488	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	8	7	2.14	218387279	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	7	1.98	218387282	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	7	1.98	218387285	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217183570	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	6.7	2.12	216975112	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975134	N/A
EL16KPI-024-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	6.7	2.02	217186494	N/A
EL16KPI-024-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975078	N/A
EL16KPI-024-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975092	N/A
EL16KPI-024-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975106	N/A
EL16KPI-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975122	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975077	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975091	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186420	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186426	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	6.65	2.02	217186432	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183472	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186438	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217186444	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186450	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217186456	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183508	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.06	217183520	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183532	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183538	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183544	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217183550	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186462	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186468	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217186474	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186480	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217186486	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217183568	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975105	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975120	N/A
EL16KPI-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186492	N/A
EL16KPI-024-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	24000	14.5	12.5	20800	13600	10500	7.9	6.8	1.94	217230608	N/A
EL16KPI-024-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	24000	14.5	12.5	20800	13500	10500	7.9	6.8	1.96	217230610	N/A
EL16KPI-024-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20400	13400	10500	7.8	6.7	2.04	217230617	N/A
EL16KPI-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217230609	N/A
EL16KPI-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217230611	N/A
EL16KPI-024-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217230618	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967510	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967519	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217613803	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217613805	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217613810	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217613815	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217613820	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183456	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183462	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183468	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217613825	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217613830	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217613835	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217613840	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183480	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183486	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183492	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217183498	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183504	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217608967	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183516	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	6.85	2.1	217608985	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183528	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217609003	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217609012	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML193UH04												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217613855	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217613860	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217613865	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967528	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217183558	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	6.85	2.14	217183564	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	217613867	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	217613869	N/A
EL16KPI-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	6.95	2	217613874	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217608879	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217608885	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	6.65	2.02	216975081	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	6.75	2.02	216975095	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217613808	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217613813	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	6.65	2.02	217613818	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	24000	15.2	13	20000	12800	10800	8	6.85	2.16	217608891	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217608899	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217608909	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	7	2.02	218387212	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.65	2.02	217613823	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	6.85	1.98	217613828	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.65	2.02	217613833	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217613838	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217608933	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.14	217608938	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	24000	15.2	13	20200	12900	10800	8	6.85	2.14	217608946	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.14	217608955	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	24000	15.2	13	20200	12900	10900	8	6.85	2.14	217608960	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217608965	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	24000	15.2	13	20200	12900	10900	8	6.85	2.16	217608974	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217608981	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	24000	15.2	13	20200	12900	10900	8	6.85	2.14	217608991	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217608999	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217609008	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217609018	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217609028	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217613843	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217613848	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217613853	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217613858	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217613863	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217609044	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.16	217609053	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217609061	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217230619	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	6.7	2.12	216975109	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975128	N/A
EL16KPI-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217613872	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217608881	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217608886	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	216975082	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	216975096	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217613809	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217613814	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217613819	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217608893	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217608901	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217608912	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	7	2.02	218387213	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217613824	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217613829	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217613834	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217613839	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217608934	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217608939	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217608948	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217608956	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217608961	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217608966	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217608975	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000</										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13300	11200	8	6.85	2.14	217609020	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217609030	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217613844	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217613849	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217613854	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217613859	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217613864	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217609046	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217609055	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	6.85	2.14	217609062	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217230620	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	216975110	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975130	N/A
EL16KPI-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	6.95	2	217613873	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	6.85	2.14	217608878	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	6.85	2.14	217608883	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	6.85	2.12	216975072	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	6.85	2.12	216975086	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23600	16	13.5	20200	12800	10400	7.8	6.7	2.04	217613807	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	6.85	1.96	217613812	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	6.85	2.12	217613817	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	24000	16	13.5	20000	12800	10800	8	6.85	2.16	217608890	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	6.85	2.14	217608897	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	6.85	2.14	217608906	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	23800	16	14	19800	12700	10700	7.8	7	2.12	218387210	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	6.85	2.12	217613822	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	23600	16	13.5	20400	13400	10500	7.8	6.7	2.02	217613827	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	6.85	2.12	217613832	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	23800	16	13.5	20400	13300	10200	8.1	6.95	2	217613837	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.16	217608932	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	6.7	2.14	217608937	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	16	13.5	20200	12900	10800	8	6.85	2.14	217608943	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	6.7	2.14	217608953	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	16	13.5	20200	12900	10900	8	6.85	2.14	217608958	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	23800	16	14	20400	13200	10200	8.1	6.95	2	217608963	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	16	13.5	20200	12900	10900	8	6.85	2.16	217608971	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	23800	16	14	20400	13300	10200	8.1	6.95	2	217608979	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	13.5	20200	12900	10900	8	6.85	2.14	217608989	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	23800	16	14	20400	13200	10200	8.1	6.95	2	217608997	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	23800	16	13.5	20000	12800	10800	7.8	6.7	2.12	217609006	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13.5	20800	13500	10500	8	6.85	1.98	217609016	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	6.85	2.06	217609026	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23400	16	13.5	20200	12800	10400	7.8	6.7	2.04	217613842	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	6.85	1.96	217613847	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	6.85	2.06	217613852	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.14	217613857	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	16	13.5	20400	12900	10500	8	6.85	2.06	217613862	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.14	217609042	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	24000	16	13.5	20400	13000	11000	8	6.85	2.16	217609050	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	23800	16	13.5	20400	13300	10400	7.8	6.7	1.98	217609059	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	24000	16	13.5	20400	13000	11000	8	7	2.16	218387287	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	23600	15.2	13.5	20600	13400	10400	8	6.85	1.98	216975100	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	23800	16	13.5	20200	12900	10500	7.8	6.7	2.04	216975114	N/A
EL16KPI-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.14	217613871	N/A
EL16KPI-024-230A**	LU18/36S*M+TXV+LMHE3D	- - -	R-454B	23000	15.2	12	20400	13000	10600	7.55	6.5	1.92	218339482	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	EL180UH080NE48B	R-454B	29600	15.2	13	25200	16300	13200	7.5	6.35	1.94	218631342	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	218630947	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	218630948	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	EL195UH080NE48C	R-454B	29200	14.5	12.5	25800	16400	13400	7.8	6.6	1.94	218630949	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	218631343	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	218630950	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.96	218630951	N/A
EL16KPI-030-230A**	L*18/30Z+TXV+TD	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	218630952	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967538	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	6.5	1.9	216967551	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975140	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	6.5	1.92	216975156	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967568	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	6.5	1.9	216967581	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975172	N/A
EL16KPI-030-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	6.5	1.9	216975188	N/A
EL16KPI-030-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	28600	14									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	6.35	1.8	217186497	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186503	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186509	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	6.35	1.82	217183577	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	6.35	1.8	217183582	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	6.35	1.8	217183587	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.65	6.5	1.94	217183593	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217183599	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217183605	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.65	6.5	1.9	217186515	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	28400	15	12	25200	16300	13200	7.65	6.5	1.9	217186521	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	28600	15	12	25400	16400	13300	7.65	6.5	1.92	217186527	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	28600	15	12	25200	16200	13100	7.65	6.5	1.92	217186533	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217183614	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217183619	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217183624	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217183629	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	6.35	1.8	217183634	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	6.5	1.92	217183640	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217183645	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.94	217183651	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.94	217183657	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217183662	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	6.5	1.92	217183668	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	6.45	1.94	217183674	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217183680	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	6.45	1.94	217183686	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	28400	15	12	25200	16200	13100	7.65	6.5	1.92	217183692	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	28200	14.5	12	25600	16000	13100	7.5	6.35	1.82	217183698	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	28800	15	12	25400	16300	13300	7.65	6.5	1.92	217183704	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	6.35	1.8	217186554	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186560	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	28800	15	12	25400	16300	13200	7.65	6.5	1.92	217186566	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186572	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	28400	15.2	12.5	25000	16100	13100	7.65	6.5	1.92	217186586	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217186592	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967567	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217183721	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12.5	25600	16400	13300	7.5	6.35	1.8	217183726	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	6.5	1.9	216967580	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217183732	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217183738	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975171	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	6.5	1.9	216975187	N/A
EL16KP1-030-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	28600	15	12	25200	16300	13200	7.65	6.5	1.92	217186603	N/A
EL16KP1-030-230A**	L*18/36V*+TXV+LEFE3A*	- - -	R-454B	28200	15.1	11.7	25000	17000	14000	7.6	6.5	1.94	216624029	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967540	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967555	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975144	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975160	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	216967570	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967585	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975176	N/A
EL16KP1-030-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975192	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967539	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967554	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975143	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975159	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186499	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186505	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186511	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6.35	1.82	217183578	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183583	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183588	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	6.55	1.96	217183595	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183601	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183607	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	6.55	1.92	217186517	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	6.55	1.92	217186523	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	6.55	1.94	217186529	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183635	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217183642	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	6.35	1.96	217183646	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217183653	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217183659	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217183663	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217183670	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217183676	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183682	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217183688	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	6.35	1.96	217183694	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183700	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	6.35	1.98	217183706	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186556	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186562	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	6.55	1.94	217186568	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186574	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	6.55	1.94	217186588	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217186594	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	216967569	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217183722	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217183727	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967584	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183734	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183740	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975175	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975191	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	217186605	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6	1.8	218387299	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	7	1.92	218387302	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	7	1.94	218387304	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6	1.96	218387306	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	7	1.92	218387308	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	7	1.92	218387310	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6	1.82	218387312	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387315	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387318	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	7	1.96	218387321	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	7	1.92	218387327	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	7	1.92	218387329	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	7	1.94	218387331	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.98	218387333	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	6	1.98	218387337	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6	1.8	218387340	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	6	1.98	218387343	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6	1.8	218387346	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387349	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	7	1.94	218387352	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	6	1.96	218387354	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	7	1.96	218387357	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6	1.8	218387359	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	7	1.94	218387362	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	6	1.96	218387368	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387370	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	6	1.98	218387372	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6	1.96	218387374	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	7	1.92	218387376	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	7	1.94	218387378	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	7	1.94	218387380	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	7	1.94	218387382	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6	1.98	218387384	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.98	218387387	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.98	218387390	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	7	1.94	218387393	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	7	1.92	218387395	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.96	218387397	N/A
EL16KP1-030-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	6	1.98	218387401	N/A
EL16KP1-030-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	28600	14.3	11.7	25000	17100	14000	7.7	7	1.96	218391127	N/A
EL16KP1-030-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	28600	14.3	12.5	25800	15900	12800	7.95	7	1.96	218391126	N/A
EL16KP1-030-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217230622	N/A
EL16KP1-030-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217230624	N/A
EL16KP1-030-2														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	L*24/36Z**+TXV	SL280UH070V36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	6.35	1.82	217230642	N/A
EL16KP1-030-230A**	L*24/36Z**+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.94	217230645	N/A
EL16KP1-030-230A**	L*24/36Z**+TXV	SL280UH080NV48B	R-454B	29000	15.2	13	25200	16300	13200	7.8	6.6	1.94	217230648	N/A
EL16KP1-030-230A**	L*24/36Z**+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	6.35	1.98	217230655	N/A
EL16KP1-030-230A**	L*24/36Z**+TXV	SL280UH090V48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.98	217230662	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967530	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967542	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216967559	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	216975148	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216975164	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967562	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967589	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	216975180	N/A
EL16KP1-030-230A**	L*30/36S**+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216975196	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967529	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967541	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216967558	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	216975147	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216975163	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967571	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217230641	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217230644	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967588	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217230653	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217230660	N/A
EL16KP1-030-230A**	L*30/36U**+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	216975179	N/A
EL16KP1-030-230A**	L*30/37U**+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216975195	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	217609073	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	217609081	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	217896450	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217613877	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217613879	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217613884	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217613889	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217613894	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	6.35	1.98	217609094	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609101	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609109	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.98	217609118	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL280UH090E48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217896451	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL280UH090XE48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217896452	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217613899	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL297UH045XV36B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	217613904	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL297UH070XE36B	R-454B	29200	15.2	12.5	25400	16400	13300	7.8	6.6	1.96	217613909	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613914	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217609128	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	6.35	1.96	217609136	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217609143	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	6.35	1.96	217609151	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609159	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.96	217609168	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.96	217609176	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217609186	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070V48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217896453	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	6.35	1.96	217609193	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.96	217609203	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH090E48B	R-454B	29600	16	13	25000	16100	13000	7.8	6.6	1.98	217896454	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217896455	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML180UH090XE48B	R-454B	29600	16	13	25000	16100	13000	7.8	6.6	1.98	217896456	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1.96	217609213	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609222	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6.35	1.96	217609233	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217613920	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217613925	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217613930	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML196UH070XE48B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217896483	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217613936	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613941	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609250	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609258	N/A
EL16KP1-030-230A**	L*31/37U**+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-030-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	217613945	N/A
EL16KPI-030-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613950	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6	1.94	218387298	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6	1.94	218387301	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6	1.96	218387303	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	7	1.96	218387305	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6	1.94	218387307	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387309	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387311	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	6	1.98	218387314	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387317	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387320	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6	1.98	218387322	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	7	1.94	218387328	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	7	1.94	218387330	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	29200	15.2	12.5	25400	16400	13300	7.8	7	1.96	218387332	N/A
EL16KPI-030-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387334	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6	1.98	218387339	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	6	1.96	218387342	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6	1.98	218387345	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	6	1.96	218387348	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387351	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6	1.96	218387353	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387356	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6	1.98	218387358	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	6	1.96	218387361	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	6	1.96	218387363	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6	1.96	218387369	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387371	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6	1.96	218387373	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6	1.94	218387375	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387377	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	7	1.96	218387379	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387381	N/A
EL16KPI-030-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387383	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387386	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387389	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6	1.94	218387392	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6	1.98	218387394	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387396	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	7	1.94	218387398	N/A
EL16KPI-030-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387402	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967531	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967543	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	29600	15.2	13	25200	16300	13200	7.5	6.35	1.94	216967560	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	216975149	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	216975165	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967573	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967590	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217230654	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	29200	15.2	13	25200	16200	13100	7.8	6.6	1.96	217230661	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	216975181	N/A
EL16KPI-030-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.96	216975197	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216977906	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978008	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216978012	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	6.6	1.96	216977910	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216977914	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978016	N/A
EL16KPI-030-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216978020	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	217230623	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216977905	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978007	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216978011	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186495	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186501	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186507	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	6.5	1.96	217183591	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183597	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183603	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL297DF045XE36B	R-454B	28400	14.3	12	27600	17500	13900	7.8	7	1.94	218387323	N/A
EL16KPI-030-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	7	1.96	218387325	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217186531	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	28400	14.3	12	27400	17400	13800	7.8	7	1.96	218387335	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217183638	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217183649	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217183655	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217183666	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	6.5	1.94	217183672	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183678	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	6.5	1.94	217183684	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.8	7	1.94	218387366	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.8	7	1.94	218387366	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	6.35	1.96	217183690	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	6.35	1.96	217183696	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	6.35	1.98	217183702	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186552	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186558	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	6.5	1.94	217186564	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186570	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	6.5	1.94	217186584	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217186590	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	6.6	1.96	216977909	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	6.35	1.98	217230638	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217230640	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217230643	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216977913	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183730	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183736	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978015	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216978019	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	7	1.94	218387399	N/A
EL16KP1-030-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	6.35	1.98	217186601	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216977908	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	216978010	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216978014	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	6.7	1.98	216977912	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216977916	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	216978018	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216978022	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216977907	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	216978009	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216978013	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	6.6	1.94	217183571	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	6.8	1.94	217230635	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	6.35	1.94	217186496	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	217186502	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	217186508	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183573	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	6.6	1.98	217183592	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217183598	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH090XE48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217183604	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183610	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	28800	14.5	12	27800	17600	13900	7.9	7	1.96	218387324	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	7	1.98	218387326	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217186514	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	29000	15.2	12	25200	16300	13200	7.8	6.6	1.94	217186520	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	29200	15.2	12	25400	16400	13300	7.8	6.6	1.96	217186526	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217186532	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186538	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186542	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	6.6	1.94	217186546	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	6.8	1.96	217186549	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	28800	14.5	12	27600	17500	13800	7.9	7	1.98	218387336	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	6.6	1.96	217183639	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.98	217183650	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.98	217183656	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	6.6	1.96	217183667	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	6.55	1.98	217183673	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217183679	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	6.55	1.98	217183685	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	29000	14.5	12	28000	17700	14000	7.9	7	1.96	218387365	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	29000	14.5	12	28000	17700	14000	7.9	7	1.96	218387367	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	6.8	1.94	217183713	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183717	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	6.35	1.94	217186553	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	217186559	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217186565	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	217186571	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217186577	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186581	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	29000	15.2	12.5	25000	16100	13100	7.8	6.6	1.96	217186585	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217186591	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	6.6	1.94	217186597	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	6.7	1.98	216977911	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216977915	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217183731	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217183737	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	216978017	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216978021	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	217186600	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	7	1.96	218387400	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.96	217186602	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	6.6	1.94	217186608	N/A
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186611	N/A
EL16KP1-030-230A**	LEM36*43E+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215876611	N/A
EL16KP1-030-230A**	LEM36*43G+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215876610	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	6.35	1.8	216967536	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	6.4	1.88	216967549	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975138	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	6.4	1.9	216975154	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967566	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	6.4	1.88	216967579	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975170	N/A
EL16KP1-030-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	6.4	1.88	216975186	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	6.35	1.8	216967535	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	6.4	1.88	216967548	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975137	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	6.4	1.9	216975153	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	6.35	1.82	217183576	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	6.35	1.8	217183581	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	6.35	1.8	217183586	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217183613	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217183618	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217183623	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217183628	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	6.35	1.8	217183633	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217183644	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217183661	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967565	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217183720	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12	25600	16400	13300	7.5	6.35	1.8	217183725	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	6.4	1.88	216967578	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975169	N/A
EL16KP1-030-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	6.4	1.88	216975185	N/A
EL16KP1-030-230A**	LH18/36R*+TXV+LEFE3A*	---	R-454B	27800	15.1	11.5	24800	17000	14000	7.5	6.45	1.92	216624023	N/A
EL16KP1-030-230A**	LH18/37D*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967534	N/A
EL16KP1-030-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967546	N/A
EL16KP1-030-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967576	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967532	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967544	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.98	217183579	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183584	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183589	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217183616	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217183621	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217183626	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217183631	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183636	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217183647	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	6.35	1.96	217183664	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967574	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217183723	N/A
EL16KP1-030-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217183728	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975183	N/A
EL16KP1-030-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216975199	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6	1.8	218387300	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216967561	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975150	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216975166	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186500	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186506	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186512	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	28600	15.2	12.5	25000	15800	12800	7.5	6	1.98	218387313	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387316	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387319	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	6.5	1.96	217183596	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183602	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183608	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	6.5	1.92	217186518	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	6.5	1.92	217186524	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	6.5	1.94	217186530	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.98	217186536	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	28800	15	12.5	25200	16100	13000	7.5	6	1.98	218387338	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	28400	15.2	12.5	24800	15700	12800	7.5	6	1.98	218387341	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	28800	15	12.5	25200	16100	13000	7.5	6	1.98	218387344	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	28400	15.2	12.5	24800	15700	12800	7.5	6	1.98	218387347	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	28400	15	12.5	24800	15800	12800	7.5	6	1.96	218387350	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217183643	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	28600	15	12.5	25200	15900	12900	7.5	6	1.96	218387355	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217183654	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217183660	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	28200	15.2	12.5	24800	15700	12800	7.5	6	1.98	218387360	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217183671	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH090E48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	6.5	1.94	217183677	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183683	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH090XE48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	6.5	1.94	217183689	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	28400	15	12.5	25000	15900	12900	7.5	6.35	1.96	217183695	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	28200	15	12.5	24800	15800	12800	7.5	6.35	1.96	217183701	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	28800	15	12.5	25400	16100	13100	7.5	6.35	1.98	217183707	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186557	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186563	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	6.5	1.94	217186569	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186575	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	6.5	1.94	217186589	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217186595	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	28800	15	12.5	25200	16000	13000	7.5	6	1.98	218387385	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	28600	15	12.5	25200	15900	13000	7.5	6	1.98	218387388	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	28600	15	12.5	25200	15900	13000	7.5	6	1.98	218387391	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216967591	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183735	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217183741	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975182	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216975198	N/A
EL16KP1-030-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	28600	15	12.5	25200	16000	13000	7.5	6.35	1.98	217186606	N/A
EL16KP1-030-230A**	LH29/36F*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967553	N/A
EL16KP1-030-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975142	N/A
EL16KP1-030-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975158	N/A
EL16KP1-030-230A**	LH29/36F*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967583	N/A
EL16KP1-030-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975174	N/A
EL16KP1-030-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975190	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967552	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975141	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975157	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186498	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186504	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186510	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	6.55	1.96	217183594	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183600	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	6.55	1.92	217186516	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	6.55	1.92	217186522	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	6.55	1.94	217186528	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217186534	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217183641	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217183652	N/A
EL1														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217183681	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217183687	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	6.35	1.96	217183693	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183699	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	6.35	1.98	217183705	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186555	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186561	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	6.55	1.94	217186567	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186573	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	6.55	1.94	217186587	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217186593	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967582	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183733	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217183739	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975173	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975189	N/A
EL16KP1-030-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	217186604	N/A
EL16KP1-030-230A**	LH35/36W*+TXV	EL180UH080NE48B	R-454B	28200	14.5	12	25200	16400	13300	7.55	6.4	1.88	217230625	N/A
EL16KP1-030-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	217230628	N/A
EL16KP1-030-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	6.4	1.9	217230631	N/A
EL16KP1-030-230A**	LH35/36W*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	6.4	1.88	217230646	N/A
EL16KP1-030-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	28200	15	12	25000	16200	13100	7.55	6.4	1.9	217230649	N/A
EL16KP1-030-230A**	LH35/36W*+TXV	SL280UH090V48B	R-454B	28200	15	12	25000	16200	13100	7.55	6.4	1.9	217230656	N/A
EL16KP1-030-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	217230626	N/A
EL16KP1-030-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217230629	N/A
EL16KP1-030-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217230632	N/A
EL16KP1-030-230A**	LH35/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	217230647	N/A
EL16KP1-030-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217230650	N/A
EL16KP1-030-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217230657	N/A
EL16KP1-030-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	29200	14.5	12.5	25800	16400	13400	7.8	6.6	1.94	217230634	N/A
EL16KP1-030-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	29600	14.5	13	25800	16400	13400	8	6.8	1.94	217230637	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967533	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967545	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217613876	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217613878	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217613883	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217613888	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217613893	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.98	217183580	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183585	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183590	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	6.6	1.98	217609116	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217613898	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.96	217613903	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.96	217613908	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613913	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217613915	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217183617	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217183622	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217183627	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217183632	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183637	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609166	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217183648	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217609184	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	6.35	1.96	217183665	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609201	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1.96	217609211	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609220	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6.35	1.96	217609231	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	6.8	1.94	217609235	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217613919	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217613924	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217613929	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217613931	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217613935	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613940	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967575	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217183724	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217183729	N/A
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	217609077	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.55	1.92	216967556	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.55	1.92	216975145	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.55	1.94	216975161	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217613881	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.55	1.92	217613886	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.55	1.92	217613891	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217183574	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6.35	1.82	217609090	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217609098	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217609105	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	6.55	1.96	217609113	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217183611	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	6.55	1.92	217613896	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	6.55	1.92	217613891	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	6.55	1.94	217613906	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217613911	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217186539	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	28600	14.5	12	25600	16300	13300	7.75	6.55	1.92	217186543	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	6.75	1.94	217186550	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	6.35	1.98	217609124	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217609132	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	6.35	1.98	217609139	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217609147	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	28600	15	12.5	24800	15800	12800	7.5	6.35	1.96	217609155	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.55	1.94	217609163	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	28800	15	12.5	25200	15900	12900	7.5	6.35	1.96	217609172	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.55	1.96	217609180	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217609189	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.55	1.94	217609197	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	6.35	1.96	217609207	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	6.35	1.96	217609216	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	6.35	1.98	217609226	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	28600	14.5	12	25400	16200	13200	7.95	6.75	1.92	217183710	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	6.75	1.92	217183714	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217183718	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217613917	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.55	1.92	217613922	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	6.55	1.94	217613927	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	6.55	1.92	217186578	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217186582	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	6.55	1.94	217613933	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217613938	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	28600	14.5	12	25400	16200	13200	7.75	6.55	1.92	217186598	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	6.35	1.98	217609246	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217609254	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217609262	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216967586	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217230651	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217230658	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.55	1.92	216975177	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216975193	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	6.35	1.98	217613947	N/A
EL16KP1-030-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	6.55	1.92	217186612	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	217609071	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	217609079	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216967557	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	216975146	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216975162	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	6.6	1.94	216967564	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	6.8	1.94	217230636	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217613882	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217613887	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217613892	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183575	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.98	217609092	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609099	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609107	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	6.6	1.98	217609115	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183612	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186544	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	6.6	1.94	217186547	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	6.8	1.96	217186551	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217609126	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217609134	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217609141	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217609149	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609157	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609164	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609174	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217609182	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	6.35	1.96	217609192	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609199	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1.96	217609209	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609218	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6.35	1.96	217609228	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	6.8	1.94	217183711	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	6.8	1.94	217183715	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183719	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217613918	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217613923	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217613928	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	2176186579	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186583	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217613934	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613939	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	6.6	1.94	217186599	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609248	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609256	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217609264	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967587	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217230652	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217230659	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	216975178	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216975194	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	216975201	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217613948	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	6.6	1.94	217186609	N/A
EL16KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186613	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217609069	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217609075	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	6.6	1.94	216967547	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	216975136	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	6.6	1.96	216975152	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	29200	14.5	13	25800	16400	13400	7.8	6.6	1.94	216967563	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	6.35	1.94	217613880	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	217613885	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	217613890	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	6.8	1.96	217183572	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	29600	16	13.5	24800	16000	13000	7.5	6.35	1.98	217609088	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	6.35	1.96	217609096	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	6.35	1.96	217609103	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	6.35	1.98	217609111	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	29600	15	13	25600	16300	13300	8	6.8	1.96	217183609	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	13.5	25000	16100	13000	7.8	6.6	1.94	217613895	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	29000	15.2	13	25200	16300	13200	7.8	6.6	1.94	217613900	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.96	217613905	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217613910	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	6.8	1.96	217186537	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	29000	15	13	25600	16300	13300	7.8	6.6	1.94	217186541	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	29200	14.5	13	25600	16400	13300	7.8	6.6	1.94	217186545	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	29200	15	13.5	25400	16200	13200	8	6.8	1.96	217186548	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13.5	25000	16100	13200	7.5	6.35	1.98	217609122	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	6.35	1.96	217609130	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13.5	25000	16200	13200	7.5	6.35	1.98	217609137	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	6.35	1.96	217609145	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	6.35	1.96	217609153	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	6.35	1.96	217609161	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217609170	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	6.35	1.98	217609178	N/A
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	29600	16	13.5	24800	15900	12900	7.5	6.35	1.96	217609188	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-030-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	29000	15	13	25400	16200	13200	8	6.8	1.94	217183708	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	29200	15	13	25600	16200	13200	8	6.8	1.94	217183712	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	29400	15	13	25600	16300	13300	8	6.8	1.96	217183716	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	6.35	1.94	217613916	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	217613921	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	13	25400	16300	13200	7.8	6.6	1.96	217613926	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	29200	15	13	25600	16300	13200	7.8	6.6	1.94	217186576	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	29200	15	13	25600	16300	13300	8	6.8	1.96	217186580	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	29000	15.2	13.5	25000	16100	13100	7.8	6.6	1.96	217613932	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	29200	15.2	13.5	25200	16200	13100	7.8	6.6	1.96	217613937	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	29000	15	13	25400	16200	13200	7.8	6.6	1.94	217186596	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217609244	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217609252	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.94	217609260	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.94	216975777	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	6.35	1.98	217609268	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	216975168	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	29200	15.2	13	25200	16300	13200	7.8	6.6	1.94	216975184	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	29000	14.5	12.5	25600	16400	13400	7.8	6.6	1.92	216975200	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217613946	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	29000	14.5	13	25600	16300	13300	7.8	6.6	1.94	217186607	N/A
EL16KPI-030-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	29400	15	13	25600	16300	13300	7.8	6.6	1.94	217186610	N/A
EL16KPI-030-230A**	LS*31*9BB+TXV+TD	---	R-454B	28800	14.5	12	25200	17100	14000	7.9	6.75	2.02	217155445	N/A
EL16KPI-030-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	27600	14.7	11.5	24800	17000	14000	7.5	6.4	1.92	218339500	N/A
EL16KPI-030-230A**	LW30*M7+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	6.65	2	217290736	N/A
EL16KPI-030-230A**	LW36*M6+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	6.75	2.02	216768186	N/A
EL16KPI-030-230A**	SL1*31+TXV	---	R-454B	26000	14.5	12	25400	15800	12800	7.55	6.45	1.86	216439074	N/A
EL16KPI-030-230A**	SL5*31+TXV	---	R-454B	26400	15	12	25400	15800	12800	7.6	6.5	1.88	216439076	N/A
EL16KPI-030-230A**	SL6*30+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	6.75	2.02	216439067	N/A
EL16KPI-030-230A**	SM7*30+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	6.65	2	216767396	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	EL180UH080NE48B	R-454B	35000	14.5	12	33600	19600	16500	7.5	6.45	1.94	218631344	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98	218631345	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	218630953	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	EL195UH080NE48C	R-454B	36000	15.2	13	33400	19400	16500	7.5	6.45	1.98	218630954	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.98	218630955	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	218631346	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	1.98	218631347	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	218631348	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	218630956	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	218630957	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL297UH080NV48C	R-454B	36000	14.5	12.5	33000	19000	15700	7.5	6.45	1.84	218630958	N/A
EL16KPI-036-230A**	L*18/30Z+TXV+TD	SL297UH080NV60C	R-454B	36000	15.2	13	33400	19600	16500	7.5	6.45	1.98	218630959	N/A
EL16KPI-036-230A**	L*19/36S*+TXV+LEFE3A*	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	216624197	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL180UH080NE48B	R-454B	36000	15.2	12.5	33600	19600	16500	7.5	6.45	1.94	216967738	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	216967742	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.86	216975436	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	32800	19200	16200	7.5	6.45	1.96	216975439	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	6.7	1.98	216975443	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL196UH030XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.82	217186962	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL196UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.84	217186963	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL280UH090E36B	R-454B	36000	15.2	13.5	32600	19400	16300	7.5	6.45	1.9	217184215	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL280UH090E48B	R-454B	36000	15.2	13.5	32400	19200	16200	7.5	6.45	1.9	217184216	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL280UH090XE48B	R-454B	36000	16	13.5	32000	18900	15800	7.5	6.45	1.88	217184217	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL297UH045XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.84	217186982	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL297UH045XV36B	R-454B	36000	14.5	13	32600	19400	16300	7.5	6.45	1.84	217186983	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL297UH070XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.84	217186984	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	EL297UH070XV36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	6.45	1.96	217186985	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH070E36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	6.45	1.86	217184224	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	6.45	1.88	217184225	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH070V48B	R-454B	36000	16	13.5	32400	19200	16100	7.5	6.45	1.9	217184226	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	6.45	1.86	217184227	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH090E48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	6.45	1.88	217184228	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH090V48B	R-454B	36000	15.2	13.5	32400	19200	16100	7.5	6.45	1.86	217184231	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML180UH090XE48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	6.45	1.88	217184232	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML193UH030XE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.84	217184239	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML193UH045XE36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.84	217184240	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML193UH070XE36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	6.45	1.94	217184241	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML196UH030XE36B	R-454B	36000	15.2	12.5	33200	19200	16200	7.5	6.45	1.92	217187000	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML196UH070XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.86	217187001	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML196UH070XE48B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.84	217187002	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML296UH045XV36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.86	217187011	N/A
EL16KPI-036-230A**	L*23/37Z*+TXV	ML296UH070XV36B	R-454B	36000	15.2	13								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	6.45	1.86	217184251	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V60C	R-454B	36000	16	13.5	32800	18700	15700	7.5	6.45	1.9	217230791	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090XV60C	R-454B	36000	16	13.5	32800	18700	15700	7.5	6.45	1.9	217230793	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	216967761	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH040NV36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.86	216975449	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH060NV36B	R-454B	36000	15.2	13	32400	19400	16300	7.5	6.45	1.86	216975455	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV48C	R-454B	36000	15.2	13	32600	18800	15800	7.5	6.45	1.9	216975458	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	6.45	1.94	216975461	N/A
EL16KP1-036-230A**	L*23/37Z*+TXV	SLP99UH070XV36B	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.96	217187017	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84	217230766	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	35600	15	12.5	33600	19600	16500	7.5	6.45	1.94	217230768	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230771	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	217230774	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217230776	N/A
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217230778	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230780	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	35600	15.2	13	33400	19400	16300	7.8	6.7	1.98	217230785	N/A
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217230789	N/A
EL16KP1-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	35800	15	12.5	33600	19600	16500	7.5	6.45	1.94	217230767	N/A
EL16KP1-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230770	N/A
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230779	N/A
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V36B	R-454B	35800	15.2	13	33400	19400	16300	7.8	6.7	1.98	217230784	N/A
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217230788	N/A
EL16KP1-036-230A**	L*30/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967733	N/A
EL16KP1-036-230A**	L*30/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975433	N/A
EL16KP1-036-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.86	216967744	N/A
EL16KP1-036-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967750	N/A
EL16KP1-036-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975446	N/A
EL16KP1-036-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	6.45	1.86	216975452	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967732	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975432	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.86	216967743	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	6.45	1.84	217230775	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	6.45	1.84	217230777	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967749	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.88	217230782	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	12.5	32200	19200	16000	7.5	6.45	1.86	217230786	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975445	N/A
EL16KP1-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	6.45	1.86	216975451	N/A
EL16KP1-036-230A**	L*35/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967735	N/A
EL16KP1-036-230A**	L*35/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975435	N/A
EL16KP1-036-230A**	L*35/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	216967746	N/A
EL16KP1-036-230A**	L*35/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967752	N/A
EL16KP1-036-230A**	L*35/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975448	N/A
EL16KP1-036-230A**	L*35/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	216975454	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967734	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975434	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	216967745	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967751	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.88	217230783	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217230787	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975447	N/A
EL16KP1-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	216975453	N/A
EL16KP1-036-230A**	LEM36*43E+TXV	- - -	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	215876613	N/A
EL16KP1-036-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967736	N/A
EL16KP1-036-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.86	216967747	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	216967741	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	32800	19200	16200	7.5	6.45	1.96	216975438	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	6.7	1.98	216975442	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13.5	32800	19000	16100	7.5	6.45	1.96	217186965	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.8	6.7	1.96	217186967	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL280UH110E48C	R-454B	36000	16	13.5	32600	19000	16000	7.8	6.7	1.98	217184219	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL280UH110E60C	R-454B	36000	16	14	32800	19000	16100	7.8	6.7	1.98	217184221	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL280UH110XE60C	R-454B	36000	16	14	32800	19000	16100	7.8	6.7	1.98	217184223	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	6.45	1.98	217186969	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13.5	33200	19200	16300	7.5	6.45	1.98	217186971	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	6.45	1.98	217186973	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	6.7	1.98	217186975	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	217186977	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	6.7	1.98	217186979	N/A
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-036-230A**	LH23/37W*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32600	19000	16000	7.5	6.45	1.96	217186995	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	6.7	1.98	217186997	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	EL297UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	217186999	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML180UH090E60C	R-454B	36000	16	14	33000	19200	16200	7.8	6.7	2	217184230	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML180UH110E60C	R-454B	36000	15.2	14	33200	19200	16200	7.8	6.7	2	217184234	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML180UH110V60C	R-454B	36000	15.2	14	33200	19200	16100	7.8	6.7	2	217184236	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	6.7	1.98	217184238	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	6.45	1.96	217184243	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16300	7.8	6.7	2	217184245	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13.5	33400	19400	16200	7.8	6.7	1.98	217184247	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	217184249	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	6.45	1.96	217187004	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	2	217187006	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	217187008	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	6.45	1.98	217187010	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13.5	33200	19400	16100	7.8	6.7	1.98	217187014	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13.5	32800	19000	16100	7.8	6.7	1.96	217187016	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13.5	32200	19200	16100	7.5	6.45	1.86	217655836	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	6.7	2	216967756	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	6.7	2	217184253	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	6.7	2	217184255	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	2	216967760	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	36000	15	13	33200	19400	16400	7.5	6.45	1.92	216975457	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	6.45	1.98	216975460	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13.5	33000	19200	16300	7.5	6.45	1.96	217187019	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13.5	33400	19400	16400	7.5	6.45	1.98	217187021	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.8	6.7	1.98	217187023	N/A
EL16KPI-036-230A**	LH23/37W*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13.5	33000	19200	16300	7.8	6.7	1.96	217187025	N/A
EL16KPI-036-230A**	LH23/37W*+TXV+LEFE4B*	- - -	R-454B	35400	15.1	13.4	34000	19400	16200	7.9	6.85	2.04	216624206	N/A
EL16KPI-036-230A**	LH29/36F*+TXV	EL180UH100NE60C	R-454B	35000	14.5	12.5	33000	19400	16400	7.6	6.55	1.94	216967740	N/A
EL16KPI-036-230A**	LH29/36F*+TXV	EL195UH100NE60C	R-454B	35000	14.5	12.5	33200	19600	16400	7.6	6.55	1.94	216975441	N/A
EL16KPI-036-230A**	LH29/36F*+TXV	SL280UH080NV60C	R-454B	35000	15.2	12.5	32800	19200	16200	7.6	6.55	1.94	216967755	N/A
EL16KPI-036-230A**	LH29/36F*+TXV	SL280UH100NV60C	R-454B	35000	15.2	12.5	33000	19400	16400	7.6	6.55	1.94	216967759	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98	217230769	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	33400	19400	16500	7.5	6.45	1.98	217230772	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.98	217230773	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	1.98	217230781	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	SL280UH090V60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	6.7	1.98	217230790	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	6.7	1.98	217230792	N/A
EL16KPI-036-230A**	LH35/38X*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98	217230794	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84	217609765	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	35400	15	12.5	33600	19600	16500	7.5	6.45	1.94	216967737	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98	216967739	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	216975431	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	33400	19400	16500	7.5	6.45	1.98	216975437	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.98	216975440	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.82	217614134	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84	217614135	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13	32800	19000	16100	7.5	6.45	1.98	217186964	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13	32800	19000	16000	7.8	6.7	1.96	217186966	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	36000	14.5	13	32400	19400	16200	7.5	6.45	1.86	217609768	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	36000	15	13	32400	19400	16200	7.5	6.45	1.84	217609770	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	36000	15	13	32400	19400	16200	7.5	6.45	1.84	217609772	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.9	217609774	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.9	217609776	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	36000	15.2	13.5	32000	18900	15800	7.5	6.45	1.88	217609778	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	36000	16	13	32600	19000	16000	7.8	6.7	1.98	217184218	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH110E60C	R-454B	36000	16	13.5	32800	19000	16100	7.8	6.7	1.98	217184220	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL280UH110XE60C	R-454B	36000	16	13.5	32800	19000	16100	7.8	6.7	1.98	217184222	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13	33000	19200	16100	7.5	6.45	1.98	217186968	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13	33200	19200	16300	7.5	6.45	1.98	217186970	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	6.45	1.98	217186972	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	6.7	1.98	217186974	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	217186976	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	6.7	1.98	217186978	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	217186980	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	6.45	1.84	217614136	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.84	217614137	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	6.45	1.84	217614138	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	6.45	1.96	217614139	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13	33400	19400	16200	7.8	6.7	1.98	217186986	N/A
EL16KPI-036-230														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	6.7	1.98	217186996	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	217186998	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	36000	15	13	32200	19200	16100	7.5	6.45	1.86	217609781	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	36000	15.2	13	32000	19000	15900	7.5	6.45	1.86	217609783	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217609785	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	36000	15.2	13	32000	19000	15900	7.5	6.45	1.86	217609787	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84	217609789	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217609791	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	217609793	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	6.45	1.88	217609795	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.9	217609797	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	36000	15	13	32200	19000	16000	7.5	6.45	1.86	217609799	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217609801	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.88	217609803	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	36000	16	13.5	33000	19200	16200	7.8	6.7	2	217184229	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	35400	15.2	12.5	33400	19400	16400	7.8	6.7	1.96	217609805	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.88	217609807	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	6.7	2	217184233	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	36000	15.2	13.5	33200	19200	16100	7.8	6.7	2	217184235	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	1.98	217184237	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	36000	15	12.5	32400	19200	16200	7.5	6.45	1.84	217609809	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	6.45	1.94	217609811	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217609813	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13	33000	19200	16100	7.5	6.45	1.96	217184242	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13	33200	19400	16300	7.8	6.7	2	217184244	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13	33400	19400	16200	7.8	6.7	1.98	217184246	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	217184248	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	35600	15	12.5	33200	19200	16200	7.5	6.45	1.92	217614140	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	6.45	1.96	217614141	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.84	217614142	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13	33000	19200	16200	7.5	6.45	1.96	217187003	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	217187005	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	217187007	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13	33000	19200	16100	7.5	6.45	1.98	217187009	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217614143	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	36000	15	13	32400	19200	16100	7.5	6.45	1.86	217614144	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13	33200	19400	16100	7.8	6.7	1.98	217187013	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13	32800	19000	16100	7.8	6.7	1.96	217187015	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	217609816	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217609818	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217609821	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	216967748	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	2	216967754	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.88	217609823	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217609825	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	6.45	1.9	217184252	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	6.45	1.9	217184254	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	216967758	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	35200	15	12.5	33600	19600	16500	7.5	6.45	1.96	216975444	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	6.45	1.96	216975450	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	36000	14.5	12.5	32600	18800	15800	7.5	6.45	1.9	216975456	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13	33400	19600	16500	7.5	6.45	1.98	216975459	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	35200	15	12.5	33400	19600	16400	7.8	6.7	1.96	217614145	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13	33200	19200	16300	7.5	6.45	1.98	217187018	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13	33400	19400	16400	7.5	6.45	1.98	217187020	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13	33400	19600	16500	7.8	6.7	1.98	217187022	N/A
EL16KPI-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13	33200	19200	16300	7.8	6.7	1.98	217187024	N/A
EL16KPI-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	34200	14.5	12	33800	19400	16200	7.75	6.65	1.98	217157885	N/A
EL16KPI-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	217157883	N/A
EL16KPI-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	6.7	2	217159378	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	217609827	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	217614146	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	6.75	2.04	217614147	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	6.75	2.02	217614148	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217614149	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217609836	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217609838	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217609840	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217614152	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.08	217614154	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217614155	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217609851	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217609857	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217609859	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217609861	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217609865	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217609867	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217609869	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217609871	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.75	6.7	2.02	217614162	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217614163	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217614164	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217614165	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217614168	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217614169	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217609875	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217609879	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217609881	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217609883	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217609885	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217609887	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217614172	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217614173	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.75	6.7	2.02	217614176	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217614177	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.75	6.75	2.02	217614178	N/A
EL16KPI-042-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217614179	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6	1.84	218393822	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	7	2.04	218393823	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	7	2.04	218393824	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	7	2.02	218393825	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218393826	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	7	2.12	218393827	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.12	218393828	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.12	218393829	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	7	2.1	218393830	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393831	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	7	2.04	218393832	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218393833	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218393834	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218393835	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	7	2.12	218393836	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	7	2.1	218393837	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.12	218393838	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	7	2.1	218393839	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	7	2.06	218393840	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	7	2.1	218393841	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218393842	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	7	2.06	218393843	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393844	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218393845	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393846	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393847	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.1	218393848	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.12	218393849	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.12	218393850	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393851	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393852	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393853	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218393854	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	7	2.1	218393855	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393856	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.75	7	2.02	218393857	N/A
EL16KPI-042-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218393858	N/A
EL16KPI-042-230A**	L*42/49K*+TXV	SL280UH080NV48B	R-454B	40500	14.3	12	37800	23800	18800	7.5	6.5	1.8	216967770	N/A
EL16KPI-042-230A**	L*42/60S*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	6.5	2.04	216975464	N/A
EL16KPI-042-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.75	6.75	2.1	216975472	N/A
EL16KPI-042-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.75	6.75	2.1	216967775	N/A
EL16KPI-042-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	41500	15	12.5	38000	24000	20200	7.75	6.75	2.1	216967783	N/A
EL16KPI-042-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	41500	15	12.5	37800	24000	20200	7.75	6.75	2.1	216975480	N/A
EL16KPI-042-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.75	6.75	2.1	216975488	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	EL180UH080NE48B	R-454B	41000	14.5	12.5	37800	24000	19400	7.5	6.5	2	216967762	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700</					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216967777	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217230806	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230811	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230815	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967785	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230821	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230825	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975482	N/A
EL16KPI-042-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	6.75	2.1	216975490	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	216967767	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	216975467	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	6.7	2.02	216975475	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	6.7	2	217187028	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217187033	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184028	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184263	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184268	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217187038	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187043	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	6.7	2.02	217187048	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187053	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187058	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187063	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217184273	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217184278	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184283	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217184288	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	6.7	2.04	217184293	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217184298	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184303	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	6.7	2.04	217187068	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187073	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217187078	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187083	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187088	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	216967778	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184308	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184313	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967786	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184318	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184323	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975483	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	216975491	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187093	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.7	6.7	2	217187098	N/A
EL16KPI-042-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187103	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	6.45	1.84	216977955	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	216978061	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	6.7	2.02	216978062	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19300	7.75	6.7	2	217187026	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217187031	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184256	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	6.9	2.04	217184261	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	6.9	2.04	217184266	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218386011	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218386012	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	7	1.96	218386013	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217187036	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187041	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	42000	15	12.5	37800	24400	19600	7.75	6.7	2.02	217187046	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187051	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187056	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187061	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	42000	14.5	12.5	40000	26200	21200	8.1	7	2	218386020	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	42000	15.2	13	37400	24200	19300	7.95	6.9	2.06	217184271	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	6.75	2.1	217184276	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	42000	15.2	13	37400	24000	19100	7.95	6.9	2.06	217184281	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	6.75	2.1	217184286	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML193DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218386025	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	6.7	2.04	217184291	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13	37800	23600	19800	7.8	6.75	2.1	217184296	N/A
EL16KPI-														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187071	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217187076	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218386034	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187081	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187086	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.96	216977956	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218386037	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	41500	14.5	12.5	40000	26400	21200	8	7	1.98	218386038	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216977957	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184306	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184311	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216977958	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184316	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184321	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216978063	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	216978064	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	7	1.96	218386039	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187091	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	41500	15	12.5	37800	24400	19400	7.75	6.7	2	217187096	N/A
EL16KPI-042-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187101	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	6.45	1.84	216967764	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL195UH080NE48C	R-454B	41000	15	12.5	37800	24000	20200	7.5	6.5	2.04	216975463	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	6.75	2.04	216975471	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	6.75	2.02	217187027	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	6.75	2.06	217187032	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184257	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184262	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184267	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217187037	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187042	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217187047	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187052	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187057	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187062	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217184272	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	6.75	2.06	217184277	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184282	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	6.75	2.06	217184287	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217184292	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	41500	15.2	13	37400	24000	18900	7.8	6.75	2.06	217184297	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184302	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217187067	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	6.75	2.04	217187072	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217187077	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187082	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217187087	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	6.75	2.06	216967774	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	6.75	2.04	217184307	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	6.75	2.04	217184312	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967782	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184317	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184322	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975479	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	216975487	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187092	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	6.75	2.02	217187097	N/A
EL16KPI-042-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217187102	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	6.45	1.84	217230797	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	217230799	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	6.7	2.02	217230801	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	217230804	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230809	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230813	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217230817	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230819	N/A
EL16KPI-042-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230823	N/A
EL16KPI-042-230A**	LH42/49F*+TXV+LEFE4B*	- - -	R-454B	40000	15	12	38500	24200	19600	7.9	6.85	2.06	216624211	N/A
EL16KPI-042-230A**	LH42/60D*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	6.5	2.04	216975462	N/A
EL16KPI-042-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.8	6.75	2.1	216975470	N/A
EL16KPI-042-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216967773	N/A
EL16KPI-042-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	40500	15.2	12	37800	24200	19200	7.55	6.55	1.98	216967781	N/A
EL16KPI-0														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.04	216975476	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.02	217187029	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217187034	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184259	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184264	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184269	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	217187039	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217187044	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217187049	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	6.75	2.08	217187054	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187059	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187064	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184274	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184279	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184284	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184289	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	6.75	2.06	217184294	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217184299	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217184304	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217187069	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217187074	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217187079	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217187084	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217187089	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	216967779	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184309	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184314	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	216967787	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184319	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184324	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	216975484	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	216975492	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217187094	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	6.75	2.02	217187099	N/A
EL16KPI-042-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217187104	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	6.45	1.84	217230796	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	217230798	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	6.7	2.02	217230800	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	217230803	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230808	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230812	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217230816	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230818	N/A
EL16KPI-042-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230822	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL180UH080NE48B	R-454B	41000	15	12.5	37800	24000	19400	7.5	6.5	2	217230795	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	6.45	1.84	216967765	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	216975465	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	6.65	2.02	216975473	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	41500	15	12.5	37800	24400	19300	7.7	7	2	218386006	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218386007	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	7	2.12	218386008	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	41500	15.2	13	37400	24000	19000	7.9	7	2.04	218386009	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13	37400	24000	19000	7.9	7	2.04	218386010	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	7	2.1	218386014	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	7	2.1	218386015	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	41500	15	12	37800	24400	19600	7.7	7	2.02	218386016	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218386017	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	41500	15.2	12.5	38000	24200	20200	7.8	7	2.08	218386018	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	41500	15.2	12.5	38000	24200	20200	7.8	7	2.08	218386019	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.12	218386021	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	7	2.1	218386022	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	7	2.12	218386023	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	7	2.1	218386024	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML193UH090XE48C	R-454B	41500	15	12.5	37800	24400	19600	7.7	7	2.04	218386026	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13	37800	23600	19800	7.8	7	2.1	218386027	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218386028	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	41500	15	12	37800	24400	19600	7.7	7	2.04	218386031	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218386032	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218386033	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218386035	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218386036	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SL280UH08												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-042-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230814	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967784	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230820	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230824	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975481	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	6.75	2.1	216975489	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	7	2.1	218386040	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	41000	15	12	37800	24400	19400	7.7	7	2	218386041	N/A
EL16KPI-042-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218386042	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL180UH080NE48B	R-454B	42000	15.2	12.5	37800	24000	19400	7.5	6.5	2	216967763	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	216967769	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	216975469	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.04	216975477	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.02	217187030	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217187035	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	6.5	2.04	217609830	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217609832	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217609834	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184260	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184265	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184270	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH045XV36B	R-454B	41500	15.2	12.5	37400	23600	19200	7.5	6.5	2	217614150	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217614151	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	217187040	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.08	217614153	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217187045	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217187050	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	6.75	2.08	217187055	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187060	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217187065	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217609845	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	6.5	2.04	217609847	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217609849	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184275	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	6.5	2.02	217609853	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217609855	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184280	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184285	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184290	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217609863	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	6.75	2.06	217184295	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217184300	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217184305	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML196UH070XE48B	R-454B	42000	14.5	12.5	38000	24200	19600	7.5	6.5	1.98	217614160	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.8	6.75	2.04	217614161	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217187070	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217187075	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217187080	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217614166	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	6.5	2.02	217614167	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217187085	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217187090	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	6.5	2.02	216967792	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	216967780	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.04	217609877	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217230807	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184310	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184315	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	216967788	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184320	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184325	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	6.5	2	217614170	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL297UH060NV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217614171	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	216975485	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	216975493	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217614174	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.8	6.75	2.04	217614175	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217187095	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	6.75	2.02	217187100	N/A
EL16KPI-042-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217187105	N/A
EL16KPI-042-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	2171578	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217609896	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	6.85	2.12	217609902	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	6.95	2.12	217609904	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	6.95	2.12	217609906	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	6.85	2.1	217614181	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	48000	15	12.5	44000	28600	23600	7.65	6.65	2.08	217614183	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217609909	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.08	217609911	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217609913	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217609915	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217609917	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12.5	44500	27800	22600	7.5	6.45	1.94	217614184	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.96	217614185	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	6.9	2.12	217609923	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	6.9	2.1	217609927	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	6.9	2.14	217609929	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	6.9	2.1	217609931	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	6.45	1.94	217609933	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217609935	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217609937	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217609939	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217614186	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	6.85	2.08	217609941	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217609943	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.94	217614187	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217609946	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217609948	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	6.9	2.12	217609950	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217609952	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217609954	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217609956	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217609958	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217609960	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.96	217609962	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	217609964	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217609966	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.75	6.7	2.06	217609970	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217609972	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217609974	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217609976	N/A
EL16KPI-048-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22800	7.5	6.45	1.96	217614188	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	7	2.08	218393885	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	7	2.1	218393886	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	7	2.1	218393887	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393888	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	7	2.12	218393889	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	7	2.12	218393890	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	7	2.12	218393891	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	7	2.1	218393892	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393893	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	7	2.08	218393894	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393895	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393896	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	7	2.08	218393897	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	7	2.12	218393898	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	7	2.1	218393899	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	7	2.14	218393900	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	7	2.1	218393901	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	7	2.1	218393902	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	7	2.12	218393903	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	7	2.1	218393904	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	7	2.1	218393905	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	7	2.08	218393906	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393907	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393908	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6	1.9	218393909	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	7	2.12	218393910	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393911	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393912	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	7	2.1	218393913	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	7	2.1	218393914	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SL28												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-048-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393919	N/A
EL16KPI-048-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393920	N/A
EL16KPI-048-230A**	L*42/60S+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	6.65	2	216967791	N/A
EL16KPI-048-230A**	L*42/60S+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.5	6.55	2.02	216967800	N/A
EL16KPI-048-230A**	L*42/60S+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	6.65	2.04	216967809	N/A
EL16KPI-048-230A**	L*42/60S+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	6.65	2.02	216967818	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.5	6.55	2.02	216967827	N/A
EL16KPI-048-230A**	L*42/60S+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	6.65	2.02	216967836	N/A
EL16KPI-048-230A**	L*42/60V+TXV	EL180UH100NE60C	R-454B	47000	14.3	12	45000	29400	24000	7.8	6.8	2.04	216967793	N/A
EL16KPI-048-230A**	L*42/60V+TXV	EL195UH100NE60C	R-454B	47500	14.5	12	44500	29200	24000	7.7	6.65	2.08	216967802	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.9	216967811	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL280UH090V60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	217230835	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL280UH090XV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	217230839	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	216967820	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230845	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	44000	28800	23800	7.7	6.65	2.1	217230849	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	216967829	N/A
EL16KPI-048-230A**	L*42/60V+TXV	SL297UH080NV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	216967838	N/A
EL16KPI-048-230A**	L*42/60V+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	6.85	2.06	216967794	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.1	216967803	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	6.8	2.1	217184328	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184333	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.85	6.8	2.1	217184338	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	6.9	2.1	217184343	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	6.9	2.1	217184348	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.8	6.8	2.1	217187108	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.06	217184353	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	217184358	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184363	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.06	217184368	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	6.85	2.06	217184373	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	6.85	2.1	217184378	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	6.85	2.08	217184383	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.12	217184388	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	6.85	2.08	217184393	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	6.8	2.1	217184399	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44000	28800	23600	7.75	6.7	2.1	217184404	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	6.85	2.08	217184409	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	6.8	2.1	217187115	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.85	6.8	2.06	217184414	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184419	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184424	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217184429	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	6.85	2.1	216967812	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184434	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184439	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	6.85	2.08	216967821	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	6.85	2.08	217184444	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217184449	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.1	216967830	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	216967839	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.06	217184455	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.06	217184460	N/A
EL16KPI-048-230A**	L*42/60Z+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184465	N/A
EL16KPI-048-230A**	L*43/61Z+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.85	2.08	216967795	N/A
EL16KPI-048-230A**	L*43/61Z+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.06	216967804	N/A
EL16KPI-048-230A**	L*43/61Z+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	6.85	2.12	216967813	N/A
EL16KPI-048-230A**	L*43/61Z+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.08	216967822	N/A
EL16KPI-048-230A**	L*43/61Z+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967831	N/A
EL16KPI-048-230A**	L*43/61Z+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	216967840	N/A
EL16KPI-048-230A**	LD42/61Y+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.88	216977960	N/A
EL16KPI-048-230A**	LD42/61Y+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	216977962	N/A
EL16KPI-048-230A**	LD42/61Y+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	6.8	2.1	216977964	N/A
EL16KPI-048-230A**	LD42/61Y+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	6.8	2.08	216977966	N/A
EL16KPI-048-230A**	LD42/61Y+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977968	N/A
EL16KPI-048-230A**	LD42/61Y+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977970	N/A
EL16KPI-048-230A**	LD42/61Z+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.88	216977959	N/A
EL16KPI-048-230A**	LD42/61Z+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	216977961	N/A
EL16KPI-048-230A**	LD42/61Z+TXV	EL196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	6.8	2.1	217184326	N/A
EL16KPI-048-230A**	LD42/61Z+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	6.7	2.1	217184331	N/A
EL16KPI-048-230A**	LD42/61Z+TXV	EL280UH110E48C	R-454B	48000	15	13	44000	28800	23600	7.75	6.7	2.12	217	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184356	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	6.7	2.1	217184361	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.88	217184366	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.88	217184371	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12	44500	27800	22600	7.5	6.45	1.94	217187111	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.96	217187112	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	7	1.78	218386155	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	47500	15	12.5	45000	29200	23800	7.85	6.8	2.1	217184376	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	6.8	2.08	217184381	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.9	6.85	2.12	217184386	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	6.8	2.08	217184391	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	6.45	1.94	217184396	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML193DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23800	7.5	7	1.8	218386160	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	6.8	2.1	217184397	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	47500	15	12.5	44500	28800	23400	7.85	6.8	2.08	217184402	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	6.8	2.08	217184407	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML196DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23600	7.5	7	1.8	218386164	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	6.8	2.1	217187113	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	47500	14.5	12.5	45000	29000	23600	7.85	6.8	2.06	217184412	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	6.7	2.08	217184417	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.94	217187118	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	217184422	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.1	217184427	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	48000	14.3	12.5	46000	30600	24000	7.5	7	1.78	218386170	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	7	1.78	218386171	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	6.8	2.1	216977963	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	6.8	2.08	217184432	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	6.8	2.08	217184437	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	6.8	2.08	216977965	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	6.8	2.08	217184442	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	6.8	2.08	217184447	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.96	217184452	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977967	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977969	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184453	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184458	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	217184463	N/A
EL16KPI-048-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12	45000	28400	22800	7.5	6.45	1.96	217187119	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	216967790	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.1	216967799	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	6.9	2.12	217184327	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184332	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44000	28800	23600	7.8	6.75	2.14	217184337	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	48000	15	13	44500	27800	22400	7.5	6.45	1.9	217184342	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	48000	15	13	44500	27800	22400	7.5	6.45	1.9	217184347	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.9	6.9	2.12	217187107	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.08	217184352	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.08	217184357	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184362	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.08	217184367	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217184372	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	6.9	2.12	217184377	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	6.9	2.1	217184382	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217184387	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	6.9	2.1	217184392	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	6.9	2.12	217184398	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217184403	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	6.9	2.1	217184408	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	6.9	2.12	217187114	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	6.9	2.08	217184413	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184418	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184423	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184428	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	6.9	2.12	216967808	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184433	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184438	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	6.9	2.1	216967817	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	6.9	2.1	217184443	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217184448	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967826	N/A
EL16KPI-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	216967	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	6.8	2.04	217230829	N/A
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.9	217230831	N/A
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230833	N/A
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230837	N/A
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230841	N/A
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230843	N/A
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230847	N/A
EL16KP1-048-230A**	LH42/60D*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	6.65	2	216967789	N/A
EL16KP1-048-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.55	6.55	2.04	216967798	N/A
EL16KP1-048-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	6.65	2.04	216967807	N/A
EL16KP1-048-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	6.65	2.02	216967816	N/A
EL16KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.55	6.55	2.04	216967825	N/A
EL16KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	6.65	2.02	216967834	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	216967796	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	216967805	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217184329	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184334	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.12	217184339	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	6.95	2.14	217184344	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	6.95	2.14	217184349	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	6.85	2.12	217187109	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184354	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184359	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184364	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184369	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	217184374	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	6.9	2.12	217184379	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	6.9	2.1	217184384	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	6.95	2.14	217184389	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	6.9	2.1	217184394	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.9	2.12	217184400	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.1	217184405	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184410	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217187116	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	6.9	2.08	217184415	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184420	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184425	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217184430	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	6.45	1.9	216967814	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184435	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184440	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	216967823	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184445	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	6.45	1.9	217184450	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967832	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	216967841	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184456	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184461	N/A
EL16KP1-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184466	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.88	217230826	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	217230828	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.8	6.8	2.1	217230830	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	6.8	2.08	217230832	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	6.8	2.08	217230836	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	6.8	2.08	217230840	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	6.8	2.08	217230842	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	6.8	2.08	217230846	N/A
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.96	217230850	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	6.8	2.04	216967792	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	6.8	2.04	216967801	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	47000	14.5	12.5	44500	28800	23800	7.8	7	2.08	218386144	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386145	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL280UH110E48C	R-454B	47500	15	12.5	44000	28800	23600	7.7	7	2.12	218386146	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218386147	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218386148	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	47000	14.5	12.5	44000	28800	23800	7.8	7	2.08	218386149	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386150	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386151	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386152	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386153	N/A
EL16KP1-048-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	7	2.04	218386	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-048-230A**	LP40/60R*+TXV	ML193UH090XE48C	R-454B	47000	14.5	12.5	44500	28800	23800	7.8	7	2.08	218386161	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML193UH110XE48C	R-454B	47500	15	12.5	44000	28800	23600	7.7	7	2.1	218386162	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	7	2.06	218386163	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	47000	14.5	12.5	44500	28800	23800	7.8	7	2.08	218386165	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	47000	14.5	12.5	45000	29000	23600	7.8	7	2.04	218386166	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386167	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386168	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386169	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28000	22800	7.5	6.5	1.96	216967810	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230834	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230838	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	216967819	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230844	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230848	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	216967827	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	6.8	2.06	216967837	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386172	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386173	N/A
EL16KPI-048-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386174	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	216967797	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	216967806	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217184330	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184335	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217609898	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217609900	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.12	217184340	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	6.95	2.14	217184345	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	6.95	2.14	217184350	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	6.85	2.12	217187110	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH090XV36C	R-454B	48000	15.2	12.5	44000	28600	23600	7.7	6.65	2.1	217614182	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184355	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184360	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184365	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184370	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	217184375	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	46000	29200	23200	7.5	6.5	1.8	217609920	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	6.45	1.8	217609921	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	6.9	2.12	217184380	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	6.45	1.8	217609925	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	6.9	2.1	217184385	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	6.95	2.14	217184390	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	6.9	2.1	217184395	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.9	2.12	217184401	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.1	217184406	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184411	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217187117	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	6.9	2.08	217184416	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184421	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184426	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217184431	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	6.45	1.9	216967815	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184436	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184441	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	216967824	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184446	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	6.45	1.9	217184451	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967833	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	216967842	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.8	6.75	2.08	217609968	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184457	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184462	N/A
EL16KPI-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184467	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	6.75	2.02	217187122	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184470	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184475	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	6.75	2.02	217187127	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	58000	14.3	12	54000	34800	28600	7.5	7	1.98	218386179	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	6.8	2.04	217184480	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	6.8	2.04	217184485	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	57500	14.5	12.5	54000	34600	28200	7.5	6.6	1.98	217184490	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	6.8	2.04	2171844	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	6.75	2.04	216967844	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	6.6	1.94	217184503	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184508	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	56500	14.3	12	51500	33000	27400	7.7	6.75	2.02	216967849	N/A
EL16KPI-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	56500	14.3	12	52000	33200	27600	7.7	6.75	2.02	217187150	N/A
EL16KPI-060-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	6.8	2.04	216967845	N/A
EL16KPI-060-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	6.6	1.98	216967850	N/A
EL16KPI-060-230A**	L*43/61Z*+TXV+LEFE5*	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	217465655	N/A
EL16KPI-060-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	6.7	2.02	216977972	N/A
EL16KPI-060-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.98	216977974	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187120	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184468	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184473	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	6.6	1.98	217187125	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	58000	14.3	12	54000	34800	28600	7.5	7	1.98	218386177	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	56500	14.3	11.7	53000	32800	26600	7.5	6.6	1.94	217187134	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	57000	14.5	12.5	57500	35600	29200	7.5	7	1.84	218386180	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	6.6	2	217184478	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184483	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	56500	14.5	12	51500	33000	27400	7.65	6.7	2.04	217184488	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184493	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.96	217187135	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187144	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	57500	14.5	12.5	58000	36000	29400	7.5	7	1.82	218386181	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	6.7	2.02	216977971	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	6.6	1.94	217184501	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184506	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.98	216977973	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	6.6	1.94	217184511	N/A
EL16KPI-060-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	6.6	1.94	217187153	N/A
EL16KPI-060-230A**	LEM60*4CC*+TXV	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	217610494	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187121	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184469	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184474	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	6.6	1.98	217187126	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	58000	14.3	12	54000	34800	28600	7.5	7	1.98	218386178	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	6.6	2	217184479	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184484	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	57000	14.5	12	51500	33000	27400	7.7	6.8	2.06	217184489	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184494	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.96	217187136	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	57000	14.3	11.7	53000	33000	28000	7.5	6.6	2	217187140	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187145	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	6.8	2.04	216967843	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	6.6	1.94	217184502	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184507	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.98	216967848	N/A
EL16KPI-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	57000	14.3	11.7	52500	33200	27600	7.5	6.6	2.04	217187149	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187123	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184471	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184476	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	7	2.04	218386175	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	6.6	1.98	217187128	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	6.6	2.02	217187130	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	6.6	2.04	217187132	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	6.6	2	217184481	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184486	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	6.6	1.98	217184491	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184496	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	6.85	2.04	217184499	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	6.6	1.96	217187138	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	6.6	2	217187142	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187147	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	6.85	2.06	216967846	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	6.6	1.94	217184504	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184509	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	6.6	2.04	216967851	N/A
EL16KPI-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	6.6	2.04	217187151	N/A
EL16KPI-060-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.9	7	2.2	216624247	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187124	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184472	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	EL280UH												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KPI-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	6.6	2.04	217187133	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	6.6	2	217184482	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184487	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	6.6	1.98	217184492	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184497	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	6.85	2.04	217184500	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	6.6	1.96	217187139	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	6.6	2	217187143	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187148	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	6.85	2.06	216967847	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	6.6	1.94	217184505	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184510	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	6.6	2.04	216967852	N/A
EL16KPI-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	6.6	2.04	217187152	N/A
EL18KSLV-024-230A**	HE23*36+TXV+TD	---	R-454B	23200	15.2	11	24000	18500	22200	8.5	6.75	1.74	217285759	N/A
EL18KSLV-024-230A**	HE30*24+TXV+TD	---	R-454B	23000	15.2	11	24000	18500	22200	8.5	6.7	1.74	217285762	N/A
EL18KSLV-024-230A**	HE31*30+TXV+TD	---	R-454B	23400	15.2	11	24000	18500	22200	8.5	6.8	1.74	217285760	N/A
EL18KSLV-024-230A**	HE32*36+TXV+TD	---	R-454B	23800	15	11.5	24000	18600	22200	8.5	6.85	1.78	217285761	N/A
EL18KSLV-024-230A**	HE33*36+TXV+TD	---	R-454B	24000	15.8	11.7	24000	18600	22200	8.5	6.95	1.8	218471045	N/A
EL18KSLV-024-230A**	HE34*36+TXV+TD	---	R-454B	24000	15.2	11.7	24000	18600	22200	8.5	7	1.8	218471046	N/A
EL18KSLV-024-230A**	HH58*36+TXV+TD	---	R-454B	23600	15.2	11.5	24000	18600	22200	8.5	6.8	1.76	218647958	N/A
EL18KSLV-024-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218631295	N/A
EL18KSLV-024-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	218631296	N/A
EL18KSLV-024-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218631297	N/A
EL18KSLV-024-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218631298	N/A
EL18KSLV-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	8.95	7.45	1.8	216977185	N/A
EL18KSLV-024-230A**	L*18/36T*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975526	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV	EL180UH040NE36A	R-454B	23600	17	11.5	24000	18800	20400	9.3	7.35	1.82	217231203	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV	EL180UH060NE36A	R-454B	23600	17	11.5	24000	18800	20600	9.3	7.35	1.82	217231212	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV	EL195UH040NE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	6.9	1.78	217231220	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV	EL195UH060NE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	6.9	1.78	217231232	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV	SL280UH060NV36A	R-454B	23600	17	11.7	24000	18800	20400	9.3	7.35	1.82	217231245	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV	SL280UH070V36A	R-454B	23600	17	11.7	24000	18800	20400	9.2	7.35	1.82	217231254	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	8.8	6.85	1.78	217465667	N/A
EL18KSLV-024-230A**	L*18/36U*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	8.8	6.85	1.78	217465666	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.45	7.45	1.84	217231204	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.45	7.45	1.84	217231213	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231221	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231233	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23600	17	11.7	24000	18800	20600	8.95	7	1.8	218389282	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23600	17	11.7	24000	18800	20600	8.95	7	1.8	218387530	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23600	17	11.7	24000	18800	20600	8.95	7	1.8	218400089	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	23600	16	11.5	24000	19000	20600	8.8	7	1.76	218387536	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	23600	16	11.5	24000	19000	20600	8.8	7	1.76	218389288	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	23600	16	11.5	24000	19000	20600	8.8	7	1.76	218400095	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400101	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387542	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389294	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218387549	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218389301	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218400108	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.35	7	1.84	218389308	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.35	7	1.84	218387556	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.35	7	1.84	218400115	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.35	7	1.84	218387563	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.35	7	1.84	218389315	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.35	7	1.84	218400122	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	23600	17	11.7	24000	18600	20400	8.95	7	1.78	218389323	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	23600	17	11.7	24000	18600	20400	8.95	7	1.78	218387571	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	23600	17	11.7	24000	18600	20400	8.95	7	1.78	218400130	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387584	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389336	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400143	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	8.95	7.45	1.8	217187236	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400151	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387592	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389344	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	8.95	7.45	1.8	217187242	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218389356	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218400163	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218387604	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.45	7	1.84	218387611	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045E36A	R											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218389370	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.45	7	1.84	218400177	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.45	7	1.84	218387625	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.45	7	1.84	218389377	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.45	7	1.84	218400184	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.35	7	1.84	218387632	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.35	7	1.84	218389384	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.35	7	1.84	218400191	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	8.95	7	1.8	218387639	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	8.95	7	1.8	218400198	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	8.95	7	1.8	218389391	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.45	7	1.84	218387645	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.45	7	1.84	218400204	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.45	7	1.84	218389397	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	17	11.7	24000	18600	20600	8.95	7	1.8	218387652	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	17	11.7	24000	18600	20600	8.95	7	1.8	218389404	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	17	11.7	24000	18600	20600	8.95	7	1.8	218400211	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.35	7	1.84	218387658	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.35	7	1.84	218389410	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.35	7	1.84	218400217	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	8.95	7	1.8	218387665	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	8.95	7	1.8	218389417	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	8.95	7	1.8	218400224	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387675	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389427	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400234	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387681	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389433	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400240	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218387687	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218400246	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218389439	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23600	17	11.7	24000	18800	20600	8.95	7	1.8	218389447	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23600	17	11.7	24000	18800	20600	8.95	7	1.8	218400254	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23600	17	11.7	24000	18800	20600	8.95	7	1.8	218387695	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	23600	16	11.5	24000	19000	20600	8.8	7	1.76	218387701	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	23600	16	11.5	24000	19000	20600	8.8	7	1.76	218389453	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	23600	16	11.5	24000	19000	20600	8.8	7	1.76	218400260	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218387707	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218389459	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218400266	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML296UH045V36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218387715	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML296UH045V36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218389467	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML296UH045V36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218400274	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML296UH070V36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218387721	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML296UH070V36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218389473	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	ML296UH070V36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218400280	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.45	7.45	1.84	217231246	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.35	7.45	1.84	217231255	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.35	7	1.84	218387733	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.35	7	1.84	218389485	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.35	7	1.84	218400292	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	8.95	8	1.8	218389493	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	8.95	8	1.8	218387741	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	8.95	8	1.8	218400300	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218389508	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218387756	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.8	218400315	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	8.95	6.95	1.8	217465669	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	8.95	6.95	1.8	217465668	N/A
EL18KSLV-024-230A**	L*18/36V*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975525	N/A
EL18KSLV-024-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	216977189	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217231205	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217231214	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231224	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231236	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7.5	1.8	217614217	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	6.95	1.78	217614223	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614229	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614235	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614241	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614247	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	23800										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614253	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	9	7.5	1.8	217187238	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614264	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217187244	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614275	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614281	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614287	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614293	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614299	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614305	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	7.5	1.85	217614311	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	217614317	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614323	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614329	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7.5	1.8	217614335	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7.5	1.8	217614341	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	7.5	1.8	217614347	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	217614353	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	6.95	1.78	217614359	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	217614365	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614371	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614377	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	23600	16	11.7	24000	18800	20600	9	7.5	1.8	218026233	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280DF070V36A	R-454B	23600	16	11.7	24000	18800	20600	9	7.5	1.8	218026235	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217231247	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217231256	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614391	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400302	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387743	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389495	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	216977188	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614401	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217465671	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217465670	N/A
EL18KSLV-024-230A**	L*19/36U*+TXV+TD	- - -	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975528	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400075	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387516	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389268	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218387519	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218389271	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218400078	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387523	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400082	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389275	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400085	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387526	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389278	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH030XE36A	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218387532	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218389284	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218400091	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218387538	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218389290	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218400097	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400103	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387544	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389296	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387550	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389302	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400109	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387557	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389309	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400116	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389316	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387564	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400123	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218387574	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218389326	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218400133	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389338	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387586	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400145	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	9	8	1.8	218387588	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	9	8	1.8	218389340	N/A
EL18KSLV														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389346	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400153	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387596	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389348	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400155	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387605	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389357	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400164	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387612	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389364	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400171	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387619	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400178	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389371	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389378	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387626	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400185	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400192	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387633	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389385	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389393	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400200	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387641	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218387646	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218400205	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218389398	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218387654	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218389406	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218400213	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387659	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389411	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400218	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387667	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389419	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400226	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387677	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389429	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400236	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389435	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387683	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400242	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218387689	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218400248	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218389441	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218387697	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218389449	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218400256	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218387703	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218389455	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218400262	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218387709	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218389461	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218400268	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400276	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389469	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387717	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387723	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389475	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400282	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218387725	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218389477	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218400284	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387728	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389480	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400287	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387734	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389486	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400293	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389496	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387744	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400303	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389500	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400307	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387750	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400309	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389510	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387758	N/A
EL18KSLV-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400317	N/A
EL18KSLV-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218391137	N/A
EL18KSLV-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218400320	N/A
EL18KSLV-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218392376	N/A
EL18KSLV-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218400319	N/A
EL18KSLV-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218392375	N/A
EL18KSLV-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218391136	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217231206	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217231215	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217231227	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217231239	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217231248	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217231257	N/A
EL18KSLV-024-230A**	L*30/36U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	216977192	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614205	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217614209	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614212	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614215	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7.5	1.8	217614221	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614227	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614233	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614239	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614245	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614251	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	7.5	1.85	217896484	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614257	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.85	217614262	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614268	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	217614273	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614279	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614285	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614291	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614297	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614303	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	217614309	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	7.5	1.85	217614315	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20200	9	7.5	1.85	217614321	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614327	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	217614333	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	217614339	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	217614345	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.85	217614351	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	217614357	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614363	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614369	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.4	7.5	1.85	217614375	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	217614381	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280DF070V36A	R-454B	23600	16	11.7	24000	18800	20600	9	7.5	1.8	218026236	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217614385	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614389	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614395	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	217896485	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614397	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614399	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	217614405	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387518	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400077	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389270	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218387521	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218389273	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218400080	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	218387524	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	218389276	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	218400083	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387527	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389279	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400086	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218387533	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218389285	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	218400098	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	218387539	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400104	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387545	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389297	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389305	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387553	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400112	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387560	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389312	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400119	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387567	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389319	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400126	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	8	1.85	218400136	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	8	1.85	218387577	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	8	1.85	218389329	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387587	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389339	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400146	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.85	218387589	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.85	218389341	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.85	218400148	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400154	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387595	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389347	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	8	1.85	218387597	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	8	1.85	218400156	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	8	1.85	218389349	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400167	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387608	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389360	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387615	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400174	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389367	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387622	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389374	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400181	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387629	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389381	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400188	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389388	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387636	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400195	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	218387642	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	218389394	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	218400201	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218400208	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218387649	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218389401	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20200	9	8	1.85	218387655	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20200	9	8	1.85	218389407	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20200	9	8	1.85	218400214	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387662	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389414	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400221	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	218387668	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	218389420	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	218400227	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	218387678	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	218389430	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	218400237	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	218387684	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	218389436	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	218400243	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.85	218400249	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.85	218387690	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.85	218389442	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218387698	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218389450	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218400257	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387704	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389456	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	24000	16									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387710	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400269	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.4	8	1.85	218387718	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.4	8	1.85	218400277	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.4	8	1.85	218389470	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	8	1.85	218389476	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	8	1.85	218387724	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	8	1.85	218400283	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218389479	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218400286	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218387727	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387730	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400289	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389482	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387737	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400296	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389489	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218387747	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218389499	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218400306	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400308	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387749	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389501	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387751	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389503	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400310	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218387759	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218389511	N/A
EL18KSLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218400318	N/A
EL18KSLV-024-230A**	L*31/37U+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218391139	N/A
EL18KSLV-024-230A**	L*31/37U+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218392378	N/A
EL18KSLV-024-230A**	L*31/37U+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218400322	N/A
EL18KSLV-024-230A**	L*31/37U+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218391138	N/A
EL18KSLV-024-230A**	L*31/37U+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218392377	N/A
EL18KSLV-024-230A**	L*31/37U+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	218400321	N/A
EL18KSLV-024-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231228	N/A
EL18KSLV-024-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231240	N/A
EL18KSLV-024-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	216977193	N/A
EL18KSLV-024-230A**	LD18/24Z*+TXV+LEFE3A*	---	R-454B	23800	16	11.5	24000	18600	22200	8.7	6.8	1.76	217732767	N/A
EL18KSLV-024-230A**	LD18/24Z*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	8.7	6.8	1.76	217732766	N/A
EL18KSLV-024-230A**	LD18/36Z*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	8.85	6.9	1.78	217732770	N/A
EL18KSLV-024-230A**	LD18/36Z*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	8.85	6.9	1.78	217732768	N/A
EL18KSLV-024-230A**	LD19/24Y*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.74	216978120	N/A
EL18KSLV-024-230A**	LD19/24Z*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	8.85	6.9	1.78	217732771	N/A
EL18KSLV-024-230A**	LD19/24Z*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	8.85	6.9	1.78	217732769	N/A
EL18KSLV-024-230A**	LD19/24Z*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.74	216978081	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217231200	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217231209	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280DF070E36A	R-454B	23800	16	11	24000	19000	20600	9.4	8	1.8	218389298	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280DF070E36A	R-454B	23800	16	11	24000	19000	20600	9.4	8	1.8	218387546	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280DF070E36A	R-454B	23800	16	11	24000	19000	20600	9.4	8	1.8	218400105	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387547	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389299	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400106	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387554	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389306	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400113	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389313	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400120	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387561	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	8	1.8	218387598	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	8	1.8	218389350	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	8	1.8	218400157	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218387599	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218389351	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218400158	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387602	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389354	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400161	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387609	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389361	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400168	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387616	N/A
EL18KSLV-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389375	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387623	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400182	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387630	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389382	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400189	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218387643	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218389395	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218400202	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400215	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387656	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389408	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	SL280DF070V36A	R-454B	23600	16	11.7	24000	18800	20600	9	7.5	1.8	218026234	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217231242	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217231251	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389483	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387731	N/A
EL18KSLV-024-230A**	LD19/252*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400290	N/A
EL18KSLV-024-230A**	LD19/252*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217285818	N/A
EL18KSLV-024-230A**	LD19/252*+TXV+TD	- - -	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216978082	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217231201	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217231210	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387522	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389274	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400081	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387525	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400084	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389277	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218387528	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218389280	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218400087	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	7	1.78	218389286	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	7	1.78	218387534	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	7	1.78	218400093	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387540	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389292	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400099	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218387569	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218389321	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218400128	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297DF045XE36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218389330	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297DF045XE36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218387578	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297DF045XE36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218400137	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297DF045XV36B	R-454B	23600	16	11.7	24000	18800	20400	9.4	8	1.8	218387580	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297DF045XV36B	R-454B	23600	16	11.7	24000	18800	20400	9.4	8	1.8	218389332	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297DF045XV36B	R-454B	23600	16	11.7	24000	18800	20400	9.4	8	1.8	218400139	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387582	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389334	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400141	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387590	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389342	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400149	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218387600	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218389352	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218400159	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387637	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389389	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400196	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218400209	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218389402	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218387650	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389415	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400222	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387663	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9.4	8	1.8	218387669	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9.4	8	1.8	218389421	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9.4	8	1.8	218400228	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193DF070XE36B	R-454B	23800	17	11.7	24000	19000	20600	9.4	8	1.8	218389423	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193DF070XE36B	R-454B	23800	17	11.7	24000	19000	20600	9.4	8	1.8	218387671	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193DF070XE36B	R-454B	23800	17	11.7	24000	19000	20600	9.4	8	1.8	218400230	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387673	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389425	N/A
EL18KSLV-024-230A**	LD19/362*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400232	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400238	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218387685	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218389437	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218400244	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9	8	1.8	218389443	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9	8	1.8	218387691	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9	8	1.8	218400250	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218387693	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218389445	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218400252	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	7	1.78	218387699	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	7	1.78	218389451	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.85	7	1.78	218400258	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218387705	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218389457	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218400264	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	8	1.8	218400270	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	8	1.8	218387711	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	8	1.8	218389463	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387713	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389465	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400272	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389471	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387719	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400278	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	23600	16	11.7	24000	18800	20600	9	7.5	1.8	218026231	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217231243	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217231252	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389491	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387739	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400298	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	23600	17	11.7	24000	18800	20400	9.4	8	1.8	218389504	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	23600	17	11.7	24000	18800	20400	9.4	8	1.8	218400311	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	23600	17	11.7	24000	18800	20400	9.4	8	1.8	218387752	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387754	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389506	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400313	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217285819	N/A
EL18KSLV-024-230A**	LD19/36Z*+TXV+TD	- - -	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216978083	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231219	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231231	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218387529	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218389281	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218400088	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387535	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389287	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400094	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389293	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387541	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400100	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20200	9	7	1.8	218389322	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20200	9	7	1.8	218387570	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20200	9	7	1.8	218400129	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218387579	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218400138	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218389331	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	23600	16	11.7	24000	18800	20400	9.4	8	1.8	218387581	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	23600	16	11.7	24000	18800	20400	9.4	8	1.8	218389333	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	23600	16	11.7	24000	18800	20400	9.4	8	1.8	218400140	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387583	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389335	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400142	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387591	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389343	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400150	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218387601	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218389353	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	8	1.8	218400160	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387638	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389390	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400197	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20400	9	7	1.8	218389403	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20400	9	7	1.8	218387651	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070V36B												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387664	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400223	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9.4	8	1.8	218387670	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9.4	8	1.8	218389422	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9.4	8	1.8	218400229	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	23800	17	11.7	24000	19000	20600	9.4	8	1.8	218387672	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	23800	17	11.7	24000	19000	20600	9.4	8	1.8	218389424	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	23800	17	11.7	24000	19000	20600	9.4	8	1.8	218400231	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387674	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400233	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400236	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387680	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389432	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400239	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.84	218387686	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.84	218389438	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.84	218400245	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9	8	1.8	218387692	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9	8	1.8	218389444	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	23800	16	11.7	24000	19000	20600	9	8	1.8	218400251	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218387694	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218389446	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218400253	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387700	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400259	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389452	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218389458	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218387706	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218400265	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	8	1.8	218389464	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	8	1.8	218387712	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	8	1.8	218400271	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.35	7	1.84	218387714	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.35	7	1.84	218389466	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.35	7	1.84	218400273	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389472	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387720	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400279	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	23600	16	11.7	24000	18800	20600	9	7.5	1.8	218026232	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218387740	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218389492	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218400299	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	23600	17	11.7	24000	18800	20400	9.4	8	1.8	218387753	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	23600	17	11.7	24000	18800	20400	9.4	8	1.8	218389505	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	23600	17	11.7	24000	18800	20400	9.4	8	1.8	218400312	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387755	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389507	N/A
EL18KSLV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400314	N/A
EL18KSLV-024-230A**	LEM24*23E*+TXV	---	R-454B	24000	16	11.7	24000	18600	22200	8.8	6.85	1.78	217615821	N/A
EL18KSLV-024-230A**	LH18/36D*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.45	6.75	1.74	216978084	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23800	17	11.5	24000	18800	20400	9.3	7.35	1.82	217231202	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23800	17	11.5	24000	18800	20600	9.3	7.35	1.82	217231211	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218400107	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218387548	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218389300	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23600	17	11.7	24000	18600	20200	9.2	7	1.82	218387555	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23600	17	11.7	24000	18600	20200	9.2	7	1.82	218400114	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23600	17	11.7	24000	18600	20200	9.2	7	1.82	218389307	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	23600	17	11.7	24000	18600	20200	9.2	7	1.82	218387562	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	23600	17	11.7	24000	18600	20200	9.2	7	1.82	218389314	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	23600	17	11.7	24000	18600	20200	9.2	7	1.82	218400121	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218387603	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218389355	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218400162	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23800	17	11.5	24000	18800	20400	9.3	7	1.82	218387610	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23800	17	11.5	24000	18800	20400	9.3	7	1.82	218389362	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23800	17	11.5	24000	18800	20400	9.3	7	1.82	218400169	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218387617	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218389369	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23800	17	11.7	24000	18600	20200	9.3	7	1.82	218400176	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23800	17	11.5	24000	18800	20400	9.3	7	1.82	218387624	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23800	17	11.5	24000	18800	20400	9.3	7	1.82	218389376	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23800	17	11.5	24000	18800	2040					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	23800	16	11.7	24000	18800	20400	9.2	7	1.82	218387631	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23800	17	11.7	24000	18800	20200	9.3	7	1.82	218389396	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23800	17	11.7	24000	18800	20200	9.3	7	1.82	218387644	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23800	17	11.7	24000	18800	20200	9.3	7	1.82	218400203	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23800	16	11.7	24000	18800	20400	9.2	7	1.82	218387657	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23800	16	11.7	24000	18800	20400	9.2	7	1.82	218389409	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23800	16	11.7	24000	18800	20400	9.2	7	1.82	218400216	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23800	17	11.7	24000	18800	20400	9.3	7.35	1.82	217231244	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	23800	17	11.7	24000	18800	20400	9.2	7.35	1.82	217231253	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	17	11.7	24000	18800	20400	9.2	7	1.82	218387732	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	17	11.7	24000	18800	20400	9.2	7	1.82	218400291	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	17	11.7	24000	18800	20400	9.2	7	1.82	218389484	N/A
EL18KSLV-024-230A**	LH18/36R*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	24000	18600	22200	8.85	6.9	1.78	217187280	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217231207	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217231216	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387551	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389303	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400110	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387558	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389310	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400117	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387565	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389317	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400124	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387606	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389358	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400165	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389365	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387613	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400172	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387620	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389372	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400179	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400186	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387627	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389379	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387634	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389386	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400193	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218387647	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218389399	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218400206	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389412	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387660	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400219	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217231249	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217231258	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389487	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387735	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387732	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217187285	N/A
EL18KSLV-024-230A**	LH18/37R*+TXV+TD	- - -	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975530	N/A
EL18KSLV-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	216977195	N/A
EL18KSLV-024-230A**	LH24/37F*+TXV+TD	- - -	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975533	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389269	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387517	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400076	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218387520	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218389272	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	8	1.85	218400079	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231229	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231241	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387552	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389304	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400111	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389311	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387559	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400118	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218387566	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218389318	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	8	1.85	218400125	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	9	7.5	1.8	217187239	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400166	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400173	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387614	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389366	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218387621	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218389373	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	8	1.85	218400180	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218387628	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218389380	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	8	1.85	218400187	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389387	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387635	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400194	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218400207	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218387648	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	8	1.85	218389400	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218387661	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218389413	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	8	1.85	218400220	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218387726	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218389478	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	8	1.85	218400285	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389481	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387729	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400288	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218387736	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218389488	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	8	1.85	218400295	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	216977194	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217285822	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	217285808	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217187384	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	217187379	N/A
EL18KSLV-024-230A**	LH24/37X*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975532	N/A
EL18KSLV-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	216977187	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231222	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231234	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218400090	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218387531	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	8	1.8	218389283	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218387537	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218389289	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218400096	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387543	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389295	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400102	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218387572	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218389324	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218400131	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387585	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389337	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400144	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	9	7.5	1.8	217187237	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218400152	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218387593	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	218389345	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217187243	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389392	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387640	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400199	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218387653	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218389405	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	218400212	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218387666	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218400225	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	218389418	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387676	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389428	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400235	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218387682	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218400241	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	8	1.8	218389434	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	8	1.8	218387688	N/A
EL18KSLV-024-230A**														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218387696	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218389448	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	218400255	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218389454	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218387702	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	7	1.78	218400261	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218389460	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218400267	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	218387708	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387716	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400275	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389468	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400281	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389474	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387722	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400301	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387742	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389494	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	216977186	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389509	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387757	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400316	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217285820	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	217285807	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217187281	N/A
EL18KSLV-024-230A**	LH29/36X*+TXV+TD	---	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975527	N/A
EL18KSLV-024-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	8.9	6.95	1.78	217231218	N/A
EL18KSLV-024-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	8.9	6.95	1.78	217231230	N/A
EL18KSLV-024-230A**	LH35/36W*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	8.9	6.95	1.78	217285817	N/A
EL18KSLV-024-230A**	LH35/36W*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	8.9	6.95	1.78	217285816	N/A
EL18KSLV-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231223	N/A
EL18KSLV-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231235	N/A
EL18KSLV-024-230A**	LH35/36X*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217285821	N/A
EL18KSLV-024-230A**	LH35/36X*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	24000	18600	22200	9	7	1.8	217285698	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217231208	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217231217	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614211	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614214	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20400	9	7	1.8	217614220	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614226	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614232	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614238	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614244	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614250	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614256	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.85	217614261	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614267	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	217614272	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	7.5	1.8	218467733	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218467737	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	7.5	1.8	218467741	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614278	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614284	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614290	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614296	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614302	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614308	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	7.5	1.85	217614314	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20200	9	7.5	1.85	217614320	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614326	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	217614332	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	217614338	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20400	9	7	1.8	217614344	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.85	217614350	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20200	9	7.5	1.85	217614356	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614362	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614368	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	7.5	1.8	218467714	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.4	7.5	1.85	217614374	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	217614380	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217231250	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217231259	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614394	N/A
EL1														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	217614404	N/A
EL18KSLV-024-230A**	LP18/37R*+TXV+TD	- - -	R-454B	23600	15.2	11.7	24000	18000	19600	8.5	6.8	1.75	216975531	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614203	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217614207	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231225	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231237	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7.5	1.8	217614218	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	6.9	1.78	217614224	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614230	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614236	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614242	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614248	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218387575	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218389327	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218400134	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614254	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	24000	18800	20400	9	7.5	1.8	217614259	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614265	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614270	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	7.5	1.8	218467731	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218467735	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	7.5	1.8	218467739	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614276	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614282	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614288	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614294	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614300	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614306	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	7.5	1.85	217614312	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20600	9	7	1.8	217614318	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614324	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614330	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7.5	1.8	217614336	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7.5	1.8	217614342	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	24000	18800	20600	9	7.5	1.8	217614348	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	217614354	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	24000	19000	20600	8.9	6.9	1.78	217614360	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.8	217614366	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	7.5	1.8	218467712	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614372	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614378	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217614383	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614387	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614392	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218387745	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218389497	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	8	1.8	218400304	N/A
EL18KSLV-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614402	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614204	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217614208	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231226	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217231238	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7.5	1.8	217614219	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614225	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614231	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614237	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614243	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614249	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218389328	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218387576	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	23800	17	12	24000	18600	20400	9	8	1.8	218400135	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614255	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	8.95	7.5	1.84	217614260	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614266	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	217614271	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	7.5	1.8	218467732	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218467736	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	7.5	1.8	218467740	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614277	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614283	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614289	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614295	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20400	9	7	1.8	217614319	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614325	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614331	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7.5	1.8	217614337	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7.5	1.8	217614343	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	8.95	7	1.84	217614349	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7	1.8	217614355	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614361	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614367	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	7.5	1.8	218467713	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.35	7.5	1.84	217614373	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614379	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217614384	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614388	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614393	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218387746	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218400305	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218389498	N/A
EL18KSLV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	217614403	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614202	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	24000	18800	20600	9.5	7.5	1.85	217614206	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614210	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	24000	19000	20600	9	7	1.8	217614213	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23800	17	12	24000	18800	20600	9	7.5	1.8	217614216	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614222	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614228	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614234	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614240	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	24000	18600	20200	9.4	7.5	1.85	217614246	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	8	1.85	218387568	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	8	1.85	218389320	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	24000	17	12	24000	18600	20000	9	8	1.85	218400127	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614252	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.85	217614258	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.85	217614263	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	217614269	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180DF045E36A	R-454B	23600	16	11	24000	19000	20600	9	7.5	1.8	218467730	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180DF070E36A	R-454B	23600	15.2	11	24000	19200	20800	9	7	1.8	218467734	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180DF070E36B	R-454B	23800	16	11	24000	19000	20600	9	7.5	1.8	218467738	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614274	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614280	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	24000	18600	20200	9.5	7.5	1.85	217614286	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	24000	18800	20400	9.5	7.5	1.85	217614292	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614298	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	24000	16	12	24000	18800	20200	9	7	1.85	217614304	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	24000	18800	20200	9.5	7.5	1.85	217614310	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	24000	17	12	24000	18600	20200	9	7.5	1.85	217614316	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	24000	18800	20400	9.4	7.5	1.85	217614322	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	24000	16	12	24000	18800	20400	9	7	1.8	217614328	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7	1.8	217614334	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	24000	19000	20600	9	7	1.8	217614340	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.85	217614346	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23800	17	12	24000	18800	20200	9	7.5	1.85	217614352	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	24000	19000	20400	9	7	1.8	217614358	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	24000	18800	20400	9	7	1.85	217614364	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML296DF045XV36B	R-454B	23600	16	11	24000	19000	20800	9	7.5	1.8	218467711	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	17	12	24000	18800	20200	9.4	7.5	1.85	217614370	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	17	12	24000	18800	20200	9	7.5	1.85	217614376	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	24000	18800	20400	9.5	7.5	1.85	217614382	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614386	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	24000	18800	20400	9.4	7.5	1.85	217614390	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218387738	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218389490	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	24000	17	12	24000	18800	20400	9	7	1.8	218400297	N/A
EL18KSLV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	24000	18800	20400	9	7.5	1.8	217614400	N/A
EL18KSLV-024-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	24000	16	11.7	24000	18600	22200	8.8	6.85	1.78	218338653	N/A
EL18KSLV-024-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	24000	16	11.7	24000	18600	22200	8.8	6.85	1.78	218338547	N/A
EL18KSLV-024-230A**	LW25*M7+TXV	---	R-454B	23000	16	11.7	24000	18600	22200	8.8	6.85	1.76	217732831	N/A
EL18KSLV-024-230A**	LW30*M7+TXV+TD	---	R-454B	23000	16	11.7	24000	18600	22200	8.8	6.85	1.76	217290739	N/A
EL18KSLV-024-230A**	M30E31*+TXV+AMHE2D	---	R-454B	23600	16	11.5	24000	18500	22200	8.65	6.8	1.74	218718564	N/A
EL18KSLV-024-230A**	M30E31*+TXV+AMHE3D	---	R-454B	23600	16	11.5	24000	18500	22200	8.65	6.8	1.74	218718563	N/A
EL18KSLV-024-230A**	M30E31*+TXV+TD	---	R-454B	22200	15.2	11	24000	18500	22200	8.65	6.8	1.74	218718533	N/A
EL18KSLV-024-230A**	M36E33*+TXV+AMHE3D	---	R-454B	24000	16	11.7	24000	18600	22200	8.95	6.95	1.8	218718565	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	M36G33*+TXV+TD	---	R-454B	23200	16	11.7	24000	18600	22200	8.95	6.95	1.8	218679785	N/A
EL18KSLV-024-230A**	M36G34*+TXV+TD	---	R-454B	23200	16	11.7	24000	18600	22200	9	7	1.8	218679787	N/A
EL18KSLV-024-230A**	M36G35*+TXV+TD	---	R-454B	23200	16	11.7	24000	18600	22200	9	7	1.8	218679789	N/A
EL18KSLV-024-230A**	M36G36*+TXV+TD	---	R-454B	23200	16	11.7	24000	18600	22200	9	7	1.8	218679790	N/A
EL18KSLV-024-230A**	M36G58*+TXV+TD	---	R-454B	23200	16	11.7	24000	18600	22200	8.95	6.95	1.8	218679791	N/A
EL18KSLV-036-230A**	HH58*36*+TXV+TD	---	R-454B	32600	15.2	9.5	36000	27400	29000	7.95	6.5	1.78	218647959	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	218631299	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.5	7	1.85	218631300	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218631301	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218631302	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	218631303	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218631304	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218631305	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.5	7	1.85	218631306	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218631307	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218631308	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL297UH080NV48C	R-454B	34800	17	11	36000	27600	28000	9	7	1.9	218631309	N/A
EL18KSLV-036-230A**	L*18/30Z+TXV+TD	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.5	7	1.85	218631310	N/A
EL18KSLV-036-230A**	L*18/36T*+TXV	EL297UH090XV36C	R-454B	34200	18	10.5	36000	27600	28000	8.85	6.9	1.88	217446031	N/A
EL18KSLV-036-230A**	L*18/36T*+TXV	SLP99UH090XV36C	R-454B	34400	18	10.5	36000	27600	28000	8.85	6.9	1.88	217555767	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	8.95	6.95	1.9	217231261	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	8.95	6.95	1.9	217231268	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL180UH080NE48B	R-454B	33600	16	10.5	36000	28000	28200	8.3	6.85	1.82	217231275	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	217231287	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217231299	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218392398	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218391159	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218400342	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392404	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391165	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400348	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400354	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392410	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391171	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	8.95	7	1.9	218391177	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	8.95	7	1.9	218392416	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	8.95	7	1.9	218400360	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	8.95	7	1.9	218391182	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	8.95	7	1.9	218392421	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	8.95	7	1.9	218400365	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	8.95	7	1.9	218400370	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	8.95	7	1.9	218392426	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	8.95	7	1.9	218391187	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391194	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392433	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400377	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218391200	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218400383	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218392439	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218391206	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218392445	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218400389	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	33200	17	10.5	36000	28000	28400	8.35	7	1.78	218391223	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	33200	17	10.5	36000	28000	28400	8.35	7	1.78	218400406	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	33200	17	10.5	36000	28000	28400	8.35	7	1.78	218392462	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392470	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391231	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400414	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH090XV36C	R-454B	34200	18	10.5	36000	27600	28000	8.85	6.9	1.88	217446030	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	8.95	7	1.9	218391249	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	8.95	7	1.9	218400432	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	8.95	7	1.9	218392488	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	8.95	7	1.9	218400437	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	8.95	7	1.9	218391254	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	8.95	7	1.9	218392493	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	8.95	7	1.9	218391259	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	8.95	7	1.9	218392498	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	8.95	7	1.9	218400442	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	8.95	7	1.9	218391264	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	8.95	7	1.9	218400447	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	8.95	7	1.9	218392503	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218400452	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392515	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400459	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218392519	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218391280	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218400463	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392526	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391287	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400470	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218400475	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218391292	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218392531	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218392535	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218391296	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	8.95	7	1.9	218400479	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391303	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392542	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400486	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218391309	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218392548	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218400492	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391314	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400497	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392553	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218400503	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218392559	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	34000	16	11	36000	27600	27800	8.5	7	1.85	218391320	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	33400	17	10.5	36000	28000	28200	8.3	7	1.82	218391339	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	33400	17	10.5	36000	28000	28200	8.3	7	1.82	218400522	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	33400	17	10.5	36000	28000	28200	8.3	7	1.82	218392578	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	33600	17	10.5	36000	28000	28200	8.3	7	1.82	218392584	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	33600	17	10.5	36000	28000	28200	8.3	7	1.82	218391345	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	33600	17	10.5	36000	28000	28200	8.3	7	1.82	218400528	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218392590	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218400534	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218391351	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400547	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391364	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392603	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218400553	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218391370	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218392609	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218392615	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218391376	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218400559	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	33800	16	10	36000	28200	28400	8.5	7	1.85	218392621	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	33800	16	10	36000	28200	28400	8.5	7	1.85	218391382	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	33800	16	10	36000	28200	28400	8.5	7	1.85	218400565	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	33200	17	10.5	36000	27800	28200	8.35	7	1.82	218391392	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	33200	17	10.5	36000	27800	28200	8.35	7	1.82	218392631	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	33200	17	10.5	36000	27800	28200	8.35	7	1.82	218400575	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	34000	16	11	36000	28000	28200	8.5	7	1.85	218391398	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	34000	16	11	36000	28000	28200	8.5	7	1.85	218400581	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	34000	16	11	36000	28000	28200	8.5	7	1.85	218392637	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	8.95	6.95	1.9	217231315	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	8.95	6.95	1.9	217231322	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	8.95	7	1.9	218392650	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	8.95	7	1.9	218391411	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	8.95	7	1.9	218400594	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217606719	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218391425	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218392664	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218400608	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	33800	18	11	36000	27600	27800	8.5	7	1.85	217231329	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090XV48B	R-454B	33800	18	11	36000	27600	27800	8.5	7	1.85	218391437	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090XV48B	R-454B	33800	18	11	36000	27600	27800	8.5	7	1.85	218392672	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218392703	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218391464	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218400647	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV+LEFE3A*	- - -	R-454B	32800	15.2	10.5	36000	27000	28600	7.75	6.35	1.82	217465673	N/A
EL18KSLV-036-230A**	L*18/36V*+TXV+LEFE4B*	- - -	R-454B	33000	15.2	10.5	36000	27000	28600	7.75	6.35	1.82	217465672	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231262	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231269	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	34400	16									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217231302	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	217614765	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	217614771	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	217614777	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	217614787	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614793	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614799	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	217614805	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	6.9	1.88	217614811	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	6.9	1.88	217614817	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	217614823	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	217614834	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614854	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614860	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614866	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614872	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614878	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	6.9	1.82	217614884	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614890	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	217614896	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	6.9	1.88	217614902	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614908	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	6.9	1.82	217614914	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	6.9	1.88	217614920	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	217614926	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	6.9	1.88	217614932	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	6.9	1.82	217614938	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	34200	17	10.5	36000	28000	28200	8.4	6.9	1.82	217614944	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	217614950	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	217614964	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	217614970	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	217614976	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	6.9	1.82	217614982	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	217614996	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	6.9	1.82	217615002	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	34000	17	10.5	36000	27800	28000	8.2	6.8	1.84	218026240	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280DF090NV48B	R-454B	34000	17	10.5	36000	27800	28000	8.7	6.8	1.84	218026243	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280DF090V48B	R-454B	34000	17	10.5	36000	27800	28000	8.7	6.8	1.84	218026246	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217231316	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217231323	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615020	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217606720	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	217615030	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	6.9	1.88	217231332	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	6.9	1.88	217615039	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	217615050	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	36000	26000	28400	8.4	6.7	1.74	217465675	N/A
EL18KSLV-036-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	36000	26000	28400	8.4	6.7	1.74	217465674	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218400323	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218391140	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218392379	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218391143	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218392382	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218400326	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH080NE48B	R-454B	34400	16	10.5	36000	28000	28200	8.4	7	1.82	218391146	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH080NE48B	R-454B	34400	16	10.5	36000	28000	28200	8.4	7	1.82	218400329	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL180UH080NE48B	R-454B	34400	16	10.5	36000	28000	28200	8.4	7	1.82	218392385	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	218392391	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	218391152	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	218400335	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392394	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400338	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391155	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218391161	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218392400	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218400344	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392406	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391167	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400350	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391173	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400356	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392412	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392422	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391183	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400366	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391188	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400371	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392427	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391196	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392435	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400379	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218391202	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218400385	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218392441	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090XE48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218391208	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090XE48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218392447	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL280UH090XE48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218400391	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	218400408	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	218391225	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	218392464	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400410	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392466	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391227	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400416	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392472	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391233	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400418	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392474	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391235	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391250	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392489	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400433	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391255	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400438	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392494	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392499	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391260	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400443	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392504	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391265	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400448	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391270	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392509	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400453	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218392517	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218391278	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218400461	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391281	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392520	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400464	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400472	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391289	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392528	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	7	1.88	218392533	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	7	1.88	218391294	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	7	1.88	218400477	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392536	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391297	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400480	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218392544	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218391305	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218400488	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218391311	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218392550	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218400494	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392555	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391316	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400499	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218391322	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218392561	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218400505	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	7	1.82	218400524	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	7	1.82	218391341	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	7	1.82	218392580	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	34200	17	10.5	36000	28000	28200	8.4	7	1.84	218391347	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH045XE3												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218391353	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218392592	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218400536	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391366	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392605	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400549	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218391372	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218392611	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218400555	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218392617	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218391378	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218400561	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	7	1.82	218391384	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	7	1.82	218392623	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	7	1.82	218400567	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218392633	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218391394	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218400577	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	7	1.82	218392639	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	7	1.82	218391400	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	7	1.82	218400583	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218392644	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218391405	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218400588	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391408	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392647	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400591	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391412	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392651	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400595	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391419	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400602	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392658	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218392666	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218391427	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218400610	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090V48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218391430	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090V48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218392669	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090V48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218400613	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218400622	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218391439	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218392678	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400636	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391453	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392692	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391455	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400638	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392694	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218391466	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218400649	N/A
EL18KSLV-036-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218392705	N/A
EL18KSLV-036-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	36000	26000	28400	8.4	7	1.78	218394099	N/A
EL18KSLV-036-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	36000	26000	28400	8.4	7	1.78	218400660	N/A
EL18KSLV-036-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	36000	26000	28400	8.4	7	1.78	218400659	N/A
EL18KSLV-036-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	36000	26000	28400	8.4	7	1.78	218394098	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231266	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231273	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217231285	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231297	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231309	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217231320	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217231327	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217606725	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217231339	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV+LEFE3A*	---	R-454B	34000	15.2	11	36000	27000	28600	8.1	6.6	1.9	217465682	N/A
EL18KSLV-036-230A**	L*24/36Z*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	36000	27000	28600	8.1	6.6	1.9	217465681	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217231284	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231296	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231308	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217606724	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217231338	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV+LEFE3A*	---	R-454B	34000	15.2	11	36000	27000	28600	8.1	6.6	1.9	217732381	N/A
EL18KSLV-036-230A**	L*25/37Z*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	36000	27000	28600	8.1	6.6	1.9	217465680	N/A
EL18KSLV-036-230A**	L*29/3													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231270	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217231281	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231293	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231305	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217231317	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217231324	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217606721	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217231335	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV+LEFE3A*	---	R-454B	34000	15.2	11	36000	27000	28600	8	6.55	1.88	217465677	N/A
EL18KSLV-036-230A**	L*30/36U*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	36000	27000	28600	8	6.55	1.88	217465676	N/A
EL18KSLV-036-230A**	L*30/36V*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	36000	27000	28600	8.1	6.6	1.9	217732791	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217614748	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217614752	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217614755	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614758	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614761	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	34400	16	11	36000	28000	28000	8.5	7	1.85	217614769	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217614775	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	28000	28000	8.5	7	1.85	217614781	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	217614791	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614797	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614803	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	217614809	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	217614815	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	217614821	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614827	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614832	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614838	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	34600	17	11	36000	27800	27800	8.5	7	1.85	217614843	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614858	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614864	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614870	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614876	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614882	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217614888	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614894	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	217614900	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.5	7	1.9	217614906	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614912	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217614918	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	217614924	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614930	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	217614936	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	34400	18	11	36000	28000	28200	8.5	7	1.85	217614942	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614948	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614954	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	217614968	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217614974	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614980	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	34600	16	11	36000	28000	28200	8.5	7	1.85	217614986	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	28000	28000	8.5	7	1.85	217615000	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217615006	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217615014	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615018	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615024	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217606723	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	27600	27800	8.5	7	1.9	217615034	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217615037	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217615043	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615045	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615047	N/A
EL18KSLV-036-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	27600	27800	8.5	7	1.85	217615054	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218391142	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218400325	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218392381	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218391145	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218400328	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218392384	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	218392386	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	218400330	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	218391147	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218391153	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218392392	N/A
EL18KSLV-036-230A**	L*31/37U+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218391156	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218400339	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	34400	16	11	36000	28000	28000	8.5	7	1.85	218392401	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	34400	16	11	36000	28000	28000	8.5	7	1.85	218391162	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	34400	16	11	36000	28000	28000	8.5	7	1.85	218400345	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	218391168	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	218392407	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	218400351	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	28000	28000	8.5	7	1.85	218391174	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	28000	28000	8.5	7	1.85	218392413	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	28000	28000	8.5	7	1.85	218400357	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218392420	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218391181	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218400364	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392425	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391186	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400369	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391191	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392430	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400374	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	218391197	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	218400380	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	218392436	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	218400386	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	218391203	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	218392442	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	218391209	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	218400392	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	218392448	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218392465	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218400409	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218391226	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218392467	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218391228	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218400411	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218391234	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218392473	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218400417	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	34600	17	11	36000	27800	27800	8.5	7	1.85	218391236	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	34600	17	11	36000	27800	27800	8.5	7	1.85	218392475	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	34600	17	11	36000	27800	27800	8.5	7	1.85	218400419	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400436	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391253	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392492	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391258	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400441	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392497	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391263	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392502	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400446	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392507	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391268	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400451	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391273	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392512	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400456	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218392518	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218391279	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218400462	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392523	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391284	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400467	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	218391290	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	218400473	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.5	7	1.9	218392534	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.5	7	1.9	218400478	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.5	7	1.9	218391295	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391300	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392539	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400483	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218400489	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218392545	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218391306	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	276						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	218400495	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	218392551	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090V48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218392556	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090V48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218391317	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090V48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218400500	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	218391323	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	218392562	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	218400506	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	34400	18	11	36000	28000	28200	8.5	7	1.85	218391342	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	34400	18	11	36000	28000	28200	8.5	7	1.85	218400525	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	34400	18	11	36000	28000	28200	8.5	7	1.85	218392581	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218392587	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218400531	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218391348	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218392593	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218391354	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218400537	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218392606	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218391367	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218400550	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	218391373	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	218400556	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	218392612	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218391379	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218392618	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218400562	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH070XE48B	R-454B	34600	16	11	36000	28000	28200	8.5	7	1.85	218391385	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH070XE48B	R-454B	34600	16	11	36000	28000	28200	8.5	7	1.85	218392624	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML196UH070XE48B	R-454B	34600	16	11	36000	28000	28200	8.5	7	1.85	218400568	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	28000	28000	8.5	7	1.85	218391395	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	28000	28000	8.5	7	1.85	218392634	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	28000	28000	8.5	7	1.85	218400578	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218391401	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218392640	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218400584	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218391407	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218392646	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218400590	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391410	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392649	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400593	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391415	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392654	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400598	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218391420	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218400603	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218392659	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	27600	27800	8.5	7	1.9	218391428	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	27600	27800	8.5	7	1.9	218400611	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	27600	27800	8.5	7	1.9	218392667	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	218392670	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	218400614	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	218391431	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	218392679	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	218391440	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	218400623	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218391454	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218400637	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218392693	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218391456	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218392695	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218400639	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	27600	27800	8.5	7	1.85	218400650	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	27600	27800	8.5	7	1.85	218392706	N/A
EL18KSLV-036-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	27600	27800	8.5	7	1.85	218391467	N/A
EL18KSLV-036-230A**	L*31/37U+TXV+LEFE3A*	- - -	R-454B	34000	15.2	10.5	36000	26000	28400	8.5	7	1.8	218394101	N/A
EL18KSLV-036-230A**	L*31/37U+TXV+LEFE3A*	- - -	R-454B	34000	15.2	10.5	36000	26000	28400	8.5	7	1.8	218400662	N/A
EL18KSLV-036-230A**	L*31/37U+TXV+LEFE4B*	- - -	R-454B	34000	15.2	11	36000	27000	28600	8.05	7	1.88	218400661	N/A
EL18KSLV-036-230A**	L*31/37U+TXV+LEFE4B*	- - -	R-454B	34000	15.2	11	36000	27000	28600	8.05	7	1.88	218394100	N/A
EL18KSLV-036-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217231282	N/A
EL18KSLV-036-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231294	N/A
EL18KSLV-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231306	N/A
EL18KSLV-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217606722	N/A
EL18KSLV-036-230A**	L*35/36U*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*42/60V*+TXV+LEFE5*	---	R-454B	47500	15.2	10	60000	39000	38500	8.5	6.8	1.75	217466603	N/A
EL18KSLV-036-230A**	LD18/36Z*+TXV+LEFE4B*	---	R-454B	32800	15.2	10.5	36000	27000	28600	7.65	6.3	1.82	217732788	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231260	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231267	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	218400334	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	218392390	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	218391151	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392393	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391154	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400337	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218391157	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218392396	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218400340	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391163	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392402	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400346	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391169	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392408	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400352	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280DF090E48B	R-454B	34200	16	10.5	36000	28000	28200	8.35	7	1.82	218392414	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280DF090E48B	R-454B	34200	16	10.5	36000	28000	28200	8.35	7	1.82	218391175	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280DF090E48B	R-454B	34200	16	10.5	36000	28000	28200	8.35	7	1.82	218400358	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392431	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400375	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391192	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	7	1.86	218392437	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	7	1.86	218391198	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	7	1.86	218400381	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	7	1.86	218400387	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	7	1.86	218391204	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	7	1.86	218392443	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF045XE36B	R-454B	33400	17	10.5	36000	27600	27600	8.65	7	1.84	218392452	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF045XE36B	R-454B	33400	17	10.5	36000	27600	27600	8.65	7	1.84	218391213	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF045XE36B	R-454B	33400	17	10.5	36000	27600	27600	8.65	7	1.84	218400396	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218391215	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218392454	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218400398	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF070XE48B	R-454B	33800	17	10.5	36000	27800	28000	8.65	7	1.84	218391217	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF070XE48B	R-454B	33800	17	10.5	36000	27800	28000	8.65	7	1.84	218400400	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF070XE48B	R-454B	33800	17	10.5	36000	27800	28000	8.65	7	1.84	218392456	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF070XV48B	R-454B	33600	16	9.5	36000	28000	28200	8.35	7	1.82	218392458	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF070XV48B	R-454B	33600	16	9.5	36000	28000	28200	8.35	7	1.82	218391219	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297DF070XV48B	R-454B	33600	16	9.5	36000	28000	28200	8.35	7	1.82	218400402	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.78	218391221	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.78	218392460	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.78	218400404	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392468	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400412	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391229	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218392485	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218400429	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218391246	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	7	1.82	218392513	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	7	1.82	218391274	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	7	1.82	218400457	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391285	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392524	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400468	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	7	1.82	218392540	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	7	1.82	218391301	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	7	1.82	218400484	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	7	1.86	218391307	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	7	1.86	218400490	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	7	1.86	218392546	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	7	1.86	218391318	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	7	1.86	218392557	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	7	1.86	218400501	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	34000	18	10.5	36000	27800	27800	8.65	7	1.84	218391333	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	34000	18	10.5	36000	27800	27800	8.65	7	1.84	218392572	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	34000	18	10.5	36000	27800	27800	8.65	7	1.84	218400516	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	34000	17	10.5	36000	27800	27800	8.65	7	1.84	218391335	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	34000	17	10.5	36000	27800	27800	8.65	7	1.84	218400518	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	33800	18	10.5	36000	28000	28200	8.35	7	1.82	218400520	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	36000	28000	28200	8.35	7	1.82	218400526	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	36000	28000	28200	8.35	7	1.82	218392582	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	36000	28000	28200	8.35	7	1.82	218391343	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218391349	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218392588	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218400532	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218391358	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218400541	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218392597	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196DF070XE48B	R-454B	34000	16	9.5	36000	28200	28400	8.35	7	1.82	218400543	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196DF070XE48B	R-454B	34000	16	9.5	36000	28200	28400	8.35	7	1.82	218391360	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196DF070XE48B	R-454B	34000	16	9.5	36000	28200	28400	8.35	7	1.82	218392599	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392601	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391362	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400545	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218391368	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218400551	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218392607	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218391374	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218392613	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218400557	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	34000	16	10.5	36000	28000	28200	8.35	7	1.82	218392619	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	34000	16	10.5	36000	28000	28200	8.35	7	1.82	218400563	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	34000	16	10.5	36000	28000	28200	8.35	7	1.82	218391380	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	33600	16	10.5	36000	27800	28000	8.15	7	1.84	218400569	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	33600	16	10.5	36000	27800	28000	8.15	7	1.84	218391386	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	33600	16	10.5	36000	27800	28000	8.15	7	1.84	218392625	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296DF070XV48B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218400571	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296DF070XV48B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218391388	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296DF070XV48B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218392627	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218392629	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218391390	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218400573	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	36000	27800	28000	8.35	7	1.82	218391396	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	36000	27800	28000	8.35	7	1.82	218392635	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	36000	27800	28000	8.35	7	1.82	218400579	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280DF090NV48B	R-454B	34000	17	10.5	36000	27800	28000	8.65	6.75	1.84	218026241	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280DF090V48B	R-454B	34000	17	10.5	36000	27800	28000	8.65	6.75	1.84	218026244	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217231314	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217231321	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391416	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392655	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400599	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	34000	18	11.5	36000	27600	27800	8.35	7	1.86	218392668	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	34000	18	11.5	36000	27600	27800	8.35	7	1.86	218391429	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	34000	18	11.5	36000	27600	27800	8.35	7	1.86	218400612	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH090XV48B	R-454B	34000	18	11.5	36000	27600	27800	8.35	7	1.82	218391435	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH090XV48B	R-454B	34000	18	11.5	36000	27600	27800	8.35	7	1.82	218392674	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH090XV48B	R-454B	34000	18	11.5	36000	27600	27800	8.35	7	1.82	218400618	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218391460	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218392699	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	7	1.84	218400643	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218391462	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218392701	N/A
EL18KSLV-036-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218400645	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL180UH080NE36B	R-454B	34400	16	11	36000	28000	28200	8.5	7	1.85	217231274	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217231286	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217231298	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217231310	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	34200	16	11	36000	28000	28200	8.5	7	1.85	218392397	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	34200	16	11	36000	28000	28200	8.5	7	1.85	218391158	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	34200	16	11	36000	28000	28200	8.5	7	1.85	218400341	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218392403	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218391164	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218400347	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218391170	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218392409	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218400353	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280DF090E48B	R-454B	34600	17	10.5	36000	27600	27800	8.3	7	1.86	218391176	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280DF090E48B	R-454B	34600	17	10.5	36000	27600	27800	8.3	7	1.86	218392415	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280DF090E48B	R-454B	34600	17	10.5	36000	27600	27800	8.3	7	1.86	218400359	N/A</

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	218392438	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	218391199	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	218400382	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	218391205	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	218400388	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	218392444	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	33800	17	10.5	36000	27600	27600	8.75	7	1.86	218392453	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	33800	17	10.5	36000	27600	27600	8.75	7	1.86	218391214	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	33800	17	10.5	36000	27600	27600	8.75	7	1.86	218400397	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218391216	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218400399	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218392455	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF070XE48B	R-454B	34200	17	10.5	36000	27800	28000	8.75	7	1.86	218391218	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF070XE48B	R-454B	34200	17	10.5	36000	27800	28000	8.75	7	1.86	218392457	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF070XE48B	R-454B	34200	17	10.5	36000	27800	28000	8.75	7	1.86	218400401	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF070XV48B	R-454B	34200	17	9.5	36000	28000	28200	8.3	7	1.86	218391220	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF070XV48B	R-454B	34200	17	9.5	36000	28000	28200	8.3	7	1.86	218400403	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297DF070XV48B	R-454B	34200	17	9.5	36000	28000	28200	8.3	7	1.86	218392459	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218392461	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218391222	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218400405	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218392469	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218400413	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	218391230	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392486	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400430	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391247	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180DF090E48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218391248	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180DF090E48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218400431	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180DF090E48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218392487	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	218392514	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	218391275	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	218400458	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	34600	18	11	36000	27800	28000	8.5	7	1.85	218391286	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	34600	18	11	36000	27800	28000	8.5	7	1.85	218392525	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	34600	18	11	36000	27800	28000	8.5	7	1.85	218400469	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.45	7	1.9	218391291	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.45	7	1.9	218392530	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.45	7	1.9	218400474	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	218400485	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	218392541	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	218391302	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	218391308	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	218392547	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	218400491	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218391313	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218392552	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218400496	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	218392558	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	218391319	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	218400502	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	34400	18	10.5	36000	27800	27800	8.75	7	1.86	218391334	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	34400	18	10.5	36000	27800	27800	8.75	7	1.86	218400517	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	34400	18	10.5	36000	27800	27800	8.75	7	1.86	218392573	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218391336	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218400519	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218392575	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	34200	18	11	36000	28000	28200	8.5	7	1.85	218391338	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	34200	18	11	36000	28000	28200	8.5	7	1.85	218400521	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	34200	18	11	36000	28000	28200	8.5	7	1.85	218392577	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218392583	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218391344	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	218400527	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218391350	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218400533	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218392589	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392598	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391359	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400542	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196DF070XE48B	R-454B	34400	17	10.5	36000	27800	28000	8.75	7	1.86	218391361	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196DF070XE48B	R-454B	34400	17	10.5	36000	27800	28000	8.75	7	1.86	218400544	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196DF070XE48B	R-454B	34400	17	10.5	36000	27800	28000	8.75	7	1.86	218392600	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML1												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400552	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391369	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392608	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218391375	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218400558	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	218392614	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	34400	16	11	36000	28000	28200	8.5	7	1.85	218391381	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	34400	16	11	36000	28000	28200	8.5	7	1.85	218392620	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	34400	16	11	36000	28000	28200	8.5	7	1.85	218400564	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	34000	16	10.5	36000	27800	28000	8.3	7	1.86	218392626	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	34000	16	10.5	36000	27800	28000	8.3	7	1.86	218400570	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	34000	16	10.5	36000	27800	28000	8.3	7	1.86	218391387	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296DF070XV48B	R-454B	34200	17	10.5	36000	27600	27800	8.75	7	1.86	218391389	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296DF070XV48B	R-454B	34200	17	10.5	36000	27600	27800	8.75	7	1.86	218392628	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296DF070XV48B	R-454B	34200	17	10.5	36000	27600	27800	8.75	7	1.86	218400572	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	33800	17	11	36000	27800	28200	8.5	7	1.85	218391391	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	33800	17	11	36000	27800	28200	8.5	7	1.85	218392630	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	33800	17	11	36000	27800	28200	8.5	7	1.85	218400574	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.45	7	1.84	218392636	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.45	7	1.84	218391397	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.45	7	1.84	218400580	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	34400	17	10.5	36000	27800	28000	8.3	6.85	1.86	218026239	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280DF090NV48B	R-454B	34400	17	10.5	36000	27800	28000	8.75	6.85	1.86	218026242	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280DF090V48B	R-454B	34400	17	10.5	36000	27800	28000	8.75	6.85	1.86	218026245	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218400600	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218391417	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	218392656	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218391424	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218392663	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	218400607	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	34400	18	11.7	36000	27600	27800	8.5	7	1.85	217231328	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	34400	18	11.7	36000	27600	27800	8.5	7	1.85	218391436	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	34400	18	11.7	36000	27600	27800	8.5	7	1.85	218392675	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	34400	18	11.7	36000	27600	27800	8.5	7	1.85	218400619	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	34200	17	10.5	36000	27600	27800	8.75	7	1.86	218392700	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	34200	17	10.5	36000	27600	27800	8.75	7	1.86	218391461	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	34200	17	10.5	36000	27600	27800	8.75	7	1.86	218400644	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218391463	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218400646	N/A
EL18KSLV-036-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	218392702	N/A
EL18KSLV-036-230A**	LD30/36Z*+TXV+LEFE4B*	- - -	R-454B	34000	15.2	11	36000	27000	28600	8	6.55	1.88	217732789	N/A
EL18KSLV-036-230A**	LD31/36Z*+TXV+LEFE4B*	- - -	R-454B	34000	15.2	11	36000	27000	28600	8.1	6.6	1.9	217732790	N/A
EL18KSLV-036-230A**	LEM36*43E*+TXV	- - -	R-454B	33000	15.2	10	36000	26000	28400	8.15	6.55	1.7	217615829	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231264	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231271	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218400362	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218392418	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218391179	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391184	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400367	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392423	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400372	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391189	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392428	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391251	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392490	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400434	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391256	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392495	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400439	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391261	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400444	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392500	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391266	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400449	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392505	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391271	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400454	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392510	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392521	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391282	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400465	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	21839	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217231318	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217231325	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391413	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400596	N/A
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392652	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218391141	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218400324	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218392380	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218400327	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218391144	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	218392383	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	34200	16	10.5	36000	28000	28200	8.35	6.9	1.82	217231283	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	217231295	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217231307	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218400324	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218391180	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	218392419	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400368	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391185	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392424	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218391190	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218400373	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	218392429	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392491	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391252	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400435	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392496	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391257	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400440	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218391262	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218400445	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	218392501	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218391267	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218392506	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	218400450	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400455	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391272	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392511	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392522	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400466	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391283	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218392538	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218391299	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	218400482	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218400589	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218391406	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	218392645	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391409	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400592	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392648	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218392653	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218391414	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	218400597	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	33800	18	11.5	36000	27600	27800	8.35	6.9	1.82	217231337	N/A
EL18KSLV-036-230A**	LH24/37X*+TXV+LEFE3A*	- - -	R-454B	33000	15.2	10.5	36000	27000	28600	7.8	6.4	1.84	217285825	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	34400	16	10.5	36000	28000	28200	8.4	6.9	1.82	217231276	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	217231288	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217231300	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218392399	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218391160	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	218400343	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391166	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400349	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392405	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391172	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392411	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400355	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391195	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392434	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400378	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218391201	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218400384	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218392440	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	34400	16</									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	34400	16	11.5	36000	27600	27800	8.4	7	1.88	218392446	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	218391224	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	218392463	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	7	1.8	218400407	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218391232	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218400415	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	218392471	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218391277	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218392516	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218400460	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218391288	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218392527	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	218400471	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	7	1.88	218400476	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	7	1.88	218391293	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	34600	18	11.5	36000	27800	27800	8.4	7	1.88	218392532	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218400487	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218391304	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	36000	27800	28000	8.4	7	1.82	218392543	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218391310	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218400493	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218392549	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218391315	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218392554	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218400498	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218391321	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218392560	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	36000	27600	27800	8.4	7	1.88	218400504	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	7	1.84	218392579	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	7	1.84	218391340	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	36000	28000	28200	8.4	7	1.84	218400523	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	34200	17	10.5	36000	28000	28200	8.4	7	1.84	218391346	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	34200	17	10.5	36000	28000	28200	8.4	7	1.84	218392585	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	34200	17	10.5	36000	28000	28200	8.4	7	1.84	218400529	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218400535	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218391352	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	218392591	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218391365	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218392604	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	218400548	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218391371	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218400554	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	218392610	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218392616	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218400560	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	218391377	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	7	1.82	218392622	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	7	1.82	218400566	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	36000	28000	28200	8.4	7	1.82	218391383	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218392632	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218391393	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	7	1.84	218400576	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	7	1.82	218391399	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	7	1.82	218392638	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	27800	28000	8.4	7	1.82	218400582	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218400601	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218391418	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	218392657	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218392665	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218391426	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	218400609	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	6.9	1.88	217231330	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218392677	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218391438	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	36000	27600	27800	8.4	7	1.88	218400621	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218392704	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218400648	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	218391465	N/A
EL18KSLV-036-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	36000	26000	28400	8.4	6.7	1.74	217285823	N/A
EL18KSLV-036-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217231277	N/A
EL18KSLV-036-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231289	N/A
EL18KSLV-036-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217231301	N/A
EL18KSLV-036-230A**	LH35/36X													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217231313	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231265	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217231272	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217614754	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614757	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614760	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217614763	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	34400	16	11	36000	28000	28000	8.5	7	1.85	217614768	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	217614774	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	28000	28000	8.5	7	1.85	217614780	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH090XE48C	R-454B	34800	17	11.7	36000	27600	27800	9	7	1.9	217614785	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	217614790	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614796	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614802	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	217614808	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	217614814	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	217614820	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614826	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614831	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614837	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	34600	17	11	36000	27800	27800	8.5	7	1.85	217614842	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH090XE48C	R-454B	34600	17	11	36000	27600	27800	9	7	1.9	217614847	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	34600	18	11	36000	27600	28000	9	7	1.9	217614848	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH090XV48C	R-454B	34800	18	11.7	36000	27600	27800	9	7	1.9	217614852	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180DF070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218467756	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180DF090E48B	R-454B	35000	17	11	36000	27800	27800	8.5	7	1.9	218467760	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614857	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614863	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614869	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614875	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614881	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217614887	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614893	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	217614899	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.5	7	1.9	217614905	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614911	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217614917	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	217614923	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH090V48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614929	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	217614935	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218467761	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH110V60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218467762	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH110XE60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218467763	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	34400	18	11	36000	28000	28200	8.5	7	1.85	217614941	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614947	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614953	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	217614958	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH090XE48C	R-454B	35000	17	11	36000	27800	27800	9	7	1.9	217614962	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	217614967	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217614973	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614979	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH070XE48B	R-454B	34600	16	11	36000	28000	28200	8.5	7	1.85	217614985	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	34800	18	11	36000	27800	28000	9	7	1.9	217614990	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH090XE48C	R-454B	34800	17	11	36000	27800	27800	9	7	1.9	217614994	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296DF045XV36B	R-454B	34200	16	10.5	36000	27800	28000	8.35	6.9	1.88	218467724	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296DF070XV48B	R-454B	34400	17	10.5	36000	27600	27800	8.85	6.9	1.88	218467728	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	28000	28000	8.5	7	1.85	217614999	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217615005	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH090XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	217615010	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218467729	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217231319	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217231326	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615023	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615028	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	27600	27800	8.5	7	1.9	217615033	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217615036	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217615042	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615044	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615046	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SL297UH080NV48C	R-454B	34800	17	11	36000	27600	28000	9	7	1.9	217615048	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	27600	27800	8.5	7	1.85	217615053	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	36000	27600	28000	9	7	1.9	217615058	N/A
EL18KSLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217615062	N/A
EL18KSLV-036														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	34000	16	10.5	36000	28000	28200	8.4	6.9	1.84	217231279	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH100NE60C	R-454B	34400	16	10.5	36000	28600	28000	8.35	7	1.82	218391149	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH100NE60C	R-454B	34400	16	10.5	36000	28600	28000	8.35	7	1.82	218392388	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH100NE60C	R-454B	34400	16	10.5	36000	28600	28000	8.35	7	1.82	218400332	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	33600	17	11	36000	28000	28000	8.5	7	1.85	217231291	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217231303	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	8.95	6.95	1.9	217231311	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	33600	16	11	36000	28000	28200	8.5	7	1.85	217614766	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	217614772	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	217614778	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	34600	17	11.5	36000	27600	27800	8.95	6.95	1.9	217614783	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	217614788	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614794	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614800	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	217614806	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH090E48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	6.9	1.88	217614812	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH090XE48B	R-454B	34200	16	11.5	36000	27600	27800	8.35	6.9	1.88	217614818	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	34400	17	10.5	36000	28200	27600	8.35	7	1.88	218392450	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	34400	17	10.5	36000	28200	27600	8.35	7	1.88	218391211	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	34400	17	10.5	36000	28200	27600	8.35	7	1.88	218400394	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	36000	28000	28400	8.45	6.95	1.8	217614824	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217614829	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	33800	17	11	36000	28000	28200	8.5	7	1.85	217614835	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	217614840	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	34400	17	10.5	36000	27600	27800	8.95	6.95	1.9	217614845	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XV48C	R-454B	34600	18	11.5	36000	27600	27800	8.95	6.95	1.9	217614850	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	34400	17	10.5	36000	28400	27800	8.35	7	1.82	218392477	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	34400	17	10.5	36000	28400	27800	8.35	7	1.82	218391238	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	34400	17	10.5	36000	28400	27800	8.35	7	1.82	218400421	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	8.95	7	1.9	218400424	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	8.95	7	1.9	218392480	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	8.95	7	1.9	218391241	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH110XV60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218391244	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH110XV60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218392483	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH110XV60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218400427	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180DF070E36B	R-454B	33800	17	10.5	36000	27600	27800	8.65	6.8	1.84	218467754	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180DF090E48B	R-454B	34200	17	11	36000	27600	28000	8.5	7	1.85	218467758	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614855	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614861	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614867	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614873	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614879	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	6.9	1.82	217614885	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614891	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	34000	18	11	36000	27800	28000	8.5	7	1.85	217614897	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070V48B	R-454B	34400	18	11.5	36000	27800	27800	8.35	6.9	1.88	217614903	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614909	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	34200	18	10.5	36000	27800	28000	8.35	6.9	1.82	217614915	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH090E48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	6.9	1.88	217614921	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH090V48B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	217614927	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH090XE48B	R-454B	34200	17	11.5	36000	27600	27800	8.35	6.9	1.88	217614933	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110E60C	R-454B	34600	16	10.5	36000	28400	27800	8.35	7	1.88	218391325	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110E60C	R-454B	34600	16	10.5	36000	28400	27800	8.35	7	1.88	218400508	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110E60C	R-454B	34600	16	10.5	36000	28400	27800	8.35	7	1.88	218392564	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110V60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218392567	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110V60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218400511	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110V60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218391328	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110XE60C	R-454B	34600	16	10.5	36000	28400	27800	8.35	7	1.88	218392570	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110XE60C	R-454B	34600	16	10.5	36000	28400	27800	8.35	7	1.88	218400514	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH110XE60C	R-454B	34600	16	10.5	36000	28400	27800	8.35	7	1.88	218391331	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	33800	18	10.5	36000	28000	28200	8.4	6.9	1.84	217614939	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	36000	28000	28200	8.4	6.9	1.84	217614945	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	34000	17	11	36000	28000	28200	8.5	7	1.85	217614951	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	34800	18	11	36000	27600	27800	8.95	6.95	1.9	217614956	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	35000	17	11	36000	27800	27800	8.95	7	1.9	217614960	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	8.95	7	1.9	218391356	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	8.95	7	1.9	218392595	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	8.95	7	1.9	218400539	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	33600	17	11	36000	28000	28200	8.5	7	1.85	217614965	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	33600	17	11	36000	27800	28000	8.5	7	1.85	217614971	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	34000	17	11	36000	28000	28000	8.5	7	1.85	217614977	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH070XE48B	R-454B	34000	16	10.5	36000	28000	28200	8.4	6.9	1.84	217614983	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296DF070XV48B	R-454B	33800	17	10.5	36000	27600	27800	8.65	6.8	1.84	218467726	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	36000	27800	28200	8.45	6.95	1.84	217614997	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	36000	27800	28000	8.35	6.9	1.82	217615003	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	34800	18	11	36000	27600	27800	8.95	6.95	1.9	217615008	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH110XV60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218391403	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH110XV60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218400586	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH110XV60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218392642	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217615012	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615016	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615021	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	33800	17	11	36000	27800	28000	8.5	7	1.85	217615026	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH080NV60C	R-454B	34400	18	10.5	36000	28400	27800	8.35	7	1.88	218392661	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH080NV60C	R-454B	34400	18	10.5	36000	28400	27800	8.35	7	1.88	218391422	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH080NV60C	R-454B	34400	18	10.5	36000	28400	27800	8.35	7	1.88	218400605	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	34200	18	11	36000	27800	28000	8.5	7	1.85	217615031	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	34000	18	11.5	36000	27600	27800	8.4	6.9	1.84	217231333	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218400616	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218392672	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218391433	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090XV48B	R-454B	34000	18	11.5	36000	27600	27800	8.4	6.9	1.84	217615040	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090XV60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218392681	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090XV60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218391442	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090XV60C	R-454B	34600	18	10.5	36000	28400	27800	8.35	7	1.88	218400625	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH100NV60C	R-454B	34600	17	10.5	36000	28400	27800	8.35	7	1.82	218391445	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH100NV60C	R-454B	34600	17	10.5	36000	28400	27800	8.35	7	1.82	218392684	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH100NV60C	R-454B	34600	17	10.5	36000	28400	27800	8.35	7	1.82	218400628	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH110V60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218391448	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH110V60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218392687	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH110V60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218400631	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH110XV60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218391451	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH110XV60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218400634	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH110XV60C	R-454B	34600	18	10.5	36000	28600	28000	8.35	7	1.82	218392690	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	34400	17	10.5	36000	28600	28000	8.35	7	1.82	218392697	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	34400	17	10.5	36000	28600	28000	8.35	7	1.82	218391458	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	34400	17	10.5	36000	28600	28000	8.35	7	1.82	218400641	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	36000	27600	27800	8.5	7	1.85	217615051	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	36000	27600	28000	8.95	6.95	1.9	217615056	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	36000	27800	28000	8.95	7	1.9	217615060	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	34600	17	10.5	36000	28600	28000	8.35	7	1.82	218400652	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	34600	17	10.5	36000	28600	28000	8.35	7	1.82	218391469	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	34600	17	10.5	36000	28600	28000	8.35	7	1.82	218392708	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH110XV60C	R-454B	34400	18	10.5	36000	28400	27800	8.35	7	1.88	218391472	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH110XV60C	R-454B	34400	18	10.5	36000	28400	27800	8.35	7	1.88	218392711	N/A
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH110XV60C	R-454B	34400	18	10.5	36000	28400	27800	8.35	7	1.88	218400655	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217614747	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217614751	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	34400	16	11	36000	28000	28200	8.5	7	1.85	217231280	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.45	7	1.84	218400333	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.45	7	1.84	218391150	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.45	7	1.84	218392389	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217231292	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217231304	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217231312	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	34200	16	11	36000	28000	28200	8.5	7	1.85	217614767	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	217614773	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	217614779	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	34800	17	11.7	36000	27600	27800	9	7	1.9	217614784	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	217614789	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614795	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614801	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	34600	18	11	36000	27800	28000	8.5	7	1.85	217614807	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	217614813	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.45	7	1.9	217614819	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	35000	17	11	36000	28200	27600	8.45	7	1.9	218400395	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	35000	17	11	36000	28200	27600	8.45	7	1.9	218391212	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	35000	17	11	36000	28200	27600	8.45	7	1.9	218392451	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	217614825	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614830	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	217614836	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614841	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	34600	17	11	36000	27600	27800	9	7	1.9	217614846	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	34800	18	11.7	36000	27600	27800	9	7	1.9	217614851	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	218391242	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	218400425	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	218392481	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH110XV60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218392484	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH110XV60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218400428	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH110XV60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218391245	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180DF070E36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	218467755	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180DF090E48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	218467759	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614856	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614862	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614868	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614874	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614880	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	217614886	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614892	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	34600	18	11	36000	27800	28000	8.5	7	1.85	217614898	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.45	7	1.9	217614904	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614910	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.45	7	1.84	217614916	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	217614922	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH090V48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217614928	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.45	7	1.9	217614934	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.45	7	1.9	218392565	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.45	7	1.9	218391326	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.45	7	1.9	218400509	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110V60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218391329	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110V60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218392568	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110V60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218400512	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110XE60C	R-454B	35200	16	11	36000	28400	27800	8.45	7	1.9	218391332	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110XE60C	R-454B	35200	16	11	36000	28400	27800	8.45	7	1.9	218392571	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH110XE60C	R-454B	35200	16	11	36000	28400	27800	8.45	7	1.9	218400515	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	34200	18	11	36000	28000	28200	8.5	7	1.85	217614940	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	217614946	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614952	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	217614957	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	35000	17	11	36000	27800	27800	9	7	1.9	217614961	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	9	7	1.9	218391357	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	9	7	1.9	218400540	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	9	7	1.9	218392596	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	217614966	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	34000	17	11	36000	27800	28000	8.5	7	1.85	217614972	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614978	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH070XE48B	R-454B	34400	16	11	36000	28000	28200	8.5	7	1.85	217614984	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	34800	18	11	36000	27800	28000	9	7	1.9	217614989	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	34800	17	11	36000	27800	27800	9	7	1.9	217614993	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296DF045XV36B	R-454B	34000	16	10.5	36000	27800	28000	8.3	6.85	1.86	218467723	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296DF070XV48B	R-454B	34200	17	10.5	36000	27600	27800	8.8	6.85	1.86	218467727	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	33800	17	11	36000	27800	28200	8.5	7	1.85	217614998	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.45	7	1.84	217615004	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	217615009	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.45	7	1.84	218392643	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.45	7	1.84	218391404	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.45	7	1.84	218400587	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217615013	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615017	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615022	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217615027	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.45	7	1.9	218392662	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.45	7	1.9	218400606	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.45	7	1.9	218391423	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217615032	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	34400	18	11.7	36000	27600	27800	8.5	7	1.85	217231334	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218391434	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218400617	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218392673	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090XV48B	R-454B	34400	18	11.7	36000	27600	27800	8.5	7	1.85	217615041	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090XV60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218391443	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090XV60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218392682	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090XV60C	R-454B	35200	18	11	36000	28400	27800	8.45	7	1.9	218400626	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.45	7	1.84	218392685	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.45	7	1.84	218400629	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.45	7	1.84	218391446	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH110V60C	R-454B	35200	18	11	36000	28600	28000	8.45	7</			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.45	7	1.84	218400635	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.45	7	1.84	218391452	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.45	7	1.84	218392691	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.45	7	1.84	218392698	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.45	7	1.84	218391459	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.45	7	1.84	218400642	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615052	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	36000	27600	28000	9	7	1.9	217615057	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217615061	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	35200	17	11	36000	28600	28000	8.45	7	1.84	218391470	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	35200	17	11	36000	28600	28000	8.45	7	1.84	218392709	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	35200	17	11	36000	28600	28000	8.45	7	1.84	218400653	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH110XV60C	R-454B	35000	18	11	36000	28400	27800	8.45	7	1.9	218400656	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH110XV60C	R-454B	35000	18	11	36000	28400	27800	8.45	7	1.9	218392712	N/A
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH110XV60C	R-454B	35000	18	11	36000	28400	27800	8.45	7	1.9	218391473	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217614745	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	36000	27800	28000	9	7	1.9	217614749	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	34800	16	11	36000	28000	28200	8.5	7	1.85	217614753	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.5	7	1.85	218392387	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.5	7	1.85	218391148	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	35000	16	11	36000	28600	28000	8.5	7	1.85	218400331	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614756	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614759	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217614762	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	34400	16	11	36000	28000	28000	8.5	7	1.85	217614764	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	34200	17	11	36000	28000	28200	8.5	7	1.85	217614770	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	28000	28000	8.5	7	1.85	217614776	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	34800	17	11.7	36000	27600	27800	9	7	1.9	217614782	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	36000	27800	28000	9	7	1.9	217614786	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614792	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	36000	27600	27800	9	7	1.9	217614798	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	217614804	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	217614810	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	36000	27600	27800	8.5	7	1.9	217614816	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	35000	17	11	36000	28200	27600	8.5	7	1.9	218392449	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	35000	17	11	36000	28200	27600	8.5	7	1.9	218391210	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	35000	17	11	36000	28200	27600	8.5	7	1.9	218400393	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614822	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614828	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	34400	17	11	36000	27800	28000	8.5	7	1.85	217614833	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	34600	17	11	36000	27800	27800	8.5	7	1.85	217614839	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	34600	17	11	36000	27600	27800	9	7	1.9	217614844	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	34800	18	11.7	36000	27600	27800	9	7	1.9	217614849	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	35000	17	11	36000	28400	27800	8.5	7	1.85	218400420	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	35000	17	11	36000	28400	27800	8.5	7	1.85	218391237	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	35000	17	11	36000	28400	27800	8.5	7	1.85	218392476	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	218392479	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	218391240	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	218400423	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218400426	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218392482	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218391243	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180DF070E36B	R-454B	35000	17	11	36000	27600	27800	9	7	1.9	218467753	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180DF090E48B	R-454B	35000	17	11	36000	27800	27800	8.5	7	1.9	218467757	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614853	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614859	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	36000	27800	28000	9	7	1.9	217614865	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	36000	27800	27800	9	7	1.9	217614871	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614877	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217614883	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614889	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	34800	18	11	36000	27600	27800	8.5	7	1.85	217614895	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	36000	27800	27800	8.5	7	1.9	217614901	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	36000	27600	27800	9	7	1.9	217614907	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	27800	28000	8.5	7	1.85	217614913	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	217614919	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614925	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	36000	27600	27800	8.5	7	1.9	217614931	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218400507	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218391324	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218392563	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218391327	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218400510	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218391330	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	35200	16	11	36000	28400	27800	8.5	7	1.9	218400513	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	34400	18	11	36000	28000	28200	8.5	7	1.85	217614937	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	34600	17	11	36000	28000	28200	8.5	7	1.85	217614943	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614949	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	217614955	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	35000	17	11	36000	27800	27800	9	7	1.9	217614959	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	9	7	1.9	218392594	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	9	7	1.9	218391355	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	35000	17	11.7	36000	27600	27800	9	7	1.9	218400538	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	34400	17	11	36000	28000	28200	8.5	7	1.85	217614963	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	34200	17	11	36000	27800	28000	8.5	7	1.85	217614969	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217614975	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	34600	16	11	36000	28000	28200	8.5	7	1.85	217614981	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	34800	18	11	36000	27800	28000	9	7	1.9	217614987	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	34800	17	11	36000	27800	27800	9	7	1.9	217614991	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296DF045XV36B	R-454B	34800	16	11	36000	27800	28000	8.5	7	1.9	218467721	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296DF070XV48B	R-454B	35000	17	11	36000	27600	27800	9	7	1.9	218467725	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	28000	28000	8.5	7	1.85	217614995	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	27800	28000	8.5	7	1.85	217615001	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	34800	18	11	36000	27600	27800	9	7	1.9	217615007	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218392641	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218391402	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218400585	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	36000	27800	28000	9	7	1.9	217615011	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615015	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	36000	28400	28000	9	7	1.9	217615019	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	34600	17	11	36000	27800	28000	8.5	7	1.85	217615025	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218391421	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218392660	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218400604	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	27600	27800	8.5	7	1.9	217615029	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217615035	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218400615	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218392671	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218391432	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	36000	27600	27800	8.5	7	1.9	217615038	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218392680	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218391441	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	35200	18	11	36000	28400	27800	8.5	7	1.9	218400624	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.5	7	1.85	218391444	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.5	7	1.85	218400627	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	35200	17	11	36000	28400	27800	8.5	7	1.85	218392683	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH110V60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218391447	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH110V60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218392686	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH110V60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218400630	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218391450	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218400633	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH110XV60C	R-454B	35200	18	11	36000	28600	28000	8.5	7	1.85	218392689	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.5	7	1.85	218391457	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.5	7	1.85	218400640	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	35000	18	11	36000	28600	28000	8.5	7	1.85	218392696	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	27600	27800	8.5	7	1.85	217615049	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	36000	27600	28000	9	7	1.9	217615055	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	36000	27800	28000	9	7	1.9	217615059	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	35200	17	11	36000	28600	28000	8.5	7	1.85	218391468	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	35200	17	11	36000	28600	28000	8.5	7	1.85	218392707	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	35200	17	11	36000	28600	28000	8.5	7	1.85	218400651	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218391471	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218392710	N/A
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	35000	18	11	36000	28400	27800	8.5	7	1.9	218400654	N/A
EL18KSLV-036-230A**	LS*36*23E+TXV+TD	---	R-454B	32800	15.2	9.5	36000	27400	29000	8.05	6.55	1.8	217732587	N/A
EL18KSLV-036-230A**	M36E32*+TXV+AMHE3D	---	R-454B	32800	15.2	10	36000	26000	28400	8.15	6.55	1.74	218718575	N/A
EL18KSLV-036-230A**	M36E32*+TXV+TD	---	R-454B	31200	15.2	9.5	36000	27400	29000	8.05	6.55	1.8	218718543	N/A
EL18KSLV-036-230A**	M36E33*+TXV+TD	---	R-454B	32200	15.2	10	36000	27400	29000	8.1	6.6	1.8	218679793	N/A
EL18KSLV-036-230A**	M36E34*+TXV+AMHE4D	---	R-454B	33800	15.2	10.5	36000	26000	28400	8.4	6.7	1.78	218718576	N/A
EL18KSLV-036-230A**	M36E35*+TXV+TD	---	R-454B	32200	15.2	10.5	36000	26000	28400	8.1	6.8	1.8	218679795	N/A
EL18KSLV-036-230A**	M36E36*+TXV+TD	---	R-454B	33200	15.2	10.5	36000	26000	28400	8.1	6.8	1.8	218679797	N/A
EL18KSLV-036-230A**	M36G33*+TXV+TD	---	R-454B	32200	15.2	10	36000	27400	29000	8.1	6.6	1.8	218679792	N/A
EL18KSLV-036-230A**	M36G35*+TXV+TD	---	R-454B	32200	15.2	10.5	36000	26000	28400	8.1	6.8	1.8	218679794	N/A
EL18KSLV-036-230A**	M36G36*+TXV+TD	---	R-454B	33200	15.2	10.5	36000	26000	28400	8.1	6.8	1.8	218679796	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217614406	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	45000	17	11	60000	38000	39000	9	7	1.85	217896486	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL195UH100												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217614409	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	217896488	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	217614411	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	217614413	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	45000	17	11	60000	38000	38500	9	7	1.85	217896489	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	45500	18	11	60000	38000	38500	9	7	1.85	217896490	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	217614414	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217614416	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	45500	17	11	60000	38000	39000	9	7	1.85	217896491	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	45500	17	10	60000	38000	39000	9	7	1.85	217614417	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	53500	15.2	10	60000	43000	40000	8.1	6.5	1.85	217614418	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	54000	16	10	60000	43000	40000	8.5	6.5	1.85	217614419	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	217614421	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	217614423	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	217614425	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	217614427	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	53500	16	10	60000	43000	40000	8.1	6.5	1.85	217614428	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	45500	17	11	60000	38000	39000	9	7	1.85	217896492	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217896493	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	217614430	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	45000	16	10	60000	38000	39000	9	7	1.85	217896494	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	217614432	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	217614434	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	53500	15.2	10	60000	43000	40000	8.1	6.5	1.85	217614435	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	217896495	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	217614437	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH080NV48B	R-454B	44500	16	10	60000	38000	38500	9	7.5	1.9	217956541	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614438	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614440	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614442	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614443	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614444	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614446	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	54000	16	10	60000	42500	39500	8.5	6.5	1.85	217614447	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	217896496	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	45500	17	11	60000	38000	39000	9	7	1.85	217614448	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	45500	17	10	60000	38000	39000	9	7	1.85	217896497	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	217614450	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614452	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	54000	16	10	60000	43000	40000	8.5	6.5	1.85	217614453	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218393859	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399926	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218393860	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399927	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399933	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218393861	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.85	218399939	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218393862	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218393863	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.85	218399945	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218393864	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218399950	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399956	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218393865	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	45500	17	10	60000	38000	39000	9	7	1.85	218393866	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	45500	17	10	48000	38000	39000	9	7	1.85	218399958	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218393867	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	48000	38000	39000	9	7	1.85	218399966	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218393868	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399972	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218393869	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	48000	38000	38500	9	7	1.85	218399978	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399984	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218393870	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218393871	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399991	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218393872	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399998	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	218393873	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.5	7	1.85	218400004	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400012	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218393874	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400013	N/A
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH080NV												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218393876	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400025	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218393877	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218393878	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400026	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400027	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218393879	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400033	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218393880	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL297UH080NV60C	R-454B	45500	17	11	60000	38000	39000	9	7	1.85	218393881	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SL297UH080NV60C	R-454B	45500	17	11	48000	38000	39000	9	7	1.85	218400035	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400043	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218393882	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400049	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218393883	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV+LEFE5*	- - -	R-454B	55500	17	10	60000	42500	42500	8.95	7	1.84	218393884	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV+LEFE5*	- - -	R-454B	55500	17	10	60000	42500	42500	8.95	7	1.84	218400051	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV+TD	- - -	R-454B	48000	15.2	10	48000	39000	39000	8.5	7	1.85	218400752	N/A
EL18KSLV-060-230A**	L*41/60Z+TXV+TD	- - -	R-454B	48000	15.2	10	48000	39000	39000	8.5	7	1.85	218400877	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	6.95	1.84	217231345	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	6.95	1.84	217231354	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231363	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231372	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231381	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	45500	16	11	48000	38000	39000	8.95	6.95	1.84	218630932	N/A
EL18KSLV-060-230A**	L*42/60V*+TXV+LEFE5*	- - -	R-454B	54000	16	9.5	60000	42500	42500	8.75	6.85	1.82	217465683	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231346	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231355	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399931	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218386046	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218389131	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218386051	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218389136	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.84	218399937	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218386056	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.84	218399943	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218389141	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218386065	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399954	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218389150	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218386073	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	48000	38000	39000	9	7	1.85	218399964	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218389158	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218386078	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218389163	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399970	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218386083	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218389168	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	48000	38000	38500	9	7	1.85	218399976	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218389173	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218386088	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399982	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218386094	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218389179	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399989	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218386100	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218389185	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399996	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.84	218386105	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.84	218389190	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.5	7	1.84	218400002	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218386112	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218389197	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400010	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	217231364	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400017	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386117	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389202	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386122	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389207	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400023	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	217231373	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231382	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	45500	1									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400031	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218386135	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218389220	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400041	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386140	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389225	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400047	N/A
EL18KSLV-060-230A**	L*42/60Z*+TXV+LEFE5*	- - -	R-454B	55500	17	10	60000	42500	42500	8.9	6.95	1.84	217465684	N/A
EL18KSLV-060-230A**	L*43/61Z*+TXV+LEFE5*	- - -	R-454B	55500	17	10	60000	42500	42500	8.95	6.95	1.84	217465685	N/A
EL18KSLV-060-230A**	L*49/62Z*+TXV+LEFE5*	- - -	R-454B	55000	17	9.5	60000	42500	42500	8.85	6.9	1.82	217732775	N/A
EL18KSLV-060-230A**	LD41/59Z*+TXV	SL280DF080NV60C	R-454B	44500	16	10	60000	38500	39000	9	7.5	1.9	217883125	N/A
EL18KSLV-060-230A**	LD41/59Z*+TXV	SL280DF080NV60C	R-454B	44500	16	10	60000	38500	39000	9	7.5	1.9	217882977	N/A
EL18KSLV-060-230A**	LD41/59Z*+TXV+LEFE5*	- - -	R-454B	54000	16	9.5	60000	42500	42500	8.7	6.8	1.8	217732774	N/A
EL18KSLV-060-230A**	LD42/49Z*+TXV	SL280DF080NV60C	R-454B	44500	16	10	60000	38500	39000	8.9	7.45	1.88	217883124	N/A
EL18KSLV-060-230A**	LD42/49Z*+TXV	SL280DF080NV60C	R-454B	44500	16	10	60000	38500	39000	8.9	7.45	1.88	217883296	N/A
EL18KSLV-060-230A**	LD42/49Z*+TXV+LEFE5*	- - -	R-454B	47500	15.2	10	60000	39000	38500	8.5	6.8	1.75	217732773	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.84	217231340	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.84	217231349	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.84	218386043	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.84	218389128	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.84	218399928	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218386048	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.84	218399934	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218389133	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218389138	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.84	218386053	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.84	218399940	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF090XV60C	R-454B	44500	16	10	60000	38500	39500	9	8	1.85	218386058	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF090XV60C	R-454B	44500	16	10	60000	38500	39500	9	8	1.85	218389143	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF090XV60C	R-454B	44500	16	10	48000	38500	39500	9	8	1.85	218399946	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	45000	16	10	60000	38500	39000	9	8	1.9	218386059	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	45000	16	10	60000	38500	39000	9	8	1.9	218389144	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	45000	16	10	48000	38500	39000	9	8	1.9	218399947	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	44500	16	10	60000	38500	39500	9	8	1.85	218386060	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	44500	16	10	48000	38500	39500	9	8	1.85	218399948	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	44500	16	10	60000	38500	39500	9	8	1.85	218389145	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.84	218386062	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.84	218389147	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.84	218399951	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	45000	17	11	60000	38000	38500	9	8	1.9	218386069	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	45000	17	11	60000	38000	38500	9	8	1.9	218389154	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	45000	17	11	48000	38000	38500	9	8	1.9	218399960	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.84	218386070	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.84	218389155	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	48000	38000	39000	9	7	1.84	218399961	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.84	218386075	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.84	218389160	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.84	218399967	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.84	218386080	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.84	218389165	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	48000	38000	38500	9	7	1.84	218399973	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.84	218386085	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.84	218389170	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.84	218399979	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.84	218386091	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.84	218389176	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.84	218399986	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196DF110XE60C	R-454B	45000	16	10	48000	38500	39000	9	8	1.9	218399992	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196DF110XE60C	R-454B	45000	16	10	60000	38500	39000	9	8	1.9	218386096	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196DF110XE60C	R-454B	45000	16	10	60000	38500	39000	9	8	1.9	218389181	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.84	218386097	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.84	218389182	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.84	218399993	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.84	218386102	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.84	218389187	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.5	7	1.84	218399999	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	44500	16	10	60000	38500	39000	9	8	1.9	218386108	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	44500	16	10	60000	38500	39000	9	8	1.9	218389193	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	44500	16	10	48000	38500	39000	9	8	1.9	218400006	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.84	218386109	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.84	218389194	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.84	218400007	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	44500	16	10	60000	38500	39000	9	7.5	1.9	217883126	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	44500	16</									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	45000	17	10	45000	38000	39000	9	7.5	1.9	218026238	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	217231358	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386114	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389199	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400014	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386119	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389204	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400020	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	217231367	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	217231376	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386124	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400028	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389209	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99DF090XV60C	R-454B	44500	16	10	60000	38500	39500	9	8	1.85	218386130	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99DF090XV60C	R-454B	44500	16	10	60000	38500	39500	9	8	1.85	218389215	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99DF090XV60C	R-454B	44500	16	10	48000	38500	39500	9	8	1.85	218400036	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	44500	17	10	60000	38000	39000	9	8	1.9	218386131	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	44500	17	10	60000	38000	39000	9	8	1.9	218389216	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	44500	17	10	48000	38000	39000	9	8	1.9	218400037	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.84	218386132	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.84	218400038	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.84	218389217	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218389222	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.84	218386137	N/A
EL18KSLV-060-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.84	218400044	N/A
EL18KSLV-060-230A**	LEM48*1CC*+TXV	---	R-454B	47500	15.2	10	60000	39500	39000	8.5	6.6	1.84	217615822	N/A
EL18KSLV-060-230A**	LEM48*9BB*+TXV	---	R-454B	47000	15.2	9.5	60000	39000	38500	8.35	6.7	1.72	217732772	N/A
EL18KSLV-060-230A**	LEM60*4CC*+TXV	---	R-454B	55500	17	10	60000	42500	42500	8.95	6.95	1.84	217615823	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231341	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231350	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218386044	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218389129	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399929	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218386049	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218389134	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.85	218399935	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218386054	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218389139	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.85	218399941	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218386063	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218389148	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399952	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218386071	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218389156	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	46000	17	11	48000	38000	39000	9	7	1.85	218399962	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218386076	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218389161	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399968	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218386081	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218389166	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	46000	17	11	48000	38000	38500	9	7	1.85	218399974	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218386086	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218389171	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399980	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218386092	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218389177	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399987	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218386098	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218389183	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399994	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	218386103	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	218389188	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.5	7	1.85	218400000	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218386110	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218389195	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400008	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231359	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400015	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386115	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389200	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386120	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389205	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400021	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	45500	17	11	600							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386125	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389210	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400029	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218386133	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218389218	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400039	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389223	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386138	N/A
EL18KSLV-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400045	N/A
EL18KSLV-060-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	6.95	1.84	217231343	N/A
EL18KSLV-060-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	6.95	1.84	217231352	N/A
EL18KSLV-060-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231361	N/A
EL18KSLV-060-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231370	N/A
EL18KSLV-060-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231379	N/A
EL18KSLV-060-230A**	LH41/61R*+TXV+LEFE5*	- - -	R-454B	54000	16	9.5	60000	42500	42500	8.75	6.85	1.82	217285827	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231347	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231356	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218386047	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218389132	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399932	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218386052	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218389137	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.85	218399938	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218389142	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	218386057	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	48000	38000	38500	9	7	1.85	218399944	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218386066	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	218389151	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	48000	38500	39000	9	7	1.85	218399955	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	46000	17	11	48000	38000	39000	9	7	1.85	218399965	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218386074	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	218389159	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218386079	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218389164	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399971	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218386084	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	218389169	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	46000	17	11	48000	38000	38500	9	7	1.85	218399977	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218386089	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	218389174	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	48000	38000	39000	9	7	1.85	218399983	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218386095	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399990	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218389180	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218386101	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218389186	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	48000	38000	39000	9	7	1.85	218399997	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	218386106	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	218389191	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.5	7	1.85	218400003	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218386113	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218389198	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400011	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231365	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386118	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400018	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389203	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386123	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389208	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400024	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231374	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231383	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386128	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389213	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400032	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218389221	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	48000	38500	39000	9	7	1.85	218400042	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	218386136	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218386141	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	48000	38000	38500	9	7	1.85	218400048	N/A
EL18KSLV-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	218389226	N/A
EL18KSLV-060-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	7	1.84	217231342	N/A
EL18KSLV-060-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	7	1.84	217231351	N/A
EL18KSLV-060-230A**	LH48/60X*+TXV</													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	217231378	N/A
EL18KSLV-060-230A**	LH48/60X*+TXV+LEFE5*	- - -	R-454B	54500	16	9.5	60000	42500	42500	8.8	6.85	1.82	217285826	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	6.95	1.84	217231344	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	8.95	6.95	1.84	217231353	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	8.95	7	1.84	218386045	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	8.95	7	1.84	218389130	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	45500	16	10	48000	38500	39000	8.95	7	1.84	218399930	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	45500	16	11	48000	38000	38500	8.95	7	1.84	218399936	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	8.95	7	1.84	218386050	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	8.95	7	1.84	218389135	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.95	7	1.84	218386055	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.95	7	1.84	218389140	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.95	7	1.84	218399942	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	45500	17	10	60000	38500	39000	8.95	7	1.84	218386061	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	45500	17	10	60000	38500	39000	8.95	7	1.84	218389146	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	45500	17	10	48000	38500	39000	8.95	7	1.84	218399949	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	8.95	7	1.84	218386064	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	8.95	7	1.84	218389149	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	45500	16	10	48000	38500	39000	8.95	7	1.84	218399953	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	45500	17	10	60000	38000	39000	8.95	7	1.84	218386067	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	45500	17	10	60000	38000	39000	8.95	7	1.84	218389152	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	45500	17	10	48000	38000	39000	8.95	7	1.84	218399957	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH135XE60D	R-454B	53500	15.2	10	60000	43000	40000	8.1	7	1.85	218386068	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH135XE60D	R-454B	53500	15.2	10	60000	43000	40000	8.1	7	1.85	218389153	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH135XE60D	R-454B	53500	15.2	10	48000	43000	40000	8.1	7	1.85	218399959	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180DF110E60C	R-454B	45000	17	11	60000	38000	38500	9	7.5	1.9	218467742	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH070V48B	R-454B	44000	17	10	60000	38500	39000	9	7	1.8	218467744	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH090E48B	R-454B	43500	16	10	60000	38000	39000	9	7	1.85	218467746	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	8.95	7	1.84	218386072	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	8.95	7	1.84	218389157	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	46000	17	11	48000	38000	39000	8.95	7	1.84	218399963	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH090V48B	R-454B	43000	16	10	60000	38500	39000	9	7	1.8	218467748	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH090XE48B	R-454B	43000	16	10	60000	38000	39000	9	7	1.85	218467750	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	8.95	7	1.84	218386077	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	8.95	7	1.84	218389162	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	46000	17	10	48000	38000	39000	8.95	7	1.84	218399969	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	8.95	7	1.84	218386082	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	8.95	7	1.84	218389167	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	46000	17	11	48000	38000	38500	8.95	7	1.84	218399975	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	46000	17	10	48000	38000	39000	8.95	7	1.84	218399981	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	8.95	7	1.84	218386087	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	8.95	7	1.84	218389172	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	53500	16	10	60000	43000	40000	8.1	7	1.85	218389175	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	53500	16	10	48000	43000	40000	8.1	7	1.85	218399985	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	53500	16	10	60000	43000	40000	8.1	7	1.85	218386090	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	8.95	7	1.84	218389178	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	8.95	7	1.84	218386093	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	45500	16	10	48000	38000	39000	8.95	7	1.84	218399988	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	8.95	7	1.84	218386099	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	8.95	7	1.84	218389184	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	45500	16	10	48000	38000	39000	8.95	7	1.84	218399995	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.45	7	1.84	218386104	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.45	7	1.84	218389189	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	45500	16	11	48000	38000	38500	8.45	7	1.84	218400001	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH135XE60D	R-454B	53500	15.2	10	60000	43000	40000	8.1	7	1.85	218389192	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH135XE60D	R-454B	53500	15.2	10	60000	43000	40000	8.1	7	1.85	218386107	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML196UH135XE60D	R-454B	53500	15.2	10	48000	43000	40000	8.1	7	1.85	218400005	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML296DF070XV48B	R-454B	43500	16	10	60000	38500	39000	9	7	1.85	218467715	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML296DF090XV60C	R-454B	44500	16	10	60000	38500	39000	9	7.5	1.9	218467717	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	45500	16	10	60000	38000	39000	8.95	6.95	1.84	218467719	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	8.95	7	1.84	218386111	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	8.95	7	1.84	218389196	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	45500	17	10	48000	38500	39000	8.95	7	1.84	218400009	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231362	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	218386116	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	218389201	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	45500	17	11	48000	38000	38500	8.95	7	1.84	218400016	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	218386121	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	218389206	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	45500	17	11	48000	38000	38500	8.95	7	1.84	218400022	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231371	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	8.95	6.95	1.84	217231380	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	54000	16	10	60000	42500	39500	8.5	7	1.85	218386129	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	54000	16	10	60000	42500	39500	8.5	7	1.85	218389214	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	54000	16	10	48000	42500	39500	8.5	7	1.85	218400034	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	8.95	7	1.84	218386134	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	8.95	7	1.84	218389219	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	48000	38500	39000	8.95	7	1.84	218400040	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	218386139	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	8.95	7	1.84	218389224	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	48000	38000	38500	8.95	7	1.84	218400046	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH135XV60D	R-454B	54000	16	10	60000	43000	40000	8.5	7	1.85	218386142	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH135XV60D	R-454B	54000	16	10	60000	43000	40000	8.5	7	1.85	218389227	N/A
EL18KSLV-060-230A**	LP40/60R*+TXV	SLP99UH135XV60D	R-454B	54000	16	10	60000	43000	40000	8.5	7	1.85	218400050	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231348	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217231357	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217614408	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	217614410	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	60000	38000	38500	9	7	1.85	217614412	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	60000	38500	39000	9	7	1.85	217614415	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180DF110E60C	R-454B	45000	17	11	60000	38000	38500	9	7.5	1.9	218467743	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	45000	17	10	60000	38000	38500	9.4	7.5	1.9	218467745	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	45000	16	10	60000	37400	38500	9	7.5	1.9	218467747	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	46000	17	11	60000	38000	39000	9	7	1.85	217614420	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	45000	16	10	60000	38000	38500	9	7.5	1.9	218467749	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	45000	16	10	60000	37400	38500	9	7.5	1.9	218467751	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	217614422	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	46000	17	11	60000	38000	38500	9	7	1.85	217614424	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	60000	38000	39000	9	7	1.85	217614426	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH135E60D	R-454B	53500	16	10	60000	43000	40000	8.1	6.5	1.85	218467752	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	217614429	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	217614431	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	60000	38000	38500	8.5	7	1.85	217614433	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML296DF070XV48B	R-454B	43500	16	10	60000	38500	39000	9	7	1.85	218467716	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML296DF090XV60C	R-454B	44500	16	10	60000	38500	39000	9	7.5	1.9	218467718	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	45500	16	10	60000	38000	39000	9	7	1.85	218467720	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	217614436	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231366	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614439	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614441	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231375	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217231384	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614445	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	60000	38500	39000	9	7	1.85	217614449	N/A
EL18KSLV-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	60000	38000	38500	9	7	1.85	217614451	N/A
EL18KSLV-060-230A**	M48G49*+TXV+TD	---	R-454B	46500	15.2	10	60000	39500	39000	8.1	6.6	1.84	218679798	N/A
EL18KSLV-060-230A**	M60G49*+TXV+TD	---	R-454B	46500	15.2	10	60000	39500	39000	8.1	6.6	1.84	218679799	N/A
EL19KPV-024-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	218631311	N/A
EL19KPV-024-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	218631312	N/A
EL19KPV-024-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.7	1.88	218631313	N/A
EL19KPV-024-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.7	1.88	218631314	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388003	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388008	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388013	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388018	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	218388023	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388028	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388033	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	23600	20	13	24000	15200	15800	8.5	7	2.02	218388038	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388043	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388048	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388055	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388065	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388070	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388075	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388080	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	23800	19	13	24000	15400	16000	8.5	7	2.04	218388085	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388090	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388095	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388100	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388105	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388110	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	23600	19	13	24000	15400	15900	8.5	7	2.02	218388115	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	19	13	24000	15400	15900	8.5	7	2.04	218388120	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	23600	18	13	24000	15300	15900	8.5	7	2.02	218388125	N/A
EL1														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388140	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	15600	16100	8.5	7	2.04	218388145	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388150	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388155	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7	2.04	218388160	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388165	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	23800	18	12.5	24000	15600	16200	8.5	7	2	218388170	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388179	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388184	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388191	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388199	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388204	N/A
EL19KPV-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	218388211	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615073	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615077	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	217615081	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615085	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615089	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388057	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615108	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615112	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615116	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	217615120	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	217615183	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615187	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7.1	2.04	217615191	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615195	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388193	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615222	N/A
EL19KPV-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	217615226	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388004	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388009	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388015	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388020	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	218388025	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388030	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388035	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	23600	20	13	24000	15200	15800	8.5	7	2.02	218388039	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388044	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388049	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388058	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388067	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388072	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388077	N/A
EL19KPV-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388082	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	23800	19	13	24000	15400	16000	8.5	7	2.04	218388086	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388091	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388096	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388101	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388106	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388112	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	23600	19	13	24000	15400	15900	8.5	7	2.02	218388116	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	23800	19	13	24000	15400	15900	8.5	7	2.04	218388122	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	23600	18	13	24000	15300	15900	8.5	7	2.02	218388126	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388132	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388137	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388142	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	15600	16100	8.5	7	2.04	218388147	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388152	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388157	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7	2.04	218388162	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388167	N/A
EL19KPV-024-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	23800	18	12.5	24000	15600	16200	8.5	7	2	218388172	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388175	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	23800	19	13	24000	13800	13500	8.1	6	1.88	218388180	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	23800	19	13	24000	13800	13500	8.1	6	1.88	218388185	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388194	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388201	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388206	N/A
EL19KPV-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	218388213	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217351970	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217351980	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217351985	N/A
EL19KPV-024-230A**	L*30													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	L*30/36U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	6.8	1.88	217352000	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	EL297UH070XV36B	R-454B	24000	18	13	24000	14500	14800	8.5	6.7	1.88	217352005	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	ML196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217352010	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217352015	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	14700	14900	8.5	6.8	1.9	217352020	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	ML296UH045XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217352025	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.8	1.88	217352030	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.8	1.88	217352035	N/A
EL19KPV-024-230A**	L*30/36U*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217352040	N/A
EL19KPV-024-230A**	L*30/36U*+TXV+TD	- - -	R-454B	23400	16	11.7	24000	15000	15300	8.5	6.8	1.84	217352466	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217615076	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615080	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217615084	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615088	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615092	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	---	2.02	217896498	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	24000	16	12	24000	14800	15100	8.5	---	1.88	217896499	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	24000	16	12	24000	14800	15100	8.5	---	1.88	217896500	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	6.8	1.88	217615111	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615115	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615119	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	217615123	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	24000	19	13	24000	15400	16000	8.5	---	2.04	217896501	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	24000	19	13	24000	15600	16200	8.5	---	2.02	217896502	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217615186	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615190	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7.1	2.04	217615194	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	24000	15.2	12	24000	14200	13800	8	7.5	1.86	217896533	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217615198	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	23800	19	12.5	24000	13900	13500	8.1	---	1.86	217896503	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	24000	19	13	24000	14400	14700	8.5	---	1.88	217896504	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	23800	19	13	24000	15300	15900	8.5	---	2.04	217896505	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	23800	19	13	24000	15300	15900	8.5	---	2.04	217896506	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.8	1.88	217615225	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217615229	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	24000	19	13	24000	14700	14900	8.5	7	1.88	218388006	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	24000	19	13	24000	14700	14900	8.5	7	1.88	218388011	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	7	1.88	218388016	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	7	1.88	218388021	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	7	1.86	218388026	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	7	1.88	218388031	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	7	1.88	218388036	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	23600	20	13	24000	15200	15800	8.5	7	2.02	218388041	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388046	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388051	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388061	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	7	1.88	218388068	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388073	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	7	1.88	218388078	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388083	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	24000	19	13	24000	14500	14700	8.5	7	1.9	218388088	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388093	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.88	218388098	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388103	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	24000	18	13	24000	14500	14700	8.5	7	1.88	218388108	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	24000	18	13	24000	14400	14700	8.5	7	1.9	218388113	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.88	218388118	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.9	218388123	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	24000	18	13	24000	14400	14700	8.5	7	1.88	218388128	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	24000	18	13	24000	14400	14700	8.5	7	1.9	218388133	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23600	19	13	24000	14300	14600	8.5	7	1.86	218388138	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388143	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	14700	14900	8.5	7	1.9	218388148	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	7	1.86	218388153	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	7	1.88	218388158	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	14700	14900	8.5	7	1.9	218388163	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.88	218388168	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	24000	19	13	24000	14500	14800	8.5	7	1.88	218388173	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.88	218388177	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	23800	19	13	24000	13800	13500	8.1	6	1.88	218388182	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23800	19	13	24000	13800	13500	8.1	6	1.88	218388187	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.88	218388192	N/A
EL19KPV-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	19	13	24000	14500	14800	8.5				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388002	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388007	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	23600	20	13	24000	15200	15800	8.5	7	2.02	218388037	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388042	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388047	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23800	19	13	24000	15400	16000	8.5	7	2.04	218388084	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388089	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388094	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388099	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388104	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23600	19	13	24000	15400	15900	8.5	7	2.02	218388114	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23600	18	13	24000	15300	15900	8.5	7	2.02	218388124	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388174	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388178	N/A
EL19KPV-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388183	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388012	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388017	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	218388022	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388027	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388032	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388053	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	23000	19	12.5	24000	14900	14100	8.65	7	1.96	218388062	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388064	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388069	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388074	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388079	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388109	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	23800	19	13	24000	15400	15900	8.5	7	2.04	218388119	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388129	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388134	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388139	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	15600	16100	8.5	7	2.04	218388144	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388149	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388154	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7	2.04	218388159	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388164	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	23800	18	12.5	24000	15600	16200	8.5	7	2	218388169	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388189	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388198	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388203	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	23200	19	12.5	24000	14900	14100	8.65	7	1.98	218388208	N/A
EL19KPV-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	218388210	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	18	13	24000	14400	14600	8.45	6.65	1.86	217351967	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	17	12.5	24000	14800	15100	8.45	6.75	1.88	217351977	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	17	12.5	24000	14800	15100	8.45	6.75	1.88	217351982	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388054	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	23400	19	12.5	24000	14900	14100	8.75	7	1.98	218388063	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	17	12.5	24000	14800	15000	8.45	6.75	1.88	217351987	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	24000	14600	14900	8.45	6.65	1.88	217351992	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	17	12.5	24000	14800	15000	8.45	6.75	1.88	217351997	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	24000	18	13	24000	14500	14800	8.45	6.65	1.88	217352002	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	18	13	24000	14400	14600	8.45	6.65	1.86	217352007	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	17	12.5	24000	14800	15100	8.45	6.75	1.88	217352012	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	17	13	24000	14700	14900	8.45	6.75	1.9	217352017	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	18	13	24000	14400	14700	8.45	6.65	1.88	217352022	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388190	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	24000	19	13	24000	14400	14700	8.45	6.75	1.88	217352027	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.45	6.75	1.88	217352032	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	23600	19	12.5	24000	14900	14100	8.75	7	2	218388209	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	24000	18	13	24000	14400	14700	8.45	6.65	1.88	217352037	N/A
EL19KPV-024-230A**	LD24/35Z*+TXV+TD	---	R-454B	23400	15.2	11.7	24000	15000	15300	8.45	6.75	1.84	217352463	N/A
EL19KPV-024-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	23800	18.5	12.4	24000	14000	15200	8	6.55	1.76	217452958	N/A
EL19KPV-024-230A**	LH18/37R*+TXV+TD	---	R-454B	23400	15.2	11.7	24000	15000	15300	8.5	6.8	1.84	217352467	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388005	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	23800	19	13	24000	15600	16100	8.5	7	2.02	218388010	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	23600	20	13	24000	15200	15800	8.5	7	2.02	218388040	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388045	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388050	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	23800	19	13	24000	15400	16000	8.5	7	2.04	218388087	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388092	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388097	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	23200	19	13	24000	15200	15800	8.5	7	2	218388102	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	23600	18	13	24000	15400	16000	8				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388176	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388181	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	23600	18	13	24000	15400	16000	8.5	7	2.02	218388186	N/A
EL19KPV-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217542797	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388014	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388019	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	218388024	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388029	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388034	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388056	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388066	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388071	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388076	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	218388081	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388111	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23800	19	13	24000	15400	15900	8.5	7	2.04	218388121	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23800	18	13	24000	15400	15900	8.5	7	2.02	218388131	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388136	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	15700	16200	8.5	7	2.02	218388141	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	15600	16100	8.5	7	2.04	218388146	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	218388151	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7	2.02	218388156	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7	2.04	218388161	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388166	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	23800	18	12.5	24000	15600	16200	8.5	7	2	218388171	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388192	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388200	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	218388205	N/A
EL19KPV-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	218388212	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217351968	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217351978	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217351983	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	6.8	1.88	217351988	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	24000	14600	14900	8.5	6.7	1.88	217351993	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	6.8	1.88	217351998	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH070XV36B	R-454B	24000	18	13	24000	14500	14800	8.5	6.7	1.88	217352003	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	ML196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217352008	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217352013	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	14700	14900	8.5	6.8	1.9	217352018	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	ML296UH045XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217352023	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	SL297UH040NV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.8	1.88	217352028	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.8	1.88	217352033	N/A
EL19KPV-024-230A**	LH35/36X*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217352038	N/A
EL19KPV-024-230A**	LH35/36X*+TXV+TD	- - -	R-454B	23400	16	11.7	24000	15000	15300	8.5	6.8	1.84	217352464	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615075	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615079	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	217615083	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615087	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615091	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615110	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615114	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615118	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	217615122	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	217615185	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615189	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	15600	16100	8.5	7.1	2.04	217615193	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615197	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.8	1.88	217615224	N/A
EL19KPV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	217615228	N/A
EL19KPV-024-230A**	LP18/37R*+TXV+TD	- - -	R-454B	23400	15.2	11.7	24000	15000	15300	8.5	6.8	1.84	217352468	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615074	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615078	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	15300	15900	8.5	7	2	217615082	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615086	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615090	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388059	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615109	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615113	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615117	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	15300	15900	8.5	7	2.02	217615121	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23000	19	13	24000	15200	15800	8.5	7	2	217615184	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	15700	16300	8.5	7.1	2.02	217615188	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	2400							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615219	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	15400	16000	8.5	7	2.02	217615223	N/A
EL19KPV-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.02	217615227	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	18	13	24000	14400	14600	8.45	6.7	1.86	217351969	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	17	12.5	24000	14800	15100	8.45	6.8	1.88	217351979	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	17	12.5	24000	14800	15100	8.45	6.8	1.88	217351984	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388060	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	17	12.5	24000	14800	15000	8.45	6.8	1.88	217351989	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	24000	14600	14900	8.45	6.7	1.88	217351994	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	17	12.5	24000	14800	15000	8.45	6.8	1.88	217351999	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	24000	18	13	24000	14500	14800	8.45	6.7	1.88	217352004	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	18	13	24000	14400	14600	8.45	6.7	1.86	217352009	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	17	12.5	24000	14800	15100	8.45	6.8	1.88	217352014	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	17	13	24000	14700	14900	8.45	6.8	1.9	217352019	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	18	13	24000	14400	14700	8.45	6.7	1.88	217352024	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	23800	19	13	24000	15300	15900	8.5	7	2.04	218388196	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	19	13	24000	14400	14700	8.45	6.8	1.88	217352029	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.45	6.8	1.88	217352034	N/A
EL19KPV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	18	13	24000	14400	14700	8.45	6.7	1.88	217352039	N/A
EL19KPV-024-230A**	LP29/36X*+TXV+TD	- - -	R-454B	23400	15.2	11.7	24000	15000	15300	8.45	6.8	1.84	217352465	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217351966	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217351976	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217351981	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	15600	16200	8.5	7	2.02	218388052	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	6.8	1.88	217351986	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	24000	14600	14900	8.5	6.7	1.88	217351991	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	24000	14800	15000	8.5	6.8	1.88	217351996	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	24000	18	13	24000	14500	14800	8.5	6.7	1.88	217352001	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23800	19	13	24000	14400	14600	8.5	6.7	1.86	217352006	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	14800	15100	8.5	6.8	1.88	217352011	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	14700	14900	8.5	6.8	1.9	217352016	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217352021	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	24000	19	13	24000	14400	14700	8.5	7	1.88	218388188	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.8	1.88	217352026	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	24000	19	13	24000	14500	14800	8.5	6.8	1.88	217352031	N/A
EL19KPV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	24000	14400	14700	8.5	6.7	1.88	217352036	N/A
EL19KPV-024-230A**	LP36/37R*+TXV+TD	- - -	R-454B	23400	16	11.7	24000	15000	15300	8.5	6.8	1.84	217352462	N/A
EL19KPV-024-230A**	LU18/36S*M+TXV+LMHE3D	- - -	R-454B	22800	18.5	12	24000	14000	15200	8	6.3	1.7	218338575	N/A
EL19KPV-024-230A**	LW25*K7+TXV	- - -	R-454B	22400	18.5	12.4	24000	14000	15200	8	6	1.72	218471512	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	EL180UH080NE48B	R-454B	34200	16	11	36000	17700	14400	8.2	6.3	1.92	218631349	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	EL180UH100NE60C	R-454B	35200	15.2	11	36000	17900	14600	8.2	6.3	1.92	218631350	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	EL195UH040NE36B	R-454B	34200	17	11	36000	17700	14500	8.2	6.3	1.9	218631351	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	EL195UH060NE36B	R-454B	34400	17	11	36000	17700	14400	8.2	6.3	1.92	218631352	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	EL195UH080NE48C	R-454B	34600	17	11	36000	17700	14500	8.2	6.3	1.92	218631353	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	EL195UH100NE60C	R-454B	34800	15.2	10.5	36000	18000	14700	8.2	6.2	1.9	218631354	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL280UH080NV48B	R-454B	34800	17	11	36000	17900	14700	8.2	6.3	1.92	218631355	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL280UH080NV60C	R-454B	35200	17	11	36000	17700	14400	8.2	6.3	1.94	218631356	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL280UH100NV60C	R-454B	35200	17	11	36000	17700	14400	8.2	6.3	1.94	218631357	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL297UH040NV36B	R-454B	34800	18	10.5	36000	18100	14800	8.2	6.3	1.9	218631358	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL297UH060NV36B	R-454B	34800	17	10.5	36000	20000	16500	8.2	6.5	2.04	218631359	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.1	6.4	2.06	218631360	N/A
EL19KPV-036-230A**	*L18/30Z+TXV+TD	SL297UH080NV60C	R-454B	35000	17	11	36000	17800	14600	8.2	6.3	1.92	218631361	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL196UH030XE36B	R-454B	33600	18	10	36000	17800	14600	8	6.05	1.86	217352043	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL196UH045XE36B	R-454B	33600	16	9.5	36000	19200	15800	7.5	6.1	1.98	217352056	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL196UH070XE36B	R-454B	33600	17	10.5	36000	17800	14600	8	6.15	1.86	217352069	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	36000	20600	16000	8.1	6.5	1.9	217352088	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL297UH045XV36B	R-454B	33400	17	10	36000	21200	16400	8.1	6.5	1.86	217352101	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352114	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	EL297UH070XV36B	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352127	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	ML196UH030XE36B	R-454B	33600	18	10	36000	17800	14600	8	6.05	1.86	217352172	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	ML196UH045XE36B	R-454B	33600	16	9.5	36000	19200	15800	7.5	6.1	1.98	217352185	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	36000	20800	16200	8.1	6.5	1.88	217352198	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	21000	16400	7.8	6.4	1.86	217352211	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	ML296UH045XV36B	R-454B	34000	17	10.5	36000	17900	14700	7.9	6.05	1.86	217352234	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	SL297UH040NV36B	R-454B	34000	18	10.5	36000	18000	14700	8	6.15	1.86	217352247	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	SL297UH060NV36B	R-454B	34000	18	10	36000	18000	14700	8	6.15	1.86	217352260	N/A
EL19KPV-036-230A**	*L18/36V*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352284	N/A
EL19KPV-036-230A**	*L18/36V*+TXV+LEFE3A*	- - -	R-454B	33000	16	9.5	36000	19600	16600	7.85	6.25	1.92	217452963	N/A
EL19KPV-036-230A**	*L18/36V*+TXV+LEFE4B*	- - -	R-454B	33600	16	9.5	36000	19800	16600	7.95	6.3	1.94	217452962	N/A
EL19KPV-036-230A**	*L19/36U*+TXV	EL196UH030XE36B	R-454B	34000	18	10	36000	17800	14600	8.1	6.15	1.88	217352046	N/A
EL19KPV-036-230A**	*L19/36U*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6.15	2	217352059	N/A
EL19KPV-036-230A**	*L19/36U*+TXV	EL196UH070XE36B	R-454B	34000	17	10.5	36000	17800	14600	8.1	6.25	1.88	217352072	N/A
EL19KPV-														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	34400	17	10.5	36000	18000	14700	8.1	6.25	1.88	217352130	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	34000	18	10	36000	17800	14600	8.1	6.15	1.88	217352175	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6.15	2	217352188	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	34400	17	10.5	36000	17900	14600	8.1	6.25	1.9	217352201	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	21000	16400	7.8	6.4	1.86	217352214	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	34400	17	10.5	36000	17900	14700	8	6.15	1.88	217352237	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	34400	18	10.5	36000	18000	14700	8.1	6.25	1.88	217352250	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	34400	18	10	36000	18000	14700	8.1	6.25	1.88	217352263	N/A
EL19KPV-036-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352287	N/A
EL19KPV-036-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	33400	16	9.5	36000	19800	16600	7.95	6.3	1.94	217452967	N/A
EL19KPV-036-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	34000	16	9.5	36000	19800	16600	8.05	6.4	1.96	217452966	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	34000	18	10.5	36000	17800	14500	8.1	6	1.88	218391480	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	34400	18	10.5	36000	17800	14500	8.1	6	1.9	218391483	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL180UH080NE48B	R-454B	33800	16	10.5	36000	17700	14400	8.1	6	1.9	218391487	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	33800	17	10.5	36000	17700	14500	8.1	6	1.88	218391490	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	34000	17	10.5	36000	17700	14400	8.1	6	1.9	218391493	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	34000	18	10	36000	17800	14600	8.1	6	1.88	218391496	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6	2	218391499	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	34000	17	10.5	36000	17800	14600	8.1	6	1.88	218391502	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	34200	18	10.5	36000	21200	16400	8.2	6	1.94	218391505	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	34200	18	11	36000	17700	14400	8.1	6	1.9	218391508	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	34000	18	10.5	36000	17700	14400	8.1	6	1.9	218391511	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	34400	18	11	36000	17700	14400	8.1	6	1.92	218391515	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL280UH090E48B	R-454B	34400	16	11	36000	17600	14400	8.1	6	1.92	218391518	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL280UH090XE48B	R-454B	34400	16	11	36000	17600	14400	8.1	6	1.92	218391521	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	33800	17	10.5	36000	17600	14400	8.1	6	1.9	218391528	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	34200	17	10	36000	18100	14900	8.1	6	1.86	218391531	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	34400	17	10.5	36000	20800	16200	8.2	7	1.88	218391534	N/A
EL19KPV-036-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	34600	18	10.5	36000	17800	14600	8.1	6	1.9	218391537	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	34400	17	10.5	36000	17800	14600	8	6	1.9	218391542	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	34200	18	10.5	36000	17700	14500	8.1	6	1.9	218391545	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	34400	17	10.5	36000	17900	14600	8	6	1.9	218391548	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	34200	18	10.5	36000	17700	14500	8.1	6	1.9	218391551	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	34200	17	10.5	36000	17900	14600	8.1	6	1.88	218391554	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	34800	17	11	36000	20000	16100	8.2	7	2.06	218391558	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	34400	17	10.5	36000	17900	14700	8	6	1.88	218391560	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	34400	18	11	36000	17700	14500	8.1	6	1.92	218391564	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070V48B	R-454B	34800	18	11	36000	17800	14500	8.1	6	1.92	218391566	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	34200	17	10.5	36000	17800	14500	8.1	6	1.9	218391568	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	36000	20800	16100	8.2	7	1.9	218391572	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH090E48B	R-454B	34200	17	11	36000	17500	14300	8.1	6	1.92	218391575	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH090V48B	R-454B	34400	17	10.5	36000	17900	14600	8.1	6	1.9	218391580	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML180UH090XE48B	R-454B	34200	17	11	36000	17500	14300	8.1	6	1.92	218391583	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	34000	18	10	36000	18000	14700	8.1	6	1.88	218391588	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	36000	17700	14500	8.1	6	1.9	218391591	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	34000	18	10.5	36000	17600	14400	8.1	6	1.9	218391594	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	34000	18	10	36000	17800	14600	8.1	6	1.88	218391602	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	33400	17	10	36000	19800	16300	8	6	2	218391605	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	34400	17	10.5	36000	17900	14600	8.1	6	1.9	218391608	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	21000	16400	7.8	6	1.86	218391611	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	34400	17	10.5	36000	17900	14700	8	6	1.88	218391621	N/A
EL19KPV-036-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	36000	17900	14700	8	6	1.9	218391624	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	34400	18	10.5	36000	17800	14600	8.1	6	1.9	218391628	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	34000	18	10.5	36000	21000	16600	8.1	6	1.94	218391631	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	36000	21000	16600	8.1	6	1.94	218391634	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	36000	21000	16200	8.2	7	1.88	218391638	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	34600	17	11	36000	17800	14500	8.1	6	1.9	218391641	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH090V48B	R-454B	33600	17	10.5	36000	20800	16200	8.2	7	1.9	218391644	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	36000	20800	16200	8.2	7	1.9	218391647	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	34400	18	10	36000	18100	14800	8.1	6	1.88	218391650	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	33800	17	10.5	36000	21000	16300	8.2	7	1.88	218391653	N/A
EL19KPV-036-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	7	1.88	218391657	N/A
EL19KPV-036-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	34200	17	11	36000	19800	17000	7.85	7	2.26	218391403	N/A
EL19KPV-036-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	34400	18	11	36000	19800	17000	7.85	7	2.26	218391402	N/A
EL19KPV-036-230A**	L*19/36U+TXV+TD	---	R-454B	33800	15.2	9.5	36000	18500	15200	8.1	6	1.84	218391945	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.2	6.3	1.9	217352257	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352053	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352066	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217352079	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217352098	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217352111	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217352124	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217352137	N/A
EL19KPV-036-230A**	L*24/3													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*24/36Z*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352208	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217352221	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217352244	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217352270	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352294	N/A
EL19KPV-036-230A**	L*24/36Z*+TXV+LEFE3A*	---	R-454B	35200	16	10	36000	19800	16600	8.35	6.6	2.02	217452979	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.2	6.3	1.9	217352254	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352050	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352063	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217352076	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217352095	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217352108	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217352121	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217352134	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352179	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352192	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352205	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217352218	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217352241	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217352267	N/A
EL19KPV-036-230A**	L*29/36U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352291	N/A
EL19KPV-036-230A**	L*29/36U*+TXV+LEFE4B*	---	R-454B	35000	17	10	36000	19800	16600	8.3	6.55	2.02	217452973	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.2	6.3	1.9	217352253	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352049	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL196UH045XE36B	R-454B	34800	16	9.5	36000	19200	15800	7.75	6.3	2.04	217352062	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217352075	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217352094	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217352107	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217352120	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217352133	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352178	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH045XE36B	R-454B	34800	16	9.5	36000	19200	15800	7.75	6.3	2.04	217352191	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352204	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217352217	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217352240	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217352266	N/A
EL19KPV-036-230A**	L*30/36U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352290	N/A
EL19KPV-036-230A**	L*30/36U*+TXV+LEFE3A*	---	R-454B	34200	16	10	36000	19800	16600	8.1	6.45	1.98	217452972	N/A
EL19KPV-036-230A**	L*30/36U*+TXV+LEFE4B*	---	R-454B	34800	17	10	36000	19800	16600	8.2	6.5	2	217452971	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	34200	18	11	36000	17700	14500	8.2	6.3	1.9	217615242	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	34400	18	11	36000	17700	14400	8.2	6.3	1.92	217615244	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217615251	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	34800	16	9.5	36000	19200	15800	7.8	6.3	2.04	217615253	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217615255	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217615276	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217615278	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217615280	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217615282	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217615338	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	34000	17	10.5	36000	20000	16000	8.2	6.4	2.04	217615340	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217615342	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217615344	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217615348	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217615379	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217615383	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	34400	18	11	36000	17800	14500	8.2	6	1.9	218391482	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	34800	18	11	36000	17800	14500	8.2	6	1.92	218391485	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	34200	16	11	36000	17700	14400	8.2	6	1.92	218391488	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	34200	18	11	36000	17700	14500	8.2	6	1.9	218391491	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	34400	18	11	36000	17700	14400	8.2	6	1.92	218391494	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6	1.9	218391497	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	34800	16	9.5	36000	19200	15800	7.8	6	2.04	218391500	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6	1.9	218391503	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	35200	19	11	36000	18000	14700	8.2	6	1.92	218391507	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	34600	18	11	36000	17700	14400	8.2	6	1.92	218391510	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	34400	18	11	36000	17700	14400	8.2	6	1.92	218391513	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	34800	19	11	36000	17700	14400	8.2	6	1.94	218391516	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	34800	17	11	36000	17600	14400	8.2	6	1.94	218391519	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	34800	17	11	36000	17600	14400	8.2	6	1.94	218391522	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6	1.92	218391529	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6	1.88	218391532	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6	1.9	218391535	N/A
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	35000	18	11	36000	1780						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	34800	18	11	36000	17900	14600	8.1	6	1.92	218391550	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	34600	18	11	36000	17700	14500	8.2	6	1.92	218391553	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	34600	18	11	36000	17900	14600	8.2	6	1.9	218391556	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	34800	18	11	36000	17800	14500	8.2	6	1.92	218391559	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	34800	18	11	36000	17900	14700	8.1	6	1.9	218391562	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	34800	18	11	36000	17700	14500	8.2	6	1.94	218391565	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070V48B	R-454B	35200	18	11	36000	17800	14500	8.2	6	1.94	218391567	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	34600	18	11	36000	17800	14500	8.2	6	1.92	218391570	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	34800	18	11	36000	17800	14500	8.2	6	1.92	218391573	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH090E48B	R-454B	34600	17	11	36000	17500	14300	8.2	6	1.94	218391576	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH090V48B	R-454B	34800	18	11	36000	17900	14600	8.2	6	1.92	218391581	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML180UH090XE48B	R-454B	34600	17	11	36000	17500	14300	8.2	6	1.94	218391584	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	36000	18000	14700	8.2	6	1.9	218391589	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	34400	18	11	36000	17700	14500	8.2	6	1.92	218391592	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	34400	18	11	36000	17600	14400	8.2	6	1.92	218391595	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6	1.9	218391603	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	34000	17	10.5	36000	20000	16000	8.2	6	2.04	218391606	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6	1.92	218391609	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6	1.88	218391612	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6	1.9	218391622	N/A
EL19KPV-036-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6	1.92	218391625	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	34800	18	11	36000	17800	14600	8.2	6	1.92	218391630	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	34000	18	10.5	36000	21000	16600	8.1	6	1.94	218391633	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	36000	21000	16600	8.1	6	1.94	218391636	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH080NV48B	R-454B	34800	18	11	36000	17900	14700	8.2	6	1.92	218391639	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	35000	18	11	36000	17800	14500	8.2	6	1.92	218391642	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH090V48B	R-454B	34800	18	11	36000	17900	14600	8.2	6	1.92	218391645	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL280UH090XV48B	R-454B	34800	18	11	36000	17900	14600	8.2	6	1.92	218391648	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	34800	18	10.5	36000	18100	14800	8.2	6	1.9	218391651	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14800	8.2	6	1.9	218391654	N/A
EL19KPV-036-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6	1.92	218391658	N/A
EL19KPV-036-230A**	L*31/37U+TXV+LEFE4B*	---	R-454B	34800	18	11.2	36000	19800	17000	8	7	2.3	218391404	N/A
EL19KPV-036-230A**	L*31/37U+TXV+TD	---	R-454B	34200	15.2	10	36000	18500	15200	8.2	6	1.86	218391946	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.2	6.3	1.9	217352255	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352051	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352064	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217352077	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217352096	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217352109	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217352122	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217352135	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352180	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352193	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352206	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217352219	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217352242	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217352268	N/A
EL19KPV-036-230A**	L*35/36U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352292	N/A
EL19KPV-036-230A**	L*35/36U*+TXV+LEFE4B*	---	R-454B	35000	17	10	36000	19800	16600	8.3	6.55	2.02	217452974	N/A
EL19KPV-036-230A**	LD18/36Z*+TXV+LEFE4B*	---	R-454B	33600	18	11	36000	19800	17000	7.7	6.65	2.22	217732796	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL180UH080NE48B	R-454B	33600	16	10.5	36000	17700	14400	8.05	6	1.88	218391486	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	33600	17	10.5	36000	17700	14500	8.05	6	1.86	218391489	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	33000	17	10.5	36000	20600	16000	8.1	7	1.9	218391492	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	33800	18	10	36000	17800	14600	8.05	6	1.86	218391495	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.55	6	1.98	218391498	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	33800	17	10.5	36000	17800	14600	8.05	6	1.86	218391501	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL280DF090E48B	R-454B	34000	15.2	10.5	36000	19400	16000	7.9	6	2.08	218391504	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	34200	18	11	36000	17700	14400	8.05	6	1.9	218391514	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	34200	16	11	36000	17600	14400	8.05	6	1.9	218391517	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	34200	16	11	36000	17600	14400	8.05	6	1.9	218391520	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	34000	17	10	36000	18700	16600	7.5	6	1.84	218391523	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297DF070XE48B	R-454B	33600	16	9.5	36000	18700	16600	7.7	6	1.84	218391524	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297DF070XV48B	R-454B	34200	15.2	10	36000	20000	16600	7.9	6	2.02	218391525	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	36000	20600	16000	8.1	7	1.9	218391527	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	33400	17	10	36000	21200	16400	8.1	7	1.86	218391530	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	36000	20800	16200	8.2	7	1.88	218391533	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	34400	18	10.5	36000	17800	14600	8.05	6	1.88	218391536	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	34800	17	11	36000	20000	16100	8.15	6	2.04	218391557	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	34200	18	11	36000	17700	14500	8.05	6	1.9	218391563	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	36000	20800	16100	8.2	7	1.9	218391571	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	34000	17	11	36000	17500	14300	8.05	6	1.9	218391574	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	34000	17	11	36000	17500	14300	8.05	6	1.9	218391582	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	33400	16	10	36000	18500	16400	7.8	6	1.86	218391585	N/A
EL19KPV-036-230														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	33800	17	10.5	36000	17700	14500	8.05	6	1.88	218391590	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	33800	18	10.5	36000	17600	14400	8.05	6	1.88	218391593	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	33400	16	10	36000	18500	16400	7.8	6	1.86	218391599	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML196DF070XE48B	R-454B	34200	15.2	10	36000	20000	16500	7.9	6	2.02	218391600	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	33800	18	10	36000	17800	14600	8.05	6	1.86	218391601	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	33400	17	10	36000	19800	16300	7.95	6	1.98	218391604	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	36000	20800	16200	8.1	7	1.88	218391607	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	34000	14.5	9.5	36000	20200	16400	8	6	2.02	218391610	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	34200	17	10.5	36000	17900	14700	7.95	6	1.86	218391620	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	36000	17900	14700	7.95	6	1.88	218391623	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	34000	17	10	36000	18700	16600	7.5	6	1.84	218391626	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL280DF090V48B	R-454B	34000	17	10	36000	18600	16500	7.5	6	1.86	218391627	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	36000	21000	16200	8.2	7	1.88	218391637	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	34400	17	11	36000	17800	14500	8.05	6	1.88	218391640	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	33600	17	10.5	36000	20800	16200	8.2	7	1.9	218391607	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	36000	20800	16200	8.2	7	1.9	218391646	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	34200	18	10	36000	18100	14800	8.05	6	1.86	218391649	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	33800	17	10.5	36000	21000	16300	8.2	7	1.88	218391652	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	34000	17	10	36000	18700	16600	7.5	6	1.84	218391655	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	7	1.88	218391656	N/A
EL19KPV-036-230A**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	33800	16	9.5	36000	19800	16600	8	6.35	1.94	217465687	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.15	6.25	1.9	217352246	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.15	6.2	1.9	217352042	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	34400	16	9.5	36000	19200	15800	7.7	6.2	2.02	217352055	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	17800	14600	8.15	6.25	1.9	217352068	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352081	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297DF070XE48B	R-454B	34000	16	9.5	36000	18700	16600	7.8	6.1	1.86	217352085	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297DF070XV48B	R-454B	34600	16	10.5	36000	20000	16600	8	6	2.04	218391526	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	34200	17	11	36000	17600	14400	8.15	6.25	1.92	217352087	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	34600	17	10.5	36000	18100	14900	8.15	6.25	1.88	217352100	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	34600	17	11	36000	17900	14600	8.15	6.25	1.9	217352113	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	34800	17	11	36000	18000	14700	8.15	6.25	1.9	217352126	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352139	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352144	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352149	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352154	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH110XV48C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352159	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH110XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352164	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	33800	16	10	36000	18500	16400	7.9	6.1	1.88	217352168	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196DF070XE48B	R-454B	34400	16	10	36000	18800	16700	7.8	6.1	1.86	217352169	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.15	6.2	1.9	217352171	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	34400	16	9.5	36000	19200	15800	7.7	6.2	2.02	217352184	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	17900	14600	8.15	6.25	1.92	217352197	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	34800	15.2	10.5	36000	18100	14800	8.15	6.25	1.88	217352210	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH090XE36C	R-454B	34400	17	11	36000	20000	16000	8.2	6.5	2.06	217352223	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH090XE48C	R-454B	34200	16	11	36000	19800	15900	8.2	6.4	2.08	217352228	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML296DF070XV48B	R-454B	34000	16	9.5	36000	21600	16900	7.9	6	2.08	218391619	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.05	6.2	1.9	217352233	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.15	6.25	1.9	217352259	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.1	6.4	2.06	217352272	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH080NV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352277	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	34400	17	10	36000	18700	16600	7.6	6	1.86	217352281	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	17900	14600	8.15	6.25	1.92	217352283	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352296	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352301	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352306	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352311	N/A
EL19KPV-036-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	34400	17	10	36000	19800	16600	8.1	6.45	1.98	217452960	N/A
EL19KPV-036-230A**	LEM36*43E*+TXV	---	R-454B	33200	17	10.5	36000	19800	17000	7.65	6.65	2.2	217615832	N/A
EL19KPV-036-230A**	LEM36*43E*+TXV	---	R-454B	34200	17	11	36000	19800	17000	7.85	6.8	2.26	217615833	N/A
EL19KPV-036-230A**	LEM36*43G*+TXV	---	R-454B	34200	17	11	36000	19800	17000	7.85	6.8	2.26	217732399	N/A
EL19KPV-036-230A**	LH18/36R*+TXV+LEFE3A*	---	R-454B	32600	16	9.5	36000	19600	16600	7.75	6.2	1.9	217452961	N/A
EL19KPV-036-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	33800	16	9.5	36000	19800	16600	8.05	6.4	1.96	217452975	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	33600	18	10.5	36000	17800	14500	8.05	6	1.86	218391481	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	34000	18	10.5	36000	17800	14500	8.05	6	1.88	218391484	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	33600	18	10	36000	17800	14600	8.05	6.1	1.86	217352052	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	33800	16	9.5	36000	19200	15800	7.55	6.15	1.98	217352065	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	33600	17	10.5	36000	17800	14600	8.05	6.2	1.86	217352078	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	34200	18	10.5	36000	21200	16400	8.2	6	1.94	218391506	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	33800	18	10.5	36000	17700	14400	8.05	6	1.88	218391509	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	33600	18	10.5	36000	17700	14400	8.05	6	1.88	218391512	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	36000	20600	16000	8.1	6.5	1.9	217352097	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	33400	17									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	34200	17	10.5	36000	17800	14600	7.95	6	1.88	218391543	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	33800	18	10.5	36000	17700	14500	8.05	6	1.88	218391546	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	34200	17	10.5	36000	17900	14600	7.95	6	1.88	218391549	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	33800	18	10.5	36000	17700	14500	8.05	6	1.88	218391552	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	33600	17	10.5	36000	20800	16300	8.1	6	1.94	218391555	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	34200	17	10.5	36000	17900	14700	7.95	6	1.86	218391561	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	33600	17	10.5	36000	20800	16200	8.1	6	1.94	218391569	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	33600	18	10	36000	17800	14600	8.05	6.1	1.86	217352181	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	33800	16	9.5	36000	19200	15800	7.55	6.15	1.98	217352194	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	36000	20800	16200	8.1	6.5	1.88	217352207	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	21000	16400	7.8	6.4	1.86	217352220	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	34200	17	10.5	36000	17900	14700	7.95	6.1	1.86	217352243	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	34000	18	10.5	36000	21000	16400	8.1	6	1.96	218391629	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	34000	18	10.5	36000	21000	16600	8.1	6	1.94	218391632	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	36000	21000	16600	8.1	6	1.94	218391635	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	34200	18	10.5	36000	18000	14700	8.05	6.2	1.86	217352256	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	34200	18	10	36000	18000	14700	8.05	6.2	1.86	217352269	N/A
EL19KPV-036-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352293	N/A
EL19KPV-036-230A**	LH24/37X*+TXV+LEFE3A*	---	R-454B	33200	16	9.5	36000	19600	16600	7.9	6.3	1.94	217456590	N/A
EL19KPV-036-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	33800	16	9.5	36000	19800	16600	8	6.35	1.94	217452977	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	34000	18	10	36000	17800	14600	8.1	6.15	1.88	217352044	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6.15	2	217352057	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	34000	17	10.5	36000	17800	14600	8.1	6.25	1.88	217352070	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	33800	17	10.5	36000	17600	14400	8.1	6.25	1.9	217352089	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	34200	17	10	36000	18100	14900	8.1	6.25	1.86	217352102	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352115	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	34400	17	10.5	36000	18000	14700	8.1	6.25	1.88	217352128	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	34000	18	10	36000	17800	14600	8.1	6.15	1.88	217352173	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6.15	2	217352186	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	34400	17	10.5	36000	17900	14600	8.1	6.25	1.9	217352199	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	21000	16400	7.8	6.4	1.86	217352212	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	34400	17	10.5	36000	17900	14700	8	6.15	1.88	217352235	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	34400	18	10.5	36000	18000	14700	8.1	6.25	1.88	217352248	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	34400	18	10	36000	18000	14700	8.1	6.25	1.88	217352261	N/A
EL19KPV-036-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352285	N/A
EL19KPV-036-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	33400	16	9.5	36000	19800	16600	7.95	6.3	1.94	217456588	N/A
EL19KPV-036-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	34000	16	9.5	36000	19800	16600	8.05	6.4	1.96	217452964	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.2	6.3	1.9	217352249	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352045	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL196UH045XE36B	R-454B	34600	16	9.5	36000	19200	15800	7.75	6.25	2.02	217352058	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217352071	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217352090	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217352103	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217352116	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217352129	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352187	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH045XE36B	R-454B	34600	16	9.5	36000	19200	15800	7.75	6.25	2.02	217352184	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352200	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217352213	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217352236	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217352262	N/A
EL19KPV-036-230A**	LH35/36X*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352286	N/A
EL19KPV-036-230A**	LH35/36X*+TXV+LEFE3A*	---	R-454B	34000	16	9.5	36000	19800	16600	8.05	6.4	1.96	217456589	N/A
EL19KPV-036-230A**	LH35/36X*+TXV+LEFE4B*	---	R-454B	34600	17	10	36000	19800	16600	8.15	6.45	1.98	217452965	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL196UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352084	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352142	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352147	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352152	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352157	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH110XV48C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352162	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH110XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352167	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	ML196UH090XE36C	R-454B	34400	17	11	36000	20000	16000	8.2	6.5	2.06	217352226	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	ML196UH090XE48C	R-454B	34200	16	11	36000	19800	15900	8.2	6.4	2.08	217352231	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.1	6.4	2.06	217352275	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	SL297UH080NV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352280	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352299	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352304	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352309	N/A
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352314	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	34200	17	11	36000	17700	14500	8.2	6.3	1.9	217615241	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	34400	17	11	36000	17700	14400	8.2	6.3	1.92	217615243	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH080NE48C	R-454B	34000	16	10.5	36000	19800	16000	8.2	6.4	2.04	217615245	N/A
EL19KPV-036-230A**	LP18/37													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	17800	14600	8.2	6.3	1.9	217615254	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL196UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217615256	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	34200	17	11	36000	17600	14400	8.2	6.3	1.92	217615275	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	34600	17	10.5	36000	18100	14900	8.2	6.3	1.88	217615277	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	34600	17	11	36000	17900	14600	8.2	6.3	1.9	217615279	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	34800	17	11	36000	18000	14700	8.2	6.3	1.9	217615281	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217615283	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217615284	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217615285	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217615286	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217615337	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	34000	17	10.5	36000	20000	16000	8.2	6.4	2.04	217615339	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	17900	14600	8.2	6.3	1.92	217615341	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217615343	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	34400	17	11	36000	20000	16000	8.2	6.5	2.06	217615345	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH090XE48C	R-454B	34200	16	11	36000	19800	15900	8.2	6.4	2.08	217615346	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217615347	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217615378	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.1	6.4	2.06	217615380	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SL297UH080NV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217615381	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	36000	17900	14600	8.2	6.3	1.92	217615382	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217615384	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217615385	N/A
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217615386	N/A
EL19KPV-036-230A**	LP18/37R*+TXV+LEFE3A*	- - -	R-454B	33800	16	9.5	36000	19800	16600	8.05	6.4	1.96	217452976	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL195UH100NE60C	R-454B	34400	14.5	10.5	36000	20200	16200	8.05	6.35	2.02	217615247	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	33800	18	10	36000	17800	14600	8.05	6.1	1.88	217352047	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6.15	1.98	217352060	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	33800	17	10.5	36000	17800	14600	8.05	6.2	1.88	217352073	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.15	6.35	2.06	217352082	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	36000	20600	16000	8.1	6.5	1.9	217352092	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	33400	17	10	36000	21200	16400	8.1	6.5	1.86	217352105	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352118	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352131	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	34200	16	11	36000	19800	15900	8.15	6.35	2.06	217352140	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	34600	17	11	36000	20000	16100	7.95	6.4	2.06	217352145	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352150	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	34600	16	11	36000	20000	16100	7.95	6.4	2.06	217352155	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH110XE60C	R-454B	35000	15.2	11	36000	18000	14700	8.05	6	1.9	218391540	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	34600	17	11	36000	20000	16100	7.95	6.4	2.06	217352160	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH110XV60C	R-454B	34600	16	11	36000	20000	16100	7.95	6.4	2.06	217352165	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH090E60C	R-454B	34800	15.2	11	36000	17800	14500	8.05	6	1.92	218391578	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH110XE60C	R-454B	35000	15.2	11	36000	17900	14600	8.05	6	1.92	218391597	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	33800	18	10	36000	17800	14600	8.05	6.1	1.88	217352176	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	34000	16	9.5	36000	19200	15800	7.6	6.15	1.98	217352189	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	36000	20800	16200	8.1	6.5	1.88	217352202	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	21000	16400	7.8	6.4	1.86	217352215	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	34400	17	11	36000	20000	16000	8.15	6.45	2.06	217352224	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	34000	16	11	36000	19800	15900	8.15	6.35	2.06	217352229	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH090XE60C	R-454B	35000	15.2	11	36000	17900	14600	8.05	6	1.9	218391614	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH110XE60C	R-454B	35200	15.2	10.5	36000	18000	14700	8.05	6	1.9	218391617	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	34200	17	10.5	36000	17900	14700	7.95	6.1	1.88	217352238	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	34200	18	10.5	36000	18000	14700	8.05	6.2	1.88	217352251	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	34200	18	10	36000	18000	14700	8.05	6.2	1.88	217352264	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.05	6.4	2.06	217352273	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	34600	17	11	36000	20000	16100	7.95	6.4	2.06	217352278	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	20800	16200	8.2	6.5	1.88	217352288	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	36000	20000	16100	7.95	6.4	2.06	217352297	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352302	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	36000	20000	16100	7.95	6.4	2.06	217352307	N/A
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	36000	20000	16100	7.95	6.4	2.06	217352312	N/A
EL19KPV-036-230A**	LP25/36R*+TXV+LEFE4B*	- - -	R-454B	33800	16	9.5	36000	19800	16600	8	6.35	1.96	217452968	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	- - -	R-454B	34800	18	9.8	36000	18000	14700	8.15	6.3	1.9	217352252	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	34000	15	10	36000	20000	16400	8.1	6.3	2.02	217615248	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.15	6.2	1.9	217352048	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	34400	16	9.5	36000	19200	15800	7.7	6.25	2.02	217352061	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	34400	17	11	36000	17800	14600	8.15	6.3	1.9	217352074	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352083	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	34200	17	11	36000	17600	14400	8.15	6.3	1.92	217352093	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	34600	17	10.5	36000	18100	14900	8.15	6.3	1.88	217352106	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	34600	17	11	36000	17900	14600	8.15	6.3	1.9	217352119	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	34800	17	11	36000	18000	14700	8.15	6.3	1.9		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352156	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH110XE60C	R-454B	35600	15.2	11	36000	18000	14700	8.15	6	1.92	218391541	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352161	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH110XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352166	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH090E60C	R-454B	35400	15.2	11	36000	17800	14500	8.15	6	1.94	218391579	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH110XE60C	R-454B	35600	15.2	11	36000	17900	14600	8.15	6	1.94	218391598	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.15	6.2	1.9	217352177	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	34400	16	9.5	36000	19200	15800	7.7	6.25	2.02	217352190	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	34800	17	11	36000	17900	14600	8.15	6.3	1.92	217352203	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH070XE48B	R-454B	34800	15.2	10.5	36000	18100	14800	8.15	6.3	1.88	217352216	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	34400	17	11	36000	20000	16000	8.2	6.5	2.06	217352225	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	34200	16	11	36000	19800	15900	8.2	6.4	2.08	217352230	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH090XE60C	R-454B	35600	15.2	11	36000	17900	14600	8.15	6	1.92	218391615	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH110XE60C	R-454B	35800	15.2	11	36000	18000	14700	8.15	6	1.92	218391618	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.05	6.2	1.9	217352239	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.15	6.3	1.9	217352265	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.1	6.4	2.06	217352274	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352279	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH070XV36C	R-454B	34800	17	11	36000	17900	14600	8.15	6.3	1.92	217352289	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352298	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352303	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352308	N/A
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352313	N/A
EL19KPV-036-230A**	LP29/36X*+TXV+LEFE3A*	---	R-454B	33800	16	9.5	36000	19800	16600	8.05	6.4	1.96	217452970	N/A
EL19KPV-036-230A**	LP29/36X*+TXV+LEFE4B*	---	R-454B	34400	17	10	36000	19800	16600	8.1	6.45	1.98	217452969	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	---	R-454B	34800	18	9.8	36000	18000	14700	8.2	6.3	1.9	217352245	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	34600	15.2	10.5	36000	20000	16400	8.2	6.4	2.04	217615246	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352041	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352054	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	34400	18	11	36000	17800	14600	8.2	6.3	1.9	217352067	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352080	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	34200	18	11	36000	17600	14400	8.2	6.3	1.92	217352086	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	36000	18100	14900	8.2	6.3	1.88	217352099	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	34600	18	11	36000	17900	14600	8.2	6.3	1.9	217352112	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	34800	18	11	36000	18000	14700	8.2	6.3	1.9	217352125	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	34400	16	11	36000	19800	15900	8.2	6.4	2.08	217352138	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352143	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352148	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352153	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH110XE60C	R-454B	35600	16	11	36000	18000	14700	8.2	6	1.92	218391539	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352158	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352163	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	35400	16	11	36000	17800	14500	8.2	6	1.94	218391577	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH110XE60C	R-454B	35600	16	11	36000	17900	14600	8.2	6	1.94	218391596	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	36000	17800	14600	8.2	6.2	1.9	217352170	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	35000	16	10	36000	19200	15800	7.8	6.3	2.04	217352183	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352196	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	36000	18100	14800	8.2	6.3	1.88	217352209	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	34400	17	11	36000	20000	16000	8.2	6.5	2.06	217352222	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	34200	16	11	36000	19800	15900	8.2	6.4	2.08	217352227	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH090XE60C	R-454B	35600	16	11	36000	17900	14600	8.2	6	1.92	218391613	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH110XE60C	R-454B	35800	15.2	11	36000	18000	14700	8.2	6	1.92	218391616	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	36000	17900	14700	8.1	6.2	1.9	217352232	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	36000	18000	14700	8.2	6.3	1.9	217352258	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	34600	17	11	36000	20000	16100	8.1	6.4	2.06	217352271	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352276	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH070XV36C	R-454B	34800	18	11	36000	17900	14600	8.2	6.3	1.92	217352282	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352295	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	21000	16300	8.1	6.5	1.88	217352300	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	36000	20000	16100	8	6.4	2.06	217352305	N/A
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	36000	20000	16100	8	6.4	2.06	217352310	N/A
EL19KPV-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	33600	17	11	36000	19800	17000	8	7.5	2.3	217896526	N/A
EL19KPV-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34200	17	11	36000	19800	17000	8	7.5	2.3	217896525	N/A
EL19KPV-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	34600	17	11	36000	19800	17000	8	7.5	2.3	217896528	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	48000	27000	21600	7.8	6.1	1.8	217615388	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	47000	17	11	48000	28600	23400	8.1	6.4	1.82	217615389	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217615390	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217615391	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217615395	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217615396	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217615397	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217615398	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	18									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217615409	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217615410	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217615419	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217615420	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217615421	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217615422	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217615423	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	48000	17	11	48000	27800	23400	8.4	7	1.92	218393957	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	48000	27000	21600	7.8	6	1.8	218393958	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	47000	17	11	48000	28600	23400	8.1	6	1.82	218393959	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6	1.8	218393960	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6	1.82	218393961	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	48000	27000	21600	7.8	6	1.82	218393962	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	48000	26600	21400	7.8	6	1.84	218393963	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	48000	26600	21400	7.8	6	1.84	218393964	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6	1.82	218393965	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	47500	18	11	48000	28400	23400	8.5	7	1.9	218393966	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	47500	18	11	48000	28200	23400	8.5	7	1.9	218393967	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6	1.86	218393968	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	47500	18	11	48000	28200	23200	8.5	7	1.9	218393969	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	47500	18	11	48000	28200	23200	8.5	7	1.92	218393970	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6	1.82	218393971	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	48000	27400	21800	7.8	6	1.82	218393972	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	48000	28200	23200	7.5	6	1.82	218393973	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	48000	27400	21800	7.8	6	1.82	218393974	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6	1.8	218393975	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6	1.82	218393976	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	48000	26800	21400	7.8	6	1.82	218393977	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6	1.82	218393978	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6	1.82	218393979	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6	1.86	218393980	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	48000	17	11	48000	27800	23400	8.4	6	1.94	218393981	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	48000	27400	21800	7.5	6	1.82	218393982	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	48000	28400	23200	8.2	6	1.88	218393983	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	48000	27400	22000	7.5	6	1.8	218393984	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	48000	27400	22000	7.5	6	1.8	218393985	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	48000	27400	21800	7.5	6	1.82	218393986	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	48000	27400	21800	7.5	6	1.82	218393987	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	48000	27400	21800	7.5	6	1.82	218393988	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6	1.86	218393989	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	27800	23400	8.4	7	1.92	218393990	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	47500	18	11	48000	28200	23400	8.5	7	1.9	218393991	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	47500	18	11	48000	28200	23400	8.5	7	1.9	218393992	N/A
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	47500	18	11	48000	28200	23200	8.5	7	1.9	218393993	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352320	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352329	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352338	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352347	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352356	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352365	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352374	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352383	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH070XE48B	R-454B	47000	17	11	48000	27400	22000	7.5	6.1	1.78	217352388	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352395	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352404	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352413	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352422	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352431	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352440	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352449	N/A
EL19KPV-048-230A**	L*42/60V*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352458	N/A
EL19KPV-048-230A**	L*42/60V*+TXV+TD	- - -	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352474	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352321	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352330	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352339	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352348	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352357	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352366	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352375	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352384	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352396	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352405	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352441	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352450	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352459	N/A
EL19KPV-048-230A**	L*42/60Z*+TXV+TD	- - -	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352475	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352315	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352324	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297DF090XV60C	R-454B	48000	18	11	48000	32200	29800	8.5	7	1.9	218386220	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	47500	17	11.5	48000	31600	29400	8.5	7	1.92	218386221	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	48000	18	11	48000	32200	29800	8.5	7	1.9	218386222	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352333	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352342	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352351	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352360	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352369	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352378	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	47500	18	11.7	48000	28800	28400	8	7	1.96	218386223	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML193DF090XE48C	R-454B	47000	18	11	48000	29200	29000	8	7	1.92	218386224	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196DF090XE48C	R-454B	47000	17	11.5	48000	29800	24000	8.5	7	1.92	218386225	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196DF110XE60C	R-454B	47500	17	11.5	48000	29800	24000	8.2	7	1.92	218386226	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352390	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352399	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352408	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	48000	17	11	48000	30400	24400	8	6	1.88	218386227	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	48000	18	11	48000	29400	29200	7.5	6	1.92	218386228	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	48000	18	11.5	48000	32000	29600	8.5	7	1.92	218386229	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	48000	18	11.5	48000	31800	29600	8.5	7	1.92	218386230	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352417	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352426	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99DF090XV48C	R-454B	48000	18	11	48000	30400	24600	8.1	6	1.88	218386231	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99DF090XV60C	R-454B	48000	18	11	48000	32200	29800	8.5	7	1.9	218386232	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	48000	18	11	48000	32200	30000	8.5	7	1.9	218386233	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352435	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352444	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352453	N/A
EL19KPV-048-230A**	LD42/61Z*+TXV+TD	- - -	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352469	N/A
EL19KPV-048-230A**	LEM48*1CC*+TXV	- - -	R-454B	48000	18	11	48000	29400	29200	7.5	6.4	1.92	217615834	N/A
EL19KPV-048-230A**	LEM48*1TT*+TXV	- - -	R-454B	48000	18	11	48000	29400	29200	7.5	6.4	1.92	217732403	N/A
EL19KPV-048-230A**	LEM48*9BB*+TXV	- - -	R-454B	45000	17	10.5	48000	28400	28600	7.8	6.3	1.84	217732800	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352316	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352325	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352334	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352343	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352352	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352361	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352370	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352379	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352391	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352400	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352409	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352418	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352427	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352436	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352445	N/A
EL19KPV-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352454	N/A
EL19KPV-048-230A**	LH40/61W*+TXV+TD	- - -	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352470	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352318	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352327	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352336	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352345	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352354	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352363	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352372	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352381	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352393	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352402	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352411	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352420	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352429	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352438	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352447	N/A
EL19KPV-048-230A**	LH41/61R*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352456	N/A
EL19KPV-048-230A**	LH41/61R*+TXV+TD	- - -	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352472	N/A
EL19KPV-048-230A**	LH42/60D*+TXV	SL297UH080NV48C												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352340	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352349	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352358	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352367	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352376	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352385	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352397	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352406	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352415	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352424	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352433	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352442	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352451	N/A
EL19KPV-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352460	N/A
EL19KPV-048-230A**	LH42/62W*+TXV+TD	---	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352467	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352317	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352326	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352335	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352344	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352353	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352362	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352371	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352380	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352392	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352401	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352410	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352419	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352428	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352437	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352446	N/A
EL19KPV-048-230A**	LH48/60X*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352455	N/A
EL19KPV-048-230A**	LH48/60X*+TXV+TD	---	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352471	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352319	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352328	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352337	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352346	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352355	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352364	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352373	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352382	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH070XE48B	R-454B	47000	17	11	48000	27400	22000	7.5	6.1	1.78	217352387	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352394	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352403	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352412	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352421	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352430	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352439	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352448	N/A
EL19KPV-048-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352457	N/A
EL19KPV-048-230A**	LP40/60R*+TXV+TD	---	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352473	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.8	217352323	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	48000	27000	21600	7.8	6.2	1.82	217352332	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352341	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352350	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352359	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	48000	28000	23000	8.2	6.4	1.86	217352368	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352377	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352386	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH070XE48B	R-454B	47000	17	11	48000	27400	22000	7.5	6.1	1.78	217352389	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	48000	27000	21600	7.8	6.2	1.82	217352398	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	48000	26800	21600	7.8	6.2	1.82	217352407	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	48000	28200	23000	8.2	6.4	1.86	217352416	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352425	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352434	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	48000	28800	23400	8.2	6.4	1.84	217352443	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352452	N/A
EL19KPV-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	48000	28600	23400	8.2	6.4	1.86	217352461	N/A
EL19KPV-048-230A**	LP42/62W*+TXV+TD	---	R-454B	47500	15.2	10.5	48000	29200	23800	8.1	6.4	1.84	217352477	N/A
EL19KPV-048-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	46000	18	11	48000	27600	23000	7.8	7.3	2.06	217896530	N/A
EL19KPV-048-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	46000	18	11	48000	27600	23000	7.8	7.3	2.06	217896529	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	6.6	1.88	217615427	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	6.6	1.9	217615429	N/A
EL19KPV-060														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	54500	18	10	60000	35600	29200	8.5	8	1.88	217896535	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	60000	33800	26400	7.8	6.2	1.88	217615439	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	57500	16	10	60000	34200	27000	7.8	6.2	1.86	217615440	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	57500	17	10.5	60000	33800	26400	7.8	6.2	1.88	217615441	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	56500	17	10	60000	35800	30200	8.45	6.65	2.04	217615454	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	57000	16	10	60000	36200	30600	8.45	6.7	2.06	217615456	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	57000	16	10	60000	33800	26400	7.8	6.2	1.88	217615457	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	55000	17	10	60000	36000	29600	8.2	7.7	1.9	217896536	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	6.5	1.9	217615459	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	54500	18	10	60000	35600	29400	8.5	8	1.88	217896537	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	54500	18	10	60000	35600	29400	8.5	8	1.88	217896538	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	6.6	1.88	217615476	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	6.6	1.88	217615478	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	57500	17	10.5	60000	33800	26400	7.8	6.2	1.88	217615479	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	54500	17	10	60000	36800	30400	8.2	7	1.98	218393994	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	7	1.88	218393995	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	7	1.9	218393996	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218393997	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218393998	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	7	1.88	218393999	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	7	1.88	218394000	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	60000	33800	26400	7.8	6	1.88	218394001	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	60000	36800	30400	8.5	7	1.88	218394002	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	57000	17	10	60000	36000	30400	8.45	7	2.06	218394003	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	57000	17	10	60000	36800	30600	8.2	7	2.06	218394004	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	57000	17	10	60000	36000	30400	8.45	7	2.06	218394005	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	56500	17	10	60000	35800	30200	8.45	7	2.04	218394006	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	56500	17	10	60000	35800	30200	8.45	7	2.04	218394007	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	57000	16	10	60000	36200	30600	8.45	7	2.06	218394008	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	7	1.9	218394009	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218394010	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218394011	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218394012	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218394013	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218394014	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218394015	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	56500	17	10	60000	36000	30400	8.45	7	2.04	218394016	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218394017	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218394018	N/A
EL19KPV-060-230A**	L*41/60Z*+TXV+LEFE5*	---	R-454B	52500	16	9	60000	36000	29600	8.15	7	1.84	218394081	N/A
EL19KPV-060-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	54500	16	10	60000	36800	30400	8.2	6.6	1.98	218631315	N/A
EL19KPV-060-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	55000	16	10	60000	37000	30800	8.2	6.6	1.98	218630933	N/A
EL19KPV-060-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	54500	17	10	60000	35600	29200	8.5	6.6	1.88	218631316	N/A
EL19KPV-060-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	54500	17	10	60000	35600	29200	8.5	6.6	1.88	218631317	N/A
EL19KPV-060-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	54500	17	9.5	60000	36000	29600	8.5	6.6	1.86	218630934	N/A
EL19KPV-060-230A**	L*42/60V*+TXV+LEFE5*	---	R-454B	51000	16	8.5	60000	36000	29600	8	6.35	1.8	217732346	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	54500	17	10	60000	36800	30400	8.2	7	1.98	218386237	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	7	1.88	218386242	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	7	1.9	218386247	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386252	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386257	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	7	1.88	218386265	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	7	1.88	218386270	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	60000	33800	26400	7.8	6	1.88	218386275	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	60000	36800	30400	8.5	7	1.88	218386283	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	57000	17	10	60000	36000	30400	8.4	7	2.04	218386288	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	57000	17	10	60000	36800	30600	8.2	7	2.06	218386293	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	57000	17	10	60000	36000	30400	8.4	7	2.04	218386298	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	56500	17	10	60000	35800	30200	8.4	7	2.04	218386304	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	56500	17	10	60000	35800	30200	8.4	7	2.04	218386314	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	57000	16	10	60000	36200	30600	8.4	7	2.04	218386319	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	7	1.9	218386327	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386345	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386350	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386355	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386360	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386365	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	54500	17	10	60000	35600	29400	8.5	6.6	1.88	217542799	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386376	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386381	N/A
EL19KPV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	52500	16	9	60000	36000	29600	8.1	6.45	1.82	217732347	N/A
EL19KPV-060-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	52500	16	9	60000	36000	29600	8.15	6.45	1.82	217732348	N/A
EL19KPV-060-230A**	L*49/62Z*+TXV+LEFE5*	---	R-454B	52000	16	8.5	60000	36000	29600	8.05	6.4	1.82	217732777	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	54500	17	10	60000	36800	30400	8.2	7	1.98	218386234	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	7	1.88	218386239	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	7	1.9	218386244	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386249	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386254	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL297DF090XV60C	R-454B	55000	17	9.5	60000	38000	32200	8.5	7	2.04	218386259	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	54500	16	10	60000	37400	31600	8.2	7	2.08	218386260	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	55000	17	9.5	60000	38000	32200	8.5	7	2.04	218386261	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	7	1.88	218386262	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	7	1.88	218386267	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386272	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	53500	17	10	60000	37400	30800	8.5	7	2	218386279	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	60000	36800	30400	8.5	7	1.88	218386280	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	56500	17	10	60000	36800	30400	8.2	7	2	218386285	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	55000	17	10	60000	35400	29200	8.2	7	1.92	218386290	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	56500	17	10	60000	36800	30400	8.2	7	2	218386295	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	55500	17	10	60000	35800	30600	8.2	7	1.94	218386301	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML196DF110XE60C	R-454B	54000	16	9.5	60000	38500	31600	8.5	7	1.94	218386306	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	55000	17	10	60000	35600	30400	8.2	7	1.94	218386307	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	56500	16	10	60000	37000	30600	8.2	7	2	218386316	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	54000	16	9.5	60000	37400	30600	7.5	6	1.94	218386322	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	7	1.9	218386323	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	54000	17	10	60000	37000	30200	8.2	---	1.96	217882975	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	55500	17	10	60000	37400	31800	8.5	7	2.06	218386330	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	55500	17	10	60000	37400	31800	8.5	7	2.08	218386332	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386334	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386341	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386347	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386352	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386357	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386362	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	56000	17	10	60000	36800	30600	8.2	7	1.98	218386368	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SLP99DF090XV60C	R-454B	55000	17	9.5	60000	38000	32200	8.5	7	2.04	218386371	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	55000	17	9.5	60000	38000	32200	8.5	7	2.04	218386372	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386373	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386378	N/A
EL19KPV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	51500	16	8.5	60000	36000	29600	8.05	6.4	1.8	217732342	N/A
EL19KPV-060-230A**	LEM60*4CC*+TXV	---	R-454B	52500	16	9	60000	36000	29600	8.15	6.45	1.82	217615836	N/A
EL19KPV-060-230A**	LEM60*6TT+TXV	---	R-454B	50500	16	8.5	60000	36000	29600	7.9	6.3	1.78	217732341	N/A
EL19KPV-060-230A**	LEM60*7TT+TXV	---	R-454B	52500	16	9	60000	36000	29600	8.2	6.5	1.84	217732349	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	54500	17	10	60000	36800	30400	8.2	7	1.98	218386235	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	7	1.88	218386240	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	7	1.9	218386245	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386250	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386255	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	7	1.88	218386263	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	7	1.88	218386268	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	60000	33800	26400	7.8	6	1.88	218386273	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	60000	36800	30400	8.5	7	1.88	218386281	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	57500	17	10	60000	37000	31000	8.2	7	2.04	218386286	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	57000	17	10	60000	36800	30600	8.2	7	2.06	218386291	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	57000	17	10	60000	37000	31000	8.2	7	2.04	218386296	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	55500	17	10	60000	35800	30600	8.2	7	1.94	218386302	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	55000	17	10	60000	35600	30400	8.2	7	1.94	218386309	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	57000	16	10	60000	37400	31200	8.2	7	2.02	218386317	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	7	1.9	218386324	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386336	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386343	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386348	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386353	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386358	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386363	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	56500	17	10	60000	36000	30400	8.4	7	2.04	218386369	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386374	N/A
EL19KPV-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386379	N/A
EL19KPV-060-230A**	LH40/61W*+TXV+LEFE5*	---	R-454B	52000	16	8.5	60000	36000	29600	8.1	6.45	1.82	217732343	N/A
EL19KPV-060-230A**	LH41/61R*+TXV+LEFE5*	---	R-454B	51000	16	8.5	60000	36000	29600	8	6.35	1.8	217732345	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	54500	17	10	60000	36800	30400	8.2	7	1.98	218386238	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	7	1.88	218386243	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	7	1.9	218386248	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386253	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386258	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	7	1.88	218386266	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	55000	17									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	60000	36800	30400	8.5	7	1.88	218386284	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	57000	17	10	60000	36000	30400	8.5	7	2.06	218386289	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	57000	17	10	60000	36800	30600	8.2	7	2.06	218386294	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	57000	17	10	60000	36000	30400	8.5	7	2.06	218386299	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	56500	17	10	60000	35800	30200	8.5	7	2.06	218386305	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	56500	17	10	60000	35800	30200	8.5	7	2.06	218386315	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	57000	16	10	60000	36200	30600	8.5	7	2.06	218386320	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	7	1.9	218386329	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386339	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386346	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386351	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386356	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386361	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386366	N/A
EL19KPV-060-230A**	LH48/60X*+TXV+LEFE5*	SL297UH080NV60C	R-454B	54500	17	10	60000	35600	29400	8.5	6.6	1.88	217542800	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386377	N/A
EL19KPV-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386382	N/A
EL19KPV-060-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	52500	16	9	60000	36000	29600	8.2	6.5	1.84	217732350	N/A
EL19KPV-060-230A**	LH48/60X*+TXV+LEFE5*	- - -	R-454B	51500	16	8.5	60000	36000	29600	8	6.4	1.8	217732344	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	54500	17	10	60000	36800	30400	8.2	7	1.98	218386236	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	7	1.88	218386241	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	7	1.9	218386246	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386251	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	55500	17	10	60000	36600	30400	8.2	7	2	218386256	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	7	1.88	218386264	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	7	1.88	218386269	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386274	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL297UH135XE60D	R-454B	55500	15.2	9.5	60000	37000	30600	8.15	7	1.98	218386277	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	EL297UH135XV60D	R-454B	57000	17	10	60000	33800	26400	7.7	6	1.86	218386278	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	60000	36800	30400	8.5	7	1.88	218386282	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	55000	17	10	60000	36400	30200	8.2	7	2	218386287	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	55000	17	10	60000	35400	29200	8.2	7	1.92	218386292	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	55000	17	10	60000	36400	30200	8.2	7	2	218386297	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	57000	16	9.5	60000	34000	26600	7.7	6	1.84	218386300	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	55500	17	9.5	60000	36400	30200	8.5	7	1.88	218386303	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	7	1.88	218386311	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	55000	16	10	60000	36600	30400	8.2	7	2	218386318	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML196UH135XE60D	R-454B	56000	15.2	9.5	60000	37000	31000	8.15	7	1.98	218386321	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	7	1.9	218386325	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386338	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386344	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	54500	18	10	60000	35400	29000	8.5	7	1.88	218386349	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386354	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386359	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	54500	18	10	60000	35400	29200	8.5	7	1.88	218386364	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	57000	17	10	60000	33600	26400	7.7	6	1.86	218386367	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	54500	17	9.5	60000	36000	29600	8.5	7	1.86	218386370	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386375	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	7	1.88	218386380	N/A
EL19KPV-060-230A**	LP40/60R*+TXV	SLP99UH135XV60D	R-454B	57000	17	10	60000	33800	26400	7.7	6	1.86	218386383	N/A
EL19KPV-060-230A**	LP40/60R*+TXV+LEFE5*	- - -	R-454B	51000	16	8.5	60000	36000	29600	8.2	6.7	1.84	217956888	N/A
EL19KPV-060-230A**	LP41/61R*+TXV+LEFE5*	- - -	R-454B	51000	16	8.5	60000	36000	29600	8.2	6.7	1.84	217956887	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	60000	36000	29800	8.5	6.6	1.88	217615426	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	54500	17	10	60000	35800	29600	8.5	6.6	1.9	217615428	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	54500	18	10	60000	35600	29400	8.5	6.6	1.88	217615434	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	60000	36200	30000	8.5	6.6	1.88	217615436	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	60000	33800	26400	7.8	6.2	1.88	217615438	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	56500	17	10	60000	35800	30200	8.5	6.7	2.06	217615453	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	57000	16	10	60000	36200	30600	8.5	6.7	2.06	217615455	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	55000	17	10	60000	35600	29400	8.2	6.5	1.9	217615458	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	6.6	1.88	217615475	N/A
EL19KPV-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	60000	35600	29200	8.5	6.6	1.88	217615477	N/A
EL19KPV-060-230A**	LP42/62W*+TXV+LEFE5*	- - -	R-454B	52500	16	9	60000	36000	29600	8.2	6.7	1.84	217956889	N/A
EL21KLV-024-230A**	L*18/30Z*+TXV+TD	EL195UH040NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	218631318	N/A
EL21KLV-024-230A**	L*18/30Z*+TXV+TD	EL195UH060NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	218631319	N/A
EL21KLV-024-230A**	L*18/30Z*+TXV+TD	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.5	2.06	218631320	N/A
EL21KLV-024-230A**	L*18/30Z*+TXV+TD	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.4	2.06	218631321	N/A
EL21KLV-024-230A**	L*18/36T*+TXV+TD	- - -	R-454B	22000	15.2	11	24000	21400	17600	9.3	7.45	2.02	217374117	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388216	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388221	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388226	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388231	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	22800	18	12.5	24000	19400	16400	8.8	7	1.98	218388237</	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	21800	20	12	24000	19600	16300	8.75	7	1.98	218388254	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388260	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388266	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388274	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	23400	18	12.5	24000	20000	16800	8.8	7	2	218388285	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388291	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	23400	18	12.5	24000	20000	16800	8.8	7	2	218388297	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388303	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	23800	20	13	24000	20000	16900	8.2	7	1.98	218388310	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	23600	19	13	24000	17800	13600	8.2	7	1.74	218388316	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	23600	18	13	24000	17900	13600	8.5	7	1.74	218388322	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	23800	18	13	24000	17900	13600	8.5	7	1.74	218388329	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	23600	19	13	24000	17900	13600	8.2	7	1.74	218388334	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	19	13	24000	18000	13600	8.2	7	1.76	218388341	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	23600	18	13	24000	17900	13600	8.5	7	1.74	218388346	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	23800	18	13	24000	17900	13600	8.5	7	1.74	218388353	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388363	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	18200	13800	8.5	7	1.76	218388369	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388377	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	18200	13800	8.5	7	1.76	218388383	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	18000	13600	8.2	7	1.74	218388389	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	22800	19	12.5	24000	20800	17100	9.5	7	2.08	218388395	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	21800	19	12	24000	20000	16700	8.75	7	2	218388406	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	21800	19	12	24000	20000	16700	8.75	7	2	218388411	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	23600	19	13	24000	18200	13700	8.5	7	1.76	218388417	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	18300	13800	8.5	7	1.74	218388425	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388431	N/A
EL21KLV-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388439	N/A
EL21KLV-024-230A**	L*19/36S*+TXV+TD	- - -	R-454B	22200	16	11	24000	21400	17600	9.4	7.5	2.04	217374118	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614465	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614470	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	24000	19400	16400	8.9	7.25	2	217614475	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614481	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614487	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388276	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.9	7.35	2.02	217614511	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	18300	13900	8.5	6.7	1.74	217614517	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	7.5	2.1	217614523	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	6.7	1.76	217614529	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614565	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	7.8	2.1	217614568	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	18000	13600	8.2	6.6	1.74	217614572	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	23000	19	13	24000	20800	17200	9.8	8	2.12	218388419	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	23000	20	12.5	24000	21000	17300	10	7.8	2.12	217542802	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	18300	13900	8.5	6.7	1.74	217614604	N/A
EL21KLV-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	6.7	1.76	217614610	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388217	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388222	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388228	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388233	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	24000	19400	16400	8.9	7	2	218388239	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388245	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388251	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	22000	20	12	24000	19600	16300	8.85	7	2.02	218388255	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388261	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388267	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388277	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.9	7	2.02	218388287	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388293	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	8	2.1	218388299	N/A
EL21KLV-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388305	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	23800	20	13	24000	20000	16900	8.2	7	1.98	218388311	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	22800	19	13	24000	20600	16900	9.5	8	2.08	218388317	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	23000	19	13	24000	20800	17100	9.8	8	2.1	218388323	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388331	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	23000	20	13	24000	20600	17000	9.6	8	2.1	218388335	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	23200	20	13	24000	20800	17000	9.6	8	2.1	218388343	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	23000	19	13	24000	20600	17000	9.8	8	2.1	218388347	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388355	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388365	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	18200	13800	8.5	7	1.76	218388371	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388379	N/A
EL21KLV-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	8	2.1	218388385	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	23000	19	13	24000	21000	17200	10	8	2.12	218388402	N/A
EL21KLV-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	22000	19	12	24000	20000	16700	8.85	7	2.04	218388407	N/A
EL21KLV-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	22000	19	12	24000	20000	16700	8.85	7	2.04	218388412	N/A
EL21KLV-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	23000	19	13	24000	20800	17200	9.8	8	2.12	218388420	N/A
EL21KLV-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	23000	20	12.5	24000	21000	17300	10	8	2.12	218388427	N/A
EL21KLV-024-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388433	N/A
EL21KLV-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388441	N/A
EL21KLV-024-230A**	L*19/36U+TXV+LEFE3A*	- - -	R-454B	23400	20	12	24000	21400	18200	9.45	8	2.22	218391965	N/A
EL21KLV-024-230A**	L*19/36U+TXV+LEFE4B*	- - -	R-454B	23600	20	12	24000	21400	18200	9.45	8	2.22	218391964	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614468	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614473	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	19400	16400	9	7.3	2.02	217614479	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217614485	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614491	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	217896507	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	23800	16	12.5	24000	20000	16900	9	7	2.04	217896508	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	23800	16	12.5	24000	20000	16900	9	7	2.04	217896509	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	23800	18	13	24000	20000	16800	9	7.4	2.04	217614515	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	19800	16700	9.4	7.4	2.06	217614521	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	7.5	2.1	217614527	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614533	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	23800	20	13	24000	19600	16500	8.5	7	2.06	217896510	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	23800	20	13	24000	19800	16700	9	7	2.04	217896511	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217614567	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	7.8	2.1	217614570	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	23600	15.2	12.5	24000	20000	16900	9	8.5	2.02	217896539	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	19600	16500	9	7.2	2.04	217614576	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	23200	19	13	24000	19800	16800	9	7	2.04	217896512	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	23600	20	13	24000	19800	16600	9.4	7	2.08	217896513	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	23000	19	13	24000	21000	17200	9.8	7	2.12	217896514	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	23000	19	13	24000	21000	17200	9.8	7	2.12	217896515	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.5	2.06	217614602	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.4	2.06	217614608	N/A
EL21KLV-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614614	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388219	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388224	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7	2.04	218388229	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7	2.04	218388234	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	19400	16400	9	7	2.02	218388240	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7	2.04	218388246	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7	2.04	218388252	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	22200	20	12.5	24000	19600	16300	9	7	2.04	218388258	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388264	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388270	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388280	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	23800	18	13	24000	20000	16800	9	7	2.04	218388288	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	19800	16700	9.4	7	2.06	218388294	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	8	2.1	218388300	N/A
EL21KLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	8	2.06	218388306	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	23800	20	13	24000	20000	16900	8.2	7	1.98	218388314	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	22800	19	13	24000	20600	16900	9.5	8	2.08	218388320	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	23000	19	13	24000	20800	17100	9.8	8	2.1	218388326	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388332	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	23000	20	13	24000	20600	17000	9.6	8	2.1	218388338	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	23200	20	13	24000	20800	17000	9.6	8	2.1	218388344	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	23000	19	13	24000	20600	17000	9.8	8	2.1	218388350	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388356	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	23800	19	13	24000	19800	16800	9	7	2.04	218388366	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	23800	19	13	24000	19800	16700	9	7	2.06	218388372	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7	2.04	218388380	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	8	2.1	218388386	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	19600	16500	9	7	2.04	218388392	N/A
EL21KLV-024-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	23600	19	13	24000	19800	16700	8.5	7	2.04	218388398	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	24000	20000	16700	9	8	2.06	218388404	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	22200	19	12.5	24000	20000	16700	9	8	2.06	218388409	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	22200	19	12.5	24000	20000	16700	9	8	2.06	218388414	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	23600	20	13	24000	19800	16600	9.4	8	2.08	218388422	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	8	2.06	218388428	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7	2.06	218388434	N/A
EL21KLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	8	2.06	218388442	N/A
EL21KLV-024-230A**	L*31/37U+TXV+LEFE3A*	- - -	R-454B	23800	20	12	24000	21400	18200	9.7	8	2.28	218391967	N/A
EL21KLV-024-230A**	L*31/37U+TXV+LEFE4B*	- - -	R-454B	24000	20	12	24000	21400	18200	9.7	8	2.28	218391966	N/A
EL21KLV-024-230A**	LD19/252*+TXV	EL180UH040NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388215	N/A
EL21KLV-024-230A**	LD19/252*+TXV	EL180UH060NE36A	R-454B	23800</										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388259	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388265	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23800	20	13	24000	20000	16900	8.2	7	1.98	218388309	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	22800	19	13	24000	20600	16900	9.5	8	2.08	218388315	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23000	18	13	24000	20800	17100	9.8	8	2.1	218388321	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23000	19	13	24000	20600	17000	9.6	8	2.1	218388333	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23000	18	13	24000	20600	17000	9.8	8	2.1	218388345	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23000	19	13	24000	21000	17200	10	8	2.12	218388401	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	22000	19	12	24000	20000	16700	8.8	7	2.02	218388405	N/A
EL21KLV-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	22000	19	12	24000	20000	16700	8.8	7	2.02	218388410	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388225	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388230	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	24000	19400	16400	8.85	7	2	218388235	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388241	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388247	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388272	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	23200	19	12	24000	18600	15800	8.35	7	2	218388281	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.85	7	2.02	218388283	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388289	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.85	7	2.02	218388295	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388301	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	23000	17	12	24000	18500	15800	8.35	7	2.02	218388307	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	23200	18	13	24000	20800	17000	9.8	8	2.1	218388327	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	23200	19	13	24000	20800	17000	9.6	8	2.1	218388339	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	23200	18	13	24000	20800	17000	9.8	8	2.1	218388351	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	23400	19	12	24000	18700	15900	8.35	7	2	218388357	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	23400	18	12	24000	18700	16000	8.35	7	2	218388359	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388361	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	18200	13800	8.5	7	1.76	218388367	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	23400	18	12	24000	18700	15900	8.35	7	2	218388373	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388375	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	18200	13800	8.5	7	1.76	218388381	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	18000	13600	8.2	7	1.74	218388387	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	23000	19	12.5	24000	20800	17100	9.6	8	2.1	218388393	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	23000	19	12	24000	18700	15900	8.35	7	1.98	218388399	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	23600	19	13	24000	18200	13700	8.5	7	1.76	218388416	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	18300	13800	8.5	7	1.74	218388423	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388429	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	23200	19	12	24000	18700	15900	8.35	7	1.98	218388435	N/A
EL21KLV-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388437	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	19400	16400	9	7	2.02	218388236	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7	2.04	218388242	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7	2.04	218388248	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388273	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	23400	20	12.5	24000	18600	15800	8.5	7	2.02	218388282	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	23800	18	13	24000	20000	16800	9	7	2.04	218388284	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	19800	16700	9.4	7	2.06	218388290	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	8	2.1	218388296	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	8	2.06	218388302	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	23200	18	12.5	24000	18500	15800	8.5	7	2.04	218388308	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388328	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	23200	20	13	24000	20800	17000	9.6	8	2.1	218388340	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388352	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	23600	19	12.5	24000	18700	15900	8.5	7	2.02	218388358	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	23600	19	12.5	24000	18700	16000	8.5	7	2.02	218388360	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	23800	19	13	24000	19800	16800	9	7	2.04	218388362	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	23800	19	13	24000	19800	16700	9	7	2.06	218388368	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	23600	18	12.5	24000	18700	15900	8.5	7	2.02	218388374	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7	2.04	218388376	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	8	2.1	218388382	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	19600	16500	9	7	2.04	218388388	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	23600	19	13	24000	19800	16700	8.5	7	2.04	218388394	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	23200	19	12.5	24000	18700	15900	8.5	7	2	218388400	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	8	2.06	218388424	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7	2.06	218388430	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	23400	20	12.5	24000	18700	15900	8.5	7	2	218388436	N/A
EL21KLV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	8	2.06	218388438	N/A
EL21KLV-024-230A**	LEC30*C05+TXV	- - -	R-454B	23000	20	12	24000	21200	18100	9.2	7.4	2.18	217615825	N/A
EL21KLV-024-230A**	LEM24*23E+TXV	- - -	R-454B	22800	20	12	24000	21200	18100	9.15	7.35	2.16	217615824	N/A
EL21KLV-024-230A**	LEM25*23E+TXV	- - -	R-454B	23000	20	12	24000	21200	18100	9.15	7.35	2.16	217732588	N/A
EL21KLV-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	22200	20	12.5	24000	19600	16300	9	7	2.04	218388256	N/A
EL21KLV-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388262	N/A
EL21KLV-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388268	N/A
EL21KLV-024-230A**	LH18/37R*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	23000	19	13	24000	20800	17100	9.8	8	2.1	218388324	N/A
EL21KLV-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	23000	20	13	24000	20600	17000	9.6	8	2.1	218388336	N/A
EL21KLV-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	23000	19	13	24000	20600	17000	9.8	8	2.1	218388348	N/A
EL21KLV-024-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	23800	20	12	24000	21400	18200	9.6	7.65	2.26	217285686	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388218	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	23800	20	13	24000	20200	17100	8.5	7	1.96	218388223	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	21800	20	12	24000	19600	16300	8.8	7	2	218388257	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388263	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	24000	20	13	24000	20400	17200	8.5	7	1.98	218388269	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	23800	20	13	24000	20000	16900	8.2	7	1.98	218388313	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	23600	19	13	24000	17800	13600	8.2	7	1.74	218388319	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	23600	18	13	24000	17900	13600	8.5	7	1.74	218388325	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	23600	19	13	24000	17900	13600	8.2	7	1.74	218388337	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	23600	18	13	24000	17900	13600	8.5	7	1.74	218388349	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388403	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	21800	19	12	24000	20000	16700	8.8	7	2.02	218388408	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	21800	19	12	24000	20000	16700	8.8	7	2.02	218388413	N/A
EL21KLV-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	18300	13800	8.5	6.7	1.74	217542803	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388227	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388232	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	24000	19400	16400	8.9	7	2	218388238	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388244	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388250	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388275	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.9	7	2.02	218388286	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388292	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	8	2.1	218388298	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388304	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388330	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23200	20	13	24000	20800	17000	9.6	8	2.1	218388342	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23200	19	13	24000	20800	17000	9.8	8	2.1	218388354	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388364	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	19	13	24000	18200	13800	8.5	7	1.76	218388370	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	7	1.74	218388378	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	8	2.1	218388384	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	18000	13600	8.2	7	1.74	218388390	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	23000	19	12.5	24000	20800	17100	9.6	8	2.1	218388396	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	23000	19	13	24000	20800	17200	9.8	8	2.12	218388418	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	23000	20	12.5	24000	21000	17300	10	8	2.12	218388426	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	18300	13900	8.5	7	1.74	218388432	N/A
EL21KLV-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	7	1.76	218388440	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614467	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614472	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	19400	16400	9	7.3	2.02	217614478	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217614484	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614490	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	23800	18	13	24000	20000	16800	9	7.4	2.04	217614514	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	19800	16700	9.4	7.4	2.06	217614520	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	7.5	2.1	217614526	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614532	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217614566	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	7.8	2.1	217614569	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	19600	16500	9	7.2	2.04	217614575	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.5	2.06	217614601	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.4	2.06	217614607	N/A
EL21KLV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614613	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614466	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614471	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	24000	19400	16400	8.9	7.2	2	217614476	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614482	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217614488	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388278	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.9	7.3	2.02	217614512	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	18300	13900	8.5	6.7	1.74	217614518	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	23600	18	12.5	24000	20000	16800	8.9	7.3	2.02	217614524	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23600	19	13	24000	18200	13800	8.5	6.7	1.76	217614530	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	24000	18300	13900	8.5	6.7	1.74	217489353	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	24000	18200	13800	8.5	6.7	1.76	217489356	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	18000	13600	8.2	6.6	1.74	217614573	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	23600	19	13	24000	18200	13700	8.5	7	1.76	218388421	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	23600	19	13	24000	18300	13800	8.5	6.7	1.74	217614599	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23600	19	13	24000	18300	13900	8.5	6.7	1.74	217614605	N/A
EL21KLV-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	24000	18200	13					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614489	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388279	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	23800	18	13	24000	20000	16800	9	7.4	2.04	217614513	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	19800	16700	9.4	7.4	2.06	217614519	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	7.5	2.1	217614525	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614531	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217489354	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	7.8	2.1	217489357	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	19600	16500	9	7.2	2.04	217614574	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.5	2.06	217614600	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.4	2.06	217614606	N/A
EL21KLV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614612	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614464	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614469	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	24000	19400	16400	9	7.3	2.02	217614474	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217614480	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	24000	20000	16800	9	7.4	2.04	217614486	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	24000	19	13	24000	18300	13900	8.5	7	1.74	218388271	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	23800	18	13	24000	20000	16800	9	7.4	2.04	217614510	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	24000	19800	16700	9.4	7.4	2.06	217614516	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	23200	19	12	24000	21000	17400	9.8	7.5	2.1	217614522	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614528	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	24000	20000	16900	9	7.4	2.04	217489352	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	24000	21000	17300	9.8	7.8	2.1	217489355	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	24000	19600	16500	9	7.2	2.04	217614571	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	23600	20	13	24000	19800	16600	9.4	8	2.08	218388415	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.5	2.06	217614598	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	23600	20	13	24000	19800	16700	9.4	7.4	2.06	217614603	N/A
EL21KLV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	24000	19800	16600	9.4	7.5	2.06	217614609	N/A
EL21KLV-024-230A**	LU18/36S*+M+TXV+LMHE3D	---	R-454B	22800	20	12	24000	21200	18100	9.15	7.35	2.16	218338581	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	EL180UH080NE48B	R-454B	32600	16	11.5	36000	26000	22000	10.2	8	2.26	218631322	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	EL180UH100NE60C	R-454B	34200	16	11.5	36000	27200	21600	8.5	7	2.08	218631323	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	218631324	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8.1	2.26	218631325	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	EL195UH080NE48C	R-454B	34000	18	11	36000	27400	22000	8.5	7.1	2.06	218631326	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	EL195UH100NE60C	R-454B	33800	15.2	11	36000	27200	21600	8.5	7	2.04	218631327	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL280UH080NV48B	R-454B	33000	19	11	36000	26600	22600	10.4	8.2	2.26	218631328	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL280UH080NV60C	R-454B	33200	18	11.7	36000	26400	21000	8.5	7	2.06	218631329	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL280UH100NV60C	R-454B	33200	18	11.7	36000	26400	21000	8.5	7	2.06	218631330	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22800	10.4	8.1	2.24	218631331	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8.1	2.24	218631332	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL297UH080NV48C	R-454B	32800	18	11	36000	30200	22200	9.6	7.5	1.94	218631333	N/A
EL21KLV-036-230A**	L*18/30Z*+TXV+TD	SL297UH080NV60C	R-454B	33200	17	11.5	36000	26600	21000	8.5	7	2.04	218631334	N/A
EL21KLV-036-230A**	L*19/36S*+TXV+TD	---	R-454B	32000	14.5	10	36000	27200	21800	8.4	6.8	1.98	217374119	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	217615503	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8.1	2.26	217615509	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	217615519	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	217615525	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8.1	2.24	217615571	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.1	2.24	217615577	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8.1	2.24	217615583	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8.2	2.26	217615589	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	217615671	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8.1	2.26	217615675	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8.1	2.26	217615681	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	33000	17	11	36000	26400	22200	10	7.8	2.26	217615696	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.2	2.26	217615774	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22600	10.4	8.1	2.24	217542805	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8.2	2.28	217615793	N/A
EL21KLV-036-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	32200	18	10.5	36000	28400	24000	8.5	7	2.06	217956904	N/A
EL21KLV-036-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	33000	18	11	36000	30400	24800	8.5	7	2.1	217956903	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	32600	19	11	36000	26200	22200	10.4	8	2.26	218391659	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	32600	19	11	36000	26200	22200	10.4	8	2.26	218391662	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	36000	26000	22000	10.2	8	2.26	218391668	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	218391673	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391678	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	218391686	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	218391691	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	33200	18	11	36000	26200	22400	10.4	8	2.26	218391695	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	36000	26000	22000	10.4	8	2.26	218391698	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	36000	26000	22000	10.4	8	2.26	218391701	N/A
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	36000	26200	22000	10.4	8	2.28	218391707	N/A
EL21KLV-036-230A**	L*19/36U*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8	2.24	218391736	N/A
EL21KLV-036-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8	2.24	218391741	N/A
EL21KLV-036-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8	2.26	218391746	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH030V36A	R-454B	33000	18	11.5	36000	26200	22200	10	8	2.26	218391759	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH045E36A	R-454B	33000	19	11.5	36000	26200	22000	10.4	8	2.26	218391762	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH045V36A	R-454B	33000	18	11	36000	26400	22200	9.8	8	2.26	218391765	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	36000	26200	22000	10.4	8	2.26	218391768	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	32800	18	11	36000	26200	22200	10.4	8	2.24	218391771	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391777	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	33000	18	11	36000	26400	22400	9.8	8	2.26	218391779	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	33000	18	11.7	36000	26200	22000	10	8	2.28	218391785	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070V48B	R-454B	33400	18	11.7	36000	26000	22200	10.2	8	2.3	218391790	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	36000	26200	22200	10.4	8	2.26	218391792	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391798	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH090E48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391803	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH090V48B	R-454B	33200	18	11.5	36000	26400	22200	10	8	2.26	218391811	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391816	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	32800	17	11	36000	26400	22200	10.2	8	2.24	218391825	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	32600	17	11	36000	26000	22200	10.4	8	2.24	218391830	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391835	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	218391848	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8	2.26	218391853	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8	2.26	218391858	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	33000	17	11	36000	26400	22200	10	8	2.26	218391870	N/A
EL21KLV-036-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	32600	17	11	36000	26600	21000	8.4	7	2.02	218391875	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	33600	18	11	36000	27400	22000	8.85	7	2.04	218391884	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391887	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391890	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH080NV48B	R-454B	33000	19	11	36000	26600	22600	10.4	8	2.26	218391896	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	33200	19	11.7	36000	26400	22400	10.4	8	2.3	218391901	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH090V48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391906	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391911	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22800	10.4	8	2.24	218391922	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8	2.24	218391927	N/A
EL21KLV-036-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8	2.28	218391934	N/A
EL21KLV-036-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	32200	18	10.5	36000	28200	24000	7.95	7	1.94	218394107	N/A
EL21KLV-036-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	33000	18	11	36000	30400	24800	8.25	7	2.04	218394106	N/A
EL21KLV-036-230A**	L*24/36Y+TXV	EL297UH090XV36C	R-454B	32800	18	11	36000	30200	22200	9.6	8.35	1.94	217883106	N/A
EL21KLV-036-230A**	L*24/36Z+TXV	EL297UH090XV36C	R-454B	32800	18	11	36000	30200	22200	9.6	8.35	1.94	217883105	N/A
EL21KLV-036-230A**	L*24/36Z*+TXV+LEFE3A*	---	R-454B	34000	18	11.5	36000	30400	24800	8.5	7.2	2.1	217454899	N/A
EL21KLV-036-230A**	L*24/36Z*+TXV+LEFE4B*	---	R-454B	34400	19	11.7	36000	28400	24000	8.45	7.35	2.04	217454898	N/A
EL21KLV-036-230A**	L*25/37Z*+TXV+LEFE4B*	---	R-454B	34400	19	11.7	36000	28400	24000	8.45	7.35	2.04	217454897	N/A
EL21KLV-036-230A**	L*29/36U*+TXV+LEFE4B*	---	R-454B	33600	19	11	36000	28400	24000	8.3	7.2	2.02	217454895	N/A
EL21KLV-036-230A**	L*30/36U*+TXV+LEFE3A*	---	R-454B	32800	18	11	36000	28400	24000	8.1	7.1	1.98	217454894	N/A
EL21KLV-036-230A**	L*30/36U*+TXV+LEFE4B*	---	R-454B	33400	19	11	36000	28400	24000	8.2	7.15	2	217454893	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	217615507	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8.1	2.26	217615513	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	217615523	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	217615529	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8.1	2.24	217615575	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.1	2.24	217615581	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8.1	2.24	217615587	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8.2	2.26	217615593	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	217615673	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8.1	2.26	217615680	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8.1	2.26	217615686	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	33200	18	11.5	36000	26600	21000	8.5	6.9	2.04	217615705	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.2	2.26	217615778	N/A
EL21KLV-036-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8.2	2.28	217615797	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	32600	19	11	36000	26200	22200	10.4	8	2.26	218391661	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	32600	19	11	36000	26200	22200	10.4	8	2.26	218391664	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	36000	26000	22000	10.2	8	2.26	218391669	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	218391674	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391679	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	218391687	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	218391692	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	33200	18	11	36000	26200	22400	10.4	8	2.26	218391697	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	32600	19	11.5	36000	26000	22000	10.4	8	2.26	218391700	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	36000	26000	22000	10.4	8	2.26	218391703	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	33000	19	11.7	36000	26200	22000	10.4	8	2.28	218391708	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL280UH090E48B	R-454B	33000	17	11.7	36000	26000	22000	10.4	8	2.28	218391713	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	36000	26000	22000	10.4	8	2.28	218391718	N/A
EL21KLV-036-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8	2.26	218391747	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	33000	18	11.5	36000	26200	22200	10	8	2.26	218391761	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	33000	19	11.5	36000	26200	22000	10.4	8	2.26	218391764	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	33200	18	11.5	36000	26600	21200	8.5	7	2.04	218391767	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	36000	26200	22000	10.4	8	2.26	218391770	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	32800	18	11	36000	26200	22200	10.4	8	2.24	218391773	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391778	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	33000	18	11.5	36000	26600	21000	8.5	7	2.04	218391781	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	33400	19	11.7	36000	26600	21000	8.5	7	2.06	218391786	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070V48B	R-454B	33400	19	11.7	36000	26600	21000	8.5	7	2.06	218391791	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	36000	26200	22200	10.4	8	2.26	218391794	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391799	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH090E48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391804	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH090V48B	R-454B	33200	19	11.5	36000	26600	21000	8.5	7	2.04	218391812	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391817	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	32800	17	11	36000	26400	22200	10.2	8	2.24	218391826	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	32600	17	11	36000	26000	22200	10.4	8	2.24	218391831	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391836	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	218391849	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8	2.26	218391854	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8	2.26	218391859	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	33200	18	11.5	36000	26600	21000	8.5	7	2.04	218391871	N/A
EL21KLV-036-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	33000	18	11.5	36000	26600	21000	8.5	7	2.04	218391876	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	34000	18	11	36000	27400	22000	9	7	2.06	218391886	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391889	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391892	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH080NV48B	R-454B	33000	19	11	36000	26600	22600	10.4	8	2.26	218391897	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	33200	19	11.7	36000	26400	22400	10.4	8	2.3	218391902	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH090V48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391907	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391912	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22800	10.4	8	2.24	218391923	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8	2.24	218391928	N/A
EL21KLV-036-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8	2.28	218391935	N/A
EL21KLV-036-230A**	L*31/37U+TXV+LEFE3A*	---	R-454B	32800	18	11	36000	28400	24000	8.15	7	1.98	218394109	N/A
EL21KLV-036-230A**	L*31/37U+TXV+LEFE4B*	---	R-454B	33400	19	11	36000	28400	24000	8.25	7	2	218394108	N/A
EL21KLV-036-230A**	L*35/36U+TXV+LEFE4B*	---	R-454B	33600	19	11	36000	28400	24000	8.3	7.2	2.02	217454896	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL180UH080NE48B	R-454B	32800	16	11	36000	26800	21400	8.35	7	2	218391665	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	32400	17	11	36000	26000	22200	10.2	8	2.24	218391670	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	32600	17	11.5	36000	26000	22000	10.4	8	2.26	218391675	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	32800	17	11	36000	27000	21600	8.35	7	2	218391683	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	218391688	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL280DF090E48B	R-454B	33200	16	11	36000	27400	18800	8.85	7	2.3	218391693	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	33000	18	11.7	36000	26200	22000	10.4	8	2.28	218391704	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	33000	16	11.7	36000	26000	22000	10.4	8	2.28	218391709	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	33000	16	11.7	36000	26000	22000	10.4	8	2.28	218391714	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	33400	18	10.5	36000	27400	18700	9.05	7	2.36	218391722	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297DF070XE48B	R-454B	33000	17	10.5	36000	27600	19000	8.85	7	2.22	218391724	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297DF070XV48B	R-454B	33400	18	10	36000	28200	19400	8.85	7	2.16	218391726	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	32400	17	11.5	36000	26000	22000	10.4	8	2.24	218391728	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391733	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8	2.24	218391738	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	33000	18	11.5	36000	26600	22600	10.4	8	2.26	218391743	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180DF090E48B	R-454B	33200	17	11	36000	27200	18700	8.85	7	2.3	218391757	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391774	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	36000	26200	22000	10	8	2.28	218391782	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH070V48B	R-454B	32800	18	11	36000	26600	21000	8.35	7	2.02	218391787	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391795	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	33200	17	11	36000	26600	21200	8.35	7	2.04	218391800	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH090V48B	R-454B	32600	18	11	36000	26600	21000	8.35	7	2	218391808	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	33200	17	11	36000	26600	21200	8.35	7	2.04	218391813	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	33200	18	10.5	36000	27800	19100	8.85	7	2.22	218391818	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	33000	17	11	36000	27400	18900	8.85	7	2.28	218391820	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	32800	17	11	36000	26400	22200	10.2	8	2.24	218391822	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	32600	17	11	36000	26000	22000	10.4	8	2.24	218391827	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	32600	17	11.5	36000	26000	22000	10.4	8	2.26	218391832	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML196DF070XE48B	R-454B	33600	17	10.5	36000	27800	19100	8.85	7	2.22	218391843	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	218391845	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	33000	17	11	36000	26400	22200	10.4	8	2.26	218391850	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	33000	15.2	11	36000	26400	22200	10.2	8	2.26	218391855	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	32600	17	11	36000	26600	21000	8.35	7	2	218391867	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	32400	17	11	36000	26600	21000	8.35	7	2	218391872	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	33400	18	10.5	36000	28200	19300	8.85	7	2.2	218391880	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SL280DF090V48B	R-454B	33400	18	11	36000	28000	19300	8.85				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	33200	18	11.5	36000	26400	22400	10.4	8	2.28	218391903	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SL280UH090XV48B	R-454B	33200	18	11.5	36000	26400	22400	10.4	8	2.28	218391908	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8	2.24	218391919	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8	2.24	218391924	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	33400	19	11	36000	27400	18800	9.05	7	2.32	218391929	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	33000	18	11.5	36000	26600	22400	10.4	8	2.28	218391931	N/A
EL21KLV-036-230A**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	32800	18	11	36000	30400	24800	8.5	7	2.1	217956900	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	36000	26000	22000	10.2	8	2.26	218391666	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	218391671	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391676	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	218391684	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	218391689	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL280DF090E48B	R-454B	33600	17	11.5	36000	27400	18800	9	7	2.34	218391694	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	36000	26200	22000	10.4	8	2.28	218391705	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	36000	26000	22000	10.4	8	2.28	218391710	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	36000	26000	22000	10.4	8	2.28	218391715	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	33800	19	11	36000	27400	18700	9.2	7	2.4	218391723	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297DF070XE48B	R-454B	33400	18	11	36000	27600	19000	9	7	2.26	218391725	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297DF070XV48B	R-454B	33800	18	10.5	36000	28200	19400	9	7	2.2	218391727	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8	2.24	218391729	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8	2.24	218391734	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8	2.24	218391739	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8	2.26	218391744	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180DF090E48B	R-454B	33600	17	11.5	36000	27200	18700	9	7	2.34	218391758	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391775	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	36000	26200	22000	10	8	2.28	218391783	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	33400	18	11.7	36000	26000	22200	10.2	8	2.3	218391788	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391796	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391801	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	33200	18	11.5	36000	26400	22200	10	8	2.26	218391809	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391814	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	33600	19	11	36000	27800	19100	9	7	2.26	218391819	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	33400	18	11	36000	27400	18900	9	7	2.32	218391821	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	32800	17	11	36000	26400	22200	10.2	8	2.24	218391823	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	32600	17	11	36000	26000	22200	10.4	8	2.24	218391828	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391833	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML196DF070XE48B	R-454B	34000	18	11	36000	27800	19100	9	7	2.26	218391844	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	218391846	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8	2.26	218391851	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8	2.26	218391856	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML296DF070XV48B	R-454B	33800	17	11	36000	27800	19100	8.5	7	2.26	218391866	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	33200	17	11.5	36000	26600	21000	8.45	7	2.04	218391868	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	33000	17	11.5	36000	26600	21000	8.45	7	2.04	218391873	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	33800	18	11	36000	28200	19300	9	7	2.24	218391881	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL280DF090V48B	R-454B	33800	19	11	36000	28000	19300	9	7	2.24	218391883	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	33000	19	11	36000	26600	22600	10.4	8	2.26	218391894	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	36000	26400	22400	10.4	8	2.3	218391899	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391904	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391909	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22800	10.4	8	2.24	218391920	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8	2.24	218391925	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	33800	19	11	36000	27400	18800	9.2	7	2.36	218391930	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8	2.28	218391932	N/A
EL21KLV-036-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	33000	19	11	36000	28400	24000	8.5	7	2.06	217956901	N/A
EL21KLV-036-230A**	LEM36*43E*+TXV	---	R-454B	31800	17	10.5	36000	30200	24800	8	6.85	2	217615837	N/A
EL21KLV-036-230A**	LEM36*43E*+TXV	---	R-454B	32800	17	11	36000	30400	24800	8.25	7	2.04	217615838	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	32600	19	11	36000	26200	22200	10.4	8	2.26	218391660	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	32600	19	11	36000	26200	22200	10.4	8	2.26	218391663	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	33200	18	11	36000	26200	22400	10.4	8	2.26	218391696	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	36000	26000	22000	10.4	8	2.26	218391699	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	36000	26000	22000	10.4	8	2.26	218391702	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	36000	26200	22200	10	8	2.26	218391760	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	33000	19	11.5	36000	26200	22000	10.4	8	2.26	218391763	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	33200	18	11.5	36000	26600	21200	8.5	7	2.04	218391766	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	36000	26200	22000	10.4	8	2.26	218391769	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	32800	18	11	36000	26200	22200	10.4	8	2.24	218391772	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	33000	18	11.5	36000	26600	21000	8.5	7	2.04	218391780	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	36000	26200	22200	10.4	8	2.26	218391793	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	34000	18	11	36000	27400	22000	9	7	2.06	218391885	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391888	N/A
EL21KLV-036-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	33000	18	11	36000	26800	22600	10.4	8	2.24	218391891	N/A
EL21KLV-036-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	32600	18	11	36000	28400	24000	8.5	7	2.06	217956905	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	36000	26000	22000	10.2	8			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	218391685	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	218391690	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL280UH090XE36B	R-454B	33000	19	11.7	36000	26200	22000	10.4	8	2.28	218391706	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	36000	26000	22000	10.4	8	2.28	218391711	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	36000	26000	22000	10.4	8	2.28	218391716	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8	2.24	218391730	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8	2.24	218391735	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8	2.24	218391740	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8	2.26	218391745	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391776	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	36000	26200	22000	10	8	2.28	218391784	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	33400	18	11.7	36000	26000	22200	10.2	8	2.3	218391789	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	36000	26200	22200	10.4	8	2.28	218391797	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391802	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	33200	18	11.5	36000	26400	22200	10	8	2.26	218391810	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	36000	26000	22000	10.4	8	2.28	218391815	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	32800	17	11	36000	26400	22200	10.2	8	2.24	218391824	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	32600	17	11	36000	26000	22200	10.4	8	2.24	218391829	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8	2.26	218391834	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	218391847	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8	2.26	218391852	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8	2.26	218391857	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	33000	17	11	36000	26400	22200	10	8	2.26	218391869	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	32600	17	11	36000	26600	21000	8.4	7	2.02	218391874	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	33000	19	11	36000	26600	22600	10.4	8	2.26	218391895	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	36000	26400	22400	10.4	8	2.3	218391900	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391905	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	36000	26400	22400	10.4	8	2.28	218391910	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22800	10.4	8	2.24	218391921	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	33000	18	11	36000	26800	22800	10.4	8	2.24	218391926	N/A
EL21KLV-036-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8	2.28	218391933	N/A
EL21KLV-036-230A**	LH29/36X*+TXV+LEFE4B*	- - -	R-454B	33000	18	11	36000	30400	24800	8.5	7	2.1	217956902	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	217615506	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8.1	2.26	217615512	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL195UH080NE48C	R-454B	32000	15.2	11	36000	29800	21800	9.3	7.25	1.88	217615517	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	217615522	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	217615528	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL196UH090XE48C	R-454B	32200	15.2	11	36000	29600	21600	9.3	7.25	1.9	217615533	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8.1	2.24	217615574	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.1	2.24	217615580	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8.1	2.24	217615586	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8.2	2.26	217615592	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XE48C	R-454B	32200	16	11	36000	29600	21800	9.5	7.35	1.9	217615597	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	32400	18	11	36000	30200	22200	9.5	7.45	1.92	217615601	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XV48C	R-454B	33400	17	11.5	36000	26000	21200	9.6	7.4	2.04	217615605	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XV60C	R-454B	32400	17	11	36000	30200	22200	9.5	7.35	1.92	217615609	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	217615672	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8.1	2.26	217615678	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8.1	2.26	217615684	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	32200	17	11	36000	29800	22000	9.3	7.25	1.9	217615688	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH090XE48C	R-454B	32200	15.2	11	36000	29600	21600	9.3	7.25	1.9	217615691	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	33200	17	11.5	36000	26600	21000	8.5	6.9	2.04	217615703	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	36000	25800	21000	9	7.2	2.04	217615715	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.2	2.26	217615777	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SL297UH080NV48C	R-454B	33400	17	11.5	36000	26000	21200	9.6	7.4	2.04	217615787	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SL297UH080NV60C	R-454B	32400	17	11	36000	30200	22200	9.5	7.35	1.9	217615791	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH070XV36C	R-454B	33000	19	11.5	36000	26600	22400	10.4	8.2	2.28	217615796	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	32400	18	11	36000	30200	22200	9.5	7.45	1.9	217615801	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV48C	R-454B	33400	17	11.5	36000	26000	21200	9.6	7.4	2.04	217615805	N/A
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV60C	R-454B	32400	17	11	36000	30200	22200	9.5	7.35	1.92	217615809	N/A
EL21KLV-036-230A**	LP18/37R*+TXV+LEFE3A*	- - -	R-454B	32600	18	11	36000	28400	24000	8.5	7	2.06	217956906	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	32400	17	11	36000	26000	22200	10.2	8	2.24	217615504	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	32600	17	11.5	36000	26000	22000	10.4	8.1	2.26	217615510	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH080NE48C	R-454B	31400	15.2	10.5	36000	29800	21800	9.1	7.1	1.86	217615515	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH100NE60C	R-454B	33200	15.2	11	36000	27200	21600	8.35	7	2	218391681	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	32800	17	11	36000	27000	21600	8.35	6.9	2	217615520	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	217615526	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	31600	15.2	11	36000	29600	21600	9.1	7.1	1.88	217615531	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	33200	17	11	36000	26600	21000	8.85	7	2.04	218391720	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	32400	17	11.5	36000	26000	22000	10.4	8.1	2.24	217615572	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.1	2.24	217615578	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8.1	2.24	217615584	N/A
EL21KLV-036-230														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH090XV48C	R-454B	33400	17	11.5	36000	26000	21200	9.55	7.35	2.04	217615603	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	31800	17	10.5	36000	30200	22200	9.3	7.2	1.9	217615607	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH110XE60C	R-454B	33800	15.2	11	36000	27200	21800	8.35	7	2.04	218391749	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	32600	18	11	36000	26400	21000	8.35	7	2.02	218391752	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH110XV60C	R-454B	33600	17	11.7	36000	26000	21200	9.55	7	2.04	218391755	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH090E60C	R-454B	33800	15.2	11	36000	27000	21600	8.35	7	2.04	218391806	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	33200	17	11	36000	26600	21200	8.35	7	2.04	218391838	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH110XE60C	R-454B	33600	15.2	11	36000	27200	21600	8.35	7	2.04	218391841	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	217489417	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8.1	2.26	217489420	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8.1	2.26	217489423	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	31600	17	10.5	36000	29800	22000	9.1	7.1	1.88	217489426	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	31600	15.2	11	36000	29600	21600	9.1	7.1	1.88	217489429	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH090XE60C	R-454B	33600	15.2	11	36000	27200	21600	8.35	7	2.04	218391861	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH110XE60C	R-454B	33800	15.2	11	36000	27400	21800	8.35	7	2.04	218391864	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	33000	17	11	36000	26400	22200	10	7.8	2.26	217615698	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	36000	25800	21000	8.95	7.2	2.04	217615713	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	ML296UH110XV60C	R-454B	33400	18	11	36000	26800	21400	8.35	7	2.04	218391878	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH110V60C	R-454B	31800	17	11	36000	30200	22200	9.3	7	1.9	218391914	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH110XV60C	R-454B	31800	17	11	36000	30200	22200	9.3	7	1.9	218391917	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.2	2.26	217615775	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SL297UH080NV48C	R-454B	33400	17	11.5	36000	26000	21200	9.55	7.35	2.04	217615785	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	31800	17	10.5	36000	30200	22200	9.3	7.2	1.88	217615789	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8.2	2.28	217615794	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV36C	R-454B	31800	18	10.5	36000	30200	22200	9.3	7.3	1.88	217615799	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	33400	17	11.5	36000	26000	21200	9.55	7.35	2.04	217615803	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	31800	17	10.5	36000	30200	22200	9.3	7.2	1.9	217615807	N/A
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH110XV60C	R-454B	33600	17	11.7	36000	26000	21200	9.55	7	2.04	218391937	N/A
EL21KLV-036-230A**	LP25/36R*+TXV+LEFE4B*	- - -	R-454B	33000	18	11	36000	30400	24800	8.2	7	2.04	218391968	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	32400	18	11	36000	26000	22200	10.2	8	2.24	217615505	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	36000	26000	22000	10.4	8.1	2.26	217615511	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	31800	15.2	10.5	36000	29800	21800	9.25	7.2	1.88	217615516	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	33800	15.2	11	36000	27200	21600	8.45	7	2.04	218391682	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	217615521	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	217615527	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	32000	15.2	11	36000	29600	21600	9.25	7.2	1.9	217615532	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	33800	17	11.7	36000	26600	21000	8.95	7	2.08	218391721	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8.1	2.24	217615573	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.1	2.24	217615579	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8.1	2.24	217615585	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8.2	2.26	217615591	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	32000	16	11	36000	29600	21800	9.45	7.3	1.9	217615596	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	32200	18	11	36000	30200	22200	9.45	7.4	1.92	217615600	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	33400	17	11.5	36000	26000	21200	9.6	7.4	2.04	217615604	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XV60C	R-454B	32200	17	11	36000	30200	22200	9.45	7.3	1.92	217615608	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH110XE60C	R-454B	34400	15.2	11.5	36000	27200	21800	8.45	7	2.08	218391750	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	33200	18	11.7	36000	26400	21000	8.45	7	2.06	218391753	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH110XV60C	R-454B	33600	17	11.7	36000	26000	21200	9.6	7	2.04	218391756	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH090E60C	R-454B	34400	15.2	11.5	36000	27000	21600	8.45	7	2.08	218391807	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	33800	17	11.7	36000	26600	21200	8.45	7	2.08	218391839	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH110XE60C	R-454B	34200	15.2	11.5	36000	27200	21600	8.45	7	2.08	218391842	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	217489418	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8.1	2.26	217489421	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH070XE48B	R-454B	33000	16	11	36000	26400	22200	10.2	8.1	2.26	217489424	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	32000	17	10.5	36000	29800	22000	9.25	7.2	1.9	217489427	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	32000	15.2	11	36000	29600	21600	9.25	7.2	1.9	217489430	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH090XE60C	R-454B	34200	15.2	11.5	36000	27200	21600	8.45	7	2.08	218391862	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH110XE60C	R-454B	34400	15.2	11	36000	27400	21800	8.45	7	2.08	218391865	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	33200	17	11.5	36000	26600	21000	8.45	6.9	2.04	217615700	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	36000	25800	21000	9	7.2	2.04	217615714	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	ML296UH110XV60C	R-454B	34000	18	11.7	36000	26800	21400	8.45	7	2.08	218391879	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH110V60C	R-454B	33400	17	11.7	36000	26400	20800	8.45	7	2.06	218391915	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH110XV60C	R-454B	33400	17	11.7	36000	26400	20800	8.45	7	2.06	218391918	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.2	2.26	217615776	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	33400	17	11.5	36000	26000	21200	9.6	7.4	2.04	217615786	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	32200	17	11	36000	30200	22200	9.45	7.3	1.9	217615790	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8.2	2.28	217615795	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	32200	18	11	36000	30200	22200	9.45	7.4	1.9	217615800	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	33400	17	11.5	36000	26000	21200	9.6	7.4	2.04	217615804	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	32200	17	11	36000	30200	22200	9.45	7.3	1.92	217615808	N/A
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH110XV60C	R-454B	33600	17	11.7	36000	26000	21200	9.6	7	2.04	218391938	N/A
EL21KLV-036-230A**	LP29/36X*+TXV+LEFE3A*	- - -	R-454B	32400	18	11	36000	28400	24000					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	32400	16	11	36000	29800	21800	9.4	7.3	1.9	217615514	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	33800	15.2	11	36000	27200	21600	8.5	7	2.04	218391680	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	32600	17	11	36000	26200	22200	10.2	8	2.24	217615518	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	32600	18	11	36000	26200	22200	10.2	8	2.24	217615524	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	32600	16	11.5	36000	29600	21600	9.4	7.3	1.92	217615530	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	33800	17	11.7	36000	26600	21000	9	7	2.08	218391719	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	36000	26000	22000	10.4	8.1	2.24	217615570	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.1	2.24	217615576	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	32800	18	11	36000	26400	22200	10.4	8.1	2.24	217615582	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	36000	26600	22600	10.4	8.2	2.26	217615588	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	32600	16	11.5	36000	29600	21800	9.6	7.4	1.92	217615594	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	32800	18	11	36000	30200	22200	9.6	7.5	1.94	217615598	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	32800	18	11	36000	30200	22200	9.6	7.5	1.92	217615602	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	32800	17	11	36000	30200	22200	9.6	7.4	1.94	217615606	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH110XE60C	R-454B	34400	16	11.5	36000	27200	21800	8.5	7	2.08	218391748	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	33200	18	11.7	36000	26400	21000	8.5	7	2.06	218391751	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	33200	18	11.7	36000	26400	20800	8.5	7	2.06	218391754	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	34400	16	11.5	36000	27000	21600	8.5	7	2.08	218391805	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	33800	17	11.7	36000	26600	21200	8.5	7	2.08	218391837	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH110XE60C	R-454B	34200	16	11.5	36000	27200	21600	8.5	7	2.08	218391840	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	33000	18	11	36000	26400	22400	10.2	8	2.24	217489416	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	33000	18	11	36000	26400	22200	10.4	8.1	2.26	217489419	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	33300	16	11	36000	26400	22200	10.2	8.1	2.26	217489422	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	32600	18	11	36000	29800	22000	9.4	7.3	1.92	217489425	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	32600	16	11.5	36000	29600	21600	9.4	7.3	1.92	217489428	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH090XE60C	R-454B	34200	16	11.5	36000	27200	21600	8.5	7	2.08	218391860	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH110XE60C	R-454B	34400	15.2	11	36000	27400	21800	8.5	7	2.08	218391863	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	33200	18	11.5	36000	26600	21000	8.5	6.9	2.04	217615693	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	36000	25800	21000	9	7.2	2.04	217615712	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	34000	18	11.7	36000	26800	21400	8.5	7	2.08	218391877	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH110V60C	R-454B	33400	18	11.7	36000	26400	20800	8.5	7	2.06	218391913	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH110XV60C	R-454B	33400	18	11.7	36000	26400	20800	8.5	7	2.06	218391916	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	33000	19	11	36000	26800	22600	10.4	8.2	2.26	217615773	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	32800	18	11	36000	30200	22200	9.6	7.5	1.94	217615784	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	32800	17	11	36000	30200	22200	9.6	7.4	1.92	217615788	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	36000	26600	22400	10.4	8.2	2.28	217615792	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	32800	18	11	36000	30200	22200	9.6	7.5	1.92	217615798	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	32800	18	11	36000	30200	22200	9.6	7.5	1.94	217615802	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	32800	17	11	36000	30200	22200	9.6	7.4	1.94	217615806	N/A
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	33200	18	11.7	36000	26400	21000	8.5	7	2.06	218391936	N/A
EL21KLV-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	31800	17	10.5	36000	30200	24800	7.95	6.8	1.98	217288363	N/A
EL21KLV-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	32400	18	11	36000	28400	24000	8.05	7	1.96	217288362	N/A
EL21KLV-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	32400	18	11	36000	28400	24000	8.5	8	2.06	217896532	N/A
EL21KLV-036-230A**	LU23/36Y*M+TXV+LMHE4D	---	R-454B	33800	18	11	36000	30400	24800	8.5	8	2.1	217896531	N/A
EL21KLV-036-230A**	LW39*L9+TXV	---	R-454B	32600	18	11	36000	30400	24800	8.35	7.1	2.06	217732590	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	46000	18	11.7	48000	34600	29200	8.2	6.8	2.08	217614616	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.3	7.35	2.06	217614618	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	47000	18	12	48000	38500	33600	8.35	7.4	2.08	217614620	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.3	7.35	2.08	217614628	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	46000	20	11.7	48000	35800	33000	8.5	7.1	2.04	217614630	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	47000	19	11.7	48000	38500	34000	9.35	7.4	2.08	217614632	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	47000	18	12	48000	38500	33800	9.3	7.35	2.08	217614634	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	48000	38500	33800	9.35	7.4	2.08	217614636	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	47500	20	12	48000	39000	33600	9	7.2	1.98	217614638	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	47500	18	12	48000	39000	33600	9	7.3	2	217614639	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	47000	20	12.5	48000	38500	31000	8.5	7	1.96	217614640	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.35	7.4	2.08	217614652	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	6.8	2.14	217614653	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	47000	18	12	48000	38500	33600	9.35	7.4	2.08	217614654	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	47500	18	12	48000	39000	31200	8.5	7	1.96	217614655	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	47500	20	12	48000	39000	33600	9	7.3	1.98	217614668	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	47500	20	12	48000	39000	33600	9	7.3	1.98	217614670	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	46000	20	11.7	48000	35600	33000	8.5	7.1	2.04	217614672	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	217614674	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	6.8	2.14	217614676	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	47000	20	12.5	48000	38500	31000	8.5	7	1.96	217614677	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	47500	19	11.7	48000	39500	34400	9.45	7	2.1	218394019	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	46000	18	11.7	48000	34600	29200	8.2	7	2.08	218394020	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.3	7	2.06	218394021	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	47000	18	12	48000	38500	33600	8.35	7	2.08	218394022	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	47500	20	12	48000	38500	33800	9.45	7	2.12	218394023	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	47500	19	12	48000	38500	33600	9.45	7	2.1	218394024	N/A
EL21KLV-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-4											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	L*41/60Z+TXV	EL297UH090XV60C	R-454B	47000	19	11.7	48000	38500	34000	9.35	7	2.08	218394028	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	EL297UH110XE60C	R-454B	47000	18	12	48000	38500	33800	9.3	7	2.08	218394029	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	48000	38500	33800	9.35	7	2.08	218394030	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	EL297UH110XV60C	R-454B	47500	20	12	48000	39000	33600	9	7	1.98	218394031	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML180UH090E60C	R-454B	47000	19	12	48000	38500	33600	9.3	7	2.08	218394032	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML180UH110E60C	R-454B	47500	20	12	48000	39000	34000	9.45	7	2.12	218394033	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML180UH110V60C	R-454B	47500	20	12	48000	38500	33600	8.85	7	2.12	218394034	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML180UH110XE60C	R-454B	47500	20	12	48000	39000	34000	9.45	7	2.12	218394035	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML193UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.3	7	2.08	218394036	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML193UH110XE48C	R-454B	47000	19	12	48000	38500	33600	8.35	7	2.08	218394037	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML193UH110XE60C	R-454B	46500	19	12	48000	34400	29000	8.2	7	2.14	218394038	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.35	7	2.08	218394039	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	7	2.14	218394040	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML196UH110XE60C	R-454B	47000	18	12	48000	38500	33600	9.35	7	2.08	218394041	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML296UH090XV48C	R-454B	47000	19	12	48000	38500	33800	8.85	7	2.08	218394042	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	ML296UH110XV60C	R-454B	47000	19	12	48000	38500	33600	8.85	7	2.08	218394043	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL280UH080NV60C	R-454B	47500	20	12	48000	38500	33600	9.35	7	2.1	218394044	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL280UH090V60C	R-454B	47500	20	12	48000	38500	33800	9.35	7	2.1	218394045	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	47500	20	12	48000	38500	33800	9.35	7	2.1	218394046	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	47500	20	12	48000	38500	33800	9.35	7	2.1	218394047	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	46000	20	12	48000	35400	32800	8.5	7	2.04	218394048	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL280UH110XV60C	R-454B	46000	20	12	48000	35400	32800	8.5	7	2.04	218394049	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL297UH080NV48C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218394050	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SL297UH080NV60C	R-454B	47500	20	12	48000	39000	33600	9	7	1.98	218394051	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SLP99UH090XV48C	R-454B	46000	20	11.7	48000	35600	33000	8.5	7	2.04	218394052	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218394053	N/A
EL21KLV-048-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	7	2.14	218394054	N/A
EL21KLV-048-230A**	L*41/60Z+TXV+LEFE5*	---	R-454B	47000	19	12	48000	37000	32800	8.95	7	2.12	218394082	N/A
EL21KLV-048-230A**	L*42/60S*+TXV+TD	---	R-454B	45500	16	11	48000	35000	29600	8.2	6.8	2.1	217374120	N/A
EL21KLV-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	46500	19	12	48000	38500	31000	8.45	6.95	1.94	218630935	N/A
EL21KLV-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	46500	20	11.7	48000	34800	29200	8.2	6.9	2.14	218630936	N/A
EL21KLV-048-230A**	L*42/60V*+TXV+LEFE5*	---	R-454B	46500	19	12	48000	37400	30800	8.4	7.05	2.08	217549900	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.25	7	2.06	218386387	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	47000	19	12	48000	38500	33600	8.3	7	2.08	218386395	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	47500	20	12	48000	38500	33800	9.4	7	2.1	218386401	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	47500	19	12	48000	38500	33600	9.35	7	2.1	218386406	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	47500	19	12	48000	38500	33600	9.35	7	2.1	218386411	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.25	7	2.08	218386418	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	47000	20	11.7	48000	38500	34000	9.3	7	2.06	218386423	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	47000	20	11.7	48000	38500	34000	9.3	7	2.06	218386428	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	47000	19	12	48000	38500	33800	9.25	7	2.08	218386433	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	48000	38500	33800	9.3	7	2.06	218386438	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	47500	20	12	48000	39000	33600	8.95	7	1.96	218386443	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	47000	19	12	48000	38500	33600	9.25	7	2.08	218386449	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	47500	20	12	48000	39000	34000	9.4	7	2.1	218386453	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	47500	20	12	48000	38500	33600	8.8	7	2.1	218386457	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	47500	20	12	48000	39000	34000	9.4	7	2.1	218386461	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.25	7	2.08	218386467	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	47000	20	12	48000	38500	33600	8.3	7	2.08	218386472	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	46500	19	12	48000	34400	29000	8.2	7	2.14	218386477	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.25	7	2.08	218386481	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	7	2.14	218386485	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	47000	19	12	48000	38500	33600	9.25	7	2.08	218386489	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	47000	19	12	48000	38500	33800	8.8	7	2.08	218386496	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	47000	20	12	48000	38500	33600	8.8	7	2.08	218386501	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386510	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	47500	20	12	48000	39000	33600	8.95	7	1.96	218386514	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	47000	20	11.7	48000	38500	34000	9.3	7	2.06	218386522	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386527	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	7	2.14	218386532	N/A
EL21KLV-048-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	46500	19	12	48000	37400	30800	8.5	7.1	2.1	217454901	N/A
EL21KLV-048-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	46500	19	12	48000	37400	30800	8.5	7.1	2.1	217465664	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	46500	19	11.7	48000	38500	33800	9.25	7	2.06	218386384	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	46500	18	12	48000	34000	28600	8.2	7	2.14	218386390	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	47000	20	12	48000	38500	33800	9.35	7	2.1	218386398	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	47000	19	12	48000	38500	33600	9.35	7	2.1	218386403	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	47000	19	12	48000	38500	33600	9.35	7	2.1	218386408	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL297DF090XV60C	R-454B	46500	20	11.7	48000	38000	32000	8.2	7	2.04	218386413	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	46500	20	11.7	48000	38000	32000	8.2	7	2.04	218386414	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	46500	19	11.7	48000	38500	33800	9.25	7	2.08	218386415	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	46000	20	11.7	48000	35800	33000	8.5	7	2.04	218386420	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	46000	19	11.7	48000	35600	33000	8.5	7	2.04	218386425	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	46000	18	12	48000	34000	28600	8.2	7	2.14	218386430	N/A
EL21KLV-048-230A**														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	46500	19	11.7	48000	38500	33600	9.25	7	2.08	218386447	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	47000	19	12	48000	34600	29000	8.2	7	2.14	218386451	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	47000	20	12	48000	38500	33600	8.8	7	2.1	218386455	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	47000	19	12	48000	34600	29000	8.2	7	2.14	218386459	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	46000	19	12	48000	34200	28800	8.2	7	2.12	218386464	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	46500	19	12	48000	34200	28800	8.2	7	2.14	218386469	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	46500	19	12	48000	34400	29000	8.2	7	2.14	218386474	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	46000	19	12	48000	34200	28800	8.2	7	2.14	218386479	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	7	2.14	218386483	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	46500	18	12	48000	34200	28800	8.2	7	2.14	218386487	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	47000	19	11.7	48000	38000	31800	8	7	2.04	218386492	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	46500	19	12	48000	34200	28800	8.1	7	2.14	218386493	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	46500	19	12	48000	34200	28800	8	7	2.14	218386498	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	46500	20	11.7	48000	37400	31800	8.2	7	2.04	218386503	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	47000	20	12	48000	37400	31600	8.2	7	2.06	218386504	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	47000	20	12	48000	37400	31600	8.2	7	2.06	218386505	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386507	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	46500	20	11.7	48000	34800	29200	8.2	7	2.14	218386511	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SLP99DF090XV48C	R-454B	46500	20	11.7	48000	38000	32000	8.2	7	2.02	218386516	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SLP99DF090XV60C	R-454B	46500	20	11.7	48000	38000	32000	8.2	7	2.02	218386517	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	46500	20	11.7	48000	38000	32000	8.2	7	2.04	218386518	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	46000	20	11.7	48000	35600	33000	8.5	7	2.04	218386519	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386524	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	7	2.14	218386529	N/A
EL21KLV-048-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	46500	19	12	48000	37400	30800	8.45	7.1	2.1	217285688	N/A
EL21KLV-048-230A**	LEM48*1CC*+TXV	---	R-454B	47000	18	12	48000	37000	32800	8.95	7.25	2.12	217615826	N/A
EL21KLV-048-230A**	LEM60*4CC*+TXV	---	R-454B	47000	19	12	48000	37000	32800	9	7.3	2.12	217615827	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.08	218386385	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	47000	18	12	48000	38500	33600	8.4	7	2.1	218386392	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	47500	20	12	48000	38500	33800	9.5	7	2.12	218386399	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	47500	19	12	48000	38500	33600	9.5	7	2.12	218386404	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	47500	19	12	48000	38500	33600	9.5	7	2.12	218386409	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.1	218386416	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	46000	20	11.7	48000	35800	33000	8.5	7	2.04	218386421	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	47000	19	11.7	48000	38500	34000	9.4	7	2.08	218386426	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	47000	18	12	48000	38500	33800	9.4	7	2.1	218386431	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	48000	38500	33800	9.4	7	2.08	218386436	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	47500	20	12	48000	39000	33600	9	7	1.98	218386441	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	47000	19	12	48000	38500	33600	9.4	7	2.1	218386448	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	47500	19	12	48000	39000	34000	9.5	7	2.12	218386452	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	47500	20	12	48000	38500	33600	8.9	7	2.12	218386456	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	47500	19	12	48000	39000	34000	9.5	7	2.12	218386460	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.1	218386465	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	47000	19	12	48000	38500	33600	8.4	7	2.1	218386470	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	46500	19	12	48000	34400	29000	8.2	7	2.14	218386475	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.1	218386480	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	7	2.14	218386484	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	47000	18	12	48000	38500	33600	9.4	7	2.1	218386488	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	47000	19	12	48000	38500	33800	8.9	7	2.1	218386494	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	47000	19	12	48000	38500	33600	8.9	7	2.1	218386499	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386508	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	47500	20	12	48000	39000	33600	9	7	1.98	218386512	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	46000	20	11.7	48000	35600	33000	8.5	7	2.04	218386520	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386525	N/A
EL21KLV-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	7	2.14	218386530	N/A
EL21KLV-048-230A**	LH40/61W*+TXV+LEFE5*	---	R-454B	46500	19	12	48000	37400	30800	8.5	7.1	2.1	217285689	N/A
EL21KLV-048-230A**	LH41/61R*+TXV+LEFE5*	---	R-454B	46500	19	12	48000	37400	30800	8.45	7.05	2.08	217285815	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.35	7	2.08	218386389	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	47000	19	12	48000	38500	33600	8.4	7	2.1	218386397	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	47500	20	12	48000	38500	33800	9.5	7	2.12	218386402	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	47500	19	12	48000	38500	33600	9.5	7	2.12	218386407	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	47500	19	12	48000	38500	33600	9.5	7	2.12	218386412	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.35	7	2.1	218386419	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	47000	20	11.7	48000	38500	34000	9.4	7	2.08	218386424	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	47000	20	11.7	48000	38500	34000	9.4	7	2.08	218386429	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.1	218386434	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	48000	38500	33800	9.4	7	2.08	218386439	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	47500	20	12	48000	39000	33600	9	7	1.98	218386444	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	47000	19	12	48000	38500	33600	9.35	7	2.1	218386450	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	47500	20	12	48000	39000	34000	9.55	7	2.12	218386454	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	47500	20	12	48000	38500	33600	8.9	7	2.12	218386458	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	47500	20	12	48000	39000	34000	9.55	7	2.12	218386462	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.1	218386468	N/A
EL21KLV-048-230A**	LH42/62W*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7	2.1	218386482	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	7	2.14	218386486	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	47000	19	12	48000	38500	33600	9.4	7	2.1	218386490	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	47000	19	12	48000	38500	33800	8.9	7	2.1	218386497	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	47000	20	12	48000	38500	33600	8.9	7	2.1	218386502	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	47500	20	12	48000	39000	33600	9	7.3	1.98	217542806	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	47500	20	12	48000	39000	33600	9	7	1.98	218386515	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	47000	20	11.7	48000	38500	34000	9.4	7	2.08	218386523	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	218386528	N/A
EL21KLV-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	7	2.14	218386533	N/A
EL21KLV-048-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	46500	19	12	48000	37400	30800	8.5	7.1	2.1	217285692	N/A
EL21KLV-048-230A**	LH48/60X*+TXV+LEFE5*	- - -	R-454B	46500	19	12	48000	37400	30800	8.45	7.05	2.1	217285814	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	46000	19	11.7	48000	38500	33800	9.2	7	2.04	218386386	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	46500	18	12	48000	34000	28600	8.2	7	2.14	218386393	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL280UH110E48C	R-454B	46500	20	12	48000	34200	28800	8.2	7	2.16	218386400	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	46500	19	12	48000	34200	28800	8.2	7	2.16	218386405	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	46500	19	12	48000	34200	28800	8.2	7	2.16	218386410	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	46000	19	11.7	48000	38500	33800	9.2	7	2.06	218386417	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	46500	20	11.7	48000	35000	29400	8.2	7	2.12	218386422	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	46000	19	11.7	48000	35600	33000	8.5	7	2.04	218386427	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	46000	18	12	48000	34000	28600	8.2	7	2.14	218386432	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	46500	20	11.7	48000	34800	29200	8.2	7	2.14	218386437	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	46500	20	12	48000	38500	31000	8.45	7	1.96	218386442	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH135XE60D	R-454B	47000	17	12	48000	39000	33600	8.9	7	1.98	218386445	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	EL297UH135XV60D	R-454B	46500	20	12	48000	38500	31000	8.45	7	1.96	218386446	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	46500	18	12	48000	39000	33400	8.9	7	1.96	218386463	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML193UH090XE48C	R-454B	46000	19	12	48000	34200	28800	8.2	7	2.12	218386466	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML193UH110XE48C	R-454B	46500	19	12	48000	34200	28800	8.2	7	2.14	218386471	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	46500	19	12	48000	34400	29000	8.2	7	2.14	218386476	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	46000	19	12	48000	34200	28800	8.2	6.8	2.14	217489445	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	6.8	2.14	217489447	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	46500	18	12	48000	34200	28800	8.2	6.8	2.14	217489449	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH135XE60D	R-454B	47500	17	12	48000	39500	33800	8.9	7	1.98	218386491	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	46500	19	12	48000	34200	28800	8.1	7	2.14	218386495	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	46500	19	12	48000	34200	28800	8	7	2.14	218386500	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	46500	20	12	48000	38500	30800	8.45	7	1.96	218386506	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	46500	20	12	48000	38500	31000	8.45	7	1.94	218386509	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	46500	20	11.7	48000	34800	29200	8.2	7	2.14	218386513	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	46500	20	11.7	48000	34800	29400	8.2	7	2.12	218386521	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	46500	20	12	48000	38500	31000	8.45	7	1.94	218386526	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	7	2.14	218386531	N/A
EL21KLV-048-230A**	LP40/60R*+TXV	SLP99UH135XV60D	R-454B	46500	20	12	48000	38500	31000	8.45	7	1.96	218386534	N/A
EL21KLV-048-230A**	LP40/60R*+TXV+LEFE5*	- - -	R-454B	46500	19	12	48000	37400	30800	8.45	7.05	2.08	217285691	N/A
EL21KLV-048-230A**	LP41/61R*+TXV+LEFE5*	- - -	R-454B	46500	19	12	48000	37400	30800	8.45	7.05	2.08	217285690	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.35	7.4	2.08	217614617	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	47000	19	12	48000	38500	33600	8.4	7.4	2.1	217614619	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.35	7.4	2.1	217614627	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	47000	20	11.7	48000	38500	34000	9.4	7.45	2.08	217614629	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	47000	20	11.7	48000	38500	34000	9.4	7.45	2.08	217614631	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	47000	19	12	48000	38500	33800	9.4	7.4	2.1	217614633	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	48000	38500	33800	9.4	7.45	2.08	217614635	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	47500	20	12	48000	39000	33600	9	7.2	1.98	217614637	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	47000	19	12	48000	38500	33800	9.4	7.4	2.1	217489446	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	46500	19	12	48000	34600	29000	8.2	6.8	2.14	217489448	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	47000	19	12	48000	38500	33600	9.4	7.4	2.1	217489450	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	47500	20	12	48000	39000	33600	9	7.3	1.98	217614667	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	47500	20	12	48000	39000	33600	9	7.3	1.98	217614669	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	47000	20	11.7	48000	38500	34000	9.4	7.45	2.08	217614671	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	48000	38500	31000	8.5	7	1.94	217614673	N/A
EL21KLV-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	48000	34800	29200	8.2	6.8	2.14	217614675	N/A
EL21KLV-048-230A**	LP42/62W*+TXV+LEFE5*	- - -	R-454B	46500	19	12	48000	37400	30800	8.5	7.1	2.1	217285693	N/A
EL21KLV-048-230A**	LU39/61Y*M+TXV+LMHE4D	- - -	R-454B	44500	19	11	48000	37400	30800	7.9	6.65	1.96	217288365	N/A
EL21KLV-048-230A**	LU39/61Y*M+TXV+LMHE5D	- - -	R-454B	44500	19	11	48000	37400	30800	7.9	6.65	1.96	217288364	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	55000	19	11.7	60000	42500	34000	8.4	6.95	2.12	217614679	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	60000	43000	34200	8.45	6.95	2.14	217614681	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	60000	43500	34800	8.4	7.05	2.12	217614687	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.45	6.95	2.14	217614689	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7.1	2.14	217614691	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	53500	18	11	60000	39500	34200	8.5	7.1	2.12	217614692	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	53000	20	11.7	60000	39000	34000	8.5	7.1	2.14	217614693	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.45	6.95	2.12	217614701	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	60000	43000	34600	8.45	6.95	2.14	217614702	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	53500	18	11.7	6							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP98UH090XV60C	R-454B	52500	19	11	60000	41500	31600	8.5	6.9	2.06	217614716	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.4	7.05	2.12	217614718	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.4	7.05	2.14	217614720	N/A
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	53000	20	11.7	60000	39000	34000	8.5	7.1	2.14	217614721	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL180UH100NE60C	R-454B	54500	19	11.5	60000	43000	35400	8.5	7	2.06	218394055	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL195UH100NE60C	R-454B	55000	19	11.7	60000	42500	34000	8.4	7	2.12	218394056	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	60000	43000	34200	8.45	7	2.14	218394057	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL280UH110E60C	R-454B	56000	19	11.7	60000	43000	34400	8.45	7	2.16	218394058	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL280UH110XE60C	R-454B	56000	19	11.7	60000	43000	34400	8.45	7	2.16	218394059	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	60000	43500	34800	8.4	7	2.12	218394060	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.45	7	2.14	218394061	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218394062	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML180UH090E60C	R-454B	56000	19	11.7	60000	43000	34400	8.45	7	2.16	218394063	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML180UH110E60C	R-454B	56000	20	11.7	60000	43000	34400	8.45	7	2.16	218394064	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML180UH110V60C	R-454B	55000	20	12	60000	41500	33400	8.4	7	2.16	218394065	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML180UH110XE60C	R-454B	56000	20	11.7	60000	43000	34400	8.45	7	2.16	218394066	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML193UH110XE60C	R-454B	54500	19	11.7	60000	42500	35000	8.5	7	2.08	218394067	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.45	7	2.12	218394068	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	60000	43000	34600	8.45	7	2.14	218394069	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	ML296UH110XV60C	R-454B	55000	19	12	60000	42000	33800	8.1	7	2.14	218394070	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL280UH080NV60C	R-454B	54000	20	12	60000	42500	34800	8.5	7	2.08	218394071	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL280UH090V60C	R-454B	55000	20	12	60000	42500	34200	8.4	7	2.16	218394072	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	55000	20	12	60000	42500	34200	8.4	7	2.16	218394073	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	55000	20	12	60000	43000	34400	8.4	7	2.14	218394074	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	55000	20	12	60000	43000	34400	8.4	7	2.14	218394075	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL280UH110XV60C	R-454B	55000	20	12	60000	43000	34400	8.4	7	2.14	218394076	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218394077	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.4	7	2.12	218394078	N/A
EL21KLV-060-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.4	7	2.14	218394079	N/A
EL21KLV-060-230A**	L*41/60Z+TXV+LEFE5*	---	R-454B	53500	18	11	60000	42500	37600	8.45	7	2.16	218394083	N/A
EL21KLV-060-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	54000	18	11	60000	43000	35400	8.45	6.95	2.06	218631335	N/A
EL21KLV-060-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	54000	18	11	54000	42500	34000	8.25	6.85	2.08	218630937	N/A
EL21KLV-060-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	53500	19	11.7	60000	42500	34800	8.45	7.05	2.08	218631336	N/A
EL21KLV-060-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	54000	19	11.7	60000	43000	34400	8.25	6.9	2.1	218631337	N/A
EL21KLV-060-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	52500	19	11.5	54000	39500	34200	8.4	7	2.12	218630938	N/A
EL21KLV-060-230A**	L*42/60V*+TXV+LEFE5*	---	R-454B	52000	18	10.5	60000	42500	37600	8.5	7	2.16	217956909	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	60000	43000	34200	8.4	7	2.14	218386543	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	56000	19	11.7	60000	43000	34400	8.4	7	2.14	218386548	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	56000	19	11.7	60000	43000	34400	8.4	7	2.14	218386553	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	60000	43500	34800	8.35	7	2.1	218386558	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.4	7	2.14	218386563	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218386568	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	56000	19	11.7	60000	43000	34400	8.4	7	2.14	218386574	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	56000	20	11.7	60000	43000	34400	8.4	7	2.14	218386578	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	55000	20	12	60000	41500	33400	8.35	7	2.14	218386582	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	56000	20	11.7	60000	43000	34400	8.4	7	2.14	218386586	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	54500	19	11.7	60000	42500	35000	8.5	7	2.08	218386592	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.4	7	2.12	218386596	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	60000	43000	34600	8.4	7	2.12	218386600	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	55000	19	12	60000	42000	33800	8.05	7	2.12	218386606	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218386618	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.35	7	2.1	218386622	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.35	7	2.12	218386627	N/A
EL21KLV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	53500	18	11	60000	42500	37600	8.4	7.15	2.14	217454902	N/A
EL21KLV-060-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	53500	18	11	60000	42500	37600	8.45	7.15	2.14	217465665	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	55000	19	11.5	60000	43000	34200	8.3	7	2.12	218386537	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	55500	19	11	60000	44500	35200	8.45	7	2.1	218386545	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	55500	19	11	60000	44500	35200	8.45	7	2.1	218386550	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	54500	19	11.5	60000	43500	34800	8.3	7	2.1	218386555	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	55000	19	11.5	60000	42500	34200	8.3	7	2.12	218386560	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	54000	19	11.7	60000	42500	35000	8.5	7	2.08	218386565	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	55000	19	11.5	60000	43000	35400	8.5	7	2.08	218386572	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	55000	19	11.7	60000	42500	35200	8.5	7	2.08	218386576	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	54500	20	12	60000	41500	33400	8.3	7	2.14	218386580	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	55000	19	11.7	60000	42500	35200	8.5	7	2.08	218386584	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	54500	19	11.7	60000	42500	35000	8.5	7	2.08	218386589	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	55000	19	11.5	60000	42500	34200	8.3	7	2.1	218386594	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	55000	18	11.5	60000	43000	35400	8.5	7	2.08	218386598	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	54500	19	11.7	60000	42000	33800	8	7	2.12	218386603	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	60000	39500	34200	8.45	7	2.12	218386615	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	54000	19	11.7	60000	42500	35000	8.5	7	2.08	218386619	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	54000	19	11.5	60000	45000	35400	8.45	7	2.08	218386624	N/A
EL21KLV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	52500	18	10.5								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	56000	19	11.7	60000	43000	34400	8.4	7	2.14	218386546	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	56000	19	11.7	60000	43000	34400	8.4	7	2.14	218386551	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	54000	20	11	60000	45000	35600	8.5	7	2.1	218386556	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.4	7	2.14	218386561	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218386566	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	56000	19	11.7	60000	43000	34400	8.4	7	2.14	218386573	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	55000	19	11.7	60000	42500	35200	8.5	7	2.08	218386577	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	55000	20	12	60000	41500	33400	8.4	7	2.16	218386581	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	55000	19	11.7	60000	42500	35200	8.5	7	2.08	218386585	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	54500	19	11.7	60000	42500	35000	8.5	7	2.08	218386590	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.4	7	2.12	218386595	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	55500	19	11	60000	45000	35400	8.5	7	2.1	218386599	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	55000	19	12	60000	42000	33800	8.1	7	2.14	218386604	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218386616	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	54000	19	11.7	60000	42500	35000	8.5	7	2.08	218386620	N/A
EL21KLV-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	54000	20	11.5	60000	45000	35400	8.5	7	2.1	218386625	N/A
EL21KLV-060-230A**	LH40/61W*+TXV+LEFE5*	- - -	R-454B	53000	18	11	60000	42500	37600	8.4	7.15	2.14	217285695	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	60000	43000	34200	8.5	7	2.16	218386544	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	56000	19	11.7	60000	43000	34400	8.5	7	2.16	218386549	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	56000	19	11.7	60000	43000	34400	8.5	7	2.16	218386554	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	60000	43500	34800	8.45	7	2.14	218386559	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.5	7	2.16	218386564	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7	2.14	218386569	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	56000	19	11.7	60000	43000	34400	8.5	7	2.16	218386575	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	56000	20	11.7	60000	43000	34400	8.5	7	2.16	218386579	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	55000	20	12	60000	41500	33400	8.45	7	2.16	218386583	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	56000	20	11.7	60000	43000	34400	8.5	7	2.16	218386587	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.5	7	2.16	218386593	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.5	7	2.14	218386597	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	60000	43000	34600	8.5	7	2.14	218386601	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	55000	19	12	60000	42000	33800	8.15	7	2.16	218386607	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7.1	2.14	217542807	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.45	7	2.14	218386623	N/A
EL21KLV-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	55000	20	11.7	60000	43000	34600	8.45	7	2.16	218386628	N/A
EL21KLV-060-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	53500	18	11	60000	42500	37600	8.5	7.2	2.16	217285696	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	54500	19	11	60000	43000	34600	8.25	7	2.08	218386535	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	54000	18	11	60000	42500	34000	8.25	7	2.08	218386536	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	54500	19	11	60000	43000	34200	8.25	7	2.1	218386540	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	55000	19	11	60000	44500	35200	8.4	7	2.1	218386547	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	55000	19	11	60000	44500	35200	8.4	7	2.1	218386552	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	52500	19	11	60000	42000	31600	8.5	7	2.06	218386557	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	54500	19	11	60000	42500	34200	8.25	7	2.1	218386562	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	53500	19	11.5	60000	42500	35000	8.45	7	2.08	218386567	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL297UH135XE60D	R-454B	53000	18	11	60000	39500	34200	8.4	7	2.1	218386570	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	EL297UH135XV60D	R-454B	52500	20	11.5	60000	39000	34000	8.4	7	2.12	218386571	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	53500	18	11	60000	39000	33800	8.4	7	2.12	218386588	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	54500	19	11	60000	44500	35000	8.4	7	2.1	218386591	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	54500	19	11	60000	42500	34200	8.25	6.85	2.08	217489459	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	54500	18	11	60000	43000	35400	8.45	6.95	2.08	217489461	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	ML196UH135XE60D	R-454B	53000	18	11.5	60000	39000	33600	8.4	7	2.12	218386602	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	54000	19	11.7	60000	42000	33800	8	7	2.1	218386605	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	54000	20	11.7	60000	43000	34400	8.25	7	2.1	218386608	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	54000	20	11.7	60000	42500	34200	8.25	7	2.12	218386609	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	54000	20	11.7	60000	42500	34200	8.25	7	2.12	218386610	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	54000	20	11.7	60000	43000	34400	8.25	7	2.1	218386611	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	54000	20	11.7	60000	43000	34400	8.25	7	2.1	218386612	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	54000	20	11.7	60000	43000	34400	8.25	7	2.1	218386613	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	52500	20	11.5	60000	39000	33800	8.9	7	2.14	218386614	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	52500	20	11.5	60000	39500	34200	8.4	7	2.12	218386617	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	53500	19	11.5	60000	42500	35000	8.45	7	2.08	218386621	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	52500	19	11	60000	41500	31400	8.5	7	2.08	218386626	N/A
EL21KLV-060-230A**	LP40/60R*+TXV	SLP99UH135XV60D	R-454B	52500	20	11.5	60000	39000	34000	8.4	7	2.12	218386629	N/A
EL21KLV-060-230A**	LP40/60R*+TXV+LEFE5*	- - -	R-454B	52000	18	10.5	60000	42500	37600	8.5	7	2.16	217956908	N/A
EL21KLV-060-230A**	LP41/61R*+TXV+LEFE5*	- - -	R-454B	52000	18	10.5	60000	42500	37600	8.5	7	2.16	217956907	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	60000	43000	34200	8.5	7	2.16	217614680	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	60000	43500	34800	8.45	7.1	2.14	217614686	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.5	7	2.16	217614688	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7.1	2.14	217614690	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	60000	42500	34200	8.5	7	2.14	217489460	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	60000	43000	34600	8.5	7	2.14	217489462	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	60000	39500	34200	8.5	7.1	2.14	217614713	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	SLP98UH090XV60C	R-454B	52500	19	11	60000	41500	31600	8.5	6.9	2.06	217614715	N/A
EL21KLV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	55000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	BC**A4*18+TXV+TD	---	R-454B	17600	14.5	12.5	16000	9900	8000	7.5	6.35	1.9	216472867	N/A
ML14KP1-018-230A**	BC**A4*24+TXV+TD	---	R-454B	17600	14.5	12.5	16000	9900	8000	7.5	6.35	1.9	217050188	N/A
ML14KP1-018-230A**	BV**B2*25+TXV	---	R-454B	17600	14.3	13	15900	9500	7900	7.5	6.4	1.98	215867019	N/A
ML14KP1-018-230A**	BV**B6*25+TXV	---	R-454B	17700	14.5	13	15900	9500	7900	7.55	6.4	1.98	215867924	N/A
ML14KP1-018-230A**	CE2403C+TXV	---	R-454B	17600	14.3	13	15900	9500	7900	7.5	6.4	1.98	218775689	N/A
ML14KP1-018-230A**	FC*E32*25+TXV+TD	---	R-454B	17400	14.5	12.5	16100	9900	8000	7.55	6.4	1.92	217045735	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	6.35	1.94	217109681	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217109682	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL180UH080NE48B	R-454B	18000	14.5	12.5	16400	9800	8100	7.5	6.35	1.88	217109683	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL195DF070XE48B	R-454B	18000	14.5	12.5	16400	10200	8000	7.8	6.6	1.9	217110043	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217110044	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL195UH060NE36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.96	217110045	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL196DF045XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.92	217110046	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL196DF070XE48B	R-454B	18000	14.5	12.5	16400	10200	8000	7.8	6.6	1.88	217110047	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217110048	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217110049	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	6.35	1.98	217110050	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	6.6	1.96	217109692	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH070E36A	R-454B	18000	16	14.5	16100	9400	7400	7.5	6.35	1.9	217109693	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH070XE36A	R-454B	18000	16	14.5	16100	9400	7400	7.5	6.35	1.9	217109694	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH090E36B	R-454B	18000	16	14	16400	9900	7900	7.8	6.6	1.96	217109695	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF045XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.9	217110051	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF045XV36B	R-454B	18000	15.2	13	16400	10100	8000	7.8	6.6	1.94	217110052	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF070XE48B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.9	217110053	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF070XV48B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.9	217110054	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF090XE48C	R-454B	18000	14.3	12	16400	10400	8300	7.5	6.35	1.88	217110055	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.98	217110056	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217110057	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH070XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.96	217110058	N/A
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.98	217110059	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180DF070E36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.9	217109704	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217109705	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217109706	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH045V36A	R-454B	18000	16	14.5	15900	9900	7500	7.8	6.6	1.94	217109707	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217109708	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217109709	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.98	217109710	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217109711	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217109712	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070V48B	R-454B	18000	16	14	16000	9400	7700	7.5	6.35	1.98	217109713	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217109714	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.98	217109715	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH090V48B	R-454B	18000	17	14	16000	9400	7700	7.5	6.35	2.02	217109716	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML193DF045XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.92	217109717	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML193DF070XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	6.6	1.94	217109718	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML193DF090XE48C	R-454B	18000	14.5	12.5	16400	10400	8200	7.8	6.6	1.88	217109719	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217109720	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML193UH045XE36B	R-454B	18000	16	14	16400	9900	7900	7.8	6.6	1.94	217109721	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML193UH070XE36B	R-454B	18000	16	14	16100	9500	7800	7.5	6.35	2	217109722	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML196DF045XE36B	R-454B	18000	15.2	13	16400	10100	8000	7.8	6.6	1.92	217110060	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML196DF070XE48B	R-454B	18000	15.2	13	16400	10200	8100	7.8	6.6	1.92	217110061	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML196DF090XE48C	R-454B	18000	14.5	12.5	16400	10400	8200	7.8	6.6	1.86	217109725	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217110062	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217110063	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	6.35	1.98	217110064	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML296DF045XV36B	R-454B	18000	14.5	12.5	16400	10300	8100	7.8	6.6	1.88	217110065	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217110066	N/A
ML14KP1-018-230A**	HG1K*36+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217110067	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280DF060NV36B	R-454B	18000	15.2	13	16400	10100	7900	7.8	6.6	1.92	217109732	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280DF090V48B	R-454B	18000	15.2	13	16400	10100	7900	7.8	6.6	1.92	217109733	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217109734	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217109735	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217109736	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH080NV48B	R-454B	18000	15.2	13.5	16100	9600	7900	7.5	6.35	1.96	217109737	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9400	7700	7.5	6.35	2	217109738	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH090V48B	R-454B	18000	16	14.5	16100	9400	7400	7.5	6.35	1.92	217109739	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217110068	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.96	217110069	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SLP99DF070XV36B	R-454B	18000	15.2	13	16400	10100	8000	7.8	6.6	1.94	217110070	N/A
ML14KP1-018-230A**	HG1K*36+TXV	SLP99UH070XV36B	R-454B	18000	16	14	16000	9400	7700	7.5	6.35	1.98	217110071	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	217109451	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217109452	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL180UH080NE48B	R-454B	18000	14.5	12.5	16400	9800	8100	7.5	6.35	1.88	217109453	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL195DF070XE48B	R-454B	17800	14.5</									

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	HG34*36+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	217109686	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL196DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.9	217109687	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL196DF070XE48B	R-454B	17800	14.5	12.5	16400	10200	8000	7.75	6.55	1.86	217109688	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217109689	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217109690	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217109691	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217109454	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217109455	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217109456	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217109457	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.88	217109696	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297DF045XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	6.55	1.92	217109697	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297DF070XE48B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.88	217109698	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297DF070XV48B	R-454B	17800	15.2	13	16400	10200	8000	7.75	6.55	1.88	217109699	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217109458	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217109701	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217109702	N/A
ML14KP1-018-230A**	HG34*36+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217109703	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180DF070E36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.88	217109458	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217109459	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217109460	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217109461	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217109462	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217109463	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217109464	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217109465	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217109466	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070V48B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217109467	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217109468	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217109469	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML180UH090V48B	R-454B	18000	16	14.5	16000	9300	7400	7.5	6.35	1.96	217109470	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML193DF045XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	6.55	1.9	217109471	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML193DF070XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	6.55	1.92	217109472	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML193DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	6.55	1.86	217109473	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217109474	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217109475	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217109476	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML196DF045XE36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	6.55	1.9	217109723	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML196DF070XE48B	R-454B	17800	15	12.5	16400	10200	8100	7.75	6.55	1.9	217109724	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML196DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	6.55	1.84	217109477	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217109726	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217109727	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217109728	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML296DF045XV36B	R-454B	17800	14.5	12.5	16400	10300	8100	7.75	6.55	1.86	217109729	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217109730	N/A
ML14KP1-018-230A**	HG34*36+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217109731	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.75	6.55	1.9	217109478	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280DF090V48B	R-454B	17800	15.2	13	16400	10100	7900	7.75	6.55	1.9	217109479	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217109480	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217109481	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217109482	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280UH080NV48B	R-454B	18000	15.2	13.5	16200	9500	7600	7.5	6.35	1.9	217109483	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	6.35	1.98	217109484	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL280UH090V48B	R-454B	17800	16	14	16100	9600	7800	7.75	6.55	1.98	217109485	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217109740	N/A
ML14KP1-018-230A**	HG34*36+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217109741	N/A
ML14KP1-018-230A**	HG34*36+TXV	SLP99DF070XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	6.55	1.92	217109742	N/A
ML14KP1-018-230A**	HG34*36+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217109743	N/A
ML14KP1-018-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	218630960	N/A
ML14KP1-018-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	18000	16	14	16000	9300	7700	7.5	6.35	1.98	218630961	N/A
ML14KP1-018-230A**	L*18/30Z+TXV+TD	EL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	218630962	N/A
ML14KP1-018-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	18000	16	14	16000	9300	7700	7.5	6.35	1.98	218630963	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216967596	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216967603	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975204	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975215	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216967610	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975224	N/A
ML14KP1-018-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975235	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216967595	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216967602	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975203	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186625	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217183744	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	9400	7400	7.5	6.35	1.9	217183750	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	9400	7400	7.5	6.35	1.9	217183756	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	6.35	1.92	217183761	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186630	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217186635	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186640	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186645	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	18000	16	13.5	16000	9900	7500	7.8	6.6	1.92	217183767	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183773	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183779	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183785	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183791	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183796	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183802	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217183807	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183813	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183818	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	6.35	1.9	217183823	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217183828	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217183833	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	6.35	1.88	217186650	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186655	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.9	217186660	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186665	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186670	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216967609	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	6.6	1.92	217183839	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	6.6	1.92	217183845	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183850	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975223	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975234	N/A
ML14KP1-018-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186675	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216967597	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216967604	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	18000	14.5	12.5	16400	9800	8100	7.5	6.35	1.88	217482045	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975206	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975217	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186617	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186622	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186627	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217183745	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183751	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183757	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217183763	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.88	217482046	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF045XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	6.55	1.92	217482047	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF070XE48B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.88	217482048	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF070XV48B	R-454B	17800	15.2	13	16400	10200	8000	7.75	6.55	1.88	217482049	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186632	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217186637	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186642	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186647	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180DF070E36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	6.55	1.88	217482050	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183768	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183774	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183780	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183786	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183792	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183798	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183803	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217183809	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217482051	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183814	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183820	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	18000	16	14.5	16000	9300	7400	7.5	6.35	1.96	217482052	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193DF045XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	6.55	1.9	217482053	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193DF070XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	6.55	1.92	217482054	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	6.55	1.86	217482055	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217183825	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183830	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	L*19/36U*+TXV	ML196DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	6.55	1.84	217482058	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186652	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186657	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217186662	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML296DF045XV36B	R-454B	17800	14.5	12.5	16400	10300	8100	7.75	6.55	1.86	217482059	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186667	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186672	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.75	6.55	1.9	217482060	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280DF090V48B	R-454B	17800	15.2	13	16400	10100	7900	7.75	6.55	1.9	217482061	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216967611	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183840	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183846	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	18000	15.2	13.5	16200	9500	7600	7.5	6.35	1.9	217482062	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	6.35	1.98	217183852	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	17800	16	14	16100	9600	7800	7.75	6.55	1.98	217186673	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975226	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975237	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SLP99DF070XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	6.55	1.92	217482064	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186677	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	7	1.94	218387827	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6	1.9	218387829	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.88	218387831	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6	1.92	218387832	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6	1.88	218387833	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6	1.88	218387834	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6	1.88	218387835	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	7	1.92	218387836	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	7	1.96	218387838	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	7	1.96	218387840	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6	1.92	218387843	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387848	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387849	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.9	218387850	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387851	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	7	1.92	218387853	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	7	1.94	218387855	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	7	1.94	218387857	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	7	1.94	218387859	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	7	1.96	218387861	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387863	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	7	1.96	218387864	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6	1.92	218387866	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	7	1.96	218387867	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387869	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6	1.9	218387872	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387873	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387874	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6	1.88	218387876	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6	1.88	218387877	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6	1.9	218387878	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.9	218387880	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6	1.9	218387881	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	7	1.96	218387882	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387884	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387886	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387889	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6	1.92	218387890	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.9	218387891	N/A
ML14KP1-018-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387893	N/A
ML14KP1-018-230A**	LCM24*A4*+TXV+TD	- - -	R-454B	17600	14.5	12.5	16000	9900	8000	7.5	6.35	1.9	218625052	N/A
ML14KP1-018-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216978117	N/A
ML14KP1-018-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216978118	N/A
ML14KP1-018-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216978119	N/A
ML14KP1-018-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216977917	N/A
ML14KP1-018-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6.35	1.9	216977919	N/A
ML14KP1-018-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6.35	1.92	216977922	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	216977918	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216977920	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217183742	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183748	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183754	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183765	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183771	N/A
ML14KP1-018-														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183789	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183800	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183811	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216977923	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183837	N/A
ML14KP1-018-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183843	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL180UH040NE36B	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	217230663	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217230664	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216978023	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216978024	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217230663	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186619	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186624	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217183760	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.7	7	1.88	218387846	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.7	7	1.92	218387847	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186629	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217186634	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186639	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186644	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	17800	15	12.5	16400	10200	8000	7.7	7	1.88	218387852	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183795	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217183806	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183817	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.7	7	1.9	218387870	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.7	7	1.92	218387871	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217183822	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183827	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217183832	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	17800	15.2	13	16400	10100	8000	7.7	7	1.9	218387875	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186649	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186654	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217186659	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML296DF045XV36B	R-454B	17800	14.5	12.5	16400	10300	8100	7.7	7	1.86	218387879	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186664	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186669	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.7	6.5	1.9	216977921	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217230669	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217230670	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217230671	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183849	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216978025	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216978026	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.7	7	1.92	218387892	N/A
ML14KP1-018-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186674	N/A
ML14KP1-018-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967594	N/A
ML14KP1-018-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967601	N/A
ML14KP1-018-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975213	N/A
ML14KP1-018-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	216967608	N/A
ML14KP1-018-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975233	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967593	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	6.6	1.94	216967600	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975212	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	17900	15.2	13	16200	10100	7700	7.75	6.6	1.92	217183743	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	6.35	1.92	217183749	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	6.35	1.92	217183755	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183766	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183772	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	17900	15.2	13.5	15900	9900	7500	7.75	6.6	1.94	217183778	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183784	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183790	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183801	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	217183812	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	6.35	1.92	216967607	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	17900	15.2	13.5	16100	10000	7600	7.75	6.6	1.92	217183838	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	17900	15.2	13.5	16100	10000	7600	7.75	6.6	1.92	217183844	N/A
ML14KP1-018-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	6.5	1.92	216975232	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	16000	9500	7700	7.5	6.35	1.96	216967598	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216967605	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	6.6	1.96	217183746	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183752	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183758	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	ML18												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183787	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183793	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183804	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183815	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216967612	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183841	N/A
ML14KP1-018-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183847	N/A
ML14KP1-018-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975210	N/A
ML14KP1-018-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975221	N/A
ML14KP1-018-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975230	N/A
ML14KP1-018-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975241	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	7	1.94	218387828	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	6	1.9	218387830	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	216975209	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.92	216975220	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186618	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186623	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186628	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	7	1.92	218387837	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	9400	7400	7.5	6	1.9	218387839	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	9400	7400	7.5	6	1.9	218387841	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	6.35	1.92	217183764	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186633	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217186638	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186643	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217186648	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	18000	16	13.5	16000	9900	7500	7.8	7	1.92	218387854	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387856	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	7	1.94	218387858	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387860	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387862	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183799	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	18000	16	14	15900	9300	7400	7.5	6	1.92	218387865	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217183810	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	9400	7400	7.5	6	1.92	218387868	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183821	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	6.35	1.9	217183826	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	217183831	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	217183836	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186653	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186658	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	6.35	1.9	217186663	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186668	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.9	217186673	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	6	1.92	218387883	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	7	1.92	218387885	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	7	1.92	218387887	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217183853	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	6.35	1.92	216975229	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.9	216975240	N/A
ML14KP1-018-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186678	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975205	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975216	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186616	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186621	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217186626	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6.35	1.92	217183762	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186631	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217186636	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186641	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217186646	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183797	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217183808	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217183819	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217183824	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217183829	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217183834	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217186651	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217186656	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217186661	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186666	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217186671	N/A
ML14KP1-018-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	159							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217186676	N/A
ML14KP1-018-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217230665	N/A
ML14KP1-018-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	217230667	N/A
ML14KP1-018-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217230672	N/A
ML14KP1-018-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217230666	N/A
ML14KP1-018-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16000	9300	7700	7.5	6.35	1.98	217230668	N/A
ML14KP1-018-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14.5	15900	9300	7400	7.5	6.35	1.92	217230673	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	16000	9500	7700	7.5	6.35	1.96	216967599	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	216967606	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613952	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	217613953	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613957	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613961	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.88	217613965	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	6.6	1.96	217183747	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183753	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217183759	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613969	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613973	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613977	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613981	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217183770	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183776	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217183782	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217183788	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183794	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217609350	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217183805	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217609363	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217183816	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217609377	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217609385	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217609393	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217609401	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613985	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613989	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217613993	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613997	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217614001	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	216967613	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183842	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217183848	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217614002	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217614003	N/A
ML14KP1-018-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217614007	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	6.6	1.94	217609288	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217609284	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975207	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975218	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613955	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	6.35	1.88	217613959	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	6.35	1.88	217613963	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	6.6	1.92	217609294	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217609300	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217609306	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6	1.92	218387844	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613967	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613971	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613975	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613979	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217609316	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217609322	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217609328	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217609334	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217609340	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217609346	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217609354	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	6.35	1.92	217609360	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217609367	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.92	217609373	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217609381	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217609389	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	740					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.9	217613991	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613995	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613999	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217609410	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217609415	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217609421	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217230674	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975227	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975238	N/A
ML14KP1-018-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217614005	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	6.35	1.94	217609280	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	6.35	1.9	217609286	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	216975208	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	6.35	1.92	216975219	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613956	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613960	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	6.35	1.98	217613964	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.5	6.55	1.96	217609296	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217609302	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.96	217609308	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	6	1.92	218387845	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613968	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217613972	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613976	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217613980	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.92	217609318	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217609324	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	6.6	1.94	217609329	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	6.6	1.94	217609336	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217609342	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.98	217609348	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	6.6	1.96	217609356	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	6.35	1.92	217609361	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217609369	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	6.35	1.98	217609375	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	6.35	1.9	217609383	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	217609391	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	217609399	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	6.35	1.88	217613984	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.88	217613988	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	6.35	1.98	217613992	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217613996	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	6.35	1.9	217614000	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	6.6	1.96	217609412	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217609417	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	6.6	1.92	217609423	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9400	7700	7.5	6.35	2	217230675	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	6.35	1.92	216975228	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	6.35	1.9	216975239	N/A
ML14KP1-018-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	6.35	1.92	217614006	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	6.6	1.94	217609276	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	6.6	1.94	217609282	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	216975202	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	6.6	1.96	216975211	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	18000	16	14	16400	10100	8100	7.5	6.35	1.92	217613954	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613958	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613962	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	18000	16	14.5	16200	10100	7700	7.8	6.6	1.92	217609292	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	18000	17	15	16200	9500	7800	7.8	6.6	2	217609298	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	18000	17	15	16200	9500	7800	7.8	6.6	2	217609304	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	18000	16	14.5	16400	9900	7900	7.8	7	1.96	218387842	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	18000	17	14.5	16000	9400	7400	7.5	6.35	1.9	217613966	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613970	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	6.6	1.94	217613974	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	6.6	1.96	217613978	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	2	217609314	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	1.98	217609320	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	18000	17	15	15900	9900	7500	7.8	6.6	1.94	217609326	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	1.98	217609332	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	1.98	217609338	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	18000	17	14.5	16000	9400	7400	7.5	6.35	1.92	217609344	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	1.98	217609352	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	18000	17	15	15800	9200	7					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14.5	16400	10000	8000	7.8	6.6	1.94	217609379	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	18000	17	14.5	16100	9600	7800	7.5	6.35	1.98	217609387	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	18000	17	14.5	16100	9500	7800	7.5	6.35	2	217609395	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	18000	16	14	16400	10100	8100	7.5	6.35	1.92	217613982	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613986	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	6.35	1.94	217613990	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	6.6	1.94	217613994	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	6.6	1.94	217613998	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	6.6	1.98	217609408	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14.5	16200	9600	7800	7.8	6.6	1.96	217609414	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14.5	16200	9600	7800	7.8	6.6	1.96	217609419	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	18000	17	15	15900	9300	7400	7.5	6	1.92	218387888	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14.5	16400	9900	7900	7.5	6.35	1.94	216975222	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	6.6	1.96	216975231	N/A
ML14KP1-018-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	18000	17	14.5	15900	9300	7400	7.5	6.35	1.92	217614004	N/A
ML14KP1-018-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	17800	16	13	16100	9900	8000	7.55	6.4	1.92	217992333	N/A
ML14KP1-018-230A**	LW18*M7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	217290737	N/A
ML14KP1-018-230A**	LW24*K7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	216562297	N/A
ML14KP1-018-230A**	LW25*K7+TXV	---	R-454B	17000	16	13	16000	9900	8000	7.5	6.35	1.9	216771661	N/A
ML14KP1-018-230A**	LW25*M7+TXV	---	R-454B	17000	15	13	16000	9900	8000	7.5	6.35	1.9	217732827	N/A
ML14KP1-018-230A**	SM7*18+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	6.35	1.9	216498329	N/A
ML14KP1-024-230A**	BV**B2*25+TXV	---	R-454B	23400	14.5	12	20400	13000	10600	7.6	6.55	1.94	217050189	N/A
ML14KP1-024-230A**	CE3005A*+TXV	---	R-454B	23400	15.2	12	20400	13000	10600	7.55	6.5	1.92	218644574	N/A
ML14KP1-024-230A**	FC*E34*25+TXV+TD	---	R-454B	23200	14.3	12	20400	13000	10600	7.7	6.6	1.96	217037932	N/A
ML14KP1-024-230A**	FE'E31*24+TXV	---	R-454B	22400	14.5	12.5	20000	13100	10900	7.55	6.55	2.02	215867052	N/A
ML14KP1-024-230A**	FE'E32*24+TXV	---	R-454B	22600	14.5	13	20200	13100	10900	7.65	6.6	2.06	215867960	N/A
ML14KP1-024-230A**	FE*G32*24+TXV	---	R-454B	22600	14.5	13	20200	13100	10900	7.65	6.6	2.06	215867057	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217109744	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217109745	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20400	13200	11100	8	6.85	2.12	217109746	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217110072	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217110073	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	6.7	2	217110074	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	6.7	2	217110075	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217110076	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280DF090E48B	R-454B	23600	15.2	13	21400	13700	11000	8.2	7.05	2.1	217109752	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217109753	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217109754	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217109755	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217109756	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	6.95	2.16	217109757	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	6.95	2.16	217109758	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF045XE36B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217110077	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF045XV36B	R-454B	23200	14.5	12.5	21000	13700	10900	8.2	7.05	2.08	217110078	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF070XE48B	R-454B	23400	14.3	12.5	21400	13900	11100	8.2	7.05	2.06	217110079	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF070XV48B	R-454B	23400	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217110080	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF090XE48C	R-454B	23600	15.2	13	21200	13700	10900	8.2	7.05	2.1	217110081	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217110082	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	6.7	2.02	217110083	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217110084	N/A
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217110085	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180DF070E36B	R-454B	23200	14.5	12.5	21000	13600	10900	8.2	7.05	2.08	217109765	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180DF090E48B	R-454B	23600	15.2	13	21200	13700	10900	8.2	7.05	2.1	217109766	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180DF110E60C	R-454B	23600	14.5	12.5	21600	13900	11100	8.2	7.05	2.08	217109767	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217109768	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217109769	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217109770	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217109771	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217109772	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217109773	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217109774	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	6.85	2.1	217109775	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070V48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217109776	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217109777	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217109778	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	6.95	2.1	217109779	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13100	10700	8	6.85	2.06	217109780	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	6.95	2.1	217109781	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML193DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7.05	2.08	217109782	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML193DF070XE36B	R-454B	23600	14.5	12.5	21400	13800	11100	8.2	7.05	2.1	217109783	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML193DF090XE48C	R-454B	23600	15.2	13	21400	13700	11000	8.2	7.05	2.12	217109784	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217109785	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	HG1K*36+TXV	ML196DF070XE48B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217110087	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML196DF090XE48C	R-454B	23600	15.2	13	21200	13600	10900	8.2	7.05	2.12	217110088	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217110089	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	6.7	2	217110090	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.04	217110091	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH070XE48B	R-454B	24000	15.2	13	20600	13200	10800	7.8	6.7	2.04	217110092	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML296DF045XV36B	R-454B	23200	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217110093	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	6.7	2.02	217110094	N/A
ML14KP1-024-230A**	HG1K*36+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217110095	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	7.05	2.08	217109796	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217109797	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217109798	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217109799	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH080NV48B	R-454B	23800	15.2	13	20200	13000	11000	7.8	6.7	2.12	217109800	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217109801	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH090V48B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217109802	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	217110096	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217110097	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SLP99DF070XV36B	R-454B	23000	14.5	12.5	21000	13600	10800	8.2	7.05	2.08	217110098	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SLP99DF090XV36C	R-454B	23400	15.2	13	21000	13600	10900	8.2	7.05	2.1	217110099	N/A
ML14KP1-024-230A**	HG1K*36+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217110100	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217109486	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217109487	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20800	13400	10400	8	6.85	1.98	217109488	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	217109747	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	217109748	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217109749	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217109750	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	6.65	2.02	217109751	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280DF090E48B	R-454B	23400	15	12.5	21400	13700	11000	8.1	7	2.08	217109489	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217109490	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217109491	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217109492	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217109493	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	6.85	2.04	217109494	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	6.85	2.06	217109495	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL297DF045XV36B	R-454B	23000	14.5	12.5	21000	13700	10900	8.1	7	2.06	217109759	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL297DF090XE48C	R-454B	23400	15	13	21200	13700	10900	8.1	7	2.08	217109760	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217109761	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217109762	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217109763	N/A
ML14KP1-024-230A**	HG34*36+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217109764	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180DF070E36B	R-454B	23000	14.5	12.5	21000	13600	10900	8.1	7	2.06	217109496	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180DF090E48B	R-454B	23400	15	13	21200	13700	10900	8.1	7	2.08	217109497	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180DF110E60C	R-454B	23400	14.5	12.5	21600	13900	11100	8.1	7	2.06	217109498	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217109499	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217109500	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217109501	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217109502	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217109503	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217109504	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.06	217109505	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070V48B	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217109507	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217109508	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217109509	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217109510	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217109511	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217109512	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML193DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	217109513	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML193DF070XE36B	R-454B	23400	14.5	12.5	21400	13800	11100	8.1	7	2.08	217109514	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML193DF090XE48C	R-454B	23400	15	12.5	21400	13700	11000	8.1	7	2.1	217109515	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217109516	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217109517	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217109518	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML196DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	217109788	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML196DF090XE48C	R-454B	23400	15	13	21200	13600	10900	8.1	7	2.1	217109789	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217109790	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217109791	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217109792	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML196UH070XE48B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217109793	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217109794	N/A
ML14KP1-024-230A**	HG34*36+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217109795	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	HG34*36+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217109521	N/A
ML14KP1-024-230A**	HG34*36+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217109522	N/A
ML14KP1-024-230A**	HG34*36+TXV	SL280UH080NV48B	R-454B	23400	15.2	13	20400	13300	10500	7.8	6.7	2	217109523	N/A
ML14KP1-024-230A**	HG34*36+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217109524	N/A
ML14KP1-024-230A**	HG34*36+TXV	SL280UH090V48B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217109525	N/A
ML14KP1-024-230A**	HG34*36+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	217109803	N/A
ML14KP1-024-230A**	HG34*36+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	217109804	N/A
ML14KP1-024-230A**	HG34*36+TXV	SLP99DF070XV36B	R-454B	22800	14.5	12.5	21000	13600	10800	8.1	7	2.06	217109805	N/A
ML14KP1-024-230A**	HG34*36+TXV	SLP99DF090XV36C	R-454B	23200	15	12.5	21000	13600	10900	8.1	7	2.08	217109806	N/A
ML14KP1-024-230A**	HG34*36+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217109807	N/A
ML14KP1-024-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	218630964	N/A
ML14KP1-024-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	218630965	N/A
ML14KP1-024-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	218630966	N/A
ML14KP1-024-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	218630967	N/A
ML14KP1-024-230A**	L*18/36T+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967617	N/A
ML14KP1-024-230A**	L*18/36T+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967626	N/A
ML14KP1-024-230A**	L*18/36T+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	6.55	2	216975246	N/A
ML14KP1-024-230A**	L*18/36T+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	6.7	2	216975260	N/A
ML14KP1-024-230A**	L*18/36T+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	6.8	2.12	216967635	N/A
ML14KP1-024-230A**	L*18/36T+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	6.65	2.1	216975274	N/A
ML14KP1-024-230A**	L*18/36T+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975288	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967616	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216967625	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	6.55	2	216975245	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	6.7	2	216975259	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	6.7	2	217186681	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186687	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.65	6.55	2	217186693	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL280UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.95	6.8	2.14	217183856	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL280UH070E36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.8	6.7	2.02	217183862	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL280UH070XE36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.5	6.45	2.02	217183868	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183874	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	6.55	2	217186699	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL297UH045XV36B	R-454B	23600	15.2	13	20400	13400	10500	7.8	6.7	2.02	217186705	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	6.55	2	217186711	N/A
ML14KP1-024-230A**	L*18/36V+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	6.9	2	217186717	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	6.8	2.14	217183880	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH045E36A	R-454B	23600	15.2	13	20000	12800	10800	7.75	6.65	2.12	217183886	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH045V36A	R-454B	23800	15.2	13	20200	12900	10800	7.95	6.8	2.12	217183892	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.8	6.7	2	217183898	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH070E36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	6.8	2.12	217183904	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	6.95	2	217183910	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH070V36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	6.8	2.14	217183916	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	6.95	2	217183922	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH070XE36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	6.8	2.12	217183928	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	6.95	2	217183934	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	6.7	2	217183940	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML193UH045XE36B	R-454B	23800	15.2	12.5	20800	13600	10600	7.8	6.7	2.02	217183946	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217183952	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	6.7	1.98	217186723	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186729	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217186735	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML296UH045XV36B	R-454B	23400	15.2	13	20200	13300	10400	7.8	6.7	2.02	217186741	N/A
ML14KP1-024-230A**	L*18/36V+TXV	ML296UH070XV36B	R-454B	23800	15.2	12.5	20200	13000	11000	7.95	6.8	2.14	217186747	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	6.8	2.12	216967634	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183958	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183964	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217183970	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	6.65	2.1	216975273	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975287	N/A
ML14KP1-024-230A**	L*18/36V+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	6.7	2.02	217186753	N/A
ML14KP1-024-230A**	L*19/36S+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967619	N/A
ML14KP1-024-230A**	L*19/36S+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967628	N/A
ML14KP1-024-230A**	L*19/36S+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975250	N/A
ML14KP1-024-230A**	L*19/36S+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975264	N/A
ML14KP1-024-230A**	L*19/36S+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967637	N/A
ML14KP1-024-230A**	L*19/36S+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975278	N/A
ML14KP1-024-230A**	L*19/36S+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975292	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967618	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967627	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20800	13400	10400	8	6.85	1.98	217482065	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.0		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	6.65	2.02	217186695	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280DF090E48B	R-454B	23400	15	12.5	21400	13700	11000	8.1	7	2.08	217482066	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183857	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183863	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217183869	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183876	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	6.85	2.04	217482067	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	6.85	2.06	217482068	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL297DF045XV36B	R-454B	23000	14.5	12.5	21000	13700	10900	8.1	7	2.06	217482069	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL297DF090XE48C	R-454B	23400	15	13	21200	13700	10900	8.1	7	2.08	217482070	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186701	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217186707	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186713	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217186719	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180DF070E36B	R-454B	23000	14.5	12.5	21000	13600	10900	8.1	7	2.06	217482067	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180DF090E48B	R-454B	23400	15	13	21200	13700	10900	8.1	7	2.08	217482072	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180DF110E60C	R-454B	23400	14.5	12.5	21600	13900	11100	8.1	7	2.06	217482073	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183881	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183887	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183893	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217183899	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183905	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183912	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183917	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.06	217183924	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217482074	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183929	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183936	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217482075	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217482076	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217482077	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML193DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	217482078	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML193DF070XE36B	R-454B	23400	14.5	12.5	21400	13800	11100	8.1	7	2.08	217482079	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML193DF090XE48C	R-454B	23400	15	12.5	21400	13700	11000	8.1	7	2.1	217482080	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183942	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183948	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217183954	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML196DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	217482081	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML196DF090XE48C	R-454B	23400	15	13	21200	13600	10900	8.1	7	2.1	217482082	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186725	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186731	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217186737	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217482083	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186743	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217186749	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	7	2.06	217482084	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967636	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217183959	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183965	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	23400	15.2	13	20400	13300	10500	7.8	6.7	2	217482085	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217183972	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217482086	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975277	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975291	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SLP99DF070XV36B	R-454B	22800	14.5	12.5	21000	13600	10800	8.1	7	2.06	217482087	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SLP99DF090XV36C	R-454B	23200	15	12.5	21000	13600	10900	8.1	7	2.08	217482088	N/A
ML14KP1-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186755	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	7	2.14	218387403	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	7	2.14	218387406	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	7	2.02	218387409	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	7	2.02	218387411	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	7	2.1	218387413	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	7	1.96	218387415	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	7	2.02	218387417	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	7	1.96	218387419	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387422	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6	2.02	218387425	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	7	2.02	218387429	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	7	2.02	218387436	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	7	2.14	218387438	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	7	2.02	218387440	N/A
ML14KP1-024-230A**	L*19/36U+TXV	EL297UH070XV36B	R-454B	23600	15.2	13								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	7	2	218387455	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	7	1.98	218387458	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	7	2.04	218387461	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	7	1.96	218387463	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	7	2.06	218387466	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	7	1.98	218387468	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	7	2.04	218387471	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	7	2.12	218387477	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	7	2.02	218387479	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	7	2.14	218387481	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	7	2.1	218387485	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	7	1.96	218387487	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	7	2.14	218387489	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	7	2.14	218387492	N/A
ML14KP1-024-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	7	2.16	218387494	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.96	218387496	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	7	2.04	218387499	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	7	1.98	218387502	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	7	2.04	218387506	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	7	2.12	218387508	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	7	2.12	218387510	N/A
ML14KP1-024-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	7	2.14	218387514	N/A
ML14KP1-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	23400	15.2	13	20400	13200	10900	7.9	7	2.1	218391131	N/A
ML14KP1-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	23600	16	12.5	20400	13200	10900	7.9	7	2.1	218391130	N/A
ML14KP1-024-230A**	L*30/36U+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	216967620	N/A
ML14KP1-024-230A**	L*30/36U+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	216967629	N/A
ML14KP1-024-230A**	L*30/36U+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	216975253	N/A
ML14KP1-024-230A**	L*30/36U+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	216975267	N/A
ML14KP1-024-230A**	L*30/36U+TXV	SL280UH060NV36A	R-454B	24000	15.2	13.5	20200	13000	10900	8	6.85	2.14	216967638	N/A
ML14KP1-024-230A**	L*30/36U+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217230684	N/A
ML14KP1-024-230A**	L*30/36U+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217230686	N/A
ML14KP1-024-230A**	L*30/36U+TXV	SL280UH090V36B	R-454B	24000	15.2	13.5	20400	13000	11000	8	6.85	2.16	217230691	N/A
ML14KP1-024-230A**	L*30/36U+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	216975281	N/A
ML14KP1-024-230A**	L*30/36U+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	216975295	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217484337	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217484338	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20400	13200	11100	8	6.85	2.12	217484339	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217484340	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217484341	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	6.7	2	217484342	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	6.7	2	217484343	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217484344	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280DF090E48B	R-454B	23600	15.2	13	21400	13700	11000	8.2	7.05	2.1	217484345	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217484346	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217484347	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217484348	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.02	217484349	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	6.95	2.16	217484350	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	6.95	2.16	217484351	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297DF045XE36B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217484352	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297DF045XV36B	R-454B	23200	14.5	12.5	21000	13700	10900	8.2	7.05	2.08	217484353	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297DF070XE48B	R-454B	23400	14.3	12.5	21400	13900	11100	8.2	7.05	2.06	217484354	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297DF070XV48B	R-454B	23400	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217484355	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297DF090XE48C	R-454B	23600	15.2	13	21200	13700	10900	8.2	7.05	2.1	217484356	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217484357	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	6.7	2.02	217484358	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217484359	N/A
ML14KP1-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217484360	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180DF070E36B	R-454B	23200	14.5	12.5	21000	13600	10900	8.2	7.05	2.08	217484361	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180DF090E48B	R-454B	23600	15.2	13	21200	13700	10900	8.2	7.05	2.1	217484362	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180DF10E60C	R-454B	23600	14.5	12.5	21600	13900	11100	8.2	7.05	2.08	217484363	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217484364	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217484365	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217484366	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217484367	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217484368	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217484369	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217484370	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	6.85	2.1	217484371	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070V48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	6.95	2.02	217484372	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217484373	N/A
ML14KP1-024-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	L*31/37U*+TXV	ML193DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7.05	2.08	217484378	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193DF070XE36B	R-454B	23600	14.5	12.5	21400	13800	11100	8.2	7.05	2.1	217484379	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193DF090XE48C	R-454B	23600	15.2	13	21400	13700	11000	8.2	7.05	2.12	217484380	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217484381	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.06	217484382	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.04	217484383	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7.05	2.08	217484384	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196DF070XE48B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217484385	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196DF090XE48C	R-454B	23600	15.2	13	21200	13600	10900	8.2	7.05	2.12	217484386	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217484387	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	6.7	2	217484388	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	6.7	2.04	217484389	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	24000	15.2	13	20600	13200	10800	7.8	6.7	2.04	217484390	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML296DF045XV36B	R-454B	23200	14.3	12.5	21600	13900	11200	8.2	7.05	2.06	217484391	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	6.7	2.02	217484392	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217484393	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	7.05	2.08	217484394	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217484395	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217484396	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	6.7	1.98	217484397	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	23800	15.2	13	20200	13000	11000	7.8	6.7	2.12	217484398	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217484399	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217484400	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	217484401	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217484402	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99DF070XV36B	R-454B	23000	14.5	12.5	21000	13600	10800	8.2	7.05	2.08	217484403	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99DF090XV36C	R-454B	23400	15.2	13	21000	13600	10900	8.2	7.05	2.1	217484404	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.02	217484405	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	7	2.02	218387405	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	7	2.02	218387408	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	7	2.04	218387410	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	7	2.04	218387412	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	7	2	218387414	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	7	2	218387416	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	7	2.04	218387418	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	7	1.96	218387421	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	7	2.14	218387424	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	7	2.14	218387427	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	7	2.02	218387432	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	7	2.04	218387437	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	7	2.02	218387439	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	7	2.04	218387441	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	7	2	218387443	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.98	218387448	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6	1.94	218387451	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	7	1.96	218387454	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	7	2	218387457	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	7	1.98	218387460	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	7	2	218387462	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	7	1.96	218387465	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	7	2.1	218387467	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	7	1.98	218387470	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	7	2	218387472	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	7	2.12	218387478	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	7	2.06	218387480	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	7	2.04	218387482	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	7	2.1	218387486	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	7	2	218387488	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	7	2.04	218387490	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	7	2.02	218387493	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	7	2	218387495	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	7	1.96	218387498	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	7	1.98	218387501	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	7	1.98	218387504	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	7	2.04	218387507	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	7	2.12	218387509	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	7	2.02	218387511	N/A
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	7	2.02	218387515	N/A
ML14KP1-024-230A**	L*31/37U*+TXV+LEFE3A*	- - -	R-454B	23800	15.2	12.5	20400	13200	10900	7.5	7	2.16	218391133	N/A
ML14KP1-024-230A**	L*31/37U*+TXV+LEFE4B*	- - -	R-454B	24000	16	12.5	20400	13200	10900	7.5	7	2.16	218391132	N/A
ML14KP1-024-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977925	N/A
ML14KP1-024-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	1350						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	6.7	1.96	216977935	N/A
ML14KP1-024-230A**	LD19/25Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977927	N/A
ML14KP1-024-230A**	LD19/25Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977931	N/A
ML14KP1-024-230A**	LD19/25Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216977938	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977926	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	216977930	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183854	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183860	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217183866	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183878	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183884	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183890	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183896	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183902	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183914	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183926	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216977937	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.16	217183956	N/A
ML14KP1-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217183962	N/A
ML14KP1-024-230A**	LD19/36Y*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	6.6	2.02	216978028	N/A
ML14KP1-024-230A**	LD19/36Y*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	6.75	2.02	216978031	N/A
ML14KP1-024-230A**	LD19/36Y*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	6.95	2.06	216977933	N/A
ML14KP1-024-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	6.7	2.12	216978034	N/A
ML14KP1-024-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216978037	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217230676	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217230677	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	6.6	2.02	216978027	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	6.75	2.02	216978030	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217186679	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186685	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	6.6	2.02	217186691	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183872	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297DF045XV36B	R-454B	23000	14.5	12.5	21000	13700	10900	8.1	7	2.06	218387434	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186697	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	6.85	1.98	217186703	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186709	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217186715	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	23000	14.5	12.5	21000	13600	10900	8.1	7	2.06	218387444	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183908	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217183920	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183932	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	218387473	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193DF070XE36B	R-454B	23400	14.5	12.5	21400	13800	11100	8.1	7	2.08	218387475	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183938	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183944	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217183950	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	7	2.06	218387483	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217186721	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186727	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217186733	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186739	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217186745	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	6.95	2.06	216977932	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217230682	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.16	217230683	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217230685	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217183968	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	6.7	2.12	216978033	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216978036	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	22800	14.5	12.5	21000	13600	10800	8.1	7	2.06	218387512	N/A
ML14KP1-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186751	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	216978029	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	216978032	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186680	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217186686	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217186692	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	23400	15.2	13.5	20000	12700	10300	7.8	6.7	2.06	217183873	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	7	2.06	218387433	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	23200	14.5	12.5	21000	13700	10900	8.2	7	2.08	218387435	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217186698	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217186704	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH070XE												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	6.85	2.1	217183921	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217183933	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7	2.08	218387474	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	23600	14.5	12.5	21400	13800	11100	8.2	7	2.1	218387476	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183939	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.06	217183945	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217183951	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	7	2.08	218387484	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186722	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217186728	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217186734	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML296DF045XV36B	R-454B	23200	14.3	12.5	21600	13900	11200	8.2	7	2.06	218387491	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186740	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217186746	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	7.05	2.08	216977934	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217183969	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	216978035	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216978038	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	23000	14.5	12.5	21000	13600	10800	8.2	7	2.08	218387513	N/A
ML14KP1-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	6.95	2	217186752	N/A
ML14KP1-024-230A**	LEC24*C03+TXV	---	R-454B	22600	14.5	13	20200	13100	10900	7.65	6.6	2.04	215903271	N/A
ML14KP1-024-230A**	LEC30*C05+TXV	---	R-454B	23000	15	13	20200	13100	10900	7.7	6.65	2.06	215903273	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967615	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967624	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	6.75	1.94	216975244	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	6.75	1.96	216975258	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	6.65	2.02	216967633	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	6.65	2	216975272	N/A
ML14KP1-024-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	6.65	2.02	216975286	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967614	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	6.65	2.02	216967623	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	6.75	1.94	216975243	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	6.75	1.96	216975257	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13	20000	13000	10100	7.75	6.7	1.96	217183855	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23800	15	12.5	20600	13500	10600	7.75	6.65	2.02	217183861	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	24000	14.5	13	20600	13500	10500	7.75	6.7	1.96	217183867	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20400	13300	10400	7.75	6.65	2.04	217183879	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23200	15.2	12.5	20000	12800	10800	7.65	6.55	2.1	217183885	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13	20000	13100	10200	7.75	6.7	1.96	217183891	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.75	6.65	2	217183897	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	6.65	2.04	217183903	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13	20000	13200	10200	7.75	6.7	1.96	217183915	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	6.65	2.04	217183927	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	6.65	2.02	216967632	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10500	7.75	6.65	2.04	217183957	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	15	13	20400	13300	10400	7.75	6.7	1.98	217183963	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	6.65	2	216975271	N/A
ML14KP1-024-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	6.65	2.02	216975285	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967621	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967630	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217183858	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183864	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183870	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183882	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183888	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183894	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217183900	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183906	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183918	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183930	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967639	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217183960	N/A
ML14KP1-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	6.85	2.14	217183966	N/A
ML14KP1-024-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	6.6	2.02	216975255	N/A
ML14KP1-024-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	6.75	2.02	216975269	N/A
ML14KP1-024-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	6.7	2.12	216975283	N/A
ML14KP1-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975297	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387404	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387407	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	6.6	2.02	216975254	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	6.75	2.02	216975268	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-4											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	7	2.02	218387423	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6	2.02	218387426	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183877	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186702	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	6.85	1.98	217186708	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	6.6	2.02	217186714	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217186720	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20200	13000	10900	8	7	2.16	218387447	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	23600	15.2	13	20000	12800	10800	7.8	7	2.14	218387450	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	23800	15.2	13	20200	12900	10800	8	7	2.14	218387453	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	23600	15.2	13	20000	12800	10800	7.8	7	2.14	218387456	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	23800	15.2	13	20200	12900	10900	8	7	2.14	218387459	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183913	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	23800	15.2	13	20200	12900	10900	8	7	2.16	218387464	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217183925	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13	20200	12900	10900	8	7	2.14	218387469	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217183937	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	6.7	2	217183943	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183949	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217183955	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	6.7	1.98	217186726	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	6.85	1.96	217186732	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217186738	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	23600	15.2	13	20400	13300	10200	8	6.85	1.98	217186744	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13	20600	13300	10300	8	6.85	2	217186750	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	8	7	2.14	218387497	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	7	1.98	218387500	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	7	1.98	218387503	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217183973	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	6.7	2.12	216975282	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975296	N/A
ML14KP1-024-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	6.7	2.02	217186756	N/A
ML14KP1-024-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975248	N/A
ML14KP1-024-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975262	N/A
ML14KP1-024-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975276	N/A
ML14KP1-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975290	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	6.65	2.02	216975247	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	6.8	2.02	216975261	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186682	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	6.85	2.12	217186688	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	6.65	2.02	217186694	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	6.7	2.02	217183875	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186700	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217186706	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	6.65	2.02	217186712	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	6.7	2.04	217186718	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183911	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.06	217183923	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	6.7	2.04	217183935	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217183941	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217183947	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217183953	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217186724	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	6.85	2.12	217186730	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217186736	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186742	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217186748	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217183971	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	6.7	2.12	216975275	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975289	N/A
ML14KP1-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217186754	N/A
ML14KP1-024-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	24000	14.5	12.5	20800	13600	10500	7.9	6.8	1.94	217230678	N/A
ML14KP1-024-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	24000	14.5	12.5	20800	13500	10500	7.9	6.8	1.96	217230680	N/A
ML14KP1-024-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20400	13400	10500	7.8	6.7	2.04	217230687	N/A
ML14KP1-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217230679	N/A
ML14KP1-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217230681	N/A
ML14KP1-024-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217230688	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967622	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	216967631	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	6.7	2.04	217614008	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.04	217614009	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183865	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217183871	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217614025	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217614029	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217614033	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217614037	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217183983	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217183889	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217183895	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217183901	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217183907	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217609499	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217183919	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	6.85	2.1	217609512	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217183931	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217609526	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217609534	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.06	217609542	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217609549	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217614041	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217614045	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217614049	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217614053	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217614057	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	216967640	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217183961	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	6.85	2.14	217183967	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	217614058	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	217614059	N/A
ML14KP1-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	6.95	2	217614063	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217609429	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217609435	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	6.65	2.02	216975251	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	6.75	2.02	216975265	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217614011	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	6.85	2.12	217614015	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	6.65	2.02	217614019	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	24000	15.2	13	20000	12800	10800	8	6.85	2.16	217609445	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	6.7	2.02	217609451	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	6.45	2.02	217609457	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	7	2.02	218387430	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.65	2.02	217614023	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	6.85	1.98	217614027	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	6.65	2.02	217614031	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217614035	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217609467	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.14	217609472	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	24000	15.2	13	20200	12900	10800	8	6.85	2.14	217609478	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.14	217609484	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	24000	15.2	13	20200	12900	10900	8	6.85	2.14	217609490	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217609496	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	24000	15.2	13	20200	12900	10900	8	6.85	2.16	217609503	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	6.95	2	217609509	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	24000	15.2	13	20200	12900	10900	8	6.85	2.14	217609516	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	6.95	2	217609522	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217609530	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	6.7	2.02	217609538	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217609546	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	6.7	1.98	217614039	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	6.85	2.12	217614043	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	6.95	2	217614047	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217614051	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	6.85	2.16	217614055	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217609559	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.16	217609564	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	6.7	1.98	217609570	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	6.95	2	217230689	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	6.7	2.12	216975279	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	6.7	2.02	216975293	N/A
ML14KP1-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217614061	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	6.85	2.14	217609431	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	24000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217614016	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	6.7	2.04	217614020	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	6.7	1.96	217609447	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217609453	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	6.85	2.14	217609458	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	7	2.02	218387431	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217614024	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	6.85	2.14	217614028	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	6.7	2.04	217614032	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	6.95	2	217614036	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.98	217609468	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	6.45	1.94	217609474	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	6.7	1.96	217609480	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	6.7	2	217609486	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	6.7	1.98	217609492	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217609497	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	6.7	1.96	217609505	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	6.85	2.1	217609511	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	6.7	1.98	217609518	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	6.95	2	217609524	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	6.7	2.12	217609532	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	6.85	2.06	217609540	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217609548	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	6.7	2.1	217614040	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	6.85	1.96	217614044	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	6.95	2.14	217614048	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.14	217614052	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	6.85	2	217614056	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	6.7	1.96	217609561	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	6.7	2.04	217609566	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	6.85	2.14	217609572	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	6.7	2.04	217230690	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	6.7	2.12	216975280	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	6.85	2.12	216975294	N/A
ML14KP1-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	6.95	2	217614062	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	6.85	2.14	217609427	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	6.85	2.14	217609433	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	6.85	2.12	216975242	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	6.85	2.12	216975256	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23600	16	13.5	20200	12800	10400	7.8	6.7	2.04	217614010	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	6.85	1.96	217614014	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	6.85	2.12	217614018	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	24000	16	13.5	20000	12800	10800	8	6.85	2.16	217609443	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	6.85	2.14	217609449	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	6.85	2.14	217609455	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	23800	16	14	19800	12700	10700	7.8	7	2.12	218387428	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	6.85	2.12	217614022	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	23600	16	13.5	20400	13400	10500	7.8	6.7	2.02	217614026	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	6.85	2.12	217614030	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	23800	16	13.5	20400	13300	10200	8.1	6.95	2	217614034	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.16	217609465	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	6.7	2.14	217609470	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	16	13.5	20200	12900	10800	8	6.85	2.14	217609476	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	6.7	2.14	217609482	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	16	13.5	20200	12900	10900	8	6.85	2.14	217609488	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	23800	16	14	20400	13200	10200	8.1	6.95	2	217609494	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	16	13.5	20200	12900	10900	8	6.85	2.16	217609501	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	23800	16	14	20400	13300	10200	8.1	6.95	2	217609507	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	13.5	20200	12900	10900	8	6.85	2.14	217609514	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	23800	16	14	20400	13200	10200	8.1	6.95	2	217609520	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	23800	16	13.5	20000	12800	10800	7.8	6.7	2.12	217609528	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13.5	20800	13500	10500	8	6.85	1.98	217609536	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	6.85	2.06	217609544	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23400	16	13.5	20200	12800	10400	7.8	6.7	2.04	217614038	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	6.85	1.96	217614042	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	6.85	2.06	217614046	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.14	217614050	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	16	13.5	20200	13000	11000	8	6.85	2.16	217614054	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	16	13.5	20200	13000	10900	8	6.85	2.14	217609556	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	24000	16	13.5	20400	13000	11000	8	6.85	2.16	217609562	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	23800	16	13.5	20400	13300	10400	7.8	6.7	1.98	217609568	N/A
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	24000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	23000	15.2	12	20400	13000	10600	7.55	6.5	1.92	217992334	N/A
ML14KP1-024-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	23200	15.2	12.5	20600	13200	11000	7.9	6.8	2.12	217045736	N/A
ML14KP1-024-230A**	LW25*K7+TXV	---	R-454B	22200	16	13	20200	13100	10900	7.7	6.65	2.06	215903278	N/A
ML14KP1-024-230A**	LW31*M7+TXV	---	R-454B	22200	15	12.5	20200	13100	10900	7.5	6.65	2.06	215903276	N/A
ML14KP1-024-230A**	M30E31*+TXV+AMHE3D	---	R-454B	22400	14.5	12.5	20000	13100	10900	7.55	6.55	2.02	217110013	N/A
ML14KP1-030-230A**	BC**B6*30+TXV+TD	---	R-454B	28800	14.3	12	25200	17100	14000	7.9	6.75	2.02	216472868	N/A
ML14KP1-030-230A**	BV**C5*31+TXV	---	R-454B	28200	15	12.5	25600	15800	12800	7.7	6.55	1.9	215867930	N/A
ML14KP1-030-230A**	CE2903C*+TXV	---	R-454B	27600	15	12	25600	15800	12800	7.7	6.55	1.9	217169987	N/A
ML14KP1-030-230A**	FC*E32*30+TXV+TD	---	R-454B	27400	14.3	11	24800	17000	14000	7.55	6.45	1.92	217037926	N/A
ML14KP1-030-230A**	FE*E31*30+TXV	---	R-454B	27200	14.5	12	25400	15800	12800	7.65	6.5	1.88	215867980	N/A
ML14KP1-030-230A**	FE*E32*30+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	6.6	1.9	215867077	N/A
ML14KP1-030-230A**	FE*E32*36+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	6.6	1.9	215867986	N/A
ML14KP1-030-230A**	FE*E33*30+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	6.7	1.92	215867079	N/A
ML14KP1-030-230A**	FE*E33*36+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	6.7	1.92	215867991	N/A
ML14KP1-030-230A**	FE*E34*30+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215867994	N/A
ML14KP1-030-230A**	FE*E34*36+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215867086	N/A
ML14KP1-030-230A**	FE*G32*30+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	6.6	1.9	215867984	N/A
ML14KP1-030-230A**	FE*G32*36+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	6.6	1.9	215867982	N/A
ML14KP1-030-230A**	FE*G33*30+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	6.7	1.92	215867989	N/A
ML14KP1-030-230A**	FE*G33*36+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	6.7	1.92	215867988	N/A
ML14KP1-030-230A**	FE*G34*30+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215867084	N/A
ML14KP1-030-230A**	FE*G34*36+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215867082	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	217109808	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	217109809	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	217109810	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217110101	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217110102	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL195UH080NE48C	R-454B	29200	14.3	12.5	25800	16400	13400	7.8	6.6	1.94	217109813	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	6.8	1.94	217109814	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217110103	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217110104	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217110105	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217109818	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109819	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280DF090E48B	R-454B	29200	14.5	12	28000	17700	14000	8.15	6.9	2	217109820	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	6.35	1.98	217109821	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217109822	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217109823	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.98	217109824	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH090E48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217109825	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH090XE48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217109826	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH110E48C	R-454B	29600	14.5	13	25600	16300	13300	8	6.8	1.96	217109827	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109828	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109829	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297DF045XE36B	R-454B	29000	14.5	12	27800	17600	13900	8.05	6.8	1.98	217110106	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297DF045XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	6.8	2	217110107	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217110108	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH045XV36B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	217110109	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH070XE36B	R-454B	29200	15.2	12.5	25400	16400	13300	7.8	6.6	1.96	217110110	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217110111	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217110112	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH090XV36B	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217110113	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH090XV48C	R-454B	29200	14.3	12.5	25600	16400	13300	7.8	6.6	1.94	217110114	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217110115	N/A
ML14KP1-030-230A**	HG1K*36+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	6.8	1.96	217110116	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180DF070E36B	R-454B	29000	14.5	12	27600	17500	13800	8.05	6.8	2	217109840	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180DF090E48B	R-454B	29200	14.5	12.5	27800	17500	13800	8.15	6.9	2.02	217109841	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217109842	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	6.35	1.96	217109843	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217109844	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	6.35	1.96	217109845	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217109846	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.96	217109847	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217109848	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217109849	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070V48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217109850	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	6.35	1.96	217109851	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.96	217109852	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH090E48B	R-454B	29600	16	13	25000	16100	13000	7.8	6.6	1.98	217109853	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH090E60C	R-454B	29600	14.5	13	25800	16400	13400	8	6.8	1.96	217109854	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217109855	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH090XE48B	R-454B	29600	16	13	25000	16100	13000	7.8	6.6	1.98	217109856	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML180UH110E60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	6.8	1.96	217109857	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML18												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	HG1K*36+TXV	ML193DF070XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	6.8	1.98	217109860	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1.96	217109861	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217109862	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6.35	1.96	217109863	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	6.8	1.94	217109864	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	6.8	1.94	217109865	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217109866	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217109867	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217110117	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217110118	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217110119	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH070XE48B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217110120	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217110121	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	6.8	1.96	217110122	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217110123	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217110124	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217110125	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217110126	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	6.6	1.94	217110127	N/A
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	8	6.8	1.94	217110128	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280DF060NV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	6.8	2	217109880	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280DF090V48B	R-454B	29200	14.5	12	27800	17600	13900	8.05	6.8	1.98	217109881	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217109882	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217109883	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217109884	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	217109885	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217109886	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217109887	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217110129	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	217110130	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	217110131	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SLP99DF070XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	6.8	1.98	217110132	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217110133	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12.5	25600	16300	13300	7.8	6.6	1.94	217110134	N/A
ML14KP1-030-230A**	HG1K*36+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217110135	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	217109526	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	217109527	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217109811	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	217109812	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217109815	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217109816	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217109817	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.96	217109528	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109529	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280DF090E48B	R-454B	28600	14.3	12	27800	17600	14000	7.95	6.75	1.96	217109530	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6.35	1.82	217109531	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217109532	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217109533	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	6.55	1.96	217109534	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217109535	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217109536	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	7.95	6.8	1.96	217109537	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109538	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109539	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297DF045XE36B	R-454B	28400	14.3	12	27600	17600	13900	7.85	6.65	1.94	217109830	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297DF045XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	6.65	1.96	217109831	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	6.55	1.92	217109832	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	6.55	1.92	217109833	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	6.55	1.94	217109834	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217109835	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.96	217109836	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH090XV36C	R-454B	28800	14.5	12.5	25600	16300	13300	7.75	6.55	1.94	217109837	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217109838	N/A
ML14KP1-030-230A**	HG34*36+TXV	EL297UH110XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.95	6.75	1.96	217109839	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180DF070E36B	R-454B	28400	14.3	12	27400	17500	13800	7.85	6.65	1.96	217109540	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180DF090E48B	R-454B	28600	14.3	12	27600	17400	13800	7.95	6.75	1.98	217109541	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH030V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	6.35	1.98	217109542	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217109543	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH045V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	6.35	1.98	217109544	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217109545	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217109546	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5</								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217109551	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217109552	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217109553	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090E60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217109554	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217109555	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217109556	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH110E60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	6.75	1.96	217109557	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML180UH110XE60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	6.75	1.96	217109558	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193DF045XE36B	R-454B	28600	14.3	12	27800	17700	14000	7.85	6.65	1.94	217109559	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193DF070XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.85	6.65	1.94	217109560	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	6.35	1.96	217109561	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217109562	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	6.35	1.98	217109563	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH090XE36C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	6.75	1.94	217109564	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	6.75	1.94	217109565	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.8	1.96	217109566	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	6.8	1.96	217109567	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217109868	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217109869	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	6.55	1.94	217109870	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217109871	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	6.55	1.94	217109872	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	6.75	1.96	217109873	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	6.8	1.96	217109874	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217109875	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	6.55	1.94	217109876	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217109877	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML296UH090XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.75	6.55	1.94	217109878	N/A
ML14KP1-030-230A**	HG34*36+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	7.95	6.8	1.94	217109879	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	6.65	1.96	217109568	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280DF090V48B	R-454B	28600	14.3	12	27600	17500	13900	7.85	6.65	1.94	217109569	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	217109570	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217109571	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217109572	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	217109573	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217109574	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217109575	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217109888	N/A
ML14KP1-030-230A**	HG34*36+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	217109889	N/A
ML14KP1-030-230A**	HG34*36+TXV	SLP99DF070XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	6.65	1.94	217109890	N/A
ML14KP1-030-230A**	HG34*36+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	217109891	N/A
ML14KP1-030-230A**	HG34*36+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	6.55	1.94	217109892	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	EL180UH080NE48B	R-454B	29600	15.2	13	25200	16300	13200	7.5	6.35	1.94	218631362	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	218630968	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	218630969	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	EL195UH080NE48C	R-454B	29800	15.2	13	24800	16100	13000	7.5	6.6	1.94	218630970	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	218631363	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	218630971	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.96	218630972	N/A
ML14KP1-030-230A**	L*18/30Z+TXV+TD	SL297UH080NV48C	R-454B	29600	15.2	12.5	24800	16100	13100	7.5	6.6	1.92	218630973	N/A
ML14KP1-030-230A**	L*18/36T+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967650	N/A
ML14KP1-030-230A**	L*18/36T+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	6.5	1.9	216967662	N/A
ML14KP1-030-230A**	L*18/36T+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975302	N/A
ML14KP1-030-230A**	L*18/36T+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	6.5	1.92	216975318	N/A
ML14KP1-030-230A**	L*18/36T+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967680	N/A
ML14KP1-030-230A**	L*18/36T+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	6.5	1.9	216967693	N/A
ML14KP1-030-230A**	L*18/36T+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975334	N/A
ML14KP1-030-230A**	L*18/36T+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	6.5	1.9	216975350	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967649	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	6.5	1.9	216967662	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975301	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	6.5	1.92	216975317	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	6.35	1.8	217186759	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186765	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL196UH070XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186771	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	6.35	1.82	217183980	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL280UH070E36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	6.35	1.8	217183985	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL280UH070XE36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	6.35	1.8	217183990	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL280UH090E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.65	6.5	1.94	217183996	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL280UH090E48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217184002	N/A
ML14KP1-030-230A**	L*18/36V+TXV	EL280UH090XE48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217184008	N/A
ML14KP1-030-230A**	L*18													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217184017	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217184022	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217184027	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217184032	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	6.35	1.8	217184037	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	6.5	1.92	217184043	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217184048	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.94	217184054	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	6.5	1.94	217184060	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217184065	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	6.5	1.92	217184071	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	6.45	1.94	217184077	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217184083	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	6.45	1.94	217184089	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML193UH030XE36A	R-454B	28400	15	12	25200	16200	13100	7.65	6.5	1.92	217184095	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	28200	14.5	12	25600	16000	13100	7.5	6.35	1.82	217184101	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	28800	15	12	25400	16300	13300	7.65	6.5	1.92	217184107	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	6.35	1.8	217186816	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186822	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	28800	15	12	25400	16300	13200	7.65	6.5	1.92	217186828	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	28600	14.5	12	25400	16400	13300	7.65	6.5	1.9	217186834	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	28400	15.2	12.5	25000	16100	13100	7.65	6.5	1.92	217186848	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217186854	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967679	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217184124	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12.5	25600	16400	13300	7.5	6.35	1.8	217184129	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	6.5	1.9	216967692	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217184135	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	6.5	1.92	217184141	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	6.5	1.9	216975333	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	6.5	1.9	216975349	N/A
ML14KP1-030-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	28600	15	12	25200	16300	13200	7.65	6.5	1.92	217186865	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967652	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967667	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975306	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975322	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	216967682	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967697	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975338	N/A
ML14KP1-030-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975354	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	216967651	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967666	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975305	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975321	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186761	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186767	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186773	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.96	217482089	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482090	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280DF090E48B	R-454B	28600	14.3	12	27800	17600	14000	7.95	6.75	1.96	217482091	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6.35	1.82	217183981	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183986	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217183991	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	6.55	1.96	217183998	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184004	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184010	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	7.95	6.8	1.96	217482092	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482093	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482094	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297DF045XE36B	R-454B	28400	14.3	12	27600	17600	13900	7.85	6.65	1.94	217482095	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297DF045XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	6.65	1.96	217482096	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	6.55	1.92	217186779	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	6.55	1.92	217186785	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	6.55	1.94	217186791	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217186797	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.96	217482097	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH090XV36C	R-454B	28800	14.5	12.5	25600	16300	13300	7.75	6.55	1.94	217482098	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217482099	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH110XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.95	6.75	1.96	217482100	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180DF070E36B	R-454B	28400	14.3	12	27400	17500	13800	7.85	6.65	1.96	217482101	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180DF090E48B	R-454B	28600	14.3	12	27600							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217184038	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217184045	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	6.35	1.96	217184049	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217184056	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217184062	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217184066	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217184073	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217184079	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090E60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217482103	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184085	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217184091	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH110E60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	6.75	1.96	217482104	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH110XE60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	6.75	1.96	217482105	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193DF045XE36B	R-454B	28600	14.3	12	27800	17700	14000	7.85	6.65	1.94	217482106	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193DF070XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.85	6.65	1.94	217482107	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	6.35	1.96	217184097	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217184103	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	6.35	1.98	217184109	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH090XE36C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	6.75	1.94	217482108	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	6.75	1.94	217482109	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.8	1.96	217482110	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	6.8	1.96	217482111	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186818	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186824	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	6.55	1.94	217186830	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186836	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	6.55	1.94	217482112	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	6.75	1.96	217482113	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	6.8	1.96	217482114	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482115	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	6.55	1.94	217186850	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217186856	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH090XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.75	6.55	1.94	217482116	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	7.95	6.8	1.94	217482117	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	6.65	1.96	217482118	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280DF090V48B	R-454B	28600	14.3	12	27600	17500	13900	7.85	6.65	1.94	217482119	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	216967681	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217184125	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217184130	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967696	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184137	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184143	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975337	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975353	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SLP99DF070XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	6.65	1.94	217482120	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	6.35	1.98	217186867	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	6.55	1.94	217482121	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6	1.8	218387895	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	7	1.92	218387898	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	7	1.94	218387900	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6	1.96	218387902	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	7	1.92	218387904	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	7	1.92	218387906	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6	1.82	218387908	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387911	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387914	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	7	1.96	218387917	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	7	1.92	218387923	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	7	1.92	218387925	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	7	1.94	218387927	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.98	218387929	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	6	1.98	218387933	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6	1.8	218387936	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	6	1.98	218387939	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6	1.8	218387942	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387945	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	7	1.94	218387948	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	6	1.96	218387950	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	7	1.96	218387953	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6	1.8	218387955	N/A
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*19/36U+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	7	1.92	218387972	N/A
ML14KP1-030-230A**	L*19/36U+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	7	1.94	218387974	N/A
ML14KP1-030-230A**	L*19/36U+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	7	1.94	218387976	N/A
ML14KP1-030-230A**	L*19/36U+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	7	1.94	218387978	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	6	1.98	218387980	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.98	218387983	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.98	218387986	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	7	1.94	218387989	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	7	1.92	218387991	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6	1.96	218387993	N/A
ML14KP1-030-230A**	L*19/36U+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	6	1.98	218387997	N/A
ML14KP1-030-230A**	L*19/36U+TXV+LEFE3A*	- - -	R-454B	28600	14.3	11.7	25000	17100	14000	7.7	7	1.96	218391477	N/A
ML14KP1-030-230A**	L*19/36U+TXV+LEFE4B*	- - -	R-454B	28600	14.3	12	25800	15900	12800	7.95	7	1.96	218391476	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217230692	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217230694	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	6.6	1.94	217230697	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	217230700	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	6.6	1.96	217230703	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH060NV36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	6.35	1.82	217230709	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH070V36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	6.35	1.82	217230712	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.94	217230715	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH080NV48B	R-454B	29000	15.2	13	25200	16300	13200	7.8	6.6	1.94	217230718	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	6.35	1.98	217230725	N/A
ML14KP1-030-230A**	L*24/36Z**+TXV	SL280UH090V48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.98	217230732	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967642	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967654	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216967671	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	216975310	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216975326	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967684	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967701	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	216975342	N/A
ML14KP1-030-230A**	L*30/36S**+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216975359	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967641	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967653	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216967670	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	216975309	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216975325	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967683	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217230711	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217230714	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967700	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217230723	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217230730	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	216975341	N/A
ML14KP1-030-230A**	L*30/36U**+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216975358	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	217482176	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	217482177	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	217482178	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217482179	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217482180	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL195UH080NE48B	R-454B	29200	14.3	12.5	25800	16400	13400	7.8	6.6	1.94	217482181	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	6.8	1.94	217482182	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217482183	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217482184	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217482185	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217482186	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482187	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280DF090E48B	R-454B	29200	14.5	12	28000	17700	14000	8.15	6.9	2	217482188	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	6.35	1.98	217482189	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217482190	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217482191	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.98	217482192	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH090E48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217482193	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH090XE48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217482194	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH110E48C	R-454B	29600	14.5	13	25600	16300	13300	8	6.8	1.96	217482195	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482196	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482197	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL297DF045XE36B	R-454B	29000	14.5	12	27800	17600	13900	8.05	6.8	1.98	217482198	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL297DF045XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	6.8	2	217482199	N/A
ML14KP1-030-230A**	L*31/37U**+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217482200	N/A
ML14KP1-030-230														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217482205	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12.5	25600	16400	13300	7.8	6.6	1.94	217482206	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217482207	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	6.8	1.96	217482208	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180DF070E36B	R-454B	29000	14.5	12	27600	17500	13800	8.05	6.8	2	217482209	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180DF090E48B	R-454B	29200	14.5	12.5	27800	17500	13800	8.15	6.9	2.02	217482210	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217482211	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	6.35	1.96	217482212	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217482213	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	6.35	1.96	217482214	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217482215	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.96	217482216	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217482217	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217482218	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	29600	16	13	25000	16100	13100	7.5	6.35	1.98	217482219	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	6.35	1.96	217482220	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	6.35	1.96	217482221	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	29600	16	13	25000	16100	13000	7.8	6.6	1.98	217482222	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090E60C	R-454B	29600	14.5	13	25800	16400	13400	8	6.8	1.96	217482223	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217482224	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	29600	16	13	25000	16100	13000	7.8	6.6	1.98	217482225	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH110E60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	6.8	1.96	217482226	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH110XE60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	6.8	1.96	217482227	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193DF045XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	6.8	1.98	217482228	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193DF070XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	6.8	1.98	217482229	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1.96	217482230	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217482231	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6.35	1.96	217482232	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	6.8	1.94	217482233	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	6.8	1.94	217482234	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217482235	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217482236	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217482237	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217482238	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217482239	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217482240	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217482241	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	6.8	1.96	217482242	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	6.8	1.96	217482243	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	6.8	1.94	217482244	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217482245	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217482246	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	6.6	1.94	217482247	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	8	6.8	1.94	217482248	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280DF060NV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	6.8	2	217482249	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280DF090V48B	R-454B	29200	14.5	12	27800	17600	13900	8.05	6.8	1.98	217482250	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217482251	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217482252	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217482253	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	217482254	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217482255	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217482256	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	217482257	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	217482258	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	217482259	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99DF070XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	6.8	1.98	217482260	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217482261	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12.5	25600	16300	13300	7.8	6.6	1.94	217482262	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217482263	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6	1.94	218387894	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6	1.94	218387897	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6	1.96	218387899	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	7	1.96	218387901	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6	1.94	218387903	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387905	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387907	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	6	1.98	218387910	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387913	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387916	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6	1.98	218387918	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	7	1.94	218387924	N/A
ML14KP1-030-230A**	L*31/37U*+TXV	EL2												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	6	1.96	218387938	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6	1.98	218387941	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	6	1.96	218387944	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387947	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	6	1.96	218387949	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387952	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6	1.98	218387954	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	6	1.96	218387957	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	6	1.96	218387959	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6	1.96	218387965	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387967	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6	1.96	218387969	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6	1.94	218387971	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387973	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	7	1.96	218387975	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6	1.96	218387977	N/A
ML14KP1-030-230A**	L*31/37U+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387979	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387982	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387985	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6	1.94	218387988	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6	1.98	218387990	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6	1.94	218387992	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	7	1.94	218387994	N/A
ML14KP1-030-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6	1.96	218387998	N/A
ML14KP1-030-230A**	L*35/36U+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967643	N/A
ML14KP1-030-230A**	L*35/36U+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	6.35	1.94	216967655	N/A
ML14KP1-030-230A**	L*35/36U+TXV	EL180UH080NE48B	R-454B	29600	15.2	13	25200	16300	13200	7.5	6.35	1.94	216967672	N/A
ML14KP1-030-230A**	L*35/36U+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	216975311	N/A
ML14KP1-030-230A**	L*35/36U+TXV	EL195UH060NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	216975327	N/A
ML14KP1-030-230A**	L*35/36U+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967685	N/A
ML14KP1-030-230A**	L*35/36U+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967702	N/A
ML14KP1-030-230A**	L*35/36U+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217230724	N/A
ML14KP1-030-230A**	L*35/36U+TXV	SL280UH090V48B	R-454B	29200	15.2	13	25200	16200	13100	7.8	6.6	1.96	217230731	N/A
ML14KP1-030-230A**	L*35/36U+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.94	216975343	N/A
ML14KP1-030-230A**	L*35/36U+TXV	SL297UH060NV36B	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.96	216975361	N/A
ML14KP1-030-230A**	LCM36*B7+TXV+TD	---	R-454B	29200	14.5	12	25400	17200	14000	7.5	6.15	2.04	218623947	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216977940	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978040	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216978044	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	6.6	1.96	216977944	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216977948	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978048	N/A
ML14KP1-030-230A**	LD19/36Y+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216978052	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	217230693	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216977939	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978039	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216978043	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186757	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186763	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186769	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	6.5	1.96	217183994	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184000	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184006	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL297DF045XE36B	R-454B	28400	14.3	12	27600	17500	13900	7.8	7	1.94	218387919	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL297DF045XV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	7	1.96	218387921	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	6.5	1.92	217186775	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	6.5	1.92	217186781	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	6.5	1.94	217186787	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217186793	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180DF070E36B	R-454B	28400	14.3	12	27400	17400	13800	7.8	7	1.96	218387931	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217184041	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217184052	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217184058	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217184069	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	6.5	1.94	217184075	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184081	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	6.5	1.94	217184087	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML193DF045XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.8	7	1.94	218387960	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML193DF070XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.8	7	1.94	218387962	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	6.35	1.96	217184093	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	6.35	1.96	217184099	N/A
ML14KP1-030-230A**	LD19/36Z+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	6.35	1.98	217184105	N/A
ML14KP1-03														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186832	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	6.5	1.94	217186846	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217186852	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	6.6	1.96	216977943	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	6.35	1.98	217230708	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217230710	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217230713	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216977947	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184133	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184139	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216978047	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216978051	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SLP99DF070XV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	7	1.94	218387995	N/A
ML14KP1-030-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	6.35	1.98	217186863	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216977942	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	216978042	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216978046	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	6.7	1.98	216977946	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216977950	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	216978050	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216978054	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216977941	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	216978041	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216978045	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	6.6	1.94	217183974	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	6.8	1.94	217230705	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	6.35	1.94	217186758	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	217186764	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	217186770	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183976	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	6.6	1.98	217183995	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217184001	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH090XE48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217184007	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	6.8	1.96	217184013	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297DF045XE36B	R-454B	28800	14.5	12	27800	17600	13900	7.9	7	1.96	218387920	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	7	1.98	218387922	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217186776	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	29000	15.2	12	25200	16300	13200	7.8	6.6	1.94	217186782	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	29200	15.2	12	25400	16400	13300	7.8	6.6	1.96	217186788	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217186794	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186800	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186804	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	6.6	1.94	217186808	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	6.8	1.96	217186811	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	28800	14.5	12	27600	17500	13800	7.9	7	1.98	218387932	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	6.6	1.96	217184042	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.98	217184053	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	6.6	1.98	217184059	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	6.6	1.96	217184070	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	6.55	1.98	217184076	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217184082	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	6.55	1.98	217184088	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	29000	14.5	12	28000	17700	14000	7.9	7	1.96	218387961	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	29000	14.5	12	28000	17700	14000	7.9	7	1.96	218387963	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217184094	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.5	6.35	1.94	217184100	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13300	7.8	6.6	1.96	217184106	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	6.8	1.94	217184112	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	6.8	1.94	217184116	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217184120	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	6.35	1.94	217186815	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	6.35	1.94	217186821	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217186827	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12.5	25400	16200	13100	7.5	6.35	1.96	217186833	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217186839	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186843	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	29000	15.2	12.5	25000	16100	13100	7.8	6.6	1.96	217186847	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	6.6	1.96	217186853	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	6.6	1.94	217186859	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	6.7	1.98	216977945	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	6.6	1.94		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	217186862	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	7	1.96	218387996	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.96	217186864	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	6.6	1.94	217186870	N/A
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186873	N/A
ML14KP1-030-230A**	LEM36*43E+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215876624	N/A
ML14KP1-030-230A**	LEM36*43G+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	6.75	1.96	215876623	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	6.35	1.8	216967648	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	6.4	1.88	216967661	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975300	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	6.4	1.9	216975316	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967678	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	6.4	1.88	216967691	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975332	N/A
ML14KP1-030-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	6.4	1.88	216975348	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	6.35	1.8	216967647	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	6.4	1.88	216967660	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975299	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	6.4	1.9	216975315	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	6.35	1.82	217183979	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	6.35	1.8	217183984	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	6.35	1.8	217183989	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217184016	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217184021	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	6.35	1.82	217184026	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217184031	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	6.35	1.8	217184036	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217184047	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	6.35	1.8	217184064	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	216967677	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	6.35	1.82	217184123	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12	25600	16400	13300	7.5	6.35	1.8	217184128	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	6.4	1.88	216967690	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	216975331	N/A
ML14KP1-030-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	6.4	1.88	216975347	N/A
ML14KP1-030-230A**	LH18/37D*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967646	N/A
ML14KP1-030-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967658	N/A
ML14KP1-030-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967688	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967644	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967656	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.98	217183982	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183987	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183992	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217184019	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217184024	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217184029	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217184034	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217184039	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217184050	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	6.35	1.96	217184067	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967686	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217184126	N/A
ML14KP1-030-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217184131	N/A
ML14KP1-030-230A**	LH24/37F*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216967674	N/A
ML14KP1-030-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975313	N/A
ML14KP1-030-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216975329	N/A
ML14KP1-030-230A**	LH24/37F*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216967704	N/A
ML14KP1-030-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975345	N/A
ML14KP1-030-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216975366	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6	1.8	218387896	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.5	1.92	216967673	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975312	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.5	1.94	216975328	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186762	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186768	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186774	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH045E36A	R-454B	28600	15.2	12.5	25000	15800	12800	7.5	6	1.98	218387909	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH070E36A	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387912	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH070XE36A	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6	1.96	218387915	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	6.5	1.96	217183999	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184005	N/A
ML14KP1-030-230A**	LH24/37X*+TX													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.98	217186798	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH030V36A	R-454B	28800	15	12.5	25200	16100	13000	7.5	6	1.98	218387934	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH045E36A	R-454B	28400	15.2	12.5	24800	15700	12800	7.5	6	1.98	218387937	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH045V36A	R-454B	28800	15	12.5	25200	16100	13000	7.5	6	1.98	218387940	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH045XE36A	R-454B	28400	15.2	12.5	24800	15700	12800	7.5	6	1.98	218387943	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070E36A	R-454B	28400	15	12.5	24800	15800	12800	7.5	6	1.96	218387946	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217184046	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070V36A	R-454B	28600	15	12.5	25200	15900	12900	7.5	6	1.96	218387951	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217184057	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.5	1.96	217184063	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070XE36A	R-454B	28200	15.2	12.5	24800	15700	12800	7.5	6	1.98	218387956	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.5	1.94	217184074	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH090E48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	6.5	1.94	217184080	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184086	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH090XE48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	6.5	1.94	217184092	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	28400	15	12.5	25000	15900	12900	7.5	6.35	1.96	217184098	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	28200	15	12.5	24800	15800	12800	7.5	6.35	1.96	217184104	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	28800	15	12.5	25400	16100	13100	7.5	6.35	1.98	217184110	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	6.35	1.96	217186819	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186825	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	6.5	1.94	217186831	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.5	1.92	217186837	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML296UH045V36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	6.5	1.94	217186851	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217186857	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH060NV36A	R-454B	28800	15	12.5	25200	16000	13000	7.5	6	1.98	218387981	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH070V36A	R-454B	28600	15	12.5	25200	15900	13000	7.5	6	1.98	218387984	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH070XV36A	R-454B	28600	15	12.5	25200	15900	13000	7.5	6	1.98	218387987	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216967703	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184138	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.5	1.94	217184144	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.5	1.92	216975344	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	6.35	1.96	216975364	N/A
ML14KP1-030-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	28600	15	12.5	25200	16000	13000	7.5	6.35	1.98	217186868	N/A
ML14KP1-030-230A**	LH29/36F*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967665	N/A
ML14KP1-030-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975304	N/A
ML14KP1-030-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975320	N/A
ML14KP1-030-230A**	LH29/36F*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967695	N/A
ML14KP1-030-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975336	N/A
ML14KP1-030-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216975352	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	6.55	1.92	216967664	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	216975303	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	6.55	1.94	216975319	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186760	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186766	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186772	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	6.55	1.96	217183997	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184003	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184009	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	6.55	1.92	217186778	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	6.55	1.92	217186784	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	6.55	1.94	217186790	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.98	217186796	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217184044	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217184055	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	6.55	1.96	217184061	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	6.55	1.94	217184072	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217184078	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184084	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	6.5	1.96	217184090	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	6.35	1.96	217184096	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217184102	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	6.35	1.98	217184108	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	6.35	1.96	217186817	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186823	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	6.55	1.94	217186829	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	6.55	1.92	217186835	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	6.55	1.94	217186849	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217186855	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	6.35	1.96	216967694	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	6.55	1.94	217184136	N/A
ML14KP1-030-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	6.35	1.82	217230698	N/A
ML14KP1-030-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	6.4	1.9	217230701	N/A
ML14KP1-030-230A**	LH35/36W*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	6.4	1.88	217230716	N/A
ML14KP1-030-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	28200	15	12	25000	16200	13100	7.55	6.4	1.9	217230719	N/A
ML14KP1-030-230A**	LH35/36W*+TXV	SL280UH090V48B	R-454B	28200	15	12	25000	16200	13100	7.55	6.4	1.9	217230726	N/A
ML14KP1-030-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	217230696	N/A
ML14KP1-030-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217230699	N/A
ML14KP1-030-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217230702	N/A
ML14KP1-030-230A**	LH35/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	217230717	N/A
ML14KP1-030-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	6.35	1.98	217230720	N/A
ML14KP1-030-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217230727	N/A
ML14KP1-030-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	29200	14.5	12.5	25800	16400	13400	7.8	6.6	1.94	217230704	N/A
ML14KP1-030-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	29600	14.5	13	25800	16400	13400	8	6.8	1.94	217230707	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967645	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	216967657	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	217614064	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	217614065	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217614069	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614073	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614077	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.98	217183983	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183988	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217183993	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	6.6	1.98	217609612	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217614081	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.96	217614085	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.96	217614089	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217614093	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217614094	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217184020	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217184025	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217184030	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217184035	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217184040	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609655	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217184051	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217609668	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	6.35	1.96	217184068	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609682	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1.96	217609690	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609698	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	6.35	1.96	217609706	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	6.8	1.94	217609708	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217614098	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614102	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217614106	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217614107	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217614111	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217614115	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	216967687	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217184127	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217184132	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217609736	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614116	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	217614117	N/A
ML14KP1-030-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217614121	N/A
ML14KP1-030-230A**	LP18/36R*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	6.6	1.94	217614122	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	6.35	1.8	217609582	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	6.55	1.92	216967668	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.55	1.92	216975307	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	6.55	1.94	216975323	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217614067	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.55	1.92	217614071	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	6.55	1.92	217614075	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217183977	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	6.35	1.82	217609592	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217609598	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	6.35	1.96	217609602	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	6.55	1.96	217609608	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217184014	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	6.55	1.92		

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	28600	14.5	12	25600	16300	13300	7.75	6.55	1.92	217186805	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	6.75	1.94	217186812	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	6.35	1.98	217609621	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217609627	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	6.35	1.98	217609633	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217609639	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	28600	15	12.5	24800	15800	12800	7.5	6.35	1.96	217609645	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.55	1.94	217609651	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	28800	15	12.5	25200	15900	12900	7.5	6.35	1.96	217609659	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	6.55	1.96	217609665	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	6.35	1.8	217609672	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	6.55	1.94	217609678	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	6.35	1.96	217609686	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	6.35	1.96	217609694	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	6.35	1.98	217609702	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	28600	14.5	12	25400	16200	13200	7.95	6.75	1.92	217184113	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	6.75	1.92	217184117	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217184121	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	6.35	1.96	217614096	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.55	1.92	217614100	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	6.55	1.94	217614104	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	6.55	1.92	217186840	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	6.75	1.94	217186844	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	6.55	1.94	217614109	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217614113	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	28600	14.5	12	25400	16200	13200	7.75	6.55	1.92	217186860	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	6.35	1.98	217609718	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217609724	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.98	217609730	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216967698	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217230721	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	6.55	1.94	217230728	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	6.55	1.92	216975339	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	6.35	1.96	216975355	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	6.35	1.98	217614119	N/A
ML14KP1-030-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	6.55	1.92	217186874	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	217609578	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	6.35	1.94	217609584	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	6.6	1.94	216967669	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	6.35	1.96	216975308	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	6.6	1.96	216975324	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	6.6	1.94	216967676	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	6.8	1.94	217230706	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217614068	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614072	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614076	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217183978	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.98	217609594	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609599	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609604	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	6.6	1.98	217609610	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	6.8	1.96	217184015	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	6.6	1.94	217614080	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.96	217614084	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	6.35	1.96	217614088	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217614092	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186802	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186806	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	6.6	1.94	217186809	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	6.8	1.96	217186813	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	6.35	1.98	217609623	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217609629	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.98	217609635	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	6.35	1.96	217609641	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217609647	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609653	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609661	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217609667	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	6.35	1.96	217609674	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	6.35	1.96	217609680	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	6.35	1		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	6.8	1.96	217184122	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	6.35	1.94	217614097	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	217614101	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	6.6	1.96	217614105	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	6.6	1.94	217186841	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	6.8	1.96	217186845	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	6.35	1.96	217614110	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217614114	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	6.6	1.94	217186861	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609720	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217609726	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	6.35	1.94	217609732	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.94	216967699	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	6.35	1.98	217230722	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.98	217230729	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	6.35	1.94	216975340	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	6.6	1.94	216975357	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	6.6	1.92	216975370	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	6.35	1.96	217614120	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	6.6	1.94	217186871	N/A
ML14KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	6.6	1.94	217186875	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217609576	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	6.35	1.94	217609580	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	6.6	1.94	216967659	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	6.35	1.96	216975298	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	6.6	1.96	216975314	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	29200	14.5	13	25800	16400	13400	7.8	6.6	1.94	216967675	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	6.35	1.94	217614066	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	217614070	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	217614074	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	6.8	1.96	217183975	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	29600	16	13.5	24800	16000	13000	7.5	6.35	1.98	217609590	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	6.35	1.96	217609596	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	6.35	1.96	217609600	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	6.35	1.98	217609606	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	29600	15	13	25600	16300	13300	8	6.8	1.96	217184012	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	13.5	25000	16100	13000	7.8	6.6	1.94	217614078	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	29000	15.2	13	25200	16300	13200	7.8	6.6	1.94	217614082	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.96	217614086	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217614090	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	6.8	1.96	217186799	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	29000	15	13	25600	16300	13300	7.8	6.6	1.94	217186803	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	29200	14.5	13	25600	16400	13300	7.8	6.6	1.94	217186807	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	29200	15	13.5	25400	16200	13200	8	6.8	1.96	217186810	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13.5	25000	16100	13200	7.5	6.35	1.98	217609619	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	6.35	1.96	217609625	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13.5	25000	16200	13200	7.5	6.35	1.98	217609631	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	6.35	1.96	217609637	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	6.35	1.96	217609643	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	6.35	1.96	217609649	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217609657	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	6.35	1.98	217609663	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	29600	16	13.5	24800	15900	12900	7.5	6.35	1.96	217609670	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	6.35	1.96	217609676	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13.5	24800	16100	13000	7.5	6.35	1.96	217609684	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	6.35	1.96	217609692	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13.5	25200	16200	13200	7.5	6.35	1.96	217609700	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	29000	15	13	25400	16200	13200	8	6.8	1.94	217184111	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	29200	15	13	25600	16200	13200	8	6.8	1.94	217184115	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	29400	15	13	25600	16300	13300	8	6.8	1.96	217184119	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	6.35	1.94	217614095	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	6.35	1.94	217614099	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	13	25400	16300	13200	7.8	6.6	1.96	217614103	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	29200	15	13	25600	16300	13200	7.8	6.6	1.94	217186838	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	29200	15	13	25600	16300	13300	8	6.8	1.96	217186842	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	29000	15.2	13.5	25000	16100	13100	7.8	6.6	1.96	217614108	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	29200	15.2	13.5	25200	16200	13100	7.8	6.6	1.96	217614112	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	29000	15	13	25400	16200	13200	7.8	6.6	1.94	217186858	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217609716	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217609722	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	6.35	1.94	217609728	N/A
ML14KP1-0														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	29000	14.5	12.5	25600	16400	13400	7.8	6.6	1.92	216975368	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	6.35	1.96	217614118	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	29000	14.5	13	25600	16300	13300	7.8	6.6	1.94	217186869	N/A
ML14KP1-030-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	29400	15	13	25600	16300	13300	7.8	6.6	1.94	217186872	N/A
ML14KP1-030-230A**	LS*31*9BB+TXV+TD	---	R-454B	28800	14.5	12	25200	17100	14000	7.9	6.75	2.02	217155446	N/A
ML14KP1-030-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	28400	15	11.7	25000	17100	14000	7.7	6.55	1.96	217045732	N/A
ML14KP1-030-230A**	LW30*M7+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	6.65	2	217290738	N/A
ML14KP1-030-230A**	LW31*M7+TXV	---	R-454B	27200	15.2	12.5	25600	15900	12800	7.85	6.65	1.92	215903283	N/A
ML14KP1-030-230A**	LW36*M6+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	6.75	2.02	216768187	N/A
ML14KP1-030-230A**	LW37*M6+TXV	---	R-454B	27600	15	12	25600	15900	12800	7.5	6.65	1.92	215903285	N/A
ML14KP1-030-230A**	LW39*L9+TXV	---	R-454B	28600	15	12	26000	16400	12300	7.5	6.5	1.9	215903288	N/A
ML14KP1-030-230A**	M36E24*+TXV+AMHE3D	---	R-454B	26800	14.3	12	25400	15800	12800	7.6	6.5	1.88	217109658	N/A
ML14KP1-030-230A**	SL1*31+TXV	---	R-454B	26000	14.5	12	25400	15800	12800	7.55	6.45	1.86	215867907	N/A
ML14KP1-030-230A**	SL5*31+TXV	---	R-454B	26400	15	12	25400	15800	12800	7.6	6.5	1.88	215867911	N/A
ML14KP1-030-230A**	SM6*30+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	6.75	2.02	217290738	N/A
ML14KP1-030-230A**	SM7*30+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	6.65	2	216498331	N/A
ML14KP1-036-230A**	BC**C1*37+TXV+TD	---	R-454B	36000	14.3	12.5	33000	19800	15700	7.5	6.45	1.86	216472869	N/A
ML14KP1-036-230A**	FC*CC1*37+TXV+TD	---	R-454B	36000	14.3	12.5	33000	19800	15700	7.5	6.45	1.86	217037934	N/A
ML14KP1-036-230A**	FE*B89*37+TXV	---	R-454B	35200	15	12.5	34000	19400	16200	7.95	6.8	2.02	215867995	N/A
ML14KP1-036-230A**	FE*E34*36+TXV	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	215867090	N/A
ML14KP1-036-230A**	HG80*36+TXV+AEFE3A*	---	R-454B	35400	15.2	12	34000	19400	16200	8	6.85	2.04	218441947	N/A
ML14KP1-036-230A**	HG80*36+TXV+AEFE4B*	---	R-454B	35400	15.2	12	34000	19400	16200	8	6.85	2.04	218441946	N/A
ML14KP1-036-230A**	HH63*36+TXV	ML180UH090E60C	R-454B	34800	15.2	12.5	32800	19200	16200	7.55	6.5	1.94	217655794	N/A
ML14KP1-036-230A**	HH63*36+TXV	ML193UH090XE48C	R-454B	34800	15.2	12.5	33000	19400	16300	7.55	6.5	1.94	217655795	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	EL180UH080NE48B	R-454B	35000	14.5	12	33600	19600	16500	7.5	6.45	1.94	218631364	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	EL180UH100NE60C	R-454B	36000	16	13.5	32600	19600	17100	8	6.6	2.04	218630974	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	218630975	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	EL195UH080NE48C	R-454B	35600	15.2	13.5	32200	19400	16900	7.8	6.5	2	218630976	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.98	218630977	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	218631365	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL280UH080NV60C	R-454B	36000	16	13.5	32400	19400	16900	8	6.6	2.06	218631366	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL280UH100NV60C	R-454B	36000	16	13.5	32800	19600	17000	8	6.6	2.06	218631367	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	218630978	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	218630979	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL297UH080NV48C	R-454B	35800	15.2	13	32600	19600	17100	7.8	6.5	2	218630980	N/A
ML14KP1-036-230A**	L*18/30Z+TXV+TD	SL297UH080NV60C	R-454B	36000	15.2	13.5	33000	19800	17200	8	6.6	2.04	218630981	N/A
ML14KP1-036-230A**	L*19/36S*+TXV+LEFE3A*	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	216624279	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL180UH080NE48B	R-454B	36000	15.2	12.5	33600	19600	16500	7.5	6.45	1.94	216967859	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	216967863	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.86	216975499	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	32800	19200	16200	7.5	6.45	1.96	216975502	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	6.7	1.98	216975506	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL196UH030XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.82	217187154	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL196UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.84	217187155	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL280UH090E36B	R-454B	36000	15.2	13.5	32600	19400	16300	7.5	6.45	1.9	217184512	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL280UH090E48B	R-454B	36000	15.2	13.5	32400	19200	16200	7.5	6.45	1.9	217184513	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL280UH090XE48B	R-454B	36000	16	13.5	32000	18900	15800	7.5	6.45	1.88	217184514	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH045XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.84	217187174	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH045XV36B	R-454B	36000	14.5	13	32600	19400	16300	7.5	6.45	1.84	217187175	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH070XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.84	217187176	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH070XV36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	217187177	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070E36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	6.45	1.86	217184521	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	6.45	1.88	217184522	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070V48B	R-454B	36000	16	13.5	32400	19200	16100	7.5	6.45	1.9	217184523	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	6.45	1.86	217184524	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH090E48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	6.45	1.88	217184525	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH090V48B	R-454B	36000	15.2	13.5	32400	19200	16100	7.5	6.45	1.86	217184528	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH090XE48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	6.45	1.88	217184529	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML193UH030XE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.84	217184536	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML193UH045XE36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.84	217184537	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML193UH070XE36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	6.45	1.94	217184538	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML196UH030XE36B	R-454B	36000	15.2	12.5	33200	19200	16200	7.5	6.45	1.92	217187192	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML196UH070XE36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	6.45	1.96	217187193	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML196UH070XE48B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.84	217187194	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML296UH045XV36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.86	217187203	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	ML296UH070XV36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.86	217187204	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15.2	13	33400	19600	16400	7.5	6.45	1.96	216967874	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	6.7	1.98	216967878	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V36B	R-454B	36000	15.2	13.5	32200	19200	16100	7.5	6.45	1.88	217184547	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	6.45	1.86	217184548	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V60C	R-454B	36000	16	13.5	32200	18600	15700	7.5	6.45	1.94	217230876	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090XV60C	R-454B	36000	16	13.5	32200	18600	15700	7.5	6.45	1.94	217230878	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV</													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV48C	R-454B	36000	15.2	13	32600	18800	15800	7.5	6.45	1.9	216975521	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	6.45	1.94	216975524	N/A
ML14KP1-036-230A**	L*23/37Z*+TXV	SLP99UH070XV36B	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.96	217187209	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84	217230851	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	35600	15	12.5	33600	19600	16500	7.5	6.45	1.94	217230853	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230856	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	217230859	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217230861	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217230863	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230865	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	35600	15.2	13	33400	19400	16300	7.8	6.7	1.98	217230870	N/A
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217230874	N/A
ML14KP1-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	35800	15	12.5	33600	19600	16500	7.5	6.45	1.94	217230852	N/A
ML14KP1-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230855	N/A
ML14KP1-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217230864	N/A
ML14KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V36B	R-454B	35800	15.2	13	33400	19400	16300	7.8	6.7	1.98	217230869	N/A
ML14KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217230873	N/A
ML14KP1-036-230A**	L*30/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967854	N/A
ML14KP1-036-230A**	L*30/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975496	N/A
ML14KP1-036-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.86	216967865	N/A
ML14KP1-036-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967871	N/A
ML14KP1-036-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975509	N/A
ML14KP1-036-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	6.45	1.86	216975515	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967853	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975495	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.86	216967864	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	6.45	1.84	217230860	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	6.45	1.84	217230862	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967870	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.88	217230867	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	12.5	32200	19200	16000	7.5	6.45	1.86	217230871	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975508	N/A
ML14KP1-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	6.45	1.86	216975514	N/A
ML14KP1-036-230A**	L*35/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967856	N/A
ML14KP1-036-230A**	L*35/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975498	N/A
ML14KP1-036-230A**	L*35/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	216967867	N/A
ML14KP1-036-230A**	L*35/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967873	N/A
ML14KP1-036-230A**	L*35/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975511	N/A
ML14KP1-036-230A**	L*35/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	216975517	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967855	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216975497	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	216967866	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	6.45	1.86	216967872	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.88	217230868	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217230872	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.86	216975510	N/A
ML14KP1-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	216975516	N/A
ML14KP1-036-230A**	LCM36*B7+TXV+TD	- - -	R-454B	35200	14.3	12	33200	20200	17700	7.8	6.5	1.98	218623948	N/A
ML14KP1-036-230A**	LEM36*43E+TXV	- - -	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	215876626	N/A
ML14KP1-036-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	6.45	1.84	216967857	N/A
ML14KP1-036-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	6.45	1.86	216967868	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98	216967862	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	33400	19400	16500	7.5	6.45	1.98	216975501	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	6.7	1.98	216975505	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13.5	32800	19000	16100	7.5	6.45	1.98	217187157	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.8	6.7	1.96	217187159	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL280UH110E48C	R-454B	36000	16	13.5	32600	19000	16000	7.8	6.7	1.98	217184516	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL280UH110E60C	R-454B	36000	16	14	32800	19000	16100	7.8	6.7	1.98	217184518	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL280UH110XE60C	R-454B	36000	16	14	32800	19000	16100	7.8	6.7	1.98	217184520	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	6.45	1.98	217187161	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13.5	33200	19200	16300	7.5	6.45	1.98	217187163	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	6.45	1.98	217187165	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	6.7	1.98	217187167	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	217187169	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	6.7	1.98	217187171	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	2	217187173	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13.5	33400	19400	16200	7.8	6.7	1.98	217187179	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV36C	R-454B	36000	15.2	13.5	33000	19400	16300	7.8	6.7	1.96	217187181	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	6.45	1.98	217187183	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	6.7	1.98	217187185	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32600	19000	16000	7.5	6			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star	
ML14KP1-036-230A**	LH23/37W*+TXV	ML180UH110V60C	R-454B	36000	15.2	14	33200	19200	16100	7.8	6.7		2	217184533	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	6.7	1.98		217184535	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	6.45	1.96		217184540	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16300	7.8	6.7	2		217184542	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13.5	33400	19400	16200	7.8	6.7	1.98		217184544	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98		217184546	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	6.45	1.96		217187196	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	2		217187198	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	1.98		217187200	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13.5	32600	18600	15500	7.5	6.45	1.86		217187202	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13.5	33200	19400	16100	7.8	6.7	1.98		217187206	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13.5	32800	19000	16100	7.8	6.7	1.96		217187208	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	6.7	2		216967877	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	6.7	2		217184550	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	6.7	2		217184552	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	6.7	2		216967881	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	36000	15	13	33000	19000	15700	7.5	6.45	1.84		216975520	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	6.45	1.98		216975523	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13.5	33200	19200	16300	7.5	6.45	1.98		217187211	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13.5	33400	19400	16400	7.5	6.45	1.98		217187213	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.8	6.7	1.98		217187215	N/A
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	6.7	1.98		217187217	N/A
ML14KP1-036-230A**	LH29/36F*+TXV	EL180UH100NE60C	R-454B	35000	14.5	12.5	33000	19400	16400	7.6	6.55	1.94		216967861	N/A
ML14KP1-036-230A**	LH29/36F*+TXV	EL195UH100NE60C	R-454B	35000	14.5	12.5	33200	19600	16400	7.6	6.55	1.94		216975504	N/A
ML14KP1-036-230A**	LH29/36F*+TXV	SL280UH080NV60C	R-454B	35000	15.2	12.5	32800	19200	16200	7.6	6.55	1.94		216967876	N/A
ML14KP1-036-230A**	LH29/36F*+TXV	SL280UH100NV60C	R-454B	35000	15.2	12.5	33000	19400	16400	7.6	6.55	1.94		216967880	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98		217230854	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	32800	19200	16200	7.5	6.45	1.96		217230857	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.98		217230858	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	1.98		217230866	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH090V60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	6.7	1.98		217230875	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	6.7	1.98		217230877	N/A
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98		217230879	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84		217609978	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	35400	15	12.5	33600	19600	16500	7.5	6.45	1.94		216967858	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	1.98		216967860	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86		216975494	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	32800	19200	16200	7.5	6.45	1.96		216975500	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	6.7	1.98		216975503	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.82		217614189	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	6.45	1.84		217614190	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13	33000	18800	15800	7.5	6.45	1.86		217187156	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13	32800	19000	16000	7.8	6.7	1.96		217187158	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	36000	14.5	13	32400	19400	16200	7.5	6.45	1.86		217609981	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	36000	15	13	32400	19400	16200	7.5	6.45	1.84		217609983	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	36000	15	13	32400	19400	16200	7.5	6.45	1.84		217609985	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	6.45	1.9		217609987	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	36000	15.2	13	32400	19200	16200	7.5	6.45	1.9		217609989	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	36000	15.2	13.5	32000	18900	15800	7.5	6.45	1.88		217609991	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	36000	16	13	32600	19000	16000	7.8	6.7	1.98		217184515	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH110E60C	R-454B	36000	16	13.5	32800	19000	16100	7.8	6.7	1.98		217184517	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XE60C	R-454B	36000	16	13.5	33000	19200	16100	7.8	6.7	2.02		217184519	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13	33000	19200	16100	7.5	6.45	1.98		217187160	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13	33200	19200	16300	7.5	6.45	1.98		217187162	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	6.45	1.98		217187164	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	6.7	1.98		217187166	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98		217187168	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	6.7	1.98		217187170	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2		217187172	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	6.45	1.84		217614191	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.84		217614192	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	6.45	1.84		217614193	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	6.45	1.96		217614194	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13	33400	19400	16200	7.8	6.7	1.98		217187178	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	36000	15.2	13	33000	19400	16300	7.8	6.7	1.96		217187180	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	6.45	1.98		217187182	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	6.7	1.98		217187184	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98		217187186	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	6.7	1.98		217187188	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	36000											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217610004	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	6.45	1.86	217610006	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	6.45	1.88	217610008	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	36000	15.2	13	32400	19200	16100	7.5	6.45	1.9	217610010	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	36000	15	13	32200	19000	16000	7.5	6.45	1.86	217610012	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217610013	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.88	217610015	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	36000	16	13.5	33000	19200	16200	7.8	6.7	2	21784526	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	35400	15.2	12.5	33400	19400	16400	7.8	6.7	1.96	217610017	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.88	217610019	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	6.7	2	21784530	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	36000	15.2	13.5	33200	19200	16100	7.8	6.7	2	21784532	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	1.98	21784534	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	36000	15	12.5	32400	19200	16200	7.5	6.45	1.84	217610021	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	6.45	1.94	217610023	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217610025	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13	32800	19000	16100	7.5	6.45	1.94	21784539	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13	33000	19200	16300	7.8	6.7	1.96	21784541	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13	32800	19000	16000	7.8	6.7	1.96	21784543	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	21784545	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	35600	15	12.5	33200	19200	16200	7.5	6.45	1.92	217614195	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	6.45	1.96	217614196	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	6.45	1.84	217614197	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13	33000	19200	16200	7.5	6.45	1.96	21787195	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	21787197	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	6.45	1.98	21787199	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13	33000	19200	16100	7.5	6.45	1.98	21787201	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	217614198	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	36000	15	13	32400	19200	16100	7.5	6.45	1.86	217614199	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13	33200	19400	16100	7.8	6.7	1.98	21787205	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13	32800	19000	16100	7.8	6.7	1.96	21787207	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.86	217610028	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217610029	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	6.45	1.84	217610030	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	6.45	1.86	216967869	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	6.7	1.98	216967875	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	6.45	1.88	217610032	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	6.45	1.86	217610034	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	6.45	1.9	21784549	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	6.45	1.9	21784551	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	6.7	2	216967879	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	35200	15	12.5	33600	19600	16500	7.5	6.45	1.96	216975507	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	6.45	1.96	216975513	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	36000	14.5	12.5	32600	18800	15800	7.5	6.45	1.9	216975519	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13	33400	19600	16500	7.5	6.45	1.94	216975522	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	35200	15	12.5	33400	19600	16400	7.8	6.7	1.96	217614200	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13	33000	19200	16300	7.5	6.45	1.96	21787210	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13	33200	19400	16400	7.5	6.45	1.94	21787212	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13	33400	19600	16500	7.8	6.7	1.96	21787214	N/A
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	6.7	1.96	21787216	N/A
ML14KP1-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	34200	14.5	12	33800	19400	16200	7.75	6.65	1.98	217045738	N/A
ML14KP1-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	217045737	N/A
ML14KP1-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	6.7	2	21759382	N/A
ML14KP1-036-230A**	LW39*L9+TXV	---	R-454B	34400	15.2	12.5	34000	19400	16200	7.95	6.8	2.02	215903290	N/A
ML14KP1-036-230A**	M36E34*+TXV+AMHE3D	---	R-454B	34200	14.5	12	33800	19400	16200	7.75	6.65	1.98	217037973	N/A
ML14KP1-036-230A**	M36E34*+TXV+AMHE4D	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	6.75	2	217037972	N/A
ML14KP1-036-230A**	M36E35*+TXV+AMHE3D	---	R-454B	34600	14.5	12.5	33800	19400	16200	7.8	6.7	2	217110022	N/A
ML14KP1-036-230A**	M36E35*+TXV+AMHE4D	---	R-454B	35200	15	12.5	34000	19400	16200	7.95	6.8	2.02	217110021	N/A
ML14KP1-036-230A**	M36E36*+TXV+AMHE3D	---	R-454B	35000	14.5	12.5	34000	19400	16200	7.9	6.75	2.02	217110026	N/A
ML14KP1-036-230A**	M36E59*+TXV+AMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	6.7	2	217110030	N/A
ML14KP1-036-230A**	M36E66*+TXV+AMHE3D	---	R-454B	35400	15	12.5	34000	19400	16200	7.9	6.75	2.02	217110136	N/A
ML14KP1-036-230A**	M36G36*+TXV+AMHE3D	---	R-454B	35000	14.5	12.5	34000	19400	16200	7.9	6.75	2.02	217110024	N/A
ML14KP1-036-230A**	M36G59*+TXV+AMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	6.7	2	217110028	N/A
ML14KP1-036-230A**	M36G66*+TXV+AMHE3D	---	R-454B	35400	15	12.5	34000	19400	16200	7.9	6.75	2.02	217110031	N/A
ML14KP1-042-230A**	BC**C1*48+TXV+TD	---	R-454B	41000	14.3	12	38500	24600	20200	7.5	6.5	2	216472870	N/A
ML14KP1-042-230A**	BV**B9*42+TXV	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	6.8	2.04	215867032	N/A
ML14KP1-042-230A**	BV**C3*42+TXV	---	R-454B	40000	14.5	12	38500	24200	19600	7.9	6.9	2.08	215867036	N/A
ML14KP1-042-230A**	BV**C3*48+TXV	---	R-454B	40000	15	12	38500	24200	19600	7.9	6.9	2.08	215867034	N/A
ML14KP1-042-230A**	FC**CC1*48+TXV+TD	---	R-454B	41000	14.3	12	38500	24600	20200	7.5	6.5	2	217037933	N/A
ML14KP1-042-230A**	FE**B89*42+TXV	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	6.8	2.04	215868013	N/A
ML14KP1-042-230A**	FE**B89*48+TXV	---	R-454B	39500	14.5	12	38000	24800	20000	7.8	6.8	2.04	215867092	N/A
ML14KP1-042-230A**	FE**CC3*42+TXV	---	R-454B	40000	14.5	12	38500	24200	19600	7.9	6.9	2.08	215868017	N/A
ML14KP1-042-230A**	FE**CC3*48+TXV	---	R-454B	40000	15	12	38500	24200	1					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	HG84*60+TXV	EL180UH080NE48B	R-454B	42000	15	12.5	37800	24000	19400	7.5	6.5	2	217109576	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	217109577	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	217109893	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	6.75	2.04	217109894	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	6.75	2.02	217109895	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217109896	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	6.5	2.04	217109578	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217109579	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217109580	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217109581	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217109582	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217109583	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.98	217109897	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297DF110XE60C	R-454B	41000	14.5	12.5	40000	26400	21400	8	6.95	1.98	217109898	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	6.95	1.96	217109899	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH045XV36B	R-454B	41500	15	12.5	37400	23600	19200	7.5	6.5	2	217109900	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217109901	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217109902	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.08	217109903	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217109904	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217109905	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217109906	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217109907	N/A
ML14KP1-042-230A**	HG84*60+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217109908	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180DF110E60C	R-454B	42000	14.5	13	40000	26200	21200	8.1	7	2	217109584	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217109585	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	6.5	2.04	217109586	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217109587	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217109588	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	6.5	2.02	217109589	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217109590	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217109591	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217109592	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217109593	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML193DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	6.95	1.96	217109594	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML193UH090XE36C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217109595	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217109596	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217109597	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217109598	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	6.95	1.98	217109909	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196DF110XE60C	R-454B	41500	14.5	12.5	40000	26200	21200	8	6.95	1.98	217109910	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196UH070XE48B	R-454B	42000	14.5	12	38000	24200	19600	7.5	6.5	1.98	217109911	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.5	6.7	2.02	217109912	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217109913	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217109914	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217109915	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML296DF090XV60C	R-454B	41000	14.5	12	40000	26600	21400	8	6.95	1.94	217109916	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217109917	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	6.5	2.02	217109918	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217109919	N/A
ML14KP1-042-230A**	HG84*60+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217109920	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.96	217109599	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280DF090V60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.98	217109600	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280DF110V60C	R-454B	41500	14.5	12.5	40000	26400	21200	8	6.95	1.98	217109601	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	6.5	2.02	217109602	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217109603	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.04	217109604	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217109605	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217109606	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217109607	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217109608	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217109609	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217109610	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	6.5	2	217109921	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL297UH060NV36B	R-454B	42000	15	12.5	37400	23600	19100	7.5	6.5	2.02	217109922	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217109923	N/A
ML14KP1-042-230A**	HG84*60+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217109924	N/A
ML14KP1-042-230A**	HG84*60+TXV	SLP99DF090XV36C	R-454B	41000	14.3	12.5	40000	26400	21400	8	6.95	1.96	217109925	N/A
ML14KP1-042-230A**	HG84*60+TXV	SLP99DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	6.95	1.96	217109926	N/A
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217109927	N/A
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.75	6.7	2.02	217109928	N/A
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	217482265	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	217482266	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	6.75	2.04	217482267	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	6.75	2.02	217482268	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217482269	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	6.5	2.04	217482270	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217482271	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217482272	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217482273	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217482274	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217482275	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.98	217482276	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297DF110XE60C	R-454B	41000	14.5	12.5	40000	26400	21400	8	6.95	1.98	217482277	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	6.95	1.96	217482278	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH045XV36B	R-454B	41500	15	12.5	37400	23600	19200	7.5	6.5	2	217482279	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217482280	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217482281	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.08	217482282	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217482283	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217482284	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217482285	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217482286	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217482287	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180DF110E60C	R-454B	42000	14.5	13	40000	26200	21200	8.1	7	2	217482288	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217482289	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	6.5	2.04	217482290	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217482291	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217482292	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	6.5	2.02	217482293	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217482294	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217482295	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217482296	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	6.75	2.1	217482297	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	6.95	1.96	217482298	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217482299	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217482300	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217482301	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217482302	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	6.95	1.98	217482303	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196DF110XE60C	R-454B	41500	14.5	12.5	40000	26200	21200	8	6.95	1.98	217482304	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH070XE48B	R-454B	42000	14.5	12	38000	24200	19600	7.5	6.5	1.98	217482305	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.75	6.7	2.02	217482306	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217482307	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217482308	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217482309	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296DF090XV60C	R-454B	41000	14.5	12	40000	26600	21400	8	6.95	1.94	217482310	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217482311	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	6.5	2.02	217482312	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217482313	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217482314	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.96	217482315	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280DF090V60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.98	217482316	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280DF110V60C	R-454B	41500	14.5	12.5	40000	26400	21200	8	6.95	1.98	217482317	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	6.5	2.02	217482318	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217482319	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.04	217482320	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217482321	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217482322	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217482323	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217482324	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217482325	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217482326	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	6.5	2	217482327	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH060NV36B	R-454B	42000	15	12.5	37400	23600	19100	7.5	6.5	2.02	217482328	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217482329	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217482330	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99DF090XV36C	R-454B	41000	14.3	12.5	40000	26400	21400	8	6.95	1.96	217482331	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	6.95	1.96	217482332	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217482333	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.75	6.7	2.02	217482334	N/A
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217482335	N/A

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	L*41/60Z+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	7	2.04	218393787	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	7	2.02	218393788	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218393789	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	7	2.12	218393790	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.12	218393791	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.12	218393792	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	7	2.1	218393793	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393794	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	7	2.04	218393795	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218393796	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218393797	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218393798	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	7	2.12	218393799	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	7	2.1	218393800	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.12	218393801	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	7	2.1	218393802	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	7	2.06	218393803	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	7	2.1	218393804	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218393805	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	7	2.06	218393806	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393807	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218393808	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393809	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393810	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	7	2.1	218393811	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.12	218393812	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.12	218393813	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218393814	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393815	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393816	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218393817	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	7	2.1	218393818	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	7	2.1	218393819	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.75	7	2.02	218393820	N/A
ML14KP1-042-230A**	L*41/60Z+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218393821	N/A
ML14KP1-042-230A**	L*42/49V*+TXV	SL280UH080NV48B	R-454B	40500	14.3	12	37800	23800	18800	7.5	6.5	1.8	21697713	N/A
ML14KP1-042-230A**	L*42/60S*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	6.5	2.04	216975373	N/A
ML14KP1-042-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.75	6.75	2.1	216975381	N/A
ML14KP1-042-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.75	6.75	2.1	216967718	N/A
ML14KP1-042-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	41500	15	12.5	38000	24000	20200	7.75	6.75	2.1	216967726	N/A
ML14KP1-042-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	41500	15	12.5	37800	24000	20200	7.75	6.75	2.1	216975389	N/A
ML14KP1-042-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.75	6.75	2.1	216975397	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	EL180UH080NE48B	R-454B	41000	14.5	12.5	37800	24000	19400	7.5	6.5	2	216967705	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	6.45	1.84	216967709	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	216975375	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	6.65	2.02	216975383	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	41000	15.2	12.5	37400	23400	19000	7.5	6.5	2.02	216967714	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216967720	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217230744	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230749	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230753	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967728	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230759	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230763	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975391	N/A
ML14KP1-042-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	6.75	2.1	216975399	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	216967710	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	216975376	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	6.7	2.02	216975384	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	6.7	2	217186878	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217186883	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184147	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184152	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184157	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217186888	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186893	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	6.7	2.02	217186898	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186903	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186908	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186913	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217184162	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217184187	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184192	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	6.7	2.04	217186918	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186923	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217186928	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186933	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186938	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	216967721	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184197	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184202	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967729	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184207	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184212	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975392	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	216975400	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186943	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.7	6.7	2	217186948	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186953	N/A
ML14KP1-042-230A**	L*42/60Z*+TXV	LCM48°C1+TXV+TD	R-454B	41000	14.3	12	38500	24600	20200	7.5	6.5	2	218630438	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	6.45	1.84	216977951	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	216978055	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	6.7	2.02	216978056	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19300	7.75	6.7	2	217186876	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217186881	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184145	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	6.9	2.04	217184150	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	6.9	2.04	217184155	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218385974	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297DF110XE60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218385975	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	7	1.96	218385976	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217186886	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186891	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	42000	15	12.5	37800	24400	19600	7.75	6.7	2.02	217186896	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186901	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186906	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186911	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	42000	14.5	12.5	40000	26200	21200	8.1	7	2	218385983	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	42000	15.2	13	37400	24200	19300	7.95	6.9	2.06	217184160	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	6.75	2.1	217184165	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	42000	15.2	13	37400	24000	19100	7.95	6.9	2.06	217184170	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	6.75	2.1	217184175	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218385988	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	6.7	2.04	217184180	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13	37800	23600	19800	7.8	6.75	2.1	217184185	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184190	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218385992	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196DF110XE60C	R-454B	41500	14.5	12.5	40000	26200	21200	8	7	1.98	218385993	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	6.7	2.04	217186916	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186921	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217186926	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML296DF090XV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218385997	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186931	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186936	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	6.95	1.96	216977952	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	7	1.98	218386000	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	41500	14.5	12.5	40000	26400	21200	8	7	1.98	218386001	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216977953	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184195	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217184200	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216977954	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184205	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184210	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216978057	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	216978058	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	7	1.96	218386002	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186941	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	41500	15	12.5	37800	24400	19400	7.75	6.7	2	217186946	N/A
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186951	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	6.45	1.84	216967707	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL195UH080NE48C	R-454B	41000	15	12.5	37800	24000	20200	7.5	6.5	2.04	216975372	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	6.75	2.04	216975380	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-4											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184156	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	217186887	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186892	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217186897	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186902	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186907	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186912	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.12	217184161	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	6.75	2.06	217184166	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.12	217184171	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	6.75	2.06	217184176	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217184181	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	41500	15.2	13	37400	24000	18900	7.8	6.75	2.06	217184186	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184191	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217186917	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	6.75	2.04	217186922	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	6.75	2.1	217186927	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186932	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217186937	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	6.75	2.06	216967717	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	6.75	2.04	217184196	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	6.75	2.04	217184201	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967725	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184206	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217184211	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975388	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	6.75	2.1	216975396	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186942	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	6.75	2.02	217186947	N/A
ML14KP1-042-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	217186952	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	6.45	1.84	217230735	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	217230737	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	6.7	2.02	217230739	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	217230742	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230747	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230751	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217230755	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230757	N/A
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230761	N/A
ML14KP1-042-230A**	LH42/49F*+TXV+LEFE4B*	- - -	R-454B	40000	15	12	38500	24200	19600	7.9	6.85	2.06	216624171	N/A
ML14KP1-042-230A**	LH42/60D*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	6.5	2.04	216975371	N/A
ML14KP1-042-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.8	6.75	2.1	216975379	N/A
ML14KP1-042-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216967716	N/A
ML14KP1-042-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	40500	15.2	12	37800	24200	19200	7.55	6.55	1.98	216967724	N/A
ML14KP1-042-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	40500	15.2	12	37400	24200	19200	7.55	6.55	1.98	216975387	N/A
ML14KP1-042-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.8	6.75	2.1	216975395	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	216967711	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	216975377	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.04	216975385	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.02	217186879	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217186884	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184148	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184153	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184158	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	217186889	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217186894	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.04	217186899	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	6.75	2.08	217186904	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186909	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186914	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184163	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184168	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184173	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184178	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	6.75	2.06	217184183	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217184188	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217184193	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217186919	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217186924	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217186929	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	216967730	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184208	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184213	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	216975393	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	216975401	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217186944	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	6.75	2.02	217186949	N/A
ML14KP1-042-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217186954	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	6.45	1.84	217230734	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	217230736	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	6.7	2.02	217230738	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	217230741	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230746	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230750	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	217230754	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230756	N/A
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230760	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL180UH080NE48B	R-454B	41000	15	12.5	37800	24000	19400	7.5	6.5	2	217230733	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	6.45	1.84	216967708	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	6.5	2.04	216975374	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	6.65	2.02	216975382	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	41500	15	12.5	37800	24400	19300	7.7	7	2	218385969	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218385970	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	7	2.12	218385971	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	41500	15.2	13	37400	24000	19000	7.9	7	2.04	218385972	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13	37400	24000	19000	7.9	7	2.04	218385973	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	7	2.1	218385977	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	7	2.1	218385978	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	41500	15	12	37800	24400	19600	7.7	7	2.02	218385979	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	7	2.08	218385980	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	41500	15.2	12.5	38000	24200	20200	7.8	7	2.08	218385981	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	41500	15.2	12.5	38000	24200	20200	7.8	7	2.08	218385982	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.12	218385984	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	7	2.1	218385985	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	7	2.12	218385986	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	7	2.1	218385987	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML193UH090XE48C	R-454B	41500	15	12.5	37800	24400	19600	7.7	7	2.04	218385989	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13	37800	23600	19800	7.8	7	2.1	218385990	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218385991	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	41500	15	12	37800	24400	19600	7.7	7	2.04	218385994	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218385995	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	7	2.1	218385996	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218385998	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	7	2.1	218385999	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH080NV48B	R-454B	41000	15.2	12.5	37400	23400	19000	7.5	6.5	2.02	217230740	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	6.75	2.1	216967719	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217230743	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230748	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.12	217230752	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	6.75	2.1	216967727	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230758	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	6.75	2.1	217230762	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	6.75	2.1	216975390	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	6.75	2.1	216975398	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	7	2.1	218386003	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	41000	15	12	37800	24400	19400	7.7	7	2	218386004	N/A
ML14KP1-042-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	7	2.1	218386005	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL180UH080NE48B	R-454B	42000	15.2	12.5	37800	24000	19400	7.5	6.5	2	216967706	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	6.45	1.84	216967712	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	6.5	2.04	216975378	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.04	216975386	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	6.75	2.02	217186880	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217186885	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	6.5	2.04	217609740	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217609742	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	6.75	2.04	217609744	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	6.75	2.12	217184149	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184154	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184159	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH045XV36B	R-454B	41500	15.2	12.5	37400	23600	19200	7.5	6.5	2	217614123	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217614124	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	42000										

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	6.75	2.08	217186905	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186910	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	6.75	2.08	217186915	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217609747	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	6.5	2.04	217609749	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217609751	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184164	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	6.5	2.02	217609755	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	6.75	2.04	217609757	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184169	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	6.75	2.12	217184174	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	6.75	2.1	217184179	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217609759	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	6.75	2.06	217184184	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	6.75	2.1	217184189	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217184194	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH070XE48B	R-454B	42000	14.5	12.5	38000	24200	19600	7.5	6.5	1.98	217614126	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.8	6.75	2.04	217614127	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	6.75	2.06	217186920	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217186925	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	217186930	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217614128	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	6.5	2.02	217614129	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217186935	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	217186940	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	6.5	2.02	216967715	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	6.75	2.1	216967723	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.04	217609762	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217230745	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184199	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	6.75	2.12	217184204	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	6.75	2.1	216967731	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184209	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.06	217184214	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	6.5	2	217614130	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH060NV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	6.5	2.02	217614131	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	216975394	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	6.75	2.06	216975402	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	6.5	2.02	217614132	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.8	6.75	2.04	217614133	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	6.75	2.04	217186945	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	6.75	2.02	217186950	N/A
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	6.75	2.1	217186955	N/A
ML14KP1-042-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	217045740	N/A
ML14KP1-042-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	217045739	N/A
ML14KP1-042-230A**	M48E36*+TXV+AMHE4D	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	6.8	2.04	217110033	N/A
ML14KP1-042-230A**	M48E66*+TXV+AMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	217037974	N/A
ML14KP1-042-230A**	M48G66*+TXV+AMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	217110035	N/A
ML14KP1-042-230A**	M60E36*+TXV+AMHE5D	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	6.8	2.04	217110032	N/A
ML14KP1-042-230A**	M60E66*+TXV+AMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	217110036	N/A
ML14KP1-042-230A**	M60G66*+TXV+AMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	6.85	2.06	217110034	N/A
ML14KP1-048-230A**	BV**C3*48+TXV	---	R-454B	46000	15	11.7	45500	29400	24200	7.8	6.8	2.1	217050154	N/A
ML14KP1-048-230A**	FE**B9*48+TXV	---	R-454B	46000	14.3	11.7	45500	29400	24200	7.8	6.8	2.1	217133199	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217109611	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.1	217109612	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217109613	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217109614	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217109615	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217109616	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	6.85	2.12	217109617	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	6.95	2.12	217109618	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	6.95	2.12	217109619	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	6.85	2.1	217109932	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XV36C	R-454B	48000	15	12.5	44000	28600	23600	7.65	6.65	2.08	217109933	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217109620	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.08	217109621	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217109622	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217109623	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217109624	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH135XE60D	R-454B	48000	14.5	12.5	44500	27800	22600	7.5	6.45	1.94	217109934	N/A
ML14KP1-048-230A**	HG84*60+TXV	EL297UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.96	217109935	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML180DF110E60C	R-454B	48000	14.5	12.5	460							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	HG84*60+TXV	ML180UH090XE48B	R-454B	47500	15	13	45000	28600	22600	7.5	6.45	1.8	217109629	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	6.9	2.1	217109630	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	6.9	2.14	217109631	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	6.9	2.1	217109632	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	6.45	1.94	217109633	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML193DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23800	7.5	6.5	1.8	217109634	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217109635	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217109636	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217109637	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML196DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23600	7.5	6.5	1.8	217109638	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217109936	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	6.85	2.08	217109639	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217109640	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML196UH135XE60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.94	217109937	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217109641	N/A
ML14KP1-048-230A**	HG84*60+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217109642	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280DF090V60C	R-454B	48000	14.3	12.5	46000	30600	24000	7.5	6.5	1.78	217109643	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280DF110V60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	6.5	1.78	217109644	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	6.9	2.12	217109645	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217109646	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217109647	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217109648	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217109649	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217109650	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL280UH135V60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.96	217109651	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	217109652	N/A
ML14KP1-048-230A**	HG84*60+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217109653	N/A
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.75	6.7	2.06	217109654	N/A
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217109655	N/A
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217109656	N/A
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217109657	N/A
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22800	7.5	6.45	1.96	217109938	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217482338	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.1	217482339	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217482340	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217482341	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217482342	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217482343	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	6.85	2.12	217482344	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	6.95	2.12	217482345	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	6.95	2.12	217482346	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	6.85	2.1	217482347	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	48000	15	12.5	44000	28600	23600	7.65	6.65	2.08	217482348	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217482349	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.08	217482350	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217482351	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217482352	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217482353	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12.5	44500	27800	22600	7.5	6.45	1.94	217482354	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.96	217482355	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180DF110E60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	6.5	1.78	217482356	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.9	217482357	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090E48B	R-454B	47500	15	13	45000	28600	22600	7.5	6.45	1.8	217482358	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	6.9	2.12	217482359	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090XE48B	R-454B	47500	15	13	45000	28600	22600	7.5	6.45	1.8	217482360	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	6.9	2.1	217482361	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	6.9	2.14	217482362	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	6.9	2.1	217482363	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	6.45	1.94	217482364	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23800	7.5	6.5	1.8	217482365	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217482366	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217482367	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217482368	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23600	7.5	6.5	1.8	217482369	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	6.85	2.1	217482370	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	6.85	2.08	217482371	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217482372	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.94	217482373	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217482374	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217482375	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280DF090V60C	R-454B	48000	14.3	12.5	46000	30600	24000	7.5	6.5	1.78	217482376	N/A
ML14KP1-048-230A														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217482381	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.1	217482382	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217482383	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	6.45	1.96	217482384	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	217482385	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217482386	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.75	6.7	2.06	217482387	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217482388	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	217482389	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.1	217482390	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22800	7.5	6.45	1.96	217482391	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	7	2.08	218393921	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	7	2.1	218393922	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	7	2.1	218393923	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393924	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	7	2.12	218393925	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	7	2.12	218393926	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	7	2.12	218393927	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	7	2.1	218393928	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393929	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	7	2.08	218393930	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393931	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393932	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	7	2.08	218393933	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	7	2.12	218393934	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	7	2.1	218393935	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	7	2.14	218393936	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	7	2.1	218393937	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	7	2.1	218393938	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	7	2.12	218393939	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	7	2.1	218393940	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	7	2.1	218393941	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	7	2.08	218393942	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393943	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393944	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6	1.9	218393945	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	7	2.12	218393946	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393947	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393948	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	7	2.1	218393949	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	7	2.1	218393950	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6	1.9	218393951	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	7	2.1	218393952	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393953	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393954	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218393955	N/A
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	7	2.1	218393956	N/A
ML14KP1-048-230A**	L*42/60S*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	6.65	2	216967885	N/A
ML14KP1-048-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.5	6.55	2.02	216967894	N/A
ML14KP1-048-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	6.65	2.04	216967903	N/A
ML14KP1-048-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	6.65	2.02	216967912	N/A
ML14KP1-048-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.5	6.55	2.02	216967921	N/A
ML14KP1-048-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	6.65	2.02	216967930	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	47000	14.3	12	45000	29400	24000	7.8	6.8	2.04	216967887	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	47500	14.5	12	44500	29200	24000	7.7	6.65	2.08	216967896	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.9	216967905	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	217230889	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	217230893	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	216967914	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230899	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	44000	28800	23800	7.7	6.65	2.1	217230903	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	216967923	N/A
ML14KP1-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	216967932	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	6.85	2.06	216967888	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.1	216967897	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	6.8	2.1	217184555	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184560	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.85	6.8	2.1	217184565	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	6.9	2.1	217184570	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	6.9	2.1	217184575	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.8	6.8	2.1	217187220	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	6.85	2.06	217184600	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	6.85	2.1	217184605	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	6.85	2.08	217184610	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.12	217184615	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	6.85	2.08	217184620	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	6.8	2.1	217184626	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44000	28800	23600	7.75	6.7	2.1	217184631	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	6.85	2.08	217184636	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	6.8	2.1	217187227	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.85	6.8	2.06	217184641	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184646	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184651	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217184656	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	6.85	2.1	216967906	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184661	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184666	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	6.85	2.08	216967915	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	6.85	2.08	217184671	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217184676	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.1	216967924	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	216967933	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.06	217184682	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.06	217184687	N/A
ML14KP1-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	6.85	2.08	217184692	N/A
ML14KP1-048-230A**	L*43/61Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.85	2.08	216967889	N/A
ML14KP1-048-230A**	L*43/61Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.06	216967898	N/A
ML14KP1-048-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	6.85	2.12	216967907	N/A
ML14KP1-048-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	6.85	2.08	216967916	N/A
ML14KP1-048-230A**	L*43/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967925	N/A
ML14KP1-048-230A**	L*43/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.85	2.08	216967934	N/A
ML14KP1-048-230A**	LD42/61Y*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.88	216977976	N/A
ML14KP1-048-230A**	LD42/61Y*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	216977978	N/A
ML14KP1-048-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	6.8	2.1	216977980	N/A
ML14KP1-048-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	6.8	2.08	216977982	N/A
ML14KP1-048-230A**	LD42/61Y*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977984	N/A
ML14KP1-048-230A**	LD42/61Y*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977986	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.88	216977975	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	216977977	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	6.8	2.1	217184553	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	6.7	2.1	217184558	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	48000	15	13	44000	28800	23600	7.75	6.7	2.12	217184563	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	47500	15	12.5	45000	29200	23800	7.9	6.85	2.1	217184568	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	47500	15	12.5	45000	29200	23800	7.9	6.85	2.1	217184573	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	47500	15	12.5	44000	28800	23800	7.85	6.8	2.1	217187218	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184578	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184583	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	6.7	2.1	217184588	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.88	217184593	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.88	217184598	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12	44500	27800	22600	7.5	6.45	1.94	217187223	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.96	217187224	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	7	1.78	218386193	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	47500	15	12.5	45000	29200	23800	7.85	6.8	2.1	217184603	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	6.8	2.08	217184608	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.9	6.85	2.12	217184613	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	6.8	2.08	217184618	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	6.45	1.94	217184623	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23800	7.5	7	1.8	218386198	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	6.8	2.1	217184624	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	47500	15	12.5	44500	28800	23400	7.85	6.8	2.08	217184629	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	6.8	2.08	217184634	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23600	7.5	7	1.8	218386202	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	6.8	2.1	217187225	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	47500	14.5	12.5	45000	29000	23600	7.85	6.8	2.06	217184639	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	6.7	2.08	217184644	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.94	217187230	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	217184649	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.1	217184654	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	48000	14.3	12.5	46000	30600	24000	7.5	7	1.78	218386208	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	7	1.78	218386209	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	6.8	2.08	217184674	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.96	217184679	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977983	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	216977985	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184680	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	6.8	2.06	217184685	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	6.7	2.08	217184690	N/A
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12	45000	28400	22800	7.5	6.45	1.96	217187231	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	216967884	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.1	216967893	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	6.9	2.12	217184554	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184559	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44000	28800	23600	7.8	6.75	2.14	217184564	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	48000	15	13	44500	27800	22400	7.5	6.45	1.9	217184569	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	48000	15	13	44500	27800	22400	7.5	6.45	1.9	217184574	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.9	6.9	2.12	217187219	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.08	217184579	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	6.75	2.08	217184584	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184589	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.08	217184594	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	6.9	2.08	217184599	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	6.9	2.12	217184604	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	6.9	2.1	217184609	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217184614	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	6.9	2.1	217184619	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	6.9	2.12	217184625	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	6.75	2.12	217184630	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	6.9	2.1	217184635	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	6.9	2.12	217187226	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	6.9	2.08	217184640	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184645	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184650	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184655	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	6.9	2.12	216967902	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184660	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184665	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	6.9	2.1	216967911	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	6.9	2.1	217184670	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	6.45	1.9	217184675	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967920	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	216967929	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.08	217184681	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.08	217184686	N/A
ML14KP1-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	6.9	2.1	217184691	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	6.8	2.04	217230881	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	6.8	2.04	217230883	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28000	22800	7.5	6.5	1.96	217230885	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230887	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230891	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230895	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230897	N/A
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230901	N/A
ML14KP1-048-230A**	LH42/60D*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	6.65	2	216967883	N/A
ML14KP1-048-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.55	6.55	2.04	216967892	N/A
ML14KP1-048-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	6.65	2.04	216967901	N/A
ML14KP1-048-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	6.65	2.02	216967910	N/A
ML14KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.55	6.55	2.04	216967919	N/A
ML14KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	6.65	2.02	216967928	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	216967890	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	216967899	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217184556	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184561	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.12	217184566	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	6.95	2.14	217184571	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	6.95	2.14	217184576	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	6.85	2.12	217187221	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184581	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184586	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184591	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184596	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95				

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.9	2.12	217184627	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.1	217184632	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184637	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217187228	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	6.9	2.08	217184642	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184647	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184652	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217184657	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	6.45	1.9	216967908	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184662	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184667	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	216967917	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184672	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	6.45	1.9	217184677	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967926	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	216967935	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184683	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184688	N/A
ML14KP1-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184693	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	6.45	1.88	217230880	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	6.7	2.08	217230882	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.8	6.8	2.1	217230884	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	6.8	2.08	217230886	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	6.8	2.08	217230890	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	6.8	2.08	217230894	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	6.8	2.08	217230896	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	6.8	2.08	217230900	N/A
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	6.45	1.96	217230904	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	6.8	2.04	216967886	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	6.8	2.04	216967895	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	47000	14.5	12.5	44500	28800	23800	7.8	7	2.08	218386182	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386183	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL280UH110E48C	R-454B	47500	15	12.5	44000	28800	23600	7.7	7	2.12	218386184	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218386185	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.9	7	2.08	218386186	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	47000	14.5	12.5	44000	28800	23800	7.8	7	2.08	218386187	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386188	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386189	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386190	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386191	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	7	2.04	218386192	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	7	2.08	218386194	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	47000	14.5	12.5	45000	29000	23600	7.8	7	2.06	218386195	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	47500	15	12.5	44000	28800	23600	7.7	7	2.1	218386196	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	47000	14.5	12.5	45000	29000	23600	7.8	7	2.06	218386197	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML193UH090XE48C	R-454B	47000	14.5	12.5	44500	28800	23800	7.8	7	2.08	218386199	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML193UH110XE48C	R-454B	47500	15	12.5	44000	28800	23600	7.7	7	2.1	218386200	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	7	2.06	218386201	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	47000	14.5	12.5	44500	28800	23800	7.8	7	2.08	218386203	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	47000	14.5	12.5	45000	29000	23600	7.8	7	2.04	218386204	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386205	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386206	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386207	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	6.45	1.9	216967904	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230888	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230892	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	216967913	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	6.8	2.06	217230898	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	6.8	2.06	217230902	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	6.65	2.08	216967922	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	6.8	2.06	216967931	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386210	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.04	218386211	N/A
ML14KP1-048-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	7	2.06	218386212	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	216967891	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	216967900	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217184557	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184562	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217610036	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	6.45	1.8	217610038	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.12	217184567	N/A
ML14KP1-048-230A**	LP42/62													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184582	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184587	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184592	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184597	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	6.9	2.08	217184602	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	46000	29200	23200	7.5	6.5	1.8	217610041	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	6.45	1.8	217610043	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	6.9	2.12	217184607	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	6.45	1.8	217610045	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	6.9	2.1	217184612	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	6.95	2.14	217184617	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	6.9	2.1	217184622	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.9	2.12	217184628	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	6.9	2.1	217184633	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184638	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	6.85	2.12	217187229	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	6.9	2.08	217184643	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184648	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184653	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	6.45	1.9	217184658	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	6.45	1.9	216967909	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184663	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	6.9	2.1	217184668	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	216967918	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	6.9	2.1	217184673	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	6.45	1.9	217184678	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	6.75	2.1	216967927	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	216967936	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.8	6.75	2.08	217610047	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184684	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.08	217184689	N/A
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	6.9	2.1	217184694	N/A
ML14KP1-048-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	45500	15	11.7	45000	29400	24200	7.6	6.6	2.04	217045733	N/A
ML14KP1-060-230A**	FE*CC4*60+TXV	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	217133201	N/A
ML14KP1-060-230A**	FE*TT4*60+TXV	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	218352838	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	6.75	2.02	217187300	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184697	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184702	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	6.75	2.02	217187305	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	58000	14.3	12	54000	34800	28600	7.5	7	1.98	218386217	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	6.8	2.04	217184707	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	6.8	2.04	217184712	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	57500	14.5	12.5	54000	34600	28200	7.5	6.6	1.98	217184717	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	6.8	2.04	217184722	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	6.75	2.02	217184725	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	56500	14.3	12	52000	33400	27800	7.7	6.75	2.02	217187315	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	57000	14.3	12.5	53500	34400	27800	7.5	6.6	1.94	217187320	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	57000	14.3	12	52000	33200	27600	7.7	6.75	2.02	217187324	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	6.75	2.02	217187329	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	6.75	2.04	216967938	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	6.6	1.94	217184730	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184735	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	56500	14.3	12	51500	33000	27400	7.7	6.75	2.02	216967943	N/A
ML14KP1-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	56500	14.3	12	52000	33200	27600	7.7	6.75	2.02	217187333	N/A
ML14KP1-060-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	6.8	2.04	216967939	N/A
ML14KP1-060-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	6.6	1.98	216967944	N/A
ML14KP1-060-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	216453715	N/A
ML14KP1-060-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	6.7	2.02	216977988	N/A
ML14KP1-060-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.98	216977990	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187298	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184695	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184700	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	6.6	1.98	217187303	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	58000	14.3	12	54000	34800	28600	7.5	7	1.98	218386215	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	56500	14.3	11.7	53000	32800	26600	7.5	6.6	1.94	217187312	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180DF110E60C	R-454B	57000	14.5	12.5	57500	35600	29200	7.5	7	1.84	218386218	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	6.6	2	217184705	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184710	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	56500	14.5	12	51500	33000	27400	7.65	6.7	2.04	217184715	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184720	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.96	217187313	N/A
ML14KP1-060-230A**</														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	6.6	1.94	217184728	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184733	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.98	216977989	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	6.6	1.94	217184738	N/A
ML14KP1-060-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	6.6	1.94	217187336	N/A
ML14KP1-060-230A**	LEM60*4CC*+TXV	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	217503957	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187299	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184696	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	6.6	1.98	217184701	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	6.6	1.98	217187304	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	58000	14.3	12	54000	34800	28600	7.5	7	1.98	218386216	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	6.6	2	217184706	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184711	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	57000	14.5	12	51500	33000	27400	7.7	6.8	2.06	217184716	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	6.6	1.98	217184721	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.96	217187314	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	57000	14.3	12	53500	34400	27800	7.5	6.6	1.94	217187319	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	57000	14.3	11.7	53000	33000	28000	7.5	6.6	2	217187323	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	6.6	1.98	217187328	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	6.8	2.04	216967937	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	6.6	1.94	217184729	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184734	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	6.6	1.98	216967942	N/A
ML14KP1-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	57000	14.3	11.7	52500	33200	27600	7.5	6.6	2.04	217187332	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187301	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184698	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184703	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	7	2.04	218386213	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	6.6	1.98	217187306	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	6.6	2.02	217187308	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	6.6	2.04	217187310	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	6.6	2	217184708	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184713	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	6.6	1.98	217184718	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184723	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	6.85	2.04	217184726	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	6.6	1.96	217187316	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	57000	14.5	12.5	53500	34400	27800	7.5	6.6	1.94	217187321	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	6.6	2	217187325	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187330	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	6.85	2.06	216967940	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	6.6	1.94	217184731	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184736	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	6.6	2.04	216967945	N/A
ML14KP1-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	6.6	2.04	217187334	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187302	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184699	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	6.85	2.06	217184704	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	7	2.04	218386214	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	6.6	1.98	217187307	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	6.6	2.02	217187309	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	6.6	2.04	217187311	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	6.6	2	217184709	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184714	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	6.6	1.98	217184719	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	6.6	1.98	217184724	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	6.85	2.04	217184727	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	6.6	1.96	217187317	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	57000	14.5	12.5	53500	34400	27800	7.5	6.6	1.94	217187322	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	6.6	2	217187326	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	6.6	1.98	217187331	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	6.85	2.06	216967941	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	6.6	1.94	217184732	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	6.6	1.98	217184737	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	6.6	2.04	216967946	N/A
ML14KP1-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	6.6	2.04	217187335	N/A
ML14KP1-060-233A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	6.95	2.18	217554912	N/A
ML15KSPV-018-230A**	HH58*36+TXV+TD	---	R-454B	18500	14.3	9.5	18000	12700	12700	7.8	6.3	1.84	218647960	N/A
ML15KSPV-018-230A**	L*18/30S*+TXV	EL195UH040NE36B	R-454B	18000	14.5	9.5	18000	14600	13600	8	6.55	1.86	218644411	N/A
ML15KSPV-018-230A**	L*18/30S*+TXV	EL195UH060NE36B	R-454B	18000	15	9.5	24000	14500	13500	7.9	6.5	1.84	218644412	N/A
ML15KSPV-018-230A**	L*18/30S*+TXV	ML180UH070V36B	R-454B	17600	16	10	24000	14500	13500	8.2	6.55	1.86	218644413	N/A
ML15KSPV-018-230A**	L*18/30S*+TXV+TD	---	R-4											

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-018-230A**	L*18/30Z+TXV+TD	ML180UH070V36B	R-454B	18200	16	10.5	24000	14400	13400	8.3	6.6	1.88	218640384	N/A
ML15KSPV-018-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	18400	15	10	24000	14500	13600	8.15	6.65	1.88	218640335	N/A
ML15KSPV-018-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	18600	15.2	10	24000	14500	13500	8.15	6.65	1.88	218640344	N/A
ML15KSPV-018-230A**	L*18/36T*+TXV	ML180UH070V36B	R-454B	18000	16	10	24000	14500	13500	8.4	6.7	1.9	218640378	N/A
ML15KSPV-018-230A**	L*18/36T*+TXV+TD	---	R-454B	18800	14.5	9.5	18000	12700	12700	7.95	6.45	1.9	218644435	N/A
ML15KSPV-018-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218394152	N/A
ML15KSPV-018-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400664	N/A
ML15KSPV-018-230A**	L*18/36V*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400793	N/A
ML15KSPV-018-230A**	L*18/36V*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400918	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640325	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640330	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	18700	15	10	24000	14500	13600	8.2	6.7	1.9	218640337	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	18800	15.2	10	24000	14500	13500	8.2	6.7	1.9	218640346	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	18500	16	10.5	24000	14300	13300	8.6	6.9	2	218640353	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640358	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640363	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640368	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640373	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	18000	16	10	24000	14500	13500	8.4	6.7	1.9	218640380	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218388478	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218389529	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400665	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400795	N/A
ML15KSPV-018-230A**	L*19/36U*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400920	N/A
ML15KSPV-018-230A**	L*19/36U+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400796	N/A
ML15KSPV-018-230A**	L*19/36U+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400921	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640323	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640328	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	18500	16	10.5	24000	14300	13300	8.6	6.9	2	218640351	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640356	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640361	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640366	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640371	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218388477	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218389528	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400663	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400791	N/A
ML15KSPV-018-230A**	LD19/25Z*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400916	N/A
ML15KSPV-018-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	18600	15	10	24000	14500	13600	8.2	6.7	1.9	218640334	N/A
ML15KSPV-018-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	18800	15.2	10	24000	14500	13500	8.2	6.7	1.9	218640343	N/A
ML15KSPV-018-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	18000	16	10	24000	14500	13500	8.4	6.7	1.9	218640377	N/A
ML15KSPV-018-230A**	LD19/36Z*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400792	N/A
ML15KSPV-018-230A**	LD19/36Z*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400917	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	18300	15.2	10	24000	14400	13400	8.45	6.8	1.96	218640324	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	18300	15.2	10	24000	14400	13400	8.45	6.8	1.96	218640329	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	18300	16	10	24000	14300	13300	8.45	6.8	1.96	218640352	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	18600	16	10	24000	14400	13400	8.45	6.8	1.96	218640357	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	18300	16	10	24000	14400	13400	8.45	6.8	1.96	218640362	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	18600	16	10	24000	14400	13400	8.45	6.8	1.96	218640367	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	18300	16	10	24000	14400	13400	8.45	6.8	1.96	218640372	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV+LEFE3A*	---	R-454B	18800	14.5	9.5	18000	12700	12700	7.95	6.4	1.88	218737446	N/A
ML15KSPV-018-230A**	LH18/36R*+TXV+TD	---	R-454B	18600	14.5	9.5	18000	12700	12700	7.95	6.4	1.88	218644434	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640326	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640331	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	18500	16	10.5	24000	14300	13300	8.6	6.9	2	218640354	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640359	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640364	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640369	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640374	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	18800	14.5	9.5	18000	12700	12700	8.1	6.5	1.9	218737447	N/A
ML15KSPV-018-230A**	LH18/37R*+TXV+TD	---	R-454B	18800	14.3	9.5	18000	12700	12700	7.8	6.4	1.9	218644437	N/A
ML15KSPV-018-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	18500	15	10	24000	14500	13600	8.2	6.7	1.9	218640340	N/A
ML15KSPV-018-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	18600	15.2	10	24000	14500	13500	8.2	6.7	1.9	218640349	N/A
ML15KSPV-018-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	18000	16	10	24000	14500	13500	8.4	6.7	1.9	218640383	N/A
ML15KSPV-018-230A**	LH24/37X*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400923	N/A
ML15KSPV-018-230A**	LH24/37X*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400798	N/A
ML15KSPV-018-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	18700	15	10	24000	14500	13600	8.2	6.7	1.9	218640336	N/A
ML15KSPV-018-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	18800	15.2	10	24000	14500	13500	8.2	6.7	1.9	218640345	N/A
ML15KSPV-018-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	10	24000	14500	13500	8.4	6.7	1.9	218640379	N/A
ML15KSPV-018-230A**	LH29/36X*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400919	N/A
ML15KSPV-018-230A**	LH29/36X*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400794	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640327	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	18500	15.2	10	24000	14400	13400	8.6	6.9	2	218640332	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV	ML180UH												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-018-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640365	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	18800	16	10.5	24000	14400	13400	8.6	6.9	2	218640370	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	18500	16	10.5	24000	14400	13400	8.6	6.9	2	218640375	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV+LEFE3A*	---	R-454B	18800	14.5	9.5	18000	12700	12700	8.1	6.5	1.9	218737448	N/A
ML15KSPV-018-230A**	LP18/37R*+TXV+TD	---	R-454B	18800	14.5	9.5	18000	12700	12700	7.95	6.5	1.9	218644438	N/A
ML15KSPV-018-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	18600	15	10	24000	14500	13600	8.2	6.7	1.9	218640338	N/A
ML15KSPV-018-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	18700	15.2	10	24000	14500	13500	8.2	6.7	1.9	218640347	N/A
ML15KSPV-018-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	18000	16	10	24000	14500	13500	8.4	6.7	1.9	218640381	N/A
ML15KSPV-018-230A**	LP25/36R*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400797	N/A
ML15KSPV-018-230A**	LP25/36R*+TXV+TD	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.8	6	1.8	218400922	N/A
ML15KSPV-018-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	18700	15	10	24000	14500	13600	8.2	6.6	1.9	218640339	N/A
ML15KSPV-018-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	18800	15.2	10	24000	14500	13500	8.2	6.6	1.9	218640348	N/A
ML15KSPV-018-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	18200	16	10.5	24000	14400	13400	8.4	6.7	1.9	218640382	N/A
ML15KSPV-018-230A**	LP29/36X*+TXV+TD	---	R-454B	18800	14.3	9.5	18000	12700	12700	7.8	6.4	1.9	218644436	N/A
ML15KSPV-018-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	18700	15	10	24000	14500	13600	8.2	6.7	1.9	218640337	N/A
ML15KSPV-018-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	18800	15.2	10	24000	14500	13500	8.2	6.6	1.9	218640342	N/A
ML15KSPV-018-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	18200	16	10.5	24000	14400	13400	8.4	6.7	1.9	218640376	N/A
ML15KSPV-018-230A**	LP36/37R*+TXV+TD	---	R-454B	18800	14.3	9.2	18000	12700	12700	8.1	6.5	1.9	218644433	N/A
ML15KSPV-018-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.75	6.35	1.78	218338664	N/A
ML15KSPV-018-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	18000	14.3	9.5	18000	12000	12600	7.75	6.35	1.78	218338587	N/A
ML15KSPV-018-230A**	LU18/36S*M+TXV+TD	---	R-454B	17100	14.3	9.5	18000	12000	12600	7.75	6.35	1.78	218338571	N/A
ML15KSPV-018-230A**	LU18/36S*M+TXV+TD	---	R-454B	17100	14.3	9.5	18000	12000	12600	7.75	6.35	1.78	218338661	N/A
ML15KSPV-018-230A**	LW25*K7+TXV	---	R-454B	17800	14.5	9.5	60000	12700	12700	7.8	6.3	1.84	218733583	N/A
ML15KSPV-018-230A**	LW25*M7+TXV	---	R-454B	17800	14.5	9.5	36000	12700	12700	7.8	6.3	1.84	218733582	N/A
ML15KSPV-018-230A**	M30E31*+TXV+AMHE2D	---	R-454B	18600	14.5	9.5	18000	12700	12700	7.8	6.3	1.84	218718567	N/A
ML15KSPV-018-230A**	M30E31*+TXV+AMHE3D	---	R-454B	18600	14.5	9.5	18000	12700	12700	7.8	6.3	1.84	218718566	N/A
ML15KSPV-018-230A**	M30E31*+TXV+TD	---	R-454B	17100	14.5	9.5	18000	12700	12700	7.8	6.3	1.84	218718534	N/A
ML15KSPV-024-230A**	BV**B2*25+TXV	---	R-454B	23200	15.2	9	24000	17500	18100	8.4	6.55	1.82	218636213	N/A
ML15KSPV-024-230A**	HH58*36+TXV+TD	---	R-454B	23000	14.3	8	24000	16600	18000	8.05	6.6	1.72	218647961	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	EL195UH040NE36B	R-454B	22600	15	8.5	24000	17400	18000	7.75	6.4	1.76	218644414	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	EL195UH060NE36B	R-454B	22600	15.2	8.5	24000	17400	18000	7.75	6.4	1.76	218644415	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	ML180UH070E36B	R-454B	22600	15.2	9	24000	17100	17800	7.85	6.4	1.76	218644416	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	ML180UH070V36B	R-454B	22400	15.2	9	24000	17100	17800	7.9	6.45	1.76	218644417	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	ML180UH070XE36B	R-454B	22600	15.2	9	24000	17100	17800	7.85	6.4	1.76	218644418	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	ML296UH045XV36B	R-454B	22400	16	9	24000	17100	17800	7.9	6.5	1.74	218644419	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	ML296UH070XV36B	R-454B	22600	16	9	24000	17100	17800	7.9	6.5	1.76	218644420	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	SL297UH040NV36B	R-454B	22600	16	9	24000	17100	17800	7.9	6.5	1.76	218644421	N/A
ML15KSPV-024-230A**	L*18/30S*+TXV	SL297UH060NV36B	R-454B	22200	15.2	9	24000	17100	17800	7.9	6.55	1.76	218644422	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	---	R-454B	24000	14.3	8.5	24000	17400	18600	8.3	6.8	1.8	218644446	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	EL195UH040NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640407	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	EL195UH060NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640418	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	ML180UH070E36B	R-454B	23600	15.2	9.5	24000	17100	17600	8.1	6.6	1.8	218640459	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	ML180UH070V36B	R-454B	23400	16	9.5	24000	17000	17600	8.2	6.7	1.8	218640476	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	ML180UH070XE36B	R-454B	23600	15.2	9.5	24000	17100	17600	8.1	6.6	1.8	218640493	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	ML296UH045XV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640504	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640515	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	SL297UH040NV36B	R-454B	23600	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640541	N/A
ML15KSPV-024-230A**	L*18/30Z*+TXV+TD	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640552	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640400	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640411	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.05	6.6	1.8	218640452	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	ML180UH070V36B	R-454B	23000	16	9.5	24000	17000	18000	8.05	6.55	1.7	218640469	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.05	6.6	1.8	218640486	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	ML296UH045XV36B	R-454B	23200	16	9.5	24000	17100	17800	8.15	6.65	1.8	218640497	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.15	6.7	1.8	218640508	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.15	6.7	1.8	218640534	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.05	6.6	1.8	218640545	N/A
ML15KSPV-024-230A**	L*18/36T*+TXV+TD	---	R-454B	24000	14.3	8.5	24000	17400	18600	8.25	6.75	1.8	218644443	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400669	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388482	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389533	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388481	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389532	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400668	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400926	N/A
ML15KSPV-024-230A**	L*18/36V*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400801	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640387	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640393	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640402	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640413	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640421	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640427	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640454	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23600	16	9.5	24000	17000	17500	8.4	6.8	1.9	218640462	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23200	16	9.5	24000	17000	18000	8.1	6.6	1.7	218640471	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23600	15.2	9.5	24000	17000	17500	8.3	6.8	1.8	218640479	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640488	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	23200	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640499	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640510	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640521	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640527	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640536	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.1	6.6	1.8	218640547	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388485	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389536	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400673	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389535	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388484	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400671	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400803	N/A
ML15KSPV-024-230A**	L*19/36U*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400928	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218391972	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400674	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218392721	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218391971	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218392720	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400672	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400804	N/A
ML15KSPV-024-230A**	L*19/36U+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400929	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640390	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640396	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640406	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640417	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640424	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640430	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640436	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640442	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	23600	15.2	9.5	24000	17100	17600	8.3	6.8	1.8	218640448	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	23600	15.2	9.5	24000	17100	17600	8.1	6.6	1.8	218640458	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23600	16	9.5	24000	17000	17500	8.4	6.8	1.9	218640465	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	23400	16	9.5	24000	17000	17600	8.2	6.7	1.8	218640475	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	23600	15.2	9.5	24000	17000	17500	8.3	6.8	1.8	218640482	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	23600	15.2	9.5	24000	17100	17600	8.1	6.6	1.8	218640492	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23600	16	9.5	24000	17000	17500	8.4	6.8	1.9	218640465	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640503	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640514	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640524	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640530	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	23600	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640540	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640551	N/A
ML15KSPV-024-230A**	L*31/37U*+TXV+TD	---	R-454B	24000	14.3	8.5	24000	17400	18600	8.2	6.8	1.8	218644445	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640385	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640391	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640419	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640425	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640431	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640437	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23600	15.2	9.5	24000	17100	17600	8.3	6.8	1.8	218640443	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23600	16	9.5	24000	17000	17500	8.4	6.8	1.9	218640460	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23600	15.2	9.5	24000	17000	17500	8.3	6.8	1.8	218640477	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	SL280DF070V36A	R-454B	23000	15.2	9	24000	17200	17800	8.2	6.7	1.8	218640518	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640519	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640525	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218640477	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400667	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389531	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV+LEFE4B*	---	R-454B	23800	16	9	24000	17500	18100	8.5	6.65	1.84	218737465	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400799	N/A
ML15KSPV-024-230A**	LD19/25Z*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400924	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640398	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640409	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640450	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	23200	16	9.5	24000	17000	18000	8.1	6.6	1.7	218640467	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640484	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	23200	16	9.5	24000	17100	17800	8.2	6.7			

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.1	6.6	1.8	218640543	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389530	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388479	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400666	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400925	N/A
ML15KSPV-024-230A**	LD19/36Z*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400800	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	23400	15.2	9	24000	17400	18000	8	6.6	1.8	218640399	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	23400	15.2	9	24000	17400	18000	8	6.6	1.8	218640410	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640451	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	23400	16	9.5	24000	17000	17600	8.15	6.65	1.8	218640468	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640485	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.6	1.8	218640496	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640507	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	23000	15.2	9	24000	17200	17800	8.1	6.7	1.8	218640517	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640533	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17700	8.15	6.65	1.8	218640544	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	24000	16	9	24000	17600	18100	8.5	6.7	1.86	218737466	N/A
ML15KSPV-024-230A**	LD24/35Z*+TXV+TD	---	R-454B	24000	14.3	8.5	24000	17400	18600	8.3	6.8	1.8	218644441	N/A
ML15KSPV-024-230A**	LEC30*C05+TXV	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.1	6.65	1.74	218640399	N/A
ML15KSPV-024-230A**	LEC30*C05+TXV	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.1	6.65	1.74	218338668	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23400	16	9	24000	17200	17700	8.25	6.7	1.78	218640386	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23400	16	9	24000	17200	17700	8.25	6.7	1.78	218640392	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23200	16	9.5	24000	17000	17500	8.25	6.7	1.78	218640420	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23400	16	9	24000	17200	17700	8.25	6.7	1.78	218640426	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23200	16	9.5	24000	17000	17500	8.25	6.7	1.78	218640432	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23200	16	9.5	24000	17000	17500	8.25	6.7	1.78	218640438	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	23400	15.2	9.5	24000	17100	17600	8.15	6.7	1.78	218640444	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23400	16	9.5	24000	17000	17500	8.25	6.7	1.88	218640461	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23400	15.2	9.5	24000	17000	17500	8.15	6.7	1.78	218640478	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23400	16	9.5	24000	17100	17600	8.25	6.7	1.78	218640520	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23400	16	9	24000	17100	17600	8.25	6.7	1.78	218640526	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV+LEFE3A*	---	R-454B	23000	16	8.5	24000	17500	18100	8.35	6.55	1.8	218737467	N/A
ML15KSPV-024-230A**	LH18/36R*+TXV+TD	---	R-454B	23800	14.3	8.5	24000	17400	18600	8.15	6.7	1.78	218644442	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640388	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640394	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640422	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640428	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640434	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640440	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	23400	15.2	9.5	24000	17100	17600	8.3	6.8	1.8	218640446	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	23600	16	9.5	24000	17000	17500	8.4	6.8	1.9	218640463	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	23600	15.2	9.5	24000	17000	17500	8.3	6.8	1.8	218640480	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640522	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640528	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388487	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389538	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400676	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400931	N/A
ML15KSPV-024-230A**	LH18/37R*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400806	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640405	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640416	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640457	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	23200	16	9.5	24000	17000	18000	8.1	6.6	1.7	218640474	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640491	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	23200	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640502	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640513	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640539	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.1	6.6	1.8	218640550	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388489	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389540	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400678	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400808	N/A
ML15KSPV-024-230A**	LH24/37X*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400933	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640401	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640412	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640453	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23200	16	9.5	24000	17000	18000	8.1	6.6	1.7	218640470	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640487	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	23200	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640498	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640509	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640535	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.1	6.6	1.8	218640546	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600						

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-024-230A**	LH29/36X*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400927	N/A
ML15KSPV-024-230A**	LH29/36X*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400802	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640389	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640395	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640423	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	23600	16	9	24000	17200	17700	8.4	6.8	1.8	218640429	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640435	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	23400	16	9.5	24000	17000	17500	8.4	6.8	1.8	218640441	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	9.5	24000	17100	17600	8.3	6.8	1.8	218640447	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	23600	16	9.5	24000	17000	17500	8.4	6.8	1.9	218640464	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	23600	15.2	9.5	24000	17000	17500	8.3	6.8	1.8	218640481	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640523	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	23600	16	9.5	24000	17100	17600	8.4	6.8	1.8	218640529	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388488	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389539	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV+LEFE3A*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400677	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400807	N/A
ML15KSPV-024-230A**	LP18/37R*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400932	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640403	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	23200	15.2	9	24000	17400	18000	8	6.6	1.8	218640414	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640455	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23200	16	9.5	24000	17000	18000	8.1	6.6	1.7	218640472	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640489	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	23200	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640500	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640511	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640537	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.1	6.6	1.8	218640548	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218389537	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218388486	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV+LEFE4B*	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400675	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400930	N/A
ML15KSPV-024-230A**	LP25/36R*+TXV+TD	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.2	7	1.75	218400805	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	23400	15.2	9	24000	17400	18000	8	6.6	1.8	218640404	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640415	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640456	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	23400	16	9.5	24000	17000	17600	8.15	6.7	1.8	218640473	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	23400	15.2	9.5	24000	17100	17800	8.1	6.6	1.8	218640490	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.6	1.8	218640501	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.7	1.8	218640512	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	23400	16	9.5	24000	17100	17800	8.2	6.6	1.8	218640538	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17700	8.15	6.7	1.8	218640549	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV+LEFE3A*	---	R-454B	23800	16	9	24000	17600	18100	8.5	6.75	1.86	218737469	N/A
ML15KSPV-024-230A**	LP29/36X*+TXV+LEFE4B*	---	R-454B	24000	16	9	24000	17600	18100	8.5	6.75	1.86	218737468	N/A
ML15KSPV-024-230A**	LP29/36R*+TXV+TD	---	R-454B	24000	14.3	8.5	24000	17400	18600	8.3	6.8	1.8	218644444	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640397	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	23400	15.2	9	24000	17300	17900	8	6.6	1.8	218640408	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	23600	15.2	9.5	24000	17100	17600	8.1	6.6	1.8	218640449	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	23400	16	9.5	24000	17000	17600	8.2	6.7	1.8	218640466	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	23600	15.2	9.5	24000	17100	17600	8.1	6.6	1.8	218640483	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640494	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640505	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	23600	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640531	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	23400	16	9.5	24000	17100	17700	8.2	6.7	1.8	218640542	N/A
ML15KSPV-024-230A**	LP36/37R*+TXV+TD	---	R-454B	24000	14.3	8.5	24000	17400	18600	8.2	6.8	1.8	218644440	N/A
ML15KSPV-024-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.15	6.65	1.74	218338589	N/A
ML15KSPV-024-230A**	LU18/36S*M+TXV+LMHE3D	---	R-454B	23400	14.3	8.5	24000	16600	18000	8.15	6.65	1.74	218338666	N/A
ML15KSPV-024-230A**	LU18/36S*M+TXV+TD	---	R-454B	22200	14.3	8	24000	16600	18000	8.15	6.65	1.74	218338573	N/A
ML15KSPV-024-230A**	LU18/36S*M+TXV+TD	---	R-454B	22200	14.3	8	24000	16600	18000	8.15	6.65	1.74	218338662	N/A
ML15KSPV-024-230A**	LW25*K7+TXV	---	R-454B	22400	14.3	8.5	24000	16600	18000	8.15	6.65	1.74	218613574	N/A
ML15KSPV-024-230A**	LW25*M7+TXV	---	R-454B	22600	16	9	24000	17500	18100	8.35	6.55	1.8	218733588	N/A
ML15KSPV-024-230A**	LW31*M7+TXV	---	R-454B	22600	16	9	24000	17500	18100	8.35	6.55	1.8	218733587	N/A
ML15KSPV-024-230A**	M30E31*+TXV+AMHE2D	---	R-454B	22200	16	8.5	24000	17400	18100	8.05	6.35	1.76	218718574	N/A
ML15KSPV-024-230A**	M30E31*+TXV+AMHE3D	---	R-454B	22600	16	8.5	24000	17400	18100	8.15	6.4	1.78	218718573	N/A
ML15KSPV-024-230A**	M30E32*+TXV+TD	---	R-454B	23200	14.3	8.5	24000	17400	18600	8.15	6.7	1.78	218718542	N/A
ML15KSPV-024-230A**	M36E34*+TXV+AMHE3D	---	R-454B	23600	16	9	24000	17500	18100	8.5	6.65	1.84	218725542	N/A
ML15KSPV-024-230A**	M36G34*+TXV+AMHE3D	---	R-454B	23600	16	9	24000	17500	18100	8.5	6.65	1.84	218725540	N/A
ML15KSPV-030-230A**	BV**B9*37+TXV	---	R-454B	29400	14.5	9.9	30000	21800	18900	8	6.2	2.08	218636214	N/A
ML15KSPV-030-230A**	HH58*36+TXV+TD	---	R-454B	29200	14.3	10	30000	21000	21000	8.1	6.7	2.04	218647962	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	EL195UH040NE36B	R-454B	27800	14.5	10	30000	21800	19600	8.1	6.6	1.86	218644423	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	EL195UH060NE36B	R-454B	28000	14.5	10	30000	21800	19600	8.15	6.7	1.96	218644424	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	ML180UH070E36B	R-454B	28000	15	10.5	30000	21800	19600	8.1	6.65	1.96	218644425	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	ML180UH070V36B	R-454B	28000	16	10.5	30000	21600	19500	8.2	6.65	1.96	218644426	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	ML180UH070V48B	R-454B	28000	16	10.5	30000	21600	19500	8.2	6.65	1.96	218644427	N/A
ML15KSPV-030-230A**	L*18/													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-030-230A**	L*18/30S*+TXV	ML296UH070XV36B	R-454B	27600	15.2	10	30000	21800	19600	8.2	6.65	1.96	218644430	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	SL297UH040NV36B	R-454B	27600	16	10	30000	21800	19600	8.2	6.65	1.96	218644431	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV	SL297UH060NV36B	R-454B	27600	15.2	10	30000	21800	19600	8.2	6.65	1.96	218644432	N/A
ML15KSPV-030-230A**	L*18/30S*+TXV+TD	- - -	R-454B	29000	14.3	10	30000	21000	21000	8.1	6.7	2.04	218644495	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	- - -	R-454B	30000	14.3	10.4	30000	21000	21000	8.1	6.7	2.1	218644458	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	EL180UH080NE48B	R-454B	29000	14.3	10.5	28000	22000	19600	8.3	6.8	2	218640563	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	EL195UH040NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8	2	218640574	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	EL195UH060NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8	2	218640585	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	EL195UH080NE48C	R-454B	29200	14.5	10.5	30000	21800	19500	8.5	6.9	2.1	218640586	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	ML180UH070E36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640622	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	ML180UH070V36B	R-454B	29000	16	11	30000	21800	19600	8.5	6.9	2	218640638	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	ML180UH070V48B	R-454B	29000	16	10.5	30000	21800	19600	8.5	6.8	2	218640649	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	ML180UH070XE36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640665	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640676	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	ML296UH070XV36B	R-454B	28800	16	10.5	30000	21800	19600	8.5	6.9	2	218640687	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	SL280UH080NV48B	R-454B	28600	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640700	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	SL297UH040NV36B	R-454B	28600	16	10.5	30000	21600	19500	8.4	6.8	2	218640711	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	SL297UH060NV36B	R-454B	28600	15.2	10.5	30000	21800	19600	8.5	6.8	2	218640722	N/A
ML15KSPV-030-230A**	L*18/30Z*+TXV+TD	SL297UH080NV48C	R-454B	29000	16	10.5	30000	21600	19400	8.7	7	2.1	218640723	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	28200	14.5	10.5	30000	21800	19600	8.3	6.7	1.9	218640567	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	28000	15	10	30000	21800	19600	8.1	6.65	1.96	218640578	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	ML180UH070E36B	R-454B	28000	15.2	10.5	30000	21800	19600	8.15	6.65	1.96	218640615	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	ML180UH070V36B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8	2	218640631	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	ML180UH070V48B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8	2	218640642	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	ML180UH070XE36B	R-454B	28000	15.2	10.5	30000	21800	19600	8.15	6.65	1.96	218640658	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640669	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	ML296UH070XV36B	R-454B	27800	16	10.5	30000	21800	19600	8.25	6.75	1.96	218640680	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8	2	218640704	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640715	N/A
ML15KSPV-030-230A**	L*18/36T*+TXV+TD	- - -	R-454B	29800	14.5	10	30000	21000	21000	8.35	6.85	2.08	218644449	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	28200	15	10.5	28000	21600	19500	8.2	6.7	1.98	218640554	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	15	10.5	28000	21800	19500	8.6	7	2.1	218640559	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	28400	15	10	30000	21800	19600	8.2	6.7	1.98	218640569	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28600	15	10.5	30000	21800	19600	8.2	6.75	1.98	218640580	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1	218640588	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1	218640593	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1	218640598	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1	218640603	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1	218640608	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.3	6.7	1.98	218640617	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28600	16	10.5	30000	21600	19400	8.7	7	2.1	218640624	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	28600	16	10.5	30000	21800	19600	8.4	6.8	1.98	218640633	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	28600	16	10.5	30000	21800	19600	8.4	6.7	1.98	218640644	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1	218640651	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.3	6.7	1.98	218640660	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640671	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8	1.98	218640682	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	28400	16	10.5	30000	21600	19500	8.3	6.7	1.98	218640691	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.7	7	2.1	218640696	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8	2	218640706	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.4	6.7	1.98	218640717	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV+LEFE3A*	- - -	R-454B	28800	16	10.5	30000	21800	18900	8.8	6.8	2.06	218737452	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV+LEFE4B*	- - -	R-454B	29000	16	10.5	30000	21800	18900	8.8	6.8	2.06	218737451	N/A
ML15KSPV-030-230A**	L*19/36U*+TXV+TD	- - -	R-454B	29800	14.5	10	30000	21000	21000	8.4	6.9	2.1	218644451	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	28600	15	10.5	28000	21600	19500	8.3	6.8	2	218640557	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	28600	15	10.5	28000	21800	19500	8.6	7	2.1	218640562	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8	2	218640573	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8	2	218640584	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1	218640591	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1	218640596	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1	218640601	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1	218640606	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1	218640611	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640621	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	28600	16	10.5	30000	21600	19400	8.7	7	2.1	218640627	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	29000	16	11	30000	21800	19600	8.5	6.9	2	218640637	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	29000	16	10.5	30000	21800	19600	8.5	6.8	2	218640648	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1	218640654	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640664	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640675	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	28600	16	10.5	30000	21800	19600	8.5	6.9	2	218640686	N/A
ML15KSPV-030-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	28800	16	10.5	30000							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-030-230A**	L*31/37U*+TXV+TD	---	R-454B	30000	14.3	10.3	30000	21000	21000	8.1	6.7	2.1	218644457	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	28400	15	10	30000	21800	19600	8.15	6.7	1.96	218640565	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	28400	15	10.5	30000	21800	19600	8.2	6.7	1.98	218640576	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.25	6.7	1.96	218640613	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8	2	218640629	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	ML180UH070V48B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8	2	218640640	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.25	6.7	1.96	218640656	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640667	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	28200	16	10.5	30000	21800	19600	8.35	6.8	1.96	218640678	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	28000	15.2	10.5	30000	21600	19400	8.25	6.75	2.02	218640688	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8	2	218640702	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640713	N/A
ML15KSPV-030-230A**	LD19/36Z*+TXV+TD	---	R-454B	29800	14.5	10	30000	21000	21000	8.4	6.9	2.1	218644447	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.25	6.75	2	218640566	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8	2	218640577	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.35	6.75	2	218640614	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	29000	16	11	30000	21800	19600	8.45	6.85	2	218640630	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	29000	16	10.5	30000	21800	19600	8.45	6.75	2	218640641	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.35	6.75	2	218640657	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640668	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	28600	16	10.5	30000	21800	19600	8.45	6.85	2	218640679	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	28400	15.2	10.5	30000	21600	19400	8.4	6.85	2.06	218640689	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	28600	16	10.5	30000	21600	19500	8.4	6.8	2	218640703	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	28600	15.2	10.5	30000	21800	19600	8.45	6.75	2	218640714	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218400679	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218392722	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218391973	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218392718	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218400810	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218400935	N/A
ML15KSPV-030-230A**	LD24/35Z*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.45	7	2	218391958	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	27400	14.5	10	30000	21600	19500	8	6.55	1.94	218640553	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	28200	15	10.5	28000	21800	19500	8.45	6.9	2.06	218640558	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	28400	16	10.5	30000	21600	19500	8.65	6.9	2.06	218640587	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	28400	15.2	10.5	30000	21600	19400	8.45	6.9	2.06	218640592	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	28400	16	10.5	30000	21600	19500	8.65	6.9	2.06	218640597	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	28400	15.2	10.5	30000	21600	19400	8.45	6.9	2.06	218640602	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	28400	15.2	10.5	30000	21600	19500	8.45	6.9	2.06	218640607	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	28200	16	10.5	30000	21600	19400	8.55	6.9	2.06	218640623	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	28400	15.2	10.5	30000	21600	19500	8.45	6.9	2.06	218640650	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	28400	15.2	10.5	30000	21600	19500	8.65	6.9	2.06	218640690	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	28400	15.2	10.5	30000	21600	19500	8.55	6.9	2.06	218640695	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV+LEFE3A*	---	R-454B	28000	16	10.5	30000	21800	18900	8.75	6.9	2.02	218737449	N/A
ML15KSPV-030-230A**	LH18/36R*+TXV+TD	---	R-454B	29400	14.5	10	30000	21000	21000	8.25	6.8	2.06	218644448	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	28600	15	10.5	28000	21600	19500	8.3	6.8	2	218640555	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	28600	15	10.5	28000	21800	19500	8.6	7	2.1	218640560	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1	218640589	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1	218640594	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1	218640599	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1	218640604	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1	218640609	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	28600	16	10.5	30000	21600	19400	8.7	7	2.1	218640625	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1	218640652	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	28800	16	10.5	30000	21600	19500	8.4	6.8	2	218640692	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.7	7	2.1	218640697	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	29200	16	11	30000	21800	18900	8.8	6.8	2.1	218737456	N/A
ML15KSPV-030-230A**	LH18/37R*+TXV+TD	---	R-454B	30000	14.3	9.2	30000	21000	21000	8.4	6.9	2.1	218644454	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	28200	14.5	10.5	30000	21800	19600	8.3	6.7	1.9	218640572	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	28400	15	10.5	30000	21800	19600	8.2	6.7	1.98	218640583	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.25	6.7	1.96	218640620	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8	2	218640636	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8	2	218640647	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.25	6.7	1.96	218640663	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8	2	218640674	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	28000	16	10.5	30000	21800	19600	8.35	6.8	1.96	218640685	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8	2	218640709	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.4	6.8	2	218640720	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	28800	16	10.5	30000	21800	18900	8.8	6.8	2.06	218737458	N/A
ML15KSPV-030-230A**	LH24/37X*+TXV+TD	---	R-454B	29800	14.5	10	30000	21000	21000	8.4	6.9	2.1	218644455	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	28400	15	10	30000	21800	19600	8.2	6.7	1.98	218640568	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	28600	15	10.5	30000	21800	19600	8.2	6.75	1.98	218640579	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.3	6.7	1.98	218640616	N/A
ML15K														

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star	
ML15KSPV-030-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8		2	218640670	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8	1.98		218640681	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8		2	218640705	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.4	6.8		2	218640716	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	29000	16	10.5	30000	21800	18900	8.8	6.8	2.06		218737450	N/A
ML15KSPV-030-230A**	LH29/36X*+TXV+TD	---	R-454B	29800	14.5	10	30000	21000	21000	8.4	6.9	2.1		218644450	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	28600	15	10.5	28000	21600	19500	8.3	6.8		2	218640556	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	28600	15	10.5	28000	21800	19500	8.6	7	2.1		218640561	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1		218640590	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1		218640595	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	28800	16	10.5	30000	21600	19500	8.8	7	2.1		218640600	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	28800	15.2	10.5	30000	21600	19400	8.6	7	2.1		218640605	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1		218640610	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	28600	16	10.5	30000	21600	19400	8.7	7	2.1		218640626	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.6	7	2.1		218640632	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	28800	16	10.5	30000	21600	19500	8.4	6.8		2	218640693	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	28800	15.2	10.5	30000	21600	19500	8.7	7	2.1		218640698	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV+LEFE3A*	---	R-454B	29200	16	11	30000	21800	18900	8.8	6.8	2.1		218737457	N/A
ML15KSPV-030-230A**	LP18/37R*+TXV+TD	---	R-454B	30000	14.5	10.5	30000	21000	21000	8.4	6.9	2.1		218644455	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	28400	15	10	30000	21800	19600	8.15	6.7	1.96		218640570	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	28400	15	10.5	30000	21800	19600	8.2	6.75	1.98		218640581	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.25	6.7	1.96		218640618	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8		2	218640634	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	ML180UH070V48B	R-454B	28400	16	10.5	30000	21600	19500	8.4	6.8		2	218640645	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	28400	15.2	10.5	30000	21800	19600	8.25	6.7	1.96		218640661	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8		2	218640672	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	28200	16	10.5	30000	21800	19600	8.35	6.8	1.96		218640683	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	28200	16	10.5	30000	21800	19600	8.4	6.8		2	218640707	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	28200	15.2	10.5	30000	21800	19600	8.4	6.8		2	218640718	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV+LEFE4B*	---	R-454B	29000	16	10.5	30000	21800	18900	8.8	6.8	2.06		218737453	N/A
ML15KSPV-030-230A**	LP25/36R*+TXV+TD	---	R-454B	29800	14.5	10	30000	21000	21000	8.4	6.9	2.1		218644452	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.25	6.8		2	218640571	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8		2	218640582	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.35	6.8		2	218640619	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	29000	16	11	30000	21800	19600	8.45	6.9		2	218640635	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	ML180UH070V48B	R-454B	29000	16	10.5	30000	21800	19600	8.45	6.8		2	218640646	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.35	6.8		2	218640662	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8		2	218640673	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	28600	16	10.5	30000	21800	19600	8.45	6.9		2	218640684	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	28600	16	10.5	30000	21600	19500	8.4	6.8		2	218640708	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	28600	15.2	10.5	30000	21800	19600	8.45	6.8		2	218640719	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV+LEFE3A*	---	R-454B	29000	16	10.5	30000	21800	18900	8.8	6.8	2.08		218737455	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV+LEFE4B*	---	R-454B	29400	16	11	30000	21800	18900	8.8	6.8	2.08		218737454	N/A
ML15KSPV-030-230A**	LP29/36X*+TXV+TD	---	R-454B	30000	14.5	9	30000	21000	21000	8.1	6.5	2.1		218644453	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8		2	218640564	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	28800	15	10.5	30000	21800	19600	8.3	6.8		2	218640575	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.4	6.8		2	218640612	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	29000	16	11	30000	21800	19600	8.5	6.9		2	218640628	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	29000	16	10.5	30000	21800	19600	8.5	6.8		2	218640639	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	28800	15.2	10.5	30000	21800	19600	8.4	6.8		2	218640655	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	28200	16	10.5	30000	21600	19500	8.4	6.8		2	218640666	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	28600	16	10.5	30000	21800	19600	8.5	6.9		2	218640677	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	28600	16	10.5	30000	21600	19500	8.4	6.8		2	218640701	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	28600	15.2	10.5	30000	21800	19600	8.5	6.8		2	218640712	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.5	7		2	218392717	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.5	7		2	218400809	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.5	7		2	218391957	N/A
ML15KSPV-030-230A**	LP36/37R*+TXV+TD	---	R-454B	29600	14.3	10	30000	21000	20000	8.5	7		2	218400934	N/A
ML15KSPV-030-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	29400	14.3	10	30000	21000	20000	8.4	6.7	1.98		218338671	N/A
ML15KSPV-030-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	29400	14.3	10	30000	21000	20000	8.4	6.7	1.98		218338594	N/A
ML15KSPV-030-230A**	LW31*M7+TXV	---	R-454B	27600	16	10.5	60000	21800	18900	8.8	6.8	2.04		218733584	N/A
ML15KSPV-030-230A**	LW37*M6+TXV	---	R-454B	28000	16	10.5	60000	21800	18900	8.8	6.8	2.04		218733585	N/A
ML15KSPV-030-230A**	LW39*L9+TXV	---	R-454B	28400	16	11	24000	21800	18900	8.8	6.8	2.08		218733586	N/A
ML15KSPV-030-230A**	M30E31*+TXV+TD	---	R-454B	28200	14.3	10	30000	21000	21000	8.1	6.7	2.04		218718535	N/A
ML15KSPV-030-230A**	M30E32*+TXV+TD	---	R-454B	28200	14.5	10	30000	21000	21000	8.25	6.8	2.06		218718536	N/A
ML15KSPV-030-230A**	M36E32*+TXV+AMHE3D	---	R-454B	27800	15.2	10.5	30000	21800	18900	8.75	6.9		2	218718568	N/A
ML15KSPV-030-230A**	M36E32*+TXV+TD	---	R-454B	28200	14.5	10	30000	21000	21000	8.25	6.8	2.06		218718537	N/A
ML15KSPV-036-230A**	L*18/30Z+TXV+TD	---	R-454B	34000	14.3	9	36000	23200	20400	8.2	6.5	2.2		218644471	N/A
ML15KSPV-036-230A**	L*18/30Z+TXV+TD	EL180UH080NE48B	R-454B	35000	14.5	9	36000	23600	21800	8.2	6.5	2.1		218640742	N/A
ML15KSPV-036-230A**	L*18/30Z+TXV+TD	EL180UH100NE60C	R-454B	35600	14.3	9	36000	23400	21400	7.5	6.2	2.1		218640745	N/A
ML15KSPV-036-230A**	L*18/30Z+TXV+TD	EL195UH040NE36B	R-454B	34600	15.2	9	36000	23400	21600	8.2	6.5	2.1		218640756	N/A
ML15KSPV-036-230A**	L*18/30Z+TXV+TD	EL195UH060NE36B													

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH070V36B	R-454B	35200	16	9	36000	23000	21200	8.05	6.5	2.3	218640822	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH070V48B	R-454B	35400	16	9.5	36000	23200	21400	8.3	6.6	2.1	218640833	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH070XE36B	R-454B	35200	16	9	36000	23200	21200	8.05	6.5	2.2	218640848	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH090E48B	R-454B	35000	15.2	9	36000	23000	21000	7.85	6.5	2.3	218640859	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH090E60C	R-454B	35800	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640862	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH090V48B	R-454B	35200	15.2	9	36000	23400	21600	8.3	6.6	2.1	218640872	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH090XE48B	R-454B	35000	15.2	9	36000	23000	21000	7.85	6.5	2.3	218640883	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH110E60C	R-454B	35800	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640886	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH110V60C	R-454B	35800	16	9.5	36000	23200	21400	7.7	6.3	2.1	218640892	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML180UH110XE60C	R-454B	35600	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640895	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML296UH045XV36B	R-454B	34800	15.2	9	36000	23200	21200	7.95	6.5	2.2	218640906	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML296UH070XV36B	R-454B	34800	15.2	9	36000	23200	21200	8.05	6.5	2.2	218640917	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML296UH090XV48C	R-454B	35400	16	9.5	36000	23200	21400	7.7	6.3	2.1	218640923	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	ML296UH110XV60C	R-454B	35400	16	9.5	36000	23200	21400	7.8	6.3	2.1	218640929	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH080NV48B	R-454B	35000	15.2	9	36000	23200	21400	8.3	6.6	2.1	218640954	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH080NV60C	R-454B	35600	15.2	9.5	36000	23200	21400	7.7	6.3	2.1	218640960	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH090V36B	R-454B	35000	16	9	36000	23000	21000	8.05	6.5	2.3	218640971	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH090V48B	R-454B	35200	15.2	9	36000	23200	21200	7.95	6.5	2.3	218640982	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH090V60C	R-454B	35800	16	9.5	36000	23000	21200	7.7	6.3	2.1	218640988	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH090XV48B	R-454B	34800	15.2	9.5	36000	23000	21200	8.3	6.6	2.1	218640999	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH090XV60C	R-454B	35800	16	9.5	36000	23000	21200	7.7	6.3	2.1	218641005	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL280UH100NV60C	R-454B	35600	15.2	9.5	36000	23200	21400	7.7	6.3	2.1	218641011	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL297UH040NV36B	R-454B	35000	15.2	9	36000	23200	21400	8.3	6.6	2.1	218641022	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL297UH060NV36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.6	2.1	218641033	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL297UH080NV48C	R-454B	35200	15.2	9.5	36000	23000	21200	7.8	6.3	2.1	218641039	N/A
ML15KSPV-036-230A**	*L18/30Z+TXV+TD	SL297UH080NV60C	R-454B	35600	15.2	9	36000	23400	21600	7.7	6.3	2.1	218641045	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	EL180UH080NE48B	R-454B	34200	14.5	9	36000	23600	22000	7.6	6.3	2	218640735	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	EL195UH040NE36B	R-454B	33600	15.2	9	36000	23400	21600	8	6.35	2.04	218640749	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	EL195UH060NE36B	R-454B	33800	15.2	9	36000	23200	21400	8.1	6.45	2.04	218640760	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH070E36B	R-454B	34200	15.2	9	36000	23400	21400	8.1	6.45	2.04	218640800	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH070V36B	R-454B	34200	15.2	9	36000	23200	21400	8.1	6.45	2.04	218640815	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH070V48B	R-454B	34600	16	9	36000	23200	21600	7.8	6.4	2.1	218640826	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH070XE36B	R-454B	34200	15.2	9	36000	23400	21400	8.1	6.45	2.04	218640841	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH090E48B	R-454B	34200	15	9	36000	23000	21200	8	6.35	2.04	218640852	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH090V48B	R-454B	34200	15.2	9	36000	23400	21600	8.1	6.45	2.04	218640865	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML180UH090XE48B	R-454B	34200	15	9	36000	23000	21200	8	6.35	2.04	218640876	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML296UH045XV36B	R-454B	33600	15.2	9	36000	23200	21600	7.5	6.2	1.98	218640899	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	ML296UH070XV36B	R-454B	33200	15.2	8.5	36000	23200	21200	7.7	6.25	2.1	218640910	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	SL280UH080NV48B	R-454B	34000	15.2	9	36000	23200	21400	8.1	6.45	2.04	218640947	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	SL280UH090V36B	R-454B	34400	15.2	9	36000	23200	21400	8.1	6.45	2.04	218640964	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640975	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	SL280UH090XV48B	R-454B	33800	15.2	9	36000	23000	21200	8.1	6.45	2.04	218640992	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	SL297UH040NV36B	R-454B	34000	15.2	9	36000	23200	21400	8.1	6.45	2.04	218641015	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV	SL297UH060NV36B	R-454B	33800	15.2	9	36000	23400	21400	8	6.45	2.04	218641026	N/A
ML15KSPV-036-230A**	*L18/36T*+TXV+TD	- - -	R-454B	33400	14.5	9	36000	23200	20600	8.35	6.5	2.06	218644461	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	EL180UH040NE36A	R-454B	34200	15.2	9	36000	23400	21600	7.7	6.35	2.08	218640724	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	EL180UH060NE36A	R-454B	34200	15.2	9	36000	23400	21600	7.7	6.35	2.08	218640728	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	EL180UH080NE48B	R-454B	34600	14.5	9	36000	23600	21800	8.1	6.4	2.08	218640737	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	EL195UH040NE36B	R-454B	34200	15.2	9	36000	23400	21600	8.1	6.4	2.08	218640751	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	EL195UH060NE36B	R-454B	34400	15.2	9	36000	23200	21400	8.2	6.5	2.08	218640762	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH030V36A	R-454B	34400	15.2	9	36000	23400	21600	7.7	6.35	2.08	218640777	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH045E36A	R-454B	34000	15.2	9	36000	23400	21400	7.7	6.35	2.08	218640781	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH045V36A	R-454B	34600	15.2	9	36000	23400	21600	7.7	6.35	2.08	218640785	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH045XE36A	R-454B	34000	15.2	9	36000	23400	21400	7.7	6.35	2.08	218640789	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070E36A	R-454B	34400	15.2	9	36000	23400	21400	7.7	6.35	2.08	218640793	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070E36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.5	2.08	218640802	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070V36A	R-454B	34200	15.2	9	36000	23200	21400	7.7	6.35	2.08	218640808	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070V36B	R-454B	34800	15.2	9	36000	23200	21400	8.2	6.5	2.08	218640817	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070V48B	R-454B	35000	16	9	36000	23200	21400	8.2	6.5	2.08	218640828	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070XE36A	R-454B	34400	15.2	9	36000	23400	21400	7.7	6.35	2.08	218640834	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH070XE36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.5	2.08	218640843	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH090E48B	R-454B	34800	15	9	36000	23000	21200	8.1	6.4	2.08	218640854	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH090V48B	R-454B	34800	15.2	9	36000	23400	21600	8.2	6.5	2.08	218640867	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML180UH090XE48B	R-454B	34800	15	9	36000	23000	21200	8.1	6.4	2.08	218640878	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML296UH045XV36B	R-454B	34000	15.2	9	36000	23200	21600	7.6	6.3	2	218640901	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	ML296UH070XV36B	R-454B	33600	15.2	8.5	36000	23200	21200	7.8	6.3	2.12	218640912	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	SL280UH060NV36A	R-454B	34600	15.2	9	36000	23400	21600	7.7	6.35	2.08	218640936	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	SL280UH070XV36B	R-454B	34200	15.2	9	36000	23400	21400	7.7	6.35	2.08	218640940	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	SL280UH080NV48A	R-454B	34600	15.2	9	36000	23200	21400	8.2	6.5	2.08	218640949	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	SL280UH090V36B	R-454B	35000	15.2	9	36000	23200	21400	8.2	6.5	2.08	218640966	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640977	N/A
ML15KSPV-036-230A**	*L19/36U*+TXV	SL280UH090XV48B												

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	L*19/36U*+TXV+LEFE4B*	- - -	R-454B	34200	16	9.5	36000	23800	21200	8.1	6.4	2.18	218737472	N/A
ML15KSPV-036-230A**	L*19/36U*+TXV+TD	- - -	R-454B	34000	14.5	9	36000	23200	20600	8.45	6.55	2.08	218644463	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640727	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640731	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	35000	14.5	9	36000	23600	21800	8.2	6.5	2.1	218640741	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	34600	15.2	9	36000	23400	21600	8.2	6.5	2.1	218640755	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	34800	15.2	9	36000	23200	21400	8.3	6.6	2.1	218640766	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	35000	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640780	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	34600	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640788	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	35000	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640788	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	34600	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640792	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	35000	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640796	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	35200	15.2	9	36000	23400	21400	8.3	6.6	2.1	218640806	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	34800	15.2	9	36000	23200	21400	7.8	6.4	2.1	218640811	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	35200	15.2	9.5	36000	23200	21400	8.3	6.6	2.1	218640821	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	35400	16	9.5	36000	23200	21400	8.3	6.6	2.1	218640832	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	35000	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640837	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	35200	15.2	9	36000	23400	21400	8.3	6.6	2.1	218640847	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	34600	15.2	9	36000	23000	21000	7.8	6.45	2.28	218640858	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	35200	15.2	9	36000	23400	21600	8.3	6.6	2.1	218640871	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	34600	15.2	9	36000	23000	21000	7.8	6.45	2.28	218640882	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	34400	15.2	9	36000	23200	21200	7.9	6.45	2.18	218640905	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	34400	15.2	9	36000	23200	21200	8	6.45	2.18	218640916	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	35200	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640939	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	34800	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640943	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	35000	15.2	9	36000	23200	21400	8.3	6.6	2.1	218640953	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	34600	16	9	36000	23000	21000	8	6.45	2.28	218640970	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	34600	15.2	9	36000	23200	21200	7.9	6.4	2.26	218640981	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	34800	15.2	9.5	36000	23000	21200	8.3	6.6	2.1	218640998	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	35000	15.2	9	36000	23200	21400	8.3	6.6	2.1	218641021	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.6	2.1	218641032	N/A
ML15KSPV-036-230A**	L*31/37U*+TXV+TD	- - -	R-454B	34400	14.5	9	36000	23200	20600	8.5	6.6	2.1	218644469	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	EL180UH080NE48B	R-454B	33400	14.3	8.5	36000	23200	21400	7.6	6.2	2.12	218640733	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	34000	15.2	9	36000	23400	21600	8.05	6.4	2.06	218640747	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	34200	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640758	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	34600	15.2	9	36000	23400	21400	8.15	6.5	2.06	218640798	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	34600	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640813	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML180UH070V48B	R-454B	33800	15.2	9	36000	23000	21000	7.75	6.25	2.2	218640824	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	34600	15.2	9	36000	23400	21400	8.15	6.5	2.06	218640839	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	34600	15	9	36000	23000	21200	8.05	6.4	2.06	218640850	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	34600	15	9	36000	23000	21200	8.05	6.4	2.06	218640874	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	34000	15.2	9	36000	23200	21600	7.55	6.25	1.98	218640897	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	33600	15.2	8.5	36000	23200	21200	7.75	6.25	2.12	218640908	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL280DF090V48B	R-454B	34400	15.2	8.5	36000	23400	21600	7.7	6.3	2.12	218640932	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	34400	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640945	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	33800	15.2	9	36000	23000	21000	7.75	6.25	2.2	218640962	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640973	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL280UH090XV48B	R-454B	34200	15.2	9	36000	23000	21200	8.15	6.5	2.06	218640990	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	34400	15.2	9	36000	23200	21400	8.15	6.5	2.06	218641013	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	34200	15.2	9	36000	23400	21400	8.05	6.5	2.06	218641024	N/A
ML15KSPV-036-230A**	LD19/36Z*+TXV+TD	- - -	R-454B	33800	14.5	9	36000	23200	20600	8.4	6.55	2.08	218644459	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	35000	14.5	9	36000	23600	21800	8.15	6.45	2.1	218640734	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	34600	15.2	9	36000	23400	21600	8.15	6.45	2.1	218640748	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	34800	15.2	9	36000	23200	21400	8.25	6.55	2.1	218640759	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	35200	15	9	36000	23400	21600	7.8	6.4	2.2	218640769	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	35200	15.2	9	36000	23400	21400	8.25	6.55	2.1	218640799	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	35200	15.2	9.5	36000	23200	21400	8.25	6.55	2.1	218640814	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	35400	16	9.5	36000	23200	21400	8.25	6.55	2.1	218640825	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	35200	15.2	9	36000	23400	21400	8.25	6.55	2.1	218640840	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	35200	15	9.5	36000	23000	21200	8.15	6.45	2.1	218640851	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	35200	15.2	9	36000	23400	21600	8.25	6.55	2.1	218640864	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	35200	15	9.5	36000	23000	21200	8.15	6.45	2.1	218640875	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML180UH110V60C	R-454B	35200	16	9	36000	23200	21400	7.6	6.2	2.06	218640888	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	34000	15.2	9	36000	23200	21200	7.8	6.35	2.14	218640898	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	34000	15.2	9	36000	23200	21200	7.9	6.35	2.14	218640909	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML296UH090XV48C	R-454B	35200	16	9	36000	23200	21400	8	6.5	2.2	218640919	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	ML296UH110XV60C	R-454B	34800	16	9	36000	23200	21400	7.65	6.2	2.06	218640925	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	34800	15	8.5	36000	23600	21600	7.7	6.35	2.16	218640930	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280DF080NV60C	R-454B	35000	15.2	9	36000	23400	21400	7.75	6.3	2.12	218640931	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280DF090V48B	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.35	2.16	218640933	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280DF090V60C	R-454B	35200	15.2	9	36000	23200	21400	7.75	6.3	2.22	218640934	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280DF110V60C	R-454B	35200	15.2	9								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640974	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280UH090V60C	R-454B	35200	16	9.5	36000	23000	21200	7.6	6.2	2.06	218640984	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	34800	15.2	9.5	36000	23000	21200	8.25	6.55	2.1	218640991	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280UH090XV60C	R-454B	35200	16	9.5	36000	23000	21200	7.6	6.2	2.06	218641001	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL280UH100NV60C	R-454B	35000	15.2	9	36000	23200	21400	7.6	6.2	2.06	218641007	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	35000	15.2	9	36000	23200	21400	8.25	6.55	2.1	218641014	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	34800	15.2	9	36000	23400	21400	8.15	6.55	2.1	218641025	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	35200	15.2	9	36000	23200	21400	8	6.5	2.2	218641035	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV	SL297UH080NV60C	R-454B	35000	15.2	9	36000	23400	21600	7.6	6.2	2.06	218641041	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV+LEFE4B*	- - -	R-454B	34600	16	9.5	36000	24000	21200	8.2	6.45	2.2	218737470	N/A
ML15KSPV-036-230A**	LD24/35Z*+TXV+TD	- - -	R-454B	34400	14.5	9	36000	23200	20600	8.5	6.6	2.1	218644460	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640725	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640729	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	35000	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640778	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	34600	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640782	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	35000	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640786	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	34600	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640790	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	35000	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640794	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	34800	15.2	9	36000	23200	21400	7.8	6.4	2.1	218640809	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	35000	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640835	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	35200	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640937	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	34800	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640941	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	34400	15.2	9.5	36000	24000	21200	8.25	6.45	2.22	218737477	N/A
ML15KSPV-036-230A**	LH18/37R*+TXV+TD	- - -	R-454B	34400	14.5	9	36000	23200	20600	8.5	6.6	2.1	218644466	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	EL180UH100NE60C	R-454B	35600	14.3	9	36000	23400	21400	7.5	6.2	2.1	218640744	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	EL195UH080NE48C	R-454B	35200	15	9	36000	23400	21600	7.8	6.4	2.2	218640772	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	EL195UH100NE60C	R-454B	35600	14.5	9	36000	23400	21600	7.5	6.2	2.1	218640775	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	ML180UH090E60C	R-454B	35800	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640861	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	ML180UH110E60C	R-454B	35800	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640885	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	ML180UH110V60C	R-454B	35800	16	9.5	36000	23200	21400	7.7	6.3	2.1	218640891	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	ML180UH110XE60C	R-454B	35600	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640894	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	ML296UH090XV48C	R-454B	35400	16	9.5	36000	23200	21400	7.7	6.3	2.1	218640922	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	ML296UH110XV60C	R-454B	35400	16	9.5	36000	23200	21400	7.8	6.3	2.1	218640928	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	SL280UH080NV60C	R-454B	35600	15.2	9.5	36000	23200	21400	7.7	6.3	2.1	218640959	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	SL280UH090V60C	R-454B	35800	16	9.5	36000	23200	21200	7.7	6.3	2.1	218640987	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	SL280UH090XV60C	R-454B	35800	16	9.5	36000	23200	21200	7.7	6.3	2.1	218641004	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	SL280UH100NV60C	R-454B	35600	15.2	9.5	36000	23200	21400	7.7	6.3	2.1	218641010	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	35200	15.2	9.5	36000	23000	21200	7.8	6.3	2.1	218641038	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV	SL297UH080NV60C	R-454B	35600	15.2	9	36000	23400	21600	7.7	6.3	2.1	218641044	N/A
ML15KSPV-036-230A**	LH23/37W*+TXV+TD	- - -	R-454B	35200	14.5	9.5	36000	23200	20400	8.6	6.7	2.2	218644470	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	34400	14.5	9	36000	23600	21800	8.05	6.4	2.06	218640740	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	33800	15.2	9	36000	23400	21600	8.05	6.4	2.06	218640754	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	34000	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640765	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	34400	15.2	9	36000	23400	21400	8.15	6.5	2.06	218640805	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	34400	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640820	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	34600	16	9	36000	23200	21600	7.8	6.4	2.1	218640831	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	34400	15.2	9	36000	23400	21400	8.15	6.5	2.06	218640846	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH090E48B	R-454B	34400	15	9	36000	23000	21200	8.05	6.4	2.06	218640857	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH090V48B	R-454B	34600	15.2	9	36000	23400	21600	8.15	6.5	2.06	218640870	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML180UH090XE48B	R-454B	34400	15	9	36000	23000	21200	8.05	6.4	2.06	218640881	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	33800	15.2	9	36000	23200	21600	7.55	6.25	1.98	218640904	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	33400	15.2	8.5	36000	23200	21200	7.75	6.25	2.12	218640915	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	SL280UH080NV48B	R-454B	34200	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640952	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	34600	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640969	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640980	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	SL280UH090XV48B	R-454B	34000	15.2	9	36000	23000	21200	8.15	6.5	2.06	218640997	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	34200	15.2	9	36000	23200	21400	8.15	6.5	2.06	218641020	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	34000	15.2	9	36000	23400	21400	8.05	6.5	2.06	218641031	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV+LEFE4B*	- - -	R-454B	33800	16	9.5	36000	23800	21200	8.05	6.35	2.16	218737479	N/A
ML15KSPV-036-230A**	LH24/37X*+TXV+TD	- - -	R-454B	33600	14.5	9	36000	23200	20600	8.4	6.55	2.08	218644468	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	34600	14.5	9	36000	23600	21800	8.1	6.4	2.08	218640736	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	34200	15.2	9	36000	23400	21600	8.1	6.4	2.08	218640750	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	34400	15.2	9	36000	23200	21400	8.2	6.5	2.08	218640761	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.5	2.08	218640801	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	34800	15.2	9	36000	23200	21400	8.2	6.5	2.08	218640816	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	35000	16	9	36000	23200	21400	8.2	6.5	2.08	218640827	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.5	2.08	218640842	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	34800	15	9	36000	23000	21200	8.1	6.4	2.08	218640853	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	34800	15.2	9	36000	23400	21600	8.2	6.5	2.08	218640866	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	34800	15	9	36000	23000	21200	8.1	6.4	2.08	218640877	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	34000	15.2	9	36000	23200	21600	7.6	6.3	2	218640900	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	33600	15.2	8.5	36000	23200	2120					

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	LH29/36X*+TXV	SL280UH090XV48B	R-454B	34400	15.2	9	36000	23000	21200	8.2	6.5	2.08	218640993	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	34600	15.2	9	36000	23200	21400	8.2	6.5	2.08	218641016	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	34400	15.2	9	36000	23400	21400	8.1	6.5	2.08	218641027	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV+LEFE4B*	- - -	R-454B	34200	16	9.5	36000	23800	21200	8.1	6.4	2.18	218737471	N/A
ML15KSPV-036-230A**	LH29/36X*+TXV+TD	- - -	R-454B	34000	14.5	9	36000	23200	20600	8.45	6.55	2.08	218644462	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640726	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	34800	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640730	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	35000	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640779	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	34600	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640783	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	35000	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640787	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	34600	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640791	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	35000	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640795	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	34800	15.2	9	36000	23200	21400	7.8	6.4	2.1	218640810	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	35000	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640836	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	35200	15.2	9	36000	23400	21600	7.8	6.4	2.1	218640938	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	34800	15.2	9	36000	23400	21400	7.8	6.4	2.1	218640942	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV+LEFE3A*	- - -	R-454B	34400	15.2	9.5	36000	24000	21200	8.25	6.45	2.22	218737478	N/A
ML15KSPV-036-230A**	LP18/37R*+TXV+TD	- - -	R-454B	34400	14.5	9	36000	23200	20600	8.5	6.6	2.1	218644467	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	34400	14.5	9	36000	23600	21800	8.05	6.4	2.06	218640738	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	34000	15.2	9	36000	23400	21600	8.05	6.4	2.06	218640752	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	34200	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640763	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	EL195UH080NE48C	R-454B	35200	15	9	36000	23400	21600	7.75	6.4	2.2	218640770	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	34600	15.2	9	36000	23400	21400	8.15	6.5	2.06	218640803	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	34600	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640818	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH070V48B	R-454B	34800	16	9	36000	23200	21400	8.15	6.5	2.06	218640829	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	34600	15.2	9	36000	23400	21400	8.15	6.5	2.06	218640844	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH090E48B	R-454B	34600	15	9	36000	23000	21200	8.05	6.4	2.06	218640855	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH090V48B	R-454B	34600	15.2	9	36000	23400	21600	8.15	6.5	2.06	218640868	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH090XE48B	R-454B	34600	15	9	36000	23000	21200	8.05	6.4	2.06	218640879	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML180UH110V60C	R-454B	34800	16	9	36000	23200	21400	7.5	6.15	2.04	218640889	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	34000	15.2	9	36000	23200	21600	7.55	6.25	1.98	218640902	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	33600	15.2	8.5	36000	23200	21200	7.8	6.3	2.12	218640913	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	35200	16	9	36000	23200	21400	7.95	6.45	2.18	218640920	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	ML296UH110XV60C	R-454B	34400	16	9	36000	23200	21400	7.6	6.15	2.04	218640926	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	34400	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640950	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH080NV60C	R-454B	34600	15.2	9	36000	23200	21400	7.5	6.15	2.04	218640957	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	34800	15.2	9	36000	23200	21400	8.15	6.5	2.06	218640967	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640978	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH090V60C	R-454B	34800	15.2	9	36000	23000	21200	7.5	6.15	2.04	218640985	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH090XV48B	R-454B	34200	15.2	9	36000	23000	21200	8.15	6.5	2.06	218640995	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH090XV60C	R-454B	34800	15.2	9	36000	23000	21200	7.5	6.15	2.04	218641002	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL280UH100NV60C	R-454B	34600	15.2	9	36000	23200	21400	7.5	6.15	2.04	218641008	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	34400	15.2	9	36000	23200	21400	8.15	6.5	2.06	218641018	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	34200	15.2	9	36000	23400	21400	8.05	6.5	2.06	218641029	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL297UH080NV48C	R-454B	35200	15.2	9	36000	23200	21400	7.95	6.45	2.2	218641036	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	34600	15.2	9	36000	23400	21600	7.5	6.15	2.04	218641042	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV+LEFE4B*	- - -	R-454B	34000	16	9.5	36000	23800	21200	8.1	6.35	2.18	218737474	N/A
ML15KSPV-036-230A**	LP25/36R*+TXV+TD	- - -	R-454B	33800	14.5	9	36000	23200	20600	8.4	6.55	2.08	218644464	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	35000	14.5	9	36000	23600	21800	8.15	6.5	2.1	218640739	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	34600	15.2	9	36000	23400	21600	8.15	6.5	2.1	218640753	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	34800	15.2	9	36000	23200	21400	8.25	6.6	2.1	218640764	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	35200	15	9	36000	23400	21600	7.8	6.4	2.2	218640771	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	35200	15.2	9	36000	23400	21400	8.25	6.6	2.1	218640804	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	35200	15.2	9.5	36000	23200	21400	8.25	6.6	2.1	218640819	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH070V48B	R-454B	35400	16	9.5	36000	23200	21400	8.25	6.6	2.1	218640830	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	35200	15.2	9	36000	23400	21400	8.25	6.6	2.1	218640845	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH090E48B	R-454B	35200	15	9.5	36000	23000	21200	8.15	6.5	2.1	218640856	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH090V48B	R-454B	35200	15.2	9	36000	23400	21600	8.25	6.6	2.1	218640869	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH090XE48B	R-454B	35200	15	9.5	36000	23000	21200	8.15	6.5	2.1	218640880	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML180UH110V60C	R-454B	35200	16	9	36000	23200	21400	7.6	6.2	2.08	218640890	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	34000	15.2	9	36000	23200	21200	7.8	6.35	2.14	218640903	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	34000	15.2	9	36000	23200	21200	7.9	6.35	2.14	218640914	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	35200	16	9	36000	23200	21400	8	6.5	2.2	218640921	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	ML296UH110XV60C	R-454B	34800	16	9	36000	23200	21400	7.7	6.2	2.08	218640927	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	35000	15.2	9	36000	23200	21400	8.25	6.6	2.1	218640951	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH080NV60C	R-454B	35000	15.2	9	36000	23200	21400	7.6	6.25	2.08	218640958	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	34200	16	9	36000	23000	21000	7.9	6.35	2.24	218640968	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	34200	15.2	9	36000	23000	21400	7.8	6.4	2.1	218640979	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH090V60C	R-454B	35200	16	9.5	36000	23000	21200	7.6	6.25	2.08	218640986	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH090XV48B	R-454B	34800	15.2	9.5	36000	23000	21200	8.25	6.6	2.1	218640996	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH090XV60C	R-454B	35200	16	9.5	36000	23000	21200	7.6	6.25	2.08	218641003	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV	SL280UH100NV60C	R-454B	35000	15.2	9	3600							

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	35000	15.2	9	36000	23400	21600	7.6	6.25	2.08	218641043	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV+LEFE3A*	---	R-454B	34200	15.2	9.5	36000	24000	21200	8.2	6.45	2.2	218737476	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV+LEFE4B*	---	R-454B	34400	16	9.5	36000	24000	21200	8.2	6.45	2.2	218737475	N/A
ML15KSPV-036-230A**	LP29/36X*+TXV+TD	---	R-454B	34200	14.5	9	36000	23200	20600	8.5	6.6	2.1	218644465	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	35000	14.5	9	36000	23600	21800	8.2	6.5	2.1	218640732	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	35600	14.3	9	36000	23400	21400	7.5	6.2	2.1	218640743	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	34600	15.2	9	36000	23400	21600	8.2	6.5	2.1	218640746	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	34800	15.2	9	36000	23200	21400	8.3	6.6	2.1	218640757	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	35200	15	9	36000	23400	21600	7.8	6.4	2.2	218640768	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	35600	14.5	9	36000	23400	21600	7.5	6.2	2.1	218640774	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	35600	16	9	36000	23200	21200	8.1	6.5	2.2	218640797	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	35600	16	9.5	36000	23000	21200	8.1	6.5	2.3	218640812	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	35400	16	9.5	36000	23200	21400	8.3	6.6	2.1	218640823	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	35600	16	9	36000	23200	21200	8.1	6.5	2.2	218640838	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	35800	15.2	9.5	36000	23000	21000	7.9	6.5	2.3	218640849	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	35800	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640860	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	35200	15.2	9	36000	23400	21600	8.3	6.6	2.1	218640863	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	35800	15.2	9.5	36000	23000	21000	7.9	6.5	2.3	218640873	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	35800	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640884	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	35800	16	9.5	36000	23200	21400	7.7	6.3	2.1	218640887	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	35600	14.5	9.5	36000	23200	21400	7.5	6.2	2.1	218640893	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	35600	15.2	9	36000	23200	21200	8	6.5	2.2	218640896	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	35600	16	9	36000	23200	21200	8.1	6.5	2.2	218640907	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	35400	16	9.5	36000	23200	21400	7.7	6.3	2.1	218640918	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	35400	16	9.5	36000	23200	21400	7.8	6.3	2.1	218640924	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	35000	15.2	9	36000	23200	21400	8.3	6.6	2.1	218640944	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	35600	15.2	9.5	36000	23200	21400	7.7	6.3	2.1	218640955	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	35800	16	9.5	36000	23000	21000	8.1	6.5	2.3	218640961	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	35600	16	9.5	36000	23200	21200	8	6.5	2.3	218640972	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	35800	16	9.5	36000	23200	21200	7.7	6.3	2.1	218640983	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH090XV48B	R-454B	34800	15.2	9.5	36000	23000	21200	8.3	6.6	2.1	218640989	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	35800	16	9.5	36000	23200	21200	7.7	6.3	2.1	218641000	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	35600	15.2	9.5	36000	23200	21400	7.7	6.3	2.1	218641006	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	35600	16	9	36000	23200	21200	8.1	6.5	2.2	218641012	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	34800	15.2	9	36000	23400	21400	8.2	6.6	2.1	218641023	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	35200	15.2	9.5	36000	23000	21200	7.8	6.3	2.1	218641034	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	35600	15.2	9	36000	23400	21600	7.7	6.3	2.1	218641040	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV+TD	---	R-454B	35000	14.3	9.5	36000	23600	21000	8.5	7	2	218400811	N/A
ML15KSPV-036-230A**	LP36/37R*+TXV+TD	---	R-454B	35000	14.3	9.5	36000	23600	21000	8.5	7	2	218400936	N/A
ML15KSPV-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	34800	14.3	9	36000	23600	21000	8.4	6.7	1.98	218338597	N/A
ML15KSPV-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	34800	14.3	9	36000	23600	21000	8.4	6.7	1.98	218338675	N/A
ML15KSPV-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34800	14.3	9	36000	23600	21000	8.4	6.7	1.98	218338596	N/A
ML15KSPV-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34800	14.3	9	36000	23600	21000	8.4	6.7	1.98	218338673	N/A
ML15KSPV-036-230A**	LW37*M6+TXV	---	R-454B	33000	15	9.5	36000	23800	21200	8.15	6.4	2.18	218733589	N/A
ML15KSPV-036-230A**	LW39*L9+TXV	---	R-454B	33600	15.2	9.5	36000	24000	21200	8.2	6.45	2.2	218733590	N/A
ML15KSPV-036-230A**	M36E32*+TXV+AMHE3D	---	R-454B	32600	15	9	36000	23800	21000	7.8	6.15	2.1	218718577	N/A
ML15KSPV-036-230A**	M36E32*+TXV+TD	---	R-454B	32200	14.3	9	36000	23200	20600	8.2	6.4	2.04	218718546	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641055	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.85	6.4	2	218641062	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.8	6.4	2	218641069	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	42000	16	10	42000	31600	27000	7.9	6.4	2	218641082	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.4	2	218641095	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	42500	17	9.5	48000	31800	27200	7.9	6.4	2	218641102	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.4	2	218641109	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.9	6.4	2	218641116	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	8	6.4	2	218641123	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641136	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641146	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	42000	17	10	48000	31800	27000	8	6.4	2	218641156	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	8	6.4	2	218641163	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	8	6.4	2	218641170	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	8	6.4	2	218641177	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	8	6.4	2	218641184	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV+TD	---	R-454B	40000	14.3	9.5	40000	27000	26600	8.5	7	1.8	218400879	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV+TD	---	R-454B	40000	14.3	9.5	40000	27000	26600	8.5	7	1.8	218400754	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV+TD	---	R-454B	40000	14.3	9.5	40000	27000	26600	8.5	7	1.8	218400880	N/A
ML15KSPV-042-230A**	L*41/60Z*+TXV+TD	---	R-454B	40000	14.3	9.5	40000	27000	26600	8.5	7	1.8	218400755	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	EL180UH080NE48B	R-454B	40000	15.2	9	42000	32200	27400	8.2	6.6	2.1	218641046	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641051	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.85	6.35	1.98	218641058	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.75	6.35	1.98	218641065	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML180UH070V48B	R-454B	40500	17	9.5	42000	32000	27200	8.3	6.6	2.1	218641070	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML180UH090E48B	R-454B	40500	16	9.5	42000	31800	27000	8.2	6.6	2.1	218641073	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-042-230A**	L*42/60V*+TXV	ML180UH090XE48B	R-454B	40000	16	9.5	42000	31800	27000	8.2	6.6	2.1	218641086	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.35	1.98	218641091	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML180UH110V60C	R-454B	41000	17	9.5	42000	32000	27400	7.9	6.4	2	218641098	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.35	1.98	218641105	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.85	6.35	1.98	218641112	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	7.95	6.35	1.98	218641119	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	40000	16	9.5	42000	32000	27400	7.9	6.4	1.9	218641127	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641132	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	40500	16	9.5	42000	32000	27200	8.3	6.6	2.1	218641137	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641142	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH090XV48B	R-454B	40500	16	9.5	42000	31800	27200	7.9	6.4	2	218641147	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641152	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	7.95	6.35	1.98	218641159	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	7.95	6.35	1.98	218641166	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	7.95	6.35	1.98	218641173	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	7.95	6.35	1.98	218641180	N/A
ML15KSPV-042-230A**	L*42/60V*+TXV+TD	- - -	R-454B	40000	15	9.5	42000	29200	27600	8.8	6.8	2	218644473	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	- - -	R-454B	40000	14.3	9.5	42000	29200	27600	8.2	6.5	2	218644474	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	EL180UH080NE48B	R-454B	40000	15.2	9	42000	32200	27400	8.2	6.6	2.1	218641047	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641052	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.85	6.35	1.98	218641059	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.75	6.35	1.98	218641066	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH070V48B	R-454B	40500	17	9.5	42000	32000	27200	8.3	6.6	2.1	218641071	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH090E48B	R-454B	40000	16	9.5	42000	31800	27000	8.2	6.6	2.1	218641074	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH090E60C	R-454B	42000	16	10	42000	31600	27000	7.85	6.35	1.98	218641079	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH090V48B	R-454B	40500	16	9.5	42000	32000	27400	7.9	6.4	2	218641084	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH090XE48B	R-454B	40000	16	9.5	42000	31800	27000	8.2	6.6	2.1	218641087	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.35	1.98	218641092	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH110V60C	R-454B	41000	17	9.5	42000	32000	27400	7.9	6.4	2	218641099	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.35	1.98	218641106	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.85	6.35	1.98	218641113	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	7.95	6.35	1.98	218641120	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH080NV48B	R-454B	40000	16	9.5	42000	32000	27400	7.9	6.4	1.9	218641128	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH080NV60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641133	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH090V48B	R-454B	40500	16	9.5	42000	32000	27200	8.3	6.6	2.1	218641138	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH090V60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641143	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH090XV48B	R-454B	40500	16	9.5	42000	31800	27200	7.9	6.4	2	218641148	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH090XV60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641153	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	7.95	6.35	1.98	218641160	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	7.95	6.35	1.98	218641167	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	7.95	6.35	1.98	218641174	N/A
ML15KSPV-042-230A**	L*42/60V+TXV+TD	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	7.95	6.35	1.98	218641181	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641049	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.9	6.4	2	218641056	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.8	6.4	2	218641063	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	42000	16	10	42000	31600	27000	7.9	6.4	2	218641076	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.9	6.4	2	218641089	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	42500	17	9.5	48000	31800	27200	7.9	6.4	2	218641096	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.9	6.4	2	218641103	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.9	6.4	2	218641110	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	8	6.4	2	218641117	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	41000	16	9.5	42000	32000	27200	8.2	6.6	2.1	218641124	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	41000	16	9.5	42000	31800	27000	8.3	6.6	2.1	218641125	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	41000	17	9.5	42000	31800	27000	8.3	6.6	2.1	218641126	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641130	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641140	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641150	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	8	6.4	2	218641157	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	8	6.4	2	218641164	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	8	6.4	2	218641171	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	8	6.4	2	218641178	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV+LEFE5*	- - -	R-454B	42500	16	9.5	42000	32000	27200	8.8	6.9	2.08	218737459	N/A
ML15KSPV-042-230A**	LD42/61Z*+TXV+TD	- - -	R-454B	40500	15	9.5	42000	29200	27600	8.8	6.8	2	218644472	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641053	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.9	6.4	2	218641060	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.8	6.4	2	218641067	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	42000	16	10	42000	31600	27000	7.9	6.4	2	218641080	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.9	6.4	2	218641093	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	42500	17	9.5	48000	31800	27200	7.9	6.4	2	218641100	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.9	6.4	2	218641107	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.9	6.4	2	218641114	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	8	6.4	2	218641121	

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-042-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	8	6.4	2	218641161	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	8	6.4	2	218641168	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	8	6.4	2	218641175	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	8	6.4	2	218641182	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV+LEFE5*	---	R-454B	43000	16	9.5	42000	32000	27200	8.8	6.9	2.08	218737460	N/A
ML15KSPV-042-230A**	LH42/62W*+TXV+TD	---	R-454B	40500	15	9.5	42000	29200	27600	8.8	6.9	2	218644475	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641050	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.85	6.35	1.98	218641057	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.75	6.35	1.98	218641064	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	42000	16	10	42000	31600	27000	7.85	6.35	1.98	218641077	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.35	1.98	218641090	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	41000	17	9.5	42000	32000	27400	7.9	6.4	2	218641097	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.85	6.35	1.98	218641104	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.85	6.35	1.98	218641111	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	7.95	6.35	1.98	218641118	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641131	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641141	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	42000	17	10	42000	31800	27000	7.95	6.35	1.98	218641151	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	7.95	6.35	1.98	218641158	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	7.95	6.35	1.98	218641165	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	7.95	6.35	1.98	218641172	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	7.95	6.35	1.98	218641179	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV+LEFE5*	---	R-454B	40000	14.3	9.5	42000	27000	26600	8.5	7	1.8	218389241	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV+LEFE5*	---	R-454B	40000	14.3	9.5	42000	27000	26600	8.5	7	1.8	218386649	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV+LEFE5*	---	R-454B	40000	14.3	9.5	48000	27000	26600	8.5	7	1.8	218400053	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV+TD	---	R-454B	40000	14.3	9.5	40000	27000	26600	8.5	7	1.8	218400753	N/A
ML15KSPV-042-230A**	LP40/60R*+TXV+TD	---	R-454B	40000	14.3	9.5	40000	27000	26600	8.5	7	1.8	218400878	N/A
ML15KSPV-042-230A**	LP41/61R*+TXV+LEFE5*	---	R-454B	40000	14.3	9.5	42000	27000	26600	8.5	7	1.8	218389240	N/A
ML15KSPV-042-230A**	LP41/61R*+TXV+LEFE5*	---	R-454B	40000	14.3	9.5	48000	27000	26600	8.5	7	1.8	218400052	N/A
ML15KSPV-042-230A**	LP41/61R*+TXV+LEFE5*	---	R-454B	40000	14.3	9.5	42000	27000	26600	8.5	7	1.8	218386648	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	EL180UH080NE48B	R-454B	41000	16	9.5	42000	32200	27400	8.2	6.6	2.1	218641048	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	40500	15.2	9.5	42000	32200	27600	7.8	6.4	2	218641054	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	41500	16	9.5	42000	31800	27200	7.9	6.4	2	218641061	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	9.5	42000	31800	27200	7.8	6.4	2	218641068	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH070V48C	R-454B	41500	17	9.5	42000	32000	27200	8.3	6.6	2.1	218641072	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	41000	16	9.5	42000	31800	27000	8.2	6.6	2.1	218641075	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	42000	16	10	42000	31600	27000	7.9	6.4	2	218641081	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	41500	16	9.5	42000	32000	27200	8.3	6.6	2.1	218641085	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	41000	16	9.5	42000	31800	27000	8.2	6.6	2.1	218641088	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	10	42000	31600	27000	7.9	6.4	2	218641094	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	42500	17	9.5	48000	31800	27200	7.9	6.4	2	218641101	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	10	42000	31600	27000	7.9	6.4	2	218641108	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	42000	16	9.5	42000	32000	27200	7.9	6.4	2	218641115	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	42000	16	9.5	42000	31800	27200	8	6.4	2	218641122	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	41500	16	9.5	42000	32200	27400	8.2	6.6	2.1	218641129	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641135	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	41500	16	9.5	42000	32000	27200	8.3	6.6	2.1	218641139	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641145	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH090XV48B	R-454B	40500	16	9.5	42000	31800	27200	7.9	6.4	2	218641149	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	42000	17	10	42000	31800	27000	8	6.4	2	218641155	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	42000	16	9.5	48000	32000	27200	8	6.4	2	218641162	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	42000	17	10	48000	31800	27200	8	6.4	2	218641169	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	42000	16	9.5	48000	31800	27200	8	6.4	2	218641176	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	42000	16	9.5	48000	32000	27400	8	6.4	2	218641183	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	43000	16	9.5	42000	32000	27200	8.8	6.9	2.08	218737461	N/A
ML15KSPV-042-230A**	LP42/62W*+TXV+TD	---	R-454B	40500	15	9.5	42000	29200	27600	8.8	6.9	2	218644476	N/A
ML15KSPV-042-230A**	M42E36*+TXV+TD	---	R-454B	38500	14.5	9.5	42000	29200	27600	8.7	6.8	1.98	218718538	N/A
ML15KSPV-042-230A**	M48E36*+TXV+AMHE4D	---	R-454B	40500	16	9	42000	31800	27200	8.4	6.6	1.98	218718570	N/A
ML15KSPV-042-230A**	M48E36*+TXV+AMHE5D	---	R-454B	40500	16	9	42000	31800	27200	8.4	6.6	1.98	218718569	N/A
ML15KSPV-042-230A**	M60G49*+TXV+AMHE5D	---	R-454B	42000	16	9.5	48000	32000	27200	8.55	6.7	2.02	218725538	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.2	6.6	2.1	218641194	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641201	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.2	6.6	2.1	218641208	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641221	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641234	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641241	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641248	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	45500	15.2	9.5	48000	33800	29000	8.2	6.6	2.1	218641251	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641258	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641265	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.5	6.7	2.2	218641278	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641288	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641315	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	46000	16	9.5	48000	33800	28800	8.3	6.6	2.1	218641322	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641329	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV+TD	- - -	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400757	N/A
ML15KSPV-048-230A**	L*41/60Z*+TXV+TD	- - -	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400882	N/A
ML15KSPV-048-230A**	L*41/60Z+TXV+LEFE5*	- - -	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218394084	N/A
ML15KSPV-048-230A**	L*41/60Z+TXV+LEFE5*	- - -	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400056	N/A
ML15KSPV-048-230A**	L*41/60Z+TXV+TD	- - -	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400883	N/A
ML15KSPV-048-230A**	L*41/60Z+TXV+TD	- - -	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400758	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	EL180UH080NE48B	R-454B	43500	16	9	48000	33800	28800	8.5	6.8	2.2	218641185	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.15	6.55	2.08	218641190	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.25	6.55	2.08	218641197	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.15	6.55	2.08	218641204	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH070V48B	R-454B	44500	17	9.5	48000	33600	28800	8.3	6.6	2.1	218641209	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH090E48B	R-454B	44000	16	9.5	48000	33600	28600	8.2	6.6	2.1	218640122	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641217	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH090V48B	R-454B	44000	16	9	48000	33800	29000	8.45	6.75	2.2	218641222	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH090XE48B	R-454B	44000	16	9.5	48000	33600	28600	8.2	6.6	2.1	218641225	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641230	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641237	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641244	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641254	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641261	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	44000	16	9	48000	34000	29000	8.45	6.75	2.18	218641269	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.5	6.7	2.2	218641274	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	44500	16	9	48000	34000	29000	8.45	6.75	2.18	218641279	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641284	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH090XV48B	R-454B	44500	16	9	48000	34000	29000	8.45	6.75	2.18	218641289	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641294	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	45000	17	9.5	48000	33600	28600	8.5	6.7	2.2	218641301	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641308	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	46000	16	9.5	48000	33800	28800	8.25	6.55	2.08	218641318	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.25	6.55	2.08	218641325	N/A
ML15KSPV-048-230A**	L*42/60V*+TXV+TD	- - -	R-454B	45500	14.5	9	48000	32600	28400	8.1	6.5	2.18	218644478	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	- - -	R-454B	45500	14.3	9	48000	32600	28400	8.2	6.5	2.18	218644479	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	EL180UH080NE48B	R-454B	43500	16	9	48000	33800	28800	8.5	6.8	2.2	218641186	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.15	6.55	2.08	218641191	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.25	6.55	2.08	218641198	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.15	6.55	2.08	218641205	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH070V48B	R-454B	44500	17	9.5	48000	33600	28800	8.3	6.6	2.1	218641210	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH090E48B	R-454B	44000	16	9.5	48000	33600	28600	8.2	6.6	2.1	218641213	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641218	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH090V48B	R-454B	44000	16	9	48000	33800	29000	8.45	6.75	2.2	218641223	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH090XE48B	R-454B	44000	16	9.5	48000	33600	28600	8.2	6.6	2.1	218641226	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641231	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641238	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641245	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641255	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641262	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH080NV48B	R-454B	44000	16	9	48000	34000	29000	8.45	6.75	2.18	218641270	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.5	6.7	2.2	218641275	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH090V48B	R-454B	44500	16	9	48000	34000	29000	8.45	6.75	2.18	218641280	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH090V60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641285	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH090XV48B	R-454B	44500	16	9	48000	34000	29000	8.45	6.75	2.18	218641290	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH090XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641295	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH100NV60C	R-454B	45000	17	9.5	48000	33600	28600	8.5	6.7	2.2	218641302	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL280UH110XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641309	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL297UH080NV48C	R-454B	46000	16	9.5	48000	33800	28800	8.25	6.55	2.08	218641319	N/A
ML15KSPV-048-230A**	L*42/60V+TXV+TD	SL297UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.25	6.55	2.08	218641326	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.2	6.6	2.1	218641188	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641195	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.2	6.6	2.1	218641202	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641215	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641228	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641235	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641242	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML180UH135E60D	R-454B	45500	15.2	9.5	48000	33800	29000	8.2	6.6	2.1	218641249	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641252	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641259	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	45000	16	9	48000	34000	29000	8.5	6.8	2.2	218641266	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	45500	16	9.5	48000	34000	29000	8.6	6.8	2.2	218641267	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	45000	17	9.5	48000	33600	28600	8.7	6.8	2.2	218641268	N

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	45000	17	9.5	48000	33600	28600	8.5	6.7	2.2	218641299	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641306	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641313	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	46000	16	9.5	48000	33800	28800	8.3	6.6	2.1	218641316	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641323	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	46500	16	9.5	48000	34200	29600	9	7	2.24	218737462	N/A
ML15KSPV-048-230A**	LD42/61Z*+TXV+TD	---	R-454B	46000	14.5	9	48000	32600	28400	8.9	7	2.2	218644477	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.2	6.6	2.1	218641192	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641199	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.2	6.6	2.1	218641206	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641219	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641232	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641239	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641246	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641256	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641263	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.5	6.7	2.2	218641276	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641286	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641296	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	45000	17	9.5	48000	33600	28600	8.5	6.7	2.2	218641303	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641310	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	46000	16	9.5	48000	33800	28800	8.3	6.6	2.1	218641320	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641327	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV+LEFE5*	---	R-454B	47500	16	9.5	48000	34200	29600	9	7	2.28	218737463	N/A
ML15KSPV-048-230A**	LH42/62W*+TXV+TD	---	R-454B	46000	14.5	9	48000	32600	28400	8.8	7	2.2	218644480	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.15	6.55	2.08	218641189	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.25	6.55	2.08	218641196	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.15	6.55	2.08	218641203	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641216	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641229	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641236	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641243	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML180UH135E60D	R-454B	45000	15.2	9	48000	33800	29000	8.15	6.55	2.1	218641250	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641253	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641260	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.5	6.7	2.2	218641273	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641283	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641293	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	45000	17	9.5	48000	33600	28600	8.5	6.7	2.2	218641300	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641307	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL280UH135V60D	R-454B	45000	16	9.5	48000	33400	28400	8.35	6.65	2.2	218641314	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	46000	16	9.5	48000	33800	28800	8.25	6.55	2.08	218641317	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.25	6.55	2.08	218641324	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV+LEFE5*	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218386651	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV+LEFE5*	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218389243	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV+LEFE5*	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400055	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV+TD	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400881	N/A
ML15KSPV-048-230A**	LP40/60R*+TXV+TD	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400756	N/A
ML15KSPV-048-230A**	LP41/61R*+TXV+LEFE5*	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218386650	N/A
ML15KSPV-048-230A**	LP41/61R*+TXV+LEFE5*	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218389242	N/A
ML15KSPV-048-230A**	LP41/61R*+TXV+LEFE5*	---	R-454B	46000	14.3	9	48000	31600	27600	8.5	7	2	218400054	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	EL180UH080NE48B	R-454B	44500	16	9.5	48000	33800	28800	8.5	6.8	2.2	218641187	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	45500	16	9.5	48000	34000	29000	8.2	6.6	2.1	218641193	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	45500	16	9.5	48000	33600	28600	8.3	6.6	2.1	218641200	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	45500	15.2	9.5	48000	34000	29000	8.2	6.6	2.1	218641207	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	45500	17	9.5	48000	33800	28800	8.6	6.8	2.2	218641211	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	45000	16	9.5	48000	33600	28600	8.6	6.8	2.2	218641214	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	45500	16	9.5	48000	33400	28400	8.4	6.7	2.2	218641220	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	45000	16	9.5	48000	33800	29000	8.5	6.8	2.2	218641224	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	45000	16	9.5	48000	33600	28600	8.5	6.8	2.2	218641227	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641233	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	45500	17	9.5	48000	33400	28600	8.5	6.7	2.2	218641240	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	45500	16	9.5	48000	33800	29000	8.4	6.7	2.2	218641247	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	45000	16	9.5	48000	33800	28800	8.4	6.7	2.2	218641257	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	45000	16	9.5	48000	33600	28600	8.4	6.7	2.2	218641264	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	45000	16	9	48000	34000	29000	8.5	6.8	2.2	218641271	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	45500	16	9.5	48000	33600	28600	8.5	6.7	2.2	218641277	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	45500	16	9.5	48000	34000	29000	8.5	6.8	2.2	218641281	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641287	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH090XV48B	R-454B	45500	16	9.5	48000	34000	29000	8.5	6.8	2.2	218641291	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	45000	17	9.5	48000	33400	28400	8.5	6.7	2.2	218641297	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	45000	17	9.5	48000	33600	28600	8.5	6.7	2.2	218641304	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	45000	17	9.5</								

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-048-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	47500	16	9.5	48000	34200	29600	9	7	2.28	218737464	N/A
ML15KSPV-048-230A**	LP42/62W*+TXV+TD	---	R-454B	46000	14.5	9	48000	32600	28400	8.1	6.5	2.2	218644481	N/A
ML15KSPV-048-230A**	M48E36*+TXV+AMHE4D	---	R-454B	43500	16	8.5	48000	33800	29400	8.4	6.55	2.08	218718572	N/A
ML15KSPV-048-230A**	M48E36*+TXV+AMHE5D	---	R-454B	43500	16	8.5	48000	33800	29400	8.4	6.55	2.08	218718571	N/A
ML15KSPV-048-230A**	M48E36*+TXV+TD	---	R-454B	43500	14.3	9	48000	32600	28400	8.6	6.85	2.08	218718539	N/A
ML15KSPV-048-230A**	M60G49*+TXV+AMHE5D	---	R-454B	45000	16	9	48000	33800	29400	8.6	6.65	2.12	218725539	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	53500	14.5	8.5	54000	39500	37200	8.15	6.45	1.8	218641333	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	53500	15	9	54000	39500	37000	8.2	6.55	1.78	218641337	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	54000	15.2	9	54000	39500	37000	8.35	6.6	1.8	218641341	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	54000	15.2	9	54000	39500	37000	8.35	6.6	1.8	218641345	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	54000	15.2	9	54000	39000	36600	8.35	6.55	1.8	218641349	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	54500	16	9	54000	39500	36800	8.4	6.6	1.8	218641353	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	53000	14.5	8.5	54000	39500	37200	8	6.4	1.7	218641355	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	54000	15.2	9	54000	39500	36800	8.25	6.55	1.8	218641359	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	54000	15.2	8.5	54000	39500	37000	8.25	6.6	1.8	218641366	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	54000	15.2	9	54000	39000	36600	8.35	6.55	1.8	218641370	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	54000	15.2	9	54000	39500	37000	8.3	6.5	1.8	218641374	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	54000	15.2	9	54000	39500	36800	8.25	6.55	1.8	218641378	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	54000	15.2	9	54000	39500	36800	8.25	6.45	1.8	218641382	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	54000	15.2	9	54000	39500	36800	8.25	6.45	1.8	218641386	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	53000	15.2	9	54000	39000	36800	8.1	6.4	1.7	218641388	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	53500	15	8.5	54000	39500	37200	8.25	6.55	1.8	218641392	N/A
ML15KSPV-060-230A**	L*41/60Z*+TXV+TD	---	R-454B	51500	14.3	9	54000	38000	35400	7.85	6.4	1.78	218644482	N/A
ML15KSPV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.8	6	1.76	218386654	N/A
ML15KSPV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.8	6	1.76	218389246	N/A
ML15KSPV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.8	6	1.76	218400059	N/A
ML15KSPV-060-230A**	L*42/60Z*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.8	6	1.76	218400086	N/A
ML15KSPV-060-230A**	L*42/60Z*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.8	6	1.76	218400761	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	53000	14.5	8.5	54000	39500	37200	8	6.4	1.76	218641330	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	53000	15	8.5	54000	39500	37000	8.1	6.5	1.76	218641334	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	53500	15.2	8.5	54000	39500	37000	8.2	6.5	1.76	218641338	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	53500	15.2	8.5	54000	39500	37000	8.2	6.5	1.76	218641342	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	53500	15.2	9	54000	39000	36600	8.2	6.5	1.76	218641346	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	54000	16	9	54000	39500	36800	8.2	6.5	1.76	218641350	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	ML180UH135E60D	R-454B	53000	14.5	8.5	54000	39500	37200	8	6.4	1.7	218641354	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	53500	15.2	8.5	54000	39500	36800	8.1	6.5	1.76	218641356	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	52000	14.5	8.5	54000	39500	37200	8.4	6.6	1.8	218641360	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280DF090V60C	R-454B	52000	14.5	8.5	54000	39500	37000	8.4	6.6	1.8	218641361	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280DF110V60C	R-454B	52000	15	8.5	54000	39000	36800	8.4	6.6	1.8	218641362	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	53500	15.2	8.5	54000	39500	37000	8.1	6.5	1.76	218641363	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	53500	15.2	9	54000	39000	36600	8.2	6.5	1.76	218641367	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	53500	15.2	8.5	54000	39500	37000	8.1	6.4	1.76	218641371	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	53500	15.2	8.5	54000	39500	36800	8.1	6.5	1.76	218641375	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	53500	15.2	8.5	54000	39500	36800	8.1	6.4	1.76	218641379	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	53500	15.2	8.5	54000	39500	36800	8.1	6.4	1.76	218641383	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	53000	15.2	9	54000	39000	36800	8.1	6.4	1.7	218641387	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	53000	15	8.5	54000	39500	37200	8.1	6.5	1.76	218641389	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.85	6	1.76	218389244	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.85	6	1.76	218386652	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.85	6	1.76	218400057	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV+TD	---	R-454B	51000	14.3	9	60000	38000	35400	7.85	6	1.76	218400759	N/A
ML15KSPV-060-230A**	LD42/61Z*+TXV+TD	---	R-454B	51000	14.3	9	60000	38000	35400	7.85	6	1.76	218400884	N/A
ML15KSPV-060-230A**	LH40/61W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218389245	N/A
ML15KSPV-060-230A**	LH40/61W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218386653	N/A
ML15KSPV-060-230A**	LH40/61W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400058	N/A
ML15KSPV-060-230A**	LH40/61W*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400760	N/A
ML15KSPV-060-230A**	LH40/61W*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400885	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	53500	14.5	8.5	54000	39500	37200	8.2	6.5	1.8	218641331	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	53500	15	9	54000	39500	37000	8.25	6.6	1.8	218641335	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	54000	15.2	9	54000	39500	37000	8.4	6.6	1.8	218641339	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	54000	15.2	9	54000	39500	37000	8.4	6.6	1.8	218641343	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	54000	15.2	9	54000	39000	36600	8.4	6.6	1.8	218641347	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	54500	16	9	54000	39500	36800	8.4	6.6	1.8	218641351	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.6	1.8	218641357	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	54000	15.2	8.5	54000	39500	37000	8.3	6.6	1.8	218641364	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	54000	15.2	9	54000	39000	36600	8.4	6.6	1.8	218641368	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	54000	15.2	9	54000	39500	37000	8.3	6.5	1.8	218641372	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.6	1.8	218641376	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.5	1.8	218641380	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.5	1.8	218641384	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	53500	15	8.5	54000	39500	37200	8.3	6.6	1.8	218641390	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218386655	N/A
ML15KSPV-060-230A**	LH42/62W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1		

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	HSPF2 (V)	Heating COP (5°F)	AHRI Reference	Energy Star
ML15KSPV-060-230A**	LH42/62W*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400762	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	53500	14.5	8.5	54000	39500	37200	8.2	6.5	1.8	218641332	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	53500	15	9	54000	39500	37000	8.25	6.6	1.8	218641336	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	54000	15.2	9	54000	39500	37000	8.4	6.6	1.8	218641340	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	54000	15.2	9	54000	39500	37000	8.4	6.6	1.8	218641344	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	54000	15.2	9	54000	39000	36600	8.4	6.6	1.8	218641348	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	54500	16	9	54000	39500	36800	8.4	6.6	1.8	218641352	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.6	1.8	218641358	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	54000	15.2	8.5	54000	39500	37000	8.3	6.6	1.8	218641365	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	54000	15.2	9	54000	39000	36600	8.4	6.6	1.8	218641369	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV+TD	SL280UH090XV60C	R-454B	54000	15.2	9	54000	39500	37000	8.3	6.5	1.8	218641373	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.6	1.8	218641377	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.5	1.8	218641381	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	54000	15.2	9	54000	39500	36800	8.3	6.5	1.8	218641385	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	53500	15	8.5	54000	39500	37200	8.3	6.6	1.8	218641391	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218386656	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218389248	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400061	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400763	N/A
ML15KSPV-060-230A**	LP42/62W*+TXV+TD	---	R-454B	51500	14.3	9	60000	38000	35400	7.9	6	1.78	218400888	N/A
ML15KSPV-060-230A**	M60E67*+TXV+TD	---	R-454B	49500	14.3	9	60000	38000	35400	7.75	6.3	1.74	218718540	N/A
ML15KSPV-060-230A**	M60G49*+TXV+TD	---	R-454B	50500	14.3	9	60000	38000	35400	7.75	6.35	1.76	218718541	N/A
ML16KP2-036-230A**	LW37*M6+TXV	---	R-454B	34000	17	12	33200	21200	17600	7.75	6.65	1.98	218630407	N/A
ML16KP2-048-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	44000	15.2	10.5	42500	28200	23200	7.95	6.8	1.96	218735527	N/A
SL22KLV-024-230A**	L*18/30Z+TXV+TD	SL280UH080NV48B	R-454B	23000	20	13	36000	20600	21800	9.6	8	2.08	218631338	N/A
SL22KLV-024-230A**	L*18/30Z+TXV+TD	SL297UH040NV36B	R-454B	22800	20	12.5	24000	20800	22000	9.5	8	2.06	218631339	N/A
SL22KLV-024-230A**	L*18/30Z+TXV+TD	SL297UH060NV36B	R-454B	22800	19	12.5	24000	20800	22000	9.5	8	2.06	218631340	N/A
SL22KLV-024-230A**	L*18/30Z+TXV+TD	SL297UH080NV48C	R-454B	22800	19	12.5	24000	20800	22000	9.5	8	2.06	218631341	N/A
SL22KLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	22600	20	12	24000	20800	22000	9.5	8	2.06	217614723	N/A
SL22KLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	22200	19	12.5	24000	17700	17500	8.5	7.1	1.86	217614725	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH080NV48B	R-454B	22800	20	12.5	24000	20600	21800	9.6	8	2.08	217896516	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	22400	20	12.5	24000	17600	17400	8.5	7.1	1.86	217896517	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH090V48B	R-454B	22200	19	12.5	24000	17700	17500	8.5	7.1	1.86	217896518	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH090XV48B	R-454B	22200	19	12.5	24000	17700	17500	8.5	7.1	1.86	217896519	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	22600	20	12	24000	20800	22000	9.5	8	2.06	217614736	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	22600	19	12	24000	20800	22000	9.5	8	2.06	217614738	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	22200	19	12.5	24000	17700	17500	8.5	7.1	1.86	217614740	N/A
SL22KLV-024-230A**	L*31/37U+TXV	EL297UH045XV36B	R-454B	22600	20	12	24000	20800	22000	9.5	8	2.06	218388444	N/A
SL22KLV-024-230A**	L*31/37U+TXV	EL297UH070XV36B	R-454B	22200	19	12.5	24000	17700	17500	8.5	7	1.86	218388445	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	24000	23400	22400	8.2	7	1.78	218388446	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH070V36A	R-454B	22400	19	12	24000	23600	22400	8.2	7	1.78	218388447	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH070XV36A	R-454B	22400	19	12	24000	23600	22400	8.2	7	1.78	218388448	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL280UH090V36B	R-454B	22400	20	12.5	24000	17600	17400	8.5	7	1.86	218388450	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL297UH040NV36B	R-454B	22600	20	12	24000	20800	22000	9.5	8	2.06	218388451	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SL297UH060NV36B	R-454B	22600	19	12	24000	20800	22000	9.5	8	2.06	218388452	N/A
SL22KLV-024-230A**	L*31/37U+TXV	SLP99UH070XV36B	R-454B	22200	19	12.5	24000	17700	17500	8.5	7	1.86	218388453	N/A
SL22KLV-024-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	21600	18	11.7	24000	19200	18100	8	7	1.74	218388443	N/A
SL22KLV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	22400	20	12	24000	20800	22000	9.4	7.9	2.04	217614722	N/A
SL22KLV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	22000	19	12.5	24000	17700	17500	8.4	7.05	1.84	217614724	N/A
SL22KLV-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	22400	20	12	24000	20800	22000	9.4	7.9	2.04	217614735	N/A
SL22KLV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	22400	19	12	24000	20800	22000	9.4	7.9	2.04	217614737	N/A
SL22KLV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	22000	19	12.5	24000	17700	17500	8.4	7.05	1.84	217614739	N/A
SL22KLV-024-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	22600	20	13	24000	17600	17400	8.5	7	1.86	218388449	N/A
SL22KLV-036-230A**	L*23/37Z*+TXV	EL297UH070XV36B	R-454B	34200	17	12	36000	28800	27000	8.05	7	1.98	218391939	N/A
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH090V36B	R-454B	34400	18	12	36000	28600	26800	8.05	7	2	218391941	N/A
SL22KLV-036-230A**	L*23/37Z*+TXV	SLP99UH070XV36B	R-454B	35200	19	12	36000	29000	27400	8.1	7	2	218391942	N/A
SL22KLV-036-230A**	LH23/37W*+TXV	EL297UH090XV36C	R-454B	34400	18	12	36000	28600	26800	7.85	7	1.98	218391940	N/A
SL22KLV-048-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	48000	38500	37600	8.05	7	1.68	218386632	N/A
SL22KLV-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	45000	19	11.5	48000	38500	37600	8.05	7	1.68	218386630	N/A
SL22KLV-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	48000	38500	37600	8.1	7	1.68	218386631	N/A
SL22KLV-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	48000	38500	37600	8.1	7	1.68	218386633	N/A
SL22KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	48000	38500	37600	8.1	6.7	1.68	217615810	N/A
SL22KLV-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	48000	No	1.68	8.1	8.1	38500	218386633	Yes
SL22KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	48000	No	1.68	8.1	8.1	38500	217615810	Yes