AHRI SYSTEM MATCHES - LENNOX OUTDOOR + INDOOR

PRODUCT SPECIFICATIONS

Bulletin No. 210828
August 2025A

Supersedes All Previous Versions

COIL/AIR HANDLER LEGEND - +TDR = Time Delay Required

NOTE - All ratings include the use of a blower Time Delay Function. All Lennox thermostats, control boards and motors with module programming have time delay capabilities. Other Furnaces and Air Handlers may require an optional Time Delay Relay for field installation. See furnace or air handler specifications to determine if relay is needed.

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);
• Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
• High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
• Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.
When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities, or a thermostat with dual-fuel capabilities must be used (ordered extra).
To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	CBK45UHET-024-230-**	- - -	R-454B	18000	16	13.8	17600	10800	8200	7.8	2	215685690	Yes
EL16KP1-018-230A**	CBK45UHPT-018-230-**	- - -	R-454B	18000	14.3	12.8	17900	10900	8100	7.5	1.86	215685687	No
EL16KP1-018-230A**	CBK45UHPT-024-230-**	- - -	R-454B	18000	15.2	13.2	17800	10900	8400	7.8	1.98	215685689	Yes
EL16KP1-018-230A**	CBK45UHVT-018-230-**	- - -	R-454B	18000	16	13.6	17700	10700	8100	7.8	1.86	215685688	Yes
EL16KP1-018-230A**	CBK45UHVT-024-230-**	- - -	R-454B	18000	16	13.8	17700	10800	8400	7.8	1.98	215685691	Yes
EL16KP1-018-230A**	CBK47UHET-018-230-**	- - -	R-454B	18000	15.5	13.6	17600	10500	8300	7.8	2.04	215685693	Yes
EL16KP1-018-230A**	CBK47UHET-024-230-**	- - -	R-454B	18000	15.5	13.6	17700	10500	8300	7.8	2.08	217219631	Yes
EL16KP1-018-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	18000	16	13.8	17700	10500	8300	7.8	2.06	215685692	Yes
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17400	10400	7800	7.5	1.9	215685694	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	18000	15.5	13.6	17800	10500	8000	7.5	1.9	215685695	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	18000	16	14	17700	10400	7800	7.5	1.9	215685696	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	18000	16	14	17700	10400	7800	7.5	1.9	215685697	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10300	7800	7.5	1.92	215685698	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045E36A	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685699	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	18000	16	14	17400	10300	7800	7.5	1.92	215685700	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045XE36A	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685701	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685702	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685703	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685704	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	18000	16	14	17600	10300	7800	7.5	1.92	215685705	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685706	No
EL16KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685707	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.88	215685708	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	1.92	215685709	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	1.88	215685710	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	1.88	215685711	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	18000	16	13.6	17600	10400	7800	7.5	1.88	215685712	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	17600	10400	7900	7.5	1.92	215685713	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685714	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685715	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.9	215685716	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685717	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685718	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17400	10300	7700	7.5	1.92	215685719	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685720	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685721	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	7800	7.5	1.96	215685722	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10500	7900	7.5	1.9	215685723	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685724	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685725	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	1.88	215685726	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	1.88	215685727	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	1.9	215685728	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.9	215685729	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.9	215685730	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17800	10500	8000	7.5	1.9	215685731	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685732	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	18000	16	14	17700	10400	7800	7.5	1.92	215685733	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685734	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685735	No
EL16KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685736	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	1.94	215685737	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	1.94	215685738	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	18000	16	13.4	17800	10500	8200	7.5	1.94	215685739	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	1.98	215685740	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	1.98	215685741	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	1.96	215685742	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685743	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	18000	16.5	14	17400	10200	8000	7.5	1.96	215685744	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685745	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685746	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	1.96	215685747	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685748	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685749	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	10400	8100	7.5	1.96	215685750	No
EL16KP1-018-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	10400	8100	7.5	1.96	215685751	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	18000	14.7	12.6	18000	10800	8500	7.5	1.88	215685752	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.6	17600	10300	8100	7.5	1.96	215685753	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685754	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	1.94	215685755	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.94	215685756	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	18000	16	13.6	17600	10300	8100	7.5	1.96	215685757	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.96	215685758	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685759	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.96	215685760	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685761	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685762	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685763	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14	17400	10200	8000	7.5	1.98	215685764	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	18000	16.5	13.8	17500	10300	8000	7.5	1.96	215685765	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685766	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	8000	7.5	2	215685767	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.6	17800	10400	8200	7.5	1.96	215685768	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	8100	7.5	1.96	215685769	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685770	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	1.94	215685771	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.94	215685772	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685773	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685774	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685775	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17700	10400	8200	7.5	1.94	215685776	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	18000	16.5	14	17500	10300	8000	7.5	1.98	215685777	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	18000	16.5	13.8	17700	10300	8000	7.5	1.96	215685778	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.6	17700	10400	8100	7.5	1.96	215685779	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685780	No
EL16KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685781	No
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	1.9	215685876	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	18000	15.5	13.4	18000	11100	8400	7.8	1.94	215685877	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	18000	15.2	13	18000	11200	8400	7.8	1.9	215685878	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	1.9	215685879	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	1.9	215685880	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	1.92	215685881	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	1.94	215685882	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	1.92	215685883	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	18000	15.2	13	18000	11200	8500	7.8	1.92	215685884	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	18000	14.7	12.8	18000	11300	8500	7.8	1.88	215685885	No
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	18000	15.5	13.2	18000	11100	8300	7.8	1.92	215685886	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	18000	15.5	13.4	18000	11100	8300	7.8	1.92	215685887	Yes
EL16KP1-018-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	1.94	215685888	Yes
EL16KP1-018-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	18000	14.3	12.4	18000	11400	8700	7.5	1.88	215685889	No
EL16KP1-018-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	1.88	215685890	No
EL16KP1-018-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	1.86	215685891	No
EL16KP1-018-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	1.94	215685782	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	1.94	215685783	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	18000	15.5	13.4	17800	11100	8100	7.8	1.92	215685784	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	1.96	215685785	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	1.96	215685786	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	1.92	215685787	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	1.94	215685788	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	18000	16	14	17500	10900	7900	7.8	1.94	215685789	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	1.94	215685790	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	1.96	215685791	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	18000	16	13.8	17600	10900	8000	7.8	1.96	215685792	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	1.96	215685793	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	1.96	215685794	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	1.92	215685795	Yes
EL16KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	1.92	215685796	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685797	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685798	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	1.92	215685799	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685800	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685801	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	1.96	215685802	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685803	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685804	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	1.94	215685805	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685806	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	1.94	215685807	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	18000	16	14	17800	10800	8200	7.8	1.96	215685808	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070V48B	R-454B	18000	16	13.8	17800	10800	8200	7.8	1.96	215685809	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	1.94	215685810	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14	17900	10800	8200	7.8	1.98	215685811	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML193UH030XE36B	R-454B	18000	15.5	13.6	18000	11000	8400	7.8	1.94	215685812	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	1.94	215685813	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685814	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	1.92	215685815	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685816	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685817	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	1.94	215685818	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	1.94	215685819	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	18000	11000	8400	7.5	1.92	215685820	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	SL280UH090V36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	1.96	215685821	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	SL280UH090V48B	R-454B	18000	16	13.8	18000	10900	8300	7.8	1.96	215685822	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	SL297UH040NV36B	R-454B	18000	15.5	13.6	18000	10900	8300	7.5	1.94	215685823	No
EL16KP1-018-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.6	17900	10900	8300	7.8	1.96	215685824	Yes
EL16KP1-018-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	1.94	215685825	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	1.9	215685826	No
EL16KP1-018-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	1.96	215685827	No
EL16KP1-018-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	1.96	215685828	No
EL16KP1-018-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	18000	16	13.8	17900	10600	8300	7.8	1.96	215685829	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	2	215685830	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	2	215685831	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	2	215685832	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685833	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	18000	16	14.2	17600	10500	8100	7.8	1.98	215685835	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685834	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685836	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685837	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685838	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685839	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	1.96	215685840	Yes
EL16KP1-018-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	1.96	215685841	Yes
EL16KP1-018-230A**	CK40HT-30B-**+TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	1.88	215685842	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	18000	14.7	12.8	18000	11000	8600	7.5	1.9	215685843	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	1.98	215685844	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685845	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	1.94	215685846	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	1.98	215685847	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	1.98	215685848	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	1.98	215685849	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	1.98	215685850	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	1.98	215685851	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685852	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.98	215685853	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	1.98	215685854	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17500	10400	8000	7.5	1.98	215685855	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	18000	16.5	14.2	17600	10400	8100	7.5	1.98	215685856	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	1.98	215685857	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	18000	17	14.4	17600	10400	8100	7.5	2.02	215685858	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10700	8300	7.5	1.98	215685859	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	18000	16.5	14	17700	10600	8200	7.5	1.98	215685860	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	18000	16.5	14	17700	10500	8200	7.5	2	215685861	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	1.94	215685862	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	1.98	215685863	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	1.98	215685864	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.98	215685865	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685866	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.6	17700	10600	8300	7.5	1.96	215685867	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	18000	16.5	14.2	17500	10400	8100	7.5	2	215685868	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	18000	16.5	14.2	17700	10600	8200	7.8	2	215685869	Yes
EL16KP1-018-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	1.98	215685870	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685871	No
EL16KP1-018-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	18000	16.5	14	17600	10400	8100	7.5	1.98	215685872	No
EL16KP1-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	24000	15.2	13	22000	13900	11000	7.8	2.06	215710359	Yes
EL16KP1-024-230A**	CBK45UHET-030-230-**	- - -	R-454B	24000	16	13.8	22000	14200	11300	8.1	2.16	215710360	Yes
EL16KP1-024-230A**	CBK45UHPT-024-230-**	- - -	R-454B	23400	14.3	12.4	22000	14000	11000	7.8	1.98	215710358	No
EL16KP1-024-230A**	CBK45UHPT-030-230-**	- - -	R-454B	23600	14.3	12.4	22200	14500	11500	7.5	2.04	215710361	No
EL16KP1-024-230A**	CBK45UHVT-024-230-**	- - -	R-454B	23800	14.7	12.8	22000	13900	11000	7.8	2.06	215710362	No
EL16KP1-024-230A**	CBK45UHVT-030-230-**	- - -	R-454B	24000	15.5	13.6	22000	14200	11600	8.1	2.08	215710363	Yes
EL16KP1-024-230A**	CBK47UHET-024-230-**	- - -	R-454B	23400	15.2	12.8	22000	14000	11200	8.2	2.16	215710364	Yes
EL16KP1-024-230A**	CBK47UHET-030-230-**	- - -	R-454B	24000	15.5	13.2	22400	14200	11400	8.2	2.2	215710365	Yes
EL16KP1-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	23800	15.2	12.8	22200	14100	11200	8.2	2.16	215710366	Yes
EL16KP1-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	24000	15.5	13	22200	14100	11400	8.2	2.2	215710367	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH040NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	2.02	215710368	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	2.02	215710369	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	2.04	215710370	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	2.02	215710371	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.5	2.02	215710372	No
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	2.04	215710373	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045E36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.5	2	215710374	No
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	2.02	215710375	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045XE36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.8	2	215710376	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	2.04	215710377	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21800	14200	10800	7.8	2.04	215710378	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	2.04	215710379	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	23600	15.5	13	22000	14300	10800	7.8	2.02	215710380	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	23800	15.5	13.2	22000	14300	10900	7.8	2.04	215710381	Yes
EL16KP1-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	23600	15.2	12.8	22200	14400	11000	7.8	2.02	215710382	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL180UH080NE48B	R-454B	23600	14.7	12.8	22200	14400	11000	7.8	2.02	215710383	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710384	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	23800	14.7	12.8	22200	14600	11100	7.8	2.02	215710385	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH030XE36B	R-454B	23200	15.2	13	21600	14200	10700	7.8	2	215710386	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710387	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710388	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	2.02	215710389	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	2.04	215710390	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	2.06	215710391	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	2.02	215710392	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	23600	15.2	13	22000	14400	10900	7.8	2.02	215710393	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	2.02	215710394	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	23600	15.5	13.2	22000	14300	10800	7.8	2.04	215710395	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	2.04	215710396	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	2.06	215710397	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	2.04	215710398	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	2.04	215710399	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090E48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	2.04	215710400	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	2.02	215710401	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090XE48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	2.04	215710402	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	23000	15.5	13	21600	14100	10600	7.8	2	215710403	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	23800	15.2	12.8	22400	14600	11000	7.8	2.02	215710404	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	2.04	215710405	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	23000	15.2	12.8	21600	14100	10700	7.8	1.98	215710406	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710407	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	2.04	215710408	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE48B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	2.02	215710409	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	23400	15.5	13	21800	14300	10800	7.8	2.02	215710410	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	23600	14.7	12.6	22200	14500	11000	7.8	2	215710411	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	23400	15.2	12.8	22000	14300	10900	7.8	2	215710412	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23800	15.5	13.2	22000	14400	10900	7.8	2.04	215710413	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	23600	15.5	13	22000	14300	10800	7.8	2.02	215710414	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	23400	14.7	12.8	22000	14400	10900	7.8	2	215710415	No
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	23400	15.2	13	22000	14300	10800	7.8	2.02	215710416	Yes
EL16KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	15.5	13	22000	14300	10800	7.8	2.02	215710417	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	2.14	215710418	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	2.14	215710419	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	24000	15.5	13.2	21600	13800	11200	8	2.16	215710420	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	2.14	215710421	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	2.14	215710422	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.16	215710423	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	23800	15.5	13.2	21600	13800	11200	7.8	2.14	215710424	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	24000	15.5	13.2	21800	13900	11200	8	2.14	215710425	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	23800	15.5	13.2	21600	13800	11200	7.8	2.14	215710426	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.14	215710427	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.16	215710428	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.14	215710429	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.14	215710430	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	24000	15.5	13	22000	14000	11400	8	2.16	215710431	Yes
EL16KP1-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	24000	15.2	12.8	22000	14100	11500	8	2.14	215710432	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	12.8	22000	14200	11500	8	2.12	215710433	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	2.12	215710434	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710435	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	2.1	215710436	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710437	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710438	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	23800	15.5	13.2	21400	13700	11100	7.8	2.12	215710439	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	2.16	215710440	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	2.16	215710441	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	2.12	215710442	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	24000	15.2	13	22000	14000	11400	8	2.14	215710443	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	2.12	215710444	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.14	215710445	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.16	215710446	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.16	215710447	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	2.18	215710448	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.16	215710449	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	2.18	215710450	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14200	11500	8	2.14	215710451	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	2.18	215710452	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23800	15.5	13	21600	13800	11200	7.8	2.12	215710453	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	24000	15.2	12.8	22200	14300	11600	8	2.14	215710454	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	2.14	215710455	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	2.1	215710456	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710457	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	2.14	215710458	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22200	14300	11600	8	2.12	215710459	No
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	2.14	215710460	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13	21800	14000	11400	8	2.16	215710461	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23800	15.2	12.8	21800	14000	11400	7.8	2.12	215710462	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11400	8	2.16	215710463	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.14	215710464	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	24000	15.2	12.8	22000	14100	11500	7.8	2.12	215710465	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	24000	15.2	13	21800	14000	11300	8	2.12	215710466	Yes
EL16KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	2.14	215710467	Yes
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	EL280DF090E48B	R-454B	23600	15.2	13	23000	14700	11400	8.2	2.1	215710568	Yes
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	2.06	215710569	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	23200	14.7	12.8	22600	14700	11300	8.2	2.08	215710570	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	23400	14.3	12.6	23000	14900	11500	8.2	2.06	215710571	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	23400	14.3	12.4	23200	14900	11600	8.2	2.06	215710572	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	23200	14.7	12.8	22600	14600	11300	8.2	2.08	215710573	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML180DF090E48B	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	2.1	215710574	Yes
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	2.08	215710575	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	23600	14.7	12.8	23000	14800	11500	8.2	2.1	215710576	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	2.08	215710577	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	2.06	215710578	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	23200	14.3	12.4	23200	14900	11600	8.2	2.06	215710579	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	23400	14.7	12.8	22800	14700	11400	8.2	2.08	215710580	No
EL16KP1-024-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	23000	14.7	12.8	22600	14600	11200	8.2	2.08	215710581	No
EL16KP1-024-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	2.1	215710582	Yes
EL16KP1-024-230A**	CK40DT-30/36C-**+TDR	ML180DF110E60C	R-454B	23600	14.7	12.8	23200	14900	11500	8.2	2.08	215710583	No
EL16KP1-024-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	23600	15.2	13	23000	14700	11400	8.2	2.12	215710584	Yes
EL16KP1-024-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	23600	15.2	13.2	22800	14600	11300	8.2	2.12	215710585	Yes
EL16KP1-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	23400	15.2	13	22600	14600	11300	8.2	2.1	215710586	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	1.96	215710468	No
EL16KP1-024-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	1.96	215710469	No
EL16KP1-024-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21600	14000	10500	7.8	1.96	215710470	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	1.96	215710471	No
EL16KP1-024-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	1.96	215710472	No
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	1.98	215710473	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	1.94	215710474	No
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	23600	15.5	13.2	21600	14100	10600	7.8	1.96	215710475	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	1.94	215710476	No
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	21600	14200	10700	7.8	1.98	215710477	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21600	14200	10600	7.8	1.96	215710478	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	23800	15.2	13.2	21800	14200	10700	7.8	1.98	215710479	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	1.96	215710480	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	23800	15.2	13	22000	14300	10800	7.8	1.98	215710481	Yes
EL16KP1-024-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	23800	15.2	13	22000	14300	10800	7.8	1.98	215710482	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	13	22400	14400	10800	8	1.98	215710483	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	1.96	215710484	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.98	215710485	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	1.98	215710486	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	1.96	215710487	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	1.98	215710488	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	23200	15.2	13.2	21600	14100	10500	7.8	1.98	215710489	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10800	8.1	2.02	215710490	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10700	8.1	2	215710491	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	1.96	215710492	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	23800	15.2	13	22200	14400	10700	8	1.98	215710493	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.96	215710494	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	2	215710495	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	2	215710496	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	2	215710497	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22200	14300	10700	8.1	2.02	215710498	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	2	215710499	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	2.02	215710500	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22400	14400	10800	8	1.98	215710501	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	2.02	215710502	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML193UH030XE36B	R-454B	23400	15.2	13.2	21800	14100	10500	7.8	1.96	215710503	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML193UH045XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.98	215710504	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	2	215710505	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	1.98	215710506	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	1.96	215710507	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	2	215710508	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.96	215710509	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML296UH045XV36B	R-454B	23600	15.2	13	22000	14300	10600	8	1.98	215710510	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	ML296UH070XV36B	R-454B	23800	15.2	13.2	22200	14300	10700	8	2	215710511	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	SL280UH080NV48B	R-454B	23400	14.7	12.8	22000	14400	10700	7.8	1.96	215710512	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	SL280UH090V36B	R-454B	23800	15.2	13	22200	14300	10700	8.1	2	215710513	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	SL280UH090V48B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	2	215710514	Yes
EL16KP1-024-230A**	CK40HT-24B-**+TDR	SL297UH040NV36B	R-454B	23600	14.7	12.6	22200	14400	10800	8	1.98	215710515	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	23600	14.7	12.8	22000	14300	10700	8	1.98	215710516	No
EL16KP1-024-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	2	215710517	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	2.02	215710518	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	2.02	215710519	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	22000	14100	10900	7.8	2.04	215710520	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	2.04	215710521	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	2.04	215710522	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	23600	15.2	13	22200	14200	11100	8	2.06	215710523	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	2.02	215710524	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	23400	15.2	13.2	22000	14100	11000	7.8	2.04	215710525	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	2.02	215710526	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	22200	14200	11000	8	2.04	215710527	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	22200	14200	11000	8	2.04	215710528	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	23400	15.2	13	22200	14200	11000	7.8	2.04	215710529	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	23600	15.2	13	22200	14300	11100	8	2.04	215710530	Yes
EL16KP1-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	2.02	215710531	No
EL16KP1-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	2.02	215710532	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	13.2	22200	14100	11100	8	2.06	215710533	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	24000	15.2	13	22400	14200	11200	7.8	2.04	215710534	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	24000	15.2	13	22200	14200	11200	8	2.04	215710535	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	23600	15.5	13.2	21800	13800	10800	7.8	2.04	215710536	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	2.02	215710537	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	24000	15.2	12.8	22400	14300	11200	7.8	2.04	215710538	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	23400	15.5	13.4	21600	13700	10700	7.8	2.06	215710539	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	2.08	215710540	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	2.08	215710541	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	2.04	215710542	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	23800	15.2	12.8	22000	14100	11100	7.8	2.04	215710543	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	2.04	215710544	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	2.06	215710545	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	2.08	215710546	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	24000	16	13.4	21800	13900	10900	8	2.1	215710547	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.4	22000	13900	10900	8	2.08	215710548	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	2.08	215710549	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	2.1	215710550	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14100	11100	8	2.06	215710551	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	2.1	215710552	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	23400	15.5	13.2	21600	13700	10800	7.8	2.06	215710553	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	24000	15.2	13	22200	14200	11200	8	2.06	215710554	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	24000	15.5	13.2	22200	14100	11100	8	2.06	215710555	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	23400	15.5	13	21800	13800	10800	7.8	2.04	215710556	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	2.02	215710557	No
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	24000	15.5	13.2	22200	14100	11100	8	2.06	215710558	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	24000	15.2	13	22200	14200	11200	7.8	2.04	215710559	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	2.06	215710560	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13.2	22000	13900	10900	8	2.06	215710561	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	23600	15.2	13	21800	14000	11000	7.8	2.04	215710562	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	2.08	215710563	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	22000	13900	10900	8	2.06	215710564	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	23800	15.2	13	22000	14000	11000	7.8	2.04	215710565	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	2.04	215710566	Yes
EL16KP1-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	15.5	13.2	22000	13900	10900	7.8	2.06	215710567	Yes
EL16KP1-030-230A**	CBK45UHET-030-230-**	- - -	R-454B	29600	15.5	12.8	27600	17400	12700	7.8	1.92	215712600	Yes
EL16KP1-030-230A**	CBK45UHET-036-230-**	- - -	R-454B	29600	15.2	13	27000	18100	14300	8.2	2.12	215712601	Yes
EL16KP1-030-230A**	CBK45UHPT-030-230-**	- - -	R-454B	29200	14.3	12	28000	17800	13200	7.5	1.86	215712599	No
EL16KP1-030-230A**	CBK45UHPT-036-230-**	- - -	R-454B	29600	14.7	12.4	27000	18200	14400	8.2	2.08	215712602	No
EL16KP1-030-230A**	CBK45UHVT-030-230-**	- - -	R-454B	29200	15.5	13	27200	17200	12600	7.8	1.94	215712603	Yes
EL16KP1-030-230A**	CBK45UHVT-036-230-**	- - -	R-454B	29600	15.2	12.8	26800	18000	14300	8.2	2.12	215712604	Yes
EL16KP1-030-230A**	CBK47UHET-030-230-**	- - -	R-454B	29000	15.5	13	27400	16900	13200	8.1	1.98	215712605	Yes
EL16KP1-030-230A**	CBK47UHET-036-230-**	- - -	R-454B	29600	15.5	13	27800	17500	14200	8.2	2.08	215712606	Yes
EL16KP1-030-230A**	CBK47UHET-036-460-**	- - -	R-454B	29600	15.5	13	27800	17500	14200	8.2	2.08	217595429	Yes
EL16KP1-030-230A**	CBK48MVT-030-230-**	- - -	R-454B	29200	15.2	13	27200	16800	13200	8.1	1.98	215712607	Yes
EL16KP1-030-230A**	CBK48MVT-036-230-**	- - -	R-454B	29600	15.5	13	27600	17400	14000	8.2	2.08	215712608	Yes
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	29200	14.7	12.4	27200	17200	13600	7.5	1.96	215712609	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	28800	15.5	12.8	26600	16800	13200	7.5	1.98	215712610	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.96	215712611	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.96	215712612	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	1.98	215712613	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	1.98	215712614	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	1.98	215712615	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	1.98	215712616	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	28600	15.2	12.8	26400	16800	13200	7.5	1.96	215712617	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	1.96	215712618	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	28400	15.5	12.8	26400	16700	13200	7.5	1.98	215712619	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	26800	17000	13400	7.5	1.98	215712620	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.98	215712621	No
EL16KP1-030-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.98	215712622	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	1.96	215712623	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	28800	14.7	12.4	26800	17000	13500	7.5	1.96	215712624	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	1.96	215712625	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	1.94	215712626	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	1.96	215712627	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	28800	15.5	12.8	26600	16700	13200	7.5	1.98	215712628	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712629	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712630	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	1.96	215712631	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	28600	14.7	12.4	26800	16900	13400	7.5	1.96	215712632	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	1.96	215712633	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.98	215712634	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.98	215712635	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712636	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712637	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.98	215712638	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	2	215712639	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	1.96	215712640	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	2	215712641	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	28600	15.2	12.6	26600	16900	13300	7.5	1.96	215712642	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	28400	15.2	12.6	26400	16800	13200	7.5	1.96	215712643	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	29000	15.2	12.6	27000	17100	13500	7.5	1.98	215712644	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	1.96	215712645	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	1.94	215712646	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	1.96	215712647	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	1.96	215712648	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	28600	15.2	12.6	26600	16800	13300	7.5	1.98	215712649	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	1.98	215712650	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.96	215712651	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	29000	15.5	12.8	26800	16800	13300	7.5	1.98	215712652	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712653	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	1.94	215712654	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.96	215712655	No
EL16KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	28800	15.2	12.6	26800	17000	13400	7.5	1.98	215712656	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	1.94	215712657	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	1.94	215712658	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	29600	16	13.2	26400	17000	13400	7.5	1.98	215712659	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712660	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712661	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	29600	15.5	13.2	26600	17100	13600	7.5	1.98	215712662	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	1.96	215712663	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	29600	15.5	13.2	26600	17200	13600	7.5	1.98	215712664	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	1.96	215712665	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712666	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712667	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	29600	16	13.2	26400	16900	13300	7.5	1.96	215712668	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.96	215712669	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.96	215712670	No
EL16KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	1.94	215712671	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	29600	15.5	12.8	26800	17300	13600	7.5	1.94	215712672	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	1.96	215712673	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	29600	15.2	12.8	26800	17200	13700	7.5	1.96	215712674	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	1.94	215712675	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	1.94	215712676	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	1.94	215712677	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	1.98	215712678	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	1.98	215712679	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	1.98	215712680	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	1.96	215712681	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	1.96	215712682	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	1.96	215712683	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712684	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	1.96	215712685	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	1.98	215712686	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	1.98	215712687	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	1.96	215712688	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	1.98	215712689	Yes
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712690	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	1.98	215712691	Yes
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	29600	15.5	13	26400	17100	13400	7.5	1.96	215712692	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	29600	15.5	13	26400	17000	13400	7.5	1.96	215712693	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	29600	15.5	13	26800	17200	13600	7.5	1.96	215712694	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	1.94	215712695	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	1.94	215712696	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	1.94	215712697	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	1.96	215712698	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712699	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712700	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.94	215712701	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	1.98	215712702	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.98	215712703	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	1.94	215712704	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	29600	15.5	12.8	26600	17100	13600	7.5	1.96	215712705	No
EL16KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.96	215712706	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL280DF090E48B	R-454B	29600	14.7	12.6	29600	18700	14400	8.2	2.02	215712708	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF045XE36B	R-454B	29400	14.7	12.6	29400	18600	14300	8.1	2	215712709	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	2.02	215712710	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	29600	14.3	12.4	29400	18700	14400	8.1	2	215712711	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	29400	14.3	12.2	29600	18800	14500	8.1	1.98	215712712	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML180DF070E36B	R-454B	29400	14.7	12.6	29200	18500	14200	8.1	2.02	215712713	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML180DF090E48B	R-454B	29600	14.7	12.8	29400	18500	14200	8.2	2.04	215712714	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML193DF045XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	2	215712715	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML193DF070XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	2	215712716	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML196DF045XE36B	R-454B	29600	14.3	12.6	29600	18700	14400	8.1	2	215712717	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML196DF070XE48B	R-454B	29600	14.3	12.4	29600	18700	14500	8.1	2	215712718	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	ML296DF070XV48B	R-454B	29600	14.3	12.4	29600	18700	14400	8.1	2	215712719	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	SL280DF060NV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	2.02	215712720	No
EL16KP1-030-230A**	CK40DT-42B-**+TDR	SL280DF090V48B	R-454B	29600	14.7	12.6	29400	18600	14300	8.1	2	215712721	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40DT-42B-**+TDR	SLP99DF070XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	2	215712722	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	29000	14.7	12.2	28200	17700	14000	7.5	1.84	215712723	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	28600	15.5	12.8	27600	17100	13600	7.5	1.86	215712724	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	29000	14.7	12.4	28000	17600	13900	7.5	1.84	215712725	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	29000	14.7	12.4	28000	17600	13900	7.5	1.84	215712726	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	1.86	215712727	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	1.84	215712728	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	27800	17400	13800	7.5	1.86	215712729	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	1.84	215712730	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	28400	15.2	12.6	27400	17100	13600	7.5	1.84	215712731	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	27800	17300	13700	7.5	1.84	215712732	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	28400	15.5	12.6	27400	17100	13500	7.5	1.84	215712733	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	1.86	215712734	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	1.84	215712735	No
EL16KP1-030-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	1.84	215712736	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	29400	15.2	12.6	27000	17400	13700	7.8	1.94	215712737	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	1.94	215712738	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	29000	15.2	12.6	26600	17200	13500	7.8	1.96	215712739	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	1.94	215712740	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	1.94	215712741	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	1.94	215712742	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	29200	15.5	13	26600	17100	13400	7.8	1.98	215712743	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.96	215712744	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.96	215712745	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	29000	15.5	12.8	26600	17100	13400	7.8	1.94	215712746	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	29000	15.2	12.4	26800	17300	13600	7.8	1.94	215712747	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	29200	15.2	12.4	27000	17400	13700	7.8	1.96	215712748	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	29200	15.2	12.6	26800	17200	13500	7.8	1.96	215712749	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	1.96	215712750	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712751	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712752	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	1.96	215712753	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712754	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712755	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712756	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	29000	15.2	12.6	26800	17200	13500	7.8	1.96	215712757	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	28800	15.2	12.6	26600	17100	13400	7.5	1.94	215712758	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13700	7.8	1.96	215712759	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	1.94	215712760	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	1.94	215712761	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13600	7.8	1.96	215712762	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	1.94	215712763	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	29000	15.5	12.8	26600	17100	13500	7.8	1.96	215712764	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712765	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	29000	15.2	12.6	26800	17300	13600	7.8	1.94	215712766	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712767	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712768	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	1.94	215712769	No
EL16KP1-030-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	1.94	215712770	Yes
EL16KP1-030-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	1.96	215712771	Yes
EL16KP1-030-230A**	CK40HT-36A-**+TDR	EL180UH060NE36A	R-454B	28600	14.3	12.2	27400	17600	13800	7.5	1.8	215712772	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	EL280UH045E36A	R-454B	28200	15.2	12.6	26800	17100	13400	7.5	1.82	215712773	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	EL280UH070E36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	1.8	215712774	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	EL280UH070XE36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	1.8	215712775	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH030V36A	R-454B	28600	14.7	12.4	27200	17300	13600	7.5	1.82	215712776	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH045E36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	1.8	215712777	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH045V36A	R-454B	28400	14.7	12.4	27200	17300	13600	7.5	1.82	215712778	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH045XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	1.8	215712779	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH070E36A	R-454B	28000	14.7	12.4	26600	17100	13400	7.5	1.8	215712780	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	1.82	215712781	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH070XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	1.8	215712782	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	SL280UH060NV36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	1.82	215712783	No
EL16KP1-030-230A**	CK40HT-36A-**+TDR	SL280UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	1.82	215712784	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40HT-36A-**+TDR	SL280UH070XV36A	R-454B	28200	14.7	12.2	27200	17400	13700	7.5	1.8	215712785	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL180UH080NE48B	R-454B	28800	14.3	12	27600	17400	13800	7.5	1.82	215712786	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL195UH040NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712787	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL195UH060NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712788	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	1.8	215712789	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712790	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL196UH070XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712791	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL280UH090E36B	R-454B	28600	14.7	12.6	27200	17100	13500	7.5	1.84	215712792	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL280UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712793	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL280UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712794	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH045XE36B	R-454B	28400	14.7	12.4	27200	17100	13500	7.5	1.82	215712795	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH045XV36B	R-454B	28400	14.3	12	27400	17300	13700	7.5	1.82	215712796	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH070XE36B	R-454B	28800	14.3	12.2	27600	17400	13800	7.5	1.82	215712797	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.82	215712798	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070E36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	1.84	215712799	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070V36B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712800	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070V48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712801	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070XE36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	1.84	215712802	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.86	215712803	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090V48B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.82	215712804	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.86	215712805	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH030XE36B	R-454B	28400	14.7	12.2	27200	17100	13600	7.5	1.82	215712806	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH045XE36B	R-454B	28200	14.7	12.2	27200	17000	13500	7.5	1.82	215712807	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH070XE36B	R-454B	28800	14.3	12.2	27600	17300	13800	7.5	1.84	215712808	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	1.8	215712809	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712810	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.2	27600	17300	13700	7.5	1.84	215712811	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH070XE48B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712812	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML296UH045XV36B	R-454B	28400	14.7	12.2	27200	17100	13500	7.5	1.82	215712813	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	ML296UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.84	215712814	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH080NV48B	R-454B	28600	14.3	12.2	27400	17200	13700	7.5	1.82	215712815	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH090V36B	R-454B	28600	14.7	12.4	27400	17100	13600	7.5	1.84	215712816	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH090V48B	R-454B	28600	14.7	12.4	27400	17200	13600	7.5	1.84	215712817	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL297UH040NV36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712818	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SL297UH060NV36B	R-454B	28600	14.3	12.2	27400	17300	13700	7.5	1.82	215712819	No
EL16KP1-030-230A**	CK40HT-36B-**+TDR	SLP99UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.82	215712820	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL195UH080NE48C	R-454B	29200	14.3	12.4	27400	17400	13800	7.8	1.94	215712821	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL195UH100NE60C	R-454B	29600	14.3	12.6	27400	17400	13800	8	1.94	215712822	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL196UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	1.96	215712823	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712824	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110E48C	R-454B	29600	14.7	12.8	27200	17300	13700	8	1.96	215712825	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110E60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712826	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712827	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	1.96	215712828	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	29000	14.7	12.6	27200	17300	13700	7.8	1.94	215712829	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV48C	R-454B	29200	14.3	12.4	27200	17400	13700	7.8	1.94	215712830	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	1.96	215712831	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	29200	14.7	12.8	27000	17200	13600	8	1.96	215712832	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH090E60C	R-454B	29600	14.7	12.8	27400	17400	13800	8	1.96	215712833	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH110E60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	1.96	215712834	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH110XE60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	1.96	215712835	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE36C	R-454B	29000	14.7	12.6	27000	17200	13600	8	1.94	215712836	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE48C	R-454B	29200	14.7	12.6	27200	17200	13600	8	1.94	215712837	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	1.96	215712838	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	1.96	215712839	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE36C	R-454B	29200	14.7	12.6	27200	17300	13600	7.8	1.94	215712840	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE48C	R-454B	29200	14.7	12.6	27200	17300	13700	8	1.96	215712841	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	1.96	215712842	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712843	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	29000	14.7	12.6	27000	17200	13600	7.8	1.94	215712844	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	ML296UH110XV60C	R-454B	29400	14.7	12.6	27400	17300	13700	8	1.94	215712845	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	29000	14.3	12.2	27200	17400	13800	7.8	1.92	215712846	No
EL16KP1-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	29000	14.3	12.4	27200	17300	13700	7.8	1.94	215712847	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	29400	14.7	12.6	27200	17300	13700	7.8	1.94	215712848	No
EL16KP1-036-230A**	CBK45UHET-036-230-**	- - -	R-454B	36000	15.2	13	34400	20600	15900	7.8	1.9	215739595	Yes
EL16KP1-036-230A**	CBK45UHET-042-230-**	- - -	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	1.88	215863849	No
EL16KP1-036-230A**	CBK45UHPT-036-230-**	- - -	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	1.86	215739594	No
EL16KP1-036-230A**	CBK45UHPT-042-230-**	- - -	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	1.84	215863853	No
EL16KP1-036-230A**	CBK45UHVT-036-230-**	- - -	R-454B	36000	15.2	13	34200	20400	15700	7.8	1.9	215739596	Yes
EL16KP1-036-230A**	CBK45UHVT-042-230-**	- - -	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	1.88	215863850	No
EL16KP1-036-230A**	CBK47UHET-036-230-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	215739597	Yes
EL16KP1-036-230A**	CBK47UHET-036-460-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	217595431	Yes
EL16KP1-036-230A**	CBK47UHET-042-230-**	- - -	R-454B	36000	16	13.2	34000	20000	16300	7.8	2.06	215863851	Yes
EL16KP1-036-230A**	CBK48MVT-036-230-**	- - -	R-454B	35400	14.7	12.6	35600	20600	16800	8	2.04	215739598	No
EL16KP1-036-230A**	CBK48MVT-042-230-**	- - -	R-454B	36000	16	13.4	34200	20200	16300	7.8	2.06	215863852	Yes
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	215744769	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.86	215744770	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	215744771	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	215744772	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	215744773	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	215744774	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744775	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	215744776	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	215744777	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	215744778	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	1.86	215744779	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.86	215744780	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	215744781	No
EL16KP1-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	215744782	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744783	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.82	215744784	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	215744785	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	1.9	215744786	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	1.9	215744787	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	1.88	215744788	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	215744789	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	1.84	215744790	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	215744791	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	215744792	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	215744793	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	1.88	215744794	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	1.9	215744795	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	215744796	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	215744797	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	1.86	215744798	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	215744799	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	1.84	215744800	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	215744801	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744802	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	215744803	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	215744804	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744805	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	215744806	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744807	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.88	215744808	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	215744809	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	1.86	215744810	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	215744811	No
EL16KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	1.86	215744812	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	1.98	215739643	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	1.98	215739644	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.98	215739645	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.98	215739646	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	2	215739647	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	2	215739648	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	215739649	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	215739650	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	1.98	215739658	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	1.98	215739752	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.98	215739753	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	1.98	215739754	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	215739755	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	1.98	215739756	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	215739757	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	2	215739659	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	2	215739660	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	2	215739661	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	1.96	215739662	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	2	215739663	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	1.98	215739664	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	215739665	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	215739666	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	215739667	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	215739668	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	215739669	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	1.98	215739670	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	215739671	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	2	215739672	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	215739673	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	215739674	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	215739675	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	1.98	215739676	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	1.98	215739677	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.98	215739678	No
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	1.98	215739679	Yes
EL16KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	1.98	215739680	Yes
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216030340	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	1.92	216030341	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	216030342	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	216030343	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	216030344	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	216030345	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	1.9	216030346	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216030347	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.94	216030348	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216030349	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	216030350	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	1.92	216030351	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.94	216030352	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	1.94	216030353	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	1.96	216030354	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	216030355	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.96	216030356	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	216030357	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.92	216030358	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	216030359	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	1.94	216030360	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	1.92	216030361	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	216030362	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	1.94	216030363	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	1.92	216030364	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	216030365	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	216030366	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	1.94	216030367	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	216030368	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	216030369	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	1.94	216030370	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	1.9	216030371	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	1.9	216030372	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.92	216030373	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216030374	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.94	216030375	No
EL16KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	216030376	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	216030378	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	216030379	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	1.74	216030380	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	216030381	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	1.76	216030382	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	216030383	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	1.76	216030384	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	216030385	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	216030386	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	216030387	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	1.76	216030388	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	216030389	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	216030390	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	216030391	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	216030392	No
EL16KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	216030393	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	215739681	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	215739682	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	215739683	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	1.92	215739684	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	1.98	215739685	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	215739686	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	215739687	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	215739688	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.92	215739689	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	215739690	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	215739691	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	215739692	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	1.96	215739693	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	2	215739694	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	215739695	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	215739696	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	1.96	215739697	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	215739698	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	1.92	215739699	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML193UH045XE36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	215739700	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML193UH070XE36B	R-454B	36000	15.2	13	35000	20400	16700	7.5	1.94	215739701	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	215739702	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	215739703	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.94	215739704	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	215739705	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	215739706	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	1.96	215739707	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	215739708	Yes
EL16KP1-036-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	1.96	215739709	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	215739710	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	215739711	No
EL16KP1-036-230A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.96	215739712	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	1.96	215739713	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	1.96	215739714	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	1.96	215739715	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.96	215739716	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	215739717	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	1.98	215739718	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	215739719	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	215739720	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215739721	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	1.96	215739722	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	215739723	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	1.96	215739724	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	1.96	215739725	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	215739726	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215739727	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	2	215739728	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215739729	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215739730	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215739731	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.94	215739732	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	215739733	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	215739734	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215739735	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.94	215739736	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	1.96	215739737	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215739738	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	215739739	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	215739740	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	1.96	215739741	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215739742	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	215739743	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	215739744	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215739745	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	1.92	215739746	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	1.94	215739747	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	1.96	215739748	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	215739749	No
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	1.96	215739750	Yes
EL16KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	215739751	Yes
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	1.86	216030394	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	1.86	216030395	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	1.84	216030396	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	1.86	216030397	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	1.86	216030398	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	216030399	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	216030400	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	216030401	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	216030402	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	1.88	216030403	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	216030404	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	216030405	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216030406	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	216030407	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	216030408	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	216030409	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	216030410	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	1.88	216030411	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	216030412	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216030413	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.86	216030414	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.88	216030415	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	13	34600	20000	16200	7.5	1.88	216030416	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	216030417	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	1.88	216030418	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216030419	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	1.86	216030420	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	1.86	216030421	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	216030422	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	1.88	216030423	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	216030424	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	216030425	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216030426	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	1.84	216030427	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	1.84	216030428	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	216030429	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	216030430	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	1.86	216030431	No
EL16KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.88	216030432	No
EL16KP1-042-230A**	CBK45UHET-042-230-**	- - -	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	2.02	215740152	No
EL16KP1-042-230A**	CBK45UHET-048-230-**	- - -	R-454B	40500	14.3	12	40000	25400	20000	8	2.02	215740153	No
EL16KP1-042-230A**	CBK45UHPT-042-230-**	- - -	R-454B	41000	14.3	12	40500	25600	20600	7.5	2	215740151	No
EL16KP1-042-230A**	CBK45UHVT-042-230-**	- - -	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2	215740154	Yes
EL16KP1-042-230A**	CBK45UHVT-048-230-**	- - -	R-454B	41000	15.2	12.8	39500	25000	19600	8	2.08	215740155	Yes
EL16KP1-042-230A**	CBK47UHET-042-230-**	- - -	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	2.14	215740156	Yes
EL16KP1-042-230A**	CBK47UHET-048-230-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	215740157	Yes
EL16KP1-042-230A**	CBK47UHET-048-460-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	217595433	Yes
EL16KP1-042-230A**	CBK48MVT-042-230-**	- - -	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	2.14	215740158	Yes
EL16KP1-042-230A**	CBK48MVT-048-230-**	- - -	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	2.14	215740159	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	2.04	215740160	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	215740161	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	215740162	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	215740163	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	2.12	215740164	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	215740165	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	215740166	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	215740167	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.08	215740168	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740169	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	215740170	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	2.08	215740171	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	215740172	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	215740173	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	2.12	215740174	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	215740175	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	215740176	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	215740177	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	2.1	215740178	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	215740179	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	2.1	215740180	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	215740181	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	2.08	215740182	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	215740183	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740184	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	215740185	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740186	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740187	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.1	215740188	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	215740189	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	215740190	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740191	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740192	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740193	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	215740194	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	215740195	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	2.08	215740196	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740197	Yes
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	215740198	No
EL16KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	215740199	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	2.02	215740200	No
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.04	215740201	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.02	215740202	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	215740203	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	2.08	215740204	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	215740205	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	215740206	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	215740207	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	2.04	215740208	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	215740209	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.04	215740210	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	2.06	215740211	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	215740212	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	215740213	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	2.08	215740214	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	215740215	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	2.08	215740216	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	215740217	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	2.04	215740218	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	2.06	215740219	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	2.06	215740220	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.06	215740221	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	2.04	215740222	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.06	215740223	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.04	215740224	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	2.06	215740225	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	2.04	215740226	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	215740227	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	215740228	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	215740229	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	215740230	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	215740231	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	215740232	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	215740233	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	215740234	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	215740235	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	2.04	215740236	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	215740237	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	2.02	215740238	Yes
EL16KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	2.04	215740239	Yes
EL16KP1-042-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740240	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740241	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	2	215740242	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	215740243	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740244	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740245	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	1.94	215740246	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	215740247	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740248	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	1.98	215740249	No
EL16KP1-042-230A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	215740250	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740251	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740252	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	215740253	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	2	215740254	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740255	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740256	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	1.98	215740257	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740258	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.96	215740259	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740260	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	1.98	215740261	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	1.96	215740262	No
EL16KP1-042-230A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	215740263	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	2	215740264	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	2.04	215740265	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	215740266	Yes
EL16KP1-042-230A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	215740267	Yes
EL16KP1-042-230A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	2	215740268	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	215740269	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	215740270	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	2.04	215740271	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	215740272	Yes
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	2.02	215740273	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	215740274	Yes
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	1.98	215740275	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	215740276	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	2.02	215740277	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	2.02	215740278	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.04	215740279	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	215740280	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	2	215740281	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	2.02	215740282	No
EL16KP1-042-230A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	215740283	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	216030433	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	216030434	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	216030435	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	216030436	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	1.86	216030437	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	216030438	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	216030439	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	216030440	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	216030441	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	216030442	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	216030443	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.84	216030444	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	216030445	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.86	216030446	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	216030447	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	1.84	216030448	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	216030449	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	216030450	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	216030451	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	1.84	216030452	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	216030453	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.84	216030454	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.86	216030455	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	216030456	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	216030457	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	1.86	216030458	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	216030459	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	216030460	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	216030461	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	216030462	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	216030463	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.82	216030464	No
EL16KP1-042-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	1.84	216030465	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	1.84	215740284	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	215740285	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	215740286	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.82	215740287	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740288	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	1.84	215740289	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	215740290	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740291	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	215740292	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740293	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	215740294	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	215740295	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	1.82	215740296	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740297	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.8	215740298	No
EL16KP1-042-230A**	CK40HT-48B-**+TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	1.82	215740299	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	1.82	216030466	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	216030467	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	216030468	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	1.8	216030469	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	1.82	216030470	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	216030471	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	1.82	216030472	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	216030473	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	1.8	216030474	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	216030475	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	1.8	216030476	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	216030477	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	216030478	No
EL16KP1-042-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	216030479	No
EL16KP1-048-230A**	CBK45UHET-048-230-**	- - -	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	2.04	215756519	No
EL16KP1-048-230A**	CBK45UHET-060-230-**	- - -	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	2.2	215756522	No
EL16KP1-048-230A**	CBK45UHVT-048-230-**	- - -	R-454B	48000	14.7	12.4	47000	29200	23400	8	2.04	215756524	No
EL16KP1-048-230A**	CBK45UHVT-060-230-**	- - -	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	2.18	215756526	No
EL16KP1-048-230A**	CBK47UHET-048-230-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	215756528	Yes
EL16KP1-048-230A**	CBK47UHET-048-460-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	217595414	Yes
EL16KP1-048-230A**	CBK47UHET-060-230-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	215756531	No
EL16KP1-048-230A**	CBK47UHET-060-460-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	217595415	No
EL16KP1-048-230A**	CBK48MVT-048-230-**	- - -	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	2.2	215756533	Yes
EL16KP1-048-230A**	CBK48MVT-060-230-**	- - -	R-454B	48000	15.5	13	47000	29600	23400	8.2	2.12	215756535	Yes
EL16KP1-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	216030486	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	216030487	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	216030488	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	216030489	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	216030490	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	216030491	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	216030492	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	1.9	216030493	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	216030494	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	216030495	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.92	216030496	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	216030497	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	216030498	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	216030499	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	1.9	216030500	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	216030501	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	216030502	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	216030503	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	1.9	216030504	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	216030505	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	216030506	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	216030507	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	216030508	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	216030509	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	216030510	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.86	216030511	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	216030512	No
EL16KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	216030513	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	2.1	215756537	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	215756540	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	215756543	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	2.14	215756545	Yes
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	215756548	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	215756550	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.1	215756554	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	2.06	215756556	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	215756559	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	215756562	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	215756564	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	2.08	215756566	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	215756569	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	215756570	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	215756573	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	215756576	Yes
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	215756579	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	2.1	215756582	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	215756585	Yes
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	2.12	215756587	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	215756590	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756592	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.1	215756595	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756597	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	215756599	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	215756602	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756604	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756608	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	215756610	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	215756612	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	215756614	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756616	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756619	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	2.08	215756621	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	215756623	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	215756626	No
EL16KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215756629	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	215756632	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	1.98	215756634	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	215756636	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	215756638	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	1.92	215756641	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	215756643	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.94	215756645	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.94	215756648	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.96	215756652	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	215756653	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.98	215756656	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	215756660	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	1.94	215756662	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	1.96	215756664	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.96	215756666	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.94	215756669	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	215756672	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	215756674	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.96	215756677	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	215756679	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	215756681	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	215756683	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	215756686	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	215756688	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	1.92	215756691	No
EL16KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	215756694	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	215756696	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	215756698	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	215756702	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756704	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	2.14	215756707	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	215756709	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	215756712	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	2.14	215756801	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	2.12	215756803	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215756714	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	215756718	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756721	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215756723	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	215756725	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	2.14	215756727	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	215756730	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	2.16	215756732	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	215756734	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	215756737	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	2.12	215756740	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	215756742	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	215756806	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	2.1	215756745	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756748	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756752	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756755	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	2.14	215756757	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	215756759	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	215756762	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	215756764	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	215756767	Yes
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	215756769	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	2.06	215756771	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756773	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	2.12	215756775	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215756778	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215756780	No
EL16KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215756783	No
EL16KP1-048-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	1.78	215756786	No
EL16KP1-048-230A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	1.8	215756788	No
EL16KP1-048-230A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	1.8	215756791	No
EL16KP1-048-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	1.78	215756795	No
EL16KP1-048-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	1.78	215756797	No
EL16KP1-048-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	216030514	No
EL16KP1-048-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	216030515	No
EL16KP1-048-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	1.8	215756800	No
EL16KP1-048-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	216030516	No
EL16KP1-048-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	216030517	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	1.68	216030518	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	216030519	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	216030520	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.7	216030521	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	216030522	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.68	216030523	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	216030524	No
EL16KP1-048-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	216030525	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	216030526	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	1.86	216030527	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	216030528	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	216030529	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	1.84	216030530	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	216030531	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	1.84	216030532	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	216030533	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	1.9	216030534	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	216030535	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	1.88	216030536	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	216030537	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	1.84	216030538	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	1.84	216030539	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	1.88	216030540	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	1.86	216030541	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	216030542	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	1.86	216030543	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	216030544	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	216030545	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	216030546	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	216030547	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	216030548	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	216030549	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	216030550	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	1.82	216030551	No
EL16KP1-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	216030552	No
EL16KP1-048-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	1.94	216030480	No
EL16KP1-048-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	216030481	No
EL16KP1-048-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	1.94	216030482	No
EL16KP1-048-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.94	216030483	No
EL16KP1-048-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	216030484	No
EL16KP1-048-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	1.96	216030485	No
EL16KP1-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	2.26	215747855	No
EL16KP1-060-230A**	CBK45UHVT-060-230-**	- - -	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	2.24	215747857	No
EL16KP1-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	215747856	No
EL16KP1-060-230A**	CBK47UHET-060-460-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	217595413	No
EL16KP1-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	58000	14.3	12	55500	35400	29600	8	2.2	215747858	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	2.02	215747859	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	2.04	215747860	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	2	215747861	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	2	215747862	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	1.98	215747863	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	2.02	215747864	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	2.04	215747865	No
EL16KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	2.04	215747866	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747867	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	215747868	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	215747869	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747870	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	2.02	215747871	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	2.04	215747872	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	215747873	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	215747874	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	2.08	215747875	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	215747876	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747877	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	2.04	215747878	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	2	215747879	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	2.04	215747880	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747881	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	2.06	215747882	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	215747883	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	215747884	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	215747885	No
EL16KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	2.04	215747886	No
EL16KP1-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	1.98	216030553	No
EL16KP1-060-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	1.98	216030554	No
EL16KP1-060-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	1.96	216030555	No
EL16KP1-060-230A**	CK40DT-60D-**+TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	1.84	215747887	No
EL16KP1-060-230A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	1.82	215747888	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	215747889	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	215747890	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	215747891	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	1.98	215747892	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	2	215747893	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	215747894	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	1.98	215747895	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	215747896	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.96	215747897	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	215747898	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	1.98	215747899	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	1.94	215747900	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	1.98	215747901	No
EL16KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.98	215747902	No
EL16KP1-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	1.94	216030556	No
EL16KP1-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	216030557	No
EL16KP1-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	216030558	No
EL18KSLV-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	23600	17.5	12	24000	19200	23000	9.5	1.8	216618903	Yes
EL18KSLV-024-230A**	CBK45UHET-030-230-**	- - -	R-454B	24000	17.5	12	24000	19200	23200	9.4	1.75	216618904	Yes
EL18KSLV-024-230A**	CBK45UHPT-018-230-**	- - -	R-454B	23200	15.2	11.7	24000	19400	23200	9	1.75	216618900	Yes
EL18KSLV-024-230A**	CBK45UHPT-024-230-**	- - -	R-454B	24000	14.7	11.7	24000	19600	23400	9	1.8	216618902	No
EL18KSLV-024-230A**	CBK45UHVT-018-230-**	- - -	R-454B	24000	17.5	11.7	24000	19400	23400	9.4	1.75	216618901	Yes
EL18KSLV-024-230A**	CBK45UHVT-024-230-**	- - -	R-454B	24000	18	11.7	24000	18000	23000	10	1.8	216581388	Yes
EL18KSLV-024-230A**	CBK45UHVT-030-230-**	- - -	R-454B	24000	17.5	12	24000	19400	23200	9.4	1.75	216618905	Yes
EL18KSLV-024-230A**	CBK47UHET-024-230-**	- - -	R-454B	24000	17	11.7	24000	19400	22600	9.5	1.85	216705369	No
EL18KSLV-024-230A**	CBK47UHET-030-230-**	- - -	R-454B	24000	18.5	12.3	24000	19400	22000	9.8	1.8	216705370	Yes
EL18KSLV-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	24000	17	11.7	24000	19600	23200	9.4	1.8	216618906	Yes
EL18KSLV-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	24000	18	12	24000	19400	22600	9.5	1.8	216618907	Yes
EL18KSLV-024-230A**	CK40[C,U]T-24B-**+TDR	- - -	R-454B	23600	15.8	11.7	24000	19000	20000	8.5	1.75	216581392	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21400	8.5	1.75	216618922	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	24000	17.05	11.7	24000	20000	20800	9	1.8	217189712	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	23800	17.05	11.7	24000	20000	20800	9	1.8	217189713	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	23800	17.45	12	23800	19600	20600	9	1.8	217189716	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	23400	16.7	12	23800	19600	20600	9	1.8	217189715	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	23400	16.7	12	23800	19600	20600	9	1.8	217189714	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	23600	17	12	23800	19800	20800	9	1.8	217449735	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	24000	16.85	11.7	24000	20000	20800	9	1.8	217189718	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	23600	16.9	12	23800	19800	20800	9	1.8	217449736	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	24000	16.85	11.7	24000	20000	20800	9	1.8	217189719	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	23800	16.35	11.7	24000	19800	20800	9	1.8	217189717	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	23800	17.1	12	23800	19800	20800	9	1.8	217449737	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	23800	16.35	11.7	24000	19800	20800	9	1.8	217449734	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	23800	16.85	11.7	24000	19800	20800	9	1.8	217189711	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	23800	16.7	11.7	24000	19800	20800	9	1.8	217189710	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	23800	16.7	11.7	24000	19800	20800	9	1.8	217449733	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21400	8.5	1.75	216618923	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	23800	16.1	11	24000	20000	21000	8.5	1.8	217189723	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	23800	16.25	11	24000	20000	21000	9	1.8	217189724	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	23600	17.05	11.7	23800	19800	20800	9	1.8	217449743	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	23800	16.05	11	24000	20000	21000	8.5	1.8	217449741	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	23800	16.2	11	24000	20000	21000	9	1.8	217449742	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	23600	16.85	12	23800	19600	20600	9	1.8	217449739	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	23800	16.3	11	24000	20000	21000	9	1.8	217449744	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	23800	16.95	11.7	24000	19800	20800	9	1.8	216769566	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	23800	16.15	11	24000	20000	21000	9	1.8	217449745	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	23800	17.15	12	24000	19800	20800	9	1.8	216769567	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	23800	16.4	12	23800	19800	20800	9	1.8	217189720	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	23800	17.05	12	23800	19600	20600	9	1.8	217449740	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	23800	16.4	12	23800	19800	20800	9	1.8	217189721	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23800	16.85	11	24000	20000	21000	9	1.8	217449747	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	23800	16.85	11.7	24000	20000	21000	9	1.8	217449748	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	24000	17	11.7	24000	20000	20800	9	1.8	217449749	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	23600	17	11.7	23800	19800	20800	9	1.8	217449746	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	23800	16.05	11	24000	20000	21000	8.5	1.8	217189725	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	24000	16.1	11.7	24000	19800	20800	9	1.8	217189726	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	23800	17.4	12	23800	19800	20800	9	1.8	217449750	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23800	17.35	11.7	24000	19800	20800	9	1.8	217449751	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	24000	17.4	12	24000	19800	20800	9	1.8	217449738	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23800	17.45	11.7	24000	19800	20800	9	1.8	216769564	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23800	17	11.7	24000	19800	20800	9	1.8	216769565	Yes
EL18KSLV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	17.15	12	23800	19800	20800	9	1.8	217189722	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21000	8.5	1.8	216618924	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	24000	17.45	11.7	24000	20000	20800	9	1.85	217189729	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	24000	17.45	11.7	24000	20000	20800	9	1.85	217189730	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	24000	17.8	12	24000	19600	20600	9.4	1.85	217189733	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	23800	17.1	12	23800	19600	20400	9	1.85	217189732	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	23800	17.1	12	23800	19600	20400	9	1.85	217189731	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	24000	17.6	12	24000	19600	20600	9	1.85	217449754	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	24000	17.15	11.7	24000	20000	20800	9	1.85	217189735	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	24000	17.3	12	24000	19600	20600	9	1.85	217449755	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	24000	17.15	11.7	24000	20000	20800	9	1.85	217189736	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	24000	16.7	12	24000	19800	20600	9	1.85	217189734	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	24000	17.4	12	24000	19800	20600	9	1.85	217449756	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	24000	16.7	12	24000	19800	20600	9	1.85	217449753	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	24000	17.25	12	24000	19800	20600	9	1.85	217189728	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	24000	17.05	12	24000	19800	20800	9	1.85	217189727	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	24000	17.05	12	24000	19800	20800	9	1.85	217449752	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	21000	8.5	1.8	216618925	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	24000	16.35	11.7	24000	20000	20800	9	1.8	217189740	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	24000	16.5	11.7	24000	20000	20800	9	1.8	217189741	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	23800	17.25	12	24000	19800	20600	9	1.85	217449762	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	24000	16.35	11.7	24000	20000	20800	9	1.8	217449760	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	24000	16.5	11.7	24000	20000	20800	9	1.8	217449761	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	24000	17.15	12	23800	19600	20400	9	1.85	217449758	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	24000	16.6	11.7	24000	20000	20800	9	1.8	217449763	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	24000	17.3	12	24000	19800	20800	9	1.85	216769570	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	24000	16.5	11.7	24000	20000	20800	9	1.85	217449764	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	24000	17.45	12	24000	19800	20600	9	1.85	216769571	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	24000	16.7	12	24000	19800	20600	9	1.85	217189737	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	24000	17.3	12	23800	19600	20600	9	1.85	217449759	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	24000	16.7	12	24000	19800	20600	9	1.85	217189738	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	24000	17.2	11.7	24000	20000	20800	9	1.8	217449766	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	24000	17.15	11.7	24000	20000	20800	9	1.8	217449767	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	24000	17.3	12	24000	19800	20800	9	1.85	217449768	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	23800	17.25	12	24000	19800	20600	9	1.85	217449765	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	24000	16.35	11.7	24000	20000	20800	9	1.8	217189742	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	24000	16.4	11.7	24000	19800	20800	9	1.85	217189743	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	24000	17.75	12	24000	19800	20600	9.4	1.85	217449769	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	24000	17.65	12	24000	19800	20600	9	1.85	217449770	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	24000	17.75	12	24000	19800	20600	9	1.85	217449757	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	24000	17.75	12	24000	19800	20600	9	1.85	216769568	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	24000	17.35	12	24000	19800	20600	9	1.85	216769569	Yes
EL18KSLV-024-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	24000	17.5	12	24000	19800	20600	9	1.85	217189739	Yes
EL18KSLV-024-230A**	CK40DT-24A-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	22600	8.5	1.75	216618931	Yes
EL18KSLV-024-230A**	CK40DT-24A-**+TDR	EL280DF070E36A	R-454B	23800	16.8	11	24000	20000	21000	9.4	1.8	217189778	Yes
EL18KSLV-024-230A**	CK40DT-24A-**+TDR	ML180DF045E36A	R-454B	23600	16.65	11	24000	20000	21000	9	1.8	217189779	Yes
EL18KSLV-024-230A**	CK40DT-24A-**+TDR	ML180DF070E36A	R-454B	23600	15.9	11	24000	20200	21200	9	1.8	217189984	Yes
EL18KSLV-024-230A**	CK40DT-24A-**+TDR	SL280DF070V36A	R-454B	23600	16.8	11.7	24000	19800	21000	9	1.8	217449814	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	22600	8.5	1.75	216618932	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	EL297DF045XE36B	R-454B	23800	16	11	24000	20000	21000	9	1.8	217449816	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	EL297DF045XV36B	R-454B	23600	16.95	11.7	24000	19800	20800	9.4	1.8	217449817	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	ML180DF070E36B	R-454B	23800	16.1	11	24000	20000	21000	9	1.8	217189780	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	ML193DF045XE36B	R-454B	23800	16.9	11.7	24000	20000	21000	9.4	1.8	217449818	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	ML193DF070XE36B	R-454B	23800	17	11.7	24000	20000	21000	9.4	1.8	217449819	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	ML196DF045XE36B	R-454B	23800	16.3	11.7	24000	20000	21000	9	1.8	217189782	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	ML296DF045XV36B	R-454B	23600	16.15	11	24000	20000	21200	9	1.8	217449820	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	SL280DF060NV36B	R-454B	23600	16.4	11.7	24000	19800	21000	9	1.8	217449815	Yes
EL18KSLV-024-230A**	CK40DT-24B-**+TDR	SLP99DF070XV36B	R-454B	23600	17.15	11.7	24000	19800	20800	9.4	1.8	217189781	Yes
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	- - -	R-454B	22200	14.3	10	24000	19600	23400	8.1	1.6	216618926	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	EL180UH040NE36A	R-454B	22200	15.8	10	23800	20000	21600	8.5	1.6	217188618	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	EL180UH060NE36A	R-454B	22200	15.8	10	23800	20000	21600	8.5	1.6	217188619	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	EL280UH045E36A	R-454B	22000	16.25	11	23400	19800	21600	8.5	1.6	217188622	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	EL280UH070E36A	R-454B	21800	15.6	11	23400	19800	21600	8.1	1.6	217188621	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	EL280UH070XE36A	R-454B	21800	15.6	11	23400	19800	21600	8.1	1.6	217188620	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH030V36A	R-454B	22000	16.15	11	23400	19800	21600	8.5	1.6	217449773	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH045E36A	R-454B	22200	15.65	10	23800	20000	21600	8.5	1.6	217188624	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH045V36A	R-454B	22000	15.75	11	23400	19800	21600	8.5	1.6	217449774	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH045XE36A	R-454B	22200	15.65	10	23800	20000	21600	8.5	1.6	217188625	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH070E36A	R-454B	22200	15	11	23600	19800	21600	8.1	1.6	217188623	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH070V36A	R-454B	22000	16	11	23600	19800	21600	8.5	1.6	217449775	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	ML180UH070XE36A	R-454B	22200	15	11	23600	19800	21600	8.1	1.6	217449772	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	SL280UH060NV36A	R-454B	22200	15.45	11	23600	19800	21600	8.5	1.6	217188617	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	SL280UH070V36A	R-454B	22200	15.3	11	23600	19800	21800	8.5	1.6	217188616	No
EL18KSLV-024-230A**	CK40HT-18A-**+TDR	SL280UH070XV36A	R-454B	22200	15.3	11	23600	19800	21800	8.5	1.6	217449771	No
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	- - -	R-454B	23600	15.2	11	24000	19600	22600	8.5	1.8	216618927	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	23600	16.95	11.7	24000	20000	21000	9	1.8	217189746	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	23600	16.95	11.7	24000	20000	21000	9	1.8	217189747	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	23400	17.4	11.7	23800	19800	21000	9	1.8	217189750	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	23200	16.65	11.7	23800	19600	20800	9	1.8	217189749	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	23200	16.65	11.7	23800	19600	20800	9	1.8	217189748	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	23400	17.25	11.7	23800	19800	20800	9	1.8	217449778	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	23600	16.75	11.7	24000	20000	21000	9	1.8	217189752	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	23400	16.8	11.7	23800	19800	21000	9	1.8	217449779	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	23600	16.75	11.7	24000	20000	21000	9	1.8	217189753	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	23600	16.2	11.7	24000	19800	21200	8.5	1.8	217189751	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	23600	16.95	11.7	24000	19800	21000	9	1.8	217449780	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	23600	16.2	11.7	24000	19800	21200	8.5	1.8	217449777	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	23600	16.75	11.7	24000	19800	21000	9	1.8	217189745	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	23600	16.5	11.7	24000	19800	21000	9	1.8	217189744	Yes
EL18KSLV-024-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	23600	16.5	11.7	24000	19800	21000	9	1.8	217449776	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	22800	8.5	1.75	216618928	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	24000	16.45	11.7	24000	20000	21000	9	1.8	217189757	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	24000	16.7	11.7	24000	20000	21000	9	1.8	217189758	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	23800	17.1	12	24000	19800	21000	9	1.8	217449786	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	24000	16.5	11	24000	20000	21000	9	1.8	217449784	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	24000	16.6	11.7	24000	20000	21000	9	1.8	217449785	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	23800	17.15	12	23800	19600	20800	9	1.8	217449782	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	24000	16.7	11.7	24000	20000	21000	9	1.8	217449787	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	24000	17.3	11.7	24000	19800	20800	9	1.8	216769574	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	24000	16.6	11.7	24000	20000	21000	9	1.8	217449788	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	24000	17.45	12	24000	19800	20800	9	1.8	216769575	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	24000	16.8	12	24000	19800	20800	9	1.8	217189754	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	24000	17.3	12	23800	19600	21000	9	1.8	217449783	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	24000	16.8	12	24000	19800	20800	9	1.8	217189755	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML193UH030XE36B	R-454B	24000	17.25	11.7	24000	20000	21000	9	1.8	217449790	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML193UH045XE36B	R-454B	24000	17.2	11.7	24000	20000	21000	9	1.8	217449791	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML193UH070XE36B	R-454B	24000	17.35	11.7	24000	19800	21000	9	1.8	217449792	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML196UH030XE36B	R-454B	23800	17.1	12	24000	19800	21000	9	1.8	217449789	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML196UH045XE36B	R-454B	24000	16.4	11	24000	20000	21000	9	1.8	217189759	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE36B	R-454B	24000	16.5	11.7	24000	19800	20800	9	1.8	217189760	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML296UH045XV36B	R-454B	24000	17.7	12	24000	19800	20800	9	1.8	217449793	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	ML296UH070XV36B	R-454B	24000	17.65	12	24000	19800	20800	9	1.8	217449794	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	SL280UH090V36B	R-454B	24000	17.65	12	24000	19800	20800	9	1.8	217449781	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	SL297UH040NV36B	R-454B	24000	17.65	12	24000	19800	20800	9	1.8	216769572	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	24000	17.3	12	24000	19800	20800	9	1.8	216769573	Yes
EL18KSLV-024-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	24000	17.45	12	24000	19800	20800	9	1.8	217189756	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	- - -	R-454B	24000	16	11.7	24000	19600	22600	9	1.8	216618929	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	24000	17.6	11.7	24000	19800	20800	9.5	1.85	217189763	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	24000	17.6	11.7	24000	19800	21000	9.5	1.85	217189764	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	24000	17.85	12	24000	19600	20600	9.5	1.85	217189767	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	23800	17.15	12	24000	19600	20600	9.4	1.85	217189766	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	23800	17.15	12	24000	19600	20600	9.4	1.85	217189765	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	24000	17.7	12	24000	19600	20600	9.5	1.85	217449797	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	24000	17.4	11.7	24000	19800	20800	9.5	1.85	217189769	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	24000	17.4	12	24000	19600	20600	9.5	1.85	217449798	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	24000	17.4	11.7	24000	19800	20800	9.5	1.85	217189770	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	24000	16.85	12	24000	19800	20800	9.4	1.85	217189768	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	24000	17.55	12	24000	19800	20600	9.5	1.85	217449799	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	24000	16.85	12	24000	19800	20800	9.4	1.85	217449796	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	24000	17.35	12	24000	19800	20800	9.5	1.85	217189762	Yes
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	24000	17.2	12	24000	19800	20800	9.4	1.85	217189761	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	24000	17.2	12	24000	19800	20800	9.4	1.85	217449795	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	- - -	R-454B	24000	15.2	11.7	24000	19600	23400	8.5	1.75	216618930	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	24000	16.35	11.7	24000	20000	21000	9	1.8	217189774	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	24000	16.55	11.7	24000	20000	21000	9	1.8	217189775	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	23800	17.25	12	24000	19800	20800	9	1.8	217449805	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	24000	16.35	11.7	24000	20000	21000	9	1.8	217449803	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	24000	16.45	11.7	24000	20000	21000	9	1.8	217449804	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	23800	17.15	12	23800	19600	20600	9	1.8	217449801	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	24000	16.55	11.7	24000	20000	21000	9	1.8	217449806	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	24000	17.25	11.7	24000	19800	20800	9	1.8	216769578	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	24000	16.4	11.7	24000	20000	21000	9	1.8	217449807	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	24000	17.4	12	24000	19800	20800	9	1.8	216769579	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	24000	16.65	12	24000	19800	20800	9	1.8	217189771	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	24000	17.25	12	23800	19600	20800	9	1.8	217449802	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	24000	16.65	12	24000	19800	20800	9	1.8	217189772	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	24000	17.1	11.7	24000	20000	21000	9	1.8	217449809	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	24000	17.1	11.7	24000	20000	21000	9	1.8	217449810	No
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	24000	17.3	11.7	24000	20000	21000	9	1.8	217449811	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	24000	17.4	11.7	24000	20000	21000	9	1.8	217449808	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	24000	16.3	11.7	24000	20000	21000	9	1.8	217189776	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	24000	16.3	11.7	24000	20000	21000	9	1.8	217189777	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	24000	17.7	12	24000	19800	20800	9	1.8	217449812	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	24000	17.6	12	24000	19800	20800	9	1.8	217449813	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	24000	17.65	12	24000	19800	20800	9	1.8	217449800	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	24000	17.65	12	24000	19800	20800	9	1.8	216769576	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	24000	17.25	12	24000	19800	20800	9	1.8	216769577	Yes
EL18KSLV-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	24000	17.4	12	24000	19800	20800	9	1.8	217189773	Yes
EL18KSLV-036-230A**	CBK45UHET-036-230-**	- - -	R-454B	36000	18.5	11.7	36000	28000	30000	9	1.9	216618909	Yes
EL18KSLV-036-230A**	CBK45UHET-042-230-**	- - -	R-454B	35800	18	11.7	36000	28000	30000	9	1.9	216618911	Yes
EL18KSLV-036-230A**	CBK45UHPT-036-230-**	- - -	R-454B	36000	14.3	11	36000	28400	30600	8.5	1.85	216618908	No
EL18KSLV-036-230A**	CBK45UHPT-042-230-**	- - -	R-454B	36000	14.3	11	36000	28400	30600	8.5	1.9	216618910	No
EL18KSLV-036-230A**	CBK45UHVT-036-230-**	- - -	R-454B	36000	18	11.7	36000	28000	30000	9.5	1.8	216581389	Yes
EL18KSLV-036-230A**	CBK45UHVT-042-230-**	- - -	R-454B	36000	18.2	11.7	36000	28000	30000	9	1.9	216618912	Yes
EL18KSLV-036-230A**	CBK47UHET-036-230-**	- - -	R-454B	35000	18.5	11	36000	28000	29400	9.4	1.9	216705371	Yes
EL18KSLV-036-230A**	CBK47UHET-042-230-**	- - -	R-454B	36000	18	12	36000	28000	29000	9.4	1.9	216705372	Yes
EL18KSLV-036-230A**	CBK48MVT-036-230-**	- - -	R-454B	35000	18.5	11	36000	28000	29400	9.4	1.9	216618913	Yes
EL18KSLV-036-230A**	CBK48MVT-042-230-**	- - -	R-454B	36000	19	11.7	36000	28000	29400	9.4	1.95	216618914	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	33000	15.2	10	34000	28000	29000	7.8	1.8	216618933	No
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	33800	17.6	11	35600	29000	28600	8.5	1.8	217189785	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	33800	17.55	11	35600	29000	28600	8.5	1.8	217189786	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	34200	18.15	11	35800	29000	28600	8.5	1.8	217189789	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	33800	17.3	11	35600	28800	28600	8.5	1.85	217189788	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	33800	17.3	11	35600	28800	28600	8.5	1.85	217189787	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	34000	17.4	11	35600	29000	28600	8.5	1.8	217449823	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	33800	17.7	11	35600	28800	28600	8.5	1.8	217189791	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	34000	17.3	11	35800	29000	28600	8.5	1.8	217449824	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	33800	17.7	11	35600	28800	28600	8.5	1.8	217189792	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	34000	17.5	11	35600	29000	28600	8.5	1.8	217189790	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	34000	17.45	11	35600	28800	28600	8.5	1.85	217449825	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	34000	17.5	11	35600	29000	28600	8.5	1.8	217449822	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	34200	17.35	11	35600	29000	28600	8.5	1.85	217189784	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	33800	17	11	35600	29000	28600	8.5	1.8	217189783	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	33800	17	11	35600	29000	28600	8.5	1.8	217449821	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	33000	15.2	10	34000	28000	29000	7.8	1.8	216618934	No
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	34000	16	10	35800	29200	28800	8.5	1.8	217189801	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	33600	17.15	11	35600	29000	28600	8.5	1.8	217189796	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	33800	17.35	11	35600	28800	28600	8.5	1.8	217189797	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	33800	16.6	11	35800	29000	28600	8.5	1.8	217449831	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	33600	17.1	11	35600	29000	28600	8.5	1.8	217449829	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	33800	17.25	11	35600	29000	28600	8.5	1.8	217449830	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	34200	18.3	11	35400	28800	28400	8.5	1.85	217449827	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	34200	16.55	11	35400	28800	28400	8.5	1.85	217189803	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	34200	16.55	11	35400	28800	28400	8.5	1.85	217189802	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	33800	17.4	11	35800	29000	28800	8.5	1.8	217449832	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	33800	17	11	35600	29000	28600	8.5	1.8	216769582	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	33800	17.3	11	35800	29000	28600	8.5	1.8	217449833	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	34000	17.3	11	35600	28800	28400	8.5	1.85	216769583	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180DF090E48B	R-454B	34400	16.9	11	35600	28800	28400	8.5	1.85	217189805	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	34200	17.65	11	35600	29000	28600	8.5	1.85	217189793	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	34200	17.7	11	35400	28800	28400	8.5	1.85	217449828	No
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	34400	17.95	11	36000	29600	29200	8.1	1.8	217449843	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	34200	17.65	11	35600	29000	28600	8.5	1.85	217189794	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	34000	16.65	11	35400	28800	28400	8.5	1.85	217189804	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	34200	17.25	11	35600	29000	28600	8.5	1.85	217449844	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	34000	16.65	11	35400	28800	28400	8.5	1.85	217449842	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	33800	17.75	10	35800	29200	28800	8.5	1.8	217449835	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	34000	17.15	10	35800	29200	28800	8.5	1.8	217449836	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	34000	17.4	11	35800	29000	28600	8.5	1.8	217449837	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	33800	17.6	11	35800	29000	28600	8.5	1.8	217449834	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	33600	17.1	11	35600	29000	28600	8.5	1.8	217189798	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	34000	17.25	11	35800	29000	28600	8.5	1.8	217189799	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	34000	15.9	10	35800	29200	28800	8.1	1.8	217449845	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	33800	17.3	11	35600	28800	28600	8.5	1.85	217449838	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	34000	16.7	11	35800	29000	28600	8.5	1.8	217449839	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	34000	17.2	11	35600	28800	28600	8.5	1.8	217449841	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	34200	17.75	11	35600	28800	28400	8.5	1.85	217449826	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	34200	17.6	11	35400	28800	28400	8.5	1.85	217189800	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	34200	17.6	11	35400	28800	28400	8.5	1.85	217449840	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	33800	17.35	11	35600	28800	28600	8.5	1.8	216769580	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	33800	17.1	11	35600	29000	28600	8.5	1.8	216769581	Yes
EL18KSLV-036-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	34000	17.45	11	35400	28800	28400	8.5	1.85	217189795	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	1.85	216618935	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	34400	17.95	11	35800	28800	28400	8.5	1.85	217189808	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	34400	17.9	11	35800	28800	28400	8.5	1.85	217189809	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	34800	18.5	11	35800	29000	28600	8.5	1.85	217189812	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	34600	17.65	11	35600	28800	28400	8.5	1.85	217189811	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	34600	17.65	11	35600	28800	28400	8.5	1.85	217189810	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	34800	17.8	11	35800	28800	28400	8.5	1.85	217449848	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	34400	18	11	35800	28800	28400	8.5	1.85	217189814	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	34600	17.65	11	35800	29000	28400	8.5	1.85	217449849	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	34400	18	11	35800	28800	28400	8.5	1.85	217189815	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	34600	17.9	11	35600	28800	28400	8.5	1.85	217189813	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	34600	17.8	11	35600	28800	28400	8.5	1.85	217449850	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	34600	17.9	11	35600	28800	28400	8.5	1.85	217449847	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	34800	17.7	11	35800	28800	28400	8.5	1.85	217189807	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	34400	17.4	11	35600	28800	28400	8.5	1.85	217189806	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	34400	17.4	11	35600	28800	28400	8.5	1.85	217449846	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	- - -	R-454B	34000	15.2	10.6	34000	27000	28800	8.5	1.75	216581393	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	34800	16.4	11	36000	29000	28600	8.5	1.85	217189824	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	34400	17.5	11	35800	28800	28400	8.5	1.85	217189819	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	34400	17.7	11	35600	28800	28400	8.5	1.85	217189820	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	34400	16.95	11	35800	29000	28400	8.5	1.85	217449856	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	34200	17.45	11	35800	28800	28400	8.5	1.85	217449854	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	34400	17.6	11	35800	29000	28400	8.5	1.85	217449855	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	34800	18.65	11	35600	28600	28200	8.5	1.85	217449852	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	34800	16.95	11.7	35600	28600	28200	8.5	1.9	217189826	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	34800	16.95	11.7	35600	28600	28200	8.5	1.9	217189825	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	34600	17.8	11	36000	29000	28600	8.5	1.85	217449857	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	34400	17.35	11	35600	28800	28400	8.5	1.85	216769586	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	34400	17.65	11	35800	28800	28400	8.5	1.85	217449858	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	34600	17.6	11	35600	28800	28200	8.5	1.85	216769587	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180DF090E48B	R-454B	35000	17.3	11	35600	28800	28200	8.5	1.9	217189828	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	34800	18.05	11	35800	28800	28400	8.5	1.85	217189816	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	34800	18.1	11	35600	28600	28200	8.5	1.85	217449853	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	35000	18.3	11.7	35600	28800	28200	8.5	1.9	217449868	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	34800	18.05	11	35800	28800	28400	8.5	1.85	217189817	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	34800	17.05	11.7	35400	28600	28200	8.5	1.9	217189827	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	34800	17.65	11	35800	28800	28400	8.5	1.85	217449869	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	34800	17.05	11.7	35400	28600	28200	8.5	1.9	217449867	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	34400	18.05	11	36000	29000	28600	8.5	1.85	217449860	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	34600	17.5	11	36000	29000	28600	8.5	1.85	217449861	No
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	34800	17.75	11	35800	28800	28400	8.5	1.85	217449862	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	34400	17.9	11	35800	29000	28600	8.5	1.85	217449859	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	34200	17.4	11	35600	28800	28400	8.5	1.85	217189821	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	34800	17.6	11	35800	28800	28400	8.5	1.85	217189822	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	34600	16	11	36000	29000	28600	8.5	1.85	217449870	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	34800	17	11	35800	29000	28400	8.5	1.85	217449863	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	34800	17.05	11	35800	28800	28400	8.5	1.85	217449864	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	34600	17.55	11	35600	28800	28400	8.5	1.85	217449866	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	35000	18.1	11	35600	28600	28200	8.5	1.9	217449851	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	34600	18.1	11.7	35400	28600	28200	8.5	1.9	217189823	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34600	18.1	11.7	35400	28600	28200	8.5	1.9	217449865	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	34600	17.7	11	35600	28800	28400	8.5	1.85	216769584	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	34600	17.45	11	35600	28800	28400	8.5	1.85	216769585	Yes
EL18KSLV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	34800	17.8	11	35600	28600	28200	8.5	1.85	217189818	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	1.8	216618941	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	EL280DF090E48B	R-454B	34600	16.7	11	35800	29000	28600	8.5	1.85	217189882	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	33600	16.6	11	35400	28600	28200	8.5	1.85	217449932	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	34200	17.05	11	35800	29000	28600	8.5	1.85	217449933	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	34200	17.25	10	36000	29200	28800	8.5	1.85	217449938	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	34000	16.5	10	35800	29000	28600	8.5	1.85	216769598	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	34000	17.3	11	35600	28800	28400	8.5	1.85	217189879	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	33600	16.95	11	35400	28600	28200	8.5	1.85	217449934	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	34400	17.4	11	35800	29000	28600	8.5	1.85	217449935	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	34000	17.35	11	35600	28800	28400	8.5	1.85	217189881	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	34400	16.95	10	36000	29200	28800	8.5	1.85	217189883	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	34000	16.4	10	36000	29200	28800	8.5	1.85	217449936	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	ML296DF070XV48B	R-454B	34200	16.8	11	35800	29000	28600	8.5	1.85	217449939	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	34400	16.55	10	36000	29200	28800	8.5	1.85	217449931	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF090NV48B	R-454B	34400	16.95	10	36000	29200	28600	8.5	1.85	217449937	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	34400	16.95	10	36000	29200	28600	8.5	1.85	217509777	Yes
EL18KSLV-036-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	34200	16.85	11	35800	29000	28600	8.5	1.85	217189880	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	- - -	R-454B	34000	15.2	11	34000	28000	29000	8.1	1.9	216618942	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	EL280DF090E48B	R-454B	35400	17.3	11	36000	28600	28200	8.5	1.9	217189887	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	EL297DF045XE36B	R-454B	34600	17.55	11	35600	28600	28000	9	1.9	217449941	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	35000	17.6	11	35800	28600	28200	9	1.9	217449942	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	35000	17.65	11	36000	28800	28400	9	1.9	217449947	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	35000	17.2	10	36000	29000	28600	8.5	1.9	216769599	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML180DF070E36B	R-454B	35000	17.9	11	35800	28600	28200	9	1.9	217189884	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML193DF045XE36B	R-454B	35200	18.3	11	36000	28800	28200	9	1.9	217449943	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML193DF070XE36B	R-454B	35200	17.95	11	36000	28800	28200	9	1.9	217449944	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML196DF045XE36B	R-454B	35000	17.85	11	35800	28600	28200	9	1.9	217189886	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML196DF070XE48B	R-454B	35200	17.5	11	36000	28800	28400	9	1.9	217189888	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML296DF045XV36B	R-454B	34800	16.95	11	36000	28800	28400	8.5	1.9	217449945	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	ML296DF070XV48B	R-454B	35000	17.35	11	36000	28600	28200	9	1.9	217449948	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	SL280DF060NV36B	R-454B	35200	17.2	11	36000	28800	28400	8.5	1.9	217449940	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	SL280DF090NV48B	R-454B	35200	17.6	11	36000	28800	28400	9	1.9	217449946	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	SL280DF090V48B	R-454B	35200	17.6	11	36000	28800	28400	9	1.9	217509778	Yes
EL18KSLV-036-230A**	CK40DT-42B-**+TDR	SLP99DF070XV36B	R-454B	35000	17.45	11	35800	28600	28200	9	1.9	217189885	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	1.9	216618936	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	34200	17.95	11	35800	28800	28400	9	1.9	217189831	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	34200	17.95	11	35800	28800	28400	9	1.9	217189832	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	34600	18.6	11	36000	28800	28400	9	1.9	217189835	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	34200	17.75	11	35800	28600	28200	9	1.9	217189834	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	34200	17.75	11	35800	28600	28200	9	1.9	217189833	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	34400	17.85	11	36000	28800	28400	9	1.9	217449873	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	34200	18.1	11	35800	28800	28200	9	1.9	217189837	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	34400	17.75	11	36000	28800	28400	9	1.9	217449874	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	34200	18.1	11	35800	28800	28200	9	1.9	217189838	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	34400	17.95	11	35800	28600	28200	9	1.9	217189836	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	34400	17.9	11	35800	28600	28200	9	1.9	217449875	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	34400	17.95	11	35800	28600	28200	9	1.9	217449872	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	34600	17.75	11	36000	28800	28400	9	1.9	217189830	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	34200	17.4	11	35800	29400	28400	9	1.9	217189829	Yes
EL18KSLV-036-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	34200	17.4	11	35800	29400	28400	9	1.9	217449871	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	1.85	216618937	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	34400	16.35	11	36000	29000	28600	8.5	1.85	217189847	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	34200	17.4	11	35800	28800	28400	8.5	1.85	217189842	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	34200	17.6	11	35600	28800	28400	8.5	1.85	217189843	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	34200	16.85	11	35800	29000	28600	8.5	1.85	217449881	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	34200	17.4	11	35800	29000	28600	8.5	1.85	217449879	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	34200	17.5	11	35800	29000	28600	8.5	1.85	217449880	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	34600	18.55	11	35600	28800	28400	8.5	1.85	217449877	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	34600	16.8	11	35600	28600	28200	8.5	1.85	217189849	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	34600	16.8	11	35600	28600	28200	8.5	1.85	217189848	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	34400	17.7	11	35800	29000	28600	8.5	1.85	217449882	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	34400	17.3	11	35600	28800	28400	8.5	1.85	216769590	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	34200	17.55	11	35800	29000	28600	8.5	1.85	217449883	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	34400	17.55	11	35600	28800	28400	8.5	1.85	216769591	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180DF090E48B	R-454B	34800	17.2	11	35600	28800	28400	8.5	1.85	217189851	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	34600	17.95	11	35600	28800	28400	8.5	1.85	217189839	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	34600	18	11	35600	28800	28400	8.5	1.85	217449878	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	34800	18.25	11	35600	28800	28400	8.5	1.85	217449893	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	34600	17.95	11	35600	28800	28400	8.5	1.85	217189840	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	34600	16.95	11.7	35400	28600	28200	8.5	1.85	217189850	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	34600	17.55	11	35800	28800	28400	8.5	1.85	217449894	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	34600	16.95	11.7	35400	28600	28200	8.5	1.85	217449892	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	34200	18	11	35800	29000	28600	8.5	1.85	217449885	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	34400	17.4	11	36000	29000	28600	8.5	1.85	217449886	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	34600	17.65	11	35800	29000	28600	8.5	1.85	217449887	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	34200	17.8	11	35800	29000	28600	8.5	1.85	217449884	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	34000	17.35	11	35600	28800	28400	8.5	1.85	217189844	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	34600	17.5	11	35800	29000	28600	8.5	1.85	217189845	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	34400	16	11	36000	29000	28600	8.5	1.85	217449895	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	34600	16.9	11	35800	29000	28600	8.5	1.85	217449888	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	34600	16.95	11	35800	29000	28600	8.5	1.85	217449889	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	34400	17.5	11	35600	28800	28400	8.5	1.85	217449891	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	34800	18.05	11	35600	28800	28400	8.5	1.85	217449876	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	34400	18.05	11.7	35400	28600	28200	8.5	1.85	217189846	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090XV48B	R-454B	34400	18.05	11.7	35400	28600	28200	8.5	1.85	217449890	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	34400	17.6	11	35600	28800	28400	8.5	1.85	216769588	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	34400	17.4	11	35600	28800	28400	8.5	1.85	216769589	Yes
EL18KSLV-036-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	34600	17.75	11	35600	28800	28400	8.5	1.85	217189841	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	- - -	R-454B	31400	14.7	10	34000	28400	24400	7.8	1.9	216618938	No
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	EL180UH040NE36A	R-454B	32200	16.95	10	35600	29200	28800	8.5	1.8	217189854	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	EL180UH060NE36A	R-454B	32200	16.95	10	35600	29200	28800	8.5	1.8	217189855	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	EL280UH045E36A	R-454B	32600	17.6	10	35800	29200	29000	8.5	1.8	217189858	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	EL280UH070E36A	R-454B	32400	16.7	10	35400	29000	28800	8.5	1.8	217189857	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	EL280UH070XE36A	R-454B	32400	16.7	10	35400	29000	28800	8.5	1.8	217189856	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH030V36A	R-454B	32600	16.75	10	35600	29200	28800	8.5	1.8	217449898	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH045E36A	R-454B	32200	17.15	10	35400	29200	28800	8.5	1.8	217189860	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH045V36A	R-454B	32600	16.65	10	35600	29200	29000	8.5	1.8	217449899	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH045XE36A	R-454B	32200	17.15	10	35400	29200	28800	8.5	1.8	217189861	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH070E36A	R-454B	32400	16.95	10	35400	29200	28800	8.5	1.8	217189859	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH070V36A	R-454B	32400	16.8	10	35400	29000	28800	8.5	1.8	217449900	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	ML180UH070XE36A	R-454B	32400	16.95	10	35400	29200	28800	8.5	1.8	217449897	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	SL280UH060NV36A	R-454B	32600	16.65	10	35600	29200	28800	8.5	1.8	217189853	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	SL280UH070V36A	R-454B	32400	16.3	10	35400	29200	28800	8.5	1.8	217189852	Yes
EL18KSLV-036-230A**	CK40HT-36A-**+TDR	SL280UH070XV36A	R-454B	32400	16.3	10	35400	29200	28800	8.5	1.8	217449896	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	- - -	R-454B	33000	15.2	10	34000	28400	29400	8.1	1.8	216618939	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL180UH080NE48B	R-454B	34000	16.25	10	36000	29000	28600	8.5	1.85	217189870	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL195UH040NE36B	R-454B	33600	17.45	11	35800	29000	28400	8.5	1.85	217189865	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL195UH060NE36B	R-454B	33800	17.6	11	35600	28800	28400	8.5	1.85	217189866	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL196UH030XE36B	R-454B	33600	16.85	11	35800	29000	28600	8.5	1.85	217449906	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL196UH045XE36B	R-454B	33600	17.4	11	35800	29000	28600	8.5	1.85	217449904	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL196UH070XE36B	R-454B	33800	17.55	11	35800	29000	28600	8.5	1.85	217449905	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL280UH090E36B	R-454B	34000	18.6	11	35600	28800	28400	8.5	1.85	217449902	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL280UH090E48B	R-454B	34000	16.75	11	35600	28600	28200	8.5	1.85	217189872	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL280UH090XE48B	R-454B	34000	16.75	11	35600	28600	28200	8.5	1.85	217189871	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL297UH045XE36B	R-454B	33800	17.7	10	35800	29000	28600	8.5	1.85	217449907	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL297UH045XV36B	R-454B	33800	17.3	11	35600	28800	28400	8.5	1.85	216769594	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL297UH070XE36B	R-454B	33800	17.55	11	35800	29000	28600	8.5	1.85	217449908	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	EL297UH070XV36B	R-454B	34000	17.5	11	35600	28800	28400	8.5	1.85	216769595	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180DF090E48B	R-454B	34200	17.05	11	35600	28600	28400	8.5	1.85	217189874	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH070E36B	R-454B	34000	17.95	11	35800	28800	28400	8.5	1.85	217189862	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH070V36B	R-454B	34000	18	11	35600	28800	28400	8.5	1.85	217449903	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH070V48B	R-454B	34200	18.2	11	35600	28800	28400	8.5	1.85	217449918	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH070XE36B	R-454B	34000	17.95	11	35800	28800	28400	8.5	1.85	217189863	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH090E48B	R-454B	34000	16.9	11	35400	28600	28200	8.5	1.85	217189873	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH090V48B	R-454B	34000	17.5	11	35800	28800	28400	8.5	1.85	217449919	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML180UH090XE48B	R-454B	34000	16.9	11	35400	28600	28200	8.5	1.85	217449917	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML193UH030XE36B	R-454B	33800	17.1	10	35800	29000	28600	8.5	1.85	217449910	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML193UH045XE36B	R-454B	33800	17.35	10	36000	29200	28600	8.5	1.85	217449911	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML193UH070XE36B	R-454B	34000	17.65	11	35800	29000	28600	8.5	1.85	217449912	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML196UH030XE36B	R-454B	33600	17.85	11	35800	29000	28600	8.5	1.85	217449909	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML196UH045XE36B	R-454B	33600	17.4	11	35600	28800	28400	8.5	1.85	217189867	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML196UH070XE36B	R-454B	34000	17.5	11	35800	29000	28400	8.5	1.85	217189868	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML196UH070XE48B	R-454B	33800	16	10	36000	29200	28800	8.5	1.85	217449920	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML296UH045XV36B	R-454B	34000	16.85	10	35800	29000	28600	8.5	1.85	217449913	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	ML296UH070XV36B	R-454B	34000	16.9	11	35800	29000	28600	8.5	1.85	217449914	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH080NV48B	R-454B	33800	17.5	11	35600	28800	28400	8.5	1.85	217449916	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH090V36B	R-454B	34200	18	11	35600	28800	28400	8.5	1.85	217449901	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH090V48B	R-454B	33800	18.05	11	35400	28600	28200	8.5	1.85	217189869	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL280UH090XV48B	R-454B	33800	18.05	11	35400	28600	28200	8.5	1.85	217449915	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL297UH040NV36B	R-454B	33800	17.6	11	35600	28800	28400	8.5	1.85	216769592	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SL297UH060NV36B	R-454B	33800	17.35	11	35600	28800	28400	8.5	1.85	216769593	Yes
EL18KSLV-036-230A**	CK40HT-36B-**+TDR	SLP99UH070XV36B	R-454B	34000	17.75	11	35600	28600	28200	8.5	1.85	217189864	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	- - -	R-454B	33400	15.2	10	34000	28000	29000	8.1	1.85	216618940	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL195UH080NE48C	R-454B	34800	17.05	11	36000	28800	28400	9	1.9	217189877	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL196UH090XE48C	R-454B	34800	17.2	11.7	35600	28600	28200	9	1.9	217449924	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL280UH110E48C	R-454B	35200	16.15	11	36000	28800	28200	8.5	1.9	217449923	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XE48C	R-454B	34600	17.2	11	35600	28600	28200	9	1.9	217449925	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	34600	18	11	35800	28600	28400	9	1.9	216769596	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV48C	R-454B	34800	18.4	11.7	35600	28600	28200	9	1.9	217449926	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	34800	18.35	11	35800	28600	28200	9	1.9	217449927	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	ML193UH090XE36C	R-454B	34800	18.7	11	35800	28600	28200	9	1.9	217449922	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	ML193UH090XE48C	R-454B	35000	17.35	11	35800	28800	28200	9	1.9	217449928	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	ML193UH110XE48C	R-454B	35000	17.7	11.7	35800	28600	28200	9	1.9	217449929	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	ML196UH090XE36C	R-454B	34800	18.85	11	35800	28800	28400	9	1.9	217449921	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	ML196UH090XE48C	R-454B	34800	17.2	11	35800	28800	28200	9	1.9	217189878	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	34800	18.55	11	35800	28600	28200	9	1.9	217449930	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	34800	17.9	11	35800	28600	28400	9	1.9	216769597	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	34800	18.2	11	35800	28600	28400	9	1.9	217189875	Yes
EL18KSLV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	34800	17.95	11	35800	28800	28400	9	1.9	217189876	Yes
EL18KSLV-060-230A**	CBK45UHET-042-230-**	- - -	R-454B	44500	17.6	10.5	48000	39000	43000	9	1.8	216618915	Yes
EL18KSLV-060-230A**	CBK45UHET-048-230-**	- - -	R-454B	46000	17.5	11	48000	39000	43000	9	1.8	216618917	Yes
EL18KSLV-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	55000	16.8	10	55500	43000	43000	9	1.8	216618920	Yes
EL18KSLV-060-230A**	CBK45UHVT-042-230-**	- - -	R-454B	45500	17.6	11	48000	38500	43000	9	1.8	216618916	Yes
EL18KSLV-060-230A**	CBK45UHVT-048-230-**	- - -	R-454B	47500	18	11.7	48000	39000	42000	9.5	1.75	216581390	Yes
EL18KSLV-060-230A**	CBK45UHVT-060-230-**	- - -	R-454B	55000	16	10	55000	43000	43000	9.4	1.75	216581391	Yes
EL18KSLV-060-230A**	CBK47UHET-042-230-**	- - -	R-454B	46000	17.5	11	48000	38500	42500	9.4	1.85	216705373	Yes
EL18KSLV-060-230A**	CBK47UHET-048-230-**	- - -	R-454B	46000	18	10.5	48000	39000	43000	9.5	1.85	216705374	Yes
EL18KSLV-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	55500	17	10	56000	43500	43000	9	1.85	216705375	Yes
EL18KSLV-060-230A**	CBK48MVT-042-230-**	- - -	R-454B	46500	18	11	48000	38500	42500	9.5	1.85	216618918	Yes
EL18KSLV-060-230A**	CBK48MVT-048-230-**	- - -	R-454B	46500	17.5	10.5	48000	38000	43000	9	1.8	216618919	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	55500	16.6	10	56000	43500	43000	9	1.85	216618921	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	- - -	R-454B	47000	14.7	10	48000	41000	40500	8.1	1.75	216618943	No
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	EL180UH080NE48B	R-454B	43500	16.35	10	47500	39500	39500	8.5	1.8	217189890	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E48B	R-454B	44000	16.8	10	47500	39500	39500	8.5	1.8	217189892	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090XE48B	R-454B	44000	16.8	10	47500	39500	39500	8.5	1.8	217189891	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	44000	17.45	10	47500	39500	39500	9	1.8	217449952	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090E48B	R-454B	44000	16.95	10	47500	39000	39500	8.5	1.8	217189893	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090V48B	R-454B	44000	16.8	10	47500	39500	39500	8.5	1.8	217449953	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090XE48B	R-454B	44000	16.9	10	47500	39000	39500	8.5	1.8	217449951	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE48B	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217449954	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	SL280UH080NV48B	R-454B	43500	16.55	10	47500	39500	40000	8.5	1.8	217449950	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V48B	R-454B	44000	16.9	10	47500	39500	39500	8.5	1.8	217189889	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090XV48B	R-454B	44000	16.9	10	47500	39500	39500	8.5	1.8	217449949	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	- - -	R-454B	47500	15.2	10	48000	40000	39000	8.5	1.75	216581394	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	44000	16.3	10	48000	39500	40000	8.5	1.8	217189900	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	43500	16.6	10	47500	39000	39500	8.5	1.8	217189895	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	44000	16	10	48000	39500	40000	8.5	1.8	217189985	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	44000	16.85	10	47500	39500	39500	8.5	1.8	217449956	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	44500	16.05	10	48000	39500	40000	8.5	1.8	217449968	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	44000	16.15	10	47500	39000	39500	8.5	1.8	217449955	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	44000	16.15	10	47500	39000	39500	8.5	1.8	217189902	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	44000	16.15	10	47500	39000	39500	8.5	1.8	217189901	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	43500	16.7	10	47500	39500	39500	8.5	1.8	217449957	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	44000	17.8	10	47000	39000	39500	9	1.8	217449958	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	44000	16.55	10	47500	39500	40000	8.5	1.8	216769603	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	1.8	217449969	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	44000	16.8	10	47500	39500	39500	8.5	1.8	217449959	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	44000	16.75	10	47500	39500	39500	8.5	1.8	216769602	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	44500	16.6	10	47500	39500	39500	8.5	1.8	217189903	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	44500	16.65	10	47500	39500	39500	8.5	1.8	217189904	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	44500	16.9	10	47500	39500	39500	8.5	1.8	217449967	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	44500	16.65	10	47500	39500	39500	8.5	1.8	217449966	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	44000	16.8	10	47500	39500	39500	8.5	1.8	217449960	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	44000	17.05	10	47500	39000	39500	8.5	1.8	217449961	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	44000	16.15	10	47500	39500	39500	8.5	1.8	217449971	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	44000	16.65	10	47500	39500	39500	8.5	1.8	217189896	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	44000	16.15	10	47500	39500	40000	8.5	1.8	217449970	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	44000	16	10	47500	39500	39500	8.5	1.8	217189986	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	44000	16.5	10	47500	39500	39500	8.5	1.8	217449962	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	44500	16.55	10	47500	39500	40000	8.5	1.8	217449972	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	44000	16.85	10	47500	39500	39500	8.5	1.8	217189898	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	44000	17.1	10	47500	39000	39500	8.5	1.8	217449963	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	44000	17.1	10	47500	39000	39500	8.5	1.8	217449964	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	44000	16.85	10	47500	39500	39500	8.5	1.8	217189899	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	44000	17.1	10	47500	39500	39500	8.5	1.8	217189897	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	44000	17.1	10	47500	39500	39500	8.5	1.8	217449965	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	44000	16.4	10	47500	39500	39500	8.5	1.8	216769600	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	44000	16.75	10	47500	39500	39500	8.5	1.8	216769601	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	44000	16.45	10	47500	39500	40000	8.5	1.8	217189894	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	44000	16.5	10	47500	39500	40000	8.5	1.8	217189906	Yes
EL18KSLV-060-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	44000	16.85	10	47500	39500	39500	8.5	1.8	217189905	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	- - -	R-454B	48000	15.2	10	47500	40000	39500	8.1	1.8	216618944	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL180UH100NE60C	R-454B	45500	16.85	10	48000	39500	39500	9	1.85	217189913	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL195UH080NE48C	R-454B	45000	17.05	11	47500	39000	39500	9	1.85	217189908	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	45500	16.25	10	48000	39500	39500	9	1.85	217189920	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	45500	17.35	11	47500	39000	39500	9	1.85	217449974	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	45500	16.6	10	48000	39500	39500	9	1.85	217449986	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	45500	16.6	11	47500	39000	39000	9	1.85	217449973	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	45500	16.55	11	47500	39000	39000	9	1.85	217189915	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	45500	16.55	11	47500	39000	39000	9	1.85	217189914	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	45000	17.2	11	47500	39000	39000	9	1.85	217449975	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	45500	18.3	11	47500	39000	39000	9	1.85	217449976	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	45500	17.1	10	48000	39500	39500	9	1.85	216769607	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	45500	16.65	10	48000	39500	39500	9	1.85	217449987	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	45500	17.35	11	47500	39000	39500	9	1.85	217449977	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	45500	17.2	10	47500	39000	39500	9	1.85	216769606	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	46000	17.2	11	47500	39000	39500	9	1.85	217189916	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	46000	17.2	10	48000	39000	39500	9	1.85	217189917	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	46000	17.5	11	47500	39000	39000	9	1.85	217449985	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	46000	17.2	10	48000	39000	39500	9	1.85	217449984	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	45500	17.3	11	47500	39000	39500	9	1.85	217449978	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	45500	17.55	11	47500	39000	39000	9	1.85	217449979	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	45500	16.55	10	48000	39000	39500	9	1.85	217449989	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	45000	16.7	10	47500	39000	39500	9	1.85	217189909	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	45500	16.6	10	48000	39000	39500	9	1.85	217449988	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	45500	16.25	11	47500	39000	39000	8.5	1.85	217189921	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	45500	16.9	10	47500	39000	39500	9	1.85	217449980	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	45500	17.15	10	48000	39500	39500	9	1.85	217449990	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	45500	17.45	11	47500	39000	39000	9	1.85	217189911	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	45500	17.7	11	47500	39000	39000	9	1.85	217449981	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	45500	17.7	11	47500	39000	39000	9	1.85	217449982	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	45500	17.45	11	47500	39000	39000	9	1.85	217189912	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	45500	17.65	11	47500	39000	39000	9	1.85	217189910	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	45500	17.65	11	47500	39000	39000	9	1.85	217449983	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	45500	16.8	10	48000	39000	39500	9	1.85	216769604	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	45500	17.25	11	47500	39000	39500	9	1.85	216769605	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	45500	17	10	48000	39000	39500	9	1.85	217189907	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	45500	17.1	10	48000	39500	39500	9	1.85	217189919	Yes
EL18KSLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	45500	17.4	11	47500	39000	39000	9	1.85	217189918	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	- - -	R-454B	49500	14.3	9.8	54000	42500	42000	8.1	1.75	216705376	No
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	50500	15.2	9.6	54500	44500	41500	8.1	1.75	217188628	No
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	50500	15.7	9.8	54000	44500	41000	8.1	1.75	217190011	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	51000	15.7	9.8	54500	44500	41000	8.1	1.8	217450056	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	51000	15.9	10	53500	44000	40500	8.1	1.8	217190008	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	51000	15.9	10	53500	44000	40500	8.1	1.8	217190007	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	51000	15.7	9.6	54500	44500	41000	8.1	1.75	217190013	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	51000	15.9	9.8	54000	44500	41000	8.1	1.75	217450057	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	51000	16	9.8	54000	44500	41000	8.1	1.8	217190012	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	51500	16	9.8	54500	44500	41000	8.1	1.8	217190003	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	51000	16	9.8	54500	44500	41000	8.1	1.8	217190004	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	1.8	217450055	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	51000	16	9.8	54500	44500	41000	8.1	1.8	217450054	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	51000	16	9.8	54500	44500	41000	8.1	1.8	217450059	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	51000	15.7	9.8	54500	44500	41000	8.1	1.8	217450058	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	51000	15.7	9.6	54500	45000	41500	8.1	1.75	217190014	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	51000	15.6	9.6	54000	44500	41000	8.1	1.8	217450060	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	51000	15.5	9.6	54500	44500	41500	8.1	1.8	217188627	No
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	1.8	217450051	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	1.8	217450052	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	51000	15.8	9.6	54500	44500	41000	8.1	1.8	217190006	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	51000	15.5	9.8	54500	44500	41000	8.1	1.8	217188626	No
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	51000	15.5	9.8	54500	44500	41000	8.1	1.8	217450053	No
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	50500	15.5	9.4	54500	44500	41500	8.1	1.75	217188629	No
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	51000	15.6	9.6	54500	44500	41500	8.1	1.75	217190010	Yes
EL18KSLV-060-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	51000	16	9.8	54000	44000	41000	8.1	1.8	217190009	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	- - -	R-454B	51000	15.2	10	54000	42000	40000	8.5	1.75	216581395	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	54500	16	10	55000	44000	40500	8.5	1.9	217189959	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	54000	16.4	10	55000	44000	40500	8.5	1.9	217189966	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	54500	16.6	10	55000	44000	40500	8.5	1.9	217450066	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	54500	16.85	10	54500	43500	40000	8.5	1.9	217189961	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	54500	16.85	10	54500	43500	40000	8.5	1.9	217189960	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	54500	16.55	10	55000	44000	40500	8.5	1.9	216769619	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	54500	16.65	10	55000	44000	40500	8.5	1.9	217450067	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	54500	16.9	10	54500	43500	40000	8.5	1.9	216769618	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	55000	17.15	10	55000	44000	40500	8.5	1.9	217189962	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	54500	17.15	10	55000	44000	40500	8.5	1.9	217189963	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	54500	17.35	10	54500	43500	40000	8.5	1.9	217450065	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	54500	17.15	10	55000	44000	40500	8.5	1.9	217450064	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	54500	16.8	10	55000	44000	40500	8.5	1.9	217450069	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	54500	16.65	10	55000	44000	40500	8.5	1.9	217450068	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	54500	16.5	10	55000	44000	40500	8.5	1.9	217189967	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	54500	16.6	10	54500	44000	40500	8.5	1.9	217450070	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	54500	16.5	10	55000	44000	40500	8.5	1.9	217189957	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	54500	17.1	10	54500	43500	40000	8.5	1.9	217450061	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	54500	17.1	10	54500	43500	40000	8.5	1.9	217450062	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	54500	16.75	10	55000	44000	40500	8.5	1.9	217189958	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	55000	16.5	10	54500	44000	40500	8.5	1.9	217189956	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	55000	16.5	10	54500	44000	40500	8.5	1.9	217450063	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	54500	16.45	10	55000	44000	40500	8.5	1.9	216769617	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	54500	16.6	10	55000	44000	40500	8.5	1.9	217189965	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	54500	17	10	54500	43500	40000	8.5	1.9	217189964	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	- - -	R-454B	52000	15.2	10	54000	42000	41500	8.1	1.8	216618951	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XE60D	R-454B	53500	15.9	10	54500	44000	40500	8.1	1.85	217450072	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	54000	16.65	10	54500	44000	40500	8.5	1.85	216769623	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	ML180UH135E60D	R-454B	53500	16	10	54500	44000	40500	8.1	1.85	217189968	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	ML196UH135XE60D	R-454B	53500	15.7	10	54500	44000	40500	8.1	1.85	217450073	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	54000	16.75	10	54000	43500	40000	8.5	1.85	217450071	Yes
EL18KSLV-060-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	54000	16.7	10	54500	44000	40500	8.5	1.85	217189969	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	- - -	R-454B	47500	15.2	10	47500	40500	39500	8.5	1.85	216618949	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	EL280DF090E48B	R-454B	44000	16.95	10	47500	39000	39000	9	1.85	217189950	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	43500	16.15	10	47500	39000	39500	9	1.85	217450040	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	43500	16	10	48000	40000	40000	9	1.85	216769614	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	ML196DF070XE48B	R-454B	43500	17	10	48000	39500	39500	9	1.85	217189951	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	ML296DF070XV48B	R-454B	43500	16.1	10	48000	39500	39500	9	1.85	217450041	Yes
EL18KSLV-060-230A**	CK40DT-42B-**+TDR	SL280DF090V48B	R-454B	43500	16.6	10	48000	39500	39500	9	1.85	217450039	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	- - -	R-454B	47500	15.2	10	47500	40000	39500	8.5	1.85	216618950	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	44500	17.1	10	47500	39000	39000	9	1.9	217450042	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	44500	16.5	10	48000	39500	40000	9	1.85	216769615	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	45000	16.3	10	48000	39500	39500	9	1.9	217450048	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	44500	16.65	10	48000	39500	40000	9	1.85	216769616	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	45000	17.15	11	47500	39000	39000	9	1.9	217189954	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	44500	17.25	10	47500	39000	39000	9	1.9	217450043	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	44500	17.25	10	47500	39000	39000	9	1.9	217189953	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	45000	16.4	10	48000	39500	39500	9	1.9	217450049	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	44500	16.45	10	48000	39500	39500	9	1.9	217450050	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	44500	16.85	10	48000	39500	39500	9	1.9	217450046	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	45000	17.05	10	48000	39500	39500	9	1.9	217450044	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	45000	17.15	10	48000	39000	39500	9	1.9	217450045	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	44500	17.1	10	48000	39000	39500	9	1.9	217189952	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	44500	16.45	10	48000	39500	40000	9	1.85	217450047	Yes
EL18KSLV-060-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	44500	17	10	48000	39000	39500	9	1.9	217189955	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	- - -	R-454B	51000	15.2	10	54000	43500	41500	8.5	1.95	216618954	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	EL297DF090XV60C	R-454B	52000	16	9.8	55000	44500	41000	8.5	1.9	217190016	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	EL297DF110XE60C	R-454B	52500	16.1	10	54500	44000	40500	8.5	1.9	217450091	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	1.9	217190017	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	53000	16.95	10	54000	43500	40000	8.5	1.9	217190005	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	52500	16.2	9.8	55000	44000	40500	8.5	1.9	217450092	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	1.9	217450093	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	1.9	217450089	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	53000	16.15	10	55000	44000	40500	8.5	1.9	217450087	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	52500	16.35	10	54500	44000	40500	8.5	1.9	217450088	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV60C	R-454B	52000	16	9.6	55500	44500	41000	8.5	1.85	217450090	Yes
EL18KSLV-060-230A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	52500	16	9.8	55500	44500	41000	8.5	1.85	217190015	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	- - -	R-454B	51000	15.2	10	54000	43500	41500	8.5	1.95	216618955	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	EL297DF090XV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	1.9	216769624	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	EL297DF110XE60C	R-454B	52500	16.15	10	54500	44000	40500	8.5	1.9	217450098	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	EL297DF110XV60C	R-454B	52500	16	9.8	55000	44000	41000	8.5	1.9	216769625	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	ML180DF110E60C	R-454B	53000	17.05	10	54000	43500	40000	8.5	1.9	217189982	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	ML196DF110XE60C	R-454B	52500	16.25	9.8	55000	44000	41000	8.5	1.9	217450099	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	ML296DF090XV60C	R-454B	52500	16	10	55000	44000	40500	8.5	1.9	217450100	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	SL280DF080NV60C	R-454B	52500	16	9.8	55000	44000	40500	8.5	1.9	217450096	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	SL280DF090V60C	R-454B	53000	16.3	10	55000	44000	40500	8.5	1.9	217450094	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	53000	16.5	10	54500	44000	40500	8.5	1.9	217450095	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	SLP99DF090XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	1.9	217450097	Yes
EL18KSLV-060-230A**	CK40DT-60D-**+TDR	SLP99DF110XV60C	R-454B	52500	16	9.8	55000	44500	41000	8.5	1.9	217189983	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	- - -	R-454B	48000	15.2	10	47500	40000	39500	8.5	1.85	216618945	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	44000	16.25	10	47500	39000	39000	9	1.9	217189923	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	45000	16.8	10	47500	39000	39000	9	1.9	217189925	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	45000	16.8	10	47500	39000	39000	9	1.9	217189924	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	45000	17.55	10	47500	39000	39000	9.4	1.9	217449994	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	45000	16.95	10	47500	38500	39000	9	1.9	217189926	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	45000	16.75	10	48000	39000	39000	9	1.9	217449995	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	45000	16.95	10	47500	38500	39000	9	1.9	217449993	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	44000	16	10	48000	39000	39500	9	1.9	217449996	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	44500	16.45	10	48000	39000	39000	9	1.9	217449992	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	45000	16.8	10	48000	39000	39000	9	1.9	217189922	Yes
EL18KSLV-060-230A**	CK40HT-42B-**+TDR	SL280UH090XV48B	R-454B	45000	16.8	10	48000	39000	39000	9	1.9	217449991	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	- - -	R-454B	47000	14.7	10	47500	40500	40000	8.1	1.8	216618946	No
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	44000	16	10	48000	40000	40000	8.5	1.8	217189987	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	43500	16.5	10	47500	39000	39500	8.5	1.8	217189928	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL195UH100NE60C	R-454B	44000	15.9	10	48000	39500	40000	8.5	1.8	217189990	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	43500	16.8	10	47500	39000	39500	8.5	1.8	217449998	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	44000	16	10	48000	39500	40000	8.5	1.8	217450010	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	44000	16	10	47500	39000	39500	8.5	1.8	217449997	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	44000	16	10	47500	39000	39500	8.5	1.8	217189989	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	44000	16	10	47500	39000	39500	8.5	1.8	217189988	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	43500	16.75	10	47500	39000	39500	8.5	1.8	217449999	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	44000	17.8	10	47500	39000	39500	9	1.8	217450000	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	1.8	216769611	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	44000	16	10	48000	39500	40000	8.5	1.8	217450011	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	44000	16.35	10	47500	39500	39500	8.5	1.8	217450001	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	44000	16.35	10	47500	39500	39500	8.5	1.8	216769610	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML180UH090E60C	R-454B	44500	16.2	10	47500	39500	39500	8.5	1.8	217189933	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	44000	16.2	10	47500	39500	40000	8.5	1.8	217189934	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	44000	16.45	10	47500	39500	39500	8.5	1.8	217450009	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	44000	16.2	10	47500	39500	40000	8.5	1.8	217450008	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	44000	16.75	10	47500	39500	39500	8.5	1.8	217450002	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	44000	17	10	47500	39500	39500	8.5	1.8	217450003	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	44000	16	10	47500	39500	39500	8.5	1.8	217450013	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	44000	16.65	10	47500	39500	39500	8.5	1.8	217189929	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	44000	16	10	47500	39500	40000	8.5	1.8	217450012	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	44000	16	10	47500	39500	39500	8.5	1.8	217189991	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	44000	16.05	10	47500	39500	39500	8.5	1.8	217450004	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	44000	16.1	10	48000	39500	40000	8.5	1.8	217450014	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	44000	16.4	10	47500	39500	39500	8.5	1.8	217189931	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	1.8	217450005	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	1.8	217450006	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	44000	16.4	10	47500	39500	39500	8.5	1.8	217189932	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	1.8	217189930	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	44000	16.7	10	47500	39500	39500	8.5	1.8	217450007	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	44000	16	10	48000	39500	40000	8.5	1.8	216769608	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	44000	16.35	10	47500	39500	39500	8.5	1.8	216769609	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	44000	16	10	48000	39500	40000	8.5	1.8	217189927	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	44000	16.05	10	48000	39500	40000	8.5	1.8	217189936	Yes
EL18KSLV-060-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	44000	16.4	10	47500	39500	39500	8.5	1.8	217189935	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	- - -	R-454B	46000	14.7	10	47500	40500	40000	8.1	1.8	216618947	No
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	EL180UH080NE48B	R-454B	42500	16.3	10	47500	39500	39500	9	1.8	217189938	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	43000	16.8	10	47500	39500	39500	9	1.85	217189940	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	43000	16.8	10	47500	39500	39500	9	1.85	217189939	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	43500	17.45	10	47500	39500	39500	9	1.85	217450018	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	43500	16.95	10	47500	39000	39500	9	1.85	217189941	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	43000	16.75	10	47500	39500	39500	9	1.8	217450019	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	43000	16.9	10	47500	39000	39500	9	1.85	217450017	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	ML196UH070XE48B	R-454B	42500	16	10	48000	39500	40000	9	1.8	217450020	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	43000	16.45	10	48000	39500	40000	9	1.8	217450016	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	43500	16.8	10	47500	39500	39500	9	1.85	217189937	Yes
EL18KSLV-060-230A**	CK40HT-48B-**+TDR	SL280UH090XV48B	R-454B	43500	16.8	10	47500	39500	39500	9	1.85	217450015	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	- - -	R-454B	46500	14.7	10	47500	40500	40000	8.1	1.75	216618948	No
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	43500	16	10	48000	40000	40000	8.5	1.8	217189994	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL195UH080NE48C	R-454B	43000	16	10	47500	39000	39500	8.5	1.8	217189942	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	43500	15.6	10	47500	39500	40000	8.5	1.8	217189998	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	43000	16.2	10	47500	39000	39500	8.5	1.8	217450022	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	43500	15.8	10	48000	39500	40000	8.5	1.8	217450034	No
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	43500	15.9	10	47500	39500	39500	8.5	1.8	217450021	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	43500	15.9	10	47500	39500	39500	8.5	1.8	217189996	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	43500	15.9	10	47500	39500	39500	8.5	1.8	217189995	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL297UH090XE48C	R-454B	43000	16.15	10	47000	39000	39500	8.5	1.8	217450023	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	43000	17.15	10	47500	39000	39500	9	1.8	217450024	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	1.8	217189999	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	43500	15.8	10	48000	39500	40000	8.5	1.8	217450035	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217450025	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	216769613	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	44000	16	10	47500	39500	39500	8.5	1.8	217189947	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217189948	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	43500	16.15	10	47500	39500	40000	8.5	1.8	217450033	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217450032	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	43000	16.2	10	47500	39500	40000	8.5	1.8	217450026	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	43500	16.45	10	47500	39500	39500	8.5	1.8	217450027	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217450037	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	43500	16.15	10	47500	39500	39500	8.5	1.8	217189943	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217450036	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	43500	15.7	10	47500	39500	39500	8.5	1.8	217190000	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217450028	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	1.8	217450038	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	43500	16.05	10	47500	39500	40000	8.5	1.8	217189945	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	43500	16.35	10	47500	39500	39500	8.5	1.8	217450029	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	43500	16.35	10	47500	39500	39500	8.5	1.8	217450030	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	43500	16.05	10	47500	39500	40000	8.5	1.8	217189946	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL280UH110V60C	R-454B	43500	16.35	10	47500	39500	40000	8.5	1.8	217189944	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL280UH110XV60C	R-454B	43500	16.35	10	47500	39500	40000	8.5	1.8	217450031	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	43500	16	10	47500	39500	40000	8.5	1.8	217189992	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	43500	16.05	10	47500	39500	40000	8.5	1.8	216769612	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	43500	16	10	48000	39500	40000	8.5	1.8	217189993	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	43500	16	10	48000	39500	40000	8.5	1.8	217189997	Yes
EL18KSLV-060-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	43500	16.1	10	47500	39500	40000	8.5	1.8	217189949	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	- - -	R-454B	51500	14.7	10	54000	43500	41500	8.5	1.9	216618952	No
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL180UH100NE60C	R-454B	52500	15.9	9.8	55000	44500	41000	8.5	1.85	217190001	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL195UH100NE60C	R-454B	52500	16	10	54500	44000	40500	8.5	1.85	217189979	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	53000	16.1	10	54500	44000	40500	8.5	1.85	217450079	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	53000	16.3	10	54000	43500	40000	8.5	1.85	217189974	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	53000	16.3	10	54000	43500	40000	8.5	1.85	217189973	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	53000	16.05	10	55000	44500	40500	8.5	1.85	216769622	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	53000	16.1	10	54500	44000	40500	8.5	1.85	217450080	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	53000	16.35	10	54500	44000	40500	8.5	1.85	216769621	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	53500	16.65	10	54500	44000	40500	8.5	1.85	217189975	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	53000	16.65	10	55000	44000	40500	8.5	1.85	217189976	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	53000	16.8	10	54500	44000	40500	8.5	1.85	217450078	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	53000	16.65	10	55000	44000	40500	8.5	1.85	217450077	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	53000	16.25	10	54500	44000	40500	8.5	1.85	217450082	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	53000	16.1	10	54500	44000	40500	8.5	1.85	217450081	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	53000	16.05	10	55000	44500	41000	8.5	1.85	217189980	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	53000	16	10	54500	44000	40500	8.5	1.85	217450083	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	53000	16	10	55000	44500	41000	8.5	1.85	217189971	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	53000	16.55	10	54500	44000	40500	8.5	1.85	217450074	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	53000	16.55	10	54500	44000	40500	8.5	1.85	217450075	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	53000	16.15	10	54500	44000	41000	8.5	1.85	217189972	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	53000	16	10	54500	44000	40500	8.5	1.85	217189970	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	53000	16	10	54500	44000	40500	8.5	1.85	217450076	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	53000	16	9.8	55000	44500	41000	8.5	1.85	216769620	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	53000	16.05	10	55000	44500	40500	8.5	1.85	217189978	Yes
EL18KSLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	53000	16.45	10	54500	44000	41000	8.5	1.85	217189977	Yes
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	- - -	R-454B	51500	14.7	10	54000	43500	41500	8.5	1.9	216618953	No
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	53000	15.7	10	54500	44000	40500	8.1	1.85	217450085	Yes
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	53500	16.4	10	54500	44000	40500	8.5	1.85	216769626	Yes
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	53000	16	10	54500	44000	40500	8.1	1.85	217190002	Yes
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	53000	15.5	10	54500	44000	40500	8.1	1.85	217450086	No
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	53500	16.5	10	54000	43500	40000	8.5	1.85	217450084	Yes
EL18KSLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	53500	16.45	10	54500	44000	40500	8.5	1.85	217189981	Yes
EL19KPV-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	24000	19.5	13	23600	15000	15600	8.5	1.78	217194646	Yes
EL19KPV-024-230A**	CBK45UHET-030-230-**	- - -	R-454B	24000	19.5	13	24000	16000	15800	8.5	1.88	217446980	Yes
EL19KPV-024-230A**	CBK45UHPT-024-230-**	- - -	R-454B	23400	16.5	12.4	23600	15000	15600	8.2	1.74	217194645	Yes
EL19KPV-024-230A**	CBK45UHPT-030-230-**	- - -	R-454B	24000	15.5	12	24000	16400	16200	8.2	1.84	217446979	Yes
EL19KPV-024-230A**	CBK45UHVT-024-230-**	- - -	R-454B	23800	19	12.8	23600	15100	15600	8.2	1.76	217194182	Yes
EL19KPV-024-230A**	CBK45UHVT-030-230-**	- - -	R-454B	24000	20	13	24000	16000	15800	8.2	1.88	217446972	Yes
EL19KPV-024-230A**	CBK47UHET-018-230-**	- - -	R-454B	23400	19	12.6	23600	14100	14200	7.8	1.94	217194643	Yes
EL19KPV-024-230A**	CBK47UHET-024-230-**	- - -	R-454B	23400	19	12.6	23400	14100	14100	8	1.94	217194642	Yes
EL19KPV-024-230A**	CBK47UHET-030-230-**	- - -	R-454B	23600	18.5	12.6	23400	15000	15600	8.5	2.04	217194644	Yes
EL19KPV-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	23400	18.5	12.4	23400	14200	14300	8	1.8	217194129	Yes
EL19KPV-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	23600	19.5	12.8	23200	14900	15500	8.5	2.04	217194130	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	- - -	R-454B	23000	15.5	11.7	24000	17000	17000	8.5	1.98	217446871	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH040NE36A	R-454B	23800	19.5	13	24000	16600	16500	8.5	2.02	217446872	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	23800	19.5	13	24000	16600	16500	8.5	2.02	217446873	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	23400	20	13	24000	16200	16200	8.5	2.02	217446874	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	24000	19	13	24000	16700	16600	8.5	2.02	217446875	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	24000	19	13	24000	16700	16600	8.5	2.02	217446876	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	23800	19	13	24000	16400	16400	8.5	2.04	217446877	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045E36A	R-454B	23200	19	13	24000	16200	16200	8.5	2	217446878	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	23600	19	13	24000	16300	16300	8.5	2.02	217446879	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045XE36A	R-454B	23200	19	13	24000	16200	16200	8.5	2	217446880	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	23600	18	13	24000	16400	16400	8.5	2.02	217446881	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	23600	19.5	13	24000	16400	16300	8.5	2.02	217446882	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	23600	18	13	24000	16300	16300	8.5	2.02	217446883	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	23600	19	13	24000	16400	16400	8.5	2.02	217446884	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	23600	18.5	13	24000	16400	16400	8.5	2.02	217446885	Yes
EL19KPV-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	23600	18.5	13	24000	16400	16400	8.5	2.02	217446886	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	- - -	R-454B	23000	15.5	11.7	24000	17000	17000	8.5	1.98	217446836	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	2.02	217446747	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	24000	18	12.8	25400	16700	16700	8.5	2.02	217446838	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH030XE36B	R-454B	23200	19.5	13	24000	16300	16300	8.5	2	217446839	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	2.02	217446840	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	2.02	217446841	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH045E36A	R-454B	23600	20	13	24000	16200	16200	8.5	2.02	217446863	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH070E36A	R-454B	24000	19	13	24000	16700	16600	8.5	2.02	217446864	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	24000	19	13	24000	16600	16600	8.5	2.02	217446842	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	2.02	217446868	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	23600	19	13	24000	16400	16400	8.5	2.02	217446869	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	24000	18.5	12.8	24000	16700	16700	8.5	2.02	217446867	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	23600	19	13	24000	16300	16300	8.5	2.02	217446870	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	23800	18.5	13	24000	16400	16300	8.5	2.02	217446843	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	23800	19.5	13	24000	16400	16300	8.5	2.04	217446844	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	24000	19.5	13	24000	16400	16400	8.5	2.04	217446845	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	23800	18.5	13	24000	16400	16300	8.5	2.02	217446846	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	24000	19.5	13	24000	16600	16600	8.5	2.02	217446847	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	23000	19.5	13	24000	16200	16200	8.5	2	217446848	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	24000	19	13	24000	16700	16600	8.5	2.02	217446849	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	24000	19	13	24000	16600	16500	8.5	2.04	217446850	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	23000	19	13	24000	16200	16200	8.5	2	217446851	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	24000	18	12.8	24000	16700	16700	8.5	2.02	217446852	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	24000	18.5	13	24000	16600	16500	8.5	2.04	217446853	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	23600	19	13	24000	16400	16400	8.5	2.02	217446854	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	23800	18.5	12.8	24000	16600	16600	8.5	2	217446855	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	23600	18.5	13	24000	16500	16500	8.5	2	217446856	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23800	19.5	13	24000	16300	16300	8.5	2.04	217446857	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	23800	19.5	13	24000	16300	16300	8.5	2.04	217446858	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090XV48B	R-454B	23800	19.5	13	24000	16300	16300	8.5	2.04	217446859	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	23600	19	13	25000	16400	16400	8.5	2.02	217446860	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	23600	19	13	25000	16400	16400	8.5	2.02	217446861	Yes
EL19KPV-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23800	19	13	24000	16300	16300	8.5	2.02	217446862	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	23200	16.5	11.5	24000	15400	14400	8	1.82	217446949	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	24000	19	12.8	23800	15000	14000	8.2	1.88	217446950	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	24000	19	12.8	23800	15000	14000	8.2	1.88	217446951	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	23600	20	13	23400	14700	13700	8.2	1.88	217446952	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	24000	19	12.6	23800	15100	14100	8.2	1.88	217446953	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	24000	19	12.6	23800	15100	14100	8.2	1.88	217446955	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	24000	19.5	13	23600	14800	13900	8.1	1.88	217446957	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	23400	19	13	23200	14600	13700	8.2	1.86	217446959	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	23600	19.5	13	23400	14700	13800	8.1	1.88	217446962	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	23400	19	13	23200	14600	13700	8.2	1.86	217446964	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	23800	18	13	23400	14800	13800	8.2	1.88	217446966	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	23800	19.5	13	23400	14700	13800	8.1	1.88	217446967	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	23800	18.5	13	23400	14800	13800	8.2	1.88	217446968	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	23800	19.5	13	23400	14800	13800	8.1	1.88	217446969	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	23800	19	13	23400	14800	13900	8.1	1.88	217446970	Yes
EL19KPV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	23800	19	13	23400	14800	13900	8.1	1.88	217446971	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	23200	16.5	11.5	24000	15400	14400	8	1.82	217446835	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	24000	18	12.4	23600	15100	14200	8.2	1.86	217446887	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	24000	18	12.4	23600	15100	14100	8.2	1.86	217446888	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	23400	19.5	12.8	23200	14700	13800	8.1	1.86	217446889	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	24000	18	12.4	24000	15100	14200	8.2	1.86	217446890	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	24000	18	12.4	24000	15100	14100	8.2	1.86	217446891	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH045E36A	R-454B	23800	20	13	23400	14700	13700	8.2	1.88	217446928	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH070E36A	R-454B	24000	19	12.6	23800	15100	14100	8.2	1.88	217446930	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	23400	19	13	23000	14500	13600	8.2	1.86	217446892	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	24000	16	12.4	24000	15200	14200	8.1	1.86	217446893	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	24000	16	12.4	24000	15200	14200	8.1	1.86	217446894	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	24000	18	12.6	24000	15100	14100	8.2	1.88	217446938	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	23800	19	12.8	23600	14800	13900	8.1	1.86	217446939	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	24000	18	12.6	24000	15100	14100	8.2	1.88	217446936	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	23800	19.5	13	23400	14800	13800	8.1	1.88	217446941	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	24000	18.5	13	23600	14800	13800	8.2	1.88	217446895	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	24000	19.5	13	23600	14800	13800	8.2	1.9	217446896	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	24000	19.5	13	23600	14800	13900	8	1.9	217446897	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	24000	18.5	13	23600	14800	13800	8.2	1.88	217446898	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	24000	19.5	12.8	23800	15000	14000	8.1	1.88	217446899	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23400	19.5	13	23200	14600	13700	8.1	1.86	217446900	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	24000	19	12.6	24000	15100	14100	8.2	1.88	217446901	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	24000	19	12.8	23800	15000	14000	8.2	1.88	217446902	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	23400	19	12.8	23200	14600	13700	8.1	1.84	217446903	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	24000	18	12.4	24000	15100	14200	8.2	1.86	217446904	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	24000	18	12.8	23800	15000	14000	8.2	1.88	217446905	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	24000	15.5	12.2	24000	15200	14200	8	1.86	217446910	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	23800	19	13	23400	14800	13800	8.1	1.88	217446913	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23800	18.5	12.6	23800	15000	14000	8.1	1.86	217446914	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23800	19	12.8	23600	14900	13900	8.1	1.86	217446916	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	23800	19.5	13	23400	14700	13800	8.2	1.88	217446918	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	23800	19	13	23400	14700	13800	8.1	1.9	217446919	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	23800	19	13	23400	14700	13800	8.1	1.9	217446922	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23800	19.5	12.8	23400	14800	13900	8.1	1.86	217446923	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23800	19	12.8	23400	14800	13900	8.1	1.86	217446925	Yes
EL19KPV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	19.5	13	23400	14700	13800	8.2	1.88	217446926	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	23400	16	11.7	23600	16000	15700	8.2	1.84	217194166	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	24000	19	13	23400	15700	15300	8.5	1.88	217194167	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	24000	19	13	23400	15700	15300	8.5	1.88	217194168	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	24000	19.5	13.2	23000	15300	15000	8.5	1.88	217194169	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	24000	19	12.8	23400	15700	15400	8.5	1.88	217194170	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	24000	19	12.8	23400	15700	15400	8.5	1.88	217194171	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	24000	19	13.2	23200	15500	15100	8.5	1.9	217194172	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	23800	18.5	13	23000	15300	15000	8.5	1.86	217194173	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	24000	19	13.2	23000	15400	15100	8.5	1.88	217194174	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	23800	18.5	13	23000	15300	15000	8.5	1.86	217194175	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	24000	18	13	23200	15500	15100	8.5	1.88	217194176	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	24000	19	13.2	23000	15400	15100	8.5	1.88	217194177	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	24000	18	13	23000	15400	15100	8.5	1.88	217194178	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	24000	19	13	23200	15400	15100	8.5	1.88	217194179	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	24000	18	12.8	23200	15500	15200	8.5	1.88	217194180	Yes
EL19KPV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	24000	18	12.8	23200	15500	15200	8.5	1.88	217194181	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	- - -	R-454B	23400	16	11.7	24000	16000	15700	8.5	1.84	217194131	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	24000	18	12.6	23200	15800	15500	8.5	1.88	217194132	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	24000	18	12.6	23200	15800	15500	8.5	1.88	217194133	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	23800	19	13	23000	15400	15000	8.5	1.86	217194134	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	24000	18	12.6	23600	15800	15500	8.5	1.88	217194135	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	24000	18	12.6	23600	15800	15500	8.5	1.88	217194136	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	24000	19	12.8	23400	15700	15400	8.5	1.9	217194137	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	24000	16	12.4	23600	15800	15500	8.5	1.88	217194138	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	24000	16	12.4	23600	15800	15500	8.5	1.88	217194139	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	24000	18	12.6	23600	15800	15400	8.5	1.88	217194163	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	24000	18.5	12.8	23200	15600	15300	8.5	1.88	217194164	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	24000	18	12.6	23600	15800	15400	8.5	1.88	217194162	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	24000	18.5	13	23200	15500	15200	8.5	1.88	217194165	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	24000	18.5	13.2	23200	15400	15100	8.5	1.9	217194140	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	24000	19	13.4	23200	15400	15100	8.5	1.9	217194141	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	24000	19.5	13.4	23200	15500	15100	8.2	1.9	217194142	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	24000	18.5	13.2	23200	15400	15100	8.5	1.9	217194143	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	24000	19.5	12.8	23400	15700	15300	8.5	1.88	217194144	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	23600	19	13	22800	15300	15000	8.5	1.86	217194145	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	24000	19	12.8	23400	15700	15400	8.5	1.88	217194146	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	24000	19	13	23400	15700	15300	8.5	1.9	217194147	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	23800	19	13	23000	15400	15000	8.5	1.86	217194148	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	24000	18	12.6	23600	15800	15500	8.5	1.88	217194149	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	24000	18	13	23400	15700	15300	8.5	1.9	217194150	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12	23600	16000	15700	8.2	1.86	217447200	No
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	24000	19	13	23200	15400	15100	8.5	1.88	217194151	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	24000	19	13	23200	15500	15200	8.5	1.88	217194152	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	24000	18.5	12.8	23200	15500	15200	8.5	1.88	217194153	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	24000	19	13.2	23000	15400	15100	8.5	1.88	217194154	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	24000	18.5	13.2	23000	15400	15100	8.5	1.88	217194155	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	24000	18.5	13.2	23000	15400	15100	8.5	1.88	217194156	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	24000	19	13	23000	15500	15200	8.5	1.88	217194157	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	24000	19	13	23000	15500	15200	8.5	1.88	217194158	Yes
EL19KPV-024-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	24000	19	13	23200	15400	15100	8.5	1.88	217194159	Yes
EL19KPV-024-230A**	CK40DT-42B-**+TDR	- - -	R-454B	23200	16.5	11.7	24000	16500	15000	8.5	1.96	217507701	Yes
EL19KPV-024-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	23800	20	13	24000	15900	14500	9	2.02	217507615	Yes
EL19KPV-024-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	24000	18.5	12.6	25600	16100	14700	8.5	2	217507614	Yes
EL19KPV-024-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	23800	19.5	12.8	25400	16000	14600	9	2.02	217507616	Yes
EL19KPV-024-230A**	CK40DT-42B-**+TDR	SLP99DF070XV36B	R-454B	24000	20	13	24000	15900	14500	9	2.04	217507617	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	23200	17.5	12.6	23800	16200	14900	7.8	1.5	217446973	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	23200	17.5	12.6	23800	16200	14900	7.8	1.5	217446974	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	22800	19	13	22600	15700	14300	7.5	1.46	217447203	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	23400	18.5	12.6	23800	16300	15000	7.8	1.52	217446975	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	23400	18.5	12.6	23800	16300	15000	7.8	1.52	217446976	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	23200	18.5	12.8	22800	16000	14600	7.5	1.5	217447204	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	22600	18	13	22400	15600	14100	7.5	1.44	217447205	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	22800	18.5	12.8	22600	15800	14400	7.5	1.46	217447206	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	22600	18	13	22400	15600	14100	7.5	1.44	217447207	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	23000	17.5	12.8	22800	15900	14500	7.8	1.48	217446977	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	23000	18.5	13	22800	15900	14500	7.5	1.48	217447208	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	23000	17.5	12.8	22800	15900	14500	7.8	1.48	217446978	Yes
EL19KPV-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	23000	18	12.8	22800	15900	14600	7.5	1.48	217447209	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	23000	18	12.8	22800	15900	14600	7.5	1.48	217447210	No
EL19KPV-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	23000	18	12.8	22800	15900	14600	7.5	1.48	217447211	No
EL19KPV-024-230A**	CK40HT-30B-**+TDR	- - -	R-454B	21600	15.2	11	24000	15900	15700	8.1	1.84	217446837	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	1.88	217446906	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	1.88	217446907	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	22000	17	12.2	23800	15200	15000	8.2	1.88	217446908	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	1.88	217446909	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	1.88	217446911	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	22000	17.5	12.4	23600	15000	14900	8.2	1.88	217446912	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	22400	14.7	11.7	24000	15600	15300	8.2	1.88	217447201	No
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	22400	14.7	11.7	24000	15600	15300	8.2	1.88	217447202	No
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	22400	16.5	11.7	24000	15600	15200	8.5	1.88	217446961	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	22200	17.5	12.2	24000	15300	15100	8.2	1.9	217446963	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	22400	17	12	24000	15600	15200	8.5	1.88	217446960	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	22200	18	12.4	24000	15200	15100	8.2	1.9	217446965	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	22400	17	12.4	24000	15300	15100	8.5	1.9	217446915	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	22400	18	12.4	24000	15200	15100	8.2	1.92	217446917	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	22400	18	12.4	24000	15300	15100	8.2	1.92	217446920	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	22400	17	12.4	24000	15300	15100	8.5	1.9	217446921	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	22400	18	12	24000	15500	15100	8.2	1.88	217446924	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	22000	17.5	12.4	23600	15100	15000	8.2	1.88	217446927	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	22600	17.5	12	24000	15600	15200	8.5	1.88	217446929	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	22600	17.5	12.2	24000	15500	15100	8.5	1.9	217446931	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	22000	17	12.4	23800	15100	15000	8.2	1.88	217446933	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	22400	16.5	11.7	24000	15600	15300	8.2	1.88	217446935	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	22600	17	12.2	24000	15500	15100	8.5	1.9	217446937	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	22200	17.5	12.4	24000	15300	15100	8.2	1.9	217446940	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	22200	17	12	24000	15500	15300	8.2	1.88	217446942	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	22200	17.5	12	24000	15400	15200	8.2	1.88	217446943	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	22200	18	12.4	23800	15200	15000	8.2	1.9	217446944	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	22200	18	12.4	23800	15200	15000	8.2	1.92	217446945	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SL280UH090XV48B	R-454B	22200	18	12.4	23800	15200	15000	8.2	1.92	217446954	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	22200	18	12.2	23800	15300	15100	8.2	1.9	217446946	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	22200	17.5	12	23800	15300	15200	8.2	1.88	217446947	Yes
EL19KPV-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	22200	18	12.4	24000	15200	15100	8.2	1.9	217446948	Yes
EL19KPV-036-230A**	CBK45UHET-036-230-**	- - -	R-454B	36000	14.7	10.5	32600	19500	17600	8.2	2.16	217550091	No
EL19KPV-036-230A**	CBK45UHET-042-230-**	- - -	R-454B	35800	17.5	10.5	32800	20800	17000	8.5	2.06	217194648	No
EL19KPV-036-230A**	CBK45UHVT-036-230-**	- - -	R-454B	36000	17	10.5	32800	19600	17600	8.2	2.16	217194196	No
EL19KPV-036-230A**	CBK45UHVT-042-230-**	- - -	R-454B	35600	18	10.5	32000	20200	16400	8.5	2.1	217194647	No
EL19KPV-036-230A**	CBK47UHET-036-230-**	- - -	R-454B	34800	18	11.5	32800	20800	17400	8	2.3	217496794	Yes
EL19KPV-036-230A**	CBK47UHET-036-460-**	- - -	R-454B	34800	18	11.5	32800	20800	17400	8	2.3	217595427	Yes
EL19KPV-036-230A**	CBK48MVT-036-230-**	- - -	R-454B	35200	18	11.2	34200	21600	17700	8.4	2.2	217194183	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	EL180UH040NE36A	R-454B	33200	17	10.5	36000	21800	16500	8.1	1.9	217194333	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	EL180UH060NE36A	R-454B	33200	17	10.5	36000	21800	16500	8.2	1.9	217194335	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	EL280UH045E36A	R-454B	33800	16.5	10.5	36000	22000	16700	8.1	1.88	217194336	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	EL280UH070E36A	R-454B	33200	16.5	10.5	36000	21600	16400	8.1	1.9	217194339	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	EL280UH070XE36A	R-454B	33200	16.5	10.5	36000	21600	16400	8.1	1.9	217194341	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH030V36A	R-454B	33600	17	10.5	36000	21800	16500	7.8	1.9	217194344	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH045E36A	R-454B	33400	17	10.5	36000	21800	16500	8.2	1.9	217194345	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH045V36A	R-454B	33600	17	10.5	36000	21800	16600	7.8	1.88	217194347	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH045XE36A	R-454B	33400	17	10.5	36000	21800	16500	8.2	1.9	217194349	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH070E36A	R-454B	33200	17	10.5	36000	21800	16600	8.1	1.88	217194352	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH070V36A	R-454B	33600	16.5	10.5	36000	22000	16600	7.8	1.88	217194355	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	ML180UH070XE36A	R-454B	33400	17	10.5	36000	21800	16500	8.1	1.9	217194358	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	SL280UH060NV36A	R-454B	33600	17.5	10.5	36000	21800	16500	8.2	1.9	217194361	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	SL280UH070V36A	R-454B	33400	16.5	10.5	36000	22000	16800	8.1	1.86	217194364	No
EL19KPV-036-230A**	CK40[C,U]T-30/36A-**+TDR	SL280UH070XV36A	R-454B	33400	16.5	10.5	36000	22000	16800	8.1	1.86	217194367	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL180UH080NE48B	R-454B	33000	15.5	10.5	36000	21600	16400	7.8	1.9	217194234	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL195UH040NE36B	R-454B	33000	16.5	10.5	36800	21600	16500	8.1	1.9	217194235	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL195UH060NE36B	R-454B	33000	17	10.5	36800	21600	16400	8.1	1.9	217194236	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL196UH030XE36B	R-454B	33200	16	10.5	36000	21800	16600	8	1.88	217194237	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL196UH070XE36B	R-454B	33000	16.5	10.5	36000	21800	16600	8.1	1.88	217194238	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL280UH090E36B	R-454B	33800	17.5	10.5	36000	21600	16400	8.2	1.9	217194239	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL280UH090E48B	R-454B	33600	16	11	36000	21600	16300	8	1.92	217194240	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL280UH090XE48B	R-454B	33600	16	11	36000	21600	16300	8	1.92	217194241	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL297UH045XE36B	R-454B	33000	17	10.5	36000	21600	16400	8.1	1.9	217194265	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL297UH045XV36B	R-454B	33400	17	10	36000	22200	16800	8.1	1.86	217194266	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL297UH070XE36B	R-454B	33400	17	10.5	36000	21800	16600	8.2	1.88	217194264	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	EL297UH070XV36B	R-454B	33600	17	10.5	36000	22000	16700	8.1	1.88	217194267	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH070E36B	R-454B	33600	17	10.5	36000	21800	16500	8.2	1.9	217194242	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH070V36B	R-454B	33600	17	10.5	36000	21600	16400	8	1.9	217194243	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH070V48B	R-454B	34000	17.5	11	36000	21800	16500	8	1.9	217194244	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH070XE36B	R-454B	33600	17	10.5	36000	21800	16500	8.2	1.9	217194245	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH090E48B	R-454B	33400	16	11	36000	21600	16300	8	1.92	217194246	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH090V48B	R-454B	33600	17	10.5	36000	21800	16600	7.8	1.88	217194247	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML180UH090XE48B	R-454B	33400	16	11	36000	21600	16300	8	1.92	217194248	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML193UH030XE36B	R-454B	33200	16.5	10.5	36000	22000	16700	8.1	1.88	217194249	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML193UH045XE36B	R-454B	33000	16.5	10.5	36000	21600	16500	8.1	1.9	217194250	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML193UH070XE36B	R-454B	33000	16.5	10.5	36000	21600	16400	8.1	1.9	217194251	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML196UH030XE36B	R-454B	33200	16	10.5	36000	21800	16600	8	1.88	217194252	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML196UH070XE36B	R-454B	33600	17	10.5	36000	21800	16600	8.1	1.88	217194253	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML196UH070XE48B	R-454B	33600	15.2	10.5	36000	22000	16800	7.8	1.86	217194254	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML296UH045XV36B	R-454B	33600	16	10.5	36000	22000	16600	7.8	1.88	217194255	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	ML296UH070XV36B	R-454B	33600	16.5	10.5	36000	21800	16600	7.8	1.88	217194256	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SL280UH080NV48B	R-454B	33600	17	10.5	36000	22000	16600	8.2	1.88	217194257	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SL280UH090V36B	R-454B	33800	17	10.5	36000	21800	16500	8.2	1.9	217194258	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SL280UH090V48B	R-454B	33600	17	10.5	36000	21800	16600	8.2	1.9	217194259	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SL280UH090XV48B	R-454B	33600	17	10.5	36000	21800	16600	8.2	1.9	217194260	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SL297UH040NV36B	R-454B	33600	17.5	10.5	37000	22000	16700	8.2	1.86	217194261	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SL297UH060NV36B	R-454B	33800	17	10.5	37000	22000	16700	8.2	1.88	217194262	No
EL19KPV-036-230A**	CK40[C,U]T-30/36B-**+TDR	SLP99UH070XV36B	R-454B	33600	17	10.5	36000	21800	16600	8.2	1.88	217194263	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL180UH100NE60C	R-454B	33600	15.2	10.5	36000	21800	16600	7.8	1.88	217194268	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL195UH080NE48C	R-454B	33200	15.5	10.5	36400	21600	16400	8	1.9	217194269	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL196UH090XE48C	R-454B	33400	16	10.5	36000	21600	16400	8	1.92	217194272	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL280UH110E48C	R-454B	33200	16	11	36000	21400	16200	8	1.94	217194274	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL297UH090XE48C	R-454B	33400	16	10.5	36000	21600	16400	8	1.92	217194318	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL297UH090XV36C	R-454B	33600	17	10.5	36000	21800	16600	8.2	1.9	217194320	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL297UH090XV48C	R-454B	33600	17	10.5	36000	22000	16700	8.1	1.88	217194322	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL297UH090XV60C	R-454B	33600	16	10.5	36000	21800	16600	8.1	1.88	217194323	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL297UH110XV48C	R-454B	33600	17	10.5	36000	21800	16600	8.1	1.9	217194326	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	EL297UH110XV60C	R-454B	33600	16.5	10.5	36000	21800	16500	8.1	1.9	217194328	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML180UH110E60C	R-454B	33800	15.5	10.5	36000	21800	16400	7.8	1.9	217194276	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML180UH110V60C	R-454B	34000	17	11	36000	21800	16500	8	1.9	217194277	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML180UH110XE60C	R-454B	33800	15.5	10.5	36000	21800	16400	7.8	1.9	217194279	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML193UH090XE36C	R-454B	33400	17.5	10.5	36000	21600	16400	8.2	1.9	217194281	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML193UH090XE48C	R-454B	33200	16	10.5	36000	21600	16300	8	1.92	217194283	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML193UH110XE48C	R-454B	33200	16	11	36000	21400	16300	8.1	1.92	217194285	Yes
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML196UH090XE36C	R-454B	33400	17	10.5	36000	21800	16500	8.1	1.9	217194287	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML196UH090XE48C	R-454B	33200	16	10.5	36000	21600	16300	8	1.92	217194289	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML296UH090XV48C	R-454B	33600	16.5	10.5	36000	21800	16500	7.8	1.9	217194292	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	ML296UH110XV60C	R-454B	33600	17	10.5	36000	21800	16400	7.8	1.9	217194293	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL280UH080NV60C	R-454B	33800	17	10.5	36000	21800	16500	8.2	1.9	217194294	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL280UH090V60C	R-454B	33800	16.5	10.5	36000	21800	16400	8.1	1.9	217194296	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL280UH090XV60C	R-454B	33800	16.5	10.5	36000	21800	16400	8.1	1.9	217194298	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL280UH100NV60C	R-454B	33800	17	10.5	36000	21800	16500	8.1	1.9	217194300	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL280UH110V60C	R-454B	33800	16.5	10.5	36000	21800	16500	8.1	1.9	217194302	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL280UH110XV60C	R-454B	33800	16.5	10.5	36000	21800	16500	8.1	1.9	217194304	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL297UH080NV48C	R-454B	33600	17.5	10.5	36000	21800	16600	8.2	1.9	217194306	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SL297UH080NV60C	R-454B	33800	16.5	10.5	36800	21800	16600	8.2	1.88	217194308	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SLP99UH090XV36C	R-454B	33600	17	10.5	36000	21800	16600	8.2	1.88	217194310	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SLP99UH090XV48C	R-454B	33600	17	10.5	36000	22000	16700	8.1	1.88	217194312	No
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SLP99UH090XV60C	R-454B	33600	16	10.5	36000	21800	16600	8.1	1.88	217194314	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-30/36C-**+TDR	SLP99UH110XV60C	R-454B	33600	16.5	10.5	36000	21800	16500	8.1	1.9	217194316	No
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	34200	15.5	10	32800	19500	15600	8.2	1.86	217507619	No
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	34400	18.5	11	32200	18800	14900	8.2	1.9	217194222	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	34400	18.5	11	32200	18800	14900	8.2	1.9	217194223	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	34800	19	11	32600	19000	15100	8.2	1.9	217194224	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	34400	18.5	11	32000	18700	14800	8.2	1.92	217194225	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	34400	18.5	11	32000	18700	14800	8.2	1.92	217194226	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	34800	18	11	32400	18800	15000	8.1	1.92	217194227	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	34600	18.5	11	32200	18700	14900	8.2	1.92	217194228	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	34800	18	11	32400	18900	15000	8.1	1.92	217194229	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	34600	18.5	11	32200	18700	14900	8.2	1.92	217194230	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	34600	18	11	32400	18900	15000	8.2	1.9	217194231	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	34800	18	11	32600	18900	15100	8.1	1.9	217194232	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	34600	18	11	32200	18800	14900	8.2	1.92	217194233	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	34800	18.5	11	32400	18800	15000	8.2	1.92	217194193	Yes
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	34600	17.5	10.5	32600	19100	15200	8.2	1.88	217194194	No
EL19KPV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	34600	17.5	10.5	32600	19100	15200	8.2	1.88	217194195	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	- - -	R-454B	34200	14.7	10	32800	19500	15600	8.2	1.86	217446981	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH060NE36A	R-454B	34800	18.5	11	32000	18800	14900	8.2	1.92	217507586	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	34200	16.5	11	32000	18700	14800	8.2	1.92	217194197	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	34200	18	11	32200	18700	14900	8.2	1.9	217194198	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	34400	18	11	32200	18700	14800	8.2	1.92	217194199	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	34400	18.5	10.5	32200	18800	15000	8.2	1.9	217194200	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	34400	18	11	32200	18800	15000	8.2	1.9	217194201	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH045E36A	R-454B	35200	19	11	32400	19000	15100	8.2	1.92	217507587	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH070E36A	R-454B	34600	18.5	11.2	31800	18700	14800	8.2	1.92	217507588	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	34800	19	11.2	32200	18700	14800	8.2	1.94	217194202	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	34800	17	11.2	32200	18600	14800	8.2	1.94	217194203	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	34800	17	11.2	32200	18600	14800	8.2	1.94	217194204	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	34200	18	11	32000	18600	14800	8.2	1.92	217194221	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	34600	18	10.5	32600	19100	15300	8.2	1.88	217194191	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	34600	18	11	32400	18900	15000	8.2	1.9	217194220	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	34800	18	11	32600	19000	15100	8.2	1.9	217194192	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	34800	18	11	32400	18800	14900	8.2	1.92	217194205	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	34800	18.5	11.2	32200	18700	14900	8.2	1.94	217194206	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	35200	18.5	11.2	32400	18800	14900	8.2	1.94	217194207	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	34800	18	11	32400	18800	14900	8.2	1.92	217194208	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	34600	17.5	11.2	32000	18500	14700	8.2	1.94	217194209	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	34800	18	11	32400	18900	15000	8.2	1.92	217194210	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	34600	17.5	11.2	32000	18500	14700	8.2	1.94	217194211	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	34400	18.5	10.5	32400	19000	15100	8.2	1.9	217194212	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	34400	18	11	32000	18700	14900	8.2	1.92	217194213	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	34400	18.5	11	32000	18600	14800	8.2	1.92	217194214	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	34400	18.5	10.5	32200	18800	15000	8.2	1.9	217194215	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	34800	18	11	32400	18900	15000	8.2	1.92	217194216	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	34800	16	10.5	32600	19100	15200	8.2	1.88	217194217	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	34800	17.5	11	32400	18900	15100	8.1	1.9	217194218	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	34800	17.5	11	32400	18900	15100	8.1	1.92	217194219	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	34800	18	11	32400	18900	15100	8.2	1.92	217194184	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	35000	18	11.2	32400	18800	14900	8.2	1.92	217194185	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	34800	18	11	32400	18900	15000	8.2	1.92	217194186	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34800	18	11	32400	18900	15000	8.2	1.92	217194187	Yes
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	34800	18.5	10.5	32400	19100	15200	8.2	1.9	217194188	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	34800	18	10.5	32400	19000	15200	8.2	1.9	217194189	No
EL19KPV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	34800	18	11	32400	18900	15000	8.2	1.92	217194190	Yes
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	- - -	R-454B	34800	14.7	9.8	33600	20800	16900	7.8	2	217446982	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL180UH060NE36A	R-454B	35600	17	10.5	32800	20200	16200	8	2.06	217507625	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL180UH080NE48B	R-454B	35000	15.5	10.5	32600	20000	16100	7.8	2.06	217194338	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL195UH040NE36B	R-454B	35000	16.5	10.5	32800	20000	16100	7.8	2.04	217194340	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL195UH060NE36B	R-454B	35200	16.5	10.5	32800	20000	16100	8	2.06	217194343	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL196UH030XE36B	R-454B	35200	16	10	33000	20200	16300	7.8	2.04	217194346	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL196UH045XE36B	R-454B	35000	16.5	10	32800	20200	16200	7.8	2.04	217194348	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL196UH070XE36B	R-454B	35000	16.5	10.5	32600	20000	16100	7.8	2.04	217194351	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH045E36A	R-454B	36000	17.5	10.5	33000	20400	16400	8.1	2.06	217507627	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH070E36A	R-454B	35400	17	10.5	32600	20000	16100	8	2.06	217507628	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E36B	R-454B	35600	17.5	10.5	32800	20000	16100	8.1	2.08	217194354	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E48B	R-454B	35600	16	10.5	32800	20000	16000	8	2.08	217194356	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090XE48B	R-454B	35600	16	10.5	32800	20000	16000	8	2.08	217194360	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH045XE36B	R-454B	35000	16.5	10.5	32600	20000	16000	8	2.06	217194405	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH045XV36B	R-454B	35200	16.5	10	33200	20400	16500	7.5	2.02	217194408	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH070XE36B	R-454B	35000	16.5	10.5	32600	20000	16000	8	2.06	217194404	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	EL297UH070XV36B	R-454B	35400	17	10.5	33200	20400	16300	7.8	2.04	217194410	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070E36B	R-454B	35600	17	10.5	33000	20200	16200	8	2.06	217194362	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V36B	R-454B	35400	17	10.5	32800	20000	16100	7.8	2.08	217194365	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	35800	17	10.5	33000	20200	16200	7.8	2.1	217194368	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070XE36B	R-454B	35600	17	10.5	33000	20200	16200	8	2.06	217194370	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090E48B	R-454B	35200	16	10.5	32400	19800	15800	7.8	2.08	217194371	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090V48B	R-454B	35600	16.5	10.5	33000	20200	16300	7.8	2.06	217194372	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090XE48B	R-454B	35200	16	10.5	32400	19800	15800	7.8	2.08	217194374	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML193UH030XE36B	R-454B	35200	16	10	33000	20400	16400	8	2.04	217194376	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML193UH045XE36B	R-454B	35200	16.5	10.5	32800	20000	16100	8	2.06	217194378	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML193UH070XE36B	R-454B	35000	16.5	10.5	32600	20000	16000	8	2.06	217194380	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH030XE36B	R-454B	35200	16	10	33000	20200	16300	7.8	2.04	217194383	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH045XE36B	R-454B	35000	16.5	10	32800	20200	16200	7.8	2.04	217194385	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE36B	R-454B	35000	16.5	10.5	32600	19900	15900	8	2.06	217194386	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE48B	R-454B	35400	15.2	10	33400	20400	16500	7.8	2.04	217194389	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML296UH045XV36B	R-454B	35400	16	10.5	33200	20200	16300	7.8	2.06	217194391	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	ML296UH070XV36B	R-454B	35400	16	10.5	33000	20200	16300	7.8	2.06	217194392	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH080NV48B	R-454B	35400	17	10.5	33000	20200	16300	7.8	2.06	217194394	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V36B	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.08	217194396	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V48B	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.06	217194397	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090XV48B	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.06	217194398	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SL297UH040NV36B	R-454B	35600	17	10	33000	20400	16400	7.8	2.04	217194399	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SL297UH060NV36B	R-454B	35600	17	10	33000	20400	16400	7.8	2.04	217194400	No
EL19KPV-036-230A**	CK40[C,U]T-48B-**+TDR	SLP99UH070XV36B	R-454B	35400	17	10.5	33000	20200	16300	7.8	2.06	217194401	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	- - -	R-454B	34800	14.7	9.8	33600	20800	16900	7.8	2	217507618	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	35800	15.2	10.5	33200	20200	16300	7.8	2.06	217194270	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	35200	15.5	10.5	32600	20000	16000	7.8	2.06	217194271	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	35400	14.7	10	33000	20400	16400	7.8	2.04	217507620	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	35600	16	10.5	32800	20000	16000	8	2.08	217194273	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	35400	16	10.5	32400	19800	15800	8	2.1	217194275	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	35400	16	10.5	32800	20000	16000	8	2.08	217194324	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.08	217194325	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	35400	16.5	10.5	33000	20200	16300	7.8	2.06	217194327	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	35600	16	10.5	33000	20200	16200	7.8	2.08	217194329	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.08	217194330	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	35600	16.5	10.5	33000	20200	16100	7.8	2.08	217194331	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E48B	R-454B	35400	16	10.5	32200	19800	15800	8	2.1	217507621	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	35800	15.5	10.5	33000	20200	16100	8	2.1	217194278	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	36000	17	10.5	33000	20200	16100	7.8	2.1	217194280	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	35800	15.5	10.5	33000	20200	16100	8	2.1	217194282	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	35400	17	10.5	32800	20000	16100	8	2.08	217194284	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	35400	16	10.5	32600	20000	16000	7.8	2.08	217194286	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	35400	16	10.5	32600	19900	15900	8	2.1	217194288	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	35400	17	10.5	33000	20200	16200	8	2.06	217194290	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	35400	16	10.5	32600	20000	16000	7.8	2.08	217194291	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	2.08	217194295	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	35400	16.5	10.5	32800	20000	16000	7.8	2.08	217194297	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	35600	17	10.5	32800	20000	16100	7.8	2.08	217194299	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	2.1	217194301	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	2.1	217194303	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	35600	16.5	10.5	32800	20000	16100	7.8	2.08	217194305	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	35600	16	10.5	33000	20000	16100	7.8	2.08	217194307	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	35600	16	10.5	33000	20000	16100	7.8	2.08	217194309	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.08	217194311	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	35800	16.5	10.5	32800	20200	16200	7.8	2.06	217194313	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	35600	17	10.5	33000	20200	16200	7.8	2.06	217194315	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	35600	16.5	10.5	33000	20200	16300	7.8	2.06	217194317	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	35600	16	10.5	33000	20200	16200	7.8	2.06	217194319	No
EL19KPV-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	35600	16.5	10.5	33000	20200	16200	7.8	2.08	217194321	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	EL280DF090E48B	R-454B	34400	15.5	11	35000	20400	16400	8	2.1	217446752	Yes
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	34600	16.5	10.5	35400	20800	16800	8	2.06	217447050	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	34400	16	10.5	35400	20800	16800	8	2.04	217447035	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	34600	16	10.5	35600	21000	17000	8	2.04	217447055	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	ML180DF090E48B	R-454B	34400	15.5	11.2	34600	20400	16300	8	2.1	217446753	Yes
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	34400	16	10.5	35400	20800	16900	8	2.04	217447039	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	34200	16	10.5	34800	20600	16500	8	2.08	217447041	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	34600	16	10.5	35400	21000	16900	8	2.04	217447044	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	ML296DF070XV48B	R-454B	34800	15.5	10.5	35600	21000	16900	7.5	2.04	217447033	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	34600	16.5	10.5	35400	21000	16900	8	2.04	217447046	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	34600	16.5	10.5	35400	20800	16800	8	2.06	217447048	No
EL19KPV-036-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	34600	16.5	10.5	35400	20800	16800	8	2.06	217447052	No
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	- - -	R-454B	34000	14.3	10	36000	21200	17300	7.8	2.02	217447061	No
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	34400	16	11.2	35000	20400	16400	8	2.1	217446750	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	ML180DF110E60C	R-454B	35200	15.5	11.2	35200	20600	16500	8	2.12	217446754	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	34600	15.5	11.2	35000	20400	16400	8	2.1	217446755	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	34400	15.5	11.2	34600	20400	16300	8	2.12	217446756	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	ML296DF090XV60C	R-454B	35000	16	11	35400	20800	16700	7.8	2.08	217446757	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SL280DF080NV60C	R-454B	34800	16	11	35200	20600	16600	8	2.1	217446762	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SL280DF090V60C	R-454B	35000	16.5	11.2	35200	20600	16500	8	2.1	217446748	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SL280DF110V60C	R-454B	35000	16.5	11.2	35200	20600	16500	8	2.12	217446758	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	34800	17	11	35200	20600	16700	8.1	2.08	217446759	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV48C	R-454B	34800	17	10.5	35400	20800	16700	8	2.08	217447060	No
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV60C	R-454B	34800	16.5	11	35400	20800	16700	8	2.08	217446760	Yes
EL19KPV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF110XV60C	R-454B	34800	16.5	11	35400	20800	16700	8	2.08	217446761	Yes
EL19KPV-036-230A**	CK40DT-42B-**+TDR	EL280DF090E48B	R-454B	35000	16	10.5	35200	19400	16700	8	1.94	217194416	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	35200	17.5	10.5	35600	19700	17000	7.8	1.9	217194425	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	34800	17	10	35600	19700	17000	8	1.9	217194415	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	35000	17	10	35800	19800	17100	7.5	1.88	217194426	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	ML180DF070E36B	R-454B	34800	17	10.5	35200	19400	16700	8.1	1.94	217194417	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	ML180DF090E48B	R-454B	34800	16.5	10.5	35200	19300	16600	8	1.96	217194418	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	ML193DF045XE36B	R-454B	34600	17	10.5	35200	19500	16800	8.1	1.92	217194419	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	ML193DF070XE36B	R-454B	34600	17	10.5	35200	19500	16800	8	1.92	217194420	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	ML196DF045XE36B	R-454B	34600	17	10.5	35200	19500	16800	8.1	1.92	217194421	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	ML196DF070XE48B	R-454B	35200	17	10.5	35800	19800	17100	8	1.9	217194422	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	SL280DF060NV36B	R-454B	35200	17.5	10.5	35600	19700	17000	7.8	1.9	217194423	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	SL280DF090V48B	R-454B	35200	17.5	10.5	35600	19600	16900	7.8	1.92	217194424	No
EL19KPV-036-230A**	CK40DT-42B-**+TDR	SLP99DF070XV36B	R-454B	35200	18	10.5	35600	19700	17000	7.8	1.9	217194427	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	- - -	R-454B	34600	14.7	9.5	36000	23000	17800	8.5	2.1	217507631	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	34800	16.5	10.5	35400	22200	16800	8.5	2.2	217447062	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	2.16	217447073	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	2.16	217447074	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	34800	16	10.5	35400	22200	16900	8.5	2.2	217447063	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	34800	16.5	10.5	35400	22000	16800	8.5	2.2	217447064	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	ML296DF070XV48B	R-454B	35200	16.5	10	35800	22600	17300	8.2	2.14	217507636	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	35200	16.5	10	35800	22400	17200	8.2	2.16	217447065	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	35200	16.5	10.5	35800	22200	17000	8.5	2.18	217447072	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	35200	17	10.5	35600	22200	17000	8.5	2.2	217447066	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	35200	17	10.5	35600	22200	16900	8.5	2.2	217447067	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SLP99DF070XV36B	R-454B	35200	17.5	10	35600	22400	17200	8.5	2.14	217507637	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	35200	18	10	35800	22400	17100	8.5	2.18	217447068	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	35000	17.5	10	35800	22400	17200	8.5	2.16	217447069	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	2.16	217447070	No
EL19KPV-036-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	35200	17	10	35800	22400	17100	8.5	2.16	217447071	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	EL180UH040NE36A	R-454B	33400	17.5	10.5	32800	21800	16600	8.1	1.94	217447075	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	EL180UH060NE36A	R-454B	33400	17.5	10.5	32800	21800	16600	8.1	1.94	217447076	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	EL280UH045E36A	R-454B	34200	18	10.5	33400	22200	16800	8.2	1.94	217447086	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	EL280UH070E36A	R-454B	33600	17.5	10.5	32600	21600	16500	8.1	1.96	217447077	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	EL280UH070XE36A	R-454B	33600	17.5	10.5	32600	21600	16500	8.1	1.96	217447087	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH030V36A	R-454B	34000	17.5	10.5	33200	21800	16700	7.8	1.96	217447078	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH045E36A	R-454B	33800	17.5	10.5	32800	21800	16600	8.1	1.96	217447079	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH045V36A	R-454B	34000	17.5	10.5	33200	22000	16800	7.8	1.94	217447088	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH045XE36A	R-454B	33800	17.5	10.5	32800	21800	16600	8.1	1.96	217447080	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH070E36A	R-454B	33600	17.5	10.5	33000	21800	16700	8.1	1.94	217447081	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH070V36A	R-454B	34000	17	10.5	33400	22200	16900	7.8	1.94	217447089	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	ML180UH070XE36A	R-454B	33600	17.5	10.5	32800	21800	16600	8.1	1.94	217447082	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	SL280UH060NV36A	R-454B	34000	18	10.5	33200	22000	16800	8.1	1.96	217447083	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	SL280UH070V36A	R-454B	34000	18	10.5	33400	22000	17000	8.1	1.94	217447084	No
EL19KPV-036-230A**	CK40HT-36A-**+TDR	SL280UH070XV36A	R-454B	34000	18	10.5	33400	22000	17000	8.1	1.94	217447085	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL180UH100NE60C	R-454B	34600	15.5	11	32800	21000	16500	8.1	2.06	217194332	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL195UH040NE36B	R-454B	34200	17	10.5	32600	21000	16600	8.2	2.02	217507623	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL195UH060NE36B	R-454B	34200	17	11	32600	20800	16300	8.2	2.06	217507624	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL195UH080NE48C	R-454B	34000	16.5	10.5	32200	20800	16400	8.2	2.04	217194334	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL195UH100NE60C	R-454B	34400	14.7	10.5	32600	21200	16600	8.1	2.02	217507622	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL196UH090XE48C	R-454B	34400	16.5	11.2	32600	20800	16300	8.2	2.08	217194337	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL280UH110E48C	R-454B	34200	16.5	11.2	32200	20600	16100	8.2	2.1	217194342	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XE48C	R-454B	34400	16.5	11.2	32400	20800	16300	8.2	2.08	217194407	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	34600	17.5	11	32800	21000	16500	8	2.06	217194409	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV48C	R-454B	34600	17	10.5	33000	21200	16600	8	2.04	217194411	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV60C	R-454B	34600	16.5	11	32800	21000	16500	8	2.06	217194412	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	34600	17	11	32800	21000	16500	8	2.06	217194413	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	EL297UH110XV60C	R-454B	34600	16.5	11	32800	21000	16500	8	2.06	217194414	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML180UH070E36B	R-454B	34800	17.5	11	32600	21000	16500	8.2	2.06	217507589	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML180UH110E60C	R-454B	34800	16	11.2	32800	21000	16400	8.1	2.08	217194350	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML180UH110V60C	R-454B	35000	17.5	11.2	32800	21000	16400	8.1	2.08	217194353	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML180UH110XE60C	R-454B	34800	16	11.2	32800	21000	16400	8.1	2.08	217194357	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML193UH045XE36B	R-454B	34200	17	11	32400	20800	16400	8.2	2.04	217507590	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML193UH070XE36B	R-454B	34200	17	11	32200	20800	16300	8.2	2.06	217507591	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML193UH090XE36C	R-454B	34200	17.5	11	32600	20800	16300	8.2	2.06	217194359	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML193UH090XE48C	R-454B	34200	16.5	11.2	32400	20800	16200	8.2	2.08	217194363	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML193UH110XE48C	R-454B	34200	16.5	11.2	32400	20600	16200	8.2	2.08	217194366	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML196UH045XE36B	R-454B	34000	17	10.5	32400	21000	16400	8.2	2.04	217507626	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML196UH090XE36C	R-454B	34400	17.5	11	32800	21000	16400	8.2	2.06	217194402	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML196UH090XE48C	R-454B	34200	16.5	11.2	32400	20800	16300	8.2	2.08	217194369	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	34400	17	11	32600	20800	16400	8.1	2.06	217194373	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	ML296UH110XV60C	R-454B	34600	17	11.2	32600	20800	16400	8.1	2.08	217194375	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL280UH080NV60C	R-454B	34600	17.5	11.2	32800	21000	16400	8	2.08	217194377	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL280UH090V60C	R-454B	34600	17	11.2	32800	20800	16400	8.1	2.08	217194379	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL280UH090XV60C	R-454B	34600	17	11.2	32800	20800	16400	8.1	2.08	217194381	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL280UH100NV60C	R-454B	34600	17	11.2	32800	21000	16400	8.1	2.08	217194382	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL280UH110V60C	R-454B	34600	16.5	11	32800	21000	16400	8	2.08	217194384	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL280UH110XV60C	R-454B	34600	16.5	11	32800	21000	16400	8	2.08	217194387	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	34600	17.5	11	32800	21000	16500	8.1	2.06	217194388	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SL297UH080NV60C	R-454B	34800	17	11	32600	21000	16500	8	2.06	217194403	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	34600	17.5	11	32800	21000	16500	8	2.06	217194390	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	34600	17	10.5	33000	21200	16600	8	2.04	217194393	No
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV60C	R-454B	34600	16.5	11	32800	21000	16500	8	2.06	217194406	Yes
EL19KPV-036-230A**	CK40HT-36C-**+TDR	SLP99UH110XV60C	R-454B	34600	17	11	32800	21000	16500	8	2.06	217194395	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	35000	16	10.5	31600	20800	16800	8.2	2.06	217507638	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL195UH060NE36B	R-454B	34600	17.5	10.5	31600	21000	16800	8.2	2.02	217507657	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	34400	17	10.5	31200	20600	16600	8.2	2.04	217507639	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL195UH100NE60C	R-454B	34600	15.2	10.5	31600	21000	16800	8.2	2.04	217507640	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	34600	16.9	10.5	31200	20600	16500	8.2	2.08	217507641	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	34600	17	11	31000	20400	16300	8.2	2.1	217507592	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH045XV36B	R-454B	34800	18	10.5	31600	21000	16900	8.2	2.04	217507665	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	34800	17	10.5	31200	20600	16500	8.2	2.08	217507664	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	35000	18	10.5	31400	20800	16600	8.2	2.08	217507666	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	35000	18	10.5	31600	20800	16700	8.2	2.06	217507667	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	35000	17	10.5	31400	20800	16600	8.2	2.08	217507668	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	35000	18	10.5	31400	20800	16600	8.2	2.08	217507669	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	35000	17.5	10.5	31400	20600	16600	8.2	2.08	217507670	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML180UH070E36B	R-454B	35000	18	10.5	31600	20800	16700	8.2	2.06	217507658	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML180UH090E48B	R-454B	34600	17	11	31000	20400	16300	8.2	2.08	217507599	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	35000	16	10.5	31400	20800	16600	8.2	2.08	217507642	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	35200	17.5	11	31600	20800	16600	8.2	2.08	217507593	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	35000	16	10.5	31400	20800	16600	8.2	2.08	217507643	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	34800	18	10.5	31200	20600	16600	8.2	2.06	217507644	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	34600	16.9	10.5	31200	20600	16500	8.2	2.08	217507645	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	34600	17	11	31000	20400	16400	8.2	2.08	217507594	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML196UH045XE36B	R-454B	34400	17.5	10.5	31400	20800	16700	8.2	2.04	217507659	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	34800	18	10.5	31400	20800	16600	8.2	2.06	217507646	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML296UH070XV36B	R-454B	34600	16.5	10	31800	21000	17000	8	2.02	217507660	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	35000	17	10.5	31600	20800	16800	8.2	2.06	217507647	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	35000	17.5	10.5	31600	20800	16700	8.2	2.08	217507648	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH080NV48B	R-454B	35000	18	10.5	31600	20800	16800	8.2	2.06	217507661	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	35000	17.5	10.5	31400	20800	16600	8.2	2.08	217507649	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	2.1	217507595	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	2.1	217507596	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	35000	17.5	10.5	31400	20800	16600	8.2	2.08	217507650	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	2.1	217507597	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	35000	17.5	11	31400	20600	16500	8.2	2.1	217507598	Yes
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL297UH040NV36B	R-454B	34800	18	10.5	31600	21000	16900	8.2	2.04	217507662	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL297UH060NV36B	R-454B	34800	18	10.5	31600	21000	16900	8.2	2.04	217507663	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	35000	18	10.5	31600	20800	16700	8.2	2.06	217507651	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	35000	17	10.5	31600	20800	16700	8.2	2.06	217507652	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	35000	18	10.5	31400	20800	16700	8.2	2.06	217507653	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	35000	18	10.5	31600	20800	16700	8.2	2.06	217507654	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	35000	17	10.5	31400	20800	16600	8.2	2.08	217507655	No
EL19KPV-036-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	35000	17.5	10.5	31400	20600	16600	8.2	2.08	217507656	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	- - -	R-454B	34200	14.3	9.5	32400	21800	17300	8	2	217507629	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL180UH060NE36A	R-454B	34600	16.5	10	31400	21000	16600	8.2	2.06	217507633	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL180UH080NE48B	R-454B	34200	15.2	10	31800	20800	16500	8.2	2.06	217447016	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL195UH040NE36B	R-454B	34000	16	10	31600	20800	16500	8.2	2.04	217447017	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL195UH060NE36B	R-454B	34200	16.5	10	31600	20800	16500	8.2	2.06	217447018	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL196UH030XE36B	R-454B	34200	15.5	10	32000	21000	16600	8.2	2.04	217447019	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL196UH070XE36B	R-454B	34200	16	10	32000	21000	16600	8.2	2.04	217447020	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL280UH045E36A	R-454B	35200	17	10	31800	21200	16800	8.2	2.06	217507634	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL280UH070E36A	R-454B	34600	16.5	10	31400	20800	16500	8.2	2.06	217507635	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL280UH090E36B	R-454B	34600	17	10.5	32000	20800	16500	8.2	2.08	217447021	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	34600	15.5	10.5	32000	20800	16400	8.2	2.08	217447022	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	34600	15.5	10.5	32000	20800	16400	8.2	2.08	217447023	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL297UH045XE36B	R-454B	34000	16.5	10	31800	20800	16400	8.2	2.06	217447057	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL297UH045XV36B	R-454B	34800	16.5	10	32400	21200	16800	8.2	2.04	217447058	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL297UH070XE36B	R-454B	34600	16.5	10	32200	21200	16700	8.2	2.04	217447056	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	EL297UH070XV36B	R-454B	34800	17	10	32400	21200	16700	8.2	2.06	217447059	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH070E36B	R-454B	34800	16.5	10	32200	21000	16600	8.2	2.08	217447024	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH070V36B	R-454B	34800	16.5	10.5	32000	21000	16500	8.2	2.08	217447025	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	35200	16.5	10.5	32200	21000	16600	8.2	2.1	217447026	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH070XE36B	R-454B	34800	16.5	10	32200	21000	16600	8.2	2.08	217447027	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	34600	15.5	10.5	31800	20800	16300	8.2	2.1	217447028	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	34800	16.5	10	32400	21200	16700	8.2	2.06	217447029	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	34600	15.5	10.5	31800	20800	16300	8.2	2.1	217447030	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML193UH030XE36B	R-454B	34400	16	10	32200	21200	16800	8.2	2.04	217447031	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML193UH045XE36B	R-454B	34200	16	10	32000	20800	16500	8.2	2.06	217447032	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML193UH070XE36B	R-454B	34200	16	10	31800	20800	16400	8.2	2.06	217447034	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML196UH030XE36B	R-454B	34600	16	10	32400	21200	16800	8.2	2.04	217447036	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML196UH070XE36B	R-454B	34800	16.5	10	32200	21200	16700	8.2	2.06	217447037	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML196UH070XE48B	R-454B	34800	15.2	10	32400	21200	16800	8.2	2.06	217447038	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML296UH045XV36B	R-454B	34800	15.5	10	32400	21200	16700	8.1	2.06	217447040	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	ML296UH070XV36B	R-454B	34600	15.5	10	32600	21400	17000	8.1	2.02	217447042	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	34800	16.5	10	32400	21200	16700	8.2	2.06	217447043	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SL280UH090V36B	R-454B	35000	17	10.5	32200	21000	16500	8.2	2.08	217447045	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	34800	17	10.5	32200	21000	16600	8.2	2.08	217447047	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SL280UH090XV48B	R-454B	34800	17	10.5	32200	21000	16600	8.2	2.08	217447049	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SL297UH040NV36B	R-454B	34800	16.5	10	31800	21200	16900	8.2	2.04	217447051	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SL297UH060NV36B	R-454B	34800	16.5	10	31800	21200	16900	8.2	2.04	217447053	No
EL19KPV-036-230A**	CK40HT-48B-**+TDR	SLP99UH070XV36B	R-454B	34800	17	10	32200	21000	16700	8.2	2.06	217447054	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	- - -	R-454B	34600	14.7	9.5	32200	21600	17300	8	2.04	217507630	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	35200	15.2	10	32000	21000	16700	8.2	2.1	217446983	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL195UH080NE48C	R-454B	35600	16	9.8	32200	21400	17100	8.2	2.06	217446984	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	35400	14.3	9.8	32000	21400	17000	8	2.06	217507632	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	34800	16	10	31600	20600	16400	8.2	2.12	217446985	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	34800	16	10.5	31200	20400	16200	8.2	2.12	217446986	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL297UH090XE48C	R-454B	35000	16	10	31600	20800	16400	8.2	2.12	217447010	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV36C	R-454B	35400	17	10	31800	20800	16600	8.2	2.12	217447011	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	35200	17	10	32000	21000	16600	8.2	2.1	217447012	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	35400	16.5	10	31800	20800	16600	8.2	2.12	217447013	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	35400	17	10	31800	20800	16500	8.2	2.12	217447014	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	2.12	217447015	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	35400	15.5	10	31800	20800	16500	8.2	2.12	217446987	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	35600	17	10	32000	21000	16600	8.2	2.14	217446988	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	35400	15.5	10	31800	20800	16500	8.2	2.12	217446989	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML193UH090XE36C	R-454B	35000	17	10	31600	20800	16500	8.2	2.1	217446990	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	34800	16	10	31400	20600	16300	8.2	2.1	217446991	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	34800	16	10	31400	20600	16300	8.2	2.12	217446992	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE36C	R-454B	35000	17	10	31800	20800	16600	8.2	2.1	217446993	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	34800	16	10	31600	20600	16400	8.2	2.12	217446994	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	35400	16	10	32000	21000	16700	8.2	2.1	217446995	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	35600	16.5	10	32000	21000	16700	8.2	2.12	217446996	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH080NV48B	R-454B	35200	17	10	32000	21000	16700	8.2	2.1	217447009	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	35400	17	10	31800	20800	16500	8.2	2.12	217446997	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	35400	16.5	10.5	31800	20800	16400	8.2	2.14	217446998	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	35400	16.5	10.5	31800	20800	16400	8.2	2.14	217446999	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	35400	16.5	10	31800	20800	16600	8.2	2.12	217447000	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH110V60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	2.14	217447001	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL280UH110XV60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	2.14	217447002	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	35200	17	10	32000	21000	16600	8.2	2.1	217447003	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	35400	16.5	10	31600	21000	16700	8.2	2.1	217447004	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV36C	R-454B	35200	17	10	31800	21000	16600	8.2	2.12	217447005	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	35200	17	10	32000	21000	16600	8.2	2.1	217447006	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	35200	16.5	10	31800	21000	16600	8.2	2.12	217447007	No
EL19KPV-036-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	35400	16.5	10	31800	20800	16500	8.2	2.12	217447008	No
EL19KPV-048-230A**	CBK45UHET-048-230-**	- - -	R-454B	48000	18	11.7	47000	28600	23400	7.8	2.06	217194653	Yes
EL19KPV-048-230A**	CBK45UHET-060-230-**	- - -	R-454B	47000	17.5	11.2	47000	28400	21000	8.2	1.98	217194652	Yes
EL19KPV-048-230A**	CBK45UHVT-048-230-**	- - -	R-454B	48000	18.5	11.5	47000	28600	23600	7.5	2.06	217194650	No
EL19KPV-048-230A**	CBK45UHVT-060-230-**	- - -	R-454B	47500	17	11.2	48000	28800	21400	8.1	1.96	217194649	Yes
EL19KPV-048-230A**	CBK47UHET-048-230-**	- - -	R-454B	47500	18	11.5	47500	28200	23400	8.2	2.06	217194651	Yes
EL19KPV-048-230A**	CBK47UHET-048-460-**	- - -	R-454B	47500	18	11.5	47500	28200	23400	8.2	2.06	217595419	Yes
EL19KPV-048-230A**	CBK47UHET-060-230-**	- - -	R-454B	48000	17.5	11.2	48000	32400	32800	9	2.24	217446749	Yes
EL19KPV-048-230A**	CBK47UHET-060-460-**	- - -	R-454B	48000	17.5	11.2	48000	32400	32800	9	2.24	217595424	Yes
EL19KPV-048-230A**	CBK48MVT-048-230-**	- - -	R-454B	48000	18.2	11.2	48000	29800	23200	8.4	2	217194428	Yes
EL19KPV-048-230A**	CBK48MVT-060-230-**	- - -	R-454B	48000	18	11.2	47500	32200	32600	9	2.26	217194429	Yes
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090E48B	R-454B	47500	18	11.5	45500	28200	22200	7.8	1.8	217194529	Yes
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	EL280UH090XE48B	R-454B	47500	18	11.5	45500	28200	22200	7.8	1.8	217194532	Yes
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	48000	18	11.5	46000	28400	22400	7.5	1.82	217194535	No
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090E48B	R-454B	47500	18	11.7	45500	28000	22000	7.8	1.82	217194537	Yes
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090V48B	R-454B	48000	17.5	11.2	46500	28600	22400	7.5	1.8	217194540	No
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090XE48B	R-454B	47500	18	11.7	45500	28000	22000	7.8	1.82	217194541	Yes
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE48B	R-454B	47000	17	11	46000	28400	22400	7.5	1.78	217194546	No
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	SL280UH080NV48B	R-454B	48000	18	11.2	46500	28600	22600	7.5	1.78	217194548	No
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V48B	R-454B	48000	18	11.2	46000	28400	22400	7.5	1.8	217194549	No
EL19KPV-048-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090XV48B	R-454B	48000	18	11.2	46000	28400	22400	7.5	1.8	217194550	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	- - -	R-454B	47000	15.2	10.5	47000	29000	22800	7.5	1.78	217194431	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	48000	17.5	11.2	46500	28600	22400	7.8	1.8	217194470	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	47000	17	11.5	45500	28000	22000	7.8	1.8	217194471	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	47000	16.9	11.2	46000	28400	22400	7.5	1.78	217194472	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	1.8	217194473	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	47500	17	11.7	45500	28000	22000	7.8	1.82	217194474	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	48000	18	11.7	45500	28000	22000	7.8	1.82	217194475	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	47500	17	11.7	45000	27600	21800	7.8	1.84	217194476	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	47500	17	11.7	45000	27600	21800	7.8	1.84	217194477	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	1.82	217194507	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	48000	18	11.2	46500	28600	22600	7.5	1.78	217194510	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	48000	17.5	11.2	46500	28600	22400	7.5	1.8	217194512	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	47500	17	11.5	45500	28000	22000	7.8	1.82	217194514	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	48000	18	11.2	46000	28400	22400	7.5	1.8	217194515	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	48000	18	11.2	46000	28400	22400	7.5	1.8	217194517	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E48B	R-454B	48000	18	11.7	45500	28000	22000	7.8	1.82	217446768	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	47500	17	11.7	45500	27800	22000	7.8	1.82	217194478	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	48000	18	11.5	46000	28400	22200	7.8	1.82	217194479	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	48000	18	11.7	46000	28200	22200	7.5	1.82	217194480	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	48000	18	11.5	46000	28400	22200	7.8	1.82	217194481	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	1.8	217194482	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	1.82	217194483	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	47500	17	11.7	45500	27800	21800	7.8	1.82	217194484	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	47500	18	11.5	45500	28000	22000	7.8	1.82	217194485	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	47500	17	11.7	45500	27800	22000	7.8	1.82	217194486	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	47500	17	11.5	45500	28000	22000	7.8	1.82	217194487	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	48000	17	11.2	46500	28600	22400	7.5	1.8	217194488	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	48000	17.5	11.5	46000	28400	22200	7.5	1.82	217194489	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	48000	18.5	11.5	46000	28200	22200	7.8	1.82	217194490	Yes
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	48000	18	11.5	46000	28400	22400	7.5	1.8	217194491	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	48000	18	11.5	46000	28400	22400	7.5	1.8	217194492	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	48000	18	11.5	46000	28400	22200	7.5	1.82	217194493	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	48000	18	11.5	46000	28400	22200	7.5	1.82	217194494	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	48000	18	11.5	46000	28400	22200	7.5	1.82	217194495	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	48000	18.5	11.2	46000	28400	22400	7.5	1.8	217194497	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	48000	18	11.2	46500	28600	22400	7.5	1.78	217194498	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	18	11.2	46500	28600	22400	7.5	1.8	217194500	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	17.5	11.2	46000	28600	22400	7.5	1.8	217194502	No
EL19KPV-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	48000	18	11.2	46000	28400	22400	7.5	1.8	217194504	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	- - -	R-454B	46500	15.5	10.5	47500	29800	24200	8.5	1.86	217582634	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL180UH100NE60C	R-454B	47000	17.5	10.5	47000	29400	23800	8.5	1.88	217577852	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	46500	16.5	10.5	46500	29200	23800	8.5	1.86	217577853	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	46500	17.5	11	46500	29000	23400	8.5	1.9	217577818	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	47000	17	11.2	46500	28800	23400	8.5	1.92	217577819	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	47000	18	11.2	46500	28800	23400	9	1.92	217577854	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	48000	17.5	11.2	47000	29200	23800	9	1.92	217577855	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	48000	17.5	11.2	47000	29200	23800	9	1.92	217577856	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	46500	18	11.2	46000	28800	23400	8.5	1.9	217577829	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	47500	18.5	11	47000	29400	23800	8.5	1.9	217577830	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	47500	18	11	47000	29200	23800	8.5	1.9	217577831	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	46500	17	11.2	46000	28800	23400	8.5	1.92	217577832	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	47500	18.5	11	47000	29200	23600	8.5	1.9	217577833	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	1.92	217577834	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	46500	17	11.2	46000	28600	23200	8.5	1.92	217577857	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	47500	17.5	11.2	47000	29200	23600	9	1.92	217577858	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	47500	18	11.2	46500	29000	23600	8.5	1.92	217577859	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	47500	17.5	11.2	47000	29200	23600	9	1.92	217577860	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	46500	17.5	11	46500	28800	23400	8.5	1.9	217577861	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	47000	18	11.2	46500	28800	23400	8.5	1.92	217577862	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	46500	17	11.2	46000	28600	23200	8.5	1.92	217577863	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	48000	17.5	10.5	48000	29800	24200	8.5	1.88	217577820	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	46500	17	11.2	46500	28800	23400	8.5	1.92	217577821	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	47500	17	10.5	47000	29400	23800	8.5	1.9	217577822	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	47500	17.5	11	47000	29200	23600	8.5	1.92	217577823	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	1.92	217577864	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	47500	18.5	11.2	47000	29000	23600	8.5	1.92	217577865	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	47500	18.5	11.2	47000	29000	23600	8.5	1.92	217577866	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	1.9	217577867	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	47500	18	11.2	47000	29000	23600	8.5	1.92	217577868	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	47500	18	11.2	47000	29000	23600	8.5	1.92	217577869	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	47000	17.5	10.5	47500	29800	24200	8.5	1.84	217577824	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	47000	18	10.5	47000	29400	23800	8.5	1.88	217577825	No
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	47500	18.5	11	47000	29200	23800	8.5	1.9	217577826	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	47500	18	11	47000	29200	23800	8.5	1.9	217577827	Yes
EL19KPV-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	47500	18	11.2	47000	29200	23600	8.5	1.9	217577828	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	- - -	R-454B	47500	15.5	10.5	48000	30200	24200	8.1	1.84	217194430	No
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	48000	17.5	11	47500	29600	23800	8.2	1.84	217194432	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	47000	17	11	47000	29600	23800	8.1	1.82	217194433	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH090XE48C	R-454B	47500	18	11.2	47000	29200	23400	8.2	1.86	217446763	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	47500	17	11.5	46500	29000	23400	8.2	1.88	217194434	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	48000	18	11.5	47000	29200	23400	8.2	1.88	217194435	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	48000	17.5	11.5	47000	29000	23400	8.2	1.88	217194436	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	48000	17.5	11.5	47000	29000	23400	8.2	1.88	217194437	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV48C	R-454B	48000	18	11	47500	29800	23800	8.2	1.84	217194461	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	1.86	217194462	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	47500	17	11.5	46500	29000	23400	8.2	1.86	217194463	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	48000	18.5	11.2	47500	29600	23800	8.2	1.86	217194464	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	1.86	217194465	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E48B	R-454B	47500	18	11.5	46500	29000	23400	8.2	1.88	217446764	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	47500	17	11.5	46500	29000	23200	8.2	1.88	217194438	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	1.88	217194439	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	48000	18	11.5	47000	29200	23600	8	1.88	217194440	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	1.88	217194441	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	47500	18	11.2	46500	29200	23400	8.2	1.86	217194442	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	47500	17.5	11.5	46500	29200	23400	8.2	1.88	217194443	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	48000	17.5	11.2	47000	29400	23600	8.2	1.86	217194444	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE48C	R-454B	47500	18	11.2	47000	29200	23400	8.2	1.86	217194445	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	48000	17.5	11.2	47500	29400	23600	8.2	1.86	217194446	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	47500	17	11.5	46500	29200	23400	8.2	1.86	217194447	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	48000	17	11.2	47500	29600	23800	8	1.86	217194448	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	48000	17.5	11.2	47500	29400	23600	8	1.88	217194449	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	48000	18.5	11.5	47500	29400	23600	8.2	1.88	217194450	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	48000	18	11.2	47500	29600	23600	8.2	1.86	217194451	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	48000	18	11.2	47500	29600	23600	8.2	1.86	217194452	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	48000	18.5	11.2	47500	29400	23600	8.2	1.88	217194453	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	1.88	217194454	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	48000	18	11.2	47500	29400	23600	8.2	1.88	217194455	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV48C	R-454B	48000	18.5	11.2	47500	29600	23800	8.2	1.86	217194456	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	48000	18	11	47500	29800	24000	8.2	1.84	217194457	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV48C	R-454B	48000	18	11.2	47500	29800	23800	8.2	1.84	217194458	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	1.86	217194459	Yes
EL19KPV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	48000	18	11.2	47500	29600	23800	8.2	1.86	217194460	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	- - -	R-454B	47500	15.5	10.5	48000	29200	24200	8.5	1.92	217582635	No
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	48000	17.5	11	47500	28800	23800	8.5	1.94	217577870	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	47500	15.5	10.5	47000	28600	23400	8.5	1.9	217577871	No
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH090XE48C	R-454B	48000	17.5	11.2	46500	28200	23200	8.5	1.96	217577835	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	48000	17	11.5	46500	28200	23000	8.5	1.96	217577836	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E48C	R-454B	48000	18	11.5	47000	28200	23400	8.5	1.98	217577872	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	48000	17	11.5	46500	28200	23400	8.5	2	217577873	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	48000	17	11.5	46500	28200	23400	8.5	2	217577874	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XE48C	R-454B	47500	18	11.2	46500	28200	23000	8.5	1.96	217577846	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	48000	18.5	11.2	47500	28800	23800	8.5	1.96	217577847	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	48000	18	11.2	47000	28600	23800	8.5	1.96	217577848	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	47500	17	11.2	46500	28200	23000	8.5	1.96	217577849	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	1.96	217577850	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	1.98	217577851	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH070V48B	R-454B	48000	18	11.2	47000	28600	23600	8.5	1.98	217577888	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	47500	17	11.5	46500	28000	23000	8.5	1.96	217577875	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	48000	17.5	11.2	47000	28600	23600	8.5	1.98	217577876	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	48000	18	11.5	47000	28400	23600	8.5	1.98	217577877	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	48000	17.5	11.2	47000	28600	23600	8.5	1.98	217577878	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH090XE48C	R-454B	47500	17.5	11.2	46500	28200	23000	8.5	1.94	217577879	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE48C	R-454B	48000	18	11.2	46500	28200	23000	8.5	1.96	217577880	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	47500	17	11.5	46500	28000	22800	8.5	1.96	217577881	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	48000	17	11.2	47000	28600	23600	8.5	1.96	217577837	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	48000	17	11.2	46500	28200	23000	8.5	1.96	217577838	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	48000	17	11.2	47500	28800	23800	8.5	1.96	217577839	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	48000	17.5	11.2	47000	28600	23600	8.5	1.98	217577840	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	1.98	217577882	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	48000	18.5	11.2	47000	28400	23600	8.5	1.98	217577883	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	48000	18.5	11.2	47000	28400	23600	8.5	1.98	217577884	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	48000	18	11.2	47000	28600	23600	8.5	1.98	217577885	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	48000	18	11.2	47000	28400	23600	8.5	1.98	217577886	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	48000	18	11.2	47000	28400	23600	8.5	1.98	217577887	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	48000	18	10.5	48000	29200	24200	8.5	1.9	217577841	No
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	48000	18	11	47500	28800	23800	8.5	1.94	217577842	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	48000	18.5	11.2	47500	28600	23800	8.5	1.96	217577843	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	48000	18	11.2	47000	28600	23800	8.5	1.96	217577844	Yes
EL19KPV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	48000	18.5	11.2	47000	28600	23600	8.5	1.98	217577845	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	- - -	R-454B	47000	15.5	10.5	48000	31800	25200	8.2	1.86	217507672	No
EL19KPV-048-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	48000	18	11.2	48000	31400	24800	8.1	1.88	217507612	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	48000	18	11.2	50500	31400	24800	8.1	1.88	217507613	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	47500	17.5	11.7	48000	30600	24200	8.2	1.94	217507600	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	47500	17.5	11.2	50000	31000	24600	8.2	1.9	217507601	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	47000	17.5	11.5	48000	30800	24400	8.5	1.92	217507602	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	47500	17	11.5	50000	30800	24400	8.2	1.92	217507603	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	ML296DF070XV48B	R-454B	48000	16.9	11	50500	31400	25000	8	1.86	217507610	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	48000	17	11	48000	31400	24800	8	1.88	217507604	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	48000	17.5	11.2	48000	31200	24800	8.1	1.88	217507611	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	48000	18	11.5	50500	31000	24600	8.2	1.9	217507605	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	48000	18	11.5	50500	31000	24600	8.2	1.92	217507606	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	48000	18	11	50500	31400	25000	8.1	1.88	217507607	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	48000	18	11.2	48000	31400	24800	8.1	1.88	217507608	Yes
EL19KPV-048-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	48000	18	11.2	50500	31400	24800	8.1	1.88	217507609	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	- - -	R-454B	48000	18	11.2	48000	30400	29600	7.5	1.92	217447212	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	EL297DF090XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	1.9	217447119	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	1.9	217447120	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	47500	18	11.7	48000	29800	28800	8	1.96	217446822	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	47000	18	11.2	48000	30200	29400	8	1.92	217446823	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	47000	17	11.2	48000	30000	29000	8	1.94	217446824	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	47000	17	11.2	48000	30000	29200	8	1.94	217446825	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	48000	17	11	48000	30600	29800	7.5	1.9	217447115	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	48000	18	11.2	48000	30400	29600	7.5	1.92	217447114	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	48000	18	11.2	48000	30200	29400	7.8	1.92	217446826	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	48000	18.5	11.5	48000	30200	29400	7.8	1.94	217446827	Yes
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV48C	R-454B	47500	18.5	11	48000	30600	29800	7.5	1.9	217447116	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	1.9	217447117	No
EL19KPV-048-230A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	48000	18	11	48000	30600	29800	7.5	1.9	217447118	No
EL19KPV-048-230A**	CK40DT-60D-**+TDR	- - -	R-454B	47000	16	10.5	48000	33600	30600	8.5	1.9	217447110	No
EL19KPV-048-230A**	CK40DT-60D-**+TDR	EL297DF090XV60C	R-454B	48000	18.5	11.2	48000	33200	30200	8.5	1.9	217446828	Yes
EL19KPV-048-230A**	CK40DT-60D-**+TDR	EL297DF110XE60C	R-454B	47500	17.5	11.5	48000	32600	29800	8.5	1.92	217446829	Yes
EL19KPV-048-230A**	CK40DT-60D-**+TDR	EL297DF110XV60C	R-454B	48000	18.5	11.2	48000	33200	30200	8.5	1.9	217446830	Yes
EL19KPV-048-230A**	CK40DT-60D-**+TDR	SL280DF090V60C	R-454B	48000	18.5	11.5	48000	33000	30000	8.5	1.92	217446831	Yes
EL19KPV-048-230A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	48000	18.5	11.5	48000	32800	30000	8.5	1.92	217446832	Yes
EL19KPV-048-230A**	CK40DT-60D-**+TDR	SLP99DF090XV60C	R-454B	48000	18.5	11.2	48000	33200	30200	8.5	1.9	217446833	Yes
EL19KPV-048-230A**	CK40DT-60D-**+TDR	SLP99DF110XV60C	R-454B	48000	18.5	11	48000	33200	30400	8.5	1.9	217446834	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	48000	16.5	11.2	45500	28200	26600	8.1	1.84	217446769	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	48000	16.5	11.2	45500	28200	26600	8.1	1.84	217446770	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	48000	18.5	11.5	45500	28200	26600	7.8	1.86	217446771	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	48000	16.5	11.5	45500	28000	26400	8.1	1.84	217446772	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	47500	18	11.2	45500	28200	26600	7.8	1.82	217446773	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	48000	16.5	11.5	45500	28000	26400	8.1	1.84	217446774	Yes
EL19KPV-048-230A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	47500	16	11.2	45500	28400	26800	8	1.82	217446775	Yes
EL19KPV-048-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	44000	16	10.5	46500	28200	28600	8.2	1.86	217194466	No
EL19KPV-048-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	44000	16	10.5	46500	28200	28600	8.2	1.86	217194467	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	44500	16.9	10.5	46500	28200	28600	8.1	1.88	217447092	No
EL19KPV-048-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	44000	16	10.5	46500	28000	28400	8.2	1.86	217194468	No
EL19KPV-048-230A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	44000	16.5	10.5	46500	28200	28400	8.1	1.84	217270668	No
EL19KPV-048-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	44000	16	10.5	46500	28000	28400	8.2	1.86	217194469	No
EL19KPV-048-230A**	CK40HT-48B-**+TDR	ML196UH070XE48B	R-454B	44000	15.5	10	47000	28400	28800	8.2	1.84	217447093	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	- - -	R-454B	47500	16	10.5	47500	30000	24200	7.5	1.76	217447091	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	48000	17.5	11.2	47000	29600	23800	7.5	1.78	217194496	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	47500	16.9	10.5	47000	29600	23600	7.5	1.74	217194499	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	47500	18	11.5	46000	29000	23200	7.5	1.78	217507671	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	48000	17	11.5	46000	28800	23000	7.5	1.78	217194501	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	48000	18	11.5	46500	29000	23400	7.8	1.8	217194503	Yes
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	48000	17	11.5	46000	28800	23000	7.5	1.8	217194505	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	48000	17	11.5	46000	28800	23000	7.5	1.8	217194506	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	48000	18	11.2	47000	29600	24000	7.5	1.78	217194542	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	1.78	217194543	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	47500	17	11.5	46000	28800	23000	7.5	1.78	217194544	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	48000	18	11.2	47000	29400	23800	7.5	1.78	217194545	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	1.8	217194547	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	48000	17.5	11.2	47000	29400	23800	7.8	1.8	217194508	Yes
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.8	1.8	217194509	Yes
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	48000	18	11.7	46500	29200	23600	7.5	1.82	217194511	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.8	1.8	217194513	Yes
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	47500	17.5	11.2	46000	29000	23200	7.5	1.78	217194516	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	47500	18	11.5	46000	29000	23000	7.5	1.78	217194518	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.5	1.8	217194519	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	47500	18	11.5	46000	29000	23200	7.5	1.78	217194520	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	48000	17.5	11.2	46500	29200	23600	7.5	1.78	217194521	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	47500	17	11.5	46000	29000	23000	7.5	1.78	217194522	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	48000	17	11.2	47000	29400	23800	7.5	1.8	217194523	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	48000	17.5	11.5	46500	29200	23600	7.5	1.8	217194524	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH080NV48B	R-454B	48000	18.5	11.2	47000	29600	23800	7.5	1.78	217447100	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	48000	18.5	11.5	46500	29200	23600	7.5	1.8	217194525	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	48000	18	11.5	47000	29400	23800	7.5	1.8	217194526	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	48000	18	11.5	47000	29400	23800	7.5	1.8	217194527	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	48000	18.5	11.5	46500	29200	23600	7.5	1.8	217194528	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH110V60C	R-454B	48000	18	11.5	46500	29200	23600	7.5	1.8	217194530	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL280UH110XV60C	R-454B	48000	18	11.5	46500	29200	23600	7.5	1.8	217194531	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	48000	18.5	11.2	47000	29400	23800	7.5	1.8	217194533	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	48000	18	11	47000	29600	24000	7.5	1.78	217194534	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	18	11.2	47000	29600	23800	7.5	1.78	217194536	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	1.78	217194538	No
EL19KPV-048-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	48000	18	11.2	47000	29400	23800	7.5	1.8	217194539	No
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	- - -	R-454B	46500	17.5	11	47500	29400	29000	8.1	1.9	217447213	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL180UH100NE60C	R-454B	46500	17	10.5	47500	29600	29200	8.2	1.88	217447111	No
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL195UH100NE60C	R-454B	45500	16.5	10.5	47500	29400	29000	8.2	1.86	217447112	No
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL196UH090XE48C	R-454B	46000	17	11	47000	29000	28800	8.2	1.9	217446787	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	47000	17	11	47500	29400	29000	8.2	1.9	217446788	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	46500	18	11.2	47000	29000	28800	8.2	1.92	217446789	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	46500	17	11.2	47000	29000	28600	8.2	1.92	217446790	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	46500	17	11.2	47000	29000	28600	8.2	1.92	217446791	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV48C	R-454B	46500	17	11	47500	29400	29200	8.2	1.9	217446815	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	46500	17	11	47500	29400	29000	8.2	1.9	217446816	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	46500	17	11	47500	29400	29000	8.2	1.9	217446817	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	47000	17	11	47500	29400	29000	8.2	1.9	217446818	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	47000	17	11.2	47500	29200	29000	8.2	1.92	217446819	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	46000	17	11.2	46500	28800	28600	8.2	1.9	217446792	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	46500	17.5	11.2	47500	29200	29000	8.2	1.9	217446793	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	1.92	217446794	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	46500	17.5	11.2	47500	29200	29000	8.2	1.9	217446795	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML193UH090XE48C	R-454B	46000	17	11	47000	29000	28800	8.2	1.9	217446796	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE48C	R-454B	46000	17.5	11.2	47000	29000	28600	8.2	1.9	217446797	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	46500	17	11	47500	29200	29000	8.2	1.9	217446798	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE48C	R-454B	46000	17	11	47000	29000	28800	8.2	1.9	217446799	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	46500	17	11	47500	29400	29000	8.2	1.9	217446800	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	46000	16.5	11.2	47000	29000	28600	8.2	1.9	217446801	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	47000	17	11	48000	29600	29200	8.1	1.9	217446802	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	47000	17.5	11.2	47500	29400	29000	8.1	1.92	217446803	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV48B	R-454B	46500	16.9	10.5	48000	29600	29200	8.2	1.9	217447113	No
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	47000	17	11.2	47500	29200	29000	8.2	1.92	217446804	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	1.92	217446805	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	1.92	217446806	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	47000	17	11.2	47500	29400	29000	8.2	1.92	217446807	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	1.92	217446808	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	47000	17.5	11.2	47500	29200	28800	8.2	1.92	217446809	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV48C	R-454B	46500	16.5	11	47500	29400	29000	8.2	1.9	217446810	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	46500	16.5	10.5	48000	29600	29400	8.2	1.88	217446811	No
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV48C	R-454B	46500	17	11	47500	29400	29000	8.2	1.9	217446812	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	47000	17	11	47500	29400	29000	8.2	1.9	217446813	Yes
EL19KPV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	47000	17	11.2	47500	29200	29000	8.2	1.92	217446814	Yes
EL19KPV-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	54500	14.7	9.8	58000	38000	32600	8.5	2.2	217447123	No
EL19KPV-060-230A**	CBK45UHVT-060-230-**	- - -	R-454B	54500	16.5	9.8	58000	38000	32600	8.5	2.2	217194654	No
EL19KPV-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	52500	16.5	9	57500	37000	30000	8.2	1.84	217491799	No
EL19KPV-060-230A**	CBK47UHET-060-460-**	- - -	R-454B	52500	16.5	9	57500	37000	30000	8.2	1.84	217595426	No
EL19KPV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	57000	17	9.8	57000	37600	29400	8.2	1.9	217194551	No
EL19KPV-060-230A**	CK40[C,U]T-48B-**+TDR	ML180UH090V48B	R-454B	55000	16.5	9.8	57000	38000	31400	7.8	1.96	217194641	No
EL19KPV-060-230A**	CK40[C,U]T-48B-**+TDR	ML196UH070XE48B	R-454B	54500	16.5	9.8	56500	38000	31200	8.2	1.96	217507691	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	54500	17	10	56000	37800	30800	8.2	1.98	217194607	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	55000	16.5	10	56500	38000	31200	8.2	1.98	217194608	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	55000	16.5	10	56000	37600	30800	8.2	2	217194610	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	55500	17	10	56000	37600	30800	8.2	2	217194613	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	55500	17	10	56000	37600	30800	8.2	2	217194614	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	55500	17	9.8	56500	38000	31200	8.2	1.98	217194636	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	54500	16.5	10	56000	37600	30800	8.2	1.98	217194637	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	55500	17.5	10	56500	38000	31200	8.2	2	217194638	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	55000	16.5	10	56000	37600	30800	8.2	2	217194615	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	55000	17	10	56000	37400	30600	8.2	2	217194616	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	56000	17	10	56500	37800	31000	8.1	2	217194617	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	55000	17	10	56000	37400	30600	8.2	2	217194618	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	54500	16.5	10	55500	37400	30600	8.2	2	217194619	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	55500	16.5	10	57000	38000	31400	8.2	1.98	217194620	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	55000	16.5	10	56000	37600	30800	8.2	2	217194621	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	55500	16.5	10	56500	38000	31400	8	1.98	217507678	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	55500	16.5	10	56500	38000	31200	8.1	2	217194622	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	55500	17.5	10	56500	37800	31000	8.2	2	217194623	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	55500	17.5	10	56500	38000	31000	8.2	2	217194624	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	55500	17.5	10	56500	38000	31000	8.2	2	217194625	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	55500	17.5	10	56500	38000	31000	8.2	2	217194626	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	55500	17.5	10	56500	37800	31000	8.2	2	217194627	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	55500	17.5	10	56500	37800	31000	8.2	2	217194628	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	55500	17.5	9.8	56500	38000	31400	8.2	1.98	217194629	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	55500	17	10	56500	38000	31200	8.2	1.98	217194630	No
EL19KPV-060-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	55500	17.5	10	56500	38000	31200	8.2	2	217194631	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL180UH100NE60C	R-454B	56500	16.5	9.8	57500	38500	31600	8.2	2.02	217194558	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	56500	16.5	10	56500	38000	31200	8.2	2.02	217194559	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	57000	16.5	10	57000	38000	31400	8.2	2.04	217194560	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	57500	16.5	10	57000	38000	31400	8.2	2.04	217194561	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	57500	16.5	10	57000	38000	31400	8.2	2.04	217194562	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	56500	17	10	56500	38000	31200	8.2	2.04	217194581	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	56500	16.5	10	57000	38000	31400	8.2	2.04	217194582	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	57000	17	10	56500	38000	31200	8.2	2.04	217194583	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	57000	16.5	10	57000	38500	31600	8.2	2.04	217194563	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	57500	17	10	57000	38000	31400	8.2	2.04	217194564	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	57000	17	10	56500	37800	31000	8.2	2.06	217194565	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	57500	17	10	57000	38000	31400	8.2	2.04	217194566	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	57000	16.5	10	57000	38000	31400	8.2	2.04	217194567	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	56500	16.5	10	57000	38000	31200	8.2	2.04	217194568	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	57000	16.5	10	57500	38500	31600	8.2	2.02	217194569	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	57000	16	10	57000	38000	31400	8.1	2.04	217194570	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	57000	16.5	10	56500	38000	31200	8.1	2.04	217194571	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	2.06	217194572	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	2.06	217194573	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	2.06	217194574	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	57000	17.5	10	56500	38000	31000	8.2	2.06	217194575	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	57000	17	10	56500	38000	31000	8.2	2.06	217194576	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	57000	17	10	56500	38000	31000	8.2	2.06	217194577	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	56500	17	10	57000	38000	31400	8.2	2.02	217194578	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	57000	17	10	56500	38000	31200	8.2	2.04	217194579	No
EL19KPV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	57000	17	10	56500	38000	31200	8.2	2.04	217194580	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	56500	16.5	10	56500	37200	31000	8.5	2.04	217194584	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	56000	16.5	10	55500	36600	30400	8.5	2.06	217194585	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	56500	16.5	10	56000	36800	30800	8.5	2.06	217194586	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	57000	16.5	10	56500	37000	30800	8.5	2.06	217194587	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	57000	16.5	10	56500	37000	30800	8.5	2.06	217194588	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	56500	17	10	56000	36800	30600	8.5	2.06	217194609	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	56500	16.5	10	56000	36800	30800	8.5	2.06	217194611	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	56500	17.5	10	56000	36600	30600	8.5	2.08	217194612	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH070V48B	R-454B	57000	17	10	56500	36800	30600	8.2	2.08	217507677	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	57000	16.5	10	56500	37000	31000	8.5	2.06	217194589	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	57000	17	10	56500	37000	30800	8.5	2.06	217194590	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	57000	17	10	56000	36400	30200	8.2	2.1	217194591	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	57000	17	10	56500	37000	30800	8.5	2.06	217194592	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	56500	17	10	56000	36800	30600	8.5	2.06	217194593	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	56500	17	10	56000	36800	30600	8.5	2.06	217194594	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	57000	16.5	10	56500	37200	31000	8.5	2.06	217194595	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	56500	16	10	56000	36800	30600	8.2	2.06	217194596	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	56500	16.5	10	56000	36600	30400	8.2	2.08	217194597	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	56500	17.5	10	55500	36400	30400	8.5	2.1	217194598	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	2.08	217194599	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	2.08	217194600	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	2.08	217194601	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	2.08	217194602	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	2.08	217194603	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	56500	17.5	10	56000	37000	30800	8.5	2.06	217194604	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	56500	17	10	56000	36800	30600	8.5	2.08	217194605	No
EL19KPV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	56500	17.5	10	56000	36600	30400	8.5	2.08	217194606	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	EL180UH100NE60C	R-454B	57500	17	10	56000	35200	27400	7.8	1.86	217507675	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	EL195UH100NE60C	R-454B	55500	16.5	10	55000	34800	26800	7.8	1.84	217491798	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH110XV60C	R-454B	57500	18	10.5	55500	34800	26800	7.8	1.88	217507674	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XE60D	R-454B	57500	16	10	56000	35200	27400	7.8	1.86	217194557	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	57500	17.5	10.5	55500	34800	26800	7.8	1.88	217194554	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	ML180UH135E60D	R-454B	57500	16.5	10	56000	35000	27000	7.8	1.86	217194555	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	ML196UH110XE60C	R-454B	57500	16.5	10	56000	35200	27400	7.8	1.86	217507676	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	ML196UH135XE60D	R-454B	57000	16	10	55500	34800	26800	7.8	1.88	217194556	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	57500	17.5	10.5	55500	34600	26800	7.8	1.88	217194552	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV60C	R-454B	57000	17.5	10	56000	35000	27200	7.8	1.86	217507673	No
EL19KPV-060-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	57500	17.5	10.5	55500	34800	26800	7.8	1.88	217194553	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	1.94	217447198	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	1.94	217447199	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	54500	17	10	58500	37800	30200	8.2	1.98	217447190	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	54500	16.5	9.8	60000	38500	31000	8.1	1.92	217447191	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	ML296DF070XV48B	R-454B	53500	16	9.5	59500	38500	30800	7.5	1.94	217507700	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	54000	16	9.8	60000	38500	31000	7.5	1.94	217447192	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	54000	17	10	59500	38000	30600	8.2	1.96	217447197	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	54500	17.5	10	59500	38000	30600	8.2	1.96	217447193	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	54500	17.5	10	59000	38000	30400	8.2	1.98	217447194	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	54000	17.5	9.5	59500	38500	31000	8.2	1.92	217507699	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	1.94	217447195	No
EL19KPV-060-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	54000	17	9.8	60000	38500	30800	8.2	1.94	217447196	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	EL297DF090XV60C	R-454B	54000	15.5	9.5	59500	39000	32000	8.5	1.94	217507697	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	54000	16	9.5	59500	39000	32000	8.5	1.96	217507698	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	53500	17.5	10	58500	38500	31200	8.5	2	217447187	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	54000	16.5	9.5	60000	39500	32000	8.5	1.94	217507694	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	54000	16	9.8	59500	39000	31800	8.5	1.96	217447186	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	54500	16.5	9.8	59500	39000	31600	8.5	1.98	217447188	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	54500	16.5	9.8	59500	38500	31400	8.5	1.98	217447189	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV60C	R-454B	54000	15.5	9.5	59500	39000	32000	8.5	1.94	217507695	No
EL19KPV-060-230A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	54000	15.5	9.5	59500	39000	32000	8.5	1.96	217507696	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	EL297DF090XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	2.04	217447179	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	EL297DF110XE60C	R-454B	54500	16.5	10	59000	38500	32000	8.2	2.08	217447180	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	EL297DF110XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	2.04	217447181	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	SL280DF090V60C	R-454B	55500	17.5	10	59000	38500	32200	8.5	2.06	217447182	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	55500	17.5	10	59000	38500	32200	8.5	2.08	217447183	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	SLP99DF090XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	2.04	217447184	No
EL19KPV-060-230A**	CK40DT-60D-**+TDR	SLP99DF110XV60C	R-454B	55000	17.5	9.8	59000	39000	32600	8.5	2.04	217447185	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	55000	17	9.5	55000	37800	30800	8.5	1.88	217507692	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	54500	17	9.8	54000	37000	30200	8.5	1.88	217447124	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	54500	17	10	54000	36800	30000	8.5	1.9	217447125	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	55500	17	9.8	55000	37600	30800	8.5	1.9	217447126	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	55500	17	9.8	55000	37600	30800	8.5	1.9	217447127	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	54500	18	10	54000	36800	29800	8.5	1.86	217447148	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	54500	18	10	54000	36600	29800	8.5	1.88	217447149	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	55000	17	9.8	54500	37200	30400	8.5	1.88	217447150	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	54500	18	10	53500	36600	29600	8.5	1.88	217447151	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	54500	18	10	53500	36600	29600	8.5	1.88	217447152	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	55500	17	9.8	55000	37800	30800	8.5	1.88	217447128	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	55500	17.5	9.8	55000	37600	30600	8.5	1.9	217447129	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	55000	17.5	10	53500	36400	29600	8.2	1.92	217447130	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	55500	17.5	9.8	55000	37600	30600	8.5	1.9	217447131	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	55500	17	9.8	55000	37400	30600	8.5	1.88	217447132	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	55000	17	9.8	54500	37200	30400	8.5	1.88	217447133	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	55500	16.5	9.8	55000	37800	30800	8.5	1.88	217447134	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	55000	17	10	54000	37000	30000	8.2	1.9	217447135	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	55000	17.5	10	54000	36600	29800	8.2	1.9	217447136	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH080NV48B	R-454B	54500	17.5	10	54000	36800	29800	8.5	1.86	217507693	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	54500	18	10	53500	36600	29600	8.5	1.88	217447137	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	54500	18	10	53500	36400	29400	8.5	1.88	217447138	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	54500	18	10	53500	36400	29400	8.5	1.88	217447139	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	54500	18	10	53500	36600	29600	8.5	1.88	217447140	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH110V60C	R-454B	54500	18	10	53500	36400	29600	8.5	1.88	217447141	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL280UH110XV60C	R-454B	54500	18	10	53500	36400	29600	8.5	1.88	217447142	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	54500	18	10	54000	36600	29800	8.5	1.88	217447143	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	54500	17.5	9.8	54000	37000	30000	8.5	1.86	217447144	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	54500	18	10	54000	36600	29800	8.5	1.88	217447145	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	54500	18	10	53500	36600	29600	8.5	1.88	217447146	No
EL19KPV-060-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	54500	18	10	53500	36600	29600	8.5	1.88	217447147	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL180UH100NE60C	R-454B	55500	16.5	9.8	55500	37000	31200	8.1	1.92	217447153	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL195UH100NE60C	R-454B	55000	16.5	10	54500	36400	30600	8.1	1.94	217447154	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	55500	16.5	10	55000	36600	30800	8.1	1.94	217447155	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	56000	16.5	10	55500	37000	31000	8.2	1.94	217447156	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	56000	16.5	10	55500	37000	31000	8.2	1.94	217447157	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	55500	17.5	10	55000	36400	30600	8.1	1.96	217447176	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	55500	16.5	10	55000	36600	30800	8.1	1.94	217447177	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	56000	17.5	10	54500	36400	30400	8.2	1.96	217447178	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	56000	16.5	9.8	55500	37000	31200	8.1	1.94	217447158	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	56000	17	10	55500	36800	31000	8.2	1.94	217447159	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	56000	17	10	55000	36400	30600	7.8	1.96	217447160	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	56000	17	10	55500	36800	31000	8.2	1.94	217447161	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	55500	17	10	55500	36800	31000	8.2	1.94	217447162	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	55000	17	10	55000	36600	30800	8.2	1.94	217447163	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	56000	16.5	9.8	55500	37000	31200	8.1	1.94	217447164	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	55500	16.5	10	55000	36800	31000	7.8	1.94	217447165	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	56000	16.5	10	55000	36600	30800	7.8	1.96	217447166	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	56000	17.5	10	54500	36200	30400	8.2	1.96	217447167	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	56000	18	10	54500	36200	30400	8.2	1.96	217447168	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	56000	18	10	54500	36200	30400	8.2	1.96	217447169	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	56000	17.5	10	54500	36400	30400	8.2	1.96	217447170	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	56000	17.5	10	54500	36200	30400	8.2	1.96	217447171	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	56000	17.5	10	54500	36200	30400	8.2	1.96	217447172	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	55500	17.5	9.8	55000	36800	31000	8.1	1.94	217447173	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	55500	17.5	10	54500	36400	30600	8.1	1.96	217447174	No
EL19KPV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	56000	17.5	10	54500	36400	30400	8.2	1.96	217447175	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	EL180UH100NE60C	R-454B	56000	16.9	9.8	56500	38000	31200	8.2	1.98	217507682	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	EL196UH110XE60C	R-454B	56000	16.5	10	56000	37800	30800	8.2	2	217507683	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	56000	17.5	10	56000	37400	30600	8.2	2.02	217507689	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	56000	16	9.8	56500	38000	31000	8.2	1.98	217194639	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	56000	17.5	10	56000	37600	30600	8.2	2.02	217194640	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML180UH090E60C	R-454B	56500	16.5	10	56500	38000	31000	8.2	2	217507679	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML180UH110E60C	R-454B	56500	17	10	56500	37800	30800	8.2	2	217507680	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML180UH110XE60C	R-454B	56500	17	10	56500	37800	30800	8.2	2	217507684	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	56000	16	10	56000	37800	30800	8.2	2	217194632	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML193UH110XE60C	R-454B	56000	16.5	10	56000	37800	30800	8.2	2	217507681	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML196UH110XE60C	R-454B	56500	16.5	10	56500	38000	31000	8.2	2	217507685	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	56500	15.5	9.8	57000	38000	31400	8.2	1.98	217194633	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	56000	17.5	10	56000	37600	30600	8.2	2.02	217507686	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	SL280UH090V60C	R-454B	56000	17.5	10	55500	37400	30400	8.2	2.02	217507690	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	56000	17.5	10	55500	37400	30400	8.2	2.02	217194634	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	56000	17.5	10	56000	37800	31000	8.2	1.98	217507687	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	56000	17.5	10	56000	37600	30600	8.2	2.02	217507688	No
EL19KPV-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	56000	17.5	10	56000	37600	30600	8.2	2.02	217194635	No
EL21KLV-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	24000	19.5	13	25400	21200	17300	10.2	2.12	217443135	Yes
EL21KLV-024-230A**	CBK45UHPT-024-230-**	- - -	R-454B	23400	17	13	25000	21200	17300	9.8	2.06	217443109	Yes
EL21KLV-024-230A**	CBK45UHPT-030-230-**	- - -	R-454B	23800	17	12.4	24000	22000	18100	9	2.12	217121561	Yes
EL21KLV-024-230A**	CBK45UHVT-024-230-**	- - -	R-454B	24000	20	13	25200	21200	17300	9.8	2.1	217443134	Yes
EL21KLV-024-230A**	CBK45UHVT-030-230-**	- - -	R-454B	24000	20.5	13	24000	21600	17800	8.5	2.16	217121962	Yes
EL21KLV-024-230A**	CBK47UHET-024-230-**	- - -	R-454B	24000	20.5	13	24000	22400	18600	9.8	2.3	217121964	Yes
EL21KLV-024-230A**	CBK47UHET-030-230-**	- - -	R-454B	23800	20.5	13	24000	22000	17900	9.8	2.14	217121963	Yes
EL21KLV-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	23600	20.5	13	24800	22400	18600	10	2.3	217115280	Yes
EL21KLV-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	24000	20.5	12	25200	21800	17900	10	2.22	217115278	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	- - -	R-454B	23400	15.2	11.7	25200	20000	14700	8.2	1.7	217443118	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH040NE36A	R-454B	23600	19	13	24600	19200	14200	8.5	1.74	217443071	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	23800	19	13	24600	19200	14200	8.5	1.74	217443072	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	23400	19.5	13	24000	18800	13900	8.2	1.74	217443073	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	24000	19	13	24600	19300	14300	8.5	1.74	217443074	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	24000	19	13	24600	19300	14300	8.5	1.74	217443075	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	23800	19	13	24200	19000	14100	8.2	1.74	217443076	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	23600	19	13	24000	18800	14000	8.2	1.74	217443077	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	23600	18	13	24200	18900	14000	8.5	1.74	217443078	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	23600	19	13	24200	18900	14000	8.2	1.74	217443079	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	23600	18	13	24200	18900	14000	8.5	1.74	217443080	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	23600	19	13	24600	19200	14200	8.5	1.76	217443119	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	23600	18.5	13	24600	19200	14200	8.5	1.74	217443081	Yes
EL21KLV-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	23600	18.5	13	24600	19200	14200	8.5	1.74	217443082	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	- - -	R-454B	23400	15.2	11.7	25200	20000	14700	8.2	1.7	217443120	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	1.74	217443083	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	1.74	217443084	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	1.74	217443085	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	1.74	217443086	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	24000	19	13	24600	19300	14300	8.5	1.74	217443087	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	24000	18	12.5	24600	19300	14300	8.5	1.74	217443101	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	23600	19	13	24600	19300	14300	8.5	1.74	217443102	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	24000	18	12.5	24600	19300	14300	8.5	1.74	217443100	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	23600	19	13	24600	19200	14200	8.5	1.76	217443129	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	23800	18.5	13	24200	18900	14000	8.5	1.74	217443088	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	23800	19	13	24200	19000	14000	8.2	1.76	217443121	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	24000	19.5	13	24400	19000	14100	8.1	1.76	217443122	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	23800	18.5	13	24200	18900	14000	8.5	1.74	217443089	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	23800	19	13	24600	19300	14200	8.2	1.74	217443090	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	24000	19	13	24600	19300	14300	8.5	1.74	217443091	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	24000	19	13	24600	19200	14200	8.5	1.76	217443123	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	24000	18	12.5	24800	19300	14300	8.5	1.74	217443092	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	24000	18	13	24600	19200	14200	8.5	1.76	217443124	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	23600	19	13	24200	19000	14000	8.2	1.74	217443093	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	23800	18.5	12.5	24600	19200	14200	8.2	1.72	217443094	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	23600	18.5	13	24600	19300	14300	8.5	1.74	217443095	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23600	19.5	13	24600	19200	14100	8.5	1.76	217443125	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	23600	19	13	24600	19200	14100	8.5	1.76	217443126	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090XV48B	R-454B	23600	19	13	24600	19200	14100	8.5	1.76	217443127	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	23600	19.5	13	24600	19300	14200	8.5	1.74	217443096	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	23600	19	13	24600	19300	14300	8.5	1.74	217443097	Yes
EL21KLV-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	19	13	24600	19200	14200	8.5	1.76	217443128	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	22200	16	11.2	24000	22400	18000	9.4	2.04	217115279	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	23200	20	12.6	24000	22000	17600	9.8	2.1	217121529	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	23200	20	12.6	24000	22000	17600	9.8	2.1	217121530	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	22800	19.5	13	24000	21600	17300	9.8	2.1	217121537	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	23200	19.5	12.6	24000	22000	17700	9.8	2.1	217121538	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	23200	19.5	12.6	24000	22000	17700	9.8	2.1	217121539	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	23000	19.5	13	24000	21800	17400	9.6	2.1	217121544	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	22800	19.5	13	24000	21600	17300	9.5	2.08	217121545	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	23000	19	13	24000	21800	17500	9.8	2.1	217121546	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	23000	20	13	24000	21600	17400	9.6	2.1	217121548	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	23000	19	13	24000	21600	17400	9.8	2.1	217121551	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	23000	19.5	13	24800	22000	17600	10	2.12	217115281	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	22800	18.5	12.6	25000	22000	17700	9.8	2.1	217115282	Yes
EL21KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	22800	18.5	12.6	25000	22000	17700	9.8	2.1	217115283	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	22200	16	11.2	24000	22400	18000	9.4	2.04	217115294	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	2.08	217121531	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	2.08	217121532	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	2.08	217121535	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	2.08	217121536	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	23200	16.5	12.4	24000	22000	17800	9.6	2.08	217121540	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	23200	16.5	12.4	24000	22000	17800	9.6	2.08	217121541	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	2.1	217121542	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	22800	19	12.6	25000	22000	17800	9.8	2.1	217115291	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	23200	19	12.4	24000	22000	17800	9.8	2.1	217121543	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	23000	19	12.8	25000	22000	17700	9.8	2.12	217115292	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	23200	19	13	24000	21800	17400	9.8	2.1	217121547	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	23200	20	13	24000	21800	17400	9.6	2.1	217121549	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	23200	19.5	13	24000	21800	17400	9	2.12	217121550	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	23200	19	13	24000	21800	17400	9.8	2.1	217121552	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	23200	20	12.6	24000	22000	17700	9.6	2.1	217121553	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	23200	19.5	12.6	24000	22000	17700	9.8	2.1	217121554	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	23400	19.5	12.8	24000	22000	17700	9.8	2.1	217121555	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	23200	18.5	12.4	24000	22000	17800	9.8	2.08	217121556	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	23400	19	12.8	24000	22000	17700	9.8	2.1	217121557	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	23000	15.2	11.7	24000	22400	18000	9.4	2.06	217121558	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	23000	19.5	12.8	24000	21600	17400	9.5	2.1	217121559	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	23000	19.5	12.8	24000	21800	17500	9.6	2.1	217121560	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	22800	19	12.6	25000	22000	17700	9.8	2.1	217115284	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	23000	19	13	24800	21800	17600	9.8	2.12	217115285	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	23000	19	13	24800	22000	17600	9.8	2.12	217115286	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	23000	19	13	24800	22000	17600	9.8	2.12	217115287	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	23000	20	12.8	25000	22000	17700	10	2.12	217115288	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	23000	19.5	12.8	25000	22000	17700	9.8	2.1	217115289	Yes
EL21KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	23000	19	12.8	24800	22000	17600	9.8	2.12	217115290	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	- - -	R-454B	22600	16	11.5	27000	20000	16700	8.2	1.98	217443130	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	23400	20	12.5	26600	19600	16200	8.5	2.02	217443144	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	23400	18	12	26800	19700	16400	8.5	2.02	217443136	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	23200	19.5	12.5	26800	19800	16400	8.5	1.98	217443146	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	23200	18	12.5	26400	19500	16200	8.5	2.04	217443137	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	23600	19.5	12.5	26800	19700	16300	8.5	2.02	217443138	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	23600	19	12.5	26800	19700	16400	8.5	2.02	217443139	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	23600	18.5	12.5	26800	19700	16300	8.5	2.02	217443140	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	23600	17.5	12.5	26800	19800	16400	8.5	2.02	217443141	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	23200	19.5	12.5	26800	19700	16300	8.5	2	217443142	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	23200	20	12.5	26800	19700	16300	8.5	2	217443143	Yes
EL21KLV-024-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	23400	20	12.5	26800	19700	16300	8.5	2	217443145	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	- - -	R-454B	22600	16.5	11.5	27400	20200	16800	8.2	1.98	217443161	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SL280DF080NV60C	R-454B	23200	18	12.5	26600	19600	16200	8.5	2.02	217443163	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SL280DF090V60C	R-454B	23400	18.5	12.5	26600	19600	16200	8.5	2.02	217443150	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SL280DF110V60C	R-454B	23400	18.5	12.5	26600	19600	16200	8.5	2.04	217443152	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	23400	20.5	13	26600	19600	16200	8.5	2.04	217443154	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV48C	R-454B	23400	19.5	12.5	26600	19600	16200	8.5	2.02	217443155	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV60C	R-454B	23200	18.5	12.5	26800	19600	16200	8.5	2.02	217443157	Yes
EL21KLV-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF110XV60C	R-454B	23200	18.5	12.5	26800	19700	16300	8.5	2.02	217443159	Yes
EL21KLV-024-230A**	CK40HT-24A-**+TDR	- - -	R-454B	23400	16	12	25400	21800	18100	8.2	1.94	217443132	Yes
EL21KLV-024-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	23800	20	13	24800	21200	17500	8.5	1.96	217443186	Yes
EL21KLV-024-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	23800	20	13	24800	21200	17500	8.5	1.96	217443188	Yes
EL21KLV-024-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	24000	20	13	24800	21400	17600	8.5	1.98	217443189	Yes
EL21KLV-024-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	24000	20	13	24800	21400	17600	8.5	1.98	217443187	Yes
EL21KLV-024-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	23800	20	13	24600	21000	17300	8.2	1.98	217443190	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	- - -	R-454B	21600	15.5	11.2	25000	21400	17500	8.5	2	217443133	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	22600	18.5	12	24600	21000	17100	9	2.06	217443191	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	22600	18.5	12	24600	21000	17100	9	2.06	217443192	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	22200	20.5	12.5	24200	20600	16700	9	2.04	217443193	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	22800	19.5	12	24600	21000	17200	9	2.06	217443194	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	22800	19.5	12	24600	21000	17200	9	2.06	217443195	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	22600	19.5	12.5	24400	20800	16900	8.5	2.06	217443196	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	22200	19.5	12.5	24200	20600	16800	8.5	2.04	217443197	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	22400	18	12.5	24200	20800	16900	9	2.04	217443198	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	22400	19.5	12.5	24200	20600	16900	8.5	2.06	217443199	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	22200	18.5	12.5	24200	20600	16800	9	2.04	217443200	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	22400	20	12.5	24600	21000	17100	9	2.06	217443201	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	22200	19.5	12.5	24600	21000	17100	9	2.06	217443202	Yes
EL21KLV-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	22200	19.5	12.5	24600	21000	17100	9	2.06	217443203	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	- - -	R-454B	22800	16	11.7	24600	21200	17500	8.5	1.98	217443131	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	23800	18.5	12.5	24400	21000	17200	9	2.04	217443147	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	23800	18.5	12.5	24400	21000	17200	9	2.04	217443148	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	23200	19	13	23800	20400	16800	9	2.02	217443149	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	23800	18.5	12.5	24400	21000	17300	9	2.04	217443151	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	23800	18.5	12.5	24400	21000	17200	9	2.04	217443153	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	23800	16.5	12.5	24400	21000	17300	9	2.04	217443156	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	23800	16.5	12.5	24400	21000	17300	9	2.04	217443158	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	23800	18.5	13	24400	21000	17200	9	2.04	217443183	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	23600	19.5	13	24400	20800	17100	9.4	2.06	217443184	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	23800	18.5	13	24400	21000	17200	9	2.04	217443182	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	23600	20	13	24400	20800	17000	9.4	2.06	217443185	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	23800	19	13	24000	20600	16900	9	2.06	217443160	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	23800	20	13	24000	20600	16900	9	2.06	217443162	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	23800	20	13	24000	20600	16900	8.5	2.06	217443164	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	23800	19	13	24000	20600	16900	9	2.06	217443165	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	23800	20	13	24400	20800	17100	9	2.04	217443166	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	23800	19.5	13	24400	20800	17200	9	2.04	217443167	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	23800	19.5	13	24400	20800	17100	9	2.06	217443168	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	23800	18.5	12.5	24400	21000	17300	9	2.04	217443169	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	23800	18.5	13	24400	20800	17100	9	2.06	217443170	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	23600	15.5	12.5	24600	21000	17300	9	2.02	217443103	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	23600	19.5	13	24000	20600	16900	9	2.04	217443171	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	23600	19	13	24200	20800	17100	8.5	2.04	217443172	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	23200	19.5	13	24400	20800	17200	9	2.04	217443173	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	23600	20	13	24200	20800	17000	9.4	2.08	217443174	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	23600	19.5	13	24200	20800	17000	9.4	2.08	217443175	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SL280UH090XV48B	R-454B	23600	19.5	13	24200	20800	17000	9.4	2.08	217443179	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	23600	20	13	24400	20800	17100	9.4	2.06	217443176	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	23600	20	13	24400	20800	17100	9.4	2.06	217443177	Yes
EL21KLV-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	23600	20	13	24200	20800	17000	9.4	2.06	217443178	Yes
EL21KLV-036-230A**	CBK45UHET-042-230-**	- - -	R-454B	34400	19.5	11.7	32200	29400	24400	8.5	2.06	217121968	Yes
EL21KLV-036-230A**	CBK45UHVT-036-230-**	- - -	R-454B	34600	19.5	12	32000	29200	24200	8.5	2.06	217121970	Yes
EL21KLV-036-230A**	CBK45UHVT-042-230-**	- - -	R-454B	34800	20	12.2	31800	29000	23800	9	2.08	217121579	Yes
EL21KLV-036-230A**	CBK47UHET-036-230-**	- - -	R-454B	34000	19	11.5	33400	31400	25200	8.5	2.1	217121562	Yes
EL21KLV-036-230A**	CBK47UHET-036-460-**	- - -	R-454B	34000	19	11.5	33400	31400	25200	8.5	2.1	217595417	Yes
EL21KLV-036-230A**	CBK47UHET-042-230-**	- - -	R-454B	34000	16.5	10	32200	30000	24400	8.5	2.1	217121965	No
EL21KLV-036-230A**	CBK48MVT-036-230-**	- - -	R-454B	34000	20	11.7	33600	31800	25400	10	2.1	217117000	Yes
EL21KLV-036-230A**	CBK48MVT-042-230-**	- - -	R-454B	34000	18.5	10.5	32200	30000	24400	9	2.1	217117038	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	- - -	R-454B	32000	14.7	10.5	33800	27800	23000	9.8	2.2	217443408	No
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	32600	19	11.2	33200	27200	22600	10.4	2.26	217443407	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	32600	19	11.2	33200	27200	22600	10.4	2.26	217443204	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	33200	18	11.2	33600	27200	22800	10.4	2.26	217443205	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	32600	19	11.5	33000	27000	22400	10.4	2.26	217443206	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	32600	19	11.5	33000	27000	22400	10.4	2.26	217443207	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	33000	18	11.5	33400	27200	22600	10	2.26	217443208	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	33000	19	11.5	33200	27200	22400	10.4	2.26	217443209	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	33000	18	11.2	33400	27400	22600	9.8	2.26	217443210	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	33000	19	11.5	33200	27200	22400	10.4	2.26	217443211	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	32800	18	11.2	33400	27200	22600	10.4	2.24	217443212	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	33000	18	11.2	33400	27400	22800	9.8	2.26	217443213	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	32800	18.5	11.5	33200	27200	22600	10.4	2.26	217443214	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	32000	18.5	11	32000	30000	18400	8.8	2.22	217443215	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	33000	18.5	11.2	33800	27800	23000	10.4	2.24	217443216	Yes
EL21KLV-036-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	33000	18.5	11.2	33800	27800	23000	10.4	2.24	217443217	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	- - -	R-454B	32000	14.7	10.5	33800	27800	23000	9.8	2.2	217443409	No
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	32600	16	11.5	33200	27000	22400	10.2	2.26	217443218	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	32400	18	11.2	33200	27000	22600	10.2	2.24	217443219	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	32600	18	11.5	33200	27000	22400	10.4	2.26	217443220	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	32600	17	11.2	33200	27200	22600	10.2	2.24	217443221	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	32600	18	11.2	33200	27200	22600	10.2	2.24	217443222	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	33000	19	11.7	33200	27200	22400	10.4	2.28	217443223	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	33000	17	11.7	33000	27000	22400	10.4	2.28	217443224	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	33000	17	11.7	33000	27000	22400	10.4	2.28	217443225	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	32400	18	11.5	33200	27000	22400	10.4	2.24	217443249	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	33000	19	11.2	34000	27800	23000	10.4	2.24	217443250	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	32800	18.5	11.2	33400	27400	22600	10.4	2.24	217443248	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	33000	19	11.5	33800	27600	23000	10.4	2.26	217443251	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	33000	18.5	11.5	33400	27200	22600	10.4	2.28	217443226	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	33000	18.5	11.7	33200	27200	22400	10	2.28	217443227	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	33400	18.5	11.7	33400	27000	22600	10.2	2.3	217443228	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	33000	18.5	11.5	33400	27200	22600	10.4	2.28	217443229	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	32800	17	11.7	33000	27000	22400	10.4	2.28	217443230	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	33200	18	11.5	33400	27400	22600	10	2.26	217443231	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	32800	17	11.7	33000	27000	22400	10.4	2.28	217443232	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	32800	17.5	11.2	33400	27400	22600	10.2	2.24	217443233	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	32600	17.5	11.2	33000	27000	22600	10.4	2.24	217443234	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	32600	18	11.5	33000	27000	22400	10.4	2.26	217443235	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	33000	18.5	11.2	33600	27400	22800	10.2	2.24	217443236	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	33000	18	11.2	33400	27400	22600	10.4	2.26	217443237	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	33000	16	11.2	33400	27400	22600	10.2	2.26	217443238	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	33000	17	11.2	33400	27400	22600	10	2.26	217443239	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	32800	16.9	11	33800	27600	23000	9.6	2.22	217443240	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	33000	19	11.2	33800	27600	23000	10.4	2.26	217443241	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	33200	19.5	11.7	33600	27400	22800	10.4	2.3	217443242	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	33200	19	11.5	33600	27400	22800	10.4	2.28	217443243	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	33200	19	11.5	33600	27400	22800	10.4	2.28	217443244	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	33000	19	11.2	34000	27800	23200	10.4	2.24	217443245	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	33000	18.5	11.2	34000	27800	23200	10.4	2.24	217443246	Yes
EL21KLV-036-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	33000	19	11.5	33800	27600	22800	10.4	2.28	217443247	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	- - -	R-454B	32400	14.7	10.5	30800	28200	22200	8.5	2	217117050	No
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	33600	18	11.2	30800	28000	21800	8.5	2.04	217121587	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	33600	18	11.2	30800	28000	21800	8.5	2.04	217121588	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	34000	18	11.2	31000	28200	22200	8.5	2.06	217121969	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	33600	16.5	11.5	30600	27800	21800	8.5	2.04	217121589	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	33600	16.5	11.5	30600	27800	21800	8.5	2.04	217121590	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	33400	18.5	11.5	30400	27600	21600	8.5	2.04	217121591	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	33800	18	11.5	30600	28000	21800	8.5	2.06	217121592	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	33200	18.5	11.5	30400	27600	21600	8.5	2.04	217121593	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	33800	18	11.5	30600	28000	21800	8.5	2.06	217121594	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	33600	17	11.2	30800	28000	22000	8.5	2.04	217121595	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	33000	18.5	11.5	30200	27600	21400	8.5	2.04	217121596	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	33600	17.5	11.2	30800	28000	21800	8.5	2.06	217121597	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	34000	18.5	11.2	31200	28400	22400	9	2.06	217117051	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	33800	18	11	31000	28200	22000	8.5	2.08	217117052	Yes
EL21KLV-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	33800	18	11	31000	28200	22000	8.5	2.08	217117053	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	- - -	R-454B	32400	14.7	10.5	30800	28200	22200	8.5	2	217117039	No
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	33400	16.5	11.2	30600	27800	21800	8.5	2.04	217121563	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	33400	15.5	11.2	30800	27800	21800	8.5	2.04	217121564	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	33400	16	11.2	30800	27800	21800	8.5	2.04	217121565	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	33400	17.5	11.2	30800	28000	22000	8.5	2.04	217121566	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	33400	16	11.2	30800	28000	21800	8.5	2.04	217121567	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	33800	18.5	11.5	30600	27800	21800	9	2.06	217121568	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	33800	17	11.7	30600	27800	21600	8.5	2.08	217121569	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	33800	17	11.7	30600	27800	21600	8.5	2.08	217121570	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	33400	16	11.2	30400	27800	21600	8.5	2.04	217121586	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	33800	18	11	31400	28600	22600	8.5	2.04	217117047	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	33800	16	11.2	30800	28200	22000	8.5	2.04	217121585	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	34000	18.5	11.2	31200	28400	22400	9	2.06	217117048	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	34000	18.5	11.5	30800	28000	22000	8.5	2.06	217121966	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	33400	19	11.7	30200	27600	21400	8.5	2.06	217121571	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	33400	19	11.7	30200	27600	21400	8.5	2.06	217121572	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	34000	18.5	11.5	30800	28000	22000	8.5	2.06	217121967	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	33800	17.5	11.7	30400	27600	21600	8.5	2.08	217121573	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	33200	19	11.5	30200	27600	21400	8.5	2.04	217121574	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	33800	17.5	11.7	30400	27600	21600	8.5	2.08	217121575	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	33600	17.5	11.2	31000	28200	22000	8.5	2.04	217121576	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	33400	16	11.2	30600	27800	21800	8.5	2.04	217121577	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	33400	16.5	11.5	30400	27800	21600	8.5	2.04	217121578	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	33400	17.5	11.2	30800	28000	22000	8.5	2.04	217121580	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	34000	18	11.2	31000	28200	22000	8.5	2.06	217121581	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	33800	16	11	31200	28400	22200	8.5	2.04	217121582	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	33200	18	11.5	30200	27600	21400	8.5	2.04	217121583	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	33000	18	11.5	30200	27600	21400	8.5	2.04	217121584	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	34000	18.5	11.2	31200	28400	22200	9	2.06	217117040	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	34000	18.5	11.5	31200	28200	22200	9	2.08	217117041	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	34000	18.5	11.2	31200	28400	22200	9	2.06	217117042	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	34000	18.5	11.2	31200	28400	22200	9	2.06	217117043	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	33800	18.5	11	31400	28600	22600	9	2.04	217117044	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	33800	18.5	11	31400	28600	22400	8.5	2.04	217117045	Yes
EL21KLV-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	34000	18.5	11.2	31200	28400	22200	9	2.06	217117046	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	- - -	R-454B	32600	15.5	10.5	34400	28800	19600	8.5	2.26	217443410	No
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	EL280DF090E48B	R-454B	33600	17	11.5	34000	28400	19200	9	2.34	217443254	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	33800	19	11	34200	28400	19100	9.2	2.4	217443264	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	33400	18	11	34400	28600	19400	9	2.26	217443253	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	33800	18.5	10.5	35000	29200	19800	9	2.2	217443267	No
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	ML180DF090E48B	R-454B	33600	17.5	11.5	33800	28200	19100	9	2.34	217443255	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	33600	19	11	34400	28800	19500	9	2.26	217443256	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	33400	18	11.2	34000	28400	19300	9	2.32	217443258	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	34000	18	11	34400	28800	19500	9	2.26	217443260	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	ML296DF070XV48B	R-454B	33800	17	11	34600	28800	19500	8.5	2.26	217443252	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	33800	18.5	11	34800	29200	19700	9	2.24	217443261	Yes
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	33800	19	11.2	34800	29000	19700	9	2.24	217443263	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	33800	19.5	11.2	34200	28400	19200	9.2	2.36	217443265	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	- - -	R-454B	32600	15.5	10.5	34400	28800	19600	8.5	2.26	217443413	No
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	33600	17.5	11.5	33800	28200	19100	9	2.34	217443268	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	ML180DF110E60C	R-454B	34200	17	11.7	34200	28400	19200	9	2.36	217443275	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	33600	17.5	11.5	34000	28400	19100	9	2.34	217443280	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	33800	17.5	11.7	33800	28200	19100	9	2.36	217443283	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	ML296DF090XV60C	R-454B	34000	18	11.2	34400	28600	19400	8.5	2.3	217443293	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SL280DF080NV60C	R-454B	34000	18	11.5	34400	28800	19400	9	2.32	217443314	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SL280DF090V60C	R-454B	34000	18.5	11.5	34400	28600	19300	9.2	2.34	217443297	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SL280DF110V60C	R-454B	34000	18.5	11.5	34400	28600	19300	9.2	2.34	217443300	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	34000	19.5	11.2	34600	28800	19500	9.4	2.3	217443303	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV48C	R-454B	34000	19	11.2	34600	28800	19500	9.2	2.28	217443305	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV60C	R-454B	34000	18.5	11.2	34600	28800	19500	9	2.28	217443308	Yes
EL21KLV-036-230A**	CK40DT-30/36C-**+TDR	SLP99DF110XV60C	R-454B	34000	18.5	11.2	34600	28800	19500	9.2	2.28	217443311	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	- - -	R-454B	31200	14.3	10.5	31800	31000	24400	8.5	1.92	217443412	No
EL21KLV-036-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	32400	17.5	11.2	31600	30600	24000	8.5	1.94	217443272	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	32400	17.5	11.2	31600	30600	24000	8.5	1.94	217443273	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	33000	18.5	11.2	32000	31000	24200	9	1.96	217443276	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	32400	18	11.5	31600	30600	23800	8.5	1.94	217443278	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	32400	18	11.5	31600	30600	23800	8.5	1.94	217443281	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	32800	17.5	11.5	31800	30800	24000	8.5	1.96	217443284	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	32600	18	11.5	31600	30600	24000	8.5	1.96	217443285	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	32800	17.5	11.2	32000	31000	24200	8.5	1.96	217443287	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	32600	18	11.5	31600	30600	24000	8.5	1.96	217443288	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	32600	17.5	11.2	31800	30800	24000	8.8	1.94	217443289	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	33000	17	11.2	32000	31000	24400	8.5	1.96	217443290	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	32600	17.5	11.2	31600	30600	24000	8.8	1.96	217443292	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	32800	18	11.2	32000	31000	24200	9	2	217443294	Yes
EL21KLV-036-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	32800	18	11.2	32000	31000	24200	9	2	217443295	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	- - -	R-454B	31800	14.7	10.5	30800	28200	22800	8.5	2.36	217443411	No
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	33000	16	11	30600	27800	22400	9	2.42	217443257	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	32800	17.5	11.2	30600	27800	22400	9	2.4	217443259	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	33000	18	11.5	30600	27800	22400	9	2.42	217443262	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	32800	17	11.2	30800	28000	22600	9	2.4	217443266	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	32800	18	11.2	30800	28000	22400	9	2.4	217443269	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	33200	19	11.5	30600	27600	22400	9	2.46	217443270	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	33200	17	11	30600	27600	22400	9	2.46	217443271	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	33200	17	11	30600	27600	22400	9	2.46	217443274	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	32800	18	11	30400	27800	22400	9	2.42	217443331	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	33200	18.5	11.2	31400	28400	23000	9	2.4	217443332	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	33200	18	11.2	30800	28000	22600	9	2.42	217443328	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	33400	19	11.2	31400	28200	22800	9.4	2.42	217443334	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	33400	18	11.5	30800	27800	22600	9	2.44	217443277	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	33400	18.5	11.5	30800	27800	22400	8.8	2.46	217443279	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	33800	18.5	11.7	30800	27800	22600	9	2.48	217443282	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	33400	18	11.5	30800	27800	22600	9	2.44	217443286	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	33200	17	11.7	30400	27800	22200	9	2.46	217443291	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	33400	17.5	11.2	31000	28000	22600	9	2.44	217443296	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	33200	17	11.7	30400	27800	22200	9	2.46	217443298	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	32800	17.5	11	31000	28200	22600	9	2.4	217443299	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	33000	17.5	11.2	30600	27800	22400	9	2.42	217443301	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	33000	18	11.5	30400	27800	22200	9	2.42	217443302	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	33200	18.5	11.2	31000	28000	22800	9	2.42	217443304	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	33400	18	11.2	31000	28000	22600	9	2.42	217443306	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	33400	16	11.2	31000	28000	22600	9	2.42	217443307	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	33400	17	11.2	31000	28000	22600	8.5	2.42	217443310	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	33200	16.5	11	31200	28200	23000	8.5	2.38	217443313	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	33400	18.5	11.2	31400	28200	22800	9	2.42	217443315	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	33600	19	11	31200	28000	22600	9.4	2.46	217443316	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	33400	19	11.5	31200	28000	22800	9.4	2.46	217443317	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SL280UH090XV48B	R-454B	33400	19	11.5	31200	28000	22800	9.4	2.46	217443326	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	33200	19	11.2	31600	28400	23200	9	2.38	217443318	Yes
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	33200	18.5	11.2	31600	28400	23200	9	2.4	217443320	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	33400	19	11	31200	28200	22800	9.4	2.44	217443321	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	EL180UH100NE60C	R-454B	33400	14.7	11.5	32200	26800	21400	9.4	2.04	217443414	No
EL21KLV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	33600	17.5	11.7	32400	27000	21600	9.6	2.04	217443366	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV48C	R-454B	33400	17	11.5	32400	27000	21600	9.6	2.04	217443367	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	EL297UH090XV60C	R-454B	33600	16.5	11.7	32400	27000	21600	9.6	2.04	217443368	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	33600	17	11.7	32400	27000	21600	9.6	2.04	217443369	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	EL297UH110XV60C	R-454B	33600	17	11.7	32400	27000	21600	9.6	2.04	217443370	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	ML180UH110E60C	R-454B	33600	15.2	11.7	32000	26600	21400	9.4	2.06	217443107	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	ML180UH110V60C	R-454B	33800	16.5	11.7	32200	26800	21400	9.2	2.06	217443343	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	ML180UH110XE60C	R-454B	33600	15.2	11.7	32000	26600	21400	9.4	2.06	217443108	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	33600	16	11.5	32400	26800	21400	9	2.04	217443346	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	ML296UH110XV60C	R-454B	33800	16.5	11.7	32200	26800	21400	9	2.04	217443347	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL280UH080NV60C	R-454B	33600	17	11.7	32400	27000	21600	9.6	2.04	217443348	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL280UH090V60C	R-454B	33600	17	11.7	32400	26800	21400	9.6	2.06	217443349	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL280UH090XV60C	R-454B	33600	17	11.7	32400	26800	21400	9.6	2.06	217443350	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL280UH100NV60C	R-454B	33600	16.5	11.7	32400	27000	21600	9.6	2.04	217443352	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL280UH110V60C	R-454B	33600	16.9	11.7	32400	27000	21600	9.6	2.04	217443353	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL280UH110XV60C	R-454B	33600	16.9	11.7	32400	27000	21600	9.6	2.04	217443355	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	33400	17.5	11.5	32400	27000	21600	9.6	2.04	217443356	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SL297UH080NV60C	R-454B	33400	16.5	11.5	32600	27200	21800	9.6	2.02	217443364	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	33400	17.5	11.7	32400	27000	21600	9.6	2.04	217443358	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	33400	17	11.5	32400	27000	21600	9.6	2.04	217443360	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SLP99UH090XV60C	R-454B	33600	16.5	11.7	32400	27000	21600	9.4	2.04	217443365	Yes
EL21KLV-036-230A**	CK40HT-36C-**+TDR	SLP99UH110XV60C	R-454B	33600	17	11.7	32400	27000	21600	9.6	2.04	217443361	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	32800	15.2	11.2	31400	31000	22600	9.4	1.92	217443104	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	32400	16	11.2	31200	30800	22200	9.4	1.9	217443309	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	32600	16	11.5	31000	30600	22000	9.4	1.92	217443312	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	32600	16.5	11.5	31200	30600	22200	9.6	1.92	217443351	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	32800	18.5	11.2	31600	31200	22600	9.6	1.94	217443354	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	32800	18	11.2	31600	31200	22600	9.6	1.92	217443357	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	32800	17.5	11.2	31600	31200	22600	9.6	1.94	217443359	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	32800	18	11.2	31600	31200	22600	9.8	1.94	217443362	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	32800	17.5	11.5	31600	31200	22600	9.6	1.94	217443363	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	33000	15.5	11.5	31400	30800	22400	9.6	1.94	217443105	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	33200	17.5	11.5	31400	31000	22400	9.4	1.94	217443319	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	33000	15.5	11.5	31400	30800	22400	9.6	1.94	217443106	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	32600	18	11.2	31200	30800	22200	9.4	1.92	217443322	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	32400	16	11.2	31000	30600	22000	9.4	1.9	217443323	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	32600	18	11.2	31400	30800	22400	9.4	1.92	217443324	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	32600	16	11.5	31000	30600	22000	9.4	1.92	217443325	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	33000	16.9	11.2	31600	31000	22600	9	1.92	217443327	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	33000	17	11.2	31400	31000	22400	9.2	1.94	217443329	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	32800	18	11.2	31600	31200	22600	9.6	1.94	217443330	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	33000	18	11.5	31600	31000	22400	9.6	1.94	217443333	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	33000	18	11.5	31600	31000	22400	9.6	1.94	217443335	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	32800	17.5	11.2	31600	31200	22600	9.6	1.94	217443336	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	32800	17.5	11.5	31600	31200	22600	9.6	1.94	217443337	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	32800	17.5	11.5	31600	31200	22600	9.6	1.94	217443338	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL297UH040NV36B	R-454B	32600	18	11	32000	31600	23000	9.6	1.9	217551304	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL297UH060NV36B	R-454B	32600	18	11	32000	31600	23000	9.6	1.9	217551306	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	32800	18	11.2	31600	31200	22600	9.6	1.94	217443339	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	32800	17.5	11.2	31800	31400	22800	9.6	1.92	217443340	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	32800	18.5	11.2	31800	31200	22600	9.6	1.92	217443341	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	32800	18	11.2	31600	31200	22600	9.6	1.94	217443342	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	32800	17.5	11.2	31600	31200	22600	9.6	1.94	217443344	Yes
EL21KLV-036-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	32800	18	11.5	31600	31200	22600	9.6	1.94	217443345	Yes
EL21KLV-048-230A**	CBK45UHET-048-230-**	- - -	R-454B	46500	19	12	45000	38500	31200	8.5	2.1	217121631	Yes
EL21KLV-048-230A**	CBK45UHET-060-230-**	- - -	R-454B	47000	19.5	11.7	44000	38000	34800	9	2.2	217121640	Yes
EL21KLV-048-230A**	CBK45UHVT-048-230-**	- - -	R-454B	46500	19.5	12	44500	38000	33200	8.5	2.08	217121639	Yes
EL21KLV-048-230A**	CBK45UHVT-060-230-**	- - -	R-454B	47000	19.5	11.7	44000	38000	34400	8.5	2.18	217121632	Yes
EL21KLV-048-230A**	CBK47UHET-048-230-**	- - -	R-454B	47000	19.5	12	45000	38000	33200	9	2.12	217462486	Yes
EL21KLV-048-230A**	CBK47UHET-048-460-**	- - -	R-454B	47000	19.5	12	45000	38000	33200	9	2.12	217595425	Yes
EL21KLV-048-230A**	CBK47UHET-060-230-**	- - -	R-454B	47000	18.5	11.7	44000	38500	33000	8.5	2.1	217121638	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	CBK47UHET-060-460-**	- - -	R-454B	47000	18.5	11.7	45000	38500	33000	8.5	2.1	217595418	Yes
EL21KLV-048-230A**	CBK48MVT-048-230-**	- - -	R-454B	47500	20.5	12.5	45000	37800	33000	9	2.14	217462485	Yes
EL21KLV-048-230A**	CBK48MVT-060-230-**	- - -	R-454B	48000	20.5	12	44500	38000	32600	9	2.08	217117001	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	- - -	R-454B	45500	16.2	11.2	49000	36000	30000	8.2	2.1	217117054	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	46500	19	11.7	48000	35800	29800	8.2	2.12	217121608	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	46000	18	11.7	48000	35600	29600	8.2	2.08	217121609	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	46500	18.5	12.2	47500	35000	29000	8.2	2.14	217121610	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	46500	20	12.2	47500	35200	29200	8.2	2.16	217121611	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	46500	19	12.2	47500	35200	29200	8.2	2.16	217121612	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	46500	19	12.2	47500	35200	29200	8.2	2.16	217121613	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV48C	R-454B	46500	20	11.7	49000	36000	29800	8.2	2.12	217117085	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	46500	19.5	11.7	49000	35800	29800	8.2	2.12	217117086	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	46000	18.5	12.2	47500	35000	29000	8.2	2.14	217121628	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	46500	20	11.7	49000	35800	29600	8.2	2.14	217117087	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	47000	20	12	49000	35800	29600	8.2	2.14	217117088	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E48B	R-454B	46500	19	12.2	47500	35000	29000	8.2	2.14	217121627	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	46000	18.5	12.2	47500	35000	29000	8.2	2.14	217121614	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	47000	19.5	12	48000	35600	29400	8.2	2.14	217121615	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	47000	20	12.4	47500	35200	29200	8.2	2.16	217121616	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	47000	19.5	12	48000	35600	29400	8.2	2.14	217121617	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	46000	19	12	47500	35200	29200	8.2	2.12	217121618	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	46500	19	12.2	47500	35200	29200	8.2	2.14	217121619	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	46500	19	12	48000	35400	29400	8.2	2.14	217121620	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE48C	R-454B	46000	19	12	47500	35200	29200	8.2	2.14	217121621	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	46500	19	12	48000	35600	29400	8.2	2.14	217121622	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	46500	18.5	12.2	47500	35200	29200	8.2	2.14	217121623	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	46500	19	12	48000	35200	29200	8.1	2.14	217121624	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	46500	19	12.2	48000	35200	29200	8	2.14	217121971	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	47000	20.5	12.2	48000	35600	29400	8.5	2.16	217117072	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	47000	20	12	48000	35600	29600	8.2	2.14	217117073	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	47000	20	12	48000	35600	29600	8.2	2.14	217117074	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	47000	20	12	48000	35600	29600	8.2	2.14	217117076	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	47000	20	12	48000	35600	29600	8.2	2.14	217117078	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	47000	20	12	48000	35600	29600	8.2	2.14	217117079	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV48C	R-454B	46500	19.5	11.2	48000	36400	30400	8.2	2.06	217117080	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	46500	20	11.7	49000	35800	29600	8.2	2.14	217117081	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV48C	R-454B	46500	20	11.7	49000	35800	29800	8.2	2.12	217117082	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	46500	19.5	11.7	49000	35800	29800	8.2	2.12	217117083	Yes
EL21KLV-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	47000	20	12	49000	35800	29600	8.2	2.14	217117084	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	- - -	R-454B	46000	16.5	11.2	48500	40500	34800	9	2.1	217117095	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	47500	19.5	11.7	47500	40500	34800	9.6	2.12	217121641	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	46500	17.5	11.5	47000	40000	34600	9	2.08	217121972	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	2.1	217121642	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	47000	19	12	47500	39500	34000	8.5	2.12	217121973	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E48C	R-454B	47500	20.5	12.2	47000	39500	34200	9.6	2.14	217121643	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	47500	19.5	12.2	46500	39500	34000	9.6	2.14	217121644	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	47500	19.5	12.2	46500	39500	34000	9.6	2.14	217121645	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	2.12	217121656	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	47000	20	11.7	47000	39500	34400	9.5	2.1	217117118	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	47000	20	11.7	47000	39500	34400	9.5	2.1	217117119	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	47000	19	12	46500	39500	34200	9.5	2.12	217121657	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	47500	20.5	11.7	46500	39500	34200	9.5	2.1	217117120	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	47500	20	11.7	46500	39500	34200	9.5	2.1	217117121	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	47000	19.5	12	46500	39500	34000	9.5	2.12	217121646	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	47500	20	12	47000	40000	34400	9.6	2.14	217121647	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	47500	20.5	12.2	47000	39500	34000	9	2.14	217121648	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	47500	20	12	47000	40000	34400	9.6	2.14	217121649	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	2.12	217121650	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE48C	R-454B	47000	20	12	47500	39500	34000	8.5	2.12	217121974	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE48C	R-454B	47000	19.5	12	46500	39500	34200	9.5	2.12	217121651	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	47500	19.5	11.7	47000	40000	34400	9.6	2.12	217121652	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	47000	19	12	46500	39500	34000	9.5	2.12	217121653	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	47000	19.5	12	48000	39500	34200	9	2.12	217121654	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	47000	20	12	47500	39500	34000	9	2.12	217121655	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	47500	20.5	12	47500	39500	34000	9.5	2.12	217117107	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	47500	20.5	12	47500	39500	34200	9.5	2.12	217117108	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	47500	20.5	12	47500	39500	34200	9.5	2.12	217117109	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	47500	20.5	12	47500	39500	34200	9.5	2.12	217117110	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	47500	20	12	46500	39500	34200	9.5	2.1	217117111	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	47500	20	12	46500	39500	34200	9.5	2.1	217117112	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	47000	19.5	11.2	47000	40000	34800	9.4	2.06	217117113	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	47000	20	11.7	46500	39500	34200	9.5	2.1	217117114	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	47000	20	11.7	47000	39500	34400	9.5	2.1	217117115	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	47000	20	11.7	47000	39500	34400	9.5	2.1	217117116	Yes
EL21KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	47500	20	11.7	46500	39500	34200	9.5	2.1	217117117	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	- - -	R-454B	46500	15.7	11.2	48500	41000	35000	8.2	1.98	217117096	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	EL297UH110XV60C	R-454B	47500	20	12.2	47500	40000	34000	9	1.98	217117105	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XE60D	R-454B	47500	18	12.2	47500	40000	34000	9	2	217121637	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	48000	20	12.2	47500	40000	34000	9	2	217117106	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	ML180UH135E60D	R-454B	47000	18.5	12.2	47500	40000	33800	9	1.98	217121635	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	ML196UH135XE60D	R-454B	48000	17.5	12.2	48000	40500	34200	9	2	217121636	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	48000	20	12.4	47500	40000	33800	9	2	217117101	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV48C	R-454B	47500	19.5	11.5	48000	40500	34400	9	1.96	217117102	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV60C	R-454B	47500	20	12	47500	40000	34000	9	1.98	217117103	Yes
EL21KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	48000	20	12.2	47500	40000	34000	9	1.98	217117104	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	- - -	R-454B	46000	17	11	51000	39000	32600	8.1	2.04	217443372	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	2.04	217443403	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	2.04	217443404	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	47000	19	11.7	50500	39000	32200	8	2.04	217443391	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	46500	20.5	11.7	50500	38500	32200	8.2	2.04	217443401	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	47000	20.5	12	50000	38500	32000	8.2	2.06	217443392	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	47000	20.5	12	50000	38500	32000	8.2	2.06	217443394	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	2.02	217443397	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	2.02	217443398	Yes
EL21KLV-048-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	46500	20.5	11.7	50500	39000	32400	8.2	2.04	217443399	Yes
EL21KLV-048-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	46500	19	12	48000	41500	33400	8.1	1.96	217121633	Yes
EL21KLV-048-230A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	46500	18.5	11.7	48000	42000	33600	8	1.94	217121634	Yes
EL21KLV-048-230A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	46500	19.5	11.5	49000	42000	33800	8.2	1.94	217117097	Yes
EL21KLV-048-230A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	47500	19.5	13.4	47000	40500	32200	8.5	2.04	217117098	Yes
EL21KLV-048-230A**	CK40HT-48B-**+TDR	SL280UH090XV48B	R-454B	47500	19.5	13.4	47000	40500	32200	8.5	2.04	217117099	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	46000	18.5	11.7	44000	38500	33600	8.1	1.96	217121598	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	45000	18	11.5	43500	38000	33600	7.8	1.94	217121599	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	46000	19.5	11.5	44000	38500	34200	8.1	1.96	217117068	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	46000	19.5	11.7	44000	38500	34000	8.1	1.96	217117069	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	46000	20	11.7	44000	38000	34000	8.1	1.96	217117070	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	46000	19.5	11.7	44000	38000	34000	8.1	1.96	217117071	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	46000	18.5	11.7	44000	38000	33400	8.1	1.96	217121600	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	46000	19	12	43500	38000	33200	8.2	1.98	217121601	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	46500	19.5	12.2	43500	38000	33200	7.8	1.98	217121602	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	46000	19	12	43500	38000	33200	8.2	1.98	217121603	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	46000	18.5	12	43500	38000	33200	8.1	1.96	217121604	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	46000	18.5	11.7	43500	38000	33200	8.1	1.96	217121605	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	46000	18.5	11.7	44500	38000	33600	7.8	1.98	217121606	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	46000	18.5	12	44500	38000	33400	7.8	1.98	217121607	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH080NV48B	R-454B	46000	20	11.7	44000	38500	34200	8.1	1.96	217117067	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	46000	20	12	43500	38000	33800	8.2	1.98	217117056	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	46000	20	11.7	44000	38000	33800	8.2	1.96	217117057	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	46000	20	11.7	44000	38000	33800	8.2	1.96	217117058	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	46000	20	12	44000	38000	33800	8.2	1.96	217117059	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH110V60C	R-454B	46000	19.5	12	44000	38000	33800	8.1	1.96	217117060	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL280UH110XV60C	R-454B	46000	19.5	12	44000	38000	33800	8.1	1.96	217117061	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	45500	19	11	44000	39000	34800	8	1.92	217117062	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	46000	20	11.7	44000	38000	34000	8.1	1.96	217117063	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	46000	19.5	11.7	44000	38500	34200	8.1	1.96	217117064	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	46000	19.5	11.7	44000	38500	34000	8.1	1.96	217117065	Yes
EL21KLV-048-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	46000	19.5	11.7	44000	38000	34000	8.1	1.96	217117066	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	- - -	R-454B	45000	16	11	44500	37200	34000	8.2	2.02	217443371	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL180UH100NE60C	R-454B	46000	18.5	11.5	43500	36800	33400	8.5	2.02	217443373	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL195UH100NE60C	R-454B	45500	18	11.5	43000	36600	33400	8.5	2.02	217443374	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	46000	19.5	12	43000	36200	32800	8.5	2.04	217443375	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV48C	R-454B	46000	20	11.7	43500	36800	33400	8.5	2.04	217443400	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	46000	19.5	11.7	43500	36600	33400	8.5	2.04	217443402	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	46000	20	11.7	43500	36600	33200	8.5	2.04	217443405	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	46000	20	11.7	43500	36600	33200	8.5	2.04	217443406	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	45500	19	11.7	43500	36400	33200	8.5	2.04	217443376	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	46500	19.5	12	43500	36400	33000	8.2	2.06	217443377	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	45500	19	11.7	43500	36400	33200	8.5	2.04	217443378	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	45500	18.5	11.7	43500	36400	33200	8.5	2.04	217443379	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	45500	18.5	11.7	43500	36400	33200	8.5	2.02	217443380	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	46000	18.5	11.7	44000	36800	33400	8	2.04	217443381	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	46000	19	11.7	44000	36400	33200	8.1	2.04	217443382	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	46000	20	11.7	44000	36400	33200	8.5	2.04	217443383	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	46000	20	12	43500	36400	33200	8.5	2.04	217443384	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	46000	20	12	43500	36400	33200	8.5	2.04	217443385	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	46000	19.5	11.7	44000	36600	33200	8.5	2.04	217443386	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	46000	20	12	43500	36400	33200	8.5	2.04	217443387	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	46000	20	12	43500	36400	33200	8.5	2.04	217443388	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV48C	R-454B	45500	19	11	43500	37400	34200	8.2	1.98	217443389	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	46000	19.5	11.7	44000	36800	33400	8.5	2.04	217443390	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV48C	R-454B	46000	20	11.7	43500	36600	33400	8.5	2.04	217443393	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	46000	19.5	11.7	43500	36600	33400	8.5	2.04	217443395	Yes
EL21KLV-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	46000	20	11.7	43500	36600	33200	8.5	2.04	217443396	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	- - -	R-454B	46000	16	11.5	47000	40500	32200	8.5	1.92	217117055	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	47000	20.5	12.4	45500	39500	31400	8.5	1.96	217117093	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	47000	18	12.4	45500	39500	31400	8.5	1.94	217121630	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	47000	20.5	12.6	45500	39500	31400	8.5	1.96	217117094	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	47500	18.5	12.2	46000	40000	31800	8.5	1.96	217121625	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	47500	18	12.4	46000	40000	31600	8.5	1.96	217121626	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	47000	20.5	12.4	45500	39500	31400	8.5	1.96	217117089	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	47000	20.5	12.6	45500	39500	31200	8.5	1.96	217117075	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL297UH080NV48C	R-454B	47000	20.5	12.4	46000	39500	31400	8.5	1.94	217117090	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	47000	20	12.2	46000	40000	31600	8.5	1.94	217117091	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	47000	20.5	12.4	46000	39500	31400	8.5	1.94	217117092	Yes
EL21KLV-048-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	47000	20.5	12.6	45500	39500	31400	8.5	1.96	217117077	Yes
EL21KLV-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	54000	17	11.2	52500	45500	38500	8.5	2.16	217121528	Yes
EL21KLV-060-230A**	CBK45UHVT-060-230-**	- - -	R-454B	54000	19	11.5	52500	45500	38500	8.5	2.16	217121526	Yes
EL21KLV-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	53500	18.5	11.2	54000	43500	38000	8.5	2.16	217121527	Yes
EL21KLV-060-230A**	CBK47UHET-060-460-**	- - -	R-454B	53500	18.5	11.2	55000	43500	38000	8.5	2.16	217595416	Yes
EL21KLV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	55500	20	11.5	55500	44000	38500	9	2.14	217116999	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL180UH100NE60C	R-454B	55000	19.5	11	54500	46000	35800	8.5	2.08	217121488	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	55000	19	11.2	54000	45500	35400	8.5	2.12	217121489	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	55500	19.5	11.2	54500	45500	35600	8.5	2.12	217121490	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	55500	19.5	11.2	54500	45500	35600	8.5	2.12	217121491	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	54000	20	11.2	54500	46000	36000	8.5	2.1	217117014	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	54000	20	11.5	54500	46000	35800	8.5	2.1	217117017	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	55500	19	11.2	54500	46000	35600	8.5	2.1	217121492	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	55500	19.5	11.2	54000	45500	35600	8.5	2.12	217121493	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	55500	19.5	11.2	54000	45500	35600	8.5	2.12	217121494	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	55000	19.5	11.2	54000	45500	35400	8.5	2.12	217121495	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	55500	19	11.2	54500	46000	35800	8.5	2.1	217121496	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	54500	20.5	11.7	54000	45500	35600	8.5	2.12	217117003	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	54500	20	11.5	54000	45500	35400	8.5	2.12	217117004	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	54500	20	11.5	54000	45500	35400	8.5	2.12	217117005	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	54500	20.5	11.7	54000	45500	35600	8.5	2.12	217117006	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	54500	20	11.5	54000	45500	35600	8.5	2.12	217117008	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	54500	20	11.5	54000	45500	35600	8.5	2.12	217117010	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	54000	20	11.5	54500	46000	35800	8.5	2.1	217117011	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	54000	19.5	11.5	54500	46000	35800	8.5	2.1	217117012	Yes
EL21KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	54000	20	11.5	54500	46000	35800	8.5	2.1	217117013	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	- - -	R-454B	54000	16	11.2	54000	43500	34600	8.5	2.14	217117022	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	55500	19.5	11.5	53500	44000	35000	8.5	2.14	217121507	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	55000	19	11.7	52500	43500	34400	8.5	2.14	217121508	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	55500	19.5	11.7	53000	44000	34600	8.5	2.16	217121509	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	56000	19.5	11.7	53000	44000	34800	8.5	2.16	217121510	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	56000	19.5	11.7	53000	44000	34800	8.5	2.16	217121511	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	55000	20	11.7	53500	44500	35200	8.5	2.14	217117032	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	55500	19.5	11.7	53000	43500	34600	8.5	2.16	217121522	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	55000	20	11.7	53500	44000	35000	8.5	2.16	217117033	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH070V48B	R-454B	55500	20	12	52500	43000	34200	8.2	2.18	217121521	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	56000	19.5	11.7	53500	44000	34800	8.5	2.16	217121512	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	56000	20	11.7	53000	44000	34800	8.5	2.16	217121513	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	55000	20.5	12.2	52000	42500	33800	8.5	2.18	217121514	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	56000	20	11.7	53000	44000	34800	8.5	2.16	217121515	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	55500	19.5	11.7	53000	43500	34600	8.5	2.16	217121516	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	55500	19.5	11.7	53000	43500	34600	8.5	2.14	217121517	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	56000	19	11.5	53500	44000	35000	8.5	2.14	217121518	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	55000	19.5	12	53500	43000	34200	8.2	2.16	217121519	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	55000	19.5	12	52500	43000	34200	8.2	2.16	217121520	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	2.16	217117023	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	55000	20.5	12	53000	43500	34600	8.5	2.18	217117024	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	55000	20.5	12	53000	43500	34600	8.5	2.18	217117025	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	2.16	217117026	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	2.16	217117027	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	55000	20.5	12	53000	44000	34800	8.5	2.16	217117028	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	55000	20	11.7	53500	44500	35200	8.5	2.14	217117029	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	55000	20	11.7	53500	44000	35000	8.5	2.14	217117030	Yes
EL21KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	55000	20	11.7	53500	44000	35000	8.5	2.16	217117031	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	- - -	R-454B	52500	16	11.2	54000	40500	34600	8.5	2.14	217117021	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH110XV60C	R-454B	53000	20	11.7	53000	40500	34600	8.5	2.14	217117036	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XE60D	R-454B	53500	18.5	11.2	53000	40500	34600	8.5	2.12	217121525	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	53000	20.5	11.7	53000	40000	34400	8.5	2.14	217117037	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	ML180UH135E60D	R-454B	54000	19	11.5	52500	40000	34200	8.5	2.14	217121523	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	ML196UH135XE60D	R-454B	53500	18.5	11.7	52500	40000	34000	8.5	2.14	217121524	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	53000	20.5	11.7	52500	40000	34200	9	2.16	217117034	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV60C	R-454B	53000	20.5	11.7	53000	40500	34600	8.5	2.14	217117035	Yes
EL21KLV-060-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	53000	20.5	11.7	53000	40000	34400	8.5	2.14	217117122	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	52000	17.5	10.5	54500	42500	32800	8.5	2.14	217443110	No
EL21KLV-060-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	53000	18.5	11	54500	43000	32800	8.5	2.16	217443111	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	53000	18.5	11	54500	43000	32800	8.5	2.16	217443112	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	53000	18.5	11	54500	43000	32800	8.5	2.16	217443113	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	52500	18	11	54500	42500	32600	8.5	2.16	217443114	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	52500	18	11	54500	42500	32600	8.5	2.16	217443115	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	52500	18.5	11	54000	42500	32600	8.5	2.16	217443116	Yes
EL21KLV-060-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	52500	18	10.5	54500	43000	32800	8.5	2.14	217443117	No
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	EL180UH100NE60C	R-454B	52500	18.5	10.5	54500	42500	31800	8.5	2.04	217493294	No
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	53000	18	11	53500	42000	31400	8.5	2.08	217493276	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	53500	18.5	11	54500	42500	31800	8.5	2.08	217493277	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	53500	18.5	11	54000	42500	31800	8.5	2.08	217493278	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	52500	19.5	11.2	55000	43000	32000	8.5	2.06	217493292	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	2.06	217493293	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	53000	18	10.5	54500	42500	31800	8.5	2.06	217493295	No
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	53000	18.5	11	54500	42500	31600	8.5	2.08	217493279	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	53000	18.5	11	54000	42500	31600	8.5	2.08	217493280	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	53000	18.5	11	54000	42500	31600	8.5	2.08	217493281	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	52500	18.5	11	53500	42000	31400	8.5	2.06	217465361	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	53000	18	10.5	54500	42500	31800	8.5	2.06	217493296	No
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	52500	18.5	11.2	53000	41500	31200	8.2	2.08	217493282	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	53000	18.5	11.2	53000	41500	31000	8.2	2.1	217493283	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	2.06	217493284	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	53000	19.5	11.2	54500	42500	31600	8.5	2.1	217493285	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	53000	19.5	11.2	54000	42500	31600	8.5	2.1	217493286	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	2.06	217493287	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	53000	19.5	11.2	54500	42500	31600	8.5	2.08	217493288	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	53000	19.5	11.2	54500	42500	31600	8.5	2.08	217493289	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	52500	19	11	55000	43000	32000	8.5	2.06	217493290	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	52500	19.5	11	54500	42500	32000	8.5	2.06	217454968	Yes
EL21KLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	52500	19.5	11.2	54500	42500	31800	8.5	2.08	217493291	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	- - -	R-454B	52500	15	10.7	54000	44000	35800	8.5	2.08	217117002	No
EL21KLV-060-230A**	CK40HT-60D-**+TDR	EL180UH100NE60C	R-454B	54500	19	11.5	53500	44000	35800	8.5	2.06	217121502	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	EL196UH110XE60C	R-454B	54500	18.5	11.7	53000	43500	35600	8.5	2.08	217121503	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	54000	19.5	11.7	52500	43500	35400	8.5	2.08	217117019	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	54500	17.5	11.5	53000	44000	35800	8.5	2.06	217121506	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	54000	19.5	11.7	52500	43500	35200	8.5	2.08	217117020	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML180UH090E60C	R-454B	55000	19	11.5	53000	44000	35800	8.5	2.08	217121497	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML180UH110E60C	R-454B	55000	19.5	11.7	53000	43500	35600	8.5	2.08	217121498	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML180UH110XE60C	R-454B	55000	19.5	11.7	53000	43500	35600	8.5	2.08	217121504	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	54500	18	11.7	53000	43500	35400	8.5	2.08	217121499	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML193UH110XE60C	R-454B	54500	19	11.7	53000	43500	35400	8.5	2.08	217121500	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML196UH110XE60C	R-454B	55000	18.5	11.5	53000	44000	35800	8.5	2.08	217121505	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	54500	17.5	11.7	52500	43500	35400	8.5	2.08	217121501	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	54000	20	12	52500	43500	35200	8.5	2.08	217117015	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	54000	20	12	52500	43500	35200	8.5	2.1	217117007	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	54000	19.5	11.7	53000	43500	35600	8.5	2.06	217117016	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	54000	19.5	11.7	52500	43500	35400	8.5	2.08	217117018	Yes
EL21KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	54000	19.5	11.7	52500	43500	35200	8.5	2.08	217117009	Yes
ML14KP1-018-230A**	CBK45UHET-024-230-**	- - -	R-454B	18000	16	13.8	17600	10800	8200	7.8	2	215685483	Yes
ML14KP1-018-230A**	CBK45UHPT-018-230-**	- - -	R-454B	18000	14.3	12.8	17900	10900	8100	7.5	1.86	215685480	No
ML14KP1-018-230A**	CBK45UHPT-024-230-**	- - -	R-454B	18000	15.2	13.2	17800	10900	8400	7.8	1.98	215685482	Yes
ML14KP1-018-230A**	CBK45UHVT-018-230-**	- - -	R-454B	18000	16	13.6	17700	10700	8100	7.8	1.86	215685481	Yes
ML14KP1-018-230A**	CBK45UHVT-024-230-**	- - -	R-454B	18000	16	13.8	17700	10800	8400	7.8	1.98	215685484	Yes
ML14KP1-018-230A**	CBK47UHET-018-230-**	- - -	R-454B	18000	15.5	13.6	17600	10500	8300	7.8	2.04	215685486	Yes
ML14KP1-018-230A**	CBK47UHET-024-230-**	- - -	R-454B	18000	15.5	13.6	17700	10500	8300	7.8	2.08	217219630	Yes
ML14KP1-018-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	18000	16	13.8	17700	10500	8300	7.8	2.06	215685485	Yes
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17400	10400	7800	7.5	1.9	215685487	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	18000	15.5	13.6	17800	10500	8000	7.5	1.9	215685488	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	18000	16	14	17700	10400	7800	7.5	1.9	215685489	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	18000	16	14	17700	10400	7800	7.5	1.9	215685490	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10300	7800	7.5	1.92	215685491	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045E36A	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685492	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	18000	16	14	17400	10300	7800	7.5	1.92	215685493	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045XE36A	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685494	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685495	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685496	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685497	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	18000	16	14	17600	10300	7800	7.5	1.92	215685498	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685499	No
ML14KP1-018-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685500	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.88	215685501	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	1.92	215685502	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	1.88	215685503	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	1.88	215685504	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	18000	16	13.6	17600	10400	7800	7.5	1.88	215685505	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	17600	10400	7900	7.5	1.92	215685506	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685507	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685508	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.9	215685509	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685510	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685511	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17400	10300	7700	7.5	1.92	215685512	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685513	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	18000	16	14	17600	10400	7800	7.5	1.92	215685514	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	7800	7.5	1.96	215685515	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10500	7900	7.5	1.9	215685516	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685517	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685518	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10600	8000	7.5	1.88	215685519	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17500	10400	7800	7.5	1.88	215685520	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17800	10400	7900	7.5	1.9	215685521	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.9	215685522	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17500	10400	7800	7.5	1.9	215685523	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17800	10500	8000	7.5	1.9	215685524	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685525	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	18000	16	14	17700	10400	7800	7.5	1.92	215685526	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10400	7900	7.5	1.92	215685527	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10400	7800	7.5	1.9	215685528	No
ML14KP1-018-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	14	17500	10300	7800	7.5	1.92	215685529	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	1.94	215685530	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.6	17400	10300	8000	7.5	1.94	215685531	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	18000	16	13.4	17800	10500	8200	7.5	1.94	215685532	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	1.98	215685533	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	10400	8100	7.5	1.98	215685534	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	1.96	215685535	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685536	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	18000	16.5	14	17400	10200	8000	7.5	1.96	215685537	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685538	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685539	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	18000	16	13.8	17500	10300	8000	7.5	1.96	215685540	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685541	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685542	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	10400	8100	7.5	1.96	215685543	No
ML14KP1-018-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	10400	8100	7.5	1.96	215685544	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	18000	14.7	12.6	18000	10800	8500	7.5	1.88	215685545	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.6	17600	10300	8100	7.5	1.96	215685546	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685547	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	1.94	215685548	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.94	215685549	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	18000	16	13.6	17600	10300	8100	7.5	1.96	215685550	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.96	215685551	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685552	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.96	215685553	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685554	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685555	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685556	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14	17400	10200	8000	7.5	1.98	215685557	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	18000	16.5	13.8	17500	10300	8000	7.5	1.96	215685558	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	18000	16.5	13.8	17600	10300	8000	7.5	1.96	215685559	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14.2	17600	10300	8000	7.5	2	215685560	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.6	17800	10400	8200	7.5	1.96	215685561	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	17700	10400	8100	7.5	1.96	215685562	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685563	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	17900	10500	8300	7.5	1.94	215685564	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.6	17600	10400	8100	7.5	1.94	215685565	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685566	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685567	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.94	215685568	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	17700	10400	8200	7.5	1.94	215685569	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	18000	16.5	14	17500	10300	8000	7.5	1.98	215685570	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	18000	16.5	13.8	17700	10300	8000	7.5	1.96	215685571	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.6	17700	10400	8100	7.5	1.96	215685572	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.8	17600	10300	8100	7.5	1.98	215685573	No
ML14KP1-018-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17600	10300	8000	7.5	1.96	215685574	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	1.9	215685669	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	18000	15.5	13.4	18000	11100	8400	7.8	1.94	215685670	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	18000	15.2	13	18000	11200	8400	7.8	1.9	215685671	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	1.9	215685672	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	18000	15.2	13	18000	11200	8400	7.8	1.9	215685673	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	1.92	215685674	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	18000	15.5	13.2	18000	11200	8400	7.8	1.94	215685675	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	1.92	215685676	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	18000	15.2	13	18000	11200	8500	7.8	1.92	215685677	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	18000	14.7	12.8	18000	11300	8500	7.8	1.88	215685678	No
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	18000	15.5	13.2	18000	11100	8300	7.8	1.92	215685679	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	SL280DF090V48B	R-454B	18000	15.5	13.4	18000	11100	8300	7.8	1.92	215685680	Yes
ML14KP1-018-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	18000	15.5	13.2	18000	11100	8400	7.8	1.94	215685681	Yes
ML14KP1-018-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	18000	14.3	12.4	18000	11400	8700	7.5	1.88	215685682	No
ML14KP1-018-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	1.88	215685683	No
ML14KP1-018-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	18000	14.7	12.6	18000	11400	8600	7.8	1.86	215685684	No
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	1.94	215685575	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	18000	15.5	13.6	17500	10900	8000	7.8	1.94	215685576	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	18000	15.5	13.4	17800	11100	8100	7.8	1.92	215685577	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	1.96	215685578	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	18000	16	13.8	17700	11000	8000	7.8	1.96	215685579	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	1.92	215685580	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	1.94	215685581	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	18000	16	14	17500	10900	7900	7.8	1.94	215685582	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	18000	16	13.8	17600	10900	7900	7.8	1.94	215685583	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	1.96	215685584	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	18000	16	13.8	17600	10900	8000	7.8	1.96	215685585	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	1.96	215685586	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	18000	16	13.8	17600	11000	8000	7.8	1.96	215685587	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	1.92	215685588	Yes
ML14KP1-018-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.6	17700	11000	8000	7.8	1.92	215685589	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685590	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685591	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	1.92	215685592	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685593	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685594	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	1.96	215685595	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685596	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685597	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	1.94	215685598	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685599	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	1.94	215685600	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	18000	16	14	17800	10800	8200	7.8	1.96	215685601	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070V48B	R-454B	18000	16	13.8	17800	10800	8200	7.8	1.96	215685602	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	18000	16	13.8	17900	10900	8200	7.8	1.94	215685603	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML180UH090V48B	R-454B	18000	16.5	14	17900	10800	8200	7.8	1.98	215685604	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML193UH030XE36B	R-454B	18000	15.5	13.6	18000	11000	8400	7.8	1.94	215685605	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML193UH045XE36B	R-454B	18000	16	13.8	18000	10900	8300	7.8	1.94	215685606	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML193UH070XE36B	R-454B	18000	16	13.8	17900	10900	8300	7.8	1.96	215685607	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.2	18000	11100	8500	7.5	1.92	215685608	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML196UH045XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685609	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML196UH070XE36B	R-454B	18000	15.5	13.6	17900	10900	8300	7.5	1.94	215685610	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML296UH045XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	1.94	215685611	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	ML296UH070XV36B	R-454B	18000	16	13.6	17800	10900	8200	7.8	1.94	215685612	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.4	18000	11000	8400	7.5	1.92	215685613	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	SL280UH090V36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	1.96	215685614	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	SL280UH090V48B	R-454B	18000	16	13.8	18000	10900	8300	7.8	1.96	215685615	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	SL297UH040NV36B	R-454B	18000	15.5	13.6	18000	10900	8300	7.5	1.94	215685616	No
ML14KP1-018-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	18000	16	13.6	17900	10900	8300	7.8	1.96	215685617	Yes
ML14KP1-018-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	18000	16	13.8	17800	10800	8200	7.8	1.94	215685618	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	1.9	215685619	No
ML14KP1-018-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	1.96	215685620	No
ML14KP1-018-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	18000	16	13.8	17600	10500	8100	7.5	1.96	215685621	No
ML14KP1-018-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	18000	16	13.8	17900	10600	8300	7.8	1.96	215685622	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	2	215685623	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	18000	16.5	14.2	17800	10500	8200	7.8	2	215685624	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	2	215685625	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685626	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	18000	16	14.2	17600	10500	8100	7.8	1.98	215685628	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685627	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685629	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685630	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685631	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	18000	16.5	14	17700	10500	8100	7.8	1.98	215685632	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	1.96	215685633	Yes
ML14KP1-018-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	18000	16	13.8	17800	10600	8200	7.8	1.96	215685634	Yes
ML14KP1-018-230A**	CK40HT-30B-**+TDR	- - -	R-454B	18000	14.3	12.4	18000	10900	8600	7.5	1.88	215685635	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	18000	14.7	12.8	18000	11000	8600	7.5	1.9	215685636	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	1.98	215685637	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685638	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	1.94	215685639	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	1.98	215685640	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	1.98	215685641	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	1.98	215685642	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	1.98	215685643	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	1.98	215685644	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685645	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.98	215685646	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	1.98	215685647	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	18000	16.5	14.2	17500	10400	8000	7.5	1.98	215685648	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	18000	16.5	14.2	17600	10400	8100	7.5	1.98	215685649	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	18000	16.5	14	17600	10500	8100	7.5	1.98	215685650	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	18000	17	14.4	17600	10400	8100	7.5	2.02	215685651	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	18000	16	13.8	17800	10700	8300	7.5	1.98	215685652	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	18000	16.5	14	17700	10600	8200	7.5	1.98	215685653	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	18000	16.5	14	17700	10500	8200	7.5	2	215685654	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	18000	15.5	13.4	17900	10800	8300	7.5	1.94	215685655	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	18000	16	13.8	17600	10500	8200	7.5	1.98	215685656	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	18000	16	14	17600	10500	8200	7.5	1.98	215685657	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.98	215685658	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685659	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	18000	15.5	13.6	17700	10600	8300	7.5	1.96	215685660	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	18000	16.5	14.2	17500	10400	8100	7.5	2	215685661	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	18000	16.5	14.2	17700	10600	8200	7.8	2	215685662	Yes
ML14KP1-018-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	18000	16	13.8	17700	10500	8200	7.5	1.98	215685663	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	18000	16	14	17600	10500	8100	7.5	1.96	215685664	No
ML14KP1-018-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	18000	16.5	14	17600	10400	8100	7.5	1.98	215685665	No
ML14KP1-024-230A**	CBK45UHET-024-230-**	- - -	R-454B	24000	15.2	13	22000	13900	11000	7.8	2.06	215710130	Yes
ML14KP1-024-230A**	CBK45UHET-030-230-**	- - -	R-454B	24000	16	13.8	22000	14200	11300	8.1	2.16	215710131	Yes
ML14KP1-024-230A**	CBK45UHPT-024-230-**	- - -	R-454B	23400	14.3	12.4	22000	14000	11000	7.8	1.98	215710129	No
ML14KP1-024-230A**	CBK45UHPT-030-230-**	- - -	R-454B	23600	14.3	12.4	22200	14500	11500	7.5	2.04	215710132	No
ML14KP1-024-230A**	CBK45UHVT-024-230-**	- - -	R-454B	23800	14.7	12.8	22000	13900	11000	7.8	2.06	215710133	No
ML14KP1-024-230A**	CBK45UHVT-030-230-**	- - -	R-454B	24000	15.5	13.6	22000	14200	11600	8.1	2.08	215710134	Yes
ML14KP1-024-230A**	CBK47UHET-024-230-**	- - -	R-454B	23400	15.2	12.8	22000	14000	11200	8.2	2.16	215710135	Yes
ML14KP1-024-230A**	CBK47UHET-030-230-**	- - -	R-454B	24000	15.5	13.2	22400	14200	11400	8.2	2.2	215710136	Yes
ML14KP1-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	23800	15.2	12.8	22200	14100	11200	8.2	2.16	215710137	Yes
ML14KP1-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	24000	15.5	13	22200	14100	11400	8.2	2.2	215710138	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH040NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	2.02	215710139	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL180UH060NE36A	R-454B	23800	15.2	13	22200	14500	11000	7.8	2.02	215710140	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	2.04	215710141	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	2.02	215710142	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22200	14500	11000	7.5	2.02	215710143	No
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH030V36A	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	2.04	215710144	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045E36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.5	2	215710145	No
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045V36A	R-454B	23400	15.5	13.2	21800	14100	10700	7.8	2.02	215710146	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH045XE36A	R-454B	23200	15.5	13.2	21600	14100	10600	7.8	2	215710147	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070E36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	2.04	215710148	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21800	14200	10800	7.8	2.04	215710149	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	ML180UH070XE36A	R-454B	23400	15.5	13	21800	14200	10800	7.8	2.04	215710150	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH060NV36A	R-454B	23600	15.5	13	22000	14300	10800	7.8	2.02	215710151	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070V36A	R-454B	23800	15.5	13.2	22000	14300	10900	7.8	2.04	215710152	Yes
ML14KP1-024-230A**	CK40[C,U]T-24A-**+TDR	SL280UH070XV36A	R-454B	23600	15.2	12.8	22200	14400	11000	7.8	2.02	215710153	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL180UH080NE48B	R-454B	23600	14.7	12.8	22200	14400	11000	7.8	2.02	215710154	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH040NE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710155	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL195UH060NE36B	R-454B	23800	14.7	12.8	22200	14600	11100	7.8	2.02	215710156	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH030XE36B	R-454B	23200	15.2	13	21600	14200	10700	7.8	2	215710157	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710158	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL196UH070XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710159	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	2.02	215710160	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	2.04	215710161	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10900	8	2.06	215710162	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	2.02	215710163	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH045XV36B	R-454B	23600	15.2	13	22000	14400	10900	7.8	2.02	215710164	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XE36B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	2.02	215710165	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	EL297UH070XV36B	R-454B	23600	15.5	13.2	22000	14300	10800	7.8	2.04	215710166	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070E36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	2.04	215710167	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	2.06	215710168	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070V48B	R-454B	23800	15.5	13.2	22000	14300	10800	7.8	2.04	215710169	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH070XE36B	R-454B	23600	15.5	13.2	22000	14200	10800	7.8	2.04	215710170	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090E48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	2.04	215710171	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090V48B	R-454B	23800	15.2	12.8	22200	14500	11000	7.8	2.02	215710172	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML180UH090XE48B	R-454B	23800	15.5	13.2	22000	14300	10800	8	2.04	215710173	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH030XE36B	R-454B	23000	15.5	13	21600	14100	10600	7.8	2	215710174	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH045XE36B	R-454B	23800	15.2	12.8	22400	14600	11000	7.8	2.02	215710175	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	2.04	215710176	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH030XE36B	R-454B	23000	15.2	12.8	21600	14100	10700	7.8	1.98	215710177	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH045XE36B	R-454B	23800	14.7	12.6	22400	14600	11100	7.8	2	215710178	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14500	11000	7.8	2.04	215710179	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML196UH070XE48B	R-454B	23800	14.7	12.8	22400	14600	11100	7.8	2.02	215710180	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH045XV36B	R-454B	23400	15.5	13	21800	14300	10800	7.8	2.02	215710181	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	ML296UH070XV36B	R-454B	23600	14.7	12.6	22200	14500	11000	7.8	2	215710182	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH080NV48B	R-454B	23400	15.2	12.8	22000	14300	10900	7.8	2	215710183	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V36B	R-454B	23800	15.5	13.2	22000	14400	10900	7.8	2.04	215710184	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL280UH090V48B	R-454B	23600	15.5	13	22000	14300	10800	7.8	2.02	215710185	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH040NV36B	R-454B	23400	14.7	12.8	22000	14400	10900	7.8	2	215710186	No
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SL297UH060NV36B	R-454B	23400	15.2	13	22000	14300	10800	7.8	2.02	215710187	Yes
ML14KP1-024-230A**	CK40[C,U]T-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	15.5	13	22000	14300	10800	7.8	2.02	215710188	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH040NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	2.14	215710189	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	24000	15.2	13	22200	14200	11500	8	2.14	215710190	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	24000	15.5	13.2	21600	13800	11200	8	2.16	215710191	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	2.14	215710192	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	24000	15.2	12.8	22200	14200	11600	8	2.14	215710193	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.16	215710194	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	23800	15.5	13.2	21600	13800	11200	7.8	2.14	215710195	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	24000	15.5	13.2	21800	13900	11200	8	2.14	215710196	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	23800	15.5	13.2	21600	13800	11200	7.8	2.14	215710197	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.14	215710198	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.16	215710199	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.14	215710200	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.14	215710201	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	24000	15.5	13	22000	14000	11400	8	2.16	215710202	Yes
ML14KP1-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	24000	15.2	12.8	22000	14100	11500	8	2.14	215710203	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	12.8	22000	14200	11500	8	2.12	215710204	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	2.12	215710205	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710206	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	2.1	215710207	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710208	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710209	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	23800	15.5	13.2	21400	13700	11100	7.8	2.12	215710210	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	2.16	215710211	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22000	14100	11400	8.1	2.16	215710212	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	2.12	215710213	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	24000	15.2	13	22000	14000	11400	8	2.14	215710214	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	24000	14.7	12.6	22200	14300	11600	8	2.12	215710215	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.14	215710216	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.16	215710217	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	24000	15.5	13.2	21800	13900	11300	8	2.16	215710218	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	2.18	215710219	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.16	215710220	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	2.18	215710221	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14200	11500	8	2.14	215710222	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.2	22000	14000	11400	8.1	2.18	215710223	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	23800	15.5	13	21600	13800	11200	7.8	2.12	215710224	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	24000	15.2	12.8	22200	14300	11600	8	2.14	215710225	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	2.14	215710226	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	23800	15.2	13	21600	13900	11200	7.8	2.1	215710227	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22200	14300	11700	8	2.12	215710228	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22200	14200	11500	8.1	2.14	215710229	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22200	14300	11600	8	2.12	215710230	No
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	2.14	215710231	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13	21800	14000	11400	8	2.16	215710232	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	23800	15.2	12.8	21800	14000	11400	7.8	2.12	215710233	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11400	8	2.16	215710234	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	21800	14000	11300	8	2.14	215710235	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	24000	15.2	12.8	22000	14100	11500	7.8	2.12	215710236	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	24000	15.2	13	21800	14000	11300	8	2.12	215710237	Yes
ML14KP1-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	24000	15.5	13	21800	14000	11300	8	2.14	215710238	Yes
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL280DF090E48B	R-454B	23600	15.2	13	23000	14700	11400	8.2	2.1	215710352	Yes
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XE36B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	2.06	215710339	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF045XV36B	R-454B	23200	14.7	12.8	22600	14700	11300	8.2	2.08	215710340	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XE48B	R-454B	23400	14.3	12.6	23000	14900	11500	8.2	2.06	215710341	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	EL297DF070XV48B	R-454B	23400	14.3	12.4	23200	14900	11600	8.2	2.06	215710342	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML180DF070E36B	R-454B	23200	14.7	12.8	22600	14600	11300	8.2	2.08	215710343	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML180DF090E48B	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	2.1	215710353	Yes
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML193DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	2.08	215710344	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML193DF070XE36B	R-454B	23600	14.7	12.8	23000	14800	11500	8.2	2.1	215710345	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML196DF045XE36B	R-454B	23600	14.7	12.8	23200	14800	11500	8.2	2.08	215710346	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML196DF070XE48B	R-454B	23600	14.3	12.6	23200	14900	11600	8.2	2.06	215710347	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	ML296DF045XV36B	R-454B	23200	14.3	12.4	23200	14900	11600	8.2	2.06	215710348	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	SL280DF060NV36B	R-454B	23400	14.7	12.8	22800	14700	11400	8.2	2.08	215710349	No
ML14KP1-024-230A**	CK40DT-30/36B-**+TDR	SLP99DF070XV36B	R-454B	23000	14.7	12.8	22600	14600	11200	8.2	2.08	215710350	No
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	EL297DF090XE48C	R-454B	23600	15.2	13.2	22800	14700	11300	8.2	2.1	215710354	Yes
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	ML180DF110E60C	R-454B	23600	14.7	12.8	23200	14900	11500	8.2	2.08	215710351	No
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	ML193DF090XE48C	R-454B	23600	15.2	13	23000	14700	11400	8.2	2.12	215710355	Yes
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	ML196DF090XE48C	R-454B	23600	15.2	13.2	22800	14600	11300	8.2	2.12	215710356	Yes
ML14KP1-024-230A**	CK40DT-30/36C-**+TDR	SLP99DF090XV36C	R-454B	23400	15.2	13	22600	14600	11300	8.2	2.1	215710357	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	EL180UH040NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	1.96	215710239	No
ML14KP1-024-230A**	CK40HT-24A-**+TDR	EL180UH060NE36A	R-454B	23800	14.7	12.8	22000	14400	10800	7.8	1.96	215710240	No
ML14KP1-024-230A**	CK40HT-24A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	21600	14000	10500	7.8	1.96	215710241	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	EL280UH070E36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	1.96	215710242	No
ML14KP1-024-230A**	CK40HT-24A-**+TDR	EL280UH070XE36A	R-454B	24000	14.7	13	22200	14500	10900	7.8	1.96	215710243	No
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH030V36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	1.98	215710244	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	1.94	215710245	No
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH045V36A	R-454B	23600	15.5	13.2	21600	14100	10600	7.8	1.96	215710246	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	21600	13900	10500	7.5	1.94	215710247	No
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	21600	14200	10700	7.8	1.98	215710248	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	21600	14200	10600	7.8	1.96	215710249	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	ML180UH070XE36A	R-454B	23800	15.2	13.2	21800	14200	10700	7.8	1.98	215710250	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	SL280UH060NV36A	R-454B	23800	15.2	13.2	21800	14300	10700	7.8	1.96	215710251	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	SL280UH070V36A	R-454B	23800	15.2	13	22000	14300	10800	7.8	1.98	215710252	Yes
ML14KP1-024-230A**	CK40HT-24A-**+TDR	SL280UH070XV36A	R-454B	23800	15.2	13	22000	14300	10800	7.8	1.98	215710253	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	13	22400	14400	10800	8	1.98	215710254	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL195UH040NE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	1.96	215710255	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL195UH060NE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.98	215710256	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	1.98	215710257	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	1.96	215710258	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL196UH070XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	1.98	215710259	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL280UH090E36B	R-454B	23200	15.2	13.2	21600	14100	10500	7.8	1.98	215710260	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.2	22200	14400	10800	8.1	2.02	215710261	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.2	22200	14400	10700	8.1	2	215710262	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH045XE36B	R-454B	24000	14.7	12.8	22400	14600	10900	8	1.96	215710263	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH045XV36B	R-454B	23800	15.2	13	22200	14400	10700	8	1.98	215710264	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH070XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.96	215710265	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	EL297UH070XV36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	2	215710266	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070E36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	2	215710267	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070V36B	R-454B	23800	15.5	13.2	22000	14300	10600	8.1	2	215710268	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.2	22200	14300	10700	8.1	2.02	215710269	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH070XE36B	R-454B	23800	15.5	13.2	22000	14200	10600	8.1	2	215710270	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	2.02	215710271	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22400	14400	10800	8	1.98	215710272	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22200	14300	10700	8.1	2.02	215710273	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML193UH030XE36B	R-454B	23400	15.2	13.2	21800	14100	10500	7.8	1.96	215710274	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML193UH045XE36B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.98	215710275	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML193UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	2	215710276	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH030XE36B	R-454B	23400	15.2	13	21800	14200	10600	7.8	1.98	215710277	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.6	22400	14600	11000	8	1.96	215710278	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE36B	R-454B	24000	15.2	13	22400	14400	10800	8.1	2	215710279	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML196UH070XE48B	R-454B	24000	14.7	12.8	22400	14500	10900	8	1.96	215710280	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML296UH045XV36B	R-454B	23600	15.2	13	22000	14300	10600	8	1.98	215710281	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	ML296UH070XV36B	R-454B	23800	15.2	13.2	22200	14300	10700	8	2	215710282	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	SL280UH080NV48B	R-454B	23400	14.7	12.8	22000	14400	10700	7.8	1.96	215710283	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	SL280UH090V36B	R-454B	23800	15.2	13	22200	14300	10700	8.1	2	215710284	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	SL280UH090V48B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	2	215710285	Yes
ML14KP1-024-230A**	CK40HT-24B-**+TDR	SL297UH040NV36B	R-454B	23600	14.7	12.6	22200	14400	10800	8	1.98	215710286	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	SL297UH060NV36B	R-454B	23600	14.7	12.8	22000	14300	10700	8	1.98	215710287	No
ML14KP1-024-230A**	CK40HT-24B-**+TDR	SLP99UH070XV36B	R-454B	23600	15.2	12.8	22000	14300	10700	8.1	2	215710288	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	EL180UH040NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	2.02	215710289	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	23800	15.2	12.8	22400	14400	11200	8	2.02	215710290	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	23400	15.5	13.2	22000	14100	10900	7.8	2.04	215710291	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	2.04	215710292	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	23800	15.2	12.8	22600	14500	11300	8	2.04	215710293	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	23600	15.2	13	22200	14200	11100	8	2.06	215710294	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	2.02	215710295	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	23400	15.2	13.2	22000	14100	11000	7.8	2.04	215710296	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	23200	15.2	13.2	22000	14000	10900	7.8	2.02	215710297	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	23600	15.2	13.2	22200	14200	11000	8	2.04	215710298	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	23600	15.5	13.2	22200	14200	11000	8	2.04	215710299	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	23400	15.2	13	22200	14200	11000	7.8	2.04	215710300	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	23600	15.2	13	22200	14300	11100	8	2.04	215710301	Yes
ML14KP1-024-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	2.02	215710302	No
ML14KP1-024-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	23600	14.7	12.8	22400	14400	11200	8	2.02	215710303	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	24000	15.2	13.2	22200	14100	11100	8	2.06	215710304	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	24000	15.2	13	22400	14200	11200	7.8	2.04	215710305	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	24000	15.2	13	22200	14200	11200	8	2.04	215710306	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	23600	15.5	13.2	21800	13800	10800	7.8	2.04	215710307	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	2.02	215710308	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	24000	15.2	12.8	22400	14300	11200	7.8	2.04	215710309	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	23400	15.5	13.4	21600	13700	10700	7.8	2.06	215710310	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	2.08	215710311	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	24000	15.5	13.4	22200	14000	11000	8	2.08	215710312	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	2.04	215710313	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	23800	15.2	12.8	22000	14100	11100	7.8	2.04	215710314	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	24000	15.2	12.8	22200	14200	11200	7.8	2.04	215710315	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	2.06	215710316	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	2.08	215710317	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	24000	16	13.4	21800	13900	10900	8	2.1	215710318	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	24000	15.5	13.4	22000	13900	10900	8	2.08	215710319	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	24000	15.5	13.4	22000	13900	10900	8	2.08	215710320	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	2.1	215710321	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	24000	15.2	13	22200	14100	11100	8	2.06	215710322	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	24000	15.5	13.4	22000	14000	11000	8.1	2.1	215710323	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	23400	15.5	13.2	21600	13700	10800	7.8	2.06	215710324	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	24000	15.2	13	22200	14200	11200	8	2.06	215710325	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	24000	15.5	13.2	22200	14100	11100	8	2.06	215710326	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	23400	15.5	13	21800	13800	10800	7.8	2.04	215710327	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	24000	14.7	12.8	22400	14300	11200	7.8	2.02	215710328	No
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	24000	15.5	13.2	22200	14100	11100	8	2.06	215710329	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	24000	15.2	13	22200	14200	11200	7.8	2.04	215710330	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	2.06	215710331	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	24000	15.5	13.2	22000	13900	10900	8	2.06	215710332	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	23600	15.2	13	21800	14000	11000	7.8	2.04	215710333	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	24000	15.5	13.2	22000	14000	11000	8	2.08	215710334	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	24000	15.5	13.2	22000	13900	10900	8	2.06	215710335	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	23800	15.2	13	22000	14000	11000	7.8	2.04	215710336	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	23800	15.5	13.2	21800	13900	10900	7.8	2.04	215710337	Yes
ML14KP1-024-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	23800	15.5	13.2	22000	13900	10900	7.8	2.06	215710338	Yes
ML14KP1-030-230A**	CBK45UHET-030-230-**	- - -	R-454B	29600	15.5	12.8	27600	17400	12700	7.8	1.92	215712350	Yes
ML14KP1-030-230A**	CBK45UHET-036-230-**	- - -	R-454B	29600	15.2	13	27000	18100	14300	8.2	2.12	215712351	Yes
ML14KP1-030-230A**	CBK45UHPT-030-230-**	- - -	R-454B	29200	14.3	12	28000	17800	13200	7.5	1.86	215712349	No
ML14KP1-030-230A**	CBK45UHPT-036-230-**	- - -	R-454B	29600	14.7	12.4	27000	18200	14400	8.2	2.08	215712352	No
ML14KP1-030-230A**	CBK45UHVT-030-230-**	- - -	R-454B	29200	15.5	13	27200	17200	12600	7.8	1.94	215712353	Yes
ML14KP1-030-230A**	CBK45UHVT-036-230-**	- - -	R-454B	29600	15.2	12.8	26800	18000	14300	8.2	2.12	215712354	Yes
ML14KP1-030-230A**	CBK47UHET-030-230-**	- - -	R-454B	29000	15.5	13	27400	16900	13200	8.1	1.98	215712355	Yes
ML14KP1-030-230A**	CBK47UHET-036-230-**	- - -	R-454B	29600	15.5	13	27800	17500	14200	8.2	2.08	215712356	Yes
ML14KP1-030-230A**	CBK47UHET-036-460-**	- - -	R-454B	29600	15.5	13	27800	17500	14200	8.2	2.08	217595428	Yes
ML14KP1-030-230A**	CBK48MVT-030-230-**	- - -	R-454B	29200	15.2	13	27200	16800	13200	8.1	1.98	215712357	Yes
ML14KP1-030-230A**	CBK48MVT-036-230-**	- - -	R-454B	29600	15.5	13	27600	17400	14000	8.2	2.08	215712358	Yes
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL180UH060NE36A	R-454B	29200	14.7	12.4	27200	17200	13600	7.5	1.96	215712359	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL280UH045E36A	R-454B	28800	15.5	12.8	26600	16800	13200	7.5	1.98	215712360	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070E36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.96	215712361	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	EL280UH070XE36A	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.96	215712362	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	1.98	215712363	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045E36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	1.98	215712364	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	26800	17100	13400	7.5	1.98	215712365	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH045XE36A	R-454B	28600	15.5	12.8	26400	16700	13200	7.5	1.98	215712366	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070E36A	R-454B	28600	15.2	12.8	26400	16800	13200	7.5	1.96	215712367	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	1.96	215712368	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	ML180UH070XE36A	R-454B	28400	15.5	12.8	26400	16700	13200	7.5	1.98	215712369	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	26800	17000	13400	7.5	1.98	215712370	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.98	215712371	No
ML14KP1-030-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.98	215712372	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL195UH040NE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	1.96	215712373	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL195UH060NE36B	R-454B	28800	14.7	12.4	26800	17000	13500	7.5	1.96	215712374	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	1.96	215712375	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	1.94	215712376	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	1.96	215712377	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E36B	R-454B	28800	15.5	12.8	26600	16700	13200	7.5	1.98	215712378	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712379	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL280UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712380	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	1.96	215712381	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	28600	14.7	12.4	26800	16900	13400	7.5	1.96	215712382	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XE36B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	1.96	215712383	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.98	215712384	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070E36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.98	215712385	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V36B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712386	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070V48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712387	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH070XE36B	R-454B	28600	15.5	12.8	26400	16800	13200	7.5	1.98	215712388	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090E48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	2	215712389	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090V48B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	1.96	215712390	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML180UH090XE48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	2	215712391	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML193UH030XE36B	R-454B	28600	15.2	12.6	26600	16900	13300	7.5	1.96	215712392	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML193UH045XE36B	R-454B	28400	15.2	12.6	26400	16800	13200	7.5	1.96	215712393	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML193UH070XE36B	R-454B	29000	15.2	12.6	27000	17100	13500	7.5	1.98	215712394	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH030XE36B	R-454B	28400	15.2	12.6	26400	16800	13300	7.5	1.96	215712395	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH045XE36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	1.94	215712396	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.4	27000	17200	13500	7.5	1.96	215712397	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML196UH070XE48B	R-454B	29000	14.7	12.4	27000	17200	13500	7.5	1.96	215712398	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML296UH045XV36B	R-454B	28600	15.2	12.6	26600	16800	13300	7.5	1.98	215712399	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	ML296UH070XV36B	R-454B	28800	15.2	12.6	26800	16900	13300	7.5	1.98	215712400	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.96	215712401	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	29000	15.5	12.8	26800	16800	13300	7.5	1.98	215712402	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	29000	15.5	12.8	26800	17000	13300	7.5	1.98	215712403	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	28800	14.7	12.4	27000	17100	13500	7.5	1.94	215712404	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	28800	15.2	12.6	26800	16900	13400	7.5	1.96	215712405	No
ML14KP1-030-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	28800	15.2	12.6	26800	17000	13400	7.5	1.98	215712406	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH040NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	1.94	215712407	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	29600	15.2	12.6	27000	17300	13800	7.5	1.94	215712408	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	29600	16	13.2	26400	17000	13400	7.5	1.98	215712409	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712410	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712411	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	29600	15.5	13.2	26600	17100	13600	7.5	1.98	215712412	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	1.96	215712413	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	29600	15.5	13.2	26600	17200	13600	7.5	1.98	215712414	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	29600	16	13.2	26200	16900	13300	7.5	1.96	215712415	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712416	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712417	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	29600	16	13.2	26400	16900	13300	7.5	1.96	215712418	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.96	215712419	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.96	215712420	No
ML14KP1-030-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	1.94	215712421	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL180UH080NE48B	R-454B	29600	15.5	12.8	26800	17300	13600	7.5	1.94	215712422	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH040NE36B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	1.96	215712423	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	29600	15.2	12.8	26800	17200	13700	7.5	1.96	215712424	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	1.94	215712425	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	1.94	215712426	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	1.94	215712427	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	1.98	215712428	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	1.98	215712429	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	1.98	215712430	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	1.96	215712431	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	29600	15.5	12.8	26600	17200	13600	7.5	1.96	215712432	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	29600	15.5	12.8	26800	17300	13700	7.5	1.96	215712433	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712434	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	1.96	215712435	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	1.98	215712436	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	29600	16	13.2	26600	17100	13500	7.5	1.98	215712437	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	29600	16	13.2	26400	17000	13300	7.5	1.96	215712438	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	1.98	215712439	Yes
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712440	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	29600	16	13.4	26600	17100	13400	7.8	1.98	215712441	Yes
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	29600	15.5	13	26400	17100	13400	7.5	1.96	215712442	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	29600	15.5	13	26400	17000	13400	7.5	1.96	215712443	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	29600	15.5	13	26800	17200	13600	7.5	1.96	215712444	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH030XE36B	R-454B	29400	15.5	12.8	26400	17000	13400	7.5	1.94	215712445	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH045XE36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	1.94	215712446	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	29600	15.2	12.8	26800	17300	13700	7.5	1.94	215712447	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	29600	15.5	12.8	26800	17200	13700	7.5	1.96	215712448	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	29600	15.5	13.2	26400	17000	13400	7.5	1.96	215712449	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.96	215712450	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.94	215712451	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	29600	16	13.2	26600	17000	13500	7.5	1.98	215712452	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	29600	15.5	13.2	26600	17100	13500	7.5	1.98	215712453	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	29600	15.2	12.6	26800	17300	13700	7.5	1.94	215712454	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	29600	15.5	12.8	26600	17100	13600	7.5	1.96	215712455	No
ML14KP1-030-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	29600	15.5	13	26600	17100	13500	7.5	1.96	215712456	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	EL280DF090E48B	R-454B	29600	14.7	12.6	29600	18700	14400	8.2	2.02	215712458	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF045XE36B	R-454B	29400	14.7	12.6	29400	18600	14300	8.1	2	215712459	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	2.02	215712460	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF070XE48B	R-454B	29600	14.3	12.4	29400	18700	14400	8.1	2	215712461	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	29400	14.3	12.2	29600	18800	14500	8.1	1.98	215712462	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML180DF070E36B	R-454B	29400	14.7	12.6	29200	18500	14200	8.1	2.02	215712463	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML180DF090E48B	R-454B	29600	14.7	12.8	29400	18500	14200	8.2	2.04	215712464	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML193DF045XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	2	215712465	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML193DF070XE36B	R-454B	29600	14.7	12.6	29600	18700	14400	8.1	2	215712466	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML196DF045XE36B	R-454B	29600	14.3	12.6	29600	18700	14400	8.1	2	215712467	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML196DF070XE48B	R-454B	29600	14.3	12.4	29600	18700	14500	8.1	2	215712468	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	ML296DF070XV48B	R-454B	29600	14.3	12.4	29600	18700	14400	8.1	2	215712469	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	SL280DF060NV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	2.02	215712470	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	SL280DF090V48B	R-454B	29600	14.7	12.6	29400	18600	14300	8.1	2	215712471	No
ML14KP1-030-230A**	CK40DT-42B-**+TDR	SLP99DF070XV36B	R-454B	29600	14.7	12.6	29400	18600	14400	8.1	2	215712472	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	EL180UH060NE36A	R-454B	29000	14.7	12.2	28200	17700	14000	7.5	1.84	215712473	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	EL280UH045E36A	R-454B	28600	15.5	12.8	27600	17100	13600	7.5	1.86	215712474	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	EL280UH070E36A	R-454B	29000	14.7	12.4	28000	17600	13900	7.5	1.84	215712475	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	EL280UH070XE36A	R-454B	29000	14.7	12.4	28000	17600	13900	7.5	1.84	215712476	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH030V36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	1.86	215712477	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH045E36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	1.84	215712478	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH045V36A	R-454B	29000	15.2	12.6	27800	17400	13800	7.5	1.86	215712479	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH045XE36A	R-454B	28400	15.5	12.8	27400	17000	13500	7.5	1.84	215712480	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH070E36A	R-454B	28400	15.2	12.6	27400	17100	13600	7.5	1.84	215712481	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH070V36A	R-454B	28800	15.2	12.6	27800	17300	13700	7.5	1.84	215712482	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	ML180UH070XE36A	R-454B	28400	15.5	12.6	27400	17100	13500	7.5	1.84	215712483	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	SL280UH060NV36A	R-454B	29000	15.2	12.6	27800	17300	13800	7.5	1.86	215712484	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	SL280UH070V36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	1.84	215712485	No
ML14KP1-030-230A**	CK40HT-30A-**+TDR	SL280UH070XV36A	R-454B	28800	15.2	12.4	27800	17300	13800	7.5	1.84	215712486	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL180UH080NE48B	R-454B	29400	15.2	12.6	27000	17400	13700	7.8	1.94	215712487	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL195UH040NE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	1.94	215712488	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL195UH060NE36B	R-454B	29000	15.2	12.6	26600	17200	13500	7.8	1.96	215712489	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	1.94	215712490	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	1.94	215712491	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL196UH070XE36B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	1.94	215712492	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL280UH090E36B	R-454B	29200	15.5	13	26600	17100	13400	7.8	1.98	215712493	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL280UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.96	215712494	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL280UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.96	215712495	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH045XE36B	R-454B	29000	15.5	12.8	26600	17100	13400	7.8	1.94	215712496	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH045XV36B	R-454B	29000	15.2	12.4	26800	17300	13600	7.8	1.94	215712497	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH070XE36B	R-454B	29200	15.2	12.4	27000	17400	13700	7.8	1.96	215712498	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	EL297UH070XV36B	R-454B	29200	15.2	12.6	26800	17200	13500	7.8	1.96	215712499	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070E36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	1.96	215712500	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070V36B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712501	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070V48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712502	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH070XE36B	R-454B	28800	15.5	12.8	26600	17100	13400	7.8	1.96	215712503	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH090E48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712504	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712505	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML180UH090XE48B	R-454B	29400	15.5	12.8	26800	17200	13500	7.8	1.98	215712506	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML193UH030XE36B	R-454B	29000	15.2	12.6	26800	17200	13500	7.8	1.96	215712507	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML193UH045XE36B	R-454B	28800	15.2	12.6	26600	17100	13400	7.5	1.94	215712508	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML193UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13700	7.8	1.96	215712509	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH030XE36B	R-454B	28800	15.2	12.6	26600	17200	13500	7.5	1.94	215712510	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH045XE36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	1.94	215712511	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH070XE36B	R-454B	29400	15.2	12.6	27000	17300	13600	7.8	1.96	215712512	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML196UH070XE48B	R-454B	29200	14.7	12.4	27000	17400	13700	7.8	1.94	215712513	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML296UH045XV36B	R-454B	29000	15.5	12.8	26600	17100	13500	7.8	1.96	215712514	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	ML296UH070XV36B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712515	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	SL280UH080NV48B	R-454B	29000	15.2	12.6	26800	17300	13600	7.8	1.94	215712516	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	SL280UH090V36B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712517	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	SL280UH090V48B	R-454B	29200	15.5	12.8	26800	17200	13500	7.8	1.96	215712518	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	SL297UH040NV36B	R-454B	29000	14.7	12.4	27000	17400	13700	7.8	1.94	215712519	No
ML14KP1-030-230A**	CK40HT-30B-**+TDR	SL297UH060NV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	1.94	215712520	Yes
ML14KP1-030-230A**	CK40HT-30B-**+TDR	SLP99UH070XV36B	R-454B	29200	15.2	12.6	26800	17300	13600	7.8	1.96	215712521	Yes
ML14KP1-030-230A**	CK40HT-36A-**+TDR	EL180UH060NE36A	R-454B	28600	14.3	12.2	27400	17600	13800	7.5	1.8	215712522	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	EL280UH045E36A	R-454B	28200	15.2	12.6	26800	17100	13400	7.5	1.82	215712523	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40HT-36A-**+TDR	EL280UH070E36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	1.8	215712524	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	EL280UH070XE36A	R-454B	28600	14.7	12.2	27200	17500	13700	7.5	1.8	215712525	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH030V36A	R-454B	28600	14.7	12.4	27200	17300	13600	7.5	1.82	215712526	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH045E36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	1.8	215712527	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH045V36A	R-454B	28400	14.7	12.4	27200	17300	13600	7.5	1.82	215712528	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH045XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	1.8	215712529	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH070E36A	R-454B	28000	14.7	12.4	26600	17100	13400	7.5	1.8	215712530	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	1.82	215712531	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	ML180UH070XE36A	R-454B	28000	15.2	12.6	26600	17000	13300	7.5	1.8	215712532	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	SL280UH060NV36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	1.82	215712533	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	SL280UH070V36A	R-454B	28400	14.7	12.4	27000	17300	13600	7.5	1.82	215712534	No
ML14KP1-030-230A**	CK40HT-36A-**+TDR	SL280UH070XV36A	R-454B	28200	14.7	12.2	27200	17400	13700	7.5	1.8	215712535	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL180UH080NE48B	R-454B	28800	14.3	12	27600	17400	13800	7.5	1.82	215712536	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL195UH040NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712537	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL195UH060NE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712538	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	1.8	215712539	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712540	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL196UH070XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712541	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL280UH090E36B	R-454B	28600	14.7	12.6	27200	17100	13500	7.5	1.84	215712542	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL280UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712543	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL280UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712544	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH045XE36B	R-454B	28400	14.7	12.4	27200	17100	13500	7.5	1.82	215712545	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH045XV36B	R-454B	28400	14.3	12	27400	17300	13700	7.5	1.82	215712546	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH070XE36B	R-454B	28800	14.3	12.2	27600	17400	13800	7.5	1.82	215712547	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	EL297UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.82	215712548	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070E36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	1.84	215712549	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070V36B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712550	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070V48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.84	215712551	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH070XE36B	R-454B	28400	14.7	12.4	27000	17000	13500	7.5	1.84	215712552	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090E48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.86	215712553	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090V48B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.82	215712554	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML180UH090XE48B	R-454B	28800	14.7	12.4	27400	17200	13600	7.5	1.86	215712555	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH030XE36B	R-454B	28400	14.7	12.2	27200	17100	13600	7.5	1.82	215712556	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH045XE36B	R-454B	28200	14.7	12.2	27200	17000	13500	7.5	1.82	215712557	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML193UH070XE36B	R-454B	28800	14.3	12.2	27600	17300	13800	7.5	1.84	215712558	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH030XE36B	R-454B	28200	14.3	12.2	27200	17100	13500	7.5	1.8	215712559	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH045XE36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712560	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH070XE36B	R-454B	28800	14.7	12.2	27600	17300	13700	7.5	1.84	215712561	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML196UH070XE48B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712562	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML296UH045XV36B	R-454B	28400	14.7	12.2	27200	17100	13500	7.5	1.82	215712563	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	ML296UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.84	215712564	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH080NV48B	R-454B	28600	14.3	12.2	27400	17200	13700	7.5	1.82	215712565	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH090V36B	R-454B	28600	14.7	12.4	27400	17100	13600	7.5	1.84	215712566	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	SL280UH090V48B	R-454B	28600	14.7	12.4	27400	17200	13600	7.5	1.84	215712567	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	SL297UH040NV36B	R-454B	28600	14.3	12	27600	17400	13800	7.5	1.82	215712568	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	SL297UH060NV36B	R-454B	28600	14.3	12.2	27400	17300	13700	7.5	1.82	215712569	No
ML14KP1-030-230A**	CK40HT-36B-**+TDR	SLP99UH070XV36B	R-454B	28600	14.7	12.2	27400	17200	13600	7.5	1.82	215712570	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL195UH080NE48C	R-454B	29200	14.3	12.4	27400	17400	13800	7.8	1.94	215712571	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL195UH100NE60C	R-454B	29600	14.3	12.6	27400	17400	13800	8	1.94	215712572	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL196UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	1.96	215712573	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712574	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110E48C	R-454B	29600	14.7	12.8	27200	17300	13700	8	1.96	215712575	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110E60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712576	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL280UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712577	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	1.96	215712578	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV36C	R-454B	29000	14.7	12.6	27200	17300	13700	7.8	1.94	215712579	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH090XV48C	R-454B	29200	14.3	12.4	27200	17400	13700	7.8	1.94	215712580	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	1.96	215712581	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	EL297UH110XV48C	R-454B	29200	14.7	12.8	27000	17200	13600	8	1.96	215712582	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH090E60C	R-454B	29600	14.7	12.8	27400	17400	13800	8	1.96	215712583	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH110E60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	1.96	215712584	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML180UH110XE60C	R-454B	29400	14.7	12.8	27200	17300	13600	8	1.96	215712585	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE36C	R-454B	29000	14.7	12.6	27000	17200	13600	8	1.94	215712586	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH090XE48C	R-454B	29200	14.7	12.6	27200	17200	13600	8	1.94	215712587	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE48C	R-454B	29400	14.7	12.6	27200	17300	13700	8	1.96	215712588	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML193UH110XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	1.96	215712589	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE36C	R-454B	29200	14.7	12.6	27200	17300	13600	7.8	1.94	215712590	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE48C	R-454B	29200	14.7	12.6	27200	17300	13700	8	1.96	215712591	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH090XE60C	R-454B	29600	14.7	12.6	27400	17400	13800	8	1.96	215712592	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML196UH110XE60C	R-454B	29600	14.7	12.6	27600	17400	13800	8	1.94	215712593	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML296UH090XV48C	R-454B	29000	14.7	12.6	27000	17200	13600	7.8	1.94	215712594	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	ML296UH110XV60C	R-454B	29400	14.7	12.6	27400	17300	13700	8	1.94	215712595	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	SL297UH080NV48C	R-454B	29000	14.3	12.2	27200	17400	13800	7.8	1.92	215712596	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV36C	R-454B	29000	14.3	12.4	27200	17300	13700	7.8	1.94	215712597	No
ML14KP1-030-230A**	CK40HT-36C-**+TDR	SLP99UH090XV48C	R-454B	29400	14.7	12.6	27200	17300	13700	7.8	1.94	215712598	No
ML14KP1-036-230A**	CBK45UHET-036-230-**	- - -	R-454B	36000	15.2	13	34400	20600	15900	7.8	1.9	215735595	Yes
ML14KP1-036-230A**	CBK45UHET-042-230-**	- - -	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	1.88	215863844	No
ML14KP1-036-230A**	CBK45UHPT-036-230-**	- - -	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	1.86	215735588	No
ML14KP1-036-230A**	CBK45UHPT-042-230-**	- - -	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	1.84	215863848	No
ML14KP1-036-230A**	CBK45UHVT-036-230-**	- - -	R-454B	36000	15.2	13	34200	20400	15700	7.8	1.9	215735596	Yes
ML14KP1-036-230A**	CBK45UHVT-042-230-**	- - -	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	1.88	215863845	No
ML14KP1-036-230A**	CBK47UHET-036-230-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	215735597	Yes
ML14KP1-036-230A**	CBK47UHET-036-460-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	217595430	Yes
ML14KP1-036-230A**	CBK47UHET-042-230-**	- - -	R-454B	36000	16	13.2	34000	20000	16300	7.8	2.06	215863846	Yes
ML14KP1-036-230A**	CBK48MVT-036-230-**	- - -	R-454B	35400	14.7	12.6	35600	20600	16800	8	2.04	215735598	No
ML14KP1-036-230A**	CBK48MVT-042-230-**	- - -	R-454B	36000	16	13.4	34200	20200	16300	7.8	2.06	215863847	Yes
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	215744725	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.86	215744726	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	215744727	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	215744728	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	215744729	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	215744730	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744731	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	215744732	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	215744733	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	215744734	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	1.86	215744735	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.86	215744736	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	215744737	No
ML14KP1-036-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	215744738	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744739	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.82	215744740	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	215744741	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	1.9	215744742	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	1.9	215744743	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	1.88	215744744	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	215744745	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	1.84	215744746	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	215744747	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	215744748	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	215744749	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	1.88	215744750	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	1.9	215744751	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	215744752	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	215744753	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	1.86	215744754	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	215744755	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	1.84	215744756	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	215744757	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744758	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	215744759	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	215744760	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744761	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	215744762	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	215744763	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.88	215744764	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	215744765	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	1.86	215744766	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	215744767	No
ML14KP1-036-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	1.86	215744768	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	1.98	215735643	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	1.98	215735644	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.98	215735645	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.98	215735646	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	2	215735647	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	2	215735648	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	215735649	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	215735650	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	1.98	215735658	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	1.98	215735798	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.98	215735799	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	1.98	215735800	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	215735801	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	1.98	215735802	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	215735803	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	2	215735659	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	2	215735660	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	2	215735661	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	1.96	215735662	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	2	215735663	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	1.98	215735664	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	215735665	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	215735666	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	215735667	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	215735668	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	215735669	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	1.98	215735670	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	215735671	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	2	215735672	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	215735673	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	215735674	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	215735675	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	1.98	215735676	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	1.98	215735677	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.98	215735678	No
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	1.98	215735679	Yes
ML14KP1-036-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	1.98	215735680	Yes
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216021148	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	1.92	216021149	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	216021150	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	216021151	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	216021152	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	216021153	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	1.9	216021154	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216021155	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.94	216021156	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216021157	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	216021158	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	1.92	216021159	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.94	216021160	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	1.94	216021161	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	1.96	216021162	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	216021163	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.96	216021164	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	216021165	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.92	216021166	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	216021167	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	1.94	216021168	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	1.92	216021169	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	216021170	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	1.94	216021171	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	1.92	216021172	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	216021173	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	216021174	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	1.94	216021175	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	216021176	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	216021177	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	1.94	216021178	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	1.9	216021179	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	1.9	216021180	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.92	216021181	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	216021182	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.94	216021183	No
ML14KP1-036-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	216021184	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	216021186	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	216021187	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	1.74	216021188	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	216021189	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	1.76	216021190	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	216021191	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	1.76	216021192	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	216021193	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	216021194	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	216021195	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	1.76	216021196	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	216021197	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	216021198	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	216021199	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	216021200	No
ML14KP1-036-230A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	216021201	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	215735681	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	215735682	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	215735683	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	1.92	215735684	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	1.98	215735685	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	215735686	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	215735687	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	215735688	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.92	215735689	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	215735690	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	215735691	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	215735692	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	1.96	215735693	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	2	215735694	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	215735695	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	215735696	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	1.96	215735697	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	215735698	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	1.92	215735699	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML193UH045XE36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	215735700	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML193UH070XE36B	R-454B	36000	15.2	13	35000	20400	16700	7.5	1.94	215735701	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	215735702	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	215735703	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.94	215735704	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	215735705	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	215735706	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	1.96	215735707	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	215735708	Yes
ML14KP1-036-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	1.96	215735709	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	215735710	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	215735711	No
ML14KP1-036-230A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.96	215735712	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	1.96	215735713	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	1.96	215735714	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	1.96	215735715	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.96	215735716	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	215735717	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	1.98	215735718	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	215735719	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	215735720	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215735721	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	1.96	215735722	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	215735723	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	1.96	215735724	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	1.96	215735725	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	215735726	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215735727	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	2	215735728	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215735729	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215735730	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215735731	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.94	215735732	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	215735733	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	215735734	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215735735	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.94	215735736	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	1.96	215735737	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215735738	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	215735739	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	215735740	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	1.96	215735741	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	215735742	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	215735743	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	215735744	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	215735745	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	1.92	215735746	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	1.94	215735747	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	1.96	215735748	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	215735749	No
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	1.96	215735750	Yes
ML14KP1-036-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	215735751	Yes
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	1.86	216021202	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	1.86	216021203	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	1.84	216021204	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	1.86	216021205	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	1.86	216021206	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	216021207	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	216021208	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	216021209	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	216021210	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	1.88	216021211	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	216021212	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	216021213	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216021214	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	216021215	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	216021216	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	216021217	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	216021218	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	1.88	216021219	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	216021220	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216021221	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.86	216021222	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.88	216021223	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	13	34600	20000	16200	7.5	1.88	216021224	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	216021225	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	1.88	216021226	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216021227	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	1.86	216021228	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	1.86	216021229	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	216021230	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	1.88	216021231	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	216021232	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	216021233	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	216021234	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	1.84	216021235	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	1.84	216021236	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	216021237	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	216021238	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	1.86	216021239	No
ML14KP1-036-230A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.88	216021240	No
ML14KP1-036-233A**	CBK45UHET-036-230-**	- - -	R-454B	36000	15.2	13	34400	20600	15900	7.8	1.9	217320850	Yes
ML14KP1-036-233A**	CBK45UHET-042-230-**	- - -	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	1.88	217320851	No
ML14KP1-036-233A**	CBK45UHPT-036-230-**	- - -	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	1.86	217320848	No
ML14KP1-036-233A**	CBK45UHPT-042-230-**	- - -	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	1.84	217320852	No
ML14KP1-036-233A**	CBK45UHVT-036-230-**	- - -	R-454B	36000	15.2	13	34200	20400	15700	7.8	1.9	217320853	Yes
ML14KP1-036-233A**	CBK45UHVT-042-230-**	- - -	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	1.88	217320854	No
ML14KP1-036-233A**	CBK47UHET-036-230-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	217320855	Yes
ML14KP1-036-233A**	CBK47UHET-036-460-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	217595420	No
ML14KP1-036-233A**	CBK47UHET-042-230-**	- - -	R-454B	36000	16	13.2	34000	20000	16300	7.8	2.06	217320856	Yes
ML14KP1-036-233A**	CBK48MVT-036-230-**	- - -	R-454B	35400	14.7	12.6	35600	20600	16800	8	2.04	217320857	No
ML14KP1-036-233A**	CBK48MVT-042-230-**	- - -	R-454B	36000	16	13.4	34200	20200	16300	7.8	2.06	217320858	Yes
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	217320859	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.86	217320860	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	217320861	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	217320862	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	217320863	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	217320864	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217320865	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	217320866	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	217320867	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	217320868	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	1.86	217320869	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.86	217320870	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	217320871	No
ML14KP1-036-233A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	217320872	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217320873	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.82	217320874	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	217320875	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	1.9	217320876	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	1.9	217320877	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	1.88	217320878	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	217320879	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	1.84	217320880	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	217320881	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	217320882	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	217320883	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	1.88	217320884	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	1.9	217320885	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	217320886	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	217320887	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	1.86	217320888	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	217320889	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	1.84	217320890	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	217320891	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217320892	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	217320893	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	217320894	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217320895	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	217320896	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217320897	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.88	217320898	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	217320899	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	1.86	217320900	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	217320901	No
ML14KP1-036-233A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	1.86	217320902	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	1.98	217320903	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	1.98	217320904	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.98	217320905	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.98	217320906	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	2	217320907	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	2	217320908	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	217320909	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	217320910	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	1.98	217320918	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	1.98	217320919	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.98	217320920	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	1.98	217320921	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217320922	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	1.98	217320923	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217320924	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	2	217320925	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	2	217320926	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	2	217320927	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	1.96	217320928	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	2	217320929	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	1.98	217320930	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217320931	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	217320932	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217320933	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217320934	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	217320935	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	1.98	217320936	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	217320937	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	2	217320938	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	217320939	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	217320940	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217320941	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	1.98	217320942	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	1.98	217320943	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.98	217320944	No
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	1.98	217320945	Yes
ML14KP1-036-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	1.98	217320946	Yes
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217320947	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	1.92	217320948	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	217320949	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	217320950	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	217320951	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	217320952	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	1.9	217320953	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217320954	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.94	217320955	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217320956	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	217320957	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	1.92	217320958	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.94	217320959	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	1.94	217320960	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	1.96	217320961	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	217320962	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.96	217320963	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	217320964	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.92	217320965	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	217320966	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	1.94	217320967	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	1.92	217320968	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	217320969	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	1.94	217320970	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	1.92	217320971	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	217320972	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	217320973	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	1.94	217320974	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	217320975	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	217320976	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	1.94	217320977	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	1.9	217320978	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	1.9	217320979	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.92	217320980	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217320981	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.94	217320982	No
ML14KP1-036-233A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	217320983	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	EL196DF090XE48C	R-454B	35800	15.2	12.8	36000	20400	16000	7.5	1.74	217320984	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	217320985	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	217320986	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	1.74	217320987	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	217320988	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	1.76	217320989	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	217320990	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	1.76	217320991	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	217320992	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	217320993	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	217320994	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	1.76	217320995	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	217320996	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	217320997	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	217320998	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	217320999	No
ML14KP1-036-233A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	217321000	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	217321001	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	217321002	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	217321003	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	1.92	217321004	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	1.98	217321005	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	217321006	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	217321007	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	217321008	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.92	217321009	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	217321010	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	217321011	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	217321012	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	1.96	217321013	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	2	217321014	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	217321015	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	217321016	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	1.96	217321017	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	217321018	Yes
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	1.92	217321019	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML193UH045XE36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	217321020	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML193UH070XE36B	R-454B	36000	15.2	13	35000	20400	16700	7.5	1.94	217321021	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	217321022	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	217321023	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.94	217321024	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	217321025	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	217321026	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	1.96	217321027	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	217321028	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	1.96	217321029	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	217321030	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	217321031	No
ML14KP1-036-233A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.96	217321032	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	1.96	217321033	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	1.96	217321034	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	1.96	217321035	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.96	217321036	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	217321037	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	1.98	217321038	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	217321039	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	217321040	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217321041	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	1.96	217321042	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	217321043	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	1.96	217321044	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	1.96	217321045	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	217321046	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217321047	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	2	217321048	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217321049	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217321050	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217321051	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.94	217321052	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	217321053	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	217321054	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217321055	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.94	217321056	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	1.96	217321057	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217321058	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	217321059	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	217321060	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	1.96	217321061	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217321062	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	217321063	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	217321064	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217321065	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	1.92	217321066	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	1.94	217321067	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	1.96	217321068	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	217321069	No
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	1.96	217321070	Yes
ML14KP1-036-233A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	217321071	Yes
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	1.86	217321072	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	1.86	217321073	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	1.84	217321074	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	1.86	217321075	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	1.86	217321076	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	217321077	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	217321078	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	217321079	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	217321080	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	1.88	217321081	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	217321082	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	217321083	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217321084	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	217321085	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	217321086	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	217321087	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	217321088	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	1.88	217321089	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	217321090	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217321091	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.86	217321092	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.88	217321093	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	13	34600	20000	16200	7.5	1.88	217321094	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	217321095	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	1.88	217321096	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217321097	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	1.86	217321098	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	1.86	217321099	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	217321100	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	1.88	217321101	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	217321102	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	217321103	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217321104	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	1.84	217321105	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	1.84	217321106	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	217321107	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	217321108	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	1.86	217321109	No
ML14KP1-036-233A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.88	217321110	No
ML14KP1-036-463A**	CBK45UHET-036-230-**	- - -	R-454B	36000	15.2	13	34400	20600	15900	7.8	1.9	217602208	No
ML14KP1-036-463A**	CBK45UHET-042-230-**	- - -	R-454B	36000	14.7	12.4	34800	20800	16100	7.5	1.88	217602209	No
ML14KP1-036-463A**	CBK45UHPT-036-230-**	- - -	R-454B	36000	14.3	12.6	34600	20800	16100	7.5	1.86	217602205	No
ML14KP1-036-463A**	CBK45UHPT-042-230-**	- - -	R-454B	36000	14.7	12.4	34400	20600	15800	7.5	1.84	217602210	No
ML14KP1-036-463A**	CBK45UHVT-036-230-**	- - -	R-454B	36000	15.2	13	34200	20400	15700	7.8	1.9	217602211	No
ML14KP1-036-463A**	CBK45UHVT-042-230-**	- - -	R-454B	36000	14.7	12.6	34600	20600	16100	7.5	1.88	217602212	No
ML14KP1-036-463A**	CBK47UHET-036-230-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	217602213	No
ML14KP1-036-463A**	CBK47UHET-036-460-**	- - -	R-454B	35400	15.2	12.8	35600	20400	16600	8	2.04	217602214	No
ML14KP1-036-463A**	CBK47UHET-042-230-**	- - -	R-454B	36000	16	13.2	34000	20000	16300	7.8	2.06	217602215	No
ML14KP1-036-463A**	CBK48MVT-036-230-**	- - -	R-454B	35400	14.7	12.6	35600	20600	16800	8	2.04	217602216	No
ML14KP1-036-463A**	CBK48MVT-042-230-**	- - -	R-454B	36000	16	13.4	34200	20200	16300	7.8	2.06	217602217	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	EL180UH060NE36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	217602218	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	EL280UH045E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.86	217602220	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	EL280UH070E36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	217602223	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	EL280UH070XE36A	R-454B	36000	14.7	12.6	34000	20400	16600	7.5	1.84	217602226	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH030V36A	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	217602229	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH045E36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	217602232	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH045V36A	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217602235	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH045XE36A	R-454B	36000	15.2	12.8	33600	20000	16300	7.5	1.86	217602238	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH070E36A	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	217602240	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH070V36A	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	217602241	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	ML180UH070XE36A	R-454B	36000	14.7	12.6	33800	20000	16400	7.5	1.86	217602242	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.86	217602243	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	217602244	No
ML14KP1-036-463A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	36000	14.3	12.2	34200	20400	16800	7.5	1.84	217602245	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL195UH060NE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217602246	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL196UH030XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.82	217602247	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL196UH070XE36B	R-454B	36000	14.7	12.6	33800	20200	16400	7.5	1.84	217602248	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL280UH090E36B	R-454B	36000	15.2	12.8	34200	20400	16700	7.5	1.9	217602249	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL280UH090E48B	R-454B	36000	15.2	13	34000	20200	16600	7.5	1.9	217602250	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13	33600	19900	16200	7.5	1.88	217602251	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL297UH045XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	217602252	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	36000	14.3	12.4	34200	20400	16700	7.5	1.84	217602253	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL297UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.84	217602254	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	36000	14.7	12.6	33800	20200	16500	7.5	1.86	217602255	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH070E36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	217602256	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH070V36B	R-454B	36000	15.2	13	33800	20000	16300	7.5	1.88	217602257	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13	34000	20200	16500	7.5	1.9	217602258	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH070XE36B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	217602259	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	217602260	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH090V48B	R-454B	36000	14.7	12.8	34000	20200	16500	7.5	1.86	217602261	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13	33800	20200	16400	7.5	1.88	217602262	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.4	34000	20200	16600	7.5	1.84	217602263	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML193UH045XE36B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	217602264	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML193UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217602265	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	217602266	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.4	34200	20400	16700	7.5	1.84	217602267	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML296UH045XV36B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217602268	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	ML296UH070XV36B	R-454B	36000	14.7	12.6	34000	20200	16500	7.5	1.86	217602269	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	36000	14.7	12.6	34000	20200	16600	7.5	1.86	217602270	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	36000	15.2	12.8	33800	20200	16500	7.5	1.88	217602271	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	36000	15.2	12.8	33800	20200	16400	7.5	1.86	217602272	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	36000	14.7	12.6	34200	20400	16700	7.5	1.86	217602273	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	36000	14.7	12.4	34000	20400	16700	7.5	1.86	217602274	No
ML14KP1-036-463A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	36000	14.7	12.6	35200	20400	16600	7.5	1.86	217602275	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34800	20400	16800	7.8	1.98	217602276	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	36000	15.2	13	35000	20400	16900	7.5	1.98	217602277	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.98	217602278	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.98	217602279	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	2	217602280	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.4	34600	20000	16500	7.8	2	217602281	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	217602282	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34600	20200	16500	7.8	2.02	217602283	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH090XE48C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	217602284	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	1.98	217602285	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.98	217602286	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	1.98	217602287	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217602288	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	1.98	217602289	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL296UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217602290	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	35000	20400	16600	7.8	1.98	217602291	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13.2	34800	20200	16700	7.5	1.98	217602292	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.98	217602293	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	35000	20400	16800	7.8	1.98	217602294	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217602295	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34800	20200	16600	7.8	1.98	217602296	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217602297	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	2	217602298	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.4	34800	20200	16600	7.8	2	217602299	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.4	34800	20200	16500	7.8	2	217602300	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34600	20200	16500	7.5	1.96	217602301	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	2	217602302	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	35000	20400	16600	7.8	1.98	217602303	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217602304	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	217602305	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217602306	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.5	1.98	217602307	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	217602308	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	13	34800	20400	16500	7.8	1.98	217602309	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34600	20200	16500	7.5	1.98	217602310	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	2	217602311	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	217602312	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	2	217602313	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13.2	34800	20400	16800	7.8	2	217602314	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	13	35000	20600	16900	7.5	1.98	217602315	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	13	34800	20200	16700	7.5	1.98	217602316	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.98	217602317	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	13	35000	20600	16900	7.8	1.98	217602318	No
ML14KP1-036-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13.2	34800	20200	16700	7.8	1.98	217602319	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217602320	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.4	34200	19800	16400	7.5	1.92	217602321	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	217602322	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	217602323	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	217602324	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13	33600	19400	16000	7.5	1.94	217602325	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13	33400	19300	15900	7.5	1.9	217602326	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217602327	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.94	217602328	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217602329	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	217602330	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	36000	14.7	12.6	34200	19800	16400	7.5	1.92	217602331	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.94	217602332	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	12.8	34000	19700	16200	7.5	1.94	217602333	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	36000	15.5	12.8	34000	19700	16300	7.5	1.96	217602334	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	217602335	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.96	217602336	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	217602337	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.92	217602338	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	35800	15.5	12.8	33600	19400	16000	7.5	1.92	217602339	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	12.8	34000	19800	16300	7.5	1.94	217602340	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.6	33800	19600	16200	7.5	1.92	217602341	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.94	217602342	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34000	19800	16400	7.5	1.94	217602343	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	35800	15.2	12.8	33600	19500	16000	7.5	1.92	217602344	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	217602345	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	12.8	33800	19500	16100	7.5	1.92	217602346	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	33800	19600	16200	7.5	1.94	217602347	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	217602348	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13	33800	19600	16100	7.5	1.94	217602349	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.6	34000	19800	16300	7.5	1.94	217602350	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34200	19800	16200	7.5	1.9	217602351	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.4	34200	19900	16500	7.5	1.9	217602352	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	33800	19600	16200	7.5	1.92	217602353	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34000	19700	16300	7.5	1.92	217602354	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.6	34200	19800	16400	7.5	1.94	217602355	No
ML14KP1-036-463A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	33800	19600	16200	7.5	1.94	217602356	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	EL196DF090XE48C	R-454B	35800	15.2	12.8	36000	20400	16000	7.5	1.74	217602357	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	217602358	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	EL297DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	217602359	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	36000	14.7	12.8	36000	20600	16300	7.5	1.74	217602360	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	EL297DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	217602361	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	36000	15.5	13.2	36000	20400	16000	7.5	1.76	217602362	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	217602363	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	36000	15.2	12.8	36000	20400	16100	7.5	1.76	217602364	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	217602365	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	217602366	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	36000	15.2	12.8	36000	20600	16200	7.5	1.74	217602367	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	36000	15.2	13	36000	20600	16200	7.5	1.76	217602368	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	36000	15.5	13	36000	20400	16000	7.5	1.76	217602369	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	36000	14.7	12.6	36000	20600	16200	7.5	1.74	217602370	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SLP99DF090XV48C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	217602371	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SLP99DF090XV60C	R-454B	36000	14.7	12.6	36000	20600	16300	7.5	1.74	217602372	No
ML14KP1-036-463A**	CK40DT-48C-**+TDR	SLP99DF110XV60C	R-454B	36000	14.7	12.6	36000	20800	16300	7.5	1.72	217602373	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	217602374	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL195UH060NE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	217602375	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	217602376	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL196UH070XE36B	R-454B	36000	15.2	12.8	34800	20200	16500	7.5	1.92	217602377	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	36000	15.5	13	35000	20600	16800	7.8	1.98	217602378	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	217602379	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	217602380	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL297UH045XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	217602381	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.92	217602382	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL297UH070XE36B	R-454B	36000	15.2	12.8	35000	20400	16700	7.5	1.94	217602383	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	217602384	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH070E36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	217602385	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	36000	15.5	13.2	34800	20200	16600	7.8	1.96	217602386	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	36000	15.5	13.2	34800	20400	16700	7.8	2	217602387	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH070XE36B	R-454B	36000	15.5	13	34800	20400	16600	7.8	1.96	217602388	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	217602389	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	36000	15.5	13	35000	20400	16800	7.8	1.96	217602390	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	36000	15.5	13.2	34800	20400	16600	7.8	1.98	217602391	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML193UH030XE36B	R-454B	36000	14.7	12.8	35000	20400	16700	7.5	1.92	217602392	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML193UH045XE36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.94	217602393	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML193UH070XE36B	R-454B	36000	15.2	13	35000	20400	16700	7.5	1.94	217602394	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML196UH030XE36B	R-454B	36000	15.2	12.8	34800	20200	16600	7.5	1.92	217602395	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML196UH070XE36B	R-454B	36000	15.5	13	35000	20400	16700	7.5	1.96	217602396	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	36000	14.7	12.6	35200	20600	16900	7.5	1.94	217602397	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	217602398	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	36000	15.2	13	35000	20400	16800	7.5	1.96	217602399	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	36000	15.2	13	35000	20600	16800	7.5	1.96	217602400	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	36000	15.5	13.2	35000	20400	16700	7.8	1.98	217602401	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	36000	15.5	13	34800	20400	16700	7.5	1.96	217602402	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	217602403	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	36000	15.2	12.8	35200	20600	16900	7.5	1.96	217602404	No
ML14KP1-036-463A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	36000	15.2	13	35000	20600	16800	7.8	1.96	217602405	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	36000	15.2	13	34600	20400	16700	7.5	1.96	217602406	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	36000	15.5	13	34400	20200	16600	7.5	1.96	217602407	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL195UH100NE60C	R-454B	36000	15.2	12.8	34800	20400	16900	7.5	1.96	217602408	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	36000	15.5	13.2	34400	20000	16500	7.5	1.96	217602409	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	217602410	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	36000	16	13.2	34200	20000	16400	7.8	1.98	217602411	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	217602412	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	36000	16	13.4	34400	20000	16500	7.8	1.98	217602413	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217602414	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	36000	15.5	13	34600	20400	16700	7.8	1.96	217602415	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	217602416	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34800	20400	16800	7.5	1.96	217602417	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	36000	15.5	13.2	34200	20000	16400	7.5	1.96	217602418	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.96	217602419	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217602420	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML180UH090E60C	R-454B	36000	16	13.4	34600	20200	16600	7.8	2	217602421	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217602422	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217602423	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217602424	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.94	217602425	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	217602426	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	36000	15.5	13.2	34400	20000	16400	7.8	1.96	217602427	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217602428	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	36000	15.5	13	34600	20200	16600	7.5	1.94	217602429	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	36000	15.5	13	34800	20400	16700	7.8	1.96	217602430	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217602431	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	217602432	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	36000	15.5	13	34400	20000	16500	7.5	1.96	217602433	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	36000	15.5	13.2	34400	20000	16500	7.8	1.96	217602434	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	36000	15.5	13.2	34600	20200	16600	7.8	1.98	217602435	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	217602436	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34600	20200	16700	7.8	1.98	217602437	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	36000	15.5	13	34800	20400	16800	7.8	1.98	217602438	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34800	20400	16800	7.5	1.92	217602439	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.5	1.94	217602440	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.5	13	34600	20200	16700	7.5	1.96	217602441	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34800	20400	16800	7.5	1.94	217602442	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	36000	15.2	12.8	35000	20600	16900	7.8	1.96	217602443	No
ML14KP1-036-463A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.5	13	34600	20200	16700	7.8	1.96	217602444	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL180UH100NE60C	R-454B	36000	14.7	12.8	34600	19800	16200	7.5	1.86	217602445	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL195UH080NE48C	R-454B	36000	14.7	12.6	34800	20200	16500	7.5	1.86	217602446	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL195UH100NE60C	R-454B	36000	14.7	12.6	34600	20000	16300	7.5	1.84	217602447	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL196UH090XE48C	R-454B	36000	15.2	12.8	34600	19800	16200	7.5	1.86	217602448	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	36000	15.5	13	34200	19500	15900	7.5	1.86	217602449	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	217602450	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	217602451	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	36000	15.5	13.2	34200	19600	15900	7.5	1.88	217602452	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH090XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	217602453	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH090XV36C	R-454B	36000	15.2	13	34400	19800	16200	7.5	1.88	217602454	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	217602455	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH090XV60C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.86	217602456	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217602457	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH110XV48C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	217602458	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	EL297UH110XV60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	217602459	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	36000	15.2	13	34400	19900	16200	7.5	1.88	217602460	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	217602461	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	36000	15.5	13	34400	19900	16100	7.5	1.88	217602462	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	36000	15.5	13	34400	19800	16000	7.5	1.88	217602463	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML193UH090XE36C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217602464	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML193UH090XE48C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.86	217602465	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	36000	15.2	13	34600	19900	16200	7.5	1.88	217602466	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	36000	15.2	13	34600	20000	16200	7.5	1.88	217602467	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML196UH090XE36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	217602468	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML196UH090XE48C	R-454B	36000	15.2	12.8	34400	19800	16200	7.5	1.88	217602469	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML196UH090XE60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217602470	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	36000	15.2	13	34200	19600	15900	7.5	1.86	217602471	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML296UH090XV48C	R-454B	36000	15.2	12.8	34200	19700	16000	7.5	1.86	217602472	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	36000	15.2	13	34200	19700	16000	7.5	1.86	217602473	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SL280UH080NV60C	R-454B	36000	15.2	13	34400	19700	16100	7.5	1.88	217602474	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	217602475	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	36000	15.5	13.2	34400	19700	16100	7.5	1.9	217602476	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	36000	15.2	12.8	34600	20000	16300	7.5	1.88	217602477	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SL297UH080NV48C	R-454B	36000	14.7	12.6	34600	20000	16100	7.5	1.84	217602478	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SL297UH080NV60C	R-454B	36000	14.7	12.6	34800	20200	16400	7.5	1.84	217602479	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SLP99UH090XV36C	R-454B	36000	15.2	12.8	34400	19700	16100	7.5	1.86	217602480	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SLP99UH090XV48C	R-454B	36000	15.2	12.8	34600	19900	16200	7.5	1.86	217602481	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SLP99UH090XV60C	R-454B	36000	14.7	12.8	34600	20000	16300	7.5	1.86	217602482	No
ML14KP1-036-463A**	CK40HT-48C-**+TDR	SLP99UH110XV60C	R-454B	36000	15.2	13	34400	19800	16100	7.5	1.88	217602483	No
ML14KP1-042-230A**	CBK45UHET-042-230-**	- - -	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	2.02	215739992	No
ML14KP1-042-230A**	CBK45UHET-048-230-**	- - -	R-454B	40500	14.3	12	40000	25400	20000	8	2.02	215739993	No
ML14KP1-042-230A**	CBK45UHPT-042-230-**	- - -	R-454B	41000	14.3	12	40500	25600	20600	7.5	2	215739991	No
ML14KP1-042-230A**	CBK45UHVT-042-230-**	- - -	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2	215739994	Yes
ML14KP1-042-230A**	CBK45UHVT-048-230-**	- - -	R-454B	41000	15.2	12.8	39500	25000	19600	8	2.08	215739995	Yes
ML14KP1-042-230A**	CBK47UHET-042-230-**	- - -	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	2.14	215739996	Yes
ML14KP1-042-230A**	CBK47UHET-048-230-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	215739997	Yes
ML14KP1-042-230A**	CBK47UHET-048-460-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	217595432	Yes
ML14KP1-042-230A**	CBK48MVT-042-230-**	- - -	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	2.14	215739998	Yes
ML14KP1-042-230A**	CBK48MVT-048-230-**	- - -	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	2.14	215739999	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	2.04	215740000	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	215740001	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	215740002	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	215740003	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	2.12	215740004	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	215740005	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	215740006	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	215740007	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.08	215740008	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740009	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	215740010	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	2.08	215740011	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	215740012	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	215740013	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	2.12	215740014	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	215740015	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	215740016	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	215740017	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	2.1	215740018	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	215740019	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	2.1	215740020	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	215740021	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	2.08	215740022	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	215740023	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740024	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	215740025	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740026	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740027	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.1	215740028	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	215740029	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	215740030	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	215740031	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740032	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740033	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	215740034	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	215740035	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	2.08	215740036	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	215740037	Yes
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	215740038	No
ML14KP1-042-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	215740039	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	2.02	215740040	No
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.04	215740041	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.02	215740042	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	215740043	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	2.08	215740044	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	215740045	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	215740046	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	215740047	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	2.04	215740048	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	215740049	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.04	215740050	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	2.06	215740051	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	215740052	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	215740053	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	2.08	215740054	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	215740055	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	2.08	215740056	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	215740057	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	2.04	215740058	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	2.06	215740059	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	2.06	215740060	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.06	215740061	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	2.04	215740062	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.06	215740063	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.04	215740064	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	2.06	215740065	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	2.04	215740066	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	215740067	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	215740068	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	215740069	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	215740070	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	215740071	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	215740072	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	215740073	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	215740074	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	215740075	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	2.04	215740076	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	215740077	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	2.02	215740078	Yes
ML14KP1-042-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	2.04	215740079	Yes
ML14KP1-042-230A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740080	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740081	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	2	215740082	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	215740083	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740084	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740085	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	1.94	215740086	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	215740087	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	215740088	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	1.98	215740089	No
ML14KP1-042-230A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	215740090	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740091	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740092	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	215740093	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	2	215740094	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740095	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740096	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	1.98	215740097	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740098	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.96	215740099	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	215740100	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	1.98	215740101	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	1.96	215740102	No
ML14KP1-042-230A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	215740103	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	2	215740104	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	2.04	215740105	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	215740106	Yes
ML14KP1-042-230A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	215740107	Yes
ML14KP1-042-230A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	2	215740108	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	215740109	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	215740110	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	2.04	215740111	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	215740112	Yes
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	2.02	215740113	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	215740114	Yes
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	1.98	215740115	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	215740116	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	2.02	215740117	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	2.02	215740118	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.04	215740119	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	215740120	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	2	215740121	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	2.02	215740122	No
ML14KP1-042-230A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	215740123	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	215865130	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	215865131	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	215865132	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	215865133	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	1.86	215865134	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	215865135	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	215865136	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	215865137	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	215865138	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	215865139	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	215865140	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.84	215865141	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	215865142	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.86	215865143	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	215865144	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	1.84	215865145	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	215865146	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	215865147	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	215865148	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	1.84	215865149	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	215865150	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.84	215865151	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.86	215865152	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	215865153	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	215865154	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	1.86	215865155	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	215865156	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	215865157	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	215865158	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	215865159	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	215865160	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.82	215865161	No
ML14KP1-042-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	1.84	215865162	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	1.84	215740124	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	215740125	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	215740126	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.82	215740127	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740128	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	1.84	215740129	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	215740130	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740131	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	215740132	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740133	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	215740134	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	215740135	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	1.82	215740136	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	215740137	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.8	215740138	No
ML14KP1-042-230A**	CK40HT-48B-**+TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	1.82	215740139	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	1.82	215865163	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	215865164	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	215865165	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	1.8	215865166	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	1.82	215865167	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	215865168	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	1.82	215865169	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	215865170	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	1.8	215865171	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	215865172	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	1.8	215865173	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	215865174	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	215865175	No
ML14KP1-042-230A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	215865176	No
ML14KP1-042-233A**	CBK45UHET-042-230-**	- - -	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	2.02	217623705	No
ML14KP1-042-233A**	CBK45UHET-048-230-**	- - -	R-454B	40500	14.3	12	40000	25400	20000	8	2.02	217623706	No
ML14KP1-042-233A**	CBK45UHPT-042-230-**	- - -	R-454B	41000	14.3	12	40500	25600	20600	7.5	2	217623701	No
ML14KP1-042-233A**	CBK45UHVT-042-230-**	- - -	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2	217623707	No
ML14KP1-042-233A**	CBK45UHVT-048-230-**	- - -	R-454B	41000	15.2	12.8	39500	25000	19600	8	2.08	217623708	No
ML14KP1-042-233A**	CBK47UHET-042-230-**	- - -	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	2.14	217623709	No
ML14KP1-042-233A**	CBK47UHET-048-230-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	217623710	No
ML14KP1-042-233A**	CBK47UHET-048-460-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	217623711	No
ML14KP1-042-233A**	CBK48MVT-042-230-**	- - -	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	2.14	217623712	No
ML14KP1-042-233A**	CBK48MVT-048-230-**	- - -	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	2.14	217623713	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	2.04	217623714	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	217623715	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	217623716	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	217623717	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	2.12	217623718	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	217623719	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	217623720	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	217623721	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.08	217623722	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623723	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	217623724	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	2.08	217623725	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	217623726	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	217623727	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	2.12	217623728	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	217623729	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	217623730	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	217623731	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	2.1	217623732	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	217623733	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	2.1	217623734	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	217623735	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	2.08	217623736	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	217623737	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623738	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	217623739	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623740	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623741	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.1	217623742	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	217623743	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	217623744	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623745	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623746	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623747	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	217623748	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	217623749	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	2.08	217623750	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623751	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	217623752	No
ML14KP1-042-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	217623753	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	2.02	217623754	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.04	217623755	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.02	217623756	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	217623757	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	2.08	217623758	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	217623759	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	217623760	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	217623761	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	2.04	217623762	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	217623763	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.04	217623764	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	2.06	217623765	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	217623766	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	217623767	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	2.08	217623768	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	217623769	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	2.08	217623770	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	217623771	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	2.04	217623772	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	2.06	217623773	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	2.06	217623774	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.06	217623775	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	2.04	217623776	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.06	217623777	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.04	217623778	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	2.06	217623779	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	2.04	217623780	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	217623781	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	217623782	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	217623783	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	217623784	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	217623785	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	217623786	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	217623787	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	217623788	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	217623789	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	2.04	217623790	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	217623791	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	2.02	217623792	No
ML14KP1-042-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	2.04	217623793	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623794	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623795	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	2	217623796	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	217623797	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623798	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623799	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	1.94	217623800	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	217623801	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623802	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	1.98	217623803	No
ML14KP1-042-233A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	217623804	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217623805	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217623806	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	217623807	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	2	217623808	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217623809	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217623810	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	1.98	217623811	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217623812	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.96	217623813	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217623814	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	1.98	217623815	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	1.96	217623816	No
ML14KP1-042-233A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	217623817	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	2	217623818	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	2.04	217623819	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	217623820	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	217623821	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	2	217623822	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	217623823	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	217623824	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	2.04	217623825	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	217623826	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	2.02	217623827	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	217623828	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	1.98	217623829	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	217623830	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	2.02	217623831	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	2.02	217623832	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.04	217623833	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	217623834	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	2	217623835	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	2.02	217623836	No
ML14KP1-042-233A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	217623837	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	217623854	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	217623855	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217623856	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	217623857	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	1.86	217623858	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	217623859	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	217623860	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	217623861	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217623862	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	217623863	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217623864	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.84	217623865	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	217623866	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.86	217623867	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	217623868	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	1.84	217623869	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	217623870	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217623871	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217623872	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	1.84	217623873	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	217623874	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.84	217623875	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.86	217623876	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	217623877	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217623878	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	1.86	217623879	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217623880	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217623881	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	217623882	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	217623883	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	217623884	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.82	217623885	No
ML14KP1-042-233A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	1.84	217623886	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	1.84	217623838	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	217623839	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	217623840	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.82	217623841	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217623842	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	1.84	217623843	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	217623844	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217623845	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	217623846	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217623847	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	217623848	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	217623849	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	1.82	217623850	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217623851	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.8	217623852	No
ML14KP1-042-233A**	CK40HT-48B-**+TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	1.82	217623853	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	1.82	217623887	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	217623888	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	217623889	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	1.8	217623890	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	1.82	217623891	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	217623892	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	1.82	217623893	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	217623894	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	1.8	217623895	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	217623896	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	1.8	217623897	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	217623898	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	217623899	No
ML14KP1-042-233A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	217623900	No
ML14KP1-042-463A**	CBK45UHET-042-230-**	- - -	R-454B	41500	14.3	12.2	40500	25400	20600	7.5	2.02	217623901	No
ML14KP1-042-463A**	CBK45UHET-048-230-**	- - -	R-454B	40500	14.3	12	40000	25400	20000	8	2.02	217623902	No
ML14KP1-042-463A**	CBK45UHPT-042-230-**	- - -	R-454B	41000	14.3	12	40500	25600	20600	7.5	2	217623702	No
ML14KP1-042-463A**	CBK45UHVT-042-230-**	- - -	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2	217623903	No
ML14KP1-042-463A**	CBK45UHVT-048-230-**	- - -	R-454B	41000	15.2	12.8	39500	25000	19600	8	2.08	217623904	No
ML14KP1-042-463A**	CBK47UHET-042-230-**	- - -	R-454B	41500	15.5	12.8	40500	25200	20000	8.2	2.14	217623905	No
ML14KP1-042-463A**	CBK47UHET-048-230-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	217623906	No
ML14KP1-042-463A**	CBK47UHET-048-460-**	- - -	R-454B	41500	15.5	12.8	40500	25800	20400	8.2	2.14	217623907	No
ML14KP1-042-463A**	CBK48MVT-042-230-**	- - -	R-454B	41500	15.2	12.6	40500	25200	20200	8.1	2.14	217623908	No
ML14KP1-042-463A**	CBK48MVT-048-230-**	- - -	R-454B	41500	15.2	12.6	40500	25800	20400	8.2	2.14	217623909	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39500	25000	20600	7.5	2.04	217623910	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL195UH100NE60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	217623911	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	217623912	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	217623913	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13.2	39500	24600	20200	7.8	2.12	217623914	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	217623915	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	217623916	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XE48C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	217623917	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.08	217623918	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623919	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	217623920	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	41500	15.2	12.8	40000	25200	20600	7.8	2.08	217623921	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	217623922	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	40000	25200	20600	7.8	2.08	217623923	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	41500	15.5	13	39500	25000	20600	7.8	2.12	217623924	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	217623925	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.12	217623926	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	41500	15.5	13	39500	25000	20400	7.8	2.1	217623927	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE36C	R-454B	41000	15.2	12.8	39500	24800	20400	7.8	2.1	217623928	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML193UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.1	217623929	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE48C	R-454B	41000	15.5	13	39500	24600	20200	7.8	2.1	217623930	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	217623931	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.5	2.08	217623932	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE48C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	217623933	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623934	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	41000	15.5	12.8	39500	24800	20400	7.8	2.1	217623935	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623936	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623937	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39500	24800	20400	7.8	2.1	217623938	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	217623939	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	41500	15.5	12.8	39500	25000	20600	7.8	2.12	217623940	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	41500	15.2	12.8	40000	25000	20600	7.8	2.1	217623941	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623942	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623943	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	217623944	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	41500	15.2	12.6	40000	25200	20800	7.8	2.1	217623945	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	41000	14.7	12.6	39500	25000	20600	7.8	2.08	217623946	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	41000	15.2	12.6	39500	25000	20600	7.8	2.1	217623947	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	41500	14.7	12.6	40000	25200	20800	7.8	2.08	217623948	No
ML14KP1-042-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.2	12.8	39500	25000	20600	7.8	2.1	217623949	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL195UH080NE48C	R-454B	41000	14.7	12.4	39000	25200	19700	7.8	2.02	217623950	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.04	217623951	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19700	7.8	2.02	217623952	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	217623953	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	41500	15.5	13	39000	24800	19300	7.8	2.08	217623954	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	217623955	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	42000	15.5	13.2	39000	25000	19400	8	2.06	217623956	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	217623957	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19600	7.8	2.04	217623958	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	217623959	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.04	217623960	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	42000	15.5	12.8	39500	25400	19900	7.8	2.06	217623961	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	217623962	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	41500	15.2	12.6	39500	25200	19700	7.8	2.04	217623963	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	42000	15.5	13	39000	25200	19700	8	2.08	217623964	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	217623965	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	42000	15.5	13	39000	25000	19500	8	2.08	217623966	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	42000	15.5	13	39000	25000	19500	7.8	2.06	217623967	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE36C	R-454B	41000	15.5	12.8	39000	25000	19400	7.8	2.04	217623968	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	42000	15.2	12.8	39500	25400	20000	7.8	2.06	217623969	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	41500	15.5	13	39000	25000	19300	7.8	2.06	217623970	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.06	217623971	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE36C	R-454B	41000	15.2	12.6	39000	25200	19600	7.8	2.04	217623972	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	42000	15.2	12.6	39500	25400	20000	7.8	2.06	217623973	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	42000	15.5	13	39000	25200	19600	7.8	2.04	217623974	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	41500	15.5	12.8	39000	25000	19500	7.8	2.06	217623975	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	42000	15.5	12.8	39000	25200	19600	7.8	2.04	217623976	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	217623977	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	41500	15.5	13	39000	25000	19400	7.8	2.06	217623978	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	217623979	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	42000	15.5	13	39000	25200	19500	7.8	2.04	217623980	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	42000	15.5	12.8	39500	25200	19600	7.8	2.04	217623981	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	217623982	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.06	217623983	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	217623984	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	42000	15.2	12.8	39500	25400	19900	7.8	2.06	217623985	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	41500	15.2	12.6	39000	25200	19700	7.8	2.04	217623986	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	41500	15.5	12.8	39000	25200	19600	7.8	2.04	217623987	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	41500	15.2	12.6	39500	25400	19800	7.8	2.02	217623988	No
ML14KP1-042-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	41500	15.5	12.6	39000	25200	19600	7.8	2.04	217623989	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	EL297DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623990	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	EL297DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623991	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	ML180DF110E60C	R-454B	41500	14.7	12.6	42000	27200	21600	8.1	2	217623992	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	ML193DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	217623993	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	ML196DF090XE48C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623994	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	ML196DF110XE60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623995	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	ML296DF090XV60C	R-454B	41000	14.3	12	42000	27600	21800	8	1.94	217623996	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	SL280DF080NV60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	217623997	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	SL280DF090V60C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.98	217623998	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	SL280DF110V60C	R-454B	41000	14.3	12.4	42000	27200	21600	8	1.98	217623999	No
ML14KP1-042-463A**	CK40DT-48C-**+TDR	SLP99DF090XV36C	R-454B	41000	14.3	12.2	42000	27400	21800	8	1.96	217624000	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	EL297DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217624001	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	EL297DF110XE60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217624002	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	EL297DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	217624003	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	42000	14.7	12.8	42000	27200	21600	8.1	2	217624004	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217624005	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217624006	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	ML196DF110XE60C	R-454B	41500	14.7	12.6	42000	27200	21600	8	1.98	217624007	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	ML296DF090XV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217624008	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	SL280DF080NV60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.96	217624009	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	41500	14.3	12.4	42000	27400	21800	8	1.98	217624010	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	41500	14.7	12.6	42000	27400	21600	8	1.98	217624011	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	SLP99DF090XV36C	R-454B	41500	14.3	12.2	42000	27400	21800	8	1.96	217624012	No
ML14KP1-042-463A**	CK40DT-50/60C-**+TDR	SLP99DF110XV60C	R-454B	41500	14.3	12.2	42000	27600	22000	8	1.96	217624013	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	EL180UH080NE48B	R-454B	42000	15.2	12.8	39500	25000	19800	7.5	2	217624014	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	EL280UH090E36B	R-454B	42000	15.5	13	39500	24600	19600	7.5	2.04	217624015	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	EL280UH090E48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	217624016	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	EL280UH090XE48B	R-454B	42000	15.5	13	39000	24600	19500	7.8	2.04	217624017	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	41500	15.2	12.6	39000	24600	19600	7.5	2	217624018	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	217624019	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML180UH070V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	217624020	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML180UH070V48B	R-454B	41500	15.5	13	38500	24200	19200	7.5	2.04	217624021	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML180UH090E48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	217624022	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML180UH090V48B	R-454B	41500	15.5	12.8	38500	24400	19400	7.5	2.02	217624023	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML180UH090XE48B	R-454B	42000	15.5	13.2	39000	24600	19400	7.8	2.04	217624024	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML196UH070XE48B	R-454B	42000	14.7	12.4	40000	25200	20000	7.5	1.98	217624025	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML296UH045XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	217624026	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	ML296UH070XV36B	R-454B	41500	15.5	12.8	38500	24400	19300	7.5	2.02	217624027	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	42000	15.5	12.8	39000	24400	19400	7.5	2.02	217624028	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.04	217624029	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	42000	15.5	12.8	39000	24600	19500	7.5	2.02	217624030	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	42000	14.7	12.6	39000	24800	19700	7.5	2	217624031	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	42000	15.2	12.8	39000	24600	19500	7.5	2.02	217624032	No
ML14KP1-042-463A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	42000	15.5	13	39000	24600	19400	7.5	2.02	217624033	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL180UH100NE60C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	217624050	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL195UH080NE48C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.84	217624051	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL196UH090XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217624052	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	217624053	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL280UH110E48C	R-454B	40000	14.7	12.4	38500	23800	18700	7.5	1.86	217624054	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL280UH110E60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	217624055	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL280UH110XE60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.88	217624056	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL297UH090XE48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	217624057	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217624058	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL297UH110XE60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.84	217624059	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217624060	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.84	217624061	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML180UH110E60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	217624062	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.4	39000	24000	19000	7.5	1.86	217624063	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML180UH110XE60C	R-454B	40500	14.3	12.4	39000	24000	19000	7.5	1.86	217624064	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML193UH090XE36C	R-454B	40000	14.3	12.2	38500	24000	18800	7.5	1.84	217624065	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML193UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	217624066	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	19200	7.5	1.84	217624067	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML193UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217624068	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML196UH090XE36C	R-454B	39500	14.3	12	39000	24000	19000	7.5	1.84	217624069	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML196UH090XE48C	R-454B	40500	14.3	12	39500	24200	19300	7.5	1.84	217624070	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML196UH090XE60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.84	217624071	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	19300	7.5	1.86	217624072	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML296UH090XV48C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	217624073	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	ML296UH110XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217624074	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	40000	14.7	12.2	39000	24000	18900	7.5	1.86	217624075	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217624076	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	40500	14.3	12.2	39000	24000	19100	7.5	1.86	217624077	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12.2	39000	24200	19200	7.5	1.86	217624078	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	217624079	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	40000	14.3	12	39000	24000	19000	7.5	1.84	217624080	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	40000	14.3	12	39000	24200	19100	7.5	1.82	217624081	No
ML14KP1-042-463A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	40000	14.3	12	39000	24200	19200	7.5	1.84	217624082	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	EL280UH090E36B	R-454B	40500	14.7	12.4	39000	24400	18900	7.5	1.84	217624034	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	217624035	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	40500	14.7	12.4	39000	24400	18800	7.5	1.82	217624036	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	EL297UH070XV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.82	217624037	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH070V36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217624038	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	41000	14.7	12.4	39500	24600	19100	7.5	1.84	217624039	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	217624040	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217624041	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	40500	14.7	12.6	39000	24200	18800	7.5	1.84	217624042	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML296UH045XV36B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217624043	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	ML296UH070XV36B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	217624044	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL280UH080NV48B	R-454B	40500	14.3	12	39500	24800	19200	7.5	1.8	217624045	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL280UH090V36B	R-454B	40500	14.7	12.2	39500	24600	19000	7.5	1.82	217624046	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL280UH090V48B	R-454B	40500	14.3	12.2	39500	24600	19100	7.5	1.82	217624047	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SL297UH060NV36B	R-454B	40000	14.3	12	39500	24600	19100	7.5	1.8	217624048	No
ML14KP1-042-463A**	CK40HT-48B-**+TDR	SLP99UH070XV36B	R-454B	40500	14.3	12.2	39500	24600	19000	7.5	1.82	217624049	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL196UH110XE60C	R-454B	40500	14.3	12.2	39000	24000	18800	7.5	1.82	217624083	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	217624084	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	40000	14.7	12.2	38500	23800	18500	7.5	1.82	217624085	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	EL297UH110XE60C	R-454B	40000	14.3	12	39000	24000	18800	7.5	1.8	217624086	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	40500	14.3	12.2	39000	24000	18700	7.5	1.82	217624087	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	217624088	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	40500	14.7	12.2	38500	24000	18600	7.5	1.82	217624089	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	40000	14.3	12.2	38500	23800	18600	7.5	1.82	217624090	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML193UH110XE48C	R-454B	40500	14.3	12	39000	24200	18900	7.5	1.8	217624091	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML196UH110XE60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	217624092	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	ML296UH110XV60C	R-454B	40000	14.3	12	39000	24000	18700	7.5	1.8	217624093	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	SL280UH090V60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	217624094	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	SL280UH090XV60C	R-454B	40000	14.3	12	38500	24000	18700	7.5	1.82	217624095	No
ML14KP1-042-463A**	CK40HT-48C-**+TDR	SL280UH100NV60C	R-454B	40500	14.3	12	39000	24200	18800	7.5	1.8	217624096	No
ML14KP1-048-230A**	CBK45UHET-048-230-**	- - -	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	2.04	215746601	No
ML14KP1-048-230A**	CBK45UHET-060-230-**	- - -	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	2.2	215746602	No
ML14KP1-048-230A**	CBK45UHVT-048-230-**	- - -	R-454B	48000	14.7	12.4	47000	29200	23400	8	2.04	215746603	No
ML14KP1-048-230A**	CBK45UHVT-060-230-**	- - -	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	2.18	215746604	No
ML14KP1-048-230A**	CBK47UHET-048-230-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	215746605	Yes
ML14KP1-048-230A**	CBK47UHET-048-460-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	217595410	Yes
ML14KP1-048-230A**	CBK47UHET-060-230-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	215746606	No
ML14KP1-048-230A**	CBK47UHET-060-460-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	217595411	No
ML14KP1-048-230A**	CBK48MVT-048-230-**	- - -	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	2.2	215746607	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	CBK48MVT-060-230-**	- - -	R-454B	48000	15.5	13	47000	29600	23400	8.2	2.12	215746608	Yes
ML14KP1-048-230A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	215866046	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	215866047	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	215866048	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	215866049	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	215866050	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	215866051	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	215866052	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	1.9	215866053	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	215866054	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	215866055	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.92	215866056	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	215866057	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	215866058	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	215866059	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	1.9	215866060	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	215866061	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	215866062	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	215866063	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	1.9	215866064	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	215866065	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	215866066	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	215866067	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	215866068	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	215866069	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	215866070	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.86	215866071	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	215866072	No
ML14KP1-048-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	215866073	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	2.1	215746609	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	215746610	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	215746611	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	2.14	215746612	Yes
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	215746613	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	215746614	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.1	215746615	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	2.06	215746616	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	215746617	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	215746618	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	215746619	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	2.08	215746620	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	215746621	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	215746622	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	215746623	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	215746624	Yes
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	215746625	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	2.1	215746626	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	215746627	Yes
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	2.12	215746628	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	215746629	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746630	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.1	215746631	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746632	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	215746633	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	215746634	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746635	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746636	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	215746637	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	215746638	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	215746639	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746640	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746641	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	2.08	215746642	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	215746643	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	215746644	No
ML14KP1-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	215746645	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	215746646	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	1.98	215746647	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	215746648	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	215746649	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	1.92	215746650	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	215746651	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.94	215746652	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.94	215746653	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.96	215746654	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	215746655	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.98	215746656	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	215746657	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	1.94	215746658	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	1.96	215746659	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.96	215746660	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.94	215746661	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	215746662	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	215746663	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.96	215746664	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	215746665	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	215746666	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	215746667	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	215746668	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	215746669	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	1.92	215746670	No
ML14KP1-048-230A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	215746671	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	215746672	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	215746673	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	215746674	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746675	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	2.14	215746676	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	215746677	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	215746678	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	2.14	215746906	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	2.12	215746907	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215746679	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	215746680	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746681	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215746682	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	215746683	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	2.14	215746684	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	215746685	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	2.16	215746686	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	215746687	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	215746688	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	2.12	215746689	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	215746690	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	215746908	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	2.1	215746691	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746692	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746693	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746694	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	2.14	215746695	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	215746696	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	215746697	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	215746698	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	215746699	Yes
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	215746700	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	2.06	215746701	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746702	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	2.12	215746703	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215746704	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	215746705	No
ML14KP1-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	215746706	No
ML14KP1-048-230A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	1.78	215746707	No
ML14KP1-048-230A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	1.8	215746708	No
ML14KP1-048-230A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	1.8	215746709	No
ML14KP1-048-230A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	1.78	215746711	No
ML14KP1-048-230A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	1.78	215746712	No
ML14KP1-048-230A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	215866074	No
ML14KP1-048-230A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	215866075	No
ML14KP1-048-230A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	1.8	215746713	No
ML14KP1-048-230A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	215866076	No
ML14KP1-048-230A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	215866077	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	1.68	215866078	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	215866079	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	215866080	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.7	215866081	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	215866082	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.68	215866083	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	215866084	No
ML14KP1-048-230A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	215866085	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	215866086	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	1.86	215866087	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	215866088	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	215866089	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	1.84	215866090	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	215866091	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	1.84	215866092	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	215866093	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	1.9	215866094	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	215866095	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	1.88	215866096	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	215866097	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	1.84	215866098	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	1.84	215866099	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	1.88	215866100	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	1.86	215866101	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	215866102	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	1.86	215866103	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	215866104	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	215866105	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	215866106	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	215866107	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	215866108	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	215866109	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	215866110	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	1.82	215866111	No
ML14KP1-048-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	215866112	No
ML14KP1-048-230A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	1.94	216021527	No
ML14KP1-048-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	216021528	No
ML14KP1-048-230A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	1.94	216021529	No
ML14KP1-048-230A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.94	216021530	No
ML14KP1-048-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	216021531	No
ML14KP1-048-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	1.96	216021532	No
ML14KP1-048-233A**	CBK45UHET-048-230-**	- - -	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	2.04	217321111	No
ML14KP1-048-233A**	CBK45UHET-060-230-**	- - -	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	2.2	217321113	No
ML14KP1-048-233A**	CBK45UHVT-048-230-**	- - -	R-454B	48000	14.7	12.4	47000	29200	23400	8	2.04	217321114	No
ML14KP1-048-233A**	CBK45UHVT-060-230-**	- - -	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	2.18	217321115	No
ML14KP1-048-233A**	CBK47UHET-048-230-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	217321116	Yes
ML14KP1-048-233A**	CBK47UHET-048-460-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	217595421	No
ML14KP1-048-233A**	CBK47UHET-060-230-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	217321117	No
ML14KP1-048-233A**	CBK47UHET-060-460-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	217595422	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-233A**	CBK48MVT-048-230-**	- - -	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	2.2	217321118	Yes
ML14KP1-048-233A**	CBK48MVT-060-230-**	- - -	R-454B	48000	15.5	13	47000	29600	23400	8.2	2.12	217321119	Yes
ML14KP1-048-233A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	217321120	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	217321121	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	217321122	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	217321123	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	217321124	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	217321125	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	217321126	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	1.9	217321127	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217321128	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217321129	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.92	217321130	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	217321131	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	217321132	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	217321133	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	1.9	217321134	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217321135	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	217321136	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	217321137	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	1.9	217321138	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	217321139	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	217321140	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	217321141	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	217321142	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	217321143	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	217321144	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.86	217321145	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	217321146	No
ML14KP1-048-233A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217321147	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	2.1	217321148	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	217321149	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	217321150	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	2.14	217321151	Yes
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	217321152	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	217321153	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.1	217321154	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	2.06	217321155	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	217321156	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	217321157	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	217321158	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	2.08	217321159	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	217321160	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	217321161	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	217321162	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	217321163	Yes
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	217321164	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	2.1	217321165	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	217321166	Yes
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	2.12	217321167	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	217321168	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321169	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.1	217321170	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321171	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	217321172	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	217321173	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321174	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321175	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	217321176	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	217321177	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	217321178	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321179	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321180	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	2.08	217321181	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	217321182	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	217321183	No
ML14KP1-048-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217321184	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	217321185	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	1.98	217321186	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	217321187	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	217321188	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	1.92	217321189	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	217321190	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.94	217321191	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.94	217321192	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.96	217321193	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	217321194	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.98	217321195	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	217321196	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	1.94	217321197	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	1.96	217321198	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.96	217321199	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.94	217321200	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	217321201	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	217321202	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.96	217321203	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	217321204	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	217321205	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	217321206	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	217321207	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	217321208	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	1.92	217321209	No
ML14KP1-048-233A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	217321210	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	217321211	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	217321212	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	217321213	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321214	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	2.14	217321215	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	217321216	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	217321217	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	2.14	217321218	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	2.12	217321219	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217321220	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	217321221	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321222	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217321223	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	217321224	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	2.14	217321225	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	217321226	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	2.16	217321227	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	217321228	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	217321229	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	2.12	217321230	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	217321231	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	217321232	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	2.1	217321233	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321234	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321235	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321236	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	2.14	217321237	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	217321238	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	217321239	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	217321240	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	217321241	Yes
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	217321242	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	2.06	217321243	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321244	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	2.12	217321245	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217321246	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217321247	No
ML14KP1-048-233A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217321248	No
ML14KP1-048-233A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	1.78	217321249	No
ML14KP1-048-233A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	1.8	217321250	No
ML14KP1-048-233A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	1.8	217321251	No
ML14KP1-048-233A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	1.78	217321252	No
ML14KP1-048-233A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	1.78	217321253	No
ML14KP1-048-233A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	217321254	No
ML14KP1-048-233A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	217321255	No
ML14KP1-048-233A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	1.8	217321256	No
ML14KP1-048-233A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	217321257	No
ML14KP1-048-233A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	217321258	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	1.68	217321259	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	217321260	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	217321261	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.7	217321262	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	217321263	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.68	217321264	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	217321265	No
ML14KP1-048-233A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	217321266	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	217321267	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	1.86	217321268	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	217321269	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	217321270	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	1.84	217321271	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217321272	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	1.84	217321273	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	217321274	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	1.9	217321275	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	217321276	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	1.88	217321277	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	217321278	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	1.84	217321279	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	1.84	217321280	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	1.88	217321281	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	1.86	217321282	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	217321283	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	1.86	217321284	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217321285	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	217321286	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217321287	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217321288	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	217321289	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	217321290	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	217321291	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	1.82	217321292	No
ML14KP1-048-233A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217321293	No
ML14KP1-048-233A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	1.94	217321294	No
ML14KP1-048-233A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	217321295	No
ML14KP1-048-233A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	1.94	217321296	No
ML14KP1-048-233A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.94	217321297	No
ML14KP1-048-233A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	217321298	No
ML14KP1-048-233A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	1.96	217321299	No
ML14KP1-048-463A**	CBK45UHET-048-230-**	- - -	R-454B	47500	14.3	12.2	47000	29200	23400	7.5	2.04	217602206	No
ML14KP1-048-463A**	CBK45UHET-060-230-**	- - -	R-454B	48000	14.7	12.6	46500	30000	24200	8.2	2.2	217602484	No
ML14KP1-048-463A**	CBK45UHVT-048-230-**	- - -	R-454B	48000	14.7	12.4	47000	29200	23400	8	2.04	217602485	No
ML14KP1-048-463A**	CBK45UHVT-060-230-**	- - -	R-454B	48000	14.7	12.4	47000	30400	24600	8.1	2.18	217602486	No
ML14KP1-048-463A**	CBK47UHET-048-230-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	217602487	No
ML14KP1-048-463A**	CBK47UHET-048-460-**	- - -	R-454B	48000	15.2	12.4	48000	30600	24600	8.2	2.2	217602488	No
ML14KP1-048-463A**	CBK47UHET-060-230-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	217602489	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-463A**	CBK47UHET-060-460-**	- - -	R-454B	48000	14.3	12.2	47500	30000	23800	8.1	2.06	217602490	No
ML14KP1-048-463A**	CBK48MVT-048-230-**	- - -	R-454B	48000	15.5	12.8	47500	30200	24200	8.2	2.2	217602491	No
ML14KP1-048-463A**	CBK48MVT-060-230-**	- - -	R-454B	48000	15.5	13	47000	29600	23400	8.2	2.12	217602492	No
ML14KP1-048-463A**	CK40[C,U]T-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	217602493	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL180UH100NE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	217602494	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	217602495	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	217602496	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	217602497	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	28800	22800	7.5	1.9	217602498	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	217602499	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	29200	23400	7.5	1.9	217602500	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217602501	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217602502	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.92	217602503	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	217602504	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	29000	23000	7.5	1.9	217602505	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	217602506	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.2	47000	29200	23200	7.5	1.9	217602507	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217602508	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.9	217602509	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12.2	47500	29400	23400	7.5	1.88	217602510	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.4	47000	29200	23200	7.5	1.9	217602511	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.4	47000	29200	23200	7.5	1.9	217602512	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	217602513	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.9	217602514	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	217602515	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	217602516	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.2	47000	29000	23200	7.5	1.9	217602517	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.86	217602518	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.3	12	47500	29400	23400	7.5	1.88	217602519	No
ML14KP1-048-463A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47000	29200	23200	7.5	1.88	217602520	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.6	46500	30200	24400	7.8	2.1	217602521	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	217602522	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	217602523	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46000	29800	24000	7.8	2.14	217602524	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL280UH110E60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	217602525	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL280UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	8	2.14	217602526	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.1	217602527	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23600	7.8	2.06	217602528	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	217602529	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	217602530	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.12	217602531	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.4	46500	30000	24200	7.8	2.08	217602532	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.08	217602533	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	217602534	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110E60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	217602535	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	217602536	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110XE60C	R-454B	48000	14.7	12.6	46500	29800	24200	7.8	2.12	217602537	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML193UH090XE48C	R-454B	48000	14.7	12.8	46000	29600	23800	7.8	2.1	217602538	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46000	29800	24000	7.8	2.12	217602539	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML193UH110XE60C	R-454B	48000	14.7	12.8	46000	30000	24200	7.8	2.12	217602540	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE48C	R-454B	48000	14.7	12.6	46000	29600	23800	7.8	2.08	217602541	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602542	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	46500	30000	24400	7.8	2.1	217602543	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602544	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	217602545	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.12	217602546	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602547	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602548	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	217602549	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	217602550	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	46000	29800	24200	7.8	2.12	217602551	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602552	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602553	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV36C	R-454B	47500	14.7	12.6	45500	29400	23800	7.8	2.08	217602554	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	217602555	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.4	46500	30200	24400	7.8	2.1	217602556	No
ML14KP1-048-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	46500	30000	24200	7.8	2.1	217602557	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	217602558	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E48C	R-454B	47500	14.7	12.4	46000	28600	22800	7.5	1.98	217602559	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	217602560	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.98	217602561	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH090XV36C	R-454B	46500	14.3	12	46000	28600	22600	7.5	1.92	217602562	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XE60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	217602563	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.94	217602564	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	EL297UH110XV60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.94	217602565	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH090E60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.96	217602566	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	217602567	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110V60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.98	217602568	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12.2	46500	29000	23000	7.5	1.96	217602569	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML193UH090XE48C	R-454B	47000	14.3	12.2	46000	28600	22800	7.5	1.94	217602570	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE48C	R-454B	47000	14.3	12.2	46500	28600	22800	7.5	1.96	217602571	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12.2	46500	28800	23000	7.5	1.96	217602572	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML196UH090XE60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.94	217602573	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML196UH110XE60C	R-454B	47500	14.3	12	47000	29200	23200	7.5	1.96	217602574	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	ML296UH090XV48C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	217602575	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47000	29000	23200	7.5	1.96	217602576	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090V60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	217602577	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH090XV60C	R-454B	47500	14.3	12	47000	29000	23000	7.5	1.94	217602578	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	217602579	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110V60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	217602580	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SL280UH110XV60C	R-454B	47500	14.3	12	46500	29000	23000	7.5	1.96	217602581	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH090XV36C	R-454B	46500	14.3	12	46000	28400	22600	7.5	1.92	217602582	No
ML14KP1-048-463A**	CK40[C,U]T-50/60C-**+TDR	SLP99UH110XV60C	R-454B	47500	14.3	12	47000	29000	23200	7.5	1.96	217602583	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL180UH100NE60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	217602584	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL195UH100NE60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	217602585	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	217602586	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602587	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL280UH110E48C	R-454B	48000	15.2	13	46500	29800	23800	8	2.14	217602588	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	217602589	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	48000	15.2	12.8	47000	30200	24200	8.1	2.14	217602590	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH090XE48C	R-454B	48000	15.2	12.8	46000	29800	24200	8	2.14	217602591	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV36C	R-454B	48000	15.2	12.6	46000	29600	24000	7.8	2.12	217602592	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217602593	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	48000	14.7	12.4	47000	30200	24200	8	2.1	217602594	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602595	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217602596	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	48000	14.7	12.6	47000	30400	24400	8	2.1	217602597	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	48000	15.2	12.8	47000	30200	24200	8	2.14	217602598	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	217602599	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	48000	15.2	13	46500	30000	24000	8.1	2.16	217602600	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	48000	15.2	12.8	47000	30000	24000	8	2.12	217602601	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML193UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	217602602	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE48C	R-454B	48000	15.2	12.8	46500	29800	23800	8	2.12	217602603	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	217602604	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE48C	R-454B	48000	15.2	12.8	46500	29800	24200	8	2.14	217602605	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	48000	14.7	12.8	47000	30000	24000	8	2.1	217602606	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602607	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602608	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602609	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	48000	15.2	12.6	47000	30200	24200	8	2.14	217602610	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	217602611	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	217602612	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	217602613	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	48000	15.2	12.8	46500	30000	24000	8	2.12	217602614	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	48000	14.7	12.8	47000	30200	24200	8	2.12	217602615	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	48000	14.3	12.2	47500	30600	24600	7.8	2.06	217602616	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602617	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.7	12.6	46000	29600	24200	7.8	2.12	217602618	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217602619	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.1	217602620	No
ML14KP1-048-463A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.7	12.6	47000	30200	24200	8	2.12	217602621	No
ML14KP1-048-463A**	CK40DT-50/60C-**+TDR	ML180DF110E60C	R-454B	48000	14.7	12.6	48000	31400	24400	7.5	1.78	217602622	No
ML14KP1-048-463A**	CK40DT-50/60C-**+TDR	ML193DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24200	7.5	1.8	217602623	No
ML14KP1-048-463A**	CK40DT-50/60C-**+TDR	ML196DF090XE48C	R-454B	47500	14.7	12.6	48000	31200	24000	7.5	1.8	217602624	No
ML14KP1-048-463A**	CK40DT-50/60C-**+TDR	SL280DF090V60C	R-454B	48000	14.3	12.4	48000	31600	24400	7.5	1.78	217602625	No
ML14KP1-048-463A**	CK40DT-50/60C-**+TDR	SL280DF110V60C	R-454B	48000	14.7	12.4	48000	31400	24400	7.5	1.78	217602626	No
ML14KP1-048-463A**	CK40HT-48B-**+TDR	EL280UH090E48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	217602627	No
ML14KP1-048-463A**	CK40HT-48B-**+TDR	EL280UH090XE48B	R-454B	47500	14.3	12.4	47500	29800	23200	7.5	1.8	217602628	No
ML14KP1-048-463A**	CK40HT-48B-**+TDR	ML180UH070V48B	R-454B	48000	14.3	12	48000	30200	23600	7.5	1.8	217602629	No
ML14KP1-048-463A**	CK40HT-48B-**+TDR	ML180UH090E48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	217602630	No
ML14KP1-048-463A**	CK40HT-48B-**+TDR	ML180UH090XE48B	R-454B	47500	14.7	12.6	47000	29600	23000	7.5	1.8	217602631	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	EL280UH110E48C	R-454B	47500	14.3	12.2	47000	29800	23200	7.5	1.68	217602632	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	217602633	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12	47500	30400	23600	7.5	1.7	217602634	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	ML180UH090E60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.7	217602635	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	ML180UH110E60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	217602636	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	ML180UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23400	7.5	1.68	217602637	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	ML180UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	217602638	No
ML14KP1-048-463A**	CK40HT-48C-**+TDR	ML193UH110XE60C	R-454B	47500	14.3	12	47000	30200	23400	7.5	1.68	217602639	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	217602640	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL280UH110E48C	R-454B	48000	14.7	12.4	47000	29800	23400	7.8	1.86	217602641	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	217602642	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	48000	14.3	12.4	47500	30400	24000	7.8	1.88	217602643	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL297UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23400	7.5	1.84	217602644	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217602645	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	48000	14.3	12.2	47500	30400	23800	7.5	1.84	217602646	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	217602647	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	48000	14.7	12.4	47500	30200	23800	7.8	1.9	217602648	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	217602649	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	48000	14.7	12.4	47000	30200	23800	7.8	1.88	217602650	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	48000	14.3	12.2	47500	30200	23800	7.8	1.88	217602651	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML193UH090XE48C	R-454B	48000	14.3	12.2	47000	30000	23400	7.5	1.84	217602652	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML193UH110XE48C	R-454B	48000	14.7	12.4	46500	29800	23400	7.5	1.84	217602653	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML193UH110XE60C	R-454B	48000	14.3	12.4	47000	30200	23800	7.8	1.88	217602654	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.5	1.86	217602655	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.86	217602656	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML296UH090XV48C	R-454B	48000	14.3	12	47500	30600	24000	7.8	1.86	217602657	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217602658	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	48000	14.3	12.2	47500	30400	24000	7.8	1.88	217602659	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217602660	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217602661	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	217602662	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	217602663	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	48000	14.3	12.2	47000	30200	23800	7.8	1.86	217602664	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SLP99UH090XV36C	R-454B	48000	14.3	12.2	46500	29800	23200	7.5	1.82	217602665	No
ML14KP1-048-463A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	48000	14.3	12.2	47500	30400	23800	7.8	1.86	217602666	No
ML14KP1-048-463A**	CK40HT-60D-**+TDR	EL297UH135XE60D	R-454B	48000	14.7	12.4	46500	28800	23000	7.5	1.94	217602667	No
ML14KP1-048-463A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	217602668	No
ML14KP1-048-463A**	CK40HT-60D-**+TDR	ML180UH135E60D	R-454B	48000	14.3	12.2	47500	29800	23400	7.5	1.94	217602669	No
ML14KP1-048-463A**	CK40HT-60D-**+TDR	ML196UH135XE60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.94	217602670	No
ML14KP1-048-463A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	48000	14.7	12.4	47000	29400	23000	7.5	1.96	217602671	No
ML14KP1-048-463A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	48000	14.7	12.4	47000	29400	23200	7.5	1.96	217602672	No
ML14KP1-060-230A**	CBK45UHET-060-230-**	- - -	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	2.26	215747668	No
ML14KP1-060-230A**	CBK45UHVT-060-230-**	- - -	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	2.24	215747670	No
ML14KP1-060-230A**	CBK47UHET-060-230-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	215747669	No
ML14KP1-060-230A**	CBK47UHET-060-460-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	217595412	No
ML14KP1-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	58000	14.3	12	55500	35400	29600	8	2.2	215747671	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	2.02	215747672	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	2.04	215747673	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	2	215747674	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	2	215747675	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	1.98	215747676	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	2.02	215747677	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	2.04	215747805	No
ML14KP1-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	2.04	215747806	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747678	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	215747679	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	215747680	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747681	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	2.02	215747682	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	2.04	215747683	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	215747684	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	215747685	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	2.08	215747686	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	215747687	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747688	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	2.04	215747689	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	2	215747690	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	2.04	215747691	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	215747692	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	2.06	215747693	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	215747694	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	215747695	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	215747696	No
ML14KP1-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	2.04	215747697	No
ML14KP1-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	1.98	216021569	No
ML14KP1-060-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	1.98	216021570	No
ML14KP1-060-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	1.96	216021571	No
ML14KP1-060-230A**	CK40DT-60D-**+TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	1.84	215747698	No
ML14KP1-060-230A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	1.82	215747699	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	215747700	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	215747701	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	215747702	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	1.98	215747703	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	2	215747704	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	215747705	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	1.98	215747706	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	215747707	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.96	215747708	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	57000	14.3	12.2	55500	35400	28200	7.5	1.94	217014498	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	215747709	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	1.98	215747710	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	1.94	215747711	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	1.98	215747712	No
ML14KP1-060-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.98	215747713	No
ML14KP1-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	1.94	216021572	No
ML14KP1-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	216021573	No
ML14KP1-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	216021574	No
ML14KP1-060-233A**	CBK45UHET-060-230-**	- - -	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	2.26	217321300	No
ML14KP1-060-233A**	CBK45UHVT-060-230-**	- - -	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	2.24	217321302	No
ML14KP1-060-233A**	CBK47UHET-060-230-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	217321303	No
ML14KP1-060-233A**	CBK47UHET-060-460-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	217595423	No
ML14KP1-060-233A**	CBK48MVT-060-230-**	- - -	R-454B	58000	14.3	12	55500	35400	29600	8	2.2	217321304	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	2.02	217321305	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	2.04	217321306	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	2	217321307	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	2	217321308	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	1.98	217321309	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	2.02	217321310	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	2.04	217321311	No
ML14KP1-060-233A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	2.04	217321312	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217321313	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	217321314	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	217321315	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217321316	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	2.02	217321317	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	2.04	217321318	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	217321319	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	217321320	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	2.08	217321321	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	217321322	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217321323	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	2.04	217321324	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	2	217321325	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	2.04	217321326	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217321327	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	2.06	217321328	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	217321329	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	217321330	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	217321331	No
ML14KP1-060-233A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	2.04	217321332	No
ML14KP1-060-233A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	1.98	217321333	No
ML14KP1-060-233A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	1.98	217321334	No
ML14KP1-060-233A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	1.96	217321335	No
ML14KP1-060-233A**	CK40DT-60D-**+TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	1.84	217321336	No
ML14KP1-060-233A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	1.82	217321337	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	217321338	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	217321339	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	217321340	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	1.98	217321341	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	2	217321342	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	217321343	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	1.98	217321344	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	217321345	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.96	217321346	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	57000	14.3	12.2	55500	35400	28200	7.5	1.94	217321347	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	217321348	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	1.98	217321349	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	1.94	217321350	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	1.98	217321351	No
ML14KP1-060-233A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.98	217321352	No
ML14KP1-060-233A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	1.94	217321353	No
ML14KP1-060-233A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	217321354	No
ML14KP1-060-233A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	217321355	No
ML14KP1-060-463A**	CBK45UHET-060-230-**	- - -	R-454B	57000	14.3	11.7	56000	36200	30200	7.5	2.26	217602207	No
ML14KP1-060-463A**	CBK45UHVT-060-230-**	- - -	R-454B	57000	14.7	12.2	56000	36000	30000	8.1	2.24	217602673	No
ML14KP1-060-463A**	CBK47UHET-060-230-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	217602674	No
ML14KP1-060-463A**	CBK47UHET-060-460-**	- - -	R-454B	57500	14.3	11.7	55500	35600	29600	8	2.2	217602675	No
ML14KP1-060-463A**	CBK48MVT-060-230-**	- - -	R-454B	58000	14.3	12	55500	35400	29600	8	2.2	217602676	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	11.7	55500	34200	28600	7.5	2.02	217602677	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	ML180UH110V60C	R-454B	57500	14.3	12	55000	33800	28200	7.5	2.04	217602678	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	11.7	55000	34000	28400	7.5	2	217602679	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	57000	14.3	11.7	55000	34200	28400	7.5	2	217602680	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	57000	14.3	11.7	54500	33200	28000	7.5	1.98	217602681	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	57000	14.3	11.7	55000	33400	28200	7.5	2.02	217602682	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	58000	14.3	11.7	55000	34000	27800	7.5	2.04	217602683	No
ML14KP1-060-463A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	57000	14.3	11.7	54500	34200	28000	7.5	2.04	217602684	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	EL196UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217602685	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	EL280UH110E60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	217602686	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	EL280UH110XE60C	R-454B	56500	14.7	12.4	53500	33800	27600	7.8	2.06	217602687	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217602688	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	56500	14.3	11.7	54000	34400	28200	7.5	2.02	217602689	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	56500	14.3	12	54000	34400	28200	7.5	2.04	217602690	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML180UH090E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	217602691	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	217602692	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML180UH110V60C	R-454B	57000	14.7	12.4	53500	34000	27800	7.8	2.08	217602693	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	54500	34600	28400	7.8	2.06	217602694	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML193UH110XE60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217602695	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML196UH090XE60C	R-454B	56500	14.3	12	54000	34400	28200	7.8	2.04	217602696	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML196UH110XE60C	R-454B	56500	14.7	12.2	53000	33200	27600	7.5	2	217602697	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML296UH090XV48C	R-454B	57000	14.3	12.2	54000	34200	28000	7.8	2.04	217602698	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	ML296UH110XV60C	R-454B	57000	14.3	12	54000	34400	28200	7.8	2.04	217602699	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	56500	14.7	12.2	53500	34000	27800	7.8	2.06	217602700	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	217602701	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	217602702	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	56500	14.3	12.2	53500	34000	27800	7.8	2.04	217602703	No
ML14KP1-060-463A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	56500	14.3	12	54000	34200	28000	7.8	2.04	217602704	No
ML14KP1-060-463A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	12	55500	35400	28400	7.5	1.98	217602705	No
ML14KP1-060-463A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	57000	14.3	12	55500	35400	28200	7.5	1.98	217602706	No
ML14KP1-060-463A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55500	35400	28200	7.5	1.96	217602707	No
ML14KP1-060-463A**	CK40DT-60D-**+TDR	ML180DF110E60C	R-454B	57000	14.7	12.4	59500	36600	29600	7.5	1.84	217602708	No
ML14KP1-060-463A**	CK40DT-60D-**+TDR	SL280DF110V60C	R-454B	57500	14.7	12.4	60000	37000	29800	7.5	1.82	217602709	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	EL196UH110XE60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	217602710	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	EL280UH110E60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	217602711	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	EL280UH110XE60C	R-454B	57500	14.7	12.4	55500	35400	28400	7.5	1.98	217602712	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	EL297UH110XE60C	R-454B	57000	14.3	12	56000	35800	29000	7.5	1.98	217602713	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML180UH090E60C	R-454B	58000	14.3	12	56500	36200	29200	7.5	2	217602714	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML180UH110E60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	217602715	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML180UH110V60C	R-454B	57500	14.7	12.2	56000	35600	28600	7.5	1.98	217602716	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML180UH110XE60C	R-454B	57500	14.3	12	56500	36200	29200	7.5	1.98	217602717	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML196UH090XE60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.96	217602718	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML196UH110XE60C	R-454B	57000	14.3	12.2	55500	35400	28200	7.5	1.94	217602719	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	ML296UH110XV60C	R-454B	57500	14.3	12	56000	36000	29000	7.5	1.98	217602720	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	57000	14.7	12	56000	35600	28600	7.5	1.98	217602721	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	57500	14.7	12.2	55500	35400	28600	7.5	1.94	217602722	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	57500	14.7	12.4	55500	35400	28800	7.5	1.98	217602723	No
ML14KP1-060-463A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	57000	14.3	12	56000	35800	28800	7.5	1.98	217602724	No
ML14KP1-060-463A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	56500	14.3	11.7	55000	33800	27000	7.5	1.94	217602725	No
ML14KP1-060-463A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	217602726	No
ML14KP1-060-463A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	56500	14.3	12	55000	33800	27000	7.5	1.94	217602727	No
SL22KLV-024-230A**	CBK48MVT-018/024-230-**	- - -	R-454B	22200	19.5	12.6	17900	23200	21800	9	2.14	216776013	Yes
SL22KLV-024-230A**	CBK48MVT-030-230-**	- - -	R-454B	22400	20	13	23400	23000	21400	9	2.1	216968308	Yes
SL22KLV-024-230A**	CBK48MVT-036-230-**	- - -	R-454B	22400	20	13	23400	23000	21400	9	2.1	216776014	Yes
SL22KLV-024-230A**	CBK48MVT-042-230-**	- - -	R-454B	22600	20	13	23800	24000	22800	10.5	2.3	216379010	Yes
SL22KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH060NV36A	R-454B	22400	20	12.6	23800	24400	22800	8.2	1.78	216776063	Yes
SL22KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070V36A	R-454B	22400	19	12.4	24000	24600	22800	8.2	1.78	216776064	Yes
SL22KLV-024-230A**	CK40[C,U]T-30A-**+TDR	SL280UH070XV36A	R-454B	22400	19	12.4	24000	24600	22800	8.2	1.78	216776065	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH045XV36B	R-454B	22200	19	12	24000	24600	23000	8.2	1.78	216776032	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	EL297UH070XV36B	R-454B	22200	19.5	12.2	24000	24600	22800	8.2	1.78	216776033	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH080NV48B	R-454B	22400	19.5	12.4	23800	24400	22800	8.2	1.78	216776025	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V36B	R-454B	22400	19.5	12.4	23800	24400	22800	8.2	1.78	216776026	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090V48B	R-454B	22200	19	12.4	24000	24600	22800	8.2	1.78	216776027	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL280UH090XV48B	R-454B	22200	19	12.4	24000	24600	22800	8.2	1.78	216776028	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH040NV36B	R-454B	22200	19.5	12.2	24000	24600	22800	8.2	1.78	216776029	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SL297UH060NV36B	R-454B	22200	19	12.2	24000	24600	22800	8.2	1.78	216776030	Yes
SL22KLV-024-230A**	CK40[C,U]T-30B-**+TDR	SLP99UH070XV36B	R-454B	22200	19.5	12.2	24000	24600	22800	8.2	1.78	216776031	Yes
SL22KLV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH060NV36A	R-454B	22600	19	12.8	23400	22800	21800	8.5	2.08	216776060	Yes
SL22KLV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070V36A	R-454B	22600	18.5	12.6	23400	22800	22000	8.5	2.08	216776061	Yes
SL22KLV-024-230A**	CK40[C,U]T-36A-**+TDR	SL280UH070XV36A	R-454B	22600	18.5	12.6	23400	22800	22000	8.5	2.08	216776062	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH045XV36B	R-454B	22600	18.5	12.4	23400	23000	22000	8.5	2.06	216776022	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	EL297UH070XV36B	R-454B	22600	19	12.4	23400	22800	22000	8.5	2.06	216776023	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH080NV48B	R-454B	22600	19	12.8	23400	22800	21800	8.5	2.08	216776015	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V36B	R-454B	22600	19	12.8	23400	22800	21800	8.5	2.08	216776016	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090V48B	R-454B	22600	18	12.6	23400	22800	22000	8.5	2.08	216776017	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL280UH090XV48B	R-454B	22600	18	12.6	23400	22800	22000	8.5	2.08	216776018	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL297UH040NV36B	R-454B	22600	18.5	12.4	23400	22800	22000	8.5	2.06	216776019	Yes
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SL297UH060NV36B	R-454B	22600	18.5	12.4	23400	22800	22000	8.5	2.06	216776020	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-024-230A**	CK40[C,U]T-36B-**+TDR	SLP99UH070XV36B	R-454B	22600	19	12.4	23400	22800	22000	8.5	2.06	216776021	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	EL297UH045XV36B	R-454B	22400	20	12.6	23800	18800	18000	8.5	1.86	216968305	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	EL297UH070XV36B	R-454B	22400	20	12.8	23800	18700	17900	8.5	1.86	216968306	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SL280UH080NV48B	R-454B	22600	20	13	23600	18600	17800	8.5	1.86	216968298	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V36B	R-454B	22600	20.5	13	23800	18600	17800	8.5	1.86	216968299	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090V48B	R-454B	22400	19.5	12.8	23800	18700	17900	8.5	1.86	216968300	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SL280UH090XV48B	R-454B	22400	19.5	12.8	23800	18700	17900	8.5	1.86	216968301	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SL297UH040NV36B	R-454B	22400	20	12.8	23800	18700	17900	8.5	1.86	216968302	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SL297UH060NV36B	R-454B	22400	20	12.6	23800	18800	17900	8.5	1.86	216968303	Yes
SL22KLV-024-230A**	CK40[C,U]T-48B-**+TDR	SLP99UH070XV36B	R-454B	22400	20	12.8	23800	18700	17900	8.5	1.86	216968304	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV36C	R-454B	22600	20	13	23600	18600	17800	8.5	1.86	216968293	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV48C	R-454B	22600	19.5	13	23600	18600	17800	8.5	1.88	216968294	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	EL297UH090XV60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	1.88	216968295	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV48C	R-454B	22600	19.5	13	23800	18600	17800	8.5	1.86	216968296	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	EL297UH110XV60C	R-454B	22600	18	13	23800	18600	17800	8.5	1.86	216968297	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL280UH080NV60C	R-454B	22600	19	13.2	23600	18600	17700	8.5	1.88	216968281	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090V60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	1.88	216968282	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL280UH090XV60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	1.88	216968283	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL280UH100NV60C	R-454B	22600	18	13	23600	18600	17800	8.5	1.88	216968284	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110V60C	R-454B	22600	18	13	23800	18700	17900	8.5	1.86	216968285	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL280UH110XV60C	R-454B	22600	18	13	23800	18700	17900	8.5	1.86	216968286	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV48C	R-454B	22600	19.5	12.8	23800	18700	17900	8.5	1.86	216968287	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SL297UH080NV60C	R-454B	22400	17.5	12.8	23800	18700	17900	8.5	1.86	216968288	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV36C	R-454B	22600	20	13	23600	18600	17800	8.5	1.86	216968289	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV48C	R-454B	22600	19.5	13	23600	18600	17800	8.5	1.88	216968290	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH090XV60C	R-454B	22600	18.5	13	23600	18600	17800	8.5	1.88	216968291	Yes
SL22KLV-024-230A**	CK40[C,U]T-48C-**+TDR	SLP99UH110XV60C	R-454B	22600	18	13	23800	18700	17800	8.5	1.86	216968292	Yes
SL22KLV-024-230A**	CK40DT-42B-**+TDR	EL297DF045XV36B	R-454B	22000	18.5	12.2	24000	20200	18500	8.2	1.78	217476476	No
SL22KLV-024-230A**	CK40DT-42B-**+TDR	EL297DF070XV48B	R-454B	21800	18	11.7	24000	20400	18700	8.2	1.74	217476458	Yes
SL22KLV-024-230A**	CK40DT-42B-**+TDR	SL280DF060NV36B	R-454B	21800	18	12	24000	20200	18600	8.2	1.76	217476479	No
SL22KLV-024-230A**	CK40DT-42B-**+TDR	SL280DF090V48B	R-454B	21800	18.5	12	24000	20400	18600	8.2	1.76	217476478	No
SL22KLV-024-230A**	CK40DT-42B-**+TDR	SLP99DF070XV36B	R-454B	21800	19	12	24000	20200	18600	8.2	1.76	217476477	No
SL22KLV-024-230A**	CK40HT-42B-**+TDR	EL297UH045XV36B	R-454B	23000	19.5	11.5	23400	28800	22800	10.2	2.24	216776112	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	EL297UH070XV36B	R-454B	23000	19.5	11.5	23200	21800	22400	9.8	2.24	216776111	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	23200	19.5	11.7	23200	21800	22400	9.8	2.26	216776034	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SL280UH090V36B	R-454B	23200	20	11.7	23200	21800	22400	9.8	2.26	216776035	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	23000	19	11.7	23200	21800	22400	9.8	2.24	216776036	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SL280UH090XV48B	R-454B	23000	19	11.7	23200	21800	22400	9.8	2.24	216776037	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SL297UH040NV36B	R-454B	23000	19.5	11.5	23200	28800	22400	10.2	2.24	216776108	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SL297UH060NV36B	R-454B	23000	19.5	11.5	23400	28800	22400	10.2	2.24	216776109	Yes
SL22KLV-024-230A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	23000	19.5	11.5	23200	21800	22400	9.8	2.24	216776110	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	EL297UH045XV36B	R-454B	22800	20.5	12.4	22000	21800	22400	9.5	2.06	216776044	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	EL297UH090XV36C	R-454B	22800	20.5	12.8	22000	21600	22200	9.6	2.06	216776045	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	EL297UH090XV48C	R-454B	23000	20	12.8	21800	21600	22200	9.6	2.08	216776046	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	EL297UH090XV60C	R-454B	23000	19	12.8	22000	21600	22200	9.5	2.08	216776047	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	EL297UH110XV48C	R-454B	22800	19.5	12.8	22000	21800	22200	9.5	2.06	216776048	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	EL297UH110XV60C	R-454B	22800	18.5	12.8	22000	21600	22200	9.4	2.06	216776049	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH080NV48B	R-454B	23000	20.5	13	21800	21600	22200	9.6	2.08	216776041	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH080NV60C	R-454B	23000	19.5	13	21800	21600	22200	9.5	2.08	216776039	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH090V60C	R-454B	23000	18.5	13	21800	21600	22200	9.4	2.08	216776040	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH090XV60C	R-454B	23000	18.5	13	21800	21600	22200	9.4	2.08	216776059	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH100NV60C	R-454B	22800	18.5	12.8	22000	21600	22200	9.4	2.08	216776058	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH110V60C	R-454B	22800	18	12.8	22000	21800	22200	9.4	2.06	216776057	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL280UH110XV60C	R-454B	22800	18	12.8	22000	21800	22200	9.4	2.06	216776056	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL297UH040NV36B	R-454B	22800	20.5	12.6	22000	21800	22400	9.5	2.06	216776042	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL297UH060NV36B	R-454B	22800	20	12.6	22000	21800	22400	9.5	2.06	216776043	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL297UH080NV48C	R-454B	22800	20	12.6	22000	21800	22400	9.5	2.06	216776055	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SL297UH080NV60C	R-454B	22800	18	12.6	22000	21800	22400	9.4	2.06	216776054	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SLP99UH090XV36C	R-454B	22800	20.5	12.8	22000	21600	22200	9.6	2.06	216776053	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SLP99UH090XV48C	R-454B	23000	20	12.8	21800	21600	22200	9.6	2.08	216776052	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SLP99UH090XV60C	R-454B	23000	19	12.8	22000	21600	22200	9.5	2.08	216776051	Yes
SL22KLV-024-230A**	CK40HT-42C-**+TDR	SLP99UH110XV60C	R-454B	22800	18.5	12.8	22000	21800	22200	9.4	2.06	216776050	Yes
SL22KLV-036-230A**	CBK48MVT-042-230-**	- - -	R-454B	35200	20	12.8	32800	33400	34000	8.5	2.12	216776067	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-036-230A**	CBK48MVT-048-230-**	- - -	R-454B	35200	18.5	12.8	31600	33400	30400	8.2	2.18	216776066	Yes
SL22KLV-036-230A**	CBK48MVT-060-230-**	- - -	R-454B	35200	20	13	32600	33600	33200	10.5	2.42	216776011	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	35200	19	12.8	31400	33800	31600	9	2.04	216776079	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	35200	19	12.8	31400	33800	31600	9	2.06	216776080	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV48C	R-454B	35200	19	12.8	31400	33800	31600	9	2.04	216776081	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	35200	18.5	12.8	31400	33800	31600	9	2.04	216776082	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	35400	19.5	13.2	31000	33400	31200	9	2.08	216776068	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	35400	19	13	31200	33600	31400	9	2.06	216776069	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	35400	19	13	31200	33600	31400	9	2.06	216776070	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	35400	19	13.2	31000	33400	31200	9	2.08	216776071	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	35200	18.5	12.8	31200	33800	31600	9	2.06	216776072	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	35200	18.5	12.8	31200	33800	31600	9	2.06	216776073	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV48C	R-454B	35200	19	12.8	31200	33800	31600	9	2.06	216776074	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	35200	18.5	12.6	31400	30000	27600	8.5	2	216776075	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV48C	R-454B	35200	19	12.8	31400	33800	31600	9	2.04	216776076	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	35200	19	12.8	31400	33800	31600	9	2.06	216776077	Yes
SL22KLV-036-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	35200	18.5	12.8	31400	33800	31600	9	2.04	216776078	Yes
SL22KLV-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH080NV60C	R-454B	34600	19.5	13	33800	33600	31600	7.5	2.04	216776113	No
SL22KLV-036-230A**	CK40[C,U]T-50/60C-**+TDR	SL280UH100NV60C	R-454B	34600	19	13	33800	33600	31600	7.5	2.04	216776114	No
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV48C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	2.1	217476517	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	2.1	217476518	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV48C	R-454B	35000	19	12.6	32000	28800	26600	9.8	2.12	217476519	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	35000	18.5	12.8	31800	28800	26600	9.8	2.12	217476520	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	35000	18.5	12.6	31800	28800	26600	9.8	2.12	217476506	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	35000	19	12.8	31800	28600	26400	10	2.12	217476507	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	35000	19	12.8	31800	28600	26400	10	2.12	217476508	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	35000	18.5	12.8	32000	28800	26600	9.8	2.12	217476509	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	35000	18.5	12.8	31800	28600	26600	9.8	2.12	217476510	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	35000	18.5	12.8	31800	28600	26600	9.8	2.12	217476511	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV48C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	2.1	217476512	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	34800	18	12.6	32000	28800	26800	9.8	2.1	217476513	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV48C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	2.1	217476514	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	34800	18.5	12.6	32000	28800	26600	9.8	2.1	217476515	Yes
SL22KLV-036-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	35000	18.5	12.8	31800	28800	26600	9.8	2.12	217476516	Yes
SL22KLV-036-230A**	CK40[C,U]T-60D-**+TDR	EL297UH110XV60C	R-454B	33600	18.5	11.7	31600	26800	24400	9.4	2.14	217476463	Yes
SL22KLV-036-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	33600	18.5	11.7	31400	26600	24400	9.4	2.14	217476464	Yes
SL22KLV-036-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	33600	18.5	11.7	31400	26600	24400	9.4	2.14	217476459	Yes
SL22KLV-036-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV48C	R-454B	33600	18.5	11.5	31600	26800	24600	9	2.12	217476460	Yes
SL22KLV-036-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV60C	R-454B	33600	18	11.2	31600	26800	24600	9	2.12	217476461	Yes
SL22KLV-036-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	33600	18.5	11.7	31400	26600	24400	9.4	2.14	217476462	Yes
SL22KLV-036-230A**	CK40HT-42B-**+TDR	SL280UH080NV48B	R-454B	35400	19.5	13	31400	33600	31200	8.2	2.06	216776083	Yes
SL22KLV-036-230A**	CK40HT-42B-**+TDR	SL280UH090V48B	R-454B	35400	18.5	12.6	31600	33800	31400	8.2	2.04	216776084	Yes
SL22KLV-036-230A**	CK40HT-42B-**+TDR	SL280UH090XV48B	R-454B	35400	18.5	12.6	31600	33800	31400	8.2	2.04	216776085	Yes
SL22KLV-036-230A**	CK40HT-42B-**+TDR	SLP99UH070XV36B	R-454B	35200	19	12.4	31400	30000	27800	8	2	217476480	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV48C	R-454B	35400	20	13.2	31400	27800	26600	8.5	2.06	217476493	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	35400	19.5	13.4	31200	27800	26600	8.5	2.08	217476494	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV48C	R-454B	35400	20	13.4	31200	27800	26600	8.5	2.08	217476495	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	2.08	217476496	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV48B	R-454B	35400	19.5	13.2	31400	28000	26800	8.5	2.06	217476492	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	2.08	217476481	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	35600	20.5	13.6	31000	27600	26400	8.5	2.1	217476482	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	35600	20.5	13.6	31000	27600	26400	8.5	2.1	217476483	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	2.08	217476484	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	35400	20	13.4	31200	27600	26600	8.5	2.08	217476485	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	35400	20	13.4	31200	27600	26600	8.5	2.08	217476486	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV48C	R-454B	35400	20	13.2	31200	27800	26600	8.5	2.08	217476487	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	35400	19.5	13.2	31400	28000	26800	8.5	2.06	217476488	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV48C	R-454B	35400	20	13.2	31200	27800	26600	8.5	2.08	217476489	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	35400	19.5	13.4	31200	27800	26600	8.5	2.08	217476490	Yes
SL22KLV-036-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	35400	20	13.4	31200	27800	26600	8.5	2.08	217476491	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	34400	17	12.6	32600	29600	30200	9.4	2.16	217476503	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	34400	17	12.6	32600	29600	30000	9.4	2.16	217476504	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	34400	17	12.4	32600	29600	30200	9.4	2.16	217476499	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SL280UH090V60C	R-454B	34400	17.5	12.8	32600	29600	30000	9.4	2.16	217476505	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	34400	17.5	12.8	32600	29600	30000	9.4	2.16	217476497	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SL297UH080NV48C	R-454B	34200	17	12.4	32800	29800	30200	9	2.14	217476500	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	34200	16.5	12.4	32800	29800	30400	9	2.14	217476501	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	34400	17	12.4	32800	29600	30200	9	2.16	217476502	Yes
SL22KLV-036-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	34400	17	12.6	32600	29600	30000	9.4	2.16	217476498	Yes
SL22KLV-048-230A**	CBK48MVT-048-230-**	- - -	R-454B	45000	20	12	46000	42000	43500	8.5	1.92	216776087	Yes
SL22KLV-048-230A**	CBK48MVT-060-230-**	- - -	R-454B	45000	20	11.7	46500	44000	44500	9.8	2.1	216776012	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV48C	R-454B	45000	20	11.5	44500	39500	38000	8.1	1.68	217550310	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	45000	19.5	11.5	45000	46000	46500	8.5	1.84	216776118	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	45000	19.5	11.5	45000	45500	46000	8.5	1.84	216776119	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	45500	20.5	12	44500	45000	45500	8.5	1.86	216776099	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	45000	19.5	11.7	44500	45500	46000	8.5	1.86	216776100	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	45000	19.5	11.7	44500	45500	46000	8.5	1.86	216776101	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	45500	20	12	44500	45000	45500	8.5	1.86	216776102	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	45000	19.5	11.7	45000	45500	46000	8.5	1.84	216776103	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	45000	19.5	11.7	45000	45500	46000	8.5	1.84	216776104	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	45000	19.5	11.5	45000	40000	38500	8.2	1.68	216776115	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	45000	19.5	11.5	45000	46000	46500	8.5	1.84	216776116	Yes
SL22KLV-048-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	45000	19.5	11.5	45000	45500	46000	8.5	1.84	216776117	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	1.98	216776097	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	1.98	216776098	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	46000	20.5	12.4	45000	42500	44000	9.4	2.02	216776088	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	46000	20	12.2	45500	42500	44000	9.4	2	216776089	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	46000	20	12.2	45500	42500	44000	9.4	2	216776090	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	46000	20.5	12.4	45000	42500	44000	9.4	2.02	216776091	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	46000	20	12	45500	43000	44500	9	1.98	216776092	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	46000	20	12	45500	43000	44500	9	1.98	216776093	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	45500	20	11.7	45500	37400	37400	8.5	1.82	216776094	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	1.98	216776095	Yes
SL22KLV-048-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	45500	20	11.7	45500	43000	44500	9	1.98	216776096	Yes
SL22KLV-048-230A**	CK40[C,U]T-60D-**+TDR	EL297UH110XV60C	R-454B	43500	19	11.5	43500	39500	37600	7.8	1.84	217476469	Yes
SL22KLV-048-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	43500	19.5	11.5	43000	39500	37600	8	1.86	217476470	Yes
SL22KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	43500	19.5	11.5	43000	39500	37400	8	1.86	217476466	Yes
SL22KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV60C	R-454B	43500	18.5	11.2	43500	40000	38000	7.8	1.84	217476467	Yes
SL22KLV-048-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	43500	19.5	11.5	43000	39500	37600	7.8	1.86	217476468	Yes
SL22KLV-048-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	38500	15.5	10	45000	36800	38500	8	1.76	217551305	No
SL22KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	45000	19	12	44000	39000	37400	8.5	1.82	217476525	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	45000	19	12.2	44000	38500	37200	8.5	1.82	217476526	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	45000	19	12	44000	39000	37400	8.5	1.82	217476523	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH090V60C	R-454B	45000	19	12.2	44000	38500	37200	8.5	1.82	217476527	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	45500	19	12.2	44000	38500	37000	8.5	1.82	217476521	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	45000	18	11.7	44500	39000	37600	8.5	1.8	217476465	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	45000	18.5	12	44000	39000	37400	8.5	1.82	217476524	Yes
SL22KLV-048-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	45000	19	12.2	44000	38500	37200	8.5	1.82	217476522	Yes
SL22KLV-060-230A**	CBK48MVT-060-230-**	- - -	R-454B	54500	19.5	11	55000	51000	45500	9.6	2.04	216776106	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH090XV60C	R-454B	55500	19.5	11.5	51000	54500	41500	8.5	1.84	216776140	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	EL297UH110XV60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	1.84	216776141	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH080NV60C	R-454B	55500	20	11.7	50500	54000	41500	8.5	1.88	216776131	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090V60C	R-454B	55500	19.5	11.7	50500	54500	41000	8.5	1.86	216776132	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH090XV60C	R-454B	55500	19.5	11.7	50500	54500	41000	8.5	1.86	216776133	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH100NV60C	R-454B	55500	20	11.7	50500	54000	41500	8.5	1.88	216776134	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110V60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	1.84	216776135	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL280UH110XV60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	1.84	216776136	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SL297UH080NV60C	R-454B	55000	19	11.2	51000	54500	41500	8.5	1.84	216776137	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH090XV60C	R-454B	55500	19.5	11.5	51000	54500	41500	8.5	1.84	216776138	Yes
SL22KLV-060-230A**	CK40[C,U]T-49C-**+TDR	SLP99UH110XV60C	R-454B	55500	19.5	11.5	50500	45500	41500	8.2	1.84	216776139	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH090XV60C	R-454B	56000	20	11.5	51500	48000	42500	8.5	1.94	216776129	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	EL297UH110XV60C	R-454B	56000	20	11.5	51000	60000	42500	9.4	1.94	216776130	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH080NV60C	R-454B	55000	21.1	11.7	51000	48500	42000	9	1.96	216776120	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090V60C	R-454B	56000	20	11.7	51000	60000	42500	9.4	1.94	216776121	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH090XV60C	R-454B	56000	20	11.7	51000	60000	42500	9.4	1.94	216776122	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH100NV60C	R-454B	56000	20.5	11.7	51000	60000	42000	9.5	1.96	216776123	Yes

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110V60C	R-454B	56000	20	11.5	51000	48500	42500	8.5	1.94	216776124	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL280UH110XV60C	R-454B	56000	20	11.5	51000	48500	42500	8.5	1.94	216776125	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SL297UH080NV60C	R-454B	56000	19.5	11.2	51500	60000	43000	9	1.92	216776126	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH090XV60C	R-454B	56000	20	11.5	51500	48000	42500	8.5	1.94	216776127	Yes
SL22KLV-060-230A**	CK40[C,U]T-60C-**+TDR	SLP99UH110XV60C	R-454B	56000	20	11.5	51000	60000	42500	9.4	1.94	216776128	Yes
SL22KLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH110XV60C	R-454B	55000	19.5	11	56000	51500	43000	8.5	1.82	216776147	Yes
SL22KLV-060-230A**	CK40[C,U]T-60D-**+TDR	EL297UH135XV60D	R-454B	55000	19	11.2	56000	51500	43000	8.5	1.82	216776146	Yes
SL22KLV-060-230A**	CK40[C,U]T-60D-**+TDR	SL280UH135V60D	R-454B	55000	19.5	11.2	55500	51500	43000	8.5	1.82	216776143	Yes
SL22KLV-060-230A**	CK40[C,U]T-60D-**+TDR	SL297UH080NV60C	R-454B	55000	19	11	56000	52000	43500	8.5	1.8	216776144	Yes
SL22KLV-060-230A**	CK40[C,U]T-60D-**+TDR	SLP99UH135XV60D	R-454B	55000	19.5	11.2	56000	51500	43000	8.5	1.84	216776145	Yes
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH090XV60C	R-454B	54500	18	10.5	55000	44500	35800	8.2	1.7	217476540	No
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	EL297UH110XV60C	R-454B	54500	18.5	10.5	55000	44000	35600	8.2	1.7	217476541	No
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH080NV60C	R-454B	54500	18.5	11	55000	44000	35600	8.2	1.7	217476471	Yes
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090V60C	R-454B	54500	18.5	11	55000	44000	35400	8.2	1.72	217476472	Yes
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH090XV60C	R-454B	54500	18.5	11	55000	44000	35400	8.2	1.72	217476473	Yes
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH100NV60C	R-454B	54500	18.5	10.5	55000	44000	35600	8.2	1.7	217476536	No
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110V60C	R-454B	54500	18.5	11	55000	44000	35400	8.2	1.72	217476474	Yes
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL280UH110XV60C	R-454B	54500	18.5	11	55000	44000	35400	8.2	1.72	217476475	Yes
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SL297UH080NV60C	R-454B	54000	18	10.5	55500	44500	36000	8.2	1.68	217476537	No
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH090XV60C	R-454B	54500	18	10.5	55000	44000	35600	8.2	1.7	217476538	No
SL22KLV-060-230A**	CK40HT-51/61C-**+TDR	SLP99UH110XV60C	R-454B	54500	18.5	10.5	55000	44000	35600	8.2	1.7	217476539	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH110XV60C	R-454B	55000	18	10.5	56500	44500	36400	8.1	1.7	217476533	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	EL297UH135XV60D	R-454B	55000	18	10.5	56000	44500	36400	8.1	1.7	217476534	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH080NV60C	R-454B	55000	18	10.5	56500	44500	36400	8.1	1.7	217476530	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH090V60C	R-454B	55000	18	10.5	56000	44500	36400	8.1	1.7	217476535	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL280UH135V60D	R-454B	55000	18	10.5	56000	44000	36200	8.1	1.7	217476528	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SL297UH080NV60C	R-454B	55000	17.5	10	56500	45000	36800	8	1.68	217476531	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH090XV60C	R-454B	55000	17.5	10.5	56500	44500	36600	8.1	1.7	217476532	No
SL22KLV-060-230A**	CK40HT-60D-**+TDR	SLP99UH135XV60D	R-454B	55000	18	10.5	56000	44500	36400	8.1	1.7	217476529	No