Multi-position Air Handler **User manual**

MMD***S6-1P

- Thank you for purchasing this Lennox Product.
- Before operating this unit, please read this manual carefully and retain it for future reference.





Contents

Safety Information	3
Safety Information	3
At a Glance	14
Indoor Unit Overview	14
Cleaning and Maintaining	15
Maintaining the Multi-position Air Handler	15
Periodical checks	15
Appendix	16
SmartThings app	16
Troubleshooting	19
Operation Features	24
Regulatory Notice	25







California Proposition 65 Warning (US)

⚠ WARNING:

Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Before using your new Multi-position Air Handler, please read this manual thoroughly to ensure that you know how to operate the extensive features and functions of your new appliance safely and efficiently.

Because the following operating instructions cover various models, the characteristics of your Multi-position Air Handler may differ slightly from those described in this manual. If you have any questions, call your nearest contact center or find help and information online at www.lennox.com for homeowners and www.lennoxpros.com for dealer/contractor.

ENERGY STAR qualified model only

Proper sizing and installation of equipment is critical to achieve optimal performance. Multi-position Air Handler and heat pumps (excluding ductless systems) must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.









⚠ WARNING

Hazards or unsafe practices may result in severe personal injury or death.

↑ CAUTION

Hazards or unsafe practices that may result in minor personal injury or property damage.

- Follow directions.
- O Do NOT attempt.
- Make sure the machine is grounded to prevent electric shock.
- (a) Cut off the power supply.
- Do NOT disassemble.

Symbol	Meaning	
	Flammable gas	
	Flammable materials	
Refrigerant Safety Group A2L	Refrigerant safety group	
	Read operating manual	
[]i	Refer to operating manual	
	Read service manual	









INSTALLATION



↑ WARNING

- Use the power line with the power specifications of the product or higher and use the power line for this appliance only. In addition, do not use an extension line.
 - Extending the power line may result in electric shock or fire.
 - Do not use an electric transformer. This may result in electric shock or fire.
 - If the voltage/frequency/rated current condition is different, it may cause a fire.

The installation of this appliance must be performed by a qualified technician or service company.

• Failing to do so may result in electric shock, fire, explosion, problems with the product, or injury.

Install a switch and a circuit breaker dedicated to the Multiposition Air Handler.

Failing to do so may result in electric shock or fire.

Fix the outdoor unit firmly so that the electric part of the outdoor unit is not exposed.

- Failing to do so may result in electric shock or fire.
- Do not install this appliance near a heater, or flammable material. Do not install this appliance in a humid, oily or dusty location, in a location exposed to direct sunlight and water (rain drops). Do not install this appliance in a location where gas may leak.
 - This may result in electric shock or fire.

Never install the outdoor unit in a location such as on a high external wall where it could fall.

• If the outdoor unit falls, it may result in injury, death or property damage.







- This appliance must be properly grounded. Do not ground the appliance to a gas pipe, plastic water pipe, or telephone line.
 - Failure to do so may result in electric shock, fire, an explosion, or other problems with the product.

↑ CAUTION

- Install your appliance on a level and hard floor that can support its weight.
 - Failing to do so may result in abnormal vibrations, noise, or problems with the product.

Install the drain hose properly so that the water is drained correctly.

• Failing to do so may result in water overflowing and property damage. Avoid adding drains to waste pipes as odors may arise in the future.

The product shall be stored in a room with no ignition sources (e.g. open flames, gas appliance, electric heater, etc.).

• Note that the refrigerant has no odor.

When installing the outdoor unit, make sure to connect the draining hose so that draining is performed correctly.

• The water generated during the heating operation by the outdoor unit may overflow and result in property damage. In winter, if a block of ice falls, it may result in injury, death or property damage.

Ensure that the main supply connection is made through a switch that disconnects all poles, with a contact gap of a least 0.12inch (3 mm).





FOR POWER SUPPLY



♠ WARNING

- When the circuit breaker is damaged, contact your nearest service center.
- Do not pull or excessively bend the power line. Do not twist or tie the power line. Do not hook the power line over a metal object, place a heavy object on the power line, insert the power line between objects, or push the power line into the space behind the appliance.
 - This may result in electric shock or fire.



A CAUTION

- When not using the Multi-position Air Handler for a long time or during a thunder/lightning storm, cut the power at the circuit breaker.
 - Failing to do so may result in electric shock or fire.







FOR USING



↑ WARNING

- If the appliance is flooded, please contact your nearest service center.
 - Failing to do so may result in electric shock or fire.

If the appliance generates a strange noise, or a burning smell of smoke, cut off the power supply immediately and contact the nearest service center.

• Failing to do so may result in electric shock or fire.

In case of a malfunction, immediately stop operation of the Multi-position Air Handler and disconnect the entire power system. Then consult the authorized service personnel.

In the event of a gas leak (such as propane gas, LP gas, etc.), ventilate immediately without touching the power line. Do not touch the appliance or power line.

- Do not use a ventilating fan.
- A spark may result in an explosion or fire.

To reinstall the Multi-position Air Handler, please contact your nearest service center.

- Failing to do so may result in problems with the product, water leakage, electric shock, or fire.
- A delivery service for the product is not provided. If you reinstall the product in another location, additional construction expenses and an installation fee will be charged.
- Especially, when you wish to install the product in an unusual location such as in an industrial area or near the seaside where it is exposed to salt in the air, please contact your nearest service center.





- O Do not touch the circuit breaker with wet hands.
 - This may result in electric shock.

Do not turn the Multi-position Air Handler off with the circuit breaker while it is operating.

• Turning the Multi-position Air Handler off and then on again with the circuit breaker may cause a spark and result in electric shock or fire.

After unpacking the Multi-position Air Handler, keep all packaging materials well out of the reach of children, as packaging materials can be dangerous to children.

• If a child places a bag over its head, it may result in suffocation.

Do not touch the front panel with your hands or fingers during the heating operation.

• This may result in electric shock or burns.

Do not insert your fingers or foreign substances into the outlet when the Multi-position Air Handler is operating, or the front panel is closing.

• Take special care that children do not injure themselves by inserting their fingers into the product.

Do not insert your fingers or foreign substances into the air inlet/outlet of the Multi-position Air Handler.

• Take special care that children do not injure themselves by inserting their fingers into the product.

Do not strike or pull the Multi-position Air Handler with excessive force.

• This may result in fire, injury, or problems with the product.

Do not place an object near the outdoor unit that allows children to climb onto the machine.

• This may result in children seriously injuring themselves.







Do not use this Multi-position Air Handler for long periods in badly ventilated locations or near infirm people.

• Since this may be dangerous due to a lack of oxygen, open a window at least once an hour.

Do not use means to accelerate the defrost operation or to clean, other than those recommended by Lennox.

Do not pierce or burn.

Be aware that refrigerants may not contain an odor.

- If any foreign substance such as water has entered the appliance, cut off the power supply and contact the nearest service center.
 - Failing to do so may result in electric shock or fire.
- Do not attempt to repair, disassemble, or modify the appliance yourself.
 - Do not use any fuse (such as copper, steel wire, etc.) other than the standard fuse.
 - Failing to do so may result in electric shock, fire, problems with the product, or injury.

⚠ CAUTION

- Do not place objects or devices under the indoor unit.
 - Water dripping from the indoor unit may result in fire or property damage.

Check that the installation frame of the outdoor unit is not broken at least once a year.

• Failing to do so may result in injury, death or property damage.





When the Multi-position Air Handler does not operate properly for cooling or heating, there is a possibility of refrigerant leakage. If there is any leakage, stop operation, ventilate the room, and consult your dealer to recharge the refrigerant.

The refrigerant is not harmful. However, if it comes in contact with fire, it may generate harmful gases and there is a risk of fire.

During the transportation of the indoor unit, the pipelines shall be covered with brackets for protection. Do not move the product by holding the refrigerant or drain pipe connections.

• It may cause gas leakage.

Do not install the product on a ship or a vehicle (such as a campervan).

- Salt, vibration or other environmental factors may cause the product to malfunction, electric shock or fire.
- O not stand on top of the appliance or place objects (such as laundry, lighted candles, lighted cigarettes, dishes, chemicals, metal objects, etc.) on the appliance.
 - This may result in electric shock, fire, problems with the product, or injury.

Do not operate the appliance with wet hands.

• This may result in electric shock.

Do not spray volatile material such as insecticide onto the surface of the appliance.

• As well as being harmful to humans, it may also result in electric shock, fire or problems with the product.

Do not drink the water from the Multi-position Air Handler.

• The water may be harmful to humans.





Do not apply a strong impact to the remote controller and do not disassemble the remote controller.

Do not touch the pipes connected to the product.

• This may result in burns or injury.

Do not cut or burn the refrigerant container or piping.

Do not point the air direction to a fireplace or heater.

Do not use this Multi-position Air Handler to preserve precision equipment, food, animals, plants or cosmetics, or for any other unusual purposes.

• This may result in property damage.

Avoid directly exposing humans, animals or plants to the air flow from the Multi-position Air Handler for long periods.

• This may result in harm to humans, animals or plants.

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.







FOR CLEANING



↑ WARNING

- O Do not clean the appliance by spraying water directly onto it. Do not use benzene, thinner, alcohol or acetone to clean the appliance.
 - This may result in discoloration, deformation, damage, electric shock or fire.

Before cleaning or performing maintenance, cut off the power supply and wait until the fan stops.

• Failing to do so may result in electric shock or fire.



↑ CAUTION

- Take care when cleaning the surface of the heat exchanger of the outdoor unit since it has sharp edges.
 - To avoid cutting your fingers, wear thick cotton gloves when cleaning it.
 - This should be done by a qualified technician. Please contact your installer or service center.

Do not clean the inside of the Multi-position Air Handler by yourself.

- For cleaning inside the appliance, contact your nearest service center.
- When cleaning the internal filter, refer to the descriptions in the 'Cleaning and Maintaining' section.
- Failure to do so may result in damage, electric shock or fire.
- Make sure to prevent any injury from sharp edges of the surface when handling the heat exchanger.






Indoor Unit Overview

Congratulations on the purchase of the Multi-position Air Handler. We hope you enjoy the features of your Multi-position Air Handler and stay cool or warm with optimal efficiency.

Please read the user manual to get started and to make the best use of the Multi-position Air Handler.





 Your Multi-position Air Handler may look slightly different from the illustration shown above depending on your model.







Maintaining the Multi-position Air Handler

If the Multi-position Air Handler will not be used for an extended time, dry the Multi-position Air Handler to maintain it in the best condition.

- 1 Dry the Multi-position Air Handler thoroughly by operating in Fan mode for 3 to 4 hours and then turn off the power. There may be internal damage if moisture is left in components.
- 2 Before using the Multi-position Air Handler again, dry the inner components of the Multi-position Air Handler again by running in Fan mode for 3 to 4 hours. This helps remove odors that may have been generated from dampness.

Periodical checks

Refer to the following chart to maintain the Multi-position Air Handler properly.

Туре	Description	Monthly	Every 4 months	Once a year	10 years
	Clean the condensate drain pan (2).			•	
Indoor	Thoroughly clean the heat exchanger (2).			•	
unit	Clean the condensate drain pipe (2).		•		
	Replace R-32 detecting sensor				•
	Clean the heat exchanger on the outside of the unit (2).		•		
	Clean the heat exchanger on the inside of the unit (2).			•	
	Clean the electric components with jets of air (2).			•	
Outdoor unit	Verify that all the electric components are firmly tightened (2).			•	
	Clean the fan (2).			•	
	Verify that all the fan assembly is firmly tightened (2).			•	
	Clean the condensate drain pan (2).			•	

NOTE

- The checks and maintenance operations described above are essential to guarantee the efficiency of the Multi-position Air Handler. The frequency of these operations may vary depending on the characteristics of the area, the amount of dust, etc.
 - a. The above mentioned operations should be performed more frequently if the area of installation is very dusty.
 - b. These operations must always be performed by qualified personnel. For more detailed information, refer to the Installation Manual.
 - c. In some cases, if the periodof use of the R-32 detecting sensor exceeds 5 years, "E695" is displayed on the wired remote control. The product does not work. Six months before the expiration of the period of use date, "E699" is displayed on the wired remote control, and the product works normally. If the period of use date exceeds 10 years, the wired remote control displays "E700", and the product does not work. It must be replaced through Lennox Service Center before the expiration of the period of use date.

Fna	lish	15





SmartThings app

To use the SmartThings app, connect the product to the network in the sequence described below. The images shown may differ depending on your smartphone model, OS version and manufacturer. You need to set up the Wi-Fi access point only when connecting the product to a Wi-Fi network. Once the product is connected, you can use the SmartThings app via Wi-Fi, 3G, LTE, 5G or more wireless networks. You can easily install the SmartThings app or use the product with your smartphone by scanning the SmartThings OR code on the label.

1 Checking the power connections

Check if the power is connected to the product and the access point.

2 Setting up and connecting to a Wi-Fi access point using your smartphone

- 1 To connect the product to a Wi-Fi network, turn on Wi-Fi at "Settings > Wi-Fi", and then select the access point to connect to
- Only alphanumeric characters are supported for wireless access point names (SSIDs). If an SSID has a special character, rename it before connecting to it.
- This product supports only Wi-Fi 2.4 GHz.





2 Turning off "Switch to mobile data" at "Settings > Wi-Fi" on your Smartphone

 If "Switch to mobile data" or "Adaptive Wi-Fi" is turned on, you cannot connect to the network. Be sure to turn off these functions before connecting to the network.





NOTE

 The setup may differ depending on your smartphone model. OS version and manufacturer.

3 Checking the Internet connectivity

 After connecting to Wi-Fi, check that your smartphone is connected to the Internet.

NOTE

 A firewall may prevent your smartphone from connecting to the Internet. Contact your Internet service provider for troubleshooting.

3 Downloading the SmartThings app and registering your Samsung account

1 Downloading the SmartThings app

- Search for "SmartThings" on the Play Store or App Store, and download the SmartThings app to your smartphone.
- If the SmartThings app is already installed on your smartphone, update it to the latest version.

NOTE

- The SmartThings app supports Android OS 7.0 or later (with at least 2 GB RAM) and iOS 12.0 or later. The app is optimized for iPhone 6s or later and Samsung smartphones (Galaxy S and Note series).
 The updates of the SmartThings app or the functions supported by it may be discontinued for the previously supported OS versions due to reasons such as usability and security.
- The SmartThings app may change without prior notice to improve product usability and performance.





2 Registering your Samsung account

 A Samsung account is required to use the SmartThings app. To create your Samsung account and log in to your account, follow the instructions displayed on the SmartThings app. You do not need to install an additional app.



- If you already have a Samsung account, log in to the account. If you have a smartphone that is a Samsung device and you have a Samsung account, your smartphone is automatically logged in to your account.
- If you log in from a smartphone produced for another country, you need to log in with its country code when you create your Samsung account, and the SmartThings app may not be used on some smartphones.

4 Connecting the SmartThings app to your product


1 Selecting the product to connect to

- 1) Start the SmartThings app about one minute after turning on the product to connect to.
- After the SmartThings app is started, select 'ADD NOW' when a pop-up window saying that a product to connect to is found appears.




3) If the pop-up window does not appear, select "+", and then "Add Device".






You can add a product you want to connect to by selecting it manually or by selecting "Scan nearby".

- Select manually: Partner devices > Lennox
- Scan: Scan nearby > Other types





2 Connecting the SmartThings app to your product

- Follow the instructions displayed on the SmartThings app to connect to your product.
- For information on how to use the SmartThings app, select the How To menu on the app.

NOTE

- If any pop-up window appears on the top of the smartphone while connecting to your product, do not select it.
- If a pop-up window saying that the device is already registered appears during connecting to your product, get permission using "REQUEST PERMISSION" from a user already connected to the product, or create a new account using "REGISTER MY ACCOUNT" to independently connect to the product.
- If a Samsung account-related country error occurs during connecting to your product, log out of your current Samsung account, log in to your previous Samsung account, and then delete all devices that have been connected previously. Then, log in to your current Samsung account again, and then configure the settings.





SmartThings app

- If a failure message appears while adding a device, see "Setting up and connecting to a Wi-Fi access point using your smartphone" on page 16.
 The connection may fail temporarily due to an installation location problem of the access point or other problems.
- If a message appears on the SmartThings app, follow its instructions.

NOTE

- For the security protocols for wireless/wired access points, WPA-PSK and WPA2-PSK are recommended. For the authentication methods, AES is recommended. New Wi-Fi authentication specifications and Wi-Fi non-standard authentication methods are not supported.
- The product supports the IEEE802.11 b/g/n (2.4 GHz) communication protocol. (Samsung recommends IEEE802.11n.)
- If your Internet service provider permanently
 has registered the MAC address (a unique
 identification number) of your PC or modem, you
 may not be able to connect your product to the
 Internet. Contact your Internet service provider
 and ask how to connect devices other than your
 PC (such as a mini-split and an air purifier) to the
 Internet.

Open Source Announcement

The software included in this product contains open source software.

The following URL http://opensource.samsung.com/ opensource/SMART_TP1_0/seq/0 leads to open source license information as related to this product.



Security updates information

Security updates are provided to strengthen the security of your device and protect your personal information. For more information on security updates, visit https://security.samsungda.com.

* The website supports only some languages.





Troubleshooting

Refer to the following chart if the Multi-position Air Handler operates abnormally. This may save time and unnecessary expense.

Problem	Solution	
The product does not work. Error E696	 This is intended to determine whether there is a leak or not, as R-32 refrigerant is sensed. The indoor unit determines again whether or not there is a refrigerant leak while operating for 2 minutes using Fan mode (specifically High speed). If there is no refrigerant leak, the indoor unit stops operating, the error is cleared and the product can operate normally. The R-32 sensor, embedded in the indoor unit, reacts not only to R-32 refrigerant but also to high-concentration chemicals (e.g. organic solvents, hair spray and paint). Do not use any high-concentration chemicals in the vicinity of the indoor unit, as these may cause false operation of the sensor. 	
The product does not work. Error E697	 This error occurs when indoor unit detect R-32 refrigerant leaks. Ventilate the room for which the alarm was activated. Contact the Lennox service center for assistance. 	
The product does not work. Error E116, E695, E698, E699, E700	 This error occurs when the R-32 refrigerant sensor has a malfunction or the sensor's life has expired. Display "E116" or "E698" when a sensor failure occurs. The R-32 sensor's lifespan is 10 years. If the refrigerant leak sensor's lifespan cannot be predicted, "E695" is displayed, and the product does not work. The wired remote control displays 'E699' 6 months before the sensor's lifespan expires. After the sensor's lifespan expires, the wired remote control displays 'E700', and the product does not work. Contact the Lennox service center for assistance. 	
The product does not work. Error E797	 This error occurs when another indoor unit that shares the outdoor unit detects the R-32 refrigerant. Ventilate the of Room for which the alarm was acticated. Contact the Lennox service center for assistance. 	
The Multi-position Air Handler does not operate immediately after it has been restarted.	Because of the protective mechanism, the appliance does not start operating immediately to keep the unit from overloading. The Multi-position Air Handler will start in 3 minutes.	







Troubleshooting

	Problem	Solution	
The Multi-position Air Handler does not operate at all.		 Check whether the power is turned on, and then operate the Multi-position Air Handler again. Check whether the auxiliary power switch (MCCB, ELB) is turned on. If the auxiliary power switch (MCCB, ELB) is turned off, the Multi-position Air Handler does not work although you press the (b) (Power) button. When you clean the Multi-position Air Handler or do not use it for an extended period of time, turn off the auxiliary power switch (MCCB, ELB). After the Multi-position Air Handler is not used for an extended period of time, be sure to turn on the auxiliary power switch (MCCB, ELB) 6 hours before starting operation. 	
		 NOTE The auxiliary power switch (MCCB, ELB) is sold separately. Make sure that auxiliary power switch (MCCB, ELB) is installed in the distribution box inside the building. If the Multi-position Air Handler is turned off by the Timed off function, turn on the Multi-position Air Handler again by pressing the ((Power) button. 	
	The temperature does not change.	Check whether the Fan mode is running. In the Fan mode, the Multi-position Air Handler controls the set temperature automatically, and you cannot change the set temperature.	
	Warm air does not come out of the Multi- position Air Handler.	 Check whether the outdoor unit is designed for cooling only. In this case, warm air does not come out although you select the Heat mode. Check whether the remote control is designed only for cooling only. Use a remote control that supports both cooling and heating. 	
	The fan speed does not change.	Check whether the Auto or Dry mode is running. In these modes, the Multi- position Air Handler controls the fan speed automatically, and you cannot change the fan speed.	
	The wireless remote control does not operate.	 Make sure that nothing is blocking the remote control sensor. Check whether any strong lighting sources are near the Multi-position Air Handler. Strong light which comes from fluorescent bulbs or neon signs may interfere with the remote control. 	
	The wired remote control does not operate.	 Ensure the wireless remote control is charged. Use the USB-C port or the solar cell on the back of the remote control to charge the remote control. Check whether the ① indicator is displayed at the bottom right of the remote control display. In this case, turn off both the Multi-position Air Handler and the auxiliary power switch, and then contact a service center. 	







Problem	Solution	
The Multi-position Air Handler is not turned on or off immediately with the wired remote control.	Check whether the wired remote control is set for group control. In this case, the Multi-position Air Handlers connected to the wired remote control are turned on or off sequentially. This operation takes up to 32 seconds.	
The Timed on/off function does not operate.	Check whether you pressed the ((SET) button on the remote control after setting the on/off time. Set the on/off time.	
The indoor unit display blinks continuously.	 Turn on the Multi-position Air Handler again by pressing the () (Power) button. Turn off and then turn on the auxiliary power switch, and then turn on the Multi-position Air Handler. If the indoor unit display is still blinking, contact a service center. 	
I want to get cooler air.	Operate the Multi-position Air Handler with a electric fan to save energy and enhance the cooling efficiency.	
The air is not cool or warm enough.	 In the Cool mode, cool air does not come out if the set temperature is higher than the current temperature. Remote control: Press the Temperature button repeatedly until the set temperature [minimum: 64°F(18°C)] is set to lower than the current temperature. In the Heat mode, warm air does not come out if the set temperature is lower than the current temperature. Remote control: Press the Temperature button repeatedly until the set temperature [maximum: 86°F(30°C)] is set to higher than the current temperature. Both cooling and heating do not operate in the Fan mode. Select the Cool, Heat, Auto, or Dry mode. Check whether the air filter is blocked with dirt. A dusty filter may decrease the cooling and heating efficiencies. Clean the air filter frequently. If a cover is on the outdoor unit or any obstacle is present near the outdoor unit remove them. Install the outdoor unit in a well-ventilated place. Avoiding places exposed to direct sunlight or close to a heating appliance. Place a sunscreen over the outdoor unit to protect it from direct sunlight. If the indoor unit is installed in a place exposed to direct sunlight, pull the curtains on the windows. 	

– English **21**





Troubleshooting

Problem	Solution	
The air is not cool or warm enough.	 Close the windows and doors to maximize the cooling and heating efficiencies. If the Cool mode is stopped and then started immediately, cool air comes out after about 3 minutes to protect the compressor of the outdoor unit. When the Heat mode is started, warm air does not come out immediately to prevent cool air from coming out at the beginning. If the refrigerant pipe is too long, the cooling and heating efficiencies may be decreased. Avoid exceeding the maximum pipe length. 	
The Multi-position Air Handler makes strange noises.	 In certain conditions [especially, when the outdoor temperature is lower than 68°F(20°C)], a hissing, rumbling, or splashing sound may be heard while the refrigerant is circulating through the Multi-position Air Handler. This is a normal operation. When you press the ((Power) button on the remote control, noise may be heard from the drain pump inside the Multi-position Air Handler. This noise is a normal sound. 	
Unpleasant odors permeate the room.	 If the Multi-position Air Handler is running in a smoky area or if there is a smell entering from outside, ventilate the room properly. If both indoor temperature and indoor humidity are high, operate the Multi-position Air Handler in the Clean or Fan mode for 1 to 2 hours. If the Multi-position Air Handler has not been operated for an extended period of time, clean the indoor unit and then operate the Multi-position Air Handler in the Fan mode for 3 to 4 hours to dry the inside of the indoor unit for removal of unpleasant odors. If the air filter blocked with dirt, clean the air filter. 	
Steam is produced on the indoor unit.	In winter, if the indoor humidity is high, steam may be produced around the air outlet while the defrost function is running. This is a normal operation.	
The outdoor unit fan continues to operate when the Multiposition Air Handler is turned off.	When the Multi-position Air Handler is turned off, the outdoor unit fan may continue to operate to reduce noise of the refrigerant gas. This is a normal operation.	
Water drops from the piping connections of the outdoor unit.	Condensation may develop due to the difference in temperature. This is a normal condition.	
Steam is produced on the outdoor unit.	In winter, when the Multi-position Air Handler runs in the Heat mode, the frost on the heat exchanger melts and steam may be produced. This is a normal operation, neither product malfunction nor a fire.	







Problem		Solution		
The installed SmartThings app cannot access the Multi-position Air Handler.		Make sure you have connected the Multi-position Air Handler to a wireless router.		
I cannot log in with my Samsung account.		Try recovering your ID and password from the Samsung account page.		
	A failure message appears while adding devices.	This may fail temporarily due to the distance from the router or some interferences. Try again later.		
	I found a failure message in 0 to 1 percent of device addition process.	 You cannot add any device without deleting it once the device has already been added to the SmartThings app. To add the connected device again, first remove it and then proceed with the process. 		
Adding device(s)	I found a failure message in 99 percent of device addition process.	 If you are using a Samsung smartphone, the server may not be connected temporarily. Restart the SmartThings app and then try adding the device again. If your phone is not a Samsung product, check that you have entered a wrong Wi-Fi password. Try adding devices again. 		
	The app displays an authorization failure before pressing the user agreement button.	Check if a Wi-Fi Kit Single is already connected from the SmartThings app. When there are devices added, first remove them and try again.		
	The app displays an authorization failure on the user agreement screen.	Make sure to press the ((Power) button within 2 minutes after the screen appears. Try adding devices again.		
	The screen requests to initialize the user account.	This happens when the user has already added devices. Follow the instructions provided in the SmartThings app.		
After adding a device, the SmartThings app displays the disconnection event.		This happens when a device is being added to the server or it is temporarily disconnected from the router. End the SmartThings app and then launch it again.		





Operation Features

Indoor unit / Outdoor unit: MMD***S6-1P / MMLD***S6S-1P

Mode	Indoor temperature	Outdoor temperature	Indoor humidity
Cooling	64°F to 90°F (18°C to 32°C)	-4 °F to 122 °F (-20 °C to 50 °C)	80% or less
Heating	86°F or less (30°C or less)	-13 °F to 75 °F (-25 °C to 24 °C)	-
Drying	64°F to 90°F (18°C to 32°C)	-4 °F to 122 °F (-20 °C to 50 °C)	80% or less

Indoor unit / Outdoor unit: MMD***S6-1P / MMPD***S6S-1P

Mode	Indoor temperature	Outdoor temperature	Indoor humidity
Cooling	64°F to 90°F (18°C to 32°C)	0 °F to 122 °F (-18 °C to 50 °C)	80% or less
Heating	86°F or less (30°C or less)	-4 °F to 75 °F (-20 °C to 24 °C)	-
Drying	64°F to 90°F (18°C to 32°C)	0 °F to 122 °F (-18 °C to 50 °C)	80% or less

♠ CAUTION

- If you use the Multi-position Air Handler at a relative humidity above 80%, it may cause a formation of
 condensation and a leakage of water on the floor.
- The rated temperature for heating is 47°F (8°C). If the outdoor temperature drops to 32°F (0°C) or below, the heating capacity can be reduced depending on the temperature condition.
- If the indoor unit is out of the operating temperature and humidity range, the safety device may operate, and the Multi-position Air Handler may stop.
- If the indoor unit is installed in an IT room (for example, a computer room), a separate backup system must
 be installed, and the reliability of our product cannot be guaranteed at temperatures outside the operating
 temperature range.





Regulatory Notice

FCC Notice

FCC CAUTION:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This appliance contains the transmitter module.

This device complies with Part 15 of FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received including interference that cause undesired operation.

For products available in the US and Canadian markets, only channels 1~11 are available.

You cannot select other channels

FCC STATEMENT:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet that is on a different circuit than the receiver.
- Consult the dealer or an experienced radio/TV technician for help.





Regulatory Notice

FCC RADIATION EXPOSURE STATEMENT:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated so there is at least 8 inches (20 cm) between the radiator and your body. This device and its antennas must not be co-located or operated in conjunction with any other antenna or transmitter except in accordance with FCC multi-transmitter product procedures.

IC Notice

This appliance contains the transmitter module.

The term "IC" before the radio certification number only signifies that Industry Canada's technical specifications were met. Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device

This Class B digital apparatus complies with Canadian ICES-003.

For products available in the US and Canadian markets, only channels 1~11 are available.

You cannot select other channels.

IC RADIATION EXPOSURE STATEMENT:

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated so there is at least 8 inches (20 cm) between the radiator and your body. This device and its antennas must not be co-located or operated in conjunction with any other antenna or transmitter except in accordance with FCC multi-transmitter product procedures.







Visit us at www.lennox.com

For the latest technical information, www.lennoxcommercial.com

Contact us at 1-800-4-LENNOX

COUNTRY	CALL	OR VISIT US ONLINE AT
AMFRICA	800-953-6669	www.lennox.com for homeowners,
	200 /33 000/	www.lennoxpros.com for dealer/contractor