



PRODUCT SPECIFICATIONS

AHRI SYSTEM MATCHES - LENNOX OUTDOOR + ADP INDOOR

Bulletin No. 210860
August 2025A

Supersedes All Previous Versions

COIL LEGEND - +TXV = Thermal Expansion Valve

NOTE - All ratings include the use of a blower Time Delay Function.

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines):

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities, or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216967484	No
EL16KP1-018-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216967491	No
EL16KP1-018-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975034	No
EL16KP1-018-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975045	No
EL16KP1-018-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216967498	No
EL16KP1-018-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975054	No
EL16KP1-018-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975065	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216967483	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216967490	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975033	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975044	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	1.88	217186353	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186358	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186363	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217183341	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	9400	7400	7.5	1.9	217183347	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	9400	7400	7.5	1.9	217183353	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	1.92	217183358	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186368	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217186373	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186378	No
EL16KP1-018-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186383	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	18000	16	13.5	16000	9900	7500	7.8	1.92	217183364	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183370	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183376	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183382	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183388	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183393	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183399	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217183404	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183410	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183415	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	1.9	217183420	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217183425	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217183430	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	1.88	217186388	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186393	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.9	217186398	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186403	No
EL16KP1-018-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186408	No
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216967497	No
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	1.92	217183436	No
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	1.92	217183442	No
EL16KP1-018-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183447	No
EL16KP1-018-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975053	No
EL16KP1-018-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975064	No
EL16KP1-018-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186413	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216967485	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216967492	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975036	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975047	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186355	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186360	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186365	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217183342	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183348	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183354	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217183360	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186370	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217186375	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186380	No
EL16KP1-018-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186385	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183365	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183371	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183377	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183383	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183389	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183395	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183400	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217183406	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183411	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183417	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217183422	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183427	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217183432	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186390	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186395	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217186400	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186405	No
EL16KP1-018-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186410	No
EL16KP1-018-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216967499	No
EL16KP1-018-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183437	No
EL16KP1-018-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183443	No
EL16KP1-018-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	1.98	217183449	No
EL16KP1-018-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975056	No
EL16KP1-018-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975067	No
EL16KP1-018-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186415	No
EL16KP1-018-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216978114	No
EL16KP1-018-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216978115	No
EL16KP1-018-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216978116	No
EL16KP1-018-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216977883	No
EL16KP1-018-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216977885	No
EL16KP1-018-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216977888	No
EL16KP1-018-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216977884	No
EL16KP1-018-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216977886	No
EL16KP1-018-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217183339	No
EL16KP1-018-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183345	No
EL16KP1-018-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183351	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183362	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183368	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183374	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183380	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183386	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183397	No
EL16KP1-018-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183408	No
EL16KP1-018-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216977889	No
EL16KP1-018-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183434	No
EL16KP1-018-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183440	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	217230593	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217230594	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216977991	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216977992	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186352	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186357	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186362	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217183357	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186367	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217186372	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186377	No
EL16KP1-018-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186382	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183392	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217183403	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183414	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217183419	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183424	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217183429	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186387	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186392	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217186397	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186402	No
EL16KP1-018-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186407	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.7	1.9	216977887	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217230599	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217230600	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217230601	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183446	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216977993	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216977994	No
EL16KP1-018-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186412	No
EL16KP1-018-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967482	No
EL16KP1-018-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967489	No
EL16KP1-018-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975043	No
EL16KP1-018-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	216967496	No
EL16KP1-018-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975063	No
EL16KP1-018-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967481	No
EL16KP1-018-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967488	No
EL16KP1-018-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975042	No
EL16KP1-018-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	17900	15.2	13	16200	10100	7700	7.75	1.92	217183340	No
EL16KP1-018-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	1.92	217183346	No
EL16KP1-018-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	1.92	217183352	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183363	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183369	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	17900	15.2	13.5	15900	9900	7500	7.75	1.94	217183375	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183381	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183387	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183398	No
EL16KP1-018-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183409	No
EL16KP1-018-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	216967495	No
EL16KP1-018-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	17900	15.2	13.5	16100	10000	7600	7.75	1.92	217183435	No
EL16KP1-018-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	17900	15.2	13.5	16100	10000	7600	7.75	1.92	217183441	No
EL16KP1-018-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975062	No
EL16KP1-018-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	1.94	216967486	No
EL16KP1-018-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216967493	No
EL16KP1-018-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	1.96	217183343	No
EL16KP1-018-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183349	No
EL16KP1-018-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183355	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183366	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183372	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183378	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183384	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183390	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183401	No
EL16KP1-018-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183412	No
EL16KP1-018-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216967500	No
EL16KP1-018-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183438	No
EL16KP1-018-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183444	No
EL16KP1-018-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975040	No
EL16KP1-018-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975051	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975060	No
EL16KP1-018-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975071	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975039	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975050	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186356	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186361	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186366	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	1.92	217183361	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186371	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217186376	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186381	No
EL16KP1-018-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186386	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183396	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217183407	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183418	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	1.9	217183423	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217183428	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217183433	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186391	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186396	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.9	217186401	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186406	No
EL16KP1-018-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186411	No
EL16KP1-018-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183450	No
EL16KP1-018-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975059	No
EL16KP1-018-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975070	No
EL16KP1-018-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186416	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975035	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975046	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186354	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186359	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186364	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217183359	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186369	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217186374	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186379	No
EL16KP1-018-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186384	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183394	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217183405	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183416	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217183421	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183426	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217183431	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186389	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186394	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217186399	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186404	No
EL16KP1-018-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186409	No
EL16KP1-018-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	1.98	217183448	No
EL16KP1-018-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975055	No
EL16KP1-018-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975066	No
EL16KP1-018-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186414	No
EL16KP1-018-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217230595	No
EL16KP1-018-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	217230597	No
EL16KP1-018-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217230602	No
EL16KP1-018-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217230596	No
EL16KP1-018-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	217230598	No
EL16KP1-018-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14.5	15900	9300	7400	7.5	1.92	217230603	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	1.94	216967487	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216967494	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613747	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	217613748	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613752	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613756	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.88	217613760	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	1.96	217183344	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183350	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183356	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613764	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613768	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613772	No
EL16KP1-018-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613776	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183367	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183373	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183379	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183385	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183391	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217608824	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183402	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217608840	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183413	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217608849	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217608854	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217608859	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217608864	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613780	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613784	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217613788	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613792	No
EL16KP1-018-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613796	No
EL16KP1-018-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216967501	No
EL16KP1-018-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183439	No
EL16KP1-018-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183445	No
EL16KP1-018-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613797	No
EL16KP1-018-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613798	No
EL16KP1-018-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217613802	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	217608769	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217608773	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975037	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975048	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613750	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217613754	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217613758	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217608780	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217608784	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217608788	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613762	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613766	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613770	No
EL16KP1-018-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613774	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217608804	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217608807	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217608810	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217608813	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217608817	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217608820	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217608829	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217608837	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217608842	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217608846	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217608851	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217608856	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217608861	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613778	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217613782	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217613786	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613790	No
EL16KP1-018-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613794	No
EL16KP1-018-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217608868	No
EL16KP1-018-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217608872	No
EL16KP1-018-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217608875	No
EL16KP1-018-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217230604	No
EL16KP1-018-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975057	No
EL16KP1-018-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975068	No
EL16KP1-018-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217613800	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	1.94	217608770	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217608775	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975038	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975049	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613751	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613755	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.88	217613759	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.75	1.96	217608781	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217608785	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217608790	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613763	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613767	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613771	No
EL16KP1-018-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613775	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217608805	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217608808	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217608811	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217608814	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217608818	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217608822	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217608832	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217608839	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217608844	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217608847	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217608853	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217608858	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217608863	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613779	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613783	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217613787	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613791	No
EL16KP1-018-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613795	No
EL16KP1-018-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217608870	No
EL16KP1-018-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217608873	No
EL16KP1-018-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217608877	No
EL16KP1-018-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217230605	No
EL16KP1-018-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975058	No
EL16KP1-018-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975069	No
EL16KP1-018-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217613801	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	1.94	217608768	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	1.94	217608771	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	216975032	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	1.96	216975041	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	18000	16	14	16300	9800	7900	7.5	1.94	217613749	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613753	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613757	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	18000	16	14.5	16200	10100	7700	7.8	1.92	217608779	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	18000	17	15	16200	9500	7800	7.8	2	217608783	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	18000	17	15	16200	9500	7800	7.8	2	217608786	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	18000	17	14.5	16000	9500	7700	7.5	1.98	217613761	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613765	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	1.94	217613769	No
EL16KP1-018-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	1.96	217613773	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	2	217608802	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217608806	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	18000	17	15	15900	9900	7500	7.8	1.94	217608809	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217608812	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	18000	17	14.5	16000	10000	7600	7.8	1.96	217608815	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	18000	17	14.5	16000	9500	7700	7.5	1.98	217608819	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	18000	17	14.5	16000	9900	7600	7.8	1.96	217608827	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	18000	17	15	15900	9400	7600	7.5	1.98	217608835	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	18000	17	14.5	16000	10000	7600	7.8	1.96	217608841	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	18000	17	14.5	16000	9500	7700	7.5	1.98	217608845	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14.5	16400	10000	8000	7.8	1.94	217608850	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	18000	17	14.5	16100	9600	7800	7.5	1.98	217608855	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	18000	17	14.5	16100	9500	7800	7.5	2	217608860	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	18000	16	14	16300	9800	7900	7.5	1.94	217613777	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613781	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613785	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	1.94	217613789	No
EL16KP1-018-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	1.94	217613793	No
EL16KP1-018-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	18000	17	14.5	16000	10000	7600	7.8	1.96	217608867	No
EL16KP1-018-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14.5	16100	10000	7600	7.8	1.92	217608871	No
EL16KP1-018-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14.5	16100	10000	7600	7.8	1.92	217608874	No
EL16KP1-018-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14.5	16400	9900	7900	7.5	1.94	216975052	No
EL16KP1-018-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	1.96	216975061	No
EL16KP1-018-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	18000	17	14.5	16000	9400	7700	7.5	1.98	217613799	No
EL16KP1-018-230A**	LW18*M7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	217290735	No
EL16KP1-018-230A**	LW24*K7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	216768264	No
EL16KP1-018-230A**	SK7*24+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	216439091	No
EL16KP1-018-230A**	SM7*18+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	216768265	No
EL16KP1-018-230A**	SM7*24+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	216439066	No
EL16KP1-024-230A**	BV**B6*25+TXV	---	R-454B	23400	14.5	12.5	20400	13000	10600	7.65	1.94	216626148	No
EL16KP1-024-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967505	No
EL16KP1-024-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967514	No
EL16KP1-024-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	2	216975076	No
EL16KP1-024-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	2	216975090	No
EL16KP1-024-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	2.12	216967523	No
EL16KP1-024-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	2.1	216975104	No
EL16KP1-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975119	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967504	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967513	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	2	216975075	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	2	216975089	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	2	217186419	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186425	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.65	2	217186431	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.95	2.14	217183453	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.8	2.02	217183459	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.5	2.02	217183465	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183471	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	2	217186437	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13	20400	13400	10500	7.8	2.02	217186443	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	2	217186449	No
EL16KP1-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	2	217186455	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	2.14	217183477	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	23600	15.2	13	20000	12800	10800	7.75	2.12	217183483	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	23800	15.2	13	20200	12900	10800	7.95	2.12	217183489	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.8	2	217183495	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	2.12	217183501	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	2	217183507	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	2.14	217183513	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	2	217183519	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	2.12	217183525	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	2	217183531	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	2	217183537	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	23800	15.2	12.5	20800	13600	10600	7.8	2.02	217183543	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217183549	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	1.98	217186461	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186467	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217186473	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13	20200	13300	10400	7.8	2.02	217186479	No
EL16KP1-024-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	23800	15.2	12.5	20200	13000	11000	7.95	2.14	217186485	No
EL16KP1-024-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	2.12	216967522	No
EL16KP1-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183555	No
EL16KP1-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183561	No
EL16KP1-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217183567	No
EL16KP1-024-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	2.1	216975103	No
EL16KP1-024-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975117	No
EL16KP1-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	2.02	217186491	No
EL16KP1-024-230A**	L*18/36V*+TXV+LEFE3A*	- - -	R-454B	23000	15.1	13	20200	13200	10900	7.8	2.08	216623998	No
EL16KP1-024-230A**	L*19/36S*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967507	No
EL16KP1-024-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967516	No
EL16KP1-024-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975080	No
EL16KP1-024-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975094	No
EL16KP1-024-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967525	No
EL16KP1-024-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975108	No
EL16KP1-024-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975126	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967506	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967515	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975079	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975093	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186421	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186427	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	2.02	217186433	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183454	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217183460	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217183466	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183473	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186439	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217186445	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186451	No
EL16KP1-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.04	217186457	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183478	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183484	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183490	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217183496	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183502	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183509	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183514	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.06	217183521	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183526	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183533	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183539	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183545	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217183551	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186463	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186469	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217186475	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186481	No
EL16KP1-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217186487	No
EL16KP1-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967524	No
EL16KP1-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217183556	No
EL16KP1-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183562	No
EL16KP1-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217183569	No
EL16KP1-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975107	No
EL16KP1-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975124	No
EL16KP1-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186493	No
EL16KP1-024-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	216967508	No
EL16KP1-024-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	216967517	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	216975083	No
EL16KP1-024-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	216975097	No
EL16KP1-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	24000	15.2	13.5	20200	13000	10900	8	2.14	216967526	No
EL16KP1-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217230614	No
EL16KP1-024-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217230616	No
EL16KP1-024-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	24000	15.2	13.5	20400	13000	11000	8	2.16	217230621	No
EL16KP1-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	216975111	No
EL16KP1-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	2.02	216975133	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	217608882	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	217608887	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217613804	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217613806	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	2	217613811	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	2	217613816	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217613821	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217608895	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217608903	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217608914	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217613826	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	2.02	217613831	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217613836	No
EL16KP1-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217613841	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217608936	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217608941	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217608951	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217608957	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217608962	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217608969	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217608977	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	2.1	217608987	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217608995	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609004	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609014	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217609024	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.04	217609034	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217613846	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	2	217613851	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.04	217613856	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	2.02	217613861	No
EL16KP1-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217613866	No
EL16KP1-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217609048	No
EL16KP1-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217609057	No
EL16KP1-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217609064	No
EL16KP1-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	217613868	No
EL16KP1-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	2.02	217613870	No
EL16KP1-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.02	217613875	No
EL16KP1-024-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977891	No
EL16KP1-024-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977895	No
EL16KP1-024-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	1.96	216977902	No
EL16KP1-024-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977890	No
EL16KP1-024-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977894	No
EL16KP1-024-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	1.96	216977901	No
EL16KP1-024-230A**	LD19/25Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977893	No
EL16KP1-024-230A**	LD19/25Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977897	No
EL16KP1-024-230A**	LD19/25Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216977904	No
EL16KP1-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977892	No
EL16KP1-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977896	No
EL16KP1-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183451	No
EL16KP1-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217183457	No
EL16KP1-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217183463	No
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183475	No
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183481	No
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183487	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183493	No
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183499	No
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183511	No
EL16KP1-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183523	No
EL16KP1-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216977903	No
EL16KP1-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	2.16	217183553	No
EL16KP1-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183559	No
EL16KP1-024-230A**	LD19/36Y*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	2.02	216977996	No
EL16KP1-024-230A**	LD19/36Y*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	2.02	216977999	No
EL16KP1-024-230A**	LD19/36Y*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	2.06	216977899	No
EL16KP1-024-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	2.12	216978002	No
EL16KP1-024-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216978005	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217230606	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217230607	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	2.02	216977995	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	2.02	216977998	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217186417	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186423	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	2.02	217186429	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183469	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217186435	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	1.98	217186441	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217186447	No
EL16KP1-024-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217186453	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183505	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217183517	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183529	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183535	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183541	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217183547	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217186459	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186465	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217186471	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186477	No
EL16KP1-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217186483	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	2.06	216977898	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217230612	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	2.16	217230613	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217230615	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217183565	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	2.12	216978001	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216978004	No
EL16KP1-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186489	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	216977997	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	216978000	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186418	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217186424	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217186430	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	23400	15.2	13.5	20000	12700	10300	7.8	2.06	217183470	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217186436	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217186442	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217186448	No
EL16KP1-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217186454	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217183506	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	2.1	217183518	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217183530	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183536	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217183542	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217183548	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186460	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217186466	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217186472	No
EL16KP1-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186478	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217186484	No
EL16KP1-024-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	2.08	216977900	No
EL16KP1-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217183566	No
EL16KP1-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	216978003	No
EL16KP1-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216978006	No
EL16KP1-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	2	217186490	No
EL16KP1-024-230A**	LEC24*C03+TXV	- - -	R-454B	22600	14.5	13	20200	13100	10900	7.65	2.04	215903250	No
EL16KP1-024-230A**	LEC30*C05+TXV	- - -	R-454B	23000	15	13	20200	13100	10900	7.7	2.06	215903253	No
EL16KP1-024-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967503	No
EL16KP1-024-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967512	No
EL16KP1-024-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	1.94	216975074	No
EL16KP1-024-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	1.96	216975088	No
EL16KP1-024-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	2.02	216967521	No
EL16KP1-024-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	2	216975102	No
EL16KP1-024-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	2.02	216975116	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967502	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967511	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	1.94	216975073	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	1.96	216975087	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13	20000	13000	10100	7.75	1.96	217183452	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23800	15	12.5	20600	13500	10600	7.75	2.02	217183458	No
EL16KP1-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	24000	14.5	13	20600	13500	10500	7.75	1.96	217183464	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20400	13300	10400	7.75	2.04	217183476	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23200	15.2	12.5	20000	12800	10800	7.65	2.1	217183482	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13	20000	13100	10200	7.75	1.96	217183488	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.75	2	217183494	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	2.04	217183500	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13	20000	13200	10200	7.75	1.96	217183512	No
EL16KP1-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	2.04	217183524	No
EL16KP1-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	2.02	216967520	No
EL16KP1-024-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10500	7.75	2.04	217183554	No
EL16KP1-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	15	13	20400	13300	10400	7.75	1.98	217183560	No
EL16KP1-024-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	2	216975101	No
EL16KP1-024-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	2.02	216975115	No
EL16KP1-024-230A**	LH18/36R*+TXV+LEFE3A*	- - -	R-454B	22800	15.1	13	20200	13100	10900	7.7	2.06	216623991	No
EL16KP1-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967509	No
EL16KP1-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967518	No
EL16KP1-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183455	No
EL16KP1-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183461	No
EL16KP1-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183467	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183479	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183485	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183491	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217183497	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183503	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183515	No
EL16KP1-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183527	No
EL16KP1-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967527	No
EL16KP1-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217183557	No
EL16KP1-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	2.14	217183563	No
EL16KP1-024-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	2.02	216975085	No
EL16KP1-024-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	2.02	216975099	No
EL16KP1-024-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	2.12	216975113	No
EL16KP1-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975135	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	2.02	216975084	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	2.02	216975098	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	2	217186422	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186428	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.7	2.02	217186434	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183474	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	2.02	217186440	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	1.98	217186446	No
EL16KP1-024-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	2.02	217186452	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217186458	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183510	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217183522	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183534	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	2	217183540	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183546	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217183552	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	1.98	217186464	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186470	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217186476	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	23600	15.2	13	20400	13300	10200	8	1.98	217186482	No
EL16KP1-024-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13	20600	13300	10300	8	2	217186488	No
EL16KP1-024-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217183570	No
EL16KP1-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	2.12	216975112	No
EL16KP1-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975134	No
EL16KP1-024-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	2.02	217186494	No
EL16KP1-024-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975078	No
EL16KP1-024-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975092	No
EL16KP1-024-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975106	No
EL16KP1-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975122	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975077	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975091	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186420	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186426	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	2.02	217186432	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183472	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186438	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217186444	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186450	No
EL16KP1-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.04	217186456	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183508	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.06	217183520	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183532	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183538	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183544	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217183550	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186462	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186468	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217186474	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186480	No
EL16KP1-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217186486	No
EL16KP1-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217183568	No
EL16KP1-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975105	No
EL16KP1-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975120	No
EL16KP1-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186492	No
EL16KP1-024-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	24000	14.5	12.5	20800	13600	10500	7.9	1.94	217230608	No
EL16KP1-024-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	24000	14.5	12.5	20800	13500	10500	7.9	1.96	217230610	No
EL16KP1-024-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20400	13400	10500	7.8	2.04	217230617	No
EL16KP1-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217230609	No
EL16KP1-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217230611	No
EL16KP1-024-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217230618	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967510	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967519	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217613803	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217613805	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217613810	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217613815	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217613820	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183456	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183462	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183468	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217613825	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217613830	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217613835	No
EL16KP1-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217613840	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183480	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183486	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183492	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217183498	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183504	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217608967	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183516	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	2.1	217608985	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183528	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609003	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609012	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13300	11200	8	2.14	217609022	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217609032	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217613845	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217613850	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217613855	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217613860	No
EL16KP1-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217613865	No
EL16KP1-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967528	No
EL16KP1-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217183558	No
EL16KP1-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	2.14	217183564	No
EL16KP1-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	217613867	No
EL16KP1-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	217613869	No
EL16KP1-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	2	217613874	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217608879	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217608885	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	2.02	216975081	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	2.02	216975095	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217613808	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217613813	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	2.02	217613818	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	24000	15.2	13	20000	12800	10800	8	2.16	217608891	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217608899	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217608909	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217613823	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	1.98	217613828	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217613833	No
EL16KP1-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217613838	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217608933	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.14	217608938	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	24000	15.2	13	20200	12900	10800	8	2.14	217608946	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.14	217608955	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	24000	15.2	13	20200	12900	10900	8	2.14	217608960	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217608965	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	24000	15.2	13	20200	12900	10900	8	2.16	217608974	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217608981	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	24000	15.2	13	20200	12900	10900	8	2.14	217608991	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217608999	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609008	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217609018	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217609028	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217613843	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217613848	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217613853	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217613858	No
EL16KP1-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217613863	No
EL16KP1-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217609044	No
EL16KP1-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	2.16	217609053	No
EL16KP1-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217609061	No
EL16KP1-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217230619	No
EL16KP1-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	2.12	216975109	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975128	No
EL16KP1-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217613872	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217608881	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217608886	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	216975082	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	216975096	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217613809	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217613814	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217613819	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217608893	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217608901	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217608912	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217613824	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217613829	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217613834	No
EL16KP1-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217613839	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217608934	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217608939	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217608948	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217608956	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217608961	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217608966	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217608975	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	2.1	217608983	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217608993	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609001	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609010	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13300	11200	8	2.14	217609020	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217609030	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217613844	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217613849	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217613854	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217613859	No
EL16KP1-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217613864	No
EL16KP1-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217609046	No
EL16KP1-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217609055	No
EL16KP1-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	2.14	217609062	No
EL16KP1-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217230620	No
EL16KP1-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	216975110	No
EL16KP1-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975130	No
EL16KP1-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	2	217613873	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	2.14	217608878	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	2.14	217608883	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	2.12	216975072	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	2.12	216975086	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23600	16	13.5	20200	12800	10400	7.8	2.04	217613807	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	1.96	217613812	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	2.12	217613817	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	24000	16	13.5	20000	12800	10800	8	2.16	217608890	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	2.14	217608897	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	2.14	217608906	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	2.12	217613822	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	23600	16	13.5	20400	13400	10500	7.8	2.02	217613827	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	2.12	217613832	No
EL16KP1-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	23800	16	13.5	20400	13300	10200	8.1	2	217613837	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	16	13.5	20200	13000	10900	8	2.16	217608932	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	2.14	217608937	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	16	13.5	20200	12900	10800	8	2.14	217608943	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	2.14	217608953	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	16	13.5	20200	12900	10900	8	2.14	217608958	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	23800	16	14	20400	13200	10200	8.1	2	217608963	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	16	13.5	20200	12900	10900	8	2.16	217608971	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	23800	16	14	20400	13300	10200	8.1	2	217608979	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	13.5	20200	12900	10900	8	2.14	217608989	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	23800	16	14	20400	13200	10200	8.1	2	217608997	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	23800	16	13.5	20000	12800	10800	7.8	2.12	217609006	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13.5	20800	13500	10500	8	1.98	217609016	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	2.06	217609026	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23400	16	13.5	20200	12800	10400	7.8	2.04	217613842	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	1.96	217613847	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	2.06	217613852	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	2.14	217613857	No
EL16KP1-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	16	13.5	20400	12900	10500	8	2.06	217613862	No
EL16KP1-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	16	13.5	20200	13000	10900	8	2.14	217609042	No
EL16KP1-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	24000	16	13.5	20400	13000	11000	8	2.16	217609050	No
EL16KP1-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	23800	16	13.5	20400	13300	10400	7.8	1.98	217609059	No
EL16KP1-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	23600	15.2	13.5	20600	13400	10400	8	1.98	216975100	No
EL16KP1-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	23800	16	13.5	20200	12900	10500	7.8	2.04	216975114	No
EL16KP1-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	2.14	217613871	No
EL16KP1-030-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967538	No
EL16KP1-030-230A**	L*18/36T*+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	1.9	216967551	No
EL16KP1-030-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	216975140	No
EL16KP1-030-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	1.92	216975156	No
EL16KP1-030-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967568	No
EL16KP1-030-230A**	L*18/36T*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	1.9	216967581	No
EL16KP1-030-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	216975172	No
EL16KP1-030-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	1.9	216975188	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967537	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	1.9	216967550	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	216975139	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	1.92	216975155	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	1.8	217186497	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	217186503	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	217186509	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	1.82	217183577	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	1.8	217183582	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	1.8	217183587	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.65	1.94	217183593	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.92	217183599	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.92	217183605	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.65	1.9	217186515	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	28400	15	12	25200	16300	13200	7.65	1.9	217186521	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	28600	15	12	25400	16400	13300	7.65	1.92	217186527	No
EL16KP1-030-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	28600	15	12	25200	16200	13100	7.65	1.92	217186533	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	1.82	217183614	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217183619	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	1.82	217183624	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217183629	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	1.8	217183634	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	1.92	217183640	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217183645	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.94	217183651	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.94	217183657	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217183662	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	1.92	217183668	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	1.94	217183674	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217183680	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	1.94	217183686	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	28400	15	12	25200	16200	13100	7.65	1.92	217183692	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	28200	14.5	12	25600	16000	13100	7.5	1.82	217183698	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	28800	15	12	25400	16300	13300	7.65	1.92	217183704	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	1.8	217186554	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	217186560	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	28800	15	12	25400	16300	13200	7.65	1.92	217186566	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	217186572	No
EL16KP1-030-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	28400	15.2	12.5	25000	16100	13100	7.65	1.92	217186586	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217186592	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967567	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217183721	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12.5	25600	16400	13300	7.5	1.8	217183726	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	1.9	216967580	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217183732	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217183738	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	216975171	No
EL16KP1-030-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	1.9	216975187	No
EL16KP1-030-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	28600	15	12	25200	16300	13200	7.65	1.92	217186603	No
EL16KP1-030-230A**	L*18/36V*+TXV+LEFE3A*	- - -	R-454B	28200	15.1	11.7	25000	17000	14000	7.6	1.94	216624029	No
EL16KP1-030-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967540	No
EL16KP1-030-230A**	L*19/36S*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967555	No
EL16KP1-030-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975144	No
EL16KP1-030-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975160	No
EL16KP1-030-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	1.98	216967570	No
EL16KP1-030-230A**	L*19/36S*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967585	No
EL16KP1-030-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975176	No
EL16KP1-030-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975192	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967539	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967554	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975143	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975159	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186499	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186505	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186511	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	1.82	217183578	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217183583	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217183588	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	1.96	217183595	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217183601	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217183607	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	1.92	217186517	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	1.92	217186523	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	1.94	217186529	No
EL16KP1-030-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217186535	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	1.98	217183615	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217183620	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	1.98	217183625	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217183630	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217183635	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217183642	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	1.96	217183646	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217183653	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217183659	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217183663	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217183670	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217183676	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217183682	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217183688	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	1.96	217183694	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	1.96	217183700	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	1.98	217183706	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186556	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186562	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	1.94	217186568	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186574	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	1.94	217186588	No
EL16KP1-030-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217186594	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	1.98	216967569	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217183722	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217183727	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967584	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217183734	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217183740	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975175	No
EL16KP1-030-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975191	No
EL16KP1-030-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	1.98	217186605	No
EL16KP1-030-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217230622	No
EL16KP1-030-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217230624	No
EL16KP1-030-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	1.94	217230627	No
EL16KP1-030-230A**	L*24/36Z*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	217230630	No
EL16KP1-030-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	1.96	217230633	No
EL16KP1-030-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	1.82	217230639	No
EL16KP1-030-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	1.82	217230642	No
EL16KP1-030-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.94	217230645	No
EL16KP1-030-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	13	25200	16300	13200	7.8	1.94	217230648	No
EL16KP1-030-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	1.98	217230655	No
EL16KP1-030-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.98	217230662	No
EL16KP1-030-230A**	L*30/36S*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967530	No
EL16KP1-030-230A**	L*30/36S*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967542	No
EL16KP1-030-230A**	L*30/36S*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216967559	No
EL16KP1-030-230A**	L*30/36S*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	216975148	No
EL16KP1-030-230A**	L*30/36S*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216975164	No
EL16KP1-030-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967572	No
EL16KP1-030-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967589	No
EL16KP1-030-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	216975180	No
EL16KP1-030-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216975196	No
EL16KP1-030-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967529	No
EL16KP1-030-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967541	No
EL16KP1-030-230A**	L*30/36U*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216967558	No
EL16KP1-030-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	216975147	No
EL16KP1-030-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216975163	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967571	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217230641	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217230644	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967588	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217230653	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217230660	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	216975179	No
EL16KP1-030-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216975195	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	217609073	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	217609081	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217613877	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217613879	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217613884	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217613889	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217613894	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	1.98	217609094	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609101	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609109	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.98	217609118	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217613899	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	217613904	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	29200	15.2	12.5	25400	16400	13300	7.8	1.96	217613909	No
EL16KP1-030-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613914	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217609128	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	1.96	217609136	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217609143	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	1.96	217609151	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609159	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.96	217609168	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609176	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217609186	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	1.96	217609193	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.96	217609203	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217609213	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609222	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217609233	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217613920	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217613925	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217613930	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217613936	No
EL16KP1-030-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613941	No
EL16KP1-030-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609250	No
EL16KP1-030-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609258	No
EL16KP1-030-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217609266	No
EL16KP1-030-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217609272	No
EL16KP1-030-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217613943	No
EL16KP1-030-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	217613945	No
EL16KP1-030-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613950	No
EL16KP1-030-230A**	L*35/36U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967531	No
EL16KP1-030-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967543	No
EL16KP1-030-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	29600	15.2	13	25200	16300	13200	7.5	1.94	216967560	No
EL16KP1-030-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	216975149	No
EL16KP1-030-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	216975165	No
EL16KP1-030-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967573	No
EL16KP1-030-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967590	No
EL16KP1-030-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217230654	No
EL16KP1-030-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	29200	15.2	13	25200	16200	13100	7.8	1.96	217230661	No
EL16KP1-030-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	216975181	No
EL16KP1-030-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.96	216975197	No
EL16KP1-030-230A**	LD19/36Y*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216977906	No
EL16KP1-030-230A**	LD19/36Y*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216978008	No
EL16KP1-030-230A**	LD19/36Y*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216978012	No
EL16KP1-030-230A**	LD19/36Y*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	1.96	216977910	No
EL16KP1-030-230A**	LD19/36Y*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216977914	No
EL16KP1-030-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216978016	No
EL16KP1-030-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216978020	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	217230623	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216977905	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216978007	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216978011	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217186495	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186501	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186507	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	1.96	217183591	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217183597	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217183603	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	1.92	217186513	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	1.92	217186519	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	1.94	217186525	No
EL16KP1-030-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217186531	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217183638	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217183649	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217183655	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217183666	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	1.94	217183672	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217183678	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	1.94	217183684	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	1.96	217183690	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	1.96	217183696	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	1.98	217183702	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217186552	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186558	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	1.94	217186564	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186570	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	1.94	217186584	No
EL16KP1-030-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217186590	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	1.96	216977909	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	1.98	217230638	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217230640	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217230643	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216977913	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217183730	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217183736	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216978015	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216978019	No
EL16KP1-030-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	1.98	217186601	No
EL16KP1-030-230A**	LD24/35Y*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216977908	No
EL16KP1-030-230A**	LD24/35Y*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	1.96	216978010	No
EL16KP1-030-230A**	LD24/35Y*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216978014	No
EL16KP1-030-230A**	LD24/35Y*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	1.98	216977912	No
EL16KP1-030-230A**	LD24/35Y*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	216977916	No
EL16KP1-030-230A**	LD24/35Y*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	216978018	No
EL16KP1-030-230A**	LD24/35Y*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216978022	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216977907	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	1.96	216978009	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216978013	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	1.94	217183571	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	1.94	217230635	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	1.94	217186496	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	217186502	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	1.96	217186508	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217183573	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	1.98	217183592	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.96	217183598	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH090XE48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.96	217183604	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	1.96	217183610	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217186514	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	29000	15.2	12	25200	16300	13200	7.8	1.94	217186520	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	29200	15.2	12	25400	16400	13300	7.8	1.96	217186526	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217186532	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217186538	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217186542	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	1.94	217186546	No
EL16KP1-030-230A**	LD24/35Z*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	1.96	217186549	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	1.96	217183639	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.98	217183650	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.98	217183656	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	1.96	217183667	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	1.98	217183673	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217183679	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	1.98	217183685	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.8	1.96	217183691	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.5	1.94	217183697	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13300	7.8	1.96	217183703	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217183709	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	1.94	217183713	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217183717	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	1.94	217186553	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	217186559	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217186565	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12.5	25400	16200	13100	7.5	1.96	217186571	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217186577	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	1.96	217186581	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	29000	15.2	12.5	25000	16100	13100	7.8	1.96	217186585	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217186591	No
EL16KP1-030-230A**	LD24/35Z*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	1.94	217186597	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	1.98	216977911	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	216977915	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217183731	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217183737	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	216978017	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216978021	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	1.92	217186600	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.96	217186602	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	1.94	217186608	No
EL16KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	1.94	217186611	No
EL16KP1-030-230A**	LEM36*43E+TXV	- - -	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215876611	No
EL16KP1-030-230A**	LEM36*43G+TXV	- - -	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215876610	No
EL16KP1-030-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	1.8	216967536	No
EL16KP1-030-230A**	LH18/36D*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	1.88	216967549	No
EL16KP1-030-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975138	No
EL16KP1-030-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	1.9	216975154	No
EL16KP1-030-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967566	No
EL16KP1-030-230A**	LH18/36D*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	1.88	216967579	No
EL16KP1-030-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975170	No
EL16KP1-030-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	1.88	216975186	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	1.8	216967535	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	1.88	216967548	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975137	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	1.9	216975153	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	1.82	217183576	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	1.8	217183581	No
EL16KP1-030-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	1.8	217183586	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	1.82	217183613	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217183618	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	1.82	217183623	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217183628	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	1.8	217183633	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217183644	No
EL16KP1-030-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217183661	No
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967565	No
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217183720	No
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12	25600	16400	13300	7.5	1.8	217183725	No
EL16KP1-030-230A**	LH18/36R*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	1.88	216967578	No
EL16KP1-030-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975169	No
EL16KP1-030-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	1.88	216975185	No
EL16KP1-030-230A**	LH18/36R*+TXV+LEFE3A*	- - -	R-454B	27800	15.1	11.5	24800	17000	14000	7.5	1.92	216624023	No
EL16KP1-030-230A**	LH18/37D*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967534	No
EL16KP1-030-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967546	No
EL16KP1-030-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967576	No
EL16KP1-030-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967532	No
EL16KP1-030-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967544	No
EL16KP1-030-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.98	217183579	No
EL16KP1-030-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183584	No
EL16KP1-030-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183589	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217183616	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217183621	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217183626	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217183631	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183636	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217183647	No
EL16KP1-030-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	1.96	217183664	No
EL16KP1-030-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967574	No
EL16KP1-030-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217183723	No
EL16KP1-030-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217183728	No
EL16KP1-030-230A**	LH24/37F*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216967562	No
EL16KP1-030-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216975151	No
EL16KP1-030-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216975167	No
EL16KP1-030-230A**	LH24/37F*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216967592	No
EL16KP1-030-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216975183	No
EL16KP1-030-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216975199	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216967561	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216975150	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216975166	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	1.96	217186500	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186506	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186512	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	1.96	217183596	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217183602	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217183608	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	1.92	217186518	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	1.92	217186524	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	1.94	217186530	No
EL16KP1-030-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.98	217186536	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217183643	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217183654	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217183660	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217183671	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH090E48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	1.94	217183677	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217183683	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML180UH090XE48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	1.94	217183689	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	28400	15	12.5	25000	15900	12900	7.5	1.96	217183695	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	28200	15	12.5	24800	15800	12800	7.5	1.96	217183701	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	28800	15	12.5	25400	16100	13100	7.5	1.98	217183707	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	1.96	217186557	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186563	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	1.94	217186569	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186575	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	1.94	217186589	No
EL16KP1-030-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217186595	No
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216967591	No
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217183735	No
EL16KP1-030-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217183741	No
EL16KP1-030-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216975182	No
EL16KP1-030-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216975198	No
EL16KP1-030-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	28600	15	12.5	25200	16000	13000	7.5	1.98	217186606	No
EL16KP1-030-230A**	LH29/36F*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967553	No
EL16KP1-030-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975142	No
EL16KP1-030-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975158	No
EL16KP1-030-230A**	LH29/36F*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967583	No
EL16KP1-030-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975174	No
EL16KP1-030-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975190	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967552	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975141	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975157	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186498	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186504	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186510	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	1.96	217183594	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217183600	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217183606	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	1.92	217186516	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	1.92	217186522	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	1.94	217186528	No
EL16KP1-030-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217186534	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217183641	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217183652	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217183658	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217183669	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217183675	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217183681	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217183687	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	1.96	217183693	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	1.96	217183699	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	1.98	217183705	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186555	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186561	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	1.94	217186567	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186573	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	1.94	217186587	No
EL16KP1-030-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217186593	No
EL16KP1-030-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967582	No
EL16KP1-030-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217183733	No
EL16KP1-030-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217183739	No
EL16KP1-030-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975173	No
EL16KP1-030-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975189	No
EL16KP1-030-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	1.98	217186604	No
EL16KP1-030-230A**	LH35/36W*+TXV	EL180UH080NE48B	R-454B	28200	14.5	12	25200	16400	13300	7.55	1.88	217230625	No
EL16KP1-030-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	217230628	No
EL16KP1-030-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	1.9	217230631	No
EL16KP1-030-230A**	LH35/36W*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	1.88	217230646	No
EL16KP1-030-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	28200	15	12	25000	16200	13100	7.55	1.9	217230649	No
EL16KP1-030-230A**	LH35/36W*+TXV	SL280UH090V48B	R-454B	28200	15	12	25000	16200	13100	7.55	1.9	217230656	No
EL16KP1-030-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	217230626	No
EL16KP1-030-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217230629	No
EL16KP1-030-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217230632	No
EL16KP1-030-230A**	LH35/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	217230647	No
EL16KP1-030-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217230650	No
EL16KP1-030-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217230657	No
EL16KP1-030-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	29200	14.5	12.5	25800	16400	13400	7.8	1.94	217230634	No
EL16KP1-030-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	29600	14.5	13	25800	16400	13400	8	1.94	217230637	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967533	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967545	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217613876	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217613878	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217613883	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613888	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613893	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.98	217183580	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183585	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183590	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	1.98	217609116	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217613898	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.96	217613903	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.96	217613908	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613913	No
EL16KP1-030-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217613915	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217183617	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217183622	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217183627	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217183632	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183637	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609166	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217183648	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217609184	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	1.96	217183665	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609201	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217609211	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609220	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217609231	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217609235	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217613919	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613924	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217613929	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217613931	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217613935	No
EL16KP1-030-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613940	No
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967575	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217183724	No
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217183729	No
EL16KP1-030-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217609270	No
EL16KP1-030-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613942	No
EL16KP1-030-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	217613944	No
EL16KP1-030-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613949	No
EL16KP1-030-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	1.94	217613951	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	217609077	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216967556	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216975145	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216975161	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217613881	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217613886	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217613891	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.94	217183574	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	1.82	217609090	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217609098	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217609105	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	1.96	217609113	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.95	1.94	217183611	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	1.92	217613896	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	1.92	217613901	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	1.94	217613906	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217613911	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.94	217186539	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	28600	14.5	12	25600	16300	13300	7.75	1.92	217186543	No
EL16KP1-030-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	1.94	217186550	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	1.98	217609124	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217609132	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	1.98	217609139	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217609147	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	28600	15	12.5	24800	15800	12800	7.5	1.96	217609155	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217609163	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	28800	15	12.5	25200	15900	12900	7.5	1.96	217609172	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217609180	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217609189	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217609197	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	1.96	217609207	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	1.96	217609216	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	1.98	217609226	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	28600	14.5	12	25400	16200	13200	7.95	1.92	217183710	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	1.92	217183714	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.94	217183718	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217613917	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217613922	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	1.94	217613927	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	1.92	217186578	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	1.94	217186582	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	1.94	217613933	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217613938	No
EL16KP1-030-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	28600	14.5	12	25400	16200	13200	7.75	1.92	217186598	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	1.98	217609246	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217609254	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217609262	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216967586	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217230651	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217230658	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216975177	No
EL16KP1-030-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216975193	No
EL16KP1-030-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	1.98	217613947	No
EL16KP1-030-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	1.92	217186612	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	217609071	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	217609079	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216967557	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	216975146	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216975162	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	1.94	216967564	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	1.94	217230636	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217613882	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613887	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613892	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217183575	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.98	217609092	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609099	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609107	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	1.98	217609115	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	1.96	217183612	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217613897	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.96	217613902	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.96	217613907	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613912	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217186540	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217186544	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	1.94	217186547	No
EL16KP1-030-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	1.96	217186551	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217609126	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217609134	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217609141	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217609149	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609157	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609164	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609174	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217609182	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	1.96	217609192	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609199	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217609209	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609218	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217609228	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217183711	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	1.94	217183715	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217183719	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217613918	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217613923	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217613928	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217186579	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	1.96	217186583	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217613934	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613939	No
EL16KP1-030-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	1.94	217186599	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609248	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609256	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217609264	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967587	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217230652	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217230659	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	216975178	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216975194	No
EL16KP1-030-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	1.92	216975201	No
EL16KP1-030-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217613948	No
EL16KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	1.94	217186609	No
EL16KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	1.94	217186613	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217609069	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217609075	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	1.94	216967547	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	216975136	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	1.96	216975152	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-030-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	29200	14.5	13	25800	16400	13400	7.8	1.94	216967563	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	1.94	217613880	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	217613885	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	217613890	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	1.96	217183572	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	29600	16	13.5	24800	16000	13000	7.5	1.98	217609088	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	1.96	217609096	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	1.96	217609103	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	1.98	217609111	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	29600	15	13	25600	16300	13300	8	1.96	217183609	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	13.5	25000	16100	13000	7.8	1.94	217613895	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	29000	15.2	13	25200	16300	13200	7.8	1.94	217613900	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.96	217613905	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217613910	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	1.96	217186537	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	29000	15	13	25600	16300	13300	7.8	1.94	217186541	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	29200	14.5	13	25600	16400	13300	7.8	1.94	217186545	No
EL16KP1-030-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	29200	15	13.5	25400	16200	13200	8	1.96	217186548	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13.5	25000	16100	13200	7.5	1.98	217609122	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	1.96	217609130	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13.5	25000	16200	13200	7.5	1.98	217609137	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	1.96	217609145	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	1.96	217609153	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	1.96	217609161	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217609170	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	1.98	217609178	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	29600	16	13.5	24800	15900	12900	7.5	1.96	217609188	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	1.96	217609195	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13.5	24800	16100	13000	7.5	1.96	217609205	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	1.96	217609215	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13.5	25200	16200	13200	7.5	1.96	217609224	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	29000	15	13	25400	16200	13200	8	1.94	217183708	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	29200	15	13	25600	16200	13200	8	1.94	217183712	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	29400	15	13	25600	16300	13300	8	1.96	217183716	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	1.94	217613916	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	217613921	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	13	25400	16300	13200	7.8	1.96	217613926	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	29200	15	13	25600	16300	13200	7.8	1.94	217186576	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	29200	15	13	25600	16300	13300	8	1.96	217186580	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	29000	15.2	13.5	25000	16100	13100	7.8	1.96	217613932	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	29200	15.2	13.5	25200	16200	13100	7.8	1.96	217613937	No
EL16KP1-030-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	29000	15	13	25400	16200	13200	7.8	1.94	217186596	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217609244	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217609252	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.94	217609260	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.94	216967577	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	1.98	217609268	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	216975168	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	29200	15.2	13	25200	16300	13200	7.8	1.94	216975184	No
EL16KP1-030-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	29000	14.5	12.5	25600	16400	13400	7.8	1.92	216975200	No
EL16KP1-030-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217613946	No
EL16KP1-030-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	29000	14.5	13	25600	16300	13300	7.8	1.94	217186607	No
EL16KP1-030-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	29400	15	13	25600	16300	13300	7.8	1.94	217186610	No
EL16KP1-030-230A**	LS*31*9BB+TXV+TD	---	R-454B	28800	14.5	12	25200	17100	14000	7.9	2.02	217155445	No
EL16KP1-030-230A**	LW30*M7+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	2	217290736	No
EL16KP1-030-230A**	LW36*M6+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	2.02	216768186	No
EL16KP1-030-230A**	SL1*31+TXV	---	R-454B	26000	14.5	12	25400	15800	12800	7.55	1.86	216439074	No
EL16KP1-030-230A**	SL5*31+TXV	---	R-454B	26400	15	12	25400	15800	12800	7.6	1.88	216439076	No
EL16KP1-030-230A**	SL6*30+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	2.02	216439067	No
EL16KP1-030-230A**	SM7*30+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	2	216767396	No
EL16KP1-036-230A**	L*19/36S*+TXV+LEFE3A*	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	216624197	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL180UH080NE48B	R-454B	36000	15.2	12.5	33600	19600	16500	7.5	1.94	216967738	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	216967742	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	L*23/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.86	216975436	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	32800	19200	16200	7.5	1.96	216975439	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	1.98	216975443	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL196UH030XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.82	217186962	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL196UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.84	217186963	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL280UH090E36B	R-454B	36000	15.2	13.5	32600	19400	16300	7.5	1.9	217184215	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL280UH090E48B	R-454B	36000	15.2	13.5	32400	19200	16200	7.5	1.9	217184216	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL280UH090XE48B	R-454B	36000	16	13.5	32000	18900	15800	7.5	1.88	217184217	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL297UH045XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.84	217186982	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL297UH045XV36B	R-454B	36000	14.5	13	32600	19400	16300	7.5	1.84	217186983	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL297UH070XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.84	217186984	No
EL16KP1-036-230A**	L*23/37Z*+TXV	EL297UH070XV36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	1.96	217186985	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH070E36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	1.86	217184224	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	1.88	217184225	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH070V48B	R-454B	36000	16	13.5	32400	19200	16100	7.5	1.9	217184226	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	1.86	217184227	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH090E48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	1.88	217184228	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH090V48B	R-454B	36000	15.2	13.5	32400	19200	16100	7.5	1.86	217184231	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML180UH090XE48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	1.88	217184232	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML193UH030XE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.84	217184239	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML193UH045XE36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.84	217184240	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML193UH070XE36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	1.94	217184241	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML196UH030XE36B	R-454B	36000	15.2	12.5	33200	19200	16200	7.5	1.92	217187000	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML196UH070XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.86	217187001	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML196UH070XE48B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.84	217187002	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML296UH045XV36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.86	217187011	No
EL16KP1-036-230A**	L*23/37Z*+TXV	ML296UH070XV36B	R-454B	36000	15.2	13	33400	19400	16400	7.5	1.96	217187012	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15.2	13	33400	19600	16400	7.5	1.96	216967753	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	1.98	216967757	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V36B	R-454B	36000	15.2	13.5	32200	19200	16100	7.5	1.88	217184250	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	1.86	217184251	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V60C	R-454B	36000	16	13.5	32800	18700	15700	7.5	1.9	217230791	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH090XV60C	R-454B	36000	16	13.5	32800	18700	15700	7.5	1.9	217230793	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	216967761	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH040NV36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.86	216975449	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH060NV36B	R-454B	36000	15.2	13	32400	19400	16300	7.5	1.86	216975455	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV48C	R-454B	36000	15.2	13	32600	18800	15800	7.5	1.9	216975458	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	1.94	216975461	No
EL16KP1-036-230A**	L*23/37Z*+TXV	SLP99UH070XV36B	R-454B	36000	15.2	13	33400	19600	16400	7.8	1.96	217187017	No
EL16KP1-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217230766	No
EL16KP1-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	35600	15	12.5	33600	19600	16500	7.5	1.94	217230768	No
EL16KP1-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230771	No
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	217230774	No
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217230776	No
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217230778	No
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230780	No
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	35600	15.2	13	33400	19400	16300	7.8	1.98	217230785	No
EL16KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217230789	No
EL16KP1-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	35800	15	12.5	33600	19600	16500	7.5	1.94	217230767	No
EL16KP1-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230770	No
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230779	No
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V36B	R-454B	35800	15.2	13	33400	19400	16300	7.8	1.98	217230784	No
EL16KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217230788	No
EL16KP1-036-230A**	L*30/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967733	No
EL16KP1-036-230A**	L*30/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975433	No
EL16KP1-036-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.86	216967744	No
EL16KP1-036-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967750	No
EL16KP1-036-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975446	No
EL16KP1-036-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	1.86	216975452	No
EL16KP1-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967732	No
EL16KP1-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975432	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.86	216967743	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	1.84	217230775	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	1.84	217230777	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967749	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.88	217230782	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	12.5	32200	19200	16000	7.5	1.86	217230786	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975445	No
EL16KP1-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	1.86	216975451	No
EL16KP1-036-230A**	L*35/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967735	No
EL16KP1-036-230A**	L*35/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975435	No
EL16KP1-036-230A**	L*35/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	216967746	No
EL16KP1-036-230A**	L*35/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967752	No
EL16KP1-036-230A**	L*35/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975448	No
EL16KP1-036-230A**	L*35/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	1.86	216975454	No
EL16KP1-036-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967734	No
EL16KP1-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975434	No
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	216967745	No
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967751	No
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.88	217230783	No
EL16KP1-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217230787	No
EL16KP1-036-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975447	No
EL16KP1-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	1.86	216975453	No
EL16KP1-036-230A**	LEM36*43E+TXV	- - -	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	215876613	No
EL16KP1-036-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967736	No
EL16KP1-036-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.86	216967747	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	216967741	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	32800	19200	16200	7.5	1.96	216975438	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	1.98	216975442	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13.5	32800	19000	16100	7.5	1.96	217186965	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.8	1.96	217186967	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL280UH110E48C	R-454B	36000	16	13.5	32600	19000	16000	7.8	1.98	217184219	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL280UH110E60C	R-454B	36000	16	14	32800	19000	16100	7.8	1.98	217184221	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL280UH110XE60C	R-454B	36000	16	14	32800	19000	16100	7.8	1.98	217184223	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	1.98	217186969	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13.5	33200	19200	16300	7.5	1.98	217186971	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	1.98	217186973	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	1.98	217186975	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217186977	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	1.98	217186979	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	2	217186981	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217186987	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV36C	R-454B	36000	15.2	13.5	33000	19400	16300	7.8	1.96	217186989	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	1.98	217186991	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	1.98	217186993	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32600	19000	16000	7.5	1.96	217186995	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	1.98	217186997	No
EL16KP1-036-230A**	LH23/37W*+TXV	EL297UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217186999	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML180UH090E60C	R-454B	36000	16	14	33000	19200	16200	7.8	2	217184230	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML180UH110E60C	R-454B	36000	15.2	14	33200	19200	16200	7.8	2	217184234	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML180UH110V60C	R-454B	36000	15.2	14	33200	19200	16100	7.8	2	217184236	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	1.98	217184238	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	1.96	217184243	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16300	7.8	2	217184245	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13.5	33400	19400	16200	7.8	1.98	217184247	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217184249	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	1.96	217187004	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	2	217187006	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217187008	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	1.98	217187010	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13.5	33200	19400	16100	7.8	1.98	217187014	No
EL16KP1-036-230A**	LH23/37W*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13.5	32800	19000	16100	7.8	1.96	217187016	No
EL16KP1-036-230A**	LH23/37W*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	2	216967756	No
EL16KP1-036-230A**	LH23/37W*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	2	217184253	No
EL16KP1-036-230A**	LH23/37W*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	2	217184255	No
EL16KP1-036-230A**	LH23/37W*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	2	216967760	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	36000	15	13	33200	19400	16400	7.5	1.92	216975457	No
EL16KP1-036-230A**	LH23/37W*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	1.98	216975460	No
EL16KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13.5	33000	19200	16300	7.5	1.96	217187019	No
EL16KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13.5	33400	19400	16400	7.5	1.98	217187021	No
EL16KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.8	1.98	217187023	No
EL16KP1-036-230A**	LH23/37W*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13.5	33000	19200	16300	7.8	1.96	217187025	No
EL16KP1-036-230A**	LH23/37W*+TXV+LEFE4B*	- - -	R-454B	35400	15.1	13.4	34000	19400	16200	7.9	2.04	216624206	No
EL16KP1-036-230A**	LH29/36F*+TXV	EL180UH100NE60C	R-454B	35000	14.5	12.5	33000	19400	16400	7.6	1.94	216967740	No
EL16KP1-036-230A**	LH29/36F*+TXV	EL195UH100NE60C	R-454B	35000	14.5	12.5	33200	19600	16400	7.6	1.94	216975441	No
EL16KP1-036-230A**	LH29/36F*+TXV	SL280UH080NV60C	R-454B	35000	15.2	12.5	32800	19200	16200	7.6	1.94	216967755	No
EL16KP1-036-230A**	LH29/36F*+TXV	SL280UH100NV60C	R-454B	35000	15.2	12.5	33000	19400	16400	7.6	1.94	216967759	No
EL16KP1-036-230A**	LH35/38X*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	1.98	217230769	No
EL16KP1-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	33400	19400	16500	7.5	1.98	217230772	No
EL16KP1-036-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	1.98	217230773	No
EL16KP1-036-230A**	LH35/38X*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	1.98	217230781	No
EL16KP1-036-230A**	LH35/38X*+TXV	SL280UH090V60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	1.98	217230790	No
EL16KP1-036-230A**	LH35/38X*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	1.98	217230792	No
EL16KP1-036-230A**	LH35/38X*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	1.98	217230794	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217609765	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	35400	15	12.5	33600	19600	16500	7.5	1.94	216967737	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	1.98	216967739	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	216975431	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	33400	19400	16500	7.5	1.98	216975437	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	1.98	216975440	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	1.82	217614134	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217614135	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13	32800	19000	16100	7.5	1.98	217186964	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13	32800	19000	16000	7.8	1.96	217186966	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	36000	14.5	13	32400	19400	16200	7.5	1.86	217609768	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	36000	15	13	32400	19400	16200	7.5	1.84	217609770	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	36000	15	13	32400	19400	16200	7.5	1.84	217609772	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.9	217609774	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.9	217609776	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	36000	15.2	13.5	32000	18900	15800	7.5	1.88	217609778	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	36000	16	13	32600	19000	16000	7.8	1.98	217184218	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH110E60C	R-454B	36000	16	13.5	32800	19000	16100	7.8	1.98	217184220	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL280UH110XE60C	R-454B	36000	16	13.5	32800	19000	16100	7.8	1.98	217184222	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13	33000	19200	16100	7.5	1.98	217186968	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13	33200	19200	16300	7.5	1.98	217186970	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	1.98	217186972	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	1.98	217186974	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217186976	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	1.98	217186978	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	217186980	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	1.84	217614136	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.84	217614137	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	1.84	217614138	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	1.96	217614139	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13	33400	19400	16200	7.8	1.98	217186986	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	36000	15.2	13	33000	19400	16300	7.8	1.96	217186988	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	1.98	217186990	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	1.98	217186992	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217186994	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	1.98	217186996	No
EL16KP1-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	217186998	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	36000	15	13	32200	19200	16100	7.5	1.86	217609781	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	36000	15.2	13	32000	19000	15900	7.5	1.86	217609783	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217609785	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	36000	15.2	13	32000	19000	15900	7.5	1.86	217609787	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217609789	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217609791	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	1.86	217609793	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	1.88	217609795	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.9	217609797	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	36000	15	13	32200	19000	16000	7.5	1.86	217609799	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217609801	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.88	217609803	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	36000	16	13.5	33000	19200	16200	7.8	2	217184229	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	35400	15.2	12.5	33400	19400	16400	7.8	1.96	217609805	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.88	217609807	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	2	217184233	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	36000	15.2	13.5	33200	19200	16100	7.8	2	217184235	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	1.98	217184237	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	36000	15	12.5	32400	19200	16200	7.5	1.84	217609809	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	1.94	217609811	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217609813	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13	33000	19200	16100	7.5	1.96	217184242	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13	33200	19400	16300	7.8	2	217184244	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13	33400	19400	16200	7.8	1.98	217184246	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217184248	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	35600	15	12.5	33200	19200	16200	7.5	1.92	217614140	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	1.96	217614141	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.84	217614142	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13	33000	19200	16200	7.5	1.96	217187003	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	217187005	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217187007	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13	33000	19200	16100	7.5	1.98	217187009	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217614143	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	36000	15	13	32400	19200	16100	7.5	1.86	217614144	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13	33200	19400	16100	7.8	1.98	217187013	No
EL16KP1-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13	32800	19000	16100	7.8	1.96	217187015	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	217609816	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217609818	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217609821	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	216967748	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	2	216967754	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.88	217609823	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217609825	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	1.9	217184252	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	1.9	217184254	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	216967758	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	35200	15	12.5	33600	19600	16500	7.5	1.96	216975444	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	1.96	216975450	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	36000	14.5	12.5	32600	18800	15800	7.5	1.9	216975456	No
EL16KP1-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13	33400	19600	16500	7.5	1.98	216975459	No
EL16KP1-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	35200	15	12.5	33400	19600	16400	7.8	1.96	217614145	No
EL16KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13	33200	19200	16300	7.5	1.98	217187018	No
EL16KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13	33400	19400	16400	7.5	1.98	217187020	No
EL16KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13	33400	19600	16500	7.8	1.98	217187022	No
EL16KP1-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13	33200	19200	16300	7.8	1.98	217187024	No
EL16KP1-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	34200	14.5	12	33800	19400	16200	7.75	1.98	217157885	No
EL16KP1-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	217157883	No
EL16KP1-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	2	217159378	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	217609827	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	217614146	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	2.04	217614147	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.02	217614148	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217614149	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217609836	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217609838	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217609840	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217614152	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.08	217614154	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217614155	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217614156	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217614157	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217614158	No
EL16KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217614159	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217609851	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217609857	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217609859	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217609861	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217609865	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217609867	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217609869	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217609871	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.75	2.02	217614162	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217614163	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217614164	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217614165	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217614168	No
EL16KP1-042-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217614169	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	217609875	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217609879	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217609881	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217609883	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217609885	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217609887	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217614172	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217614173	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.75	2.02	217614176	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217614177	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.75	2.02	217614178	No
EL16KP1-042-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217614179	No
EL16KP1-042-230A**	L*42/49K*+TXV	SL280UH080NV48B	R-454B	40500	14.3	12	37800	23800	18800	7.5	1.8	216967770	No
EL16KP1-042-230A**	L*42/60S*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	2.04	216975464	No
EL16KP1-042-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.75	2.1	216975472	No
EL16KP1-042-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.75	2.1	216967775	No
EL16KP1-042-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	41500	15	12.5	38000	24000	20200	7.75	2.1	216967783	No
EL16KP1-042-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	41500	15	12.5	37800	24000	20200	7.75	2.1	216975480	No
EL16KP1-042-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.75	2.1	216975488	No
EL16KP1-042-230A**	L*42/60V*+TXV	EL180UH080NE48B	R-454B	41000	14.5	12.5	37800	24000	19400	7.5	2	216967762	No
EL16KP1-042-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	1.84	216967766	No
EL16KP1-042-230A**	L*42/60V*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	216975466	No
EL16KP1-042-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	2.02	216975474	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	41000	15.2	12.5	37400	23400	19000	7.5	2.02	216967771	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216967777	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	2.02	217230806	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230811	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230815	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967785	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230821	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230825	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975482	No
EL16KP1-042-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	2.1	216975490	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	216967767	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	216975467	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	2.02	216975475	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	2	217187028	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217187033	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184258	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184263	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184268	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217187038	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217187043	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	2.02	217187048	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187053	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187058	No
EL16KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187063	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217184273	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217184278	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184283	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217184288	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	2.04	217184293	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217184298	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217184303	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	2.04	217187068	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187073	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217187078	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187083	No
EL16KP1-042-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187088	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	216967778	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184308	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184313	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967786	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184318	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184323	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975483	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	216975491	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217187093	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.7	2	217187098	No
EL16KP1-042-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217187103	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	1.84	216977955	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	216978061	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	2.02	216978062	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19300	7.75	2	217187026	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217187031	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184256	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	2.04	217184261	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	2.04	217184266	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217187036	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217187041	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	42000	15	12.5	37800	24400	19600	7.75	2.02	217187046	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187051	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187056	No
EL16KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187061	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	42000	15.2	13	37400	24200	19300	7.95	2.06	217184271	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	2.1	217184276	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	42000	15.2	13	37400	24000	19100	7.95	2.06	217184281	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	2.1	217184286	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	2.04	217184291	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13	37800	23600	19800	7.8	2.1	217184296	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217184301	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	2.04	217187066	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187071	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217187076	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187081	No
EL16KP1-042-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187086	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.96	216977956	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216977957	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184306	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184311	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216977958	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184316	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184321	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216978063	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	216978064	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217187091	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	41500	15	12.5	37800	24400	19400	7.75	2	217187096	No
EL16KP1-042-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217187101	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	1.84	216967764	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL195UH080NE48C	R-454B	41000	15	12.5	37800	24000	20200	7.5	2.04	216975463	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.04	216975471	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.02	217187027	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	2.06	217187032	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184257	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184262	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184267	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217187037	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217187042	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217187047	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187052	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187057	No
EL16KP1-042-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187062	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217184272	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	2.06	217184277	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184282	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	2.06	217184287	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217184292	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	41500	15.2	13	37400	24000	18900	7.8	2.06	217184297	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	2.06	217184302	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217187067	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	2.04	217187072	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217187077	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187082	No
EL16KP1-042-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217187087	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	2.06	216967774	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	2.04	217184307	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	2.04	217184312	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967782	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184317	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184322	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975479	No
EL16KP1-042-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	216975487	No
EL16KP1-042-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217187092	No
EL16KP1-042-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	2.02	217187097	No
EL16KP1-042-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217187102	No
EL16KP1-042-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	1.84	217230797	No
EL16KP1-042-230A**	LH41/61R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	217230799	No
EL16KP1-042-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	2.02	217230801	No
EL16KP1-042-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	217230804	No
EL16KP1-042-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230809	No
EL16KP1-042-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230813	No
EL16KP1-042-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217230817	No
EL16KP1-042-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230819	No
EL16KP1-042-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230823	No
EL16KP1-042-230A**	LH42/49F*+TXV+LEFE4B*	- - -	R-454B	40000	15	12	38500	24200	19600	7.9	2.06	216624211	No
EL16KP1-042-230A**	LH42/60D*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	2.04	216975462	No
EL16KP1-042-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.8	2.1	216975470	No
EL16KP1-042-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216967773	No
EL16KP1-042-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	40500	15.2	12	37800	24200	19200	7.55	1.98	216967781	No
EL16KP1-042-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	40500	15.2	12	37400	24200	19200	7.55	1.98	216975478	No
EL16KP1-042-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.8	2.1	216975486	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	216967768	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	216975468	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.04	216975476	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.02	217187029	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217187034	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184259	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184264	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184269	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	217187039	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217187044	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217187049	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	2.08	217187054	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187059	No
EL16KP1-042-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187064	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184274	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184279	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184284	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184289	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	2.06	217184294	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217184299	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217184304	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217187069	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217187074	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217187079	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217187084	No
EL16KP1-042-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217187089	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	216967779	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184309	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184314	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	216967787	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184319	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184324	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	216975484	No
EL16KP1-042-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	216975492	No
EL16KP1-042-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217187094	No
EL16KP1-042-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	2.02	217187099	No
EL16KP1-042-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217187104	No
EL16KP1-042-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	1.84	217230796	No
EL16KP1-042-230A**	LH48/60X*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	217230798	No
EL16KP1-042-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	2.02	217230800	No
EL16KP1-042-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	217230803	No
EL16KP1-042-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230808	No
EL16KP1-042-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230812	No
EL16KP1-042-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217230816	No
EL16KP1-042-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230818	No
EL16KP1-042-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230822	No
EL16KP1-042-230A**	LP40/60R*+TXV	EL180UH080NE48C	R-454B	41000	15	12.5	37800	24000	19400	7.5	2	217230795	No
EL16KP1-042-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	1.84	216967765	No
EL16KP1-042-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	216975465	No
EL16KP1-042-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	2.02	216975473	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH080NV48B	R-454B	41000	15.2	12.5	37400	23400	19000	7.5	2.02	217230802	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216967776	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	2.02	217230805	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230810	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230814	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967784	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230820	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230824	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975481	No
EL16KP1-042-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	2.1	216975489	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL180UH080NE48B	R-454B	42000	15.2	12.5	37800	24000	19400	7.5	2	216967763	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	216967769	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	216975469	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.04	216975477	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.02	217187030	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217187035	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	2.04	217609830	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217609832	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217609834	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184260	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184265	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184270	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH045XV36B	R-454B	41500	15.2	12.5	37400	23600	19200	7.5	2	217614150	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217614151	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	217187040	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.08	217614153	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217187045	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217187050	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	2.08	217187055	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187060	No
EL16KP1-042-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217187065	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217609845	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	2.04	217609847	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217609849	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184275	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	2.02	217609853	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217609855	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184280	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184285	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184290	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217609863	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	2.06	217184295	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217184300	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217184305	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML196UH070XE48B	R-454B	42000	14.5	12.5	38000	24200	19600	7.5	1.98	217614160	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.8	2.04	217614161	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217187070	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217187075	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217187080	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217614166	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	2.02	217614167	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217187085	No
EL16KP1-042-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217187090	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	2.02	216967772	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	216967780	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.04	217609877	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217230807	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184310	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184315	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	216967788	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184320	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184325	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	2	217614170	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL297UH060NV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217614171	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	216975485	No
EL16KP1-042-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	216975493	No
EL16KP1-042-230A**	LP42/62W*+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217614174	No
EL16KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.8	2.04	217614175	No
EL16KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217187095	No
EL16KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	2.02	217187100	No
EL16KP1-042-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217187105	No
EL16KP1-042-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217157891	No
EL16KP1-042-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217157889	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217609892	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.1	217614180	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217609894	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609896	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	2.12	217609902	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	2.12	217609904	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	2.12	217609906	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	2.1	217614181	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	48000	15	12.5	44000	28600	23600	7.65	2.08	217614183	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217609909	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.08	217609911	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609913	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217609915	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217609917	No
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12.5	44500	27800	22600	7.5	1.94	217614184	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.96	217614185	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	217609923	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	2.1	217609927	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	2.14	217609929	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	2.1	217609931	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	1.94	217609933	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217609935	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217609937	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217609939	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217614186	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	2.08	217609941	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609943	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.94	217614187	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609946	No
EL16KP1-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217609948	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	217609950	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609952	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609954	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217609956	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217609958	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217609960	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.96	217609962	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	217609964	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609966	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.75	2.06	217609970	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217609972	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217609974	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217609976	No
EL16KP1-048-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22800	7.5	1.96	217614188	No
EL16KP1-048-230A**	L*42/60S*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	2	216967791	No
EL16KP1-048-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.5	2.02	216967800	No
EL16KP1-048-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	2.04	216967809	No
EL16KP1-048-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	2.02	216967818	No
EL16KP1-048-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.5	2.02	216967827	No
EL16KP1-048-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	2.02	216967836	No
EL16KP1-048-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	47000	14.3	12	45000	29400	24000	7.8	2.04	216967793	No
EL16KP1-048-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	47500	14.5	12	44500	29200	24000	7.7	2.08	216967802	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.9	216967811	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	217230835	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	217230839	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	216967820	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230845	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	44000	28800	23800	7.7	2.1	217230849	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	216967829	No
EL16KP1-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	216967838	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	2.06	216967794	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.1	216967803	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	2.1	217184328	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184333	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.85	2.1	217184338	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	2.1	217184343	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	2.1	217184348	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.8	2.1	217187108	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184353	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	217184358	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184363	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184368	No
EL16KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	2.06	217184373	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	2.1	217184378	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	2.08	217184383	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.12	217184388	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	2.08	217184393	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	2.1	217184399	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44000	28800	23600	7.75	2.1	217184404	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	2.08	217184409	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	2.1	217187115	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.85	2.06	217184414	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184419	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184424	No
EL16KP1-048-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217184429	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	2.1	216967812	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184434	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184439	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	2.08	216967821	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	2.08	217184444	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217184449	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.1	216967830	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	216967839	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184455	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184460	No
EL16KP1-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184465	No
EL16KP1-048-230A**	L*43/61Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	216967795	No
EL16KP1-048-230A**	L*43/61Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.06	216967804	No
EL16KP1-048-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	216967813	No
EL16KP1-048-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.08	216967822	No
EL16KP1-048-230A**	L*43/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967831	No
EL16KP1-048-230A**	L*43/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	216967840	No
EL16KP1-048-230A**	LD42/61Y*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.88	216977960	No
EL16KP1-048-230A**	LD42/61Y*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	216977962	No
EL16KP1-048-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	2.1	216977964	No
EL16KP1-048-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	216977966	No
EL16KP1-048-230A**	LD42/61Y*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977968	No
EL16KP1-048-230A**	LD42/61Y*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977970	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.88	216977959	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	216977961	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	2.1	217184326	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	2.1	217184331	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL280UH110XE48C	R-454B	48000	15	13	44000	28800	23600	7.75	2.12	217184336	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	47500	15	12.5	45000	29200	23800	7.9	2.1	217184341	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	47500	15	12.5	45000	29200	23800	7.9	2.1	217184346	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	47500	15	12.5	44000	28800	23800	7.85	2.1	217187106	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184351	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184356	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	2.1	217184361	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.88	217184366	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.88	217184371	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12	44500	27800	22600	7.5	1.94	217187111	No
EL16KP1-048-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.96	217187112	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	47500	15	12.5	45000	29200	23800	7.85	2.1	217184376	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	2.08	217184381	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.9	2.12	217184386	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	2.08	217184391	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	1.94	217184396	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	2.1	217184397	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	47500	15	12.5	44500	28800	23400	7.85	2.08	217184402	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	217184407	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	2.1	217187113	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	47500	14.5	12.5	45000	29000	23600	7.85	2.06	217184412	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	2.08	217184417	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.94	217187118	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	217184422	No
EL16KP1-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.1	217184427	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	2.1	216977963	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	2.08	217184432	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	2.08	217184437	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	216977965	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	217184442	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	2.08	217184447	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.96	217184452	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977967	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977969	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184453	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184458	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	217184463	No
EL16KP1-048-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12	45000	28400	22800	7.5	1.96	217187119	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	216967790	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.1	216967799	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	2.12	217184327	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184332	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44000	28800	23600	7.8	2.14	217184337	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	48000	15	13	44500	27800	22400	7.5	1.9	217184342	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	48000	15	13	44500	27800	22400	7.5	1.9	217184347	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.9	2.12	217187107	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184352	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.08	217184357	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184362	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184367	No
EL16KP1-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217184372	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	2.12	217184377	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	2.1	217184382	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217184387	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	2.1	217184392	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	2.12	217184398	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217184403	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	2.1	217184408	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	2.12	217187114	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	2.08	217184413	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184418	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184423	No
EL16KP1-048-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184428	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	2.12	216967808	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184433	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184438	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	2.1	216967817	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	2.1	217184443	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217184448	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967826	No
EL16KP1-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	216967835	No
EL16KP1-048-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184454	No
EL16KP1-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184459	No
EL16KP1-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184464	No
EL16KP1-048-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	2.04	217230827	No
EL16KP1-048-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	2.04	217230829	No
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.9	217230831	No
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230833	No
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230837	No
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230841	No
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230843	No
EL16KP1-048-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230847	No
EL16KP1-048-230A**	LH42/60D*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	2	216967789	No
EL16KP1-048-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.55	2.04	216967798	No
EL16KP1-048-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	2.04	216967807	No
EL16KP1-048-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	2.02	216967816	No
EL16KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.55	2.04	216967825	No
EL16KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	2.02	216967834	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	216967796	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	216967805	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184329	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184334	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.12	217184339	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184344	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184349	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	2.12	217187109	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184354	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184359	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184364	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184369	No
EL16KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	217184374	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	2.12	217184379	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184384	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	2.14	217184389	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184394	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184400	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.1	217184405	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184410	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217187116	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	2.08	217184415	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184420	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184425	No
EL16KP1-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217184430	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	1.9	216967814	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184435	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184440	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	216967823	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184445	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	1.9	217184450	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967832	No
EL16KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	216967841	No
EL16KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184456	No
EL16KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184461	No
EL16KP1-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184466	No
EL16KP1-048-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.88	217230826	No
EL16KP1-048-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	217230828	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.8	2.1	217230830	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	2.08	217230832	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	2.08	217230836	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	2.08	217230840	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	2.08	217230842	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	2.08	217230846	No
EL16KP1-048-230A**	LH48/60X*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.96	217230850	No
EL16KP1-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	2.04	216967792	No
EL16KP1-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	2.04	216967801	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28000	22800	7.5	1.96	216967810	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230834	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230838	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	216967819	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230844	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230848	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	216967828	No
EL16KP1-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	2.06	216967837	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	216967797	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	216967806	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184330	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184335	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217609898	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217609900	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.12	217184340	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184345	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184350	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	2.12	217187110	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV36C	R-454B	48000	15.2	12.5	44000	28600	23600	7.7	2.1	217614182	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184355	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184360	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184365	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184370	No
EL16KP1-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	217184375	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	46000	29200	23200	7.5	1.8	217609920	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	1.8	217609921	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	2.12	217184380	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	1.8	217609925	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184385	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	2.14	217184390	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184395	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184401	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.1	217184406	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184411	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217187117	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	2.08	217184416	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184421	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184426	No
EL16KP1-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217184431	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	1.9	216967815	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184436	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184441	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	216967824	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184446	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	1.9	217184451	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967833	No
EL16KP1-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	216967842	No
EL16KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.8	2.08	217609968	No
EL16KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184457	No
EL16KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184462	No
EL16KP1-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184467	No
EL16KP1-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217187122	No
EL16KP1-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184470	No
EL16KP1-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184475	No
EL16KP1-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217187127	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	2.04	217184480	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	2.04	217184485	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	57500	14.5	12.5	54000	34600	28200	7.5	1.98	217184490	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	2.04	217184495	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217184498	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	56500	14.3	12	52000	33400	27800	7.7	2.02	217187137	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	57000	14.3	12	52000	33200	27600	7.7	2.02	217187141	No
EL16KP1-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217187146	No
EL16KP1-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	2.04	216967844	No
EL16KP1-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	1.94	217184503	No
EL16KP1-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184508	No
EL16KP1-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	56500	14.3	12	51500	33000	27400	7.7	2.02	216967849	No
EL16KP1-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	56500	14.3	12	52000	33200	27600	7.7	2.02	217187150	No
EL16KP1-060-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	2.04	216967845	No
EL16KP1-060-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	1.98	216967850	No
EL16KP1-060-230A**	L*43/61Z*+TXV+LEFE5*	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	2.18	217465655	No
EL16KP1-060-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	2.02	216977972	No
EL16KP1-060-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.98	216977974	No
EL16KP1-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187120	No
EL16KP1-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184468	No
EL16KP1-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184473	No
EL16KP1-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	1.98	217187125	No
EL16KP1-060-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	56500	14.3	11.7	53000	32800	26600	7.5	1.94	217187134	No
EL16KP1-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	2	217184478	No
EL16KP1-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184483	No
EL16KP1-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	56500	14.5	12	51500	33000	27400	7.65	2.04	217184488	No
EL16KP1-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184493	No
EL16KP1-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.96	217187135	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL16KP1-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187144	No
EL16KP1-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	2.02	216977971	No
EL16KP1-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	1.94	217184501	No
EL16KP1-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184506	No
EL16KP1-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.98	216977973	No
EL16KP1-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	1.94	217184511	No
EL16KP1-060-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	1.94	217187153	No
EL16KP1-060-230A**	LEM60*4CC*+TXV	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	2.18	217610494	No
EL16KP1-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187121	No
EL16KP1-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184469	No
EL16KP1-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184474	No
EL16KP1-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	1.98	217187126	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	2	217184479	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184484	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	57000	14.5	12	51500	33000	27400	7.7	2.06	217184489	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184494	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.96	217187136	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	57000	14.3	11.7	53000	33000	28000	7.5	2	217187140	No
EL16KP1-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187145	No
EL16KP1-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	2.04	216967843	No
EL16KP1-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	1.94	217184502	No
EL16KP1-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184507	No
EL16KP1-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.98	216967848	No
EL16KP1-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	57000	14.3	11.7	52500	33200	27600	7.5	2.04	217187149	No
EL16KP1-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187123	No
EL16KP1-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184471	No
EL16KP1-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184476	No
EL16KP1-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	1.98	217187128	No
EL16KP1-060-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	2.02	217187130	No
EL16KP1-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	2.04	217187132	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	2	217184481	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184486	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	1.98	217184491	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184496	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	2.04	217184499	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	1.96	217187138	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	2	217187142	No
EL16KP1-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187147	No
EL16KP1-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	2.06	216967846	No
EL16KP1-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	1.94	217184504	No
EL16KP1-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184509	No
EL16KP1-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	2.04	216967851	No
EL16KP1-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	2.04	217187151	No
EL16KP1-060-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.9	2.2	216624247	No
EL16KP1-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187124	No
EL16KP1-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184472	No
EL16KP1-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184477	No
EL16KP1-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	1.98	217187129	No
EL16KP1-060-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	2.02	217187131	No
EL16KP1-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	2.04	217187133	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	2	217184482	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184487	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	1.98	217184492	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184497	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	2.04	217184500	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	1.96	217187139	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	2	217187143	No
EL16KP1-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187148	No
EL16KP1-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	2.06	216967847	No
EL16KP1-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	1.94	217184505	No
EL16KP1-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184510	No
EL16KP1-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	2.04	216967852	No
EL16KP1-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	2.04	217187152	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230**	L*18/36S*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.45	1.74	216624573	No
EL18KSLV-024-230**	L*18/36T*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624577	No
EL18KSLV-024-230**	L*18/36T*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624576	No
EL18KSLV-024-230**	L*18/36V*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624575	No
EL18KSLV-024-230**	L*18/36V*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624574	No
EL18KSLV-024-230**	L*19/36U*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624579	No
EL18KSLV-024-230**	LD19/25Z*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217187378	No
EL18KSLV-024-230**	LD19/25Z*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217285805	No
EL18KSLV-024-230**	LD19/36Z*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217285806	No
EL18KSLV-024-230**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217187377	No
EL18KSLV-024-230**	LEC30*C05+TXV	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.4	1.74	217157873	No
EL18KSLV-024-230**	LEM25*23E+TXV	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.45	1.74	216762006	No
EL18KSLV-024-230**	LEM25*43G+TXV	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216762007	No
EL18KSLV-024-230**	LH18/36D*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.45	1.74	216624572	No
EL18KSLV-024-230**	LH18/37R*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624581	No
EL18KSLV-024-230**	LH29/36X*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624578	No
EL18KSLV-024-230**	LP18/37R*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624582	No
EL18KSLV-024-230**	LP25/36R*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216624580	No
EL18KSLV-024-230**	LS*24*23E+TXV+TD	---	R-454B	23400	15.2	11.5	22400	18000	19600	8.45	1.74	217161647	No
EL18KSLV-024-230**	LS*25*33E+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217161049	No
EL18KSLV-024-230**	LW24*K7+TXV+TD	---	R-454B	22600	15.2	11.7	22400	18000	19600	8.4	1.74	217157861	No
EL18KSLV-024-230**	LW25*K7+TXV	---	R-454B	22600	15.2	11.7	22400	18000	19600	8.4	1.74	217157875	No
EL18KSLV-024-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.8	216977170	No
EL18KSLV-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.8	216977185	No
EL18KSLV-024-230A**	L*18/36T*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975526	No
EL18KSLV-024-230A**	L*18/36U*+TXV	EL180UH040NE36A	R-454B	23600	17	11.5	22400	18800	20400	9.3	1.82	217231203	No
EL18KSLV-024-230A**	L*18/36U*+TXV	EL180UH060NE36A	R-454B	23600	17	11.5	22400	18800	20600	9.3	1.82	217231212	No
EL18KSLV-024-230A**	L*18/36U*+TXV	EL195UH040NE36B	R-454B	23800	16	11.5	22400	19000	20600	8.85	1.78	217231220	No
EL18KSLV-024-230A**	L*18/36U*+TXV	EL195UH060NE36B	R-454B	23800	16	11.5	22400	19000	20600	8.85	1.78	217231232	No
EL18KSLV-024-230A**	L*18/36U*+TXV	SL280UH060NV36A	R-454B	23600	17	11.7	22400	18800	20400	9.3	1.82	217231245	No
EL18KSLV-024-230A**	L*18/36U*+TXV	SL280UH070V36A	R-454B	23600	17	11.7	22400	18800	20400	9.2	1.82	217231254	No
EL18KSLV-024-230A**	L*18/36U*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	8.8	1.78	217465667	No
EL18KSLV-024-230A**	L*18/36U*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	8.8	1.78	217465666	No
EL18KSLV-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.45	1.84	217231204	No
EL18KSLV-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.45	1.84	217231213	No
EL18KSLV-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231221	No
EL18KSLV-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231233	No
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	22400	18800	20400	8.95	1.8	217187236	No
EL18KSLV-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.8	217187242	No
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.45	1.84	217231246	No
EL18KSLV-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.35	1.84	217231255	No
EL18KSLV-024-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.8	216977169	No
EL18KSLV-024-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.8	216977184	No
EL18KSLV-024-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	8.95	1.8	217465669	No
EL18KSLV-024-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	8.95	1.8	217465668	No
EL18KSLV-024-230A**	L*18/36V*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975525	No
EL18KSLV-024-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977174	No
EL18KSLV-024-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977189	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217231205	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217231214	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231224	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231236	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614217	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	22400	19000	20600	8.9	1.78	217614223	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614229	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614235	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614241	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614247	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614253	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	22400	18800	20400	9	1.8	217187238	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614264	No
EL18KSLV-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217187244	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614275	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614281	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614287	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614293	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614299	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614305	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	24000	17	12	22400	18800	20200	9.5	1.85	217614311	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	24000	17	12	22200	18600	20600	9	1.8	217614317	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614323	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614329	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614335	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614341	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	22400	18800	20600	9	1.8	217614347	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614353	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	22400	19000	20600	8.9	1.78	217614359	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	22400	18800	20400	9	1.8	217614365	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614371	No
EL18KSLV-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614377	No
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217231247	No
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217231256	No
EL18KSLV-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614391	No
EL18KSLV-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977173	No
EL18KSLV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977188	No
EL18KSLV-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614401	No
EL18KSLV-024-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217465671	No
EL18KSLV-024-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217465670	No
EL18KSLV-024-230A**	L*19/36U*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975528	No
EL18KSLV-024-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217231206	No
EL18KSLV-024-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217231215	No
EL18KSLV-024-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217231227	No
EL18KSLV-024-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217231239	No
EL18KSLV-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217231248	No
EL18KSLV-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217231257	No
EL18KSLV-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977177	No
EL18KSLV-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	216977192	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614205	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217614209	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614212	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614215	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614221	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614227	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614233	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614239	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614245	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614251	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614257	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.85	217614262	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614268	No
EL18KSLV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	217614273	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614279	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614285	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614291	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614297	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614303	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	24000	16	12	22400	18800	20200	9	1.85	217614309	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	24000	17	12	22400	18800	20200	9.5	1.85	217614315	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	17	12	22200	18600	20200	9	1.85	217614321	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614327	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	24000	16	12	22400	18800	20200	9	1.85	217614333	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	22400	19000	20400	9	1.8	217614339	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	22400	19000	20400	9	1.8	217614345	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	17	12	22400	18800	20400	9	1.85	217614351	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614357	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614363	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614369	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	24000	17	12	22400	18800	20200	9.4	1.85	217614375	No
EL18KSLV-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	217614381	No
EL18KSLV-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217614385	No
EL18KSLV-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614389	No
EL18KSLV-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614395	No
EL18KSLV-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614397	No
EL18KSLV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614399	No
EL18KSLV-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614405	No
EL18KSLV-024-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231228	No
EL18KSLV-024-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231240	No
EL18KSLV-024-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977178	No
EL18KSLV-024-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977193	No
EL18KSLV-024-230A**	LD19/24Y*+TXV+TD	- - -	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.74	216978120	No
EL18KSLV-024-230A**	LD19/24Z*+TXV+TD	- - -	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.74	216978081	No
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217231200	No
EL18KSLV-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217231209	No
EL18KSLV-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217231242	No
EL18KSLV-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217231251	No
EL18KSLV-024-230A**	LD19/25Z*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187382	No
EL18KSLV-024-230A**	LD19/25Z*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217285818	No
EL18KSLV-024-230A**	LD19/25Z*+TXV+TD	- - -	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216978082	No
EL18KSLV-024-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216978066	No
EL18KSLV-024-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216978069	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217231201	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217231210	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	22400	18800	20400	9	1.8	217187234	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217187240	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217231243	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217231252	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216978065	No
EL18KSLV-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216978068	No
EL18KSLV-024-230A**	LD19/36Z*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217285819	No
EL18KSLV-024-230A**	LD19/36Z*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187381	No
EL18KSLV-024-230A**	LD19/36Z*+TXV+TD	- - -	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216978083	No
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231219	No
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231231	No
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.84	217187235	No
EL18KSLV-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217187241	No
EL18KSLV-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216978067	No
EL18KSLV-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216978070	No
EL18KSLV-024-230A**	LD24/35Z*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187383	No
EL18KSLV-024-230A**	LEC24*C03+TXV	- - -	R-454B	24000	16	11.7	22400	18600	22200	8.7	1.76	217157933	No
EL18KSLV-024-230A**	LEC30*C05+TXV	- - -	R-454B	24000	16	11.7	22400	18600	22200	8.8	1.76	217157935	No
EL18KSLV-024-230A**	LEM24*23E*+TXV	- - -	R-454B	24000	16	11.7	22400	18600	22200	8.8	1.78	217615821	No
EL18KSLV-024-230A**	LEM25*23E+TXV	- - -	R-454B	24000	16	11.7	22400	18600	22200	8.8	1.78	216762013	No
EL18KSLV-024-230A**	LEM25*23G+TXV	- - -	R-454B	24000	16	11.7	22400	18600	22200	8.8	1.78	216762012	No
EL18KSLV-024-230A**	LEM25*43G+TXV	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	216762014	No
EL18KSLV-024-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	23800	17	11.7	22400	18800	20400	8.85	1.78	216977168	No
EL18KSLV-024-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	23600	17	11.7	22400	18800	20400	8.85	1.78	216977183	No
EL18KSLV-024-230A**	LH18/36D*+TXV+TD	- - -	R-454B	23600	15.2	11.7	22400	18000	19600	8.45	1.74	216978084	No
EL18KSLV-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23800	17	11.5	22400	18800	20400	9.3	1.82	217231202	No
EL18KSLV-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23800	17	11.5	22400	18800	20600	9.3	1.82	217231211	No
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23800	17	11.7	22400	18800	20400	9.3	1.82	217231244	No
EL18KSLV-024-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	23800	17	11.7	22400	18800	20400	9.2	1.82	217231253	No
EL18KSLV-024-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	23800	17	11.7	22400	18800	20400	8.85	1.78	216977167	No
EL18KSLV-024-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	23600	17	11.7	22400	18800	20400	8.85	1.78	216977182	No
EL18KSLV-024-230A**	LH18/36R*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	22400	18600	22200	8.85	1.78	217187280	No
EL18KSLV-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217231207	No
EL18KSLV-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217231216	No
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217231249	No
EL18KSLV-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217231258	No
EL18KSLV-024-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187285	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LH18/37R*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975530	No
EL18KSLV-024-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977180	No
EL18KSLV-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977195	No
EL18KSLV-024-230A**	LH24/37F*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975533	No
EL18KSLV-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231229	No
EL18KSLV-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231241	No
EL18KSLV-024-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	22400	18800	20400	9	1.8	217187239	No
EL18KSLV-024-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217187245	No
EL18KSLV-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977179	No
EL18KSLV-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977194	No
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217285808	No
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217285822	No
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217187379	No
EL18KSLV-024-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187384	No
EL18KSLV-024-230A**	LH24/37X*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975532	No
EL18KSLV-024-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977172	No
EL18KSLV-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977187	No
EL18KSLV-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231222	No
EL18KSLV-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231234	No
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	22400	18800	20400	9	1.8	217187237	No
EL18KSLV-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217187243	No
EL18KSLV-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977171	No
EL18KSLV-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977186	No
EL18KSLV-024-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217285820	No
EL18KSLV-024-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	217285807	No
EL18KSLV-024-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187281	No
EL18KSLV-024-230A**	LH29/36X*+TXV+TD	---	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975527	No
EL18KSLV-024-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	8.9	1.78	217231218	No
EL18KSLV-024-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	8.9	1.78	217231230	No
EL18KSLV-024-230A**	LH35/36W*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	8.9	1.78	217285817	No
EL18KSLV-024-230A**	LH35/36W*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	8.9	1.78	217285816	No
EL18KSLV-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231223	No
EL18KSLV-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231235	No
EL18KSLV-024-230A**	LH35/36X*+TXV+LEFE3A*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217285821	No
EL18KSLV-024-230A**	LH35/36X*+TXV+LEFE4B*	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217285698	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217231208	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217231217	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614211	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614214	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23800	17	12	22400	18800	20400	9	1.8	217614220	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614226	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614232	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614238	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614244	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614250	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614256	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.85	217614261	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614267	No
EL18KSLV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614272	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614278	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614284	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614290	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614296	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614302	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614308	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	22400	18800	20200	9.5	1.85	217614314	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	24000	17	12	22200	18600	20200	9	1.85	217614320	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614326	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	24000	16	12	22400	18800	20200	9	1.85	217614332	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	22400	19000	20400	9	1.8	217614338	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	22400	19000	20400	9	1.8	217614344	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	24000	17	12	22400	18800	20400	9	1.85	217614350	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23800	17	12	22400	18800	20200	9	1.85	217614356	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614362	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614368	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	24000	17	12	22400	18800	20200	9.4	1.85	217614374	No
EL18KSLV-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	217614380	No
EL18KSLV-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217231250	No
EL18KSLV-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217231259	No
EL18KSLV-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614394	No
EL18KSLV-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614396	No
EL18KSLV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614398	No
EL18KSLV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	217614404	No
EL18KSLV-024-230A**	LP18/37R*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187286	No
EL18KSLV-024-230A**	LP18/37R*+TXV+TD	- - -	R-454B	23600	15.2	11.7	22400	18000	19600	8.5	1.75	216975531	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614203	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217614207	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231225	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231237	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614218	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	23800	16	11.5	22400	19000	20600	8.9	1.78	217614224	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614230	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614236	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614242	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614248	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614254	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	24000	17	11.7	22400	18800	20400	9	1.8	217614259	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614265	No
EL18KSLV-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614270	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614276	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614282	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614288	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614294	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614300	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614306	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	24000	17	12	22400	18800	20200	9.5	1.85	217614312	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	24000	17	12	22200	18600	20600	9	1.8	217614318	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614324	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614330	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614336	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614342	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	17	11.7	22400	18800	20600	9	1.8	217614348	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614354	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	23800	16	11.5	22400	19000	20600	8.9	1.78	217614360	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	22400	18800	20400	9	1.8	217614366	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614372	No
EL18KSLV-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614378	No
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217614383	No
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614387	No
EL18KSLV-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614392	No
EL18KSLV-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977175	No
EL18KSLV-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977190	No
EL18KSLV-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614402	No
EL18KSLV-024-230A**	LP25/36R*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187282	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614204	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217614208	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231226	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217231238	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614219	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614225	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614231	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614237	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614243	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614249	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614255	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.84	217614260	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614266	No
EL18KSLV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614271	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614277	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614283	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614289	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614295	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614301	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614307	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	24000	17	12	22400	18800	20200	9.5	1.85	217614313	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000	17	12	22200	18600	20400	9	1.8	217614319	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614325	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614331	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614337	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614343	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	17	12	22400	18800	20400	8.95	1.84	217614349	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614355	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614361	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614367	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	17	12	22400	18800	20200	9.35	1.84	217614373	No
EL18KSLV-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614379	No
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217614384	No
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614388	No
EL18KSLV-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614393	No
EL18KSLV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977176	No
EL18KSLV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	216977191	No
EL18KSLV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614403	No
EL18KSLV-024-230A**	LP29/36X*+TXV+LEFE3A*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187284	No
EL18KSLV-024-230A**	LP29/36X*+TXV+LEFE4B*	- - -	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217187283	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614202	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	17	11.7	22400	18800	20600	9.5	1.85	217614206	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614210	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	16	11.7	22400	19000	20600	9	1.8	217614213	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23800	17	12	22400	18800	20600	9	1.8	217614216	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614222	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614228	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614234	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614240	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	23800	17	12	22400	18600	20200	9.4	1.85	217614246	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614252	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.85	217614258	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.85	217614263	No
EL18KSLV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	217614269	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614274	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614280	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	17	12	22400	18600	20200	9.5	1.85	217614286	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	24000	17	11.7	22400	18800	20400	9.5	1.85	217614292	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614298	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	24000	16	12	22400	18800	20200	9	1.85	217614304	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	17	12	22400	18800	20200	9.5	1.85	217614310	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	24000	17	12	22200	18600	20200	9	1.85	217614316	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	12	22400	18800	20400	9.4	1.85	217614322	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	24000	16	12	22400	18800	20400	9	1.8	217614328	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614334	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	17	11.7	22400	19000	20600	9	1.8	217614340	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	17	12	22400	18800	20400	9	1.85	217614346	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23800	17	12	22400	18800	20200	9	1.85	217614352	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	16	11.7	22400	19000	20400	9	1.8	217614358	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	11.7	22400	18800	20400	9	1.85	217614364	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	17	12	22400	18800	20200	9.4	1.85	217614370	No
EL18KSLV-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	217614376	No
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	17	12	22400	18800	20400	9.5	1.85	217614382	No
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614386	No
EL18KSLV-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12	22400	18800	20400	9.4	1.85	217614390	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	216977166	No
EL18KSLV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	24000	17	12	22400	18800	20200	9	1.85	216977181	No
EL18KSLV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	17	12	22400	18800	20400	9	1.8	217614400	No
EL18KSLV-024-230A**	LS*24*03E+TXV+TD	---	R-454B	23000	15.2	11	22200	18500	22200	8.55	1.74	217161656	No
EL18KSLV-024-230A**	LS*24*13E+TXV+TD	---	R-454B	23400	15.2	11	22200	18500	22200	8.65	1.74	217161649	No
EL18KSLV-024-230A**	LS*24*23E+TXV+TD	---	R-454B	23800	16	11.5	22400	18600	22200	8.8	1.78	217161654	No
EL18KSLV-024-230A**	LS*25*33E+TXV+TD	---	R-454B	24000	16	11.7	22400	18600	22200	8.95	1.8	217161054	No
EL18KSLV-024-230A**	LS*25*43E+TXV+TD	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217161056	No
EL18KSLV-024-230A**	LS*30*13E+TXV+TD	---	R-454B	23400	15.2	11	22200	18500	22200	8.65	1.74	217161651	No
EL18KSLV-024-230A**	LSC29*A03+TXV+TD	---	R-454B	23600	15.2	11.5	22400	18600	22200	8.7	1.76	217159387	No
EL18KSLV-024-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	24000	16	11.7	22400	18600	22200	9	1.8	217157931	No
EL18KSLV-024-230A**	LW24*K7+TXV+TD	---	R-454B	23000	16	11.7	22400	18600	22200	8.8	1.76	217157908	No
EL18KSLV-024-230A**	LW25*K7+TXV	---	R-454B	23000	16	11.7	22400	18600	22200	8.8	1.76	217157940	No
EL18KSLV-024-230A**	LW30*M7+TXV+TD	---	R-454B	23000	16	11.7	22400	18600	22200	8.8	1.76	217290739	No
EL18KSLV-024-230A**	LW31*M7+TXV	---	R-454B	23000	16	11.7	22400	18600	22200	8.8	1.76	217157938	No
EL18KSLV-036-230**	L*19/36S*+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	216624586	No
EL18KSLV-036-230**	L*19/36S*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.4	1.74	216624585	No
EL18KSLV-036-230**	L*35/36V*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	216624587	No
EL18KSLV-036-230**	LEM36*43E+TXV	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	216762009	No
EL18KSLV-036-230**	LEM37*3TT+TXV	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	216762008	No
EL18KSLV-036-230**	LH18/37D*+TXV+LEFE3A*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	216624588	No
EL18KSLV-036-230**	LH29/36F*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.4	1.74	216624583	No
EL18KSLV-036-230**	LH35/36F*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	216624584	No
EL18KSLV-036-230**	LU19/36S*M+TXV+LMHE3D	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	217157895	No
EL18KSLV-036-230**	LU19/36S*M+TXV+LMHE4D	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	217157893	No
EL18KSLV-036-230**	LW39*L9+TXV	---	R-454B	33000	15.2	10.5	32400	26000	28400	8.35	1.72	217157877	No
EL18KSLV-036-230A**	L*18/36T*+TXV	EL297UH090XV36C	R-454B	34200	18	10.5	34200	27600	28000	8.85	1.88	217446031	No
EL18KSLV-036-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977199	No
EL18KSLV-036-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977215	No
EL18KSLV-036-230A**	L*18/36T*+TXV	SLP99UH090XV36C	R-454B	34400	18	10.5	34200	27600	28000	8.85	1.88	217555767	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	8.95	1.9	217231261	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	8.95	1.9	217231268	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL180UH080NE48B	R-454B	33600	16	10.5	34400	28000	28200	8.3	1.82	217231275	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	33600	17	11	34200	28000	28000	8.5	1.85	217231287	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217231299	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217187248	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217187254	No
EL18KSLV-036-230A**	L*18/36V*+TXV	EL297UH090XV36C	R-454B	34200	18	10.5	34200	27600	28000	8.85	1.88	217446030	No
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	8.95	1.9	217231315	No
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	8.95	1.9	217231322	No
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217606719	No
EL18KSLV-036-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	33800	18	11	33800	27600	27800	8.5	1.85	217231329	No
EL18KSLV-036-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977198	No
EL18KSLV-036-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977214	No
EL18KSLV-036-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	32800	15.2	10.5	32200	27000	28600	7.75	1.82	217465673	No
EL18KSLV-036-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	33000	15.2	10.5	32200	27000	28600	7.75	1.82	217465672	No
EL18KSLV-036-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977203	No
EL18KSLV-036-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977219	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231262	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231269	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	34400	16	10.5	34400	28000	28200	8.4	1.82	217231278	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	33600	17	11	34200	28000	28000	8.5	1.85	217231290	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217231302	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	33600	16	11	34200	28000	28200	8.5	1.85	217614765	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	33600	17	11	34200	28000	28200	8.5	1.85	217614771	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	33800	17	11	34200	28000	28200	8.5	1.85	217614777	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	34600	18	11	34400	27800	28000	9	1.9	217614787	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614793	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614799	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	34000	18	11	34000	27800	28000	8.5	1.85	217614805	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	34400	16	11.5	34000	27600	27800	8.4	1.88	217614811	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	34400	16	11.5	34000	27600	27800	8.4	1.88	217614817	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	34200	28000	28400	8.45	1.8	217614823	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217187250	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	33800	17	11	34200	28000	28200	8.5	1.85	217614834	No
EL18KSLV-036-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217187256	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614854	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614860	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614866	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614872	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614878	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	34400	18	10.5	34200	27800	28000	8.4	1.82	217614884	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614890	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	34000	18	11	34000	27800	28000	8.5	1.85	217614896	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	34600	18	11.5	34000	27800	27800	8.4	1.88	217614902	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614908	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	34400	18	10.5	34200	27800	28000	8.4	1.82	217614914	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	34400	17	11.5	33800	27600	27800	8.4	1.88	217614920	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	34000	17	11	34200	27800	28000	8.5	1.85	217614926	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	34400	17	11.5	33800	27600	27800	8.4	1.88	217614932	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	34000	18	10.5	34400	28000	28200	8.4	1.82	217614938	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	34200	17	10.5	34400	28000	28200	8.4	1.82	217614944	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	34000	17	11	34200	28000	28200	8.5	1.85	217614950	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	33600	17	11	34200	28000	28200	8.5	1.85	217614964	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	33600	17	11	34000	27800	28000	8.5	1.85	217614970	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	34000	17	11	34200	28000	28000	8.5	1.85	217614976	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	34200	16	10.5	34400	28000	28200	8.4	1.82	217614982	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	34000	27800	28200	8.45	1.84	217614996	No
EL18KSLV-036-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	34200	27800	28000	8.4	1.82	217615002	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217231316	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217231323	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615020	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217606720	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	34200	18	11	34000	27800	28000	8.5	1.85	217615030	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	34200	18	11.5	33800	27600	27800	8.4	1.88	217231332	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL280UH090XV48B	R-454B	34200	18	11.5	33800	27600	27800	8.4	1.88	217615039	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977202	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977218	No
EL18KSLV-036-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	34000	27600	27800	8.5	1.85	217615050	No
EL18KSLV-036-230A**	L*19/36U*+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	217465675	No
EL18KSLV-036-230A**	L*19/36U*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.4	1.74	217465674	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231266	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231273	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217231285	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217231297	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217231309	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217231320	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217231327	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217606725	No
EL18KSLV-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217231339	No
EL18KSLV-036-230A**	L*24/36Z*+TXV+LEFE3A*	---	R-454B	34000	15.2	11	32400	27000	28600	8.1	1.9	217465682	No
EL18KSLV-036-230A**	L*24/36Z*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	32400	27000	28600	8.1	1.9	217465681	No
EL18KSLV-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217231284	No
EL18KSLV-036-230A**	L*25/37Z*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217231296	No
EL18KSLV-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217231308	No
EL18KSLV-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217606724	No
EL18KSLV-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217231338	No
EL18KSLV-036-230A**	L*25/37Z*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	32400	27000	28600	8.1	1.9	217465680	No
EL18KSLV-036-230A**	L*29/36U*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	32400	27000	28600	8.1	1.9	217465678	No
EL18KSLV-036-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977207	No
EL18KSLV-036-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977223	No
EL18KSLV-036-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231263	No
EL18KSLV-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231270	No
EL18KSLV-036-230A**	L*30/36U*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217231281	No
EL18KSLV-036-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217231293	No
EL18KSLV-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217231305	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217231317	No
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217231324	No
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217606721	No
EL18KSLV-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217231335	No
EL18KSLV-036-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977206	No
EL18KSLV-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977222	No
EL18KSLV-036-230A**	L*30/36U*+TXV+LEFE3A*	- - -	R-454B	34000	15.2	11	32400	27000	28600	8	1.88	217465677	No
EL18KSLV-036-230A**	L*30/36U*+TXV+LEFE4B*	- - -	R-454B	34000	15.2	11	32400	27000	28600	8	1.88	217465676	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614748	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614752	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217614755	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217614758	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614761	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	34400	16	11	34200	28000	28000	8.5	1.85	217614769	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	34200	17	11	34200	27800	28000	8.5	1.85	217614775	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	34400	17	11	34200	28000	28000	8.5	1.85	217614781	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	34600	18	11	34400	27800	28000	9	1.9	217614791	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614797	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614803	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	34800	18	11	34000	27600	27800	8.5	1.85	217614809	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	34000	27600	27800	8.5	1.9	217614815	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	34000	27600	27800	8.5	1.9	217614821	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	34600	17	11	34400	28000	28200	8.5	1.85	217614827	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614832	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217614838	No
EL18KSLV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	34600	17	11	34000	27800	27800	8.5	1.85	217614843	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614858	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614864	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614870	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614876	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614882	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	34800	18	11	34200	27800	28000	8.5	1.85	217614888	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614894	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	34800	18	11	34000	27600	27800	8.5	1.85	217614900	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	34000	27800	27800	8.5	1.9	217614906	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614912	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	34800	18	11	34200	27800	28000	8.5	1.85	217614918	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	33800	27600	27800	8.5	1.9	217614924	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614930	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	33800	27600	27800	8.5	1.9	217614936	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	34400	18	11	34400	28000	28200	8.5	1.85	217614942	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	34600	17	11	34400	28000	28200	8.5	1.85	217614948	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614954	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	34400	17	11	34200	28000	28200	8.5	1.85	217614968	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	34200	17	11	34000	27800	28000	8.5	1.85	217614974	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614980	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	34600	16	11	34400	28000	28200	8.5	1.85	217614986	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	34200	28000	28000	8.5	1.85	217615000	No
EL18KSLV-036-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217615006	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217615014	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615018	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615024	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217606723	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	35000	18	11	34000	27600	27800	8.5	1.9	217615034	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217615037	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217615043	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615045	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615047	No
EL18KSLV-036-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	34000	27600	27800	8.5	1.85	217615054	No
EL18KSLV-036-230A**	L*35/36S*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977209	No
EL18KSLV-036-230A**	L*35/36S*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977225	No
EL18KSLV-036-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217231282	No
EL18KSLV-036-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217231294	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217231306	No
EL18KSLV-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217606722	No
EL18KSLV-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217231336	No
EL18KSLV-036-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977208	No
EL18KSLV-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977224	No
EL18KSLV-036-230A**	L*35/36U*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	32400	27000	28600	8.1	1.9	217465679	No
EL18KSLV-036-230A**	L*42/60V*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	217466603	No
EL18KSLV-036-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216978072	No
EL18KSLV-036-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216978076	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231260	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231267	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217187246	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217187252	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217231314	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217231321	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216978071	No
EL18KSLV-036-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216978075	No
EL18KSLV-036-230A**	LD19/36Z*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.35	1.72	217187385	No
EL18KSLV-036-230A**	LD24/35Y*+TXV	SL297UH040NV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	216978074	No
EL18KSLV-036-230A**	LD24/35Y*+TXV	SL297UH060NV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	216978078	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	34400	16	11	34400	28000	28200	8.5	1.85	217231274	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	34200	17	11	34200	27800	28000	8.5	1.85	217231286	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	34200	17	11	34000	27800	28000	8.5	1.85	217231298	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	34800	17	11	34400	27800	28000	9	1.9	217231310	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217187247	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217187253	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	34600	18	11	34200	27600	28000	9	1.9	217187259	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	34400	18	11.7	33800	27600	27800	8.5	1.85	217231328	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	216978073	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	216978077	No
EL18KSLV-036-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	9	1.9	217187262	No
EL18KSLV-036-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.45	1.74	217187386	No
EL18KSLV-036-230A**	LEM36*43E*+TXV	---	R-454B	33000	15.2	10	32200	26000	28400	8.15	1.7	217615829	No
EL18KSLV-036-230A**	LEM36*43E+TXV	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	216762017	No
EL18KSLV-036-230A**	LEM36*43G+TXV	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	216762016	No
EL18KSLV-036-230A**	LEM37*3TT+TXV	---	R-454B	34000	15.2	11	32400	27000	28600	8	1.88	216762015	No
EL18KSLV-036-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977197	No
EL18KSLV-036-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977213	No
EL18KSLV-036-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231264	No
EL18KSLV-036-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231271	No
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217231318	No
EL18KSLV-036-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217231325	No
EL18KSLV-036-230A**	LH18/37R*+TXV+LEFE3A*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	217187291	No
EL18KSLV-036-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977211	No
EL18KSLV-036-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977227	No
EL18KSLV-036-230A**	LH24/37F*+TXV	SL297UH080NV48C	R-454B	34600	17	10.5	34200	27600	28000	8.95	1.88	216977234	No
EL18KSLV-036-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	34200	16	10.5	34400	28000	28200	8.35	1.82	217231283	No
EL18KSLV-036-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	33600	17	11	34200	28000	28000	8.5	1.85	217231295	No
EL18KSLV-036-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217231307	No
EL18KSLV-036-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217187251	No
EL18KSLV-036-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217187257	No
EL18KSLV-036-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	33800	18	11.5	33800	27600	27800	8.35	1.82	217231337	No
EL18KSLV-036-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977210	No
EL18KSLV-036-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977226	No
EL18KSLV-036-230A**	LH24/37X*+TXV	SL297UH080NV48C	R-454B	34600	17	10.5	34200	27600	28000	8.95	1.88	216977233	No
EL18KSLV-036-230A**	LH24/37X*+TXV+LEFE3A*	---	R-454B	33000	15.2	10.5	32200	27000	28600	7.8	1.84	217285825	No
EL18KSLV-036-230A**	LH24/37X*+TXV+LEFE4B*	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.35	1.72	217187387	No
EL18KSLV-036-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977201	No
EL18KSLV-036-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977217	No
EL18KSLV-036-230A**	LH29/36F*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	9	1.9	216977230	No
EL18KSLV-036-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	34400	16	10.5	34400	28000	28200	8.4	1.82	217231276	No
EL18KSLV-036-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	33600	17	11	34200	28000	28000	8.5	1.85	217231288	No
EL18KSLV-036-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217231300	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217187249	No
EL18KSLV-036-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217187255	No
EL18KSLV-036-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	34200	18	11.5	33800	27600	27800	8.4	1.88	217231330	No
EL18KSLV-036-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977200	No
EL18KSLV-036-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977216	No
EL18KSLV-036-230A**	LH29/36X*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	9	1.9	216977229	No
EL18KSLV-036-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	217285823	No
EL18KSLV-036-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.4	1.74	217187287	No
EL18KSLV-036-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217231277	No
EL18KSLV-036-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217231289	No
EL18KSLV-036-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217231301	No
EL18KSLV-036-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217231331	No
EL18KSLV-036-230A**	LH35/36X*+TXV+LEFE3A*	---	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	217285824	No
EL18KSLV-036-230A**	LH35/36X*+TXV+LEFE4B*	---	R-454B	34000	15.2	11	32400	27000	28600	7.95	1.88	217285699	No
EL18KSLV-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	34800	17	11	34400	27800	28000	9	1.9	217231313	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231265	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217231272	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217614754	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217614757	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614760	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL195UH080NE48C	R-454B	34800	17	11	34400	27800	28000	9	1.9	217614763	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	34400	16	11	34200	28000	28000	8.5	1.85	217614768	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	34200	17	11	34200	28000	28200	8.5	1.85	217614774	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	34400	17	11	34200	28000	28000	8.5	1.85	217614780	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL196UH090XE48C	R-454B	34800	17	11.7	34000	27600	27800	9	1.9	217614785	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	34400	27800	28000	9	1.9	217614790	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614796	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614802	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	34800	18	11	34000	27600	27800	8.5	1.85	217614808	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	34000	27600	27800	8.5	1.9	217614814	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	34000	27600	27800	8.5	1.9	217614820	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	34600	17	11	34400	28000	28200	8.5	1.85	217614826	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614831	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217614837	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	34600	17	11	34000	27800	27800	8.5	1.85	217614842	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH090XE48C	R-454B	34600	17	11	34000	27600	27800	9	1.9	217614847	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	34600	18	11	34200	27600	28000	9	1.9	217614848	No
EL18KSLV-036-230A**	LP18/37R*+TXV	EL297UH090XV48C	R-454B	34800	18	11.7	34000	27600	27800	9	1.9	217614852	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614857	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614863	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614869	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614875	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614881	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	34800	18	11	34200	27800	28000	8.5	1.85	217614887	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614893	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	34800	18	11	34000	27600	27800	8.5	1.85	217614899	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	34000	27800	27800	8.5	1.9	217614905	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614911	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	34800	18	11	34200	27800	28000	8.5	1.85	217614917	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	33800	27600	27800	8.5	1.9	217614923	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH090V48B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614929	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	33800	27600	27800	8.5	1.9	217614935	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	34400	18	11	34400	28000	28200	8.5	1.85	217614941	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	34600	17	11	34400	28000	28200	8.5	1.85	217614947	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614953	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	34800	18	11	34200	27600	27800	9	1.9	217614958	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML193UH090XE48C	R-454B	35000	17	11	34200	27800	27800	9	1.9	217614962	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	34400	17	11	34200	28000	28200	8.5	1.85	217614967	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	34200	17	11	34000	27800	28000	8.5	1.85	217614973	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614979	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH070XE48B	R-454B	34600	16	11	34400	28000	28200	8.5	1.85	217614985	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	34800	18	11	34200	27800	28000	9	1.9	217614990	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML196UH090XE48C	R-454B	34800	17	11	34200	27800	27800	9	1.9	217614994	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	34200	28000	28000	8.5	1.85	217614999	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217615005	No
EL18KSLV-036-230A**	LP18/37R*+TXV	ML296UH090XV48C	R-454B	34800	18	11	34200	27600	27800	9	1.9	217615010	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217231319	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217231326	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615023	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615028	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	35000	18	11	34000	27600	27800	8.5	1.9	217615033	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217615036	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217615042	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615044	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615046	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	9	1.9	217615048	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	34000	27600	27800	8.5	1.85	217615053	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	34200	27600	28000	9	1.9	217615058	No
EL18KSLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	34200	27800	28000	9	1.9	217615062	No
EL18KSLV-036-230A**	LP18/37R*+TXV+LEFE3A*	- - -	R-454B	34000	15.2	10.5	32400	26000	28400	8.5	1.75	217187292	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614746	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614750	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	34000	16	10.5	34400	28000	28200	8.4	1.84	217231279	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	33600	17	11	34200	28000	28000	8.5	1.85	217231291	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217231303	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL195UH080NE48C	R-454B	34800	17	11	34400	27800	28000	8.95	1.9	217231311	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	33600	16	11	34200	28000	28200	8.5	1.85	217614766	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	33600	17	11	34200	28000	28200	8.5	1.85	217614772	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	33800	17	11	34200	28000	28200	8.5	1.85	217614778	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	34600	17	11.5	34000	27600	27800	8.95	1.9	217614783	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	34600	18	11	34400	27800	28000	9	1.9	217614788	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614794	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614800	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	34000	18	11	34000	27800	28000	8.5	1.85	217614806	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH090E48B	R-454B	34200	16	11.5	34000	27600	27800	8.35	1.88	217614812	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL280UH090XE48B	R-454B	34200	16	11.5	34000	27600	27800	8.35	1.88	217614818	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	33600	17	10.5	34200	28000	28400	8.45	1.8	217614824	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217614829	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	33800	17	11	34200	28000	28200	8.5	1.85	217614835	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217614840	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	34400	17	10.5	34000	27600	27800	8.95	1.9	217614845	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	34400	18	10.5	34200	27600	28000	8.95	1.9	217187260	No
EL18KSLV-036-230A**	LP25/36R*+TXV	EL297UH090XV48C	R-454B	34600	18	11.5	34000	27600	27800	8.95	1.9	217614850	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614855	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614861	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614867	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614873	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614879	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	34200	18	10.5	34200	27800	28000	8.35	1.82	217614885	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614891	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	34000	18	11	34000	27800	28000	8.5	1.85	217614897	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070V48B	R-454B	34400	18	11.5	34000	27800	27800	8.35	1.88	217614903	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614909	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	34200	18	10.5	34200	27800	28000	8.35	1.82	217614915	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH090E48B	R-454B	34200	17	11.5	33800	27600	27800	8.35	1.88	217614921	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH090V48B	R-454B	34000	17	11	34200	27800	28000	8.5	1.85	217614927	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML180UH090XE48B	R-454B	34200	17	11.5	33800	27600	27800	8.35	1.88	217614933	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	33800	18	10.5	34200	28000	28200	8.4	1.84	217614939	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	34400	28000	28200	8.4	1.84	217614945	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	34000	17	11	34200	28000	28200	8.5	1.85	217614951	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	34800	18	11	34200	27600	27800	8.95	1.9	217614956	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	35000	17	11	34200	27800	27800	8.95	1.9	217614960	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	33600	17	11	34200	28000	28200	8.5	1.85	217614965	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	33600	17	11	34000	27800	28000	8.5	1.85	217614971	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	34000	17	11	34200	28000	28000	8.5	1.85	217614977	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH070XE48B	R-454B	34000	16	10.5	34400	28000	28200	8.4	1.84	217614983	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	34800	18	11	34200	27800	28000	8.95	1.9	217614988	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	34800	17	11	34200	27800	27800	8.95	1.9	217614992	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	33600	17	10.5	34000	27800	28200	8.45	1.84	217614997	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	34200	27800	28000	8.35	1.82	217615003	No
EL18KSLV-036-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	34800	18	11	34200	27600	27800	8.95	1.9	217615008	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217615012	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615016	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615021	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	217615026	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	34200	18	11	34000	27800	28000	8.5	1.85	217615031	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	34000	18	11.5	33800	27600	27800	8.4	1.84	217231333	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL280UH090XV48B	R-454B	34000	18	11.5	33800	27600	27800	8.4	1.84	217615040	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977204	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	33800	17	11	34000	27800	28000	8.5	1.85	216977220	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	8.95	1.9	216977231	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	34000	17	11	34000	27600	27800	8.5	1.85	217615051	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	34200	27600	28000	8.95	1.9	217615056	No
EL18KSLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	34200	27800	28000	8.95	1.9	217615060	No
EL18KSLV-036-230A**	LP25/36R*+TXV+LEFE4B*	- - -	R-454B	34000	15.2	10.5	32400	26000	28400	8.35	1.72	217187288	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614747	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614751	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	34400	16	11	34400	28000	28200	8.5	1.85	217231280	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	34200	17	11	34200	27800	28000	8.5	1.85	217231292	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	34200	17	11	34000	27800	28000	8.5	1.85	217231304	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	34800	17	11	34400	27800	28000	9	1.9	217231312	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	34200	16	11	34200	28000	28200	8.5	1.85	217614767	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	34200	17	11	34200	28000	28200	8.5	1.85	217614773	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	34200	17	11	34200	28000	28200	8.5	1.85	217614779	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	34800	17	11.7	34000	27600	27800	9	1.9	217614784	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	34600	18	11	34400	27800	28000	9	1.9	217614789	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614795	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614801	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	34600	18	11	34000	27800	28000	8.5	1.85	217614807	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	34000	27600	27800	8.45	1.9	217614813	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	34000	27600	27800	8.45	1.9	217614819	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	34400	17	11	34200	28000	28200	8.5	1.85	217614825	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614830	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	34200	17	11	34200	28000	28200	8.5	1.85	217614836	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614841	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	34600	17	11	34000	27600	27800	9	1.9	217614846	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	34600	18	11	34200	27600	28000	9	1.9	217187261	No
EL18KSLV-036-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	34800	18	11.7	34000	27600	27800	9	1.9	217614851	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614856	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614862	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614868	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614874	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614880	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	34800	18	11	34200	27800	28000	8.45	1.84	217614886	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614892	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	34600	18	11	34000	27800	28000	8.5	1.85	217614898	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	34000	27800	27800	8.45	1.9	217614904	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614910	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	34800	18	11	34200	27800	28000	8.45	1.84	217614916	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	33800	27600	27800	8.45	1.9	217614922	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH090V48B	R-454B	34600	17	11	34200	27800	28000	8.5	1.85	217614928	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	33800	27600	27800	8.45	1.9	217614934	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	34200	18	11	34200	28000	28200	8.5	1.85	217614940	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	34400	17	11	34400	28000	28200	8.5	1.85	217614946	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	34600	17	11	34200	28000	28200	8.5	1.85	217614952	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	34800	18	11	34200	27600	27800	9	1.9	217614957	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	35000	17	11	34200	27800	27800	9	1.9	217614961	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	34200	17	11	34200	28000	28200	8.5	1.85	217614966	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	34000	17	11	34000	27800	28000	8.5	1.85	217614972	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	34600	17	11	34200	28000	28200	8.5	1.85	217614978	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH070XE48B	R-454B	34400	16	11	34400	28000	28200	8.5	1.85	217614984	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	34800	18	11	34200	27800	28000	9	1.9	217614989	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	34800	17	11	34200	27800	27800	9	1.9	217614993	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	33800	17	11	34000	27800	28200	8.5	1.85	217614998	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	34800	17	11	34200	27800	28000	8.45	1.84	217615004	No
EL18KSLV-036-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	34800	18	11	34200	27600	27800	9	1.9	217615009	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217615013	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615017	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615022	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217615027	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	34800	18	11	34000	27800	28000	8.5	1.85	217615032	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	34400	18	11.7	33800	27600	27800	8.5	1.85	217231334	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL280UH090XV48B	R-454B	34400	18	11.7	33800	27600	27800	8.5	1.85	217615041	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	216977205	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	216977221	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	9	1.9	216977232	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615052	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	34200	27600	28000	9	1.9	217615057	No
EL18KSLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	34200	27800	28000	9	1.9	217615061	No
EL18KSLV-036-230A**	LP29/36X*+TXV+LEFE3A*	- - -	R-454B	34000	15.2	10.5	32400	26000	28400	8.45	1.74	217187290	No
EL18KSLV-036-230A**	LP29/36X*+TXV+LEFE4B*	- - -	R-454B	34000	15.2	10.5	32400	26000	28400	8.45	1.74	217187289	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614745	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	34200	17	11	34200	27800	28000	9	1.9	217614749	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	34800	16	11	34400	28000	28200	8.5	1.85	217614753	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217614756	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614759	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	34800	17	11	34400	27800	28000	9	1.9	217614762	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	34400	16	11	34200	28000	28000	8.5	1.85	217614764	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	34200	17	11	34200	28000	28200	8.5	1.85	217614770	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	34400	17	11	34200	28000	28000	8.5	1.85	217614776	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	34800	17	11.7	34000	27600	27800	9	1.9	217614782	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	34600	18	11	34400	27800	28000	9	1.9	217614786	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614792	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	34200	17	11	34200	27600	27800	9	1.9	217614798	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	34800	18	11	34000	27600	27800	8.5	1.85	217614804	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	34800	16	11.7	34000	27600	27800	8.5	1.9	217614810	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	34800	16	11.7	34000	27600	27800	8.5	1.9	217614816	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	34600	17	11	34400	28000	28200	8.5	1.85	217614822	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	34400	17	11	34000	27800	28000	8.5	1.85	217614828	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	34400	17	11	34200	27800	28000	8.5	1.85	217614833	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	34600	17	11	34000	27800	27800	8.5	1.85	217614839	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	34600	17	11	34000	27600	27800	9	1.9	217614844	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	34600	18	11	34200	27600	28000	9	1.9	217187258	No
EL18KSLV-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	34800	18	11.7	34000	27600	27800	9	1.9	217614849	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614853	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614859	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	34400	17	11	34400	27800	28000	9	1.9	217614865	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	34200	18	11	34200	27800	27800	9	1.9	217614871	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614877	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	34800	18	11	34200	27800	28000	8.5	1.85	217614883	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614889	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	34800	18	11	34000	27600	27800	8.5	1.85	217614895	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	35000	18	11.7	34000	27800	27800	8.5	1.9	217614901	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	34400	17	11	34200	27600	27800	9	1.9	217614907	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	34800	18	11	34200	27800	28000	8.5	1.85	217614913	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	34800	17	11.7	33800	27600	27800	8.5	1.9	217614919	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614925	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	34800	17	11.7	33800	27600	27800	8.5	1.9	217614931	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	34400	18	11	34400	28000	28200	8.5	1.85	217614937	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	34600	17	11	34400	28000	28200	8.5	1.85	217614943	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614949	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	34800	18	11	34200	27600	27800	9	1.9	217614955	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	35000	17	11	34200	27800	27800	9	1.9	217614959	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	34400	17	11	34200	28000	28200	8.5	1.85	217614963	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	34200	17	11	34000	27800	28000	8.5	1.85	217614969	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217614975	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	34600	16	11	34400	28000	28200	8.5	1.85	217614981	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	34800	18	11	34200	27800	28000	9	1.9	217614987	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	34800	17	11	34200	27800	27800	9	1.9	217614991	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	34200	28000	28000	8.5	1.85	217614995	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	34800	17	11	34200	27800	28000	8.5	1.85	217615001	No
EL18KSLV-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	34800	18	11	34200	27600	27800	9	1.9	217615007	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	34600	17	11	34400	27800	28000	9	1.9	217615011	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615015	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	34200	17	11	34200	28400	28000	9	1.9	217615019	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	217615025	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	35000	18	11	34000	27600	27800	8.5	1.9	217615029	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217615035	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL280UH090XV48B	R-454B	34600	18	11.7	33800	27600	27800	8.5	1.9	217615038	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977196	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	34600	17	11	34000	27800	28000	8.5	1.85	216977212	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	34800	17	11	34200	27600	28000	9	1.9	216977228	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	34000	27600	27800	8.5	1.85	217615049	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	34800	18	11	34200	27600	28000	9	1.9	217615055	No
EL18KSLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	34800	17	11	34200	27800	28000	9	1.9	217615059	No
EL18KSLV-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	217157944	No
EL18KSLV-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	33800	15.2	10.5	32400	26000	28400	8.4	1.74	217157942	No
EL18KSLV-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	34000	15.2	11	32200	27000	28600	7.85	1.86	217159392	No
EL18KSLV-036-230A**	LU23/36Y*M+TXV+LMHE4D	---	R-454B	34000	15.2	11	32200	27000	28600	7.85	1.86	217159389	No
EL18KSLV-036-230A**	LW36*M6+TXV+TD	---	R-454B	32600	15.2	10	32400	26000	28400	8.3	1.72	217157910	No
EL18KSLV-036-230A**	LW37*M6+TXV	---	R-454B	33000	15.2	10.5	32400	26000	28400	8.3	1.72	217157947	No
EL18KSLV-036-230A**	LW39*L9+TXV	---	R-454B	33000	15.2	10.5	32400	26000	28400	8.35	1.72	217157949	No
EL18KSLV-060-230**	L*42/49K*+TXV+LEFE4B*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216624593	No
EL18KSLV-060-230**	L*42/60S*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.45	1.74	216624592	No
EL18KSLV-060-230**	L*42/60Z*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216624596	No
EL18KSLV-060-230**	LD42/61Z*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	217187380	No
EL18KSLV-060-230**	LEM48*1TT+TXV	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216762011	No
EL18KSLV-060-230**	LEM60*6TT+TXV	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216762010	No
EL18KSLV-060-230**	LH40/61W*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216624591	No
EL18KSLV-060-230**	LH41/61R*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	217285810	No
EL18KSLV-060-230**	LH42/49F*+TXV+LEFE4B*	---	R-454B	47500	15.2	10	46000	39000	38500	8.45	1.74	216624589	No
EL18KSLV-060-230**	LH42/60D*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.74	216624590	No
EL18KSLV-060-230**	LH48/60X*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	217285809	No
EL18KSLV-060-230**	LP40/60R*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216624595	No
EL18KSLV-060-230**	LP41/61R*+TXV+LEFE5*	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	216624594	No
EL18KSLV-060-230**	LS*48*3CC+TXV+TD	---	R-454B	47500	15.2	10	46000	39000	38500	8.45	1.74	217157867	No
EL18KSLV-060-230**	LS*48*6CC+TXV+TD	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	217157871	No
EL18KSLV-060-230**	LS*48*9BB+TXV+TD	---	R-454B	47000	15.2	9.5	46000	39000	38500	8.35	1.72	217157863	No
EL18KSLV-060-230**	LS*60*3CC+TXV+TD	---	R-454B	47500	15.2	10	46000	39000	38500	8.45	1.74	217157865	No
EL18KSLV-060-230**	LS*60*6CC+TXV+TD	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.75	217157869	No
EL18KSLV-060-230**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.74	217157899	No
EL18KSLV-060-230**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.74	217157897	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217614406	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217614407	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217614409	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	45500	16	11	45500	38000	38500	9	1.85	217614411	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	45500	16	11	45500	38000	38500	9	1.85	217614413	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217614414	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217614416	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	45500	17	10	45500	38000	39000	9	1.85	217614417	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	53500	15.2	10	52500	43000	40000	8.1	1.85	217614418	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	54000	16	10	52500	43000	40000	8.5	1.85	217614419	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	46000	17	11	45500	38000	39000	9	1.85	217614421	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	46000	17	10	46000	38000	39000	9	1.85	217614423	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	46000	17	11	45500	38000	38500	9	1.85	217614425	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	46000	17	10	46000	38000	39000	9	1.85	217614427	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	53500	16	10	52500	43000	40000	8.1	1.85	217614428	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217614430	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217614432	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	45500	16	11	45500	38000	38500	8.5	1.85	217614434	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	53500	15.2	10	52500	43000	40000	8.1	1.85	217614435	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217614437	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614438	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614440	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614442	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614443	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614444	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614446	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	54000	16	10	52000	42500	39500	8.5	1.85	217614447	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.85	217614448	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217614450	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614452	No
EL18KSLV-060-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	54000	16	10	52500	43000	40000	8.5	1.85	217614453	No
EL18KSLV-060-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	44500	17	10.5	45500	38000	39000	8.7	1.8	216977237	No
EL18KSLV-060-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231345	No
EL18KSLV-060-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231354	No
EL18KSLV-060-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231363	No
EL18KSLV-060-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231372	No
EL18KSLV-060-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231381	No
EL18KSLV-060-230A**	L*42/60V*+TXV+LEFE5*	---	R-454B	54000	16	9.5	54000	42500	42500	8.75	1.82	217465683	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231346	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231355	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217187265	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	45500	17	10	45500	38000	39000	9	1.85	217187270	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.84	217231364	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.84	217231373	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231382	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217187277	No
EL18KSLV-060-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.84	216977239	No
EL18KSLV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	55500	17	10	54000	42500	42500	8.9	1.84	217465684	No
EL18KSLV-060-230A**	L*43/61Z*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.85	216977240	No
EL18KSLV-060-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	55500	17	10	54000	42500	42500	8.95	1.84	217465685	No
EL18KSLV-060-230A**	LD42/61Y*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.84	216978080	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.84	217231340	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.84	217231349	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.84	217187263	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	45500	17	10	45500	38000	39000	9	1.84	217187268	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	54000	16	10	52500	43000	40000	8.5	1.85	217187273	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.84	217231358	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.84	217231367	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	9	1.84	217231376	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	45500	16	10	46000	38000	39000	9	1.84	217187275	No
EL18KSLV-060-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.84	216978079	No
EL18KSLV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	54500	16	9.5	54000	42500	42500	8.8	1.82	217187388	No
EL18KSLV-060-230A**	LEM48*1CC*+TXV	---	R-454B	47500	15.2	10	45500	39500	39000	8.5	1.84	217615822	No
EL18KSLV-060-230A**	LEM48*1TT+TXV	---	R-454B	47500	15.2	10	45500	39500	39000	8.5	1.84	216762019	No
EL18KSLV-060-230A**	LEM60*4CC*+TXV	---	R-454B	55500	17	10	54000	42500	42500	8.95	1.84	217615823	No
EL18KSLV-060-230A**	LEM60*6TT+TXV	---	R-454B	47500	15.2	10	45500	39500	39000	8.5	1.85	216762018	No
EL18KSLV-060-230A**	LEM60*7TT+TXV	---	R-454B	48000	15.2	10	45500	39000	39000	8.5	1.85	216762020	No
EL18KSLV-060-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231341	No
EL18KSLV-060-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231350	No
EL18KSLV-060-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217187264	No
EL18KSLV-060-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	45500	17	10	45500	38000	39000	9	1.85	217187269	No
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231359	No
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231368	No
EL18KSLV-060-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231377	No
EL18KSLV-060-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217187276	No
EL18KSLV-060-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.85	216977236	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	LH40/61W*+TXV+LEFE5*	- - -	R-454B	55000	17	9.5	54000	42500	42500	8.9	1.84	217187293	No
EL18KSLV-060-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231343	No
EL18KSLV-060-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231352	No
EL18KSLV-060-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231361	No
EL18KSLV-060-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231370	No
EL18KSLV-060-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231379	No
EL18KSLV-060-230A**	LH41/61R*+TXV+LEFE5*	- - -	R-454B	54000	16	9.5	54000	42500	42500	8.75	1.82	217285827	No
EL18KSLV-060-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	44500	17	10.5	45500	38000	39000	8.7	1.8	216977235	No
EL18KSLV-060-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231347	No
EL18KSLV-060-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231356	No
EL18KSLV-060-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217187266	No
EL18KSLV-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	45500	17	10	45500	38000	39000	9	1.85	217187271	No
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231365	No
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231374	No
EL18KSLV-060-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231383	No
EL18KSLV-060-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217187278	No
EL18KSLV-060-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.85	216977241	No
EL18KSLV-060-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	55500	17	10	54000	42500	42500	9	1.85	217187296	No
EL18KSLV-060-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231342	No
EL18KSLV-060-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231351	No
EL18KSLV-060-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231360	No
EL18KSLV-060-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231369	No
EL18KSLV-060-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231378	No
EL18KSLV-060-230A**	LH48/60X*+TXV+LEFE5*	- - -	R-454B	54500	16	9.5	54000	42500	42500	8.8	1.82	217285826	No
EL18KSLV-060-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231344	No
EL18KSLV-060-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	8.95	1.84	217231353	No
EL18KSLV-060-230A**	LP40/60R*+TXV	EL297UH135XV60D	R-454B	54000	16	10	52500	43000	40000	8.5	1.85	217187274	No
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231362	No
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231371	No
EL18KSLV-060-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	8.95	1.84	217231380	No
EL18KSLV-060-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	8.95	1.84	216977238	No
EL18KSLV-060-230A**	LP40/60R*+TXV+LEFE5*	- - -	R-454B	54000	16	9.5	54000	42500	42500	8.75	1.82	217187295	No
EL18KSLV-060-230A**	LP41/61R*+TXV+LEFE5*	- - -	R-454B	54000	16	9.5	54000	42500	42500	8.75	1.82	217187294	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231348	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217231357	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217614408	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	45500	16	11	45500	38000	38500	9	1.85	217614410	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	45500	16	11	45500	38000	38500	9	1.85	217614412	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217187267	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	45500	16	10	46000	38500	39000	9	1.85	217614415	No
EL18KSLV-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	45500	17	10	45500	38000	39000	9	1.85	217187272	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	46000	17	11	45500	38000	39000	9	1.85	217614420	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	46000	17	10	46000	38000	39000	9	1.85	217614422	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	46000	17	11	45500	38000	38500	9	1.85	217614424	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	46000	17	10	46000	38000	39000	9	1.85	217614426	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217614429	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217614431	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	45500	16	11	45500	38000	38500	8.5	1.85	217614433	No
EL18KSLV-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217614436	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231366	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614439	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614441	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231375	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217231384	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614445	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	45500	16	10	46000	38000	39000	9	1.85	217187279	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	45500	17	11	45500	38000	39000	9	1.85	216977242	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	17	10	46000	38500	39000	9	1.85	217614449	No
EL18KSLV-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	17	11	45500	38000	38500	9	1.85	217614451	No
EL18KSLV-060-230A**	LP42/62W*+TXV+LEFE5*	- - -	R-454B	55500	17	10	54000	42500	42500	9	1.85	217187297	No
EL18KSLV-060-230A**	LS*48*3CC+TXV+TD	- - -	R-454B	47500	15.2	10	46000	39000	38500	8.45	1.74	217157918	No
EL18KSLV-060-230A**	LS*48*4CC+TXV+TD	- - -	R-454B	48000	15.2	10	45500	39000	39000	8.5	1.85	217157929	No
EL18KSLV-060-230A**	LS*48*6CC+TXV+TD	- - -	R-454B	47500	15.2	10	45500	39500	39000	8.5	1.85	217157923	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL18KSLV-060-230A**	LS*48*9BB+TXV+TD	---	R-454B	47000	15.2	9.5	46000	39000	38500	8.35	1.72	217157913	No
EL18KSLV-060-230A**	LS*60*3CC+TXV+TD	---	R-454B	47500	15.2	10	46000	39000	38500	8.45	1.74	217157916	No
EL18KSLV-060-230A**	LS*60*4CC+TXV+TD	---	R-454B	48000	15.2	10	45500	39000	39000	8.5	1.85	217157927	No
EL18KSLV-060-230A**	LS*60*6CC+TXV+TD	---	R-454B	47500	15.2	10	45500	39500	39000	8.5	1.85	217157920	No
EL18KSLV-060-230A**	LS*60*9CC+TXV+TD	---	R-454B	51000	15.2	10	52000	42500	41000	8.5	1.95	217157925	No
EL18KSLV-060-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.74	217157953	No
EL18KSLV-060-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	47500	15.2	10	46000	39000	38500	8.5	1.74	217157951	No
EL19KPV-024-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	23600	18	13	23600	15400	16000	8.5	2.02	217542796	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	23800	19	13	22400	15600	16100	8.5	2.02	217615064	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	23800	19	13	22400	15600	16100	8.5	2.02	217615069	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615073	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615077	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22400	15300	15900	8.5	2	217615081	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615085	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615089	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	23600	20	13	22400	15200	15800	8.5	2.02	217615094	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615099	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615104	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615108	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615112	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615116	No
EL19KPV-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615120	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23800	19	13	22400	15400	16000	8.5	2.04	217615125	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615130	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615135	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615140	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	23600	18	13	22400	15400	16000	8.5	2.02	217615145	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23800	18	13	22400	15400	15900	8.5	2.02	217615149	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23600	19	13	22400	15400	15900	8.5	2.02	217615154	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23800	19	13	22400	15400	15900	8.5	2.04	217615158	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23600	18	13	22400	15300	15900	8.5	2.02	217615163	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23800	18	13	22400	15400	15900	8.5	2.02	217615167	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	23000	19	13	22400	15200	15800	8.5	2	217615171	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615175	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	19	13	22400	15600	16100	8.5	2.04	217615179	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23000	19	13	22400	15200	15800	8.5	2	217615183	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615187	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	22400	15600	16100	8.5	2.04	217615191	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615195	No
EL19KPV-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	23800	18	12.5	22400	15600	16200	8.5	2	217615199	No
EL19KPV-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615204	No
EL19KPV-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615209	No
EL19KPV-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615214	No
EL19KPV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615222	No
EL19KPV-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	22400	15300	15900	8.5	2.02	217615226	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	24000	19	13	21800	14700	14900	8.5	1.88	217355107	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	24000	19	13	21800	14700	14900	8.5	1.88	217355113	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217355126	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217355135	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH030XE24B	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217351965	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217351970	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH045XE24B	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217351975	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217351980	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217351985	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL280UH045E36A	R-454B	24000	19	13	21400	14300	14600	8.5	1.88	217355137	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL280UH070E36A	R-454B	24000	19	12.5	21800	14700	15000	8.5	1.88	217355143	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL280UH070XE36A	R-454B	24000	19	12.5	21800	14700	15000	8.5	1.88	217355149	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217351990	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	21600	14600	14900	8.5	1.88	217351995	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217352000	No
EL19KPV-024-230A**	L*30/36U*+TXV	EL297UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.5	1.88	217352005	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH030V36A	R-454B	24000	19	13	21600	14500	14700	8.5	1.9	217355155	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH045E36A	R-454B	23800	18	13	21400	14300	14600	8.5	1.86	217355160	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH045V36A	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217355166	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH045XE36A	R-454B	23800	18	13	21400	14300	14600	8.5	1.86	217355172	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH070E36A	R-454B	24000	18	13	21600	14500	14700	8.5	1.88	217355178	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217355192	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH070V36A	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217355194	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH070V36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.9	217355208	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH070XE36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217355210	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217355224	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML193UH030XE36B	R-454B	23600	19	13	21200	14300	14600	8.5	1.86	217355234	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML193UH045XE36B	R-454B	24000	19	12.5	21800	14700	15000	8.5	1.88	217355243	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML193UH070XE36B	R-454B	24000	19	13	21800	14700	14900	8.5	1.9	217355252	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217352010	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217352015	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	21800	14700	14900	8.5	1.9	217352020	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML296UH045XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352025	No
EL19KPV-024-230A**	L*30/36U*+TXV	ML296UH070XV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217355262	No
EL19KPV-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217355264	No
EL19KPV-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	24000	18	12.5	21600	14500	14800	8.5	1.88	217355270	No
EL19KPV-024-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	24000	18	12.5	21600	14500	14800	8.5	1.88	217355276	No
EL19KPV-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352030	No
EL19KPV-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217352035	No
EL19KPV-024-230A**	L*30/36U*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352040	No
EL19KPV-024-230A**	L*30/36U*+TXV+TD	- - -	R-454B	23400	16	11.7	22600	15000	15300	8.5	1.84	217352466	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	24000	19	13	21800	14700	14900	8.5	1.88	217615067	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	24000	19	13	21800	14700	14900	8.5	1.88	217615072	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	21600	14800	15100	8.5	1.88	217615076	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615080	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217615084	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615088	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615092	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	23600	20	13	22400	15200	15800	8.5	2.02	217615097	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615102	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615107	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217615111	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615115	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615119	No
EL19KPV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615123	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	24000	19	13	21600	14500	14700	8.5	1.9	217615128	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615133	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217615138	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615143	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	24000	18	13	21600	14500	14700	8.5	1.88	217615148	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217615152	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217615157	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.9	217615161	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217615166	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217615170	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23600	19	13	21200	14300	14600	8.5	1.86	217615174	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615178	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	19	13	21800	14700	14900	8.5	1.9	217615182	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217615186	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615190	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	18	13	22400	15600	16100	8.5	2.04	217615194	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217615198	No
EL19KPV-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217615202	No
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217615207	No
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615212	No
EL19KPV-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615217	No
EL19KPV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217615225	No
EL19KPV-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217615229	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217355120	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217355130	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH030XE24B	R-454B	24000	19	13	21400	14400	14700	8.45	1.88	217351962	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	18	13	21400	14400	14600	8.45	1.86	217351967	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH045XE24B	R-454B	24000	19	13	21400	14400	14700	8.45	1.88	217351972	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217351977	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217351982	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	17	12.5	22000	14800	15000	8.45	1.88	217351987	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	21600	14600	14900	8.45	1.88	217351992	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	17	12.5	22000	14800	15000	8.45	1.88	217351997	No
EL19KPV-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.45	1.88	217352002	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.9	217355186	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.9	217355202	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.9	217355218	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	23600	18	13	21200	14300	14600	8.45	1.86	217355228	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	18	12.5	21800	14700	15000	8.45	1.88	217355238	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	18	13	21800	14700	14900	8.45	1.9	217355247	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	18	13	21400	14400	14600	8.45	1.86	217352007	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217352012	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	17	13	21800	14700	14900	8.45	1.9	217352017	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.88	217352022	No
EL19KPV-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.45	1.88	217355256	No
EL19KPV-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	24000	19	13	21600	14400	14700	8.45	1.88	217352027	No
EL19KPV-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.45	1.88	217352032	No
EL19KPV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.88	217352037	No
EL19KPV-024-230A**	LD24/35Z*+TXV+TD	- - -	R-454B	23400	15.2	11.7	22600	15000	15300	8.45	1.84	217352463	No
EL19KPV-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	18	13	21800	14700	14900	8.5	1.88	217355109	No
EL19KPV-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	18	13	21800	14700	14900	8.5	1.88	217355115	No
EL19KPV-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	24000	19	13	21400	14300	14600	8.5	1.88	217355139	No
EL19KPV-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	24000	18	12.5	21800	14700	15000	8.5	1.88	217355145	No
EL19KPV-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	24000	18	12.5	21800	14700	15000	8.5	1.88	217355151	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	24000	18	13	21600	14500	14700	8.5	1.9	217355156	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	23800	18	13	21400	14300	14600	8.5	1.86	217355162	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217355168	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	23800	18	13	21400	14300	14600	8.5	1.86	217355174	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	24000	17	13	21600	14500	14700	8.5	1.88	217355180	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217355196	No
EL19KPV-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	24000	17	13	21400	14400	14700	8.5	1.88	217355212	No
EL19KPV-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	24000	18	13	21600	14400	14700	8.5	1.88	217355266	No
EL19KPV-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12.5	21600	14500	14800	8.5	1.88	217355272	No
EL19KPV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12.5	21600	14500	14800	8.5	1.88	217355278	No
EL19KPV-024-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	23800	18.5	12.4	22200	14000	15200	8	1.76	217452958	No
EL19KPV-024-230A**	LH18/37R*+TXV+TD	- - -	R-454B	23400	15.2	11.7	22600	15000	15300	8.5	1.84	217352467	No
EL19KPV-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23600	19	13	23600	15400	16000	8.5	2.02	217542797	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217355122	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217355131	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH030XE24B	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217351963	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217351968	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH045XE24B	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217351973	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217351978	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217351983	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217351988	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	21600	14600	14900	8.5	1.88	217351993	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217351998	No
EL19KPV-024-230A**	LH35/36X*+TXV	EL297UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.5	1.88	217352003	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217355188	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML180UH070V36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.9	217355204	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217355220	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML193UH030XE36B	R-454B	23600	19	13	21200	14300	14600	8.5	1.86	217355230	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML193UH045XE36B	R-454B	24000	19	12.5	21800	14700	15000	8.5	1.88	217355240	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML193UH070XE36B	R-454B	24000	19	13	21800	14700	14900	8.5	1.9	217355249	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217352008	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217352013	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML196UH070XE36B	R-454B	24000	18	13	21800	14700	14900	8.5	1.9	217352018	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML296UH045XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352023	No
EL19KPV-024-230A**	LH35/36X*+TXV	ML296UH070XV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217355258	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LH35/36X*+TXV	SL297UH040NV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352028	No
EL19KPV-024-230A**	LH35/36X*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217352033	No
EL19KPV-024-230A**	LH35/36X*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352038	No
EL19KPV-024-230A**	LH35/36X*+TXV+TD	- - -	R-454B	23400	16	11.7	22600	15000	15300	8.5	1.84	217352464	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	18	13	21800	14700	14900	8.5	1.88	217355111	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	18	13	21800	14700	14900	8.5	1.88	217355117	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615075	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615079	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22400	15300	15900	8.5	2	217615083	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615087	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615091	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	24000	19	13	21400	14300	14600	8.5	1.88	217355141	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	24000	18	12.5	21800	14700	15000	8.5	1.88	217355147	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	24000	18	12.5	21800	14700	15000	8.5	1.88	217355153	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615110	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615114	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615118	No
EL19KPV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615122	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	24000	18	13	21600	14500	14700	8.5	1.9	217355158	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	23800	18	13	21400	14300	14600	8.5	1.86	217355164	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217355170	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	23800	18	13	21400	14300	14600	8.5	1.86	217355176	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	24000	17	13	21600	14500	14700	8.5	1.88	217355182	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217615151	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217355198	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	23800	19	13	22400	15400	15900	8.5	2.04	217615160	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	24000	17	13	21400	14400	14700	8.5	1.88	217355214	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217615169	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	23000	19	13	22400	15200	15800	8.5	2	217615173	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615177	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	24000	19	13	22400	15600	16100	8.5	2.04	217615181	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23000	19	13	22400	15200	15800	8.5	2	217615185	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615189	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	22400	15600	16100	8.5	2.04	217615193	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615197	No
EL19KPV-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.5	1.88	217615201	No
EL19KPV-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	24000	18	13	21600	14400	14700	8.5	1.88	217355268	No
EL19KPV-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	24000	17	12.5	21600	14500	14800	8.5	1.88	217355274	No
EL19KPV-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	17	12.5	21600	14500	14800	8.5	1.88	217355280	No
EL19KPV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217615224	No
EL19KPV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	22400	15300	15900	8.5	2.02	217615228	No
EL19KPV-024-230A**	LP18/37R*+TXV+TD	- - -	R-454B	23400	15.2	11.7	22600	15000	15300	8.5	1.84	217352468	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	23800	19	13	22400	15600	16100	8.5	2.02	217615065	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	23800	19	13	22400	15600	16100	8.5	2.02	217615070	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615074	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615078	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22400	15300	15900	8.5	2	217615082	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615086	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615090	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	23600	20	13	22400	15200	15800	8.5	2.02	217615095	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615100	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615105	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615109	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615113	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615117	No
EL19KPV-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615121	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	23800	19	13	22400	15400	16000	8.5	2.04	217615126	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615131	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615136	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615141	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	23600	18	13	22400	15400	16000	8.5	2.02	217615146	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23800	18	13	22400	15400	15900	8.5	2.02	217615150	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	23600	19	13	22400	15400	15900	8.5	2.02	217615155	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23800	19	13	22400	15400	15900	8.5	2.04	217615159	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	23600	18	13	22400	15300	15900	8.5	2.02	217615164	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23800	18	13	22400	15400	15900	8.5	2.02	217615168	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	23000	19	13	22400	15200	15800	8.5	2	217615172	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615176	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	19	13	22400	15600	16100	8.5	2.04	217615180	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23000	19	13	22400	15200	15800	8.5	2	217615184	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22400	15700	16300	8.5	2.02	217615188	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	22400	15600	16100	8.5	2.04	217615192	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615196	No
EL19KPV-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	23800	18	12.5	22400	15600	16200	8.5	2	217615200	No
EL19KPV-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615205	No
EL19KPV-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	23600	18	13	22400	15400	16000	8.5	2.02	217615210	No
EL19KPV-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	23600	18	13	22400	15400	16000	8.5	2.02	217615215	No
EL19KPV-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615219	No
EL19KPV-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615223	No
EL19KPV-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	23800	19	13	22400	15300	15900	8.5	2.02	217615227	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	23800	19	13	22400	15600	16100	8.5	2.02	217615066	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	23800	19	13	22400	15600	16100	8.5	2.02	217615071	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217355124	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217355133	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH030XE24B	R-454B	24000	19	13	21400	14400	14700	8.45	1.88	217351964	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	18	13	21400	14400	14600	8.45	1.86	217351969	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH045XE24B	R-454B	24000	19	13	21400	14400	14700	8.45	1.88	217351974	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217351979	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217351984	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	23600	20	13	22400	15200	15800	8.5	2.02	217615096	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615101	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615106	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	17	12.5	22000	14800	15000	8.45	1.88	217351989	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	21600	14600	14900	8.45	1.88	217351994	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	17	12.5	22000	14800	15000	8.45	1.88	217351999	No
EL19KPV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.45	1.88	217352004	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	23800	19	13	22400	15400	16000	8.5	2.04	217615127	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615132	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	23600	19	13	22400	15300	15900	8.5	2.02	217615137	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615142	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	23600	18	13	22400	15400	16000	8.5	2.02	217615147	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.9	217355190	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	23600	19	13	22400	15400	15900	8.5	2.02	217615156	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.9	217355206	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	23600	18	13	22400	15300	15900	8.5	2.02	217615165	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.9	217355222	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	23600	18	13	21200	14300	14600	8.45	1.86	217355232	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	18	12.5	21800	14700	15000	8.45	1.88	217355241	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	18	13	21800	14700	14900	8.45	1.9	217355250	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	18	13	21400	14400	14600	8.45	1.86	217352009	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	17	12.5	22000	14800	15100	8.45	1.88	217352014	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	17	13	21800	14700	14900	8.45	1.9	217352019	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.88	217352024	No
EL19KPV-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.45	1.88	217355260	No
EL19KPV-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	23600	19	13	22400	15400	16000	8.5	2.02	217615206	No
EL19KPV-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615211	No
EL19KPV-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615216	No
EL19KPV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	19	13	21600	14400	14700	8.45	1.88	217352029	No
EL19KPV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.45	1.88	217352034	No
EL19KPV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	18	13	21600	14400	14700	8.45	1.88	217352039	No
EL19KPV-024-230A**	LP29/36X*+TXV+TD	- - -	R-454B	23400	15.2	11.7	22600	15000	15300	8.45	1.84	217352465	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	19	13	21800	14700	14900	8.5	1.88	217615063	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	19	13	21800	14700	14900	8.5	1.88	217615068	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217355118	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217355128	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH030XE24B	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217351961	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217351966	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH045XE24B	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217351971	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217351976	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217351981	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	23600	20	13	22400	15200	15800	8.5	2.02	217615093	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615098	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	24000	19	13	22400	15700	16200	8.5	2.02	217615103	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217351986	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	24000	18	12.5	21600	14600	14900	8.5	1.88	217351991	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	18	12.5	22000	14800	15000	8.5	1.88	217351996	No
EL19KPV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	24000	18	13	21600	14500	14800	8.5	1.88	217352001	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	19	13	21600	14500	14700	8.5	1.9	217615124	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615129	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217615134	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	23200	19	13	22400	15200	15800	8.5	2	217615139	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	18	13	21600	14500	14700	8.5	1.88	217615144	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217355184	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	19	13	21400	14400	14700	8.5	1.88	217615153	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.9	217355200	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	18	13	21400	14400	14700	8.5	1.88	217615162	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	24000	18	13	21600	14400	14700	8.5	1.9	217355216	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	23600	19	13	21200	14300	14600	8.5	1.86	217355226	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	19	12.5	21800	14700	15000	8.5	1.88	217355236	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	19	13	21800	14700	14900	8.5	1.9	217355245	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23800	19	13	21400	14400	14600	8.5	1.86	217352006	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	22000	14800	15100	8.5	1.88	217352011	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	21800	14700	14900	8.5	1.9	217352016	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352021	No
EL19KPV-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217355254	No
EL19KPV-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217615203	No
EL19KPV-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615208	No
EL19KPV-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	23800	19	13	21800	13800	13500	8.1	1.88	217615213	No
EL19KPV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352026	No
EL19KPV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	24000	19	13	21600	14500	14800	8.5	1.88	217352031	No
EL19KPV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	19	13	21600	14400	14700	8.5	1.88	217352036	No
EL19KPV-024-230A**	LP36/37R*+TXV+TD	- - -	R-454B	23400	16	11.7	22600	15000	15300	8.5	1.84	217352462	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	33600	18	10.5	30600	17800	14500	8	1.86	217355283	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	33600	18	10.5	30600	17800	14500	8	1.86	217355299	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL180UH080NE48B	R-454B	33400	16	10.5	30400	17700	14400	8	1.88	217355317	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	33400	17	10.5	30400	17700	14500	8	1.86	217355351	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	33000	17	10.5	35000	20600	16000	8.1	1.9	217355377	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	33600	18	10	30600	17800	14600	8	1.86	217352043	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	33600	16	9.5	31000	19200	15800	7.5	1.98	217352056	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	33600	17	10.5	30600	17800	14600	8	1.86	217352069	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	34000	18	10.5	31000	18000	14700	8	1.86	217355411	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	33600	18	10.5	30400	17700	14400	8	1.88	217355427	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	33600	18	10.5	30400	17700	14400	8	1.88	217355444	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	34000	18	10.5	30600	17700	14400	8	1.9	217355461	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	33600	16	11	35200	20600	15900	8	1.92	217355486	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	33600	16	11	35200	20600	15900	8	1.92	217355510	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	35000	20600	16000	8.1	1.9	217352088	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	33400	17	10	35600	21200	16400	8.1	1.86	217352101	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	35400	20800	16200	8.2	1.88	217352114	No
EL19KPV-036-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352127	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	34000	17	10.5	30800	17800	14600	7.9	1.88	217355549	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	33800	18	10.5	30600	17700	14500	8	1.88	217355564	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	34000	17	10.5	30800	17900	14600	7.9	1.88	217355579	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	33800	18	10.5	30600	17700	14500	8	1.88	217355595	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	33200	17	10.5	35400	20800	16200	8.1	1.88	217355611	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355629	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	34000	17	10.5	31000	17900	14700	7.9	1.86	217355652	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	34000	18	10.5	30600	17700	14500	8	1.9	217355669	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	34400	18	10.5	30800	17800	14500	8	1.9	217355693	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	33400	17	10.5	35200	20800	16100	8.1	1.9	217355716	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355733	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	33800	17	10.5	30400	17500	14300	8	1.9	217355758	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	34000	17	10.5	30800	17900	14600	8	1.88	217355783	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	33800	17	10.5	30400	17500	14300	8	1.9	217355808	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	33600	18	10	30800	18000	14700	8	1.86	217355865	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	33600	17	10.5	30400	17700	14500	8	1.88	217355889	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	33600	18	10.5	30400	17600	14400	8	1.88	217355914	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	33600	18	10	30600	17800	14600	8	1.86	217352172	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	33600	16	9.5	31000	19200	15800	7.5	1.98	217352185	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	35400	20800	16200	8.1	1.88	217352198	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	35600	21000	16400	7.8	1.86	217352211	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	34000	17	10.5	30800	17900	14700	7.9	1.86	217352234	No
EL19KPV-036-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	34000	17	10.5	30800	17900	14700	7.9	1.88	217355967	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	34000	18	10.5	30800	17800	14600	8	1.88	217356013	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	33800	17	10	31000	18100	14800	8	1.84	217356028	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	33800	17	10	31000	18100	14800	8	1.84	217356043	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	35400	21000	16200	8.2	1.88	217356060	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	33800	17	10.5	35400	20800	16100	8.2	1.9	217356094	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356119	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356153	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	34000	18	10.5	31000	18000	14700	8	1.86	217352247	No
EL19KPV-036-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	34000	18	10	31000	18000	14700	8	1.86	217352260	No
EL19KPV-036-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.88	217352284	No
EL19KPV-036-230A**	L*18/36V*+TXV+LEFE3A*	---	R-454B	33000	16	9.5	30800	19600	16600	7.85	1.92	217452963	No
EL19KPV-036-230A**	L*18/36V*+TXV+LEFE4B*	---	R-454B	33600	16	9.5	30800	19800	16600	7.95	1.94	217452962	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	34000	18	10.5	30600	17800	14500	8.1	1.88	217355285	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	34000	18	10.5	30600	17800	14500	8.1	1.88	217355301	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	33800	16	10.5	30400	17700	14400	8.1	1.9	217355323	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	33800	17	10.5	30400	17700	14500	8.1	1.88	217355357	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	34000	17	10.5	30400	17700	14400	8.1	1.9	217355382	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	34000	18	10	30600	17800	14600	8.1	1.88	217352046	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	31200	19200	15800	7.6	2	217352059	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	34000	17	10.5	30600	17800	14600	8.1	1.88	217352072	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	34400	18	10.5	31000	18000	14700	8.1	1.88	217355413	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	34000	18	10.5	30400	17700	14400	8.1	1.9	217355429	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	34000	18	10.5	30400	17700	14400	8.1	1.9	217355446	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	34400	18	11	30600	17700	14400	8.1	1.92	217355467	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	34400	16	11	30600	17600	14400	8.1	1.92	217355491	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	34400	16	11	30600	17600	14400	8.1	1.92	217355516	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	33800	17	10.5	30400	17600	14400	8.1	1.9	217352091	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	34200	17	10	31000	18100	14900	8.1	1.86	217352104	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	35400	20800	16200	8.2	1.88	217352117	No
EL19KPV-036-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	34400	17	10.5	31000	18000	14700	8.1	1.88	217352130	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	34400	17	10.5	30800	17800	14600	8	1.9	217355551	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	34200	18	10.5	30600	17700	14500	8.1	1.9	217355566	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	34400	17	10.5	30800	17900	14600	8	1.9	217355581	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	34200	18	10.5	30600	17700	14500	8.1	1.9	217355598	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	34200	17	10.5	30800	17900	14600	8.1	1.88	217355613	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355634	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	34400	17	10.5	31000	17900	14700	8	1.88	217355654	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	34400	18	11	30600	17700	14500	8.1	1.92	217355674	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	34800	18	11	30800	17800	14500	8.1	1.92	217355699	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	34200	17	10.5	30600	17800	14500	8.1	1.9	217355718	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355739	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	34200	17	11	30400	17500	14300	8.1	1.92	217355764	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	34400	17	10.5	30800	17900	14600	8.1	1.9	217355789	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	34200	17	11	30400	17500	14300	8.1	1.92	217355813	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	34000	18	10	30800	18000	14700	8.1	1.88	217355870	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	30400	17700	14500	8.1	1.9	217355895	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	34000	18	10.5	30400	17600	14400	8.1	1.9	217355920	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	34000	18	10	30600	17800	14600	8.1	1.88	217352175	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	34000	16	9.5	31200	19200	15800	7.6	2	217352188	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	34400	17	10.5	30800	17900	14600	8.1	1.9	217352201	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	35600	21000	16400	7.8	1.86	217352214	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	34400	17	10.5	30800	17900	14700	8	1.88	217352237	No
EL19KPV-036-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	30800	17900	14700	8	1.9	217355973	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	34400	18	10.5	30800	17800	14600	8.1	1.9	217356015	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	34200	17	10	31000	18100	14800	8.1	1.86	217356030	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	34200	17	10	31000	18100	14800	8.1	1.86	217356045	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	35400	21000	16200	8.2	1.88	217356066	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	34600	17	11	30800	17800	14500	8.1	1.9	217356100	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356124	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356158	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	34400	18	10.5	31000	18000	14700	8.1	1.88	217352250	No
EL19KPV-036-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	34400	18	10	31000	18000	14700	8.1	1.88	217352263	No
EL19KPV-036-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.88	217352287	No
EL19KPV-036-230A**	L*19/36U*+TXV+LEFE3A*	- - -	R-454B	33400	16	9.5	30800	19800	16600	7.95	1.94	217452967	No
EL19KPV-036-230A**	L*19/36U*+TXV+LEFE4B*	- - -	R-454B	34000	16	9.5	30800	19800	16600	8.05	1.96	217452966	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355295	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355311	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217355336	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217355371	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355396	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352053	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352066	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217352079	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL280UH045E36A	R-454B	34800	19	11	31000	18000	14700	8.2	1.9	217355423	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL280UH070E36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355440	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355455	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217355480	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355505	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355530	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217352098	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217352111	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217352124	No
EL19KPV-036-230A**	L*24/36Z*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352137	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH030V36A	R-454B	34800	18	11	30800	17800	14600	8.1	1.92	217355560	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355576	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH045V36A	R-454B	34800	18	11	30800	17900	14600	8.1	1.92	217355592	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355607	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070E36A	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217355623	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355648	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070V36A	R-454B	34800	18	11	31000	17900	14700	8.1	1.9	217355663	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217355688	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217355713	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070XE36A	R-454B	34600	18	11	30600	17800	14500	8.2	1.92	217355728	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355752	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355777	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217355802	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355827	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217355883	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217355908	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217355933	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352182	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352195	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352208	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217352221	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217352244	No
EL19KPV-036-230A**	L*24/36Z*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217355986	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217356024	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356039	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356055	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217356079	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217356113	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356137	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*24/36Z*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356171	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352257	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217352270	No
EL19KPV-036-230A**	L*24/36Z*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352294	No
EL19KPV-036-230A**	L*24/36Z*+TXV+LEFE3A*	- - -	R-454B	35200	16	10	31200	19800	16600	8.35	2.02	217452979	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355289	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL180UH060NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355305	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217355331	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217355365	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355390	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352050	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352063	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217352076	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL280UH045E36A	R-454B	34800	19	11	31000	18000	14700	8.2	1.9	217355417	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL280UH070E36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355434	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355450	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217355474	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355499	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355524	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217352095	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217352108	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217352121	No
EL19KPV-036-230A**	L*29/36U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352134	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH030V36A	R-454B	34800	18	11	30800	17800	14600	8.1	1.92	217355555	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355570	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH045V36A	R-454B	34800	18	11	30800	17900	14600	8.1	1.92	217355585	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355601	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070E36A	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217355617	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355642	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070V36A	R-454B	34800	18	11	31000	17900	14700	8.1	1.9	217355657	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217355682	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217355707	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070XE36A	R-454B	34600	18	11	30600	17800	14500	8.2	1.92	217355722	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355747	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355772	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217355796	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355821	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217355878	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217355902	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217355927	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352179	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352192	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352205	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217352218	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217352241	No
EL19KPV-036-230A**	L*29/36U*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217355980	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217356019	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH070V36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356034	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH070XV36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356049	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217356074	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217356107	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356132	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356166	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352254	No
EL19KPV-036-230A**	L*29/36U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217352267	No
EL19KPV-036-230A**	L*29/36U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352291	No
EL19KPV-036-230A**	L*29/36U*+TXV+LEFE4B*	- - -	R-454B	35000	17	10	31200	19800	16600	8.3	2.02	217452973	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355287	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355303	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217355329	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217355363	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355388	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352049	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*30/36U*+TXV	EL196UH045XE36B	R-454B	34800	16	9.5	31200	19200	15800	7.75	2.04	217352062	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217352075	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL280UH045E36A	R-454B	34800	19	11	31000	18000	14700	8.2	1.9	217355415	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL280UH070E36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355432	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355448	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217355472	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355497	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355522	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217352094	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217352107	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217352120	No
EL19KPV-036-230A**	L*30/36U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352133	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH030V36A	R-454B	34800	18	11	30800	17800	14600	8.1	1.92	217355553	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355568	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH045V36A	R-454B	34800	18	11	30800	17900	14600	8.1	1.92	217355583	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355600	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070E36A	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217355615	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355640	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070V36A	R-454B	34800	18	11	31000	17900	14700	8.1	1.9	217355655	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217355680	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217355705	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070XE36A	R-454B	34600	18	11	30600	17800	14500	8.2	1.92	217355720	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355745	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355770	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217355794	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355819	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217355876	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217355900	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217355925	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352178	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH045XE36B	R-454B	34800	16	9.5	31200	19200	15800	7.75	2.04	217352191	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352204	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217352217	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217352240	No
EL19KPV-036-230A**	L*30/36U*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217355978	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217356017	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356032	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356047	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217356072	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217356105	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356130	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356164	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352253	No
EL19KPV-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217352266	No
EL19KPV-036-230A**	L*30/36U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352290	No
EL19KPV-036-230A**	L*30/36U*+TXV+LEFE3A*	- - -	R-454B	34200	16	10	31000	19800	16600	8.1	1.98	217452972	No
EL19KPV-036-230A**	L*30/36U*+TXV+LEFE4B*	- - -	R-454B	34800	17	10	31000	19800	16600	8.2	2	217452971	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217615233	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	34800	18	11	30400	17800	14500	8.2	1.92	217615237	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217615239	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217615242	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217615244	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217615251	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	34800	16	9.5	31200	19200	15800	7.8	2.04	217615253	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217615255	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	35200	19	11	30800	18000	14700	8.2	1.92	217615260	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	34600	18	11	30200	17700	14400	8.2	1.92	217615264	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217615268	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217615270	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217615272	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217615274	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217615276	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217615278	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217615280	No
EL19KPV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217615282	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	34800	18	11	30800	17800	14600	8.1	1.92	217615290	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217615294	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	34800	18	11	30800	17900	14600	8.1	1.92	217615298	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217615302	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217615306	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217615308	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	34800	18	11	31000	17900	14700	8.1	1.9	217615312	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217615314	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217615316	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	34600	18	11	30600	17800	14500	8.2	1.92	217615320	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217615322	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217615324	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217615326	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217615328	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217615330	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217615332	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217615334	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217615338	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	34000	17	10.5	30800	20000	16000	8.2	2.04	217615340	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217615342	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217615344	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217615348	No
EL19KPV-036-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217615350	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217615355	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615359	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615363	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217615365	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217615368	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217615370	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217615373	No
EL19KPV-036-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217615379	No
EL19KPV-036-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217615383	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217355332	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217355367	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355392	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352051	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352064	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217352077	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217355476	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355501	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355526	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217352096	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217352109	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217352122	No
EL19KPV-036-230A**	L*35/36U*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352135	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355644	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217355684	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217355709	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355749	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355773	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217355798	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355823	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217355880	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217355904	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217355929	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352180	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352193	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352206	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217352219	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217352242	No
EL19KPV-036-230A**	L*35/36U*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217355982	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217356076	No
EL19KPV-036-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217356109	No
EL19KPV-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356133	No
EL19KPV-036-230A**	L*35/36U*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356167	No
EL19KPV-036-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352255	No
EL19KPV-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217352268	No
EL19KPV-036-230A**	L*35/36U*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352292	No
EL19KPV-036-230A**	L*35/36U*+TXV+LEFE4B*	- - -	R-454B	35000	17	10	31200	19800	16600	8.3	2.02	217452974	No
EL19KPV-036-230A**	LD18/36Y*+TXV	ML180DF070E36B	R-454B	33000	16	9.5	33200	18400	16300	7.65	1.86	217466243	No
EL19KPV-036-230A**	LD18/36Y*+TXV	ML180DF090E48B	R-454B	33000	15.2	9.5	33200	18300	16200	7.6	1.86	217466247	No
EL19KPV-036-230A**	LD18/36Z*+TXV	ML180DF070E36B	R-454B	33000	16	9.5	33200	18400	16300	7.65	1.86	217466242	No
EL19KPV-036-230A**	LD18/36Z*+TXV	ML180DF090E48B	R-454B	33000	15.2	9.5	33200	18300	16200	7.6	1.86	217466246	No
EL19KPV-036-230A**	LD19/36Y*+TXV	ML180DF070E36B	R-454B	33600	16	10	33400	18400	16300	7.8	1.88	217465696	No
EL19KPV-036-230A**	LD19/36Y*+TXV	ML180DF090E48B	R-454B	33600	16	10	33400	18300	16200	7.7	1.9	217465699	No
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180DF070E36B	R-454B	33600	16	10	33400	18400	16300	7.8	1.88	217465695	No
EL19KPV-036-230A**	LD19/36Z*+TXV	ML180DF090E48B	R-454B	33600	16	10	33400	18300	16200	7.7	1.9	217465698	No
EL19KPV-036-230A**	LD19/36Z*+TXV+LEFE4B*	- - -	R-454B	33800	16	9.5	30800	19800	16600	8	1.94	217465687	No
EL19KPV-036-230A**	LD24/35Y*+TXV	ML180DF070E36B	R-454B	34000	16	10	33600	18400	16300	7.9	1.9	217465697	No
EL19KPV-036-230A**	LD24/35Y*+TXV	ML180DF090E48B	R-454B	34000	16	10	33600	18300	16200	7.8	1.92	217465700	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.15	1.92	217355315	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL180UH100NE60C	R-454B	34600	15.2	11	31200	20000	16100	8.1	2.06	217355340	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	34200	17	11	30400	17700	14500	8.15	1.9	217355350	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	34400	17	11	30400	17700	14400	8.15	1.92	217355375	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	34200	16	11	30800	19800	15900	8.1	2.06	217355400	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.15	1.9	217352042	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	34400	16	9.5	31200	19200	15800	7.7	2.02	217352055	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	34400	17	11	30600	17800	14600	8.15	1.9	217352068	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL196UH090XE48C	R-454B	34400	16	11	31000	19800	15900	8.2	2.08	217352081	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL280DF090E48B	R-454B	34200	15.2	10	33600	18400	16300	7.8	1.9	217355407	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	34800	18	11	30600	17700	14400	8.15	1.94	217355459	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	34800	16	11	30600	17600	14400	8.15	1.94	217355484	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL280UH090XE48B	R-454B	34800	16	11	30600	17600	14400	8.15	1.94	217355509	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL280UH110E48C	R-454B	34200	16	11	30600	19600	15700	8.2	2.1	217355534	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297DF045XV36B	R-454B	34400	17	10	34000	18700	16600	7.6	1.86	217355541	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297DF070XE48B	R-454B	34000	16	9.5	34000	18700	16600	7.8	1.86	2173552085	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	34200	17	11	30400	17600	14400	8.15	1.92	217352087	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	34600	17	10.5	31000	18100	14900	8.15	1.88	217352100	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	34600	17	11	30800	17900	14600	8.15	1.9	217352113	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	34800	17	11	31000	18000	14700	8.15	1.9	217352126	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XE48C	R-454B	34400	16	11	30800	19800	15900	8.2	2.08	217352139	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352144	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352149	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352154	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH110XV48C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352159	No
EL19KPV-036-230A**	LD24/35Z*+TXV	EL297UH110XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352164	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180DF070E36B	R-454B	34000	16	10	33600	18400	16300	7.9	1.9	217355543	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180DF090E48B	R-454B	34000	16	10	33600	18300	16200	7.8	1.92	217355545	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	34800	17	11	30800	17800	14500	8.15	1.92	217355627	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.15	1.94	217355667	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.15	1.94	217355692	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	34800	17	11	30800	17800	14500	8.15	1.92	217355731	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.15	1.94	217355756	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217355781	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.15	1.94	217355806	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH110E60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355831	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH110V60C	R-454B	35000	17	11	31200	20000	16000	8.1	2.08	217355840	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML180UH110XE60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355849	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193DF045XE36B	R-454B	33800	16	10	33600	18500	16400	7.9	1.88	217355857	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193DF070XE36B	R-454B	33800	16	10	33600	18500	16400	7.8	1.88	217355859	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.15	1.9	217355863	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	34400	17	11	30400	17700	14500	8.15	1.92	217355887	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.15	1.92	217355912	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193UH090XE36C	R-454B	34200	17	11	31000	19800	15900	8.2	2.06	217355937	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193UH090XE48C	R-454B	34200	16	11	30800	19800	15800	8.2	2.08	217355946	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML193UH110XE48C	R-454B	34200	16	11	30800	19600	15800	8.2	2.08	217355956	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196DF045XE36B	R-454B	33800	16	10	33600	18500	16400	7.9	1.88	217352168	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196DF070XE48B	R-454B	34400	16	10	34200	18800	16700	7.8	1.86	217352169	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.15	1.9	217352171	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	34400	16	9.5	31200	19200	15800	7.7	2.02	217352184	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217352197	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	34800	15.2	10.5	31000	18100	14800	8.15	1.88	217352210	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH090XE36C	R-454B	34400	17	11	31200	20000	16000	8.2	2.06	217352223	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML196UH090XE48C	R-454B	34200	16	11	30800	19800	15900	8.2	2.08	217352228	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.05	1.9	217352233	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.05	1.92	217355965	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML296UH090XV48C	R-454B	34400	17	11	31000	19800	16000	8.1	2.06	217355990	No
EL19KPV-036-230A**	LD24/35Z*+TXV	ML296UH110XV60C	R-454B	34600	17	11	31000	19800	16000	8.1	2.08	217356000	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	34400	17	10	34000	18700	16600	7.6	1.86	217356007	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280DF090V48B	R-454B	34400	17	10	34000	18600	16500	7.6	1.88	217356009	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	34800	17	11	30800	17900	14700	8.15	1.92	217356059	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH080NV60C	R-454B	34600	17	11	31200	20000	16000	8	2.08	217356083	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	35000	17	11	30800	17800	14500	8.15	1.92	217356092	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217356117	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH090V60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356141	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217356151	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH090XV60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356175	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH100NV60C	R-454B	34600	17	11	31200	20000	16000	8.1	2.08	217356184	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH110V60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356194	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL280UH110XV60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356203	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.15	1.9	217352246	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.15	1.9	217352259	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	34600	17	11	31200	20000	16100	8.1	2.06	217352272	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SL297UH080NV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352277	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99DF070XV36B	R-454B	34400	17	10	34000	18700	16600	7.6	1.86	217352281	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217352283	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352296	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352301	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352306	No
EL19KPV-036-230A**	LD24/35Z*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352311	No
EL19KPV-036-230A**	LD24/35Z*+TXV+LEFE4B*	---	R-454B	34400	17	10	31000	19800	16600	8.1	1.98	217452960	No
EL19KPV-036-230A**	LD30/36Z*+TXV	ML180DF070E36B	R-454B	34400	16	10	33600	18400	16300	8	1.92	217466244	No
EL19KPV-036-230A**	LD30/36Z*+TXV	ML180DF090E48B	R-454B	34400	16	10	33600	18300	16200	7.9	1.94	217466248	No
EL19KPV-036-230A**	LD31/36Z*+TXV	EL297DF070XV48B	R-454B	35000	17	10	34200	18800	16700	7.5	1.88	217466241	No
EL19KPV-036-230A**	LD31/36Z*+TXV	ML180DF070E36B	R-454B	34800	17	10.5	33600	18400	16300	8.1	1.94	217466245	No
EL19KPV-036-230A**	LD31/36Z*+TXV	ML180DF090E48B	R-454B	34800	16	10.5	33600	18300	16200	8	1.96	217466249	No
EL19KPV-036-230A**	LEM36*43E*+TXV	---	R-454B	33200	17	10.5	31200	19800	17000	7.65	2.2	217615832	No
EL19KPV-036-230A**	LEM36*43E*+TXV	---	R-454B	34200	17	11	31200	19800	17000	7.85	2.26	217615833	No
EL19KPV-036-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	33000	18	10.5	30400	17800	14500	7.9	1.84	217355282	No
EL19KPV-036-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	33000	18	10.5	30400	17800	14500	7.9	1.84	217355297	No
EL19KPV-036-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	33400	18	10.5	30800	18000	14700	7.9	1.84	217355409	No
EL19KPV-036-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	33000	18	10.5	30200	17700	14400	7.9	1.86	217355425	No
EL19KPV-036-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	33000	18	10.5	30200	17700	14400	7.9	1.86	217355442	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	33400	17	10.5	30600	17800	14600	7.8	1.86	217355547	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	33200	18	10.5	30400	17700	14500	7.9	1.86	217355562	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	33400	17	10.5	30600	17900	14600	7.8	1.86	217355578	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	33200	18	10.5	30400	17700	14500	7.9	1.86	217355594	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	33200	17	10.5	35400	20800	16200	8.05	1.88	217355609	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	33400	17	10.5	30800	17900	14700	7.8	1.84	217355650	No
EL19KPV-036-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	33400	17	10.5	35200	20800	16100	8.05	1.9	217355714	No
EL19KPV-036-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	33400	18	10.5	30600	17800	14600	7.9	1.86	217356011	No
EL19KPV-036-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	33200	17	10	30800	18100	14800	7.9	1.82	217356026	No
EL19KPV-036-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	33200	17	10	30800	18100	14800	7.9	1.82	217356041	No
EL19KPV-036-230A**	LH18/36R*+TXV+LEFE3A*	---	R-454B	32600	16	9.5	30600	19600	16600	7.75	1.9	217452961	No
EL19KPV-036-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355291	No
EL19KPV-036-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355307	No
EL19KPV-036-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217355419	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355436	No
EL19KPV-036-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355451	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	34800	17	11	30800	17800	14600	8.1	1.92	217355557	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355572	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	34800	17	11	30800	17900	14600	8.1	1.92	217355587	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355603	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	34600	17	11	30800	17900	14600	8.2	1.9	217355619	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	34800	17	11	31000	17900	14700	8.1	1.9	217355659	No
EL19KPV-036-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	34600	17	11	30600	17800	14500	8.2	1.92	217355724	No
EL19KPV-036-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217356021	No
EL19KPV-036-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356036	No
EL19KPV-036-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356051	No
EL19KPV-036-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	33800	16	9.5	31000	19800	16600	8.05	1.96	217452975	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	33400	16	10.5	30400	17700	14400	8.05	1.88	217355334	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	33400	17	10.5	30400	17700	14500	8.05	1.86	217355369	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	33000	17	10.5	35000	20600	16000	8.1	1.9	217355394	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	33600	18	10	30600	17800	14600	8.05	1.86	217352052	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	33800	16	9.5	31000	19200	15800	7.55	1.98	217352065	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	33600	17	10.5	30600	17800	14600	8.05	1.86	217352078	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	34000	18	10.5	30600	17700	14400	8.05	1.9	217355478	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL280UH090E48B	R-454B	33600	16	11	35200	20600	15900	8	1.92	217355503	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL280UH090XE48B	R-454B	33600	16	11	35200	20600	15900	8	1.92	217355528	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	35000	20600	16000	8.1	1.9	217352097	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	33400	17	10	35600	21200	16400	8.1	1.86	217352110	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	35400	20800	16200	8.2	1.88	217352123	No
EL19KPV-036-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352136	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355646	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	34200	18	11	30600	17700	14500	8.05	1.9	217355686	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	34600	18	11	30800	17800	14500	8.05	1.9	217355711	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355751	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH090E48B	R-454B	33800	17	10.5	30400	17500	14300	8.05	1.9	217355775	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH090V48B	R-454B	34200	17	10.5	30800	17900	14600	8.05	1.88	217355800	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML180UH090XE48B	R-454B	33800	17	10.5	30400	17500	14300	8.05	1.9	217355825	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	33800	18	10	30800	18000	14700	8.05	1.86	217355881	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	33600	17	10.5	30400	17700	14500	8.05	1.88	217355906	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	33600	18	10.5	30400	17600	14400	8.05	1.88	217355931	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	33600	18	10	30600	17800	14600	8.05	1.86	217352181	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	33800	16	9.5	31000	19200	15800	7.55	1.98	217352194	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	35400	20800	16200	8.1	1.88	217352207	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	35600	21000	16400	7.8	1.86	217352220	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	34200	17	10.5	30800	17900	14700	7.95	1.86	217352243	No
EL19KPV-036-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	30800	17900	14700	7.95	1.88	217355984	No
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	35400	21000	16200	8.2	1.88	217356077	No
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	34400	17	11	30800	17800	14500	8.05	1.88	217356111	No
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356135	No
EL19KPV-036-230A**	LH24/37X*+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356169	No
EL19KPV-036-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	34200	18	10.5	31000	18000	14700	8.05	1.86	217352256	No
EL19KPV-036-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	34200	18	10	31000	18000	14700	8.05	1.86	217352269	No
EL19KPV-036-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.88	217352293	No
EL19KPV-036-230A**	LH24/37X*+TXV+LEFE3A*	- - -	R-454B	33200	16	9.5	30800	19600	16600	7.9	1.94	217465690	No
EL19KPV-036-230A**	LH24/37X*+TXV+LEFE4B*	- - -	R-454B	33800	16	9.5	30800	19800	16600	8	1.94	217452977	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	33800	16	10.5	30400	17700	14400	8.1	1.9	217355319	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	33800	17	10.5	30400	17700	14500	8.1	1.88	217355353	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	34000	17	10.5	30400	17700	14400	8.1	1.9	217355378	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	34000	18	10	30600	17800	14600	8.1	1.88	217352044	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	31200	19200	15800	7.6	2	217352057	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	34000	17	10.5	30600	17800	14600	8.1	1.88	217352070	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	34400	18	11	30600	17700	14400	8.1	1.92	217355463	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	34400	16	11	30600	17600	14400	8.1	1.92	217355488	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	34400	16	11	30600	17600	14400	8.1	1.92	217355513	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	33800	17	10.5	30400	17600	14400	8.1	1.9	217352089	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	34200	17	10	31000	18100	14900	8.1	1.86	217352102	No
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	35400	20800	16200	8.2	1.88	217352115	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	34400	17	10.5	31000	18000	14700	8.1	1.88	217352128	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355631	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	34400	18	11	30600	17700	14500	8.1	1.92	217355671	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	34800	18	11	30800	17800	14500	8.1	1.92	217355695	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355735	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	34200	17	11	30400	17500	14300	8.1	1.92	217355760	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	34400	17	10.5	30800	17900	14600	8.1	1.9	217355785	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	34200	17	11	30400	17500	14300	8.1	1.92	217355809	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	34000	18	10	30800	18000	14700	8.1	1.88	217355866	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	34000	17	10.5	30400	17700	14500	8.1	1.9	217355891	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	34000	18	10.5	30400	17600	14400	8.1	1.9	217355916	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	34000	18	10	30600	17800	14600	8.1	1.88	217352173	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	34000	16	9.5	31200	19200	15800	7.6	2	217352186	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	34400	17	10.5	30800	17900	14600	8.1	1.9	217352199	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	35600	21000	16400	7.8	1.86	217352212	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	34400	17	10.5	30800	17900	14700	8	1.88	217352235	No
EL19KPV-036-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	34400	17	10.5	30800	17900	14700	8	1.9	217355969	No
EL19KPV-036-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	35400	21000	16200	8.2	1.88	217356062	No
EL19KPV-036-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	34600	17	11	30800	17800	14500	8.1	1.9	217356096	No
EL19KPV-036-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356121	No
EL19KPV-036-230A**	LH29/36X*+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356155	No
EL19KPV-036-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	34400	18	10.5	31000	18000	14700	8.1	1.88	217352248	No
EL19KPV-036-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	34400	18	10	31000	18000	14700	8.1	1.88	217352261	No
EL19KPV-036-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.88	217352285	No
EL19KPV-036-230A**	LH29/36X*+TXV+LEFE3A*	---	R-454B	33400	16	9.5	30800	19800	16600	7.95	1.94	217465688	No
EL19KPV-036-230A**	LH29/36X*+TXV+LEFE4B*	---	R-454B	34000	16	9.5	30800	19800	16600	8.05	1.96	217452964	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217355321	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217355355	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355380	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352045	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL196UH045XE36B	R-454B	34600	16	9.5	31200	19200	15800	7.75	2.02	217352058	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217352071	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217355465	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355489	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355515	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217352090	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217352103	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217352116	No
EL19KPV-036-230A**	LH35/36X*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352129	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355632	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217355672	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217355697	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355737	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355762	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217355787	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355811	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217355868	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217355893	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217355918	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352174	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH045XE36B	R-454B	34600	16	9.5	31200	19200	15800	7.75	2.02	217352187	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352200	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217352213	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217352236	No
EL19KPV-036-230A**	LH35/36X*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217355971	No
EL19KPV-036-230A**	LH35/36X*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217356064	No
EL19KPV-036-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217356098	No
EL19KPV-036-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356122	No
EL19KPV-036-230A**	LH35/36X*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356156	No
EL19KPV-036-230A**	LH35/36X*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352249	No
EL19KPV-036-230A**	LH35/36X*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217352262	No
EL19KPV-036-230A**	LH35/36X*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352286	No
EL19KPV-036-230A**	LH35/36X*+TXV+LEFE3A*	---	R-454B	34000	16	9.5	31000	19800	16600	8.05	1.96	217465689	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LH35/36X*+TXV+LEFE4B*	- - -	R-454B	34600	17	10	31000	19800	16600	8.15	1.98	217452965	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL180UH100NE60C	R-454B	34600	15.2	11	31200	20000	16100	8.1	2.06	217355346	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	34200	16	11	30800	19800	15900	8.1	2.06	217355406	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL196UH090XE48C	R-454B	34400	16	11	31000	19800	15900	8.2	2.08	217352084	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL280UH110E48C	R-454B	34200	16	11	30600	19600	15700	8.2	2.1	217355539	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XE48C	R-454B	34400	16	11	30800	19800	15900	8.2	2.08	217352142	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352147	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352152	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352157	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH110XV48C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352162	No
EL19KPV-036-230A**	LH35/38X*+TXV	EL297UH110XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352167	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML180UH110E60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355836	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML180UH110V60C	R-454B	35000	17	11	31200	20000	16000	8.1	2.08	217355846	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML180UH110XE60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355855	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML193UH090XE36C	R-454B	34200	17	11	31000	19800	15900	8.2	2.06	217355942	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML193UH090XE48C	R-454B	34200	16	11	30800	19800	15800	8.2	2.08	217355952	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML193UH110XE48C	R-454B	34200	16	11	30800	19600	15800	8.2	2.08	217355961	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML196UH090XE36C	R-454B	34400	17	11	31200	20000	16000	8.2	2.06	217352226	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML196UH090XE48C	R-454B	34200	16	11	30800	19800	15900	8.2	2.08	217352231	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML296UH090XV48C	R-454B	34400	17	11	31000	19800	16000	8.1	2.06	217355996	No
EL19KPV-036-230A**	LH35/38X*+TXV	ML296UH110XV60C	R-454B	34600	17	11	31000	19800	16000	8.1	2.08	217356005	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL280UH080NV60C	R-454B	34600	17	11	31200	20000	16000	8	2.08	217356088	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL280UH090V60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356147	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL280UH090XV60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356181	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL280UH100NV60C	R-454B	34600	17	11	31200	20000	16000	8.1	2.08	217356190	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL280UH110V60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356200	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL280UH110XV60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356209	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL297UH080NV48C	R-454B	34600	17	11	31200	20000	16100	8.1	2.06	217352275	No
EL19KPV-036-230A**	LH35/38X*+TXV	SL297UH080NV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352280	No
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352299	No
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352304	No
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352309	No
EL19KPV-036-230A**	LH35/38X*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352314	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355293	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217355309	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217615238	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL180UH100NE60C	R-454B	34600	15.2	11	31200	20000	16100	8.1	2.06	217615240	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	34200	17	11	30400	17700	14500	8.2	1.9	217615241	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	34400	17	11	30400	17700	14400	8.2	1.92	217615243	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH080NE48C	R-454B	34000	16	10.5	30600	19800	16000	8.2	2.04	217615245	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL195UH100NE60C	R-454B	34200	15	10	30000	20000	16400	8.1	2.02	217615249	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217615250	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	34600	16	9.5	31200	19200	15800	7.75	2.02	217615252	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	34400	17	11	30600	17800	14600	8.2	1.9	217615254	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL196UH090XE48C	R-454B	34400	16	11	31000	19800	15900	8.2	2.08	217615256	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217355421	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355438	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355453	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	34800	18	11	30600	17700	14400	8.2	1.94	217615269	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL280UH090E48B	R-454B	34800	16	11	30600	17600	14400	8.2	1.94	217615271	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL280UH090XE48B	R-454B	34800	16	11	30600	17600	14400	8.2	1.94	217615273	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	34200	17	11	30400	17600	14400	8.2	1.92	217615275	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	34600	17	10.5	31000	18100	14900	8.2	1.88	217615277	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	34600	17	11	30800	17900	14600	8.2	1.9	217615279	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	34800	17	11	31000	18000	14700	8.2	1.9	217615281	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XE48C	R-454B	34400	16	11	30800	19800	15900	8.2	2.08	217615283	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217615284	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	34400	21000	16300	8.1	1.88	217615285	No
EL19KPV-036-230A**	LP18/37R*+TXV	EL297UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217615286	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	34800	17	11	30800	17800	14600	8.1	1.92	217355559	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355574	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	34800	17	11	30800	17900	14600	8.1	1.92	217355589	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217355605	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	34600	17	11	30800	17900	14600	8.2	1.9	217355621	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	34800	17	11	30800	17800	14500	8.2	1.92	217615307	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	34800	17	11	31000	17900	14700	8.1	1.9	217355661	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217615313	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217615315	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	34600	17	11	30600	17800	14500	8.2	1.92	217355726	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	34800	17	11	30800	17800	14500	8.2	1.92	217615321	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217615323	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH090V48B	R-454B	34800	17	11	30800	17900	14600	8.2	1.92	217615325	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217615327	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217615329	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	34400	17	11	30400	17700	14500	8.2	1.92	217615331	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217615333	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	34200	17	11	31000	19800	15900	8.2	2.06	217615335	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML193UH090XE48C	R-454B	34200	16	11	30800	19800	15800	8.2	2.08	217615336	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217615337	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	34000	17	10.5	30800	20000	16000	8.2	2.04	217615339	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	34800	17	11	30800	17900	14600	8.2	1.92	217615341	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217615343	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	34400	17	11	31200	20000	16000	8.2	2.06	217615345	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML196UH090XE48C	R-454B	34200	16	11	30800	19800	15900	8.2	2.08	217615346	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217615347	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217615349	No
EL19KPV-036-230A**	LP18/37R*+TXV	ML296UH090XV48C	R-454B	34400	17	11	31000	19800	16000	8.1	2.06	217615351	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217356022	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356038	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	34600	17	10.5	31000	18100	14800	8.2	1.88	217356053	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH080NV48B	R-454B	34800	17	11	30800	17900	14700	8.2	1.92	217615364	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH080NV60C	R-454B	34600	17	11	31200	20000	16000	8	2.08	217615366	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	35000	17	11	30800	17800	14500	8.2	1.92	217615367	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH090V48B	R-454B	34800	17	11	30800	17900	14600	8.2	1.92	217615369	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH090V60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217615371	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH090XV48B	R-454B	34800	17	11	30800	17900	14600	8.2	1.92	217615372	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH090XV60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217615374	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL280UH100NV60C	R-454B	34600	17	11	31200	20000	16000	8.1	2.08	217615375	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217615378	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL297UH080NV48C	R-454B	34600	17	11	31200	20000	16100	8.1	2.06	217615380	No
EL19KPV-036-230A**	LP18/37R*+TXV	SL297UH080NV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217615381	No
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	30800	17900	14600	8.2	1.92	217615382	No
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217615384	No
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	34400	21000	16300	8.1	1.88	217615385	No
EL19KPV-036-230A**	LP18/37R*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217615386	No
EL19KPV-036-230A**	LP18/37R*+TXV+LEFE3A*	- - -	R-454B	33800	16	9.5	31000	19800	16600	8.05	1.96	217452976	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	33800	18	10.5	30600	17800	14500	8.05	1.88	217615231	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	34200	18	10.5	30400	17800	14500	8.05	1.9	217615235	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	33600	16	10.5	30400	17700	14400	8.05	1.9	217355325	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL180UH100NE60C	R-454B	34600	15.2	11	31200	20000	16100	8.05	2.06	217355342	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	33600	17	10.5	30400	17700	14500	8.05	1.88	217355359	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	33000	17	10.5	35000	20600	16000	8.1	1.9	217355384	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL195UH080NE48C	R-454B	34000	15.2	10.5	30800	19800	15900	8.05	2.04	217355402	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL195UH100NE60C	R-454B	34400	14.5	10.5	31000	20200	16200	8.05	2.02	217615247	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	33800	18	10	30600	17800	14600	8.05	1.88	217352047	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	34000	16	9.5	31000	19200	15800	7.6	1.98	217352060	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	33800	17	10.5	30600	17800	14600	8.05	1.88	217352073	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	34400	16	11	31000	19800	15900	8.15	2.06	217352082	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	34200	18	10.5	31800	21200	16400	8.2	1.94	217615258	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	34000	18	11	30200	17700	14400	8.05	1.9	217615262	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	33800	18	10.5	30400	17700	14400	8.05	1.9	217615266	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	34200	18	11	30600	17700	14400	8.05	1.92	217355469	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH090E48B	R-454B	34200	16	11	30600	17600	14400	8.05	1.92	217355493	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH090XE48B	R-454B	34200	16	11	30600	17600	14400	8.05	1.92	217355518	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	34000	16	11	30600	19600	15700	8.15	2.08	217355536	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	33000	17	10.5	35000	20600	16000	8.1	1.9	217352092	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	33400	17	10	35600	21200	16400	8.1	1.86	217352105	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	33400	17	10.5	35400	20800	16200	8.2	1.88	217352118	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352131	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	34200	16	11	30800	19800	15900	8.15	2.06	217352140	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	34600	17	11	31200	20000	16100	7.95	2.06	217352145	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352150	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	34600	16	11	31200	20000	16100	7.95	2.06	217352155	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	34600	17	11	31200	20000	16100	7.95	2.06	217352160	No
EL19KPV-036-230A**	LP25/36R*+TXV	EL297UH110XV60C	R-454B	34600	16	11	31200	20000	16100	7.95	2.06	217352165	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	34200	17	10.5	30800	17800	14600	7.95	1.9	217615288	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	34000	18	10.5	30600	17700	14500	8.05	1.9	217615292	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	34200	17	10.5	30800	17900	14600	7.95	1.9	217615296	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	34000	18	10.5	30600	17700	14500	8.05	1.9	217615300	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	33600	17	10.5	31400	20800	16300	8.1	1.94	217615304	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355636	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	34200	17	10.5	31000	17900	14700	7.95	1.88	217615310	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	34200	18	11	30600	17700	14500	8.05	1.92	217355676	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070V48B	R-454B	34600	18	11	30800	17800	14500	8.05	1.92	217355701	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	33600	17	10.5	31200	20800	16200	8.1	1.94	217615318	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	33600	17	10.5	35400	20800	16100	8.2	1.9	217355741	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH090E48B	R-454B	34000	17	11	30400	17500	14300	8.05	1.92	217355766	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH090V48B	R-454B	34200	17	10.5	30800	17900	14600	8.05	1.9	217355790	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH090XE48B	R-454B	34000	17	11	30400	17500	14300	8.05	1.92	217355815	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH110E60C	R-454B	34800	16	11	31200	20000	16000	8.05	2.08	217355832	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH110V60C	R-454B	35000	17	11	31200	20000	16000	8.05	2.08	217355842	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML180UH110XE60C	R-454B	34800	16	11	31200	20000	16000	8.05	2.08	217355851	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	33800	18	10	30800	18000	14700	8.05	1.88	217355872	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	33800	17	10.5	30400	17700	14500	8.05	1.9	217355897	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	33800	18	10.5	30400	17600	14400	8.05	1.9	217355921	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	34200	17	11	31000	19800	15900	8.15	2.04	217355939	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	34000	16	11	30800	19800	15800	8.15	2.06	217355948	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	34000	16	11	30800	19600	15800	8.15	2.06	217355957	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	33800	18	10	30600	17800	14600	8.05	1.88	217352176	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	34000	16	9.5	31000	19200	15800	7.6	1.98	217352189	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	33600	17	10.5	35400	20800	16200	8.1	1.88	217352202	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH070XE48B	R-454B	33600	15.2	10.5	35600	21000	16400	7.8	1.86	217352215	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	34400	17	11	31200	20000	16000	8.15	2.06	217352224	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	34000	16	11	30800	19800	15900	8.15	2.06	217352229	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	34200	17	10.5	30800	17900	14700	7.95	1.88	217352238	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	34200	17	10.5	30800	17900	14700	7.95	1.9	217355975	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	34400	16	11	31000	19800	16000	8.05	2.06	217355992	No
EL19KPV-036-230A**	LP25/36R*+TXV	ML296UH110XV60C	R-454B	33600	17	10.5	35200	20800	16000	7.8	1.9	217356001	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	34000	18	10.5	31600	21000	16400	8.1	1.96	217615353	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615357	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615361	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	33600	17	10.5	35400	21000	16200	8.2	1.88	217356068	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH080NV60C	R-454B	34600	17	11	31200	20000	16000	7.95	2.08	217356085	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	34400	17	11	30800	17800	14500	8.05	1.9	217356102	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356126	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH090V60C	R-454B	34600	17	11	31200	19800	16000	8.05	2.08	217356143	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH090XV48B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.9	217356160	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH090XV60C	R-454B	34600	17	11	31200	19800	16000	8.05	2.08	217356177	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH100NV60C	R-454B	34600	17	11	31200	20000	16000	8.05	2.08	217356186	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH110V60C	R-454B	34600	16	11	31200	20000	16000	7.95	2.08	217356196	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL280UH110XV60C	R-454B	34600	16	11	31200	20000	16000	7.95	2.08	217356205	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	34200	18	10.5	31000	18000	14700	8.05	1.88	217352251	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	34200	18	10	31000	18000	14700	8.05	1.88	217352264	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH080NV48C	R-454B	34600	17	11	31200	20000	16100	8.05	2.06	217352273	No
EL19KPV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	34600	17	11	31200	20000	16100	7.95	2.06	217352278	No
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	33600	17	10.5	35400	20800	16200	8.2	1.88	217352288	No
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	31200	20000	16100	7.95	2.06	217352297	No
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352302	No
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	31200	20000	16100	7.95	2.06	217352307	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP25/36R*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	31200	20000	16100	7.95	2.06	217352312	No
EL19KPV-036-230A**	LP25/36R*+TXV+LEFE4B*	- - -	R-454B	33800	16	9.5	30800	19800	16600	8	1.96	217452968	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.15	1.9	217615232	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	34800	18	11	30400	17800	14500	8.15	1.92	217615236	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.15	1.92	217355327	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL180UH100NE60C	R-454B	34600	15.2	11	31200	20000	16100	8.1	2.06	217355344	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	34200	17	11	30400	17700	14500	8.15	1.9	217355361	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	34400	17	11	30400	17700	14400	8.15	1.92	217355386	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	34200	16	11	30800	19800	15900	8.1	2.06	217355404	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	34000	15	10	30000	20000	16400	8.1	2.02	217615248	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.15	1.9	217352048	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	34400	16	9.5	31200	19200	15800	7.7	2.02	217352061	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	34400	17	11	30600	17800	14600	8.15	1.9	217352074	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	34400	16	11	31000	19800	15900	8.2	2.08	217352083	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	35200	18	11	30800	18000	14700	8.15	1.92	217615259	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	34600	18	11	30200	17700	14400	8.15	1.92	217615263	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.15	1.92	217615267	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	34800	18	11	30600	17700	14400	8.15	1.94	217355470	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH090E48B	R-454B	34800	16	11	30600	17600	14400	8.15	1.94	217355495	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH090XE48B	R-454B	34800	16	11	30600	17600	14400	8.15	1.94	217355520	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	34200	16	11	30600	19600	15700	8.2	2.1	217355538	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	34200	17	11	30400	17600	14400	8.15	1.92	217352093	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	34600	17	10.5	31000	18100	14900	8.15	1.88	217352106	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	34600	17	11	30800	17900	14600	8.15	1.9	217352119	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	34800	17	11	31000	18000	14700	8.15	1.9	217352132	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	34400	16	11	30800	19800	15900	8.2	2.08	217352141	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352146	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352151	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352156	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352161	No
EL19KPV-036-230A**	LP29/36X*+TXV	EL297UH110XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352166	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	34800	17	11	30800	17800	14600	8.05	1.92	217615289	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.15	1.92	217615293	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	34800	17	11	30800	17900	14600	8.05	1.92	217615297	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.15	1.92	217615301	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	34600	17	11	30800	17900	14600	8.15	1.9	217615305	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	34800	17	11	30800	17800	14500	8.15	1.92	217355638	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	34800	17	11	31000	17900	14700	8.05	1.9	217615311	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.15	1.94	217355678	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.15	1.94	217355703	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	34600	17	11	30600	17800	14500	8.15	1.92	217615319	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	34800	17	11	30800	17800	14500	8.15	1.92	217355743	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.15	1.94	217355768	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH090V48B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217355792	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.15	1.94	217355817	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH110E60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355834	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH110V60C	R-454B	35000	17	11	31200	20000	16000	8.1	2.08	217355844	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML180UH110XE60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355853	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.15	1.9	217355874	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	34400	17	11	30400	17700	14500	8.15	1.92	217355899	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.15	1.92	217355923	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	34200	17	11	31000	19800	15900	8.2	2.06	217355941	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	34200	16	11	30800	19800	15800	8.2	2.08	217355950	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	34200	16	11	30800	19600	15800	8.2	2.08	217355959	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.15	1.9	217352177	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	34400	16	9.5	31200	19200	15800	7.7	2.02	217352190	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217352203	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH070XE48B	R-454B	34800	15.2	10.5	31000	18100	14800	8.15	1.88	217352216	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	34400	17	11	31200	20000	16000	8.2	2.06	217352225	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	34200	16	11	30800	19800	15900	8.2	2.08	217352230	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.05	1.9	217352239	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.05	1.92	217355976	No
EL19KPV-036-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	34400	17	11	31000	19800	16000	8.1	2.06	217355994	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP29/36X*+TXV	ML296UH110XV60C	R-454B	34600	17	11	31000	19800	16000	8.1	2.08	217356003	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.15	1.92	217615354	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615358	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615362	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	34800	17	11	30800	17900	14700	8.15	1.92	217356070	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH080NV60C	R-454B	34600	17	11	31200	20000	16000	8	2.08	217356086	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	35000	17	11	30800	17800	14500	8.15	1.92	217356103	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217356128	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH090V60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356145	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH090XV48B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217356162	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH090XV60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356179	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH100NV60C	R-454B	34600	17	11	31200	20000	16000	8.1	2.08	217356188	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH110V60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356198	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL280UH110XV60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356207	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.15	1.9	217352252	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.15	1.9	217352265	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	34600	17	11	31200	20000	16100	8.1	2.06	217352274	No
EL19KPV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352279	No
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	34800	17	11	30800	17900	14600	8.15	1.92	217352289	No
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352298	No
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352303	No
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352308	No
EL19KPV-036-230A**	LP29/36X*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352313	No
EL19KPV-036-230A**	LP29/36X*+TXV+LEFE3A*	---	R-454B	33800	16	9.5	30800	19800	16600	8.05	1.96	217452970	No
EL19KPV-036-230A**	LP29/36X*+TXV+LEFE4B*	---	R-454B	34400	17	10	31000	19800	16600	8.1	1.98	217452969	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	34400	18	11	30600	17800	14500	8.2	1.9	217615230	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	34800	18	11	30400	17800	14500	8.2	1.92	217615234	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	34200	16	11	30400	17700	14400	8.2	1.92	217355313	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	34600	15.2	11	31200	20000	16100	8.1	2.06	217355338	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	34200	18	11	30400	17700	14500	8.2	1.9	217355348	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217355373	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	34200	16	11	30800	19800	15900	8.1	2.06	217355398	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	34600	15.2	10.5	30000	20000	16400	8.2	2.04	217615246	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352041	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352054	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	34400	18	11	30600	17800	14600	8.2	1.9	217352067	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	34400	16	11	31000	19800	15900	8.2	2.08	217352080	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	35200	19	11	30800	18000	14700	8.2	1.92	217615257	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	34600	18	11	30200	17700	14400	8.2	1.92	217615261	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	34400	18	11	30400	17700	14400	8.2	1.92	217615265	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	34800	19	11	30600	17700	14400	8.2	1.94	217355457	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355482	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	34800	17	11	30600	17600	14400	8.2	1.94	217355507	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	34200	16	11	30600	19600	15700	8.2	2.1	217355532	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	34200	18	11	30400	17600	14400	8.2	1.92	217352086	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	34600	18	10.5	31000	18100	14900	8.2	1.88	217352099	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217352112	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352125	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	34400	16	11	30800	19800	15900	8.2	2.08	217352138	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352143	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352148	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352153	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352158	No
EL19KPV-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352163	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	34800	18	11	30800	17800	14600	8.1	1.92	217615287	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217615291	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	34800	18	11	30800	17900	14600	8.1	1.92	217615295	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	34600	18	11	30600	17700	14500	8.2	1.92	217615299	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	34600	18	11	30800	17900	14600	8.2	1.9	217615303	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355625	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	34800	18	11	31000	17900	14700	8.1	1.9	217615309	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	34800	18	11	30600	17700	14500	8.2	1.94	217355665	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	35200	18	11	30800	17800	14500	8.2	1.94	217355690	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	34600	18	11	30600	17800	14500	8.2	1.92	217615317	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	34800	18	11	30800	17800	14500	8.2	1.92	217355730	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355754	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217355779	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	34600	17	11	30400	17500	14300	8.2	1.94	217355804	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355829	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	35000	17	11	31200	20000	16000	8.1	2.08	217355838	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	34800	16	11	31200	20000	16000	8.1	2.08	217355848	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	34400	18	10.5	30800	18000	14700	8.2	1.9	217355861	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	34400	18	11	30400	17700	14500	8.2	1.92	217355885	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	34400	18	11	30400	17600	14400	8.2	1.92	217355910	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	34200	17	11	31000	19800	15900	8.2	2.06	217355935	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	34200	16	11	30800	19800	15800	8.2	2.08	217355944	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	34200	16	11	30800	19600	15800	8.2	2.08	217355954	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	34400	18	10.5	30600	17800	14600	8.2	1.9	217352170	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	35000	16	10	31200	19200	15800	7.8	2.04	217352183	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352196	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	34800	16	10.5	31000	18100	14800	8.2	1.88	217352209	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	34400	17	11	31200	20000	16000	8.2	2.06	217352222	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	34200	16	11	30800	19800	15900	8.2	2.08	217352227	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.9	217352232	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	34800	17	11	30800	17900	14700	8.1	1.92	217355963	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	34400	17	11	31000	19800	16000	8.1	2.06	217355988	No
EL19KPV-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	34600	17	11	31000	19800	16000	8.1	2.08	217355998	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	34800	18	11	30800	17800	14600	8.2	1.92	217615352	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615356	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	34000	18	10.5	31800	21000	16600	8.1	1.94	217615360	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	34800	18	11	30800	17900	14700	8.2	1.92	217356057	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	34600	17	11	31200	20000	16000	8	2.08	217356081	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	35000	18	11	30800	17800	14500	8.2	1.92	217356090	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356115	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356139	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH090XV48B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217356149	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	34600	17	11	31200	19800	16000	8.1	2.08	217356173	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	34600	17	11	31200	20000	16000	8.1	2.08	217356182	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH110V60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356192	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL280UH110XV60C	R-454B	34600	16	11	31200	20000	16000	8	2.08	217356201	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	34800	18	11	31000	18000	14700	8.2	1.9	217352245	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	34800	18	10.5	31000	18000	14700	8.2	1.9	217352258	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	34600	17	11	31200	20000	16100	8.1	2.06	217352271	No
EL19KPV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352276	No
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	34800	18	11	30800	17900	14600	8.2	1.92	217352282	No
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352295	No
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	33600	17	10.5	35400	21000	16300	8.1	1.88	217352300	No
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	34600	16	11	31200	20000	16100	8	2.06	217352305	No
EL19KPV-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	34600	17	11	31200	20000	16100	8	2.06	217352310	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217615387	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217615388	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	47000	17	11	45000	28600	23400	8.1	1.82	217615389	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217615390	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217615391	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217615392	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217615393	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217615394	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217615395	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217615396	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615397	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217615398	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615399	No
EL19KPV-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615400	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217615401	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217615402	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217615403	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217615404	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217615405	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217615406	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217615407	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217615408	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217615409	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217615410	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	47000	17	11	46000	28600	28800	8.1	1.9	217615411	No
EL19KPV-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217615412	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217615413	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217615414	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	45000	28400	23400	7.5	1.8	217615415	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217615416	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217615417	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217615418	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615419	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615420	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217615421	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615422	No
EL19KPV-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217615423	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356220	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356237	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356254	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	2173562320	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217356239	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL280UH090E48B	R-454B	47500	18	11.5	43500	27200	21800	7.8	1.8	217356263	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL280UH090XE48B	R-454B	47500	18	11.5	43500	27200	21800	7.8	1.8	217356268	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356281	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356299	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356316	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	2173562338	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	2173562347	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	2173562356	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	2173562365	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	2173562374	No
EL19KPV-048-230A**	L*42/60V*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	2173562383	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH070V48B	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.82	217356325	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH090E48B	R-454B	47500	18	11.7	43500	27000	21600	7.8	1.82	217356331	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356343	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH090V48B	R-454B	48000	17	11	44500	27600	22000	7.5	1.8	217356353	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH090XE48B	R-454B	47500	18	11.7	43500	27000	21600	7.8	1.82	217356359	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356372	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356388	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356405	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356423	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356439	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356456	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH070XE48B	R-454B	47000	17	11	44000	27400	22000	7.5	1.78	2173562388	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	2173562395	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	2173562404	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	2173562413	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356473	No
EL19KPV-048-230A**	L*42/60V*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356490	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	48000	18	11	44500	27600	22200	7.5	1.78	217356499	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356512	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	48000	18	11	44000	27400	22000	7.5	1.8	217356522	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356535	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH090XV48B	R-454B	48000	18	11	44000	27400	22000	7.5	1.8	217356544	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356557	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356574	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356591	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356608	No
EL19KPV-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	2173562422	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352431	No
EL19KPV-048-230A**	L*42/60V*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352440	No
EL19KPV-048-230A**	L*42/60V*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352449	No
EL19KPV-048-230A**	L*42/60V*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352458	No
EL19KPV-048-230A**	L*42/60V*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352474	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356222	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356239	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356256	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352321	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352330	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356283	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356300	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356318	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352339	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352348	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352357	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352366	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352375	No
EL19KPV-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352384	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356345	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356374	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356390	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356407	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356425	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356441	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356458	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352396	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352405	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352414	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356475	No
EL19KPV-048-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356492	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356514	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356537	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356559	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356576	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356593	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356610	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352423	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352432	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352441	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352450	No
EL19KPV-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352459	No
EL19KPV-048-230A**	L*42/60Z*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352475	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356211	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356227	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356244	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352315	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352324	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356272	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356289	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356306	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352333	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352342	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352351	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352360	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352369	No
EL19KPV-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352378	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356334	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356362	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356380	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356396	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356413	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356430	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356447	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352390	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352399	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352408	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356464	No
EL19KPV-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356481	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356503	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356526	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356548	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356565	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356582	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356598	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352417	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352426	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352435	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352444	No
EL19KPV-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352453	No
EL19KPV-048-230A**	LD42/61Z*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352469	No
EL19KPV-048-230A**	LEM48*1CC*+TXV	- - -	R-454B	48000	18	11	46000	29400	29200	7.5	1.92	217615834	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356212	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356229	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356246	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352316	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352325	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356274	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356291	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356308	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352334	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352343	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352352	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352361	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352370	No
EL19KPV-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352379	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356336	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356364	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356381	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356398	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356415	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356432	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356449	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352391	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352400	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352409	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356466	No
EL19KPV-048-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356483	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356505	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356527	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356549	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356567	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356583	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356600	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352418	No
EL19KPV-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352427	No
EL19KPV-048-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352436	No
EL19KPV-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352445	No
EL19KPV-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352454	No
EL19KPV-048-230A**	LH40/61W*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352470	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356216	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356233	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356250	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352318	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352327	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356278	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	LH41/61R*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356295	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356312	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352336	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352345	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352354	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352363	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352372	No
EL19KPV-048-230A**	LH41/61R*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352381	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356340	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356368	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356385	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356402	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356419	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356436	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356452	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352393	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352402	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352411	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356469	No
EL19KPV-048-230A**	LH41/61R*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356486	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356509	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356531	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356553	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356570	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356587	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356604	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352420	No
EL19KPV-048-230A**	LH41/61R*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352429	No
EL19KPV-048-230A**	LH41/61R*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352438	No
EL19KPV-048-230A**	LH41/61R*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352447	No
EL19KPV-048-230A**	LH41/61R*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352456	No
EL19KPV-048-230A**	LH41/61R*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352472	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356223	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356241	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356257	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352322	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352331	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356285	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356302	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356319	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352340	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352349	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352358	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352367	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352376	No
EL19KPV-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352385	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356347	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356376	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356392	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356409	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356426	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356443	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356460	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352397	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352406	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352415	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356477	No
EL19KPV-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356493	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356516	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356538	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356561	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356578	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356594	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356611	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352424	No
EL19KPV-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352433	No
EL19KPV-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352442	No
EL19KPV-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352451	No
EL19KPV-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352460	No
EL19KPV-048-230A**	LH42/62W*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352476	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356214	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356231	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356248	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352317	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352326	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356276	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356293	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356310	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352335	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352344	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352353	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352362	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352371	No
EL19KPV-048-230A**	LH48/60X*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352380	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356338	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356366	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356383	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356400	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356417	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356434	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356451	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352392	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352401	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352410	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356468	No
EL19KPV-048-230A**	LH48/60X*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356485	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356507	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356529	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356551	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356568	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356585	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356602	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352419	No
EL19KPV-048-230A**	LH48/60X*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352428	No
EL19KPV-048-230A**	LH48/60X*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352437	No
EL19KPV-048-230A**	LH48/60X*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352446	No
EL19KPV-048-230A**	LH48/60X*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352455	No
EL19KPV-048-230A**	LH48/60X*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352471	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356218	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356235	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356252	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352319	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352328	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL280UH090E48B	R-454B	47500	18	11.5	43500	27200	21800	7.8	1.8	217356261	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL280UH090XE48B	R-454B	47500	18	11.5	43500	27200	21800	7.8	1.8	217356266	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356280	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356297	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356314	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352337	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352346	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352355	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352364	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352373	No
EL19KPV-048-230A**	LP40/60R*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352382	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH070V48B	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.82	217356323	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH090E48B	R-454B	47500	18	11.7	43500	27000	21600	7.8	1.82	217356329	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356341	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH090V48B	R-454B	48000	17	11	44500	27600	22000	7.5	1.8	217356351	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH090XE48B	R-454B	47500	18	11.7	43500	27000	21600	7.8	1.82	217356357	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356370	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356387	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356403	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356421	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356437	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356454	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH070XE48B	R-454B	47000	17	11	44000	27400	22000	7.5	1.78	217352387	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352394	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352403	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352412	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356471	No
EL19KPV-048-230A**	LP40/60R*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356488	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH080NV48B	R-454B	48000	18	11	44500	27600	22200	7.5	1.78	217356497	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356510	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH090V48B	R-454B	48000	18	11	44000	27400	22000	7.5	1.8	217356520	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356533	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH090XV48B	R-454B	48000	18	11	44000	27400	22000	7.5	1.8	217356542	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356555	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356572	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356589	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356606	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352421	No
EL19KPV-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352430	No
EL19KPV-048-230A**	LP40/60R*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352439	No
EL19KPV-048-230A**	LP40/60R*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352448	No
EL19KPV-048-230A**	LP40/60R*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352457	No
EL19KPV-048-230A**	LP40/60R*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352473	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	48000	17	11	45500	28600	23400	8.2	1.84	217356225	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	47000	17	11.5	43500	27000	21600	7.8	1.8	217356242	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	47500	17	11.5	43500	27000	21600	7.8	1.8	217356259	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217352323	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	47500	17	11.7	43500	27000	21600	7.8	1.82	217352332	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	47500	18	11.5	43500	27200	21800	7.8	1.8	217356264	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	47500	18	11.5	43500	27200	21800	7.8	1.8	217356270	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	48000	18	11.7	43500	27000	21600	7.8	1.82	217356287	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356304	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	47500	17	11.7	43000	26600	21400	7.8	1.84	217356321	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352341	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352350	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352359	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	47500	17	11.5	44500	28000	23000	8.2	1.86	217352368	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352377	No
EL19KPV-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352386	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.82	217356327	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	47500	18	11.7	43500	27000	21600	7.8	1.82	217356333	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217356349	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	48000	17	11	44500	27600	22000	7.5	1.8	217356355	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	47500	18	11.7	43500	27000	21600	7.8	1.82	217356361	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356378	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	48000	18	11.7	44000	27200	21800	7.5	1.82	217356394	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	48000	18	11.5	44000	27400	21800	7.8	1.82	217356411	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.8	217356428	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217356445	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	47500	17	11.7	43500	26800	21400	7.8	1.82	217356462	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH070XE48B	R-454B	47000	17	11	44000	27400	22000	7.5	1.78	217352389	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	47500	18	11.5	43500	27000	21600	7.8	1.82	217352398	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	47500	17	11.7	43500	26800	21600	7.8	1.82	217352407	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	47500	17	11.5	44500	28200	23000	8.2	1.86	217352416	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	48000	17	11	45500	28600	23400	8	1.86	217356479	No
EL19KPV-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	48000	17	11.5	44000	27400	21800	7.5	1.82	217356495	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	48000	18	11	44500	27600	22200	7.5	1.78	217356501	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	48000	18	11.5	45500	28400	23200	8.2	1.88	217356518	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	48000	18	11	44000	27400	22000	7.5	1.8	217356524	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356540	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH090XV48B	R-454B	48000	18	11	44000	27400	22000	7.5	1.8	217356546	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	48000	18	11.5	44000	27400	22000	7.5	1.8	217356563	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356580	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356596	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	48000	18	11.5	44000	27400	21800	7.5	1.82	217356613	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352425	No
EL19KPV-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352434	No
EL19KPV-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	18	11	45500	28800	23400	8.2	1.84	217352443	No
EL19KPV-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352452	No
EL19KPV-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	18	11	45500	28600	23400	8.2	1.86	217352461	No
EL19KPV-048-230A**	LP42/62W*+TXV+TD	- - -	R-454B	47500	15.2	10.5	46000	29200	23800	8.1	1.84	217352477	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	54500	17	10	54000	36800	30400	8.2	1.98	217615425	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	52000	36000	29800	8.5	1.88	217615427	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	54500	17	10	52000	35800	29600	8.5	1.9	217615429	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	55500	17	10	54000	36600	30400	8.2	2	217615431	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	55500	17	10	54000	36600	30400	8.2	2	217615433	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	54500	18	10	52000	35600	29400	8.5	1.88	217615435	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	52500	36200	30000	8.5	1.88	217615437	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	53500	33800	26400	7.8	1.88	217615439	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	57500	16	10	54000	34200	27000	7.8	1.86	217615440	No
EL19KPV-060-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	57500	17	10.5	53500	33800	26400	7.8	1.88	217615441	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	53000	36800	30400	8.5	1.88	217615443	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	57000	17	10	54500	36000	30400	8.45	2.06	217615445	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	57000	17	10	54500	36800	30600	8.2	2.06	217615447	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	57000	17	10	54500	36000	30400	8.45	2.06	217615449	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	56000	16	10	54000	36800	30400	8.2	2	217615450	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	56500	17	10	54000	35800	30200	8.45	2.04	217615452	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	56500	17	10	54000	35800	30200	8.45	2.04	217615454	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	57000	16	10	54500	36200	30600	8.45	2.06	217615456	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	57000	16	10	53500	33800	26400	7.8	1.88	217615457	No
EL19KPV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	55000	17	10	52000	35600	29400	8.2	1.9	217615459	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615461	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	54500	18	10	51500	35400	29000	8.5	1.88	217615463	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	54500	18	10	51500	35400	29000	8.5	1.88	217615465	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615467	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	54500	18	10	51500	35400	29200	8.5	1.88	217615469	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	54500	18	10	51500	35400	29200	8.5	1.88	217615471	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	57500	17	10.5	53500	33600	26400	7.8	1.88	217615472	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615476	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615478	No
EL19KPV-060-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	57500	17	10.5	53500	33800	26400	7.8	1.88	217615479	No
EL19KPV-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217542798	No
EL19KPV-060-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	54500	18	10	52000	35600	29400	8.5	1.88	217542799	No
EL19KPV-060-230A**	LEM60*4CC*+TXV	- - -	R-454B	52500	16	9	55500	36000	29600	8.15	1.82	217615836	No
EL19KPV-060-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	54500	18	10	52000	35600	29400	8.5	1.88	217542800	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	54500	17	10	54000	36800	30400	8.2	1.98	217615424	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	54500	17	9.5	52000	36000	29800	8.5	1.88	217615426	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	54500	17	10	52000	35800	29600	8.5	1.9	217615428	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	55500	17	10	54000	36600	30400	8.2	2	217615430	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	55500	17	10	54000	36600	30400	8.2	2	217615432	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	54500	18	10	52000	35600	29400	8.5	1.88	217615434	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	55000	17	9.5	52500	36200	30000	8.5	1.88	217615436	No
EL19KPV-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	57500	18	10.5	53500	33800	26400	7.8	1.88	217615438	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	55500	17	9.5	53000	36800	30400	8.5	1.88	217615442	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	57000	17	10	54500	36000	30400	8.5	2.06	217615444	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	57000	17	10	54000	35400	29800	8.2	2.1	217615446	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	57000	17	10	54500	36000	30400	8.5	2.06	217615448	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	56500	17	10	54000	35800	30200	8.5	2.06	217615451	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	56500	17	10	54000	35800	30200	8.5	2.06	217615453	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL19KPV-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	57000	16	10	54500	36200	30600	8.5	2.06	217615455	No
EL19KPV-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	55000	17	10	52000	35600	29400	8.2	1.9	217615458	No
EL19KPV-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615460	No
EL19KPV-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	54500	18	10	51500	35400	29000	8.5	1.88	217615462	No
EL19KPV-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	54500	18	10	51500	35400	29000	8.5	1.88	217615464	No
EL19KPV-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615466	No
EL19KPV-060-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	54500	18	10	51500	35400	29200	8.5	1.88	217615468	No
EL19KPV-060-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	54500	18	10	51500	35400	29200	8.5	1.88	217615470	No
EL19KPV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615475	No
EL19KPV-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	54500	18	10	51500	35600	29200	8.5	1.88	217615477	No
EL21KLV-024-230A**	L*18/36T*+TXV+TD	- - -	R-454B	22000	15.2	11	23600	21400	17600	9.3	2.02	217374117	No
EL21KLV-024-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	23600	19	13	23000	18200	13800	8.5	1.76	217542801	No
EL21KLV-024-230A**	L*19/36S*+TXV+TD	- - -	R-454B	22200	16	11	23600	21400	17600	9.4	2.04	217374118	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614455	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614460	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614465	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614470	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	22200	19400	16400	8.9	2	217614475	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614481	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614487	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	22000	20	12	22600	19600	16300	8.85	2.02	217614493	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614499	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614505	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	22800	20000	16800	8.9	2.02	217614511	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	23000	18300	13900	8.5	1.74	217614517	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	23200	19	12	22400	21000	17400	9.8	2.1	217614523	No
EL21KLV-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	19	13	23000	18200	13800	8.5	1.76	217614529	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23800	20	13	23000	20000	16900	8.2	1.98	217614534	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	22800	19	13	22400	20600	16900	9.5	2.08	217614536	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	23000	19	13	22400	20800	17100	9.8	2.1	217614538	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23200	19	13	22400	20800	17000	9.8	2.1	217614540	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23000	20	13	22400	20600	17000	9.6	2.1	217614543	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23200	20	13	22400	20800	17000	9.6	2.1	217614545	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23000	19	13	22400	20600	17000	9.8	2.1	217614548	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23200	19	13	22400	20800	17000	9.8	2.1	217614550	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	24000	19	13	23000	18300	13900	8.5	1.74	217614554	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	19	13	23000	18200	13800	8.5	1.76	217614560	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614565	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	22400	21000	17300	9.8	2.1	217614568	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22600	18000	13600	8.2	1.74	217614572	No
EL21KLV-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	23000	19	12.5	22400	20800	17100	9.6	2.1	217614578	No
EL21KLV-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23000	19	13	23200	21000	17200	10	2.12	217614584	No
EL21KLV-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	22000	19	12	23000	20000	16700	8.85	2.04	217614589	No
EL21KLV-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	22000	19	12	23000	20000	16700	8.85	2.04	217614594	No
EL21KLV-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	23000	20	12.5	23400	21000	17300	10	2.12	217542802	No
EL21KLV-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	23600	19	13	23000	18300	13900	8.5	1.74	217614604	No
EL21KLV-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	23000	18200	13800	8.5	1.76	217614610	No
EL21KLV-024-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	23200	20	12.5	23200	21000	17200	9.8	2.1	217230970	No
EL21KLV-024-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	23200	20	12.5	23200	21000	17200	9.8	2.1	217230973	No
EL21KLV-024-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230979	No
EL21KLV-024-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230984	No
EL21KLV-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	23000	19	13	23200	21000	17200	10	2.12	217230986	No
EL21KLV-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	22800	18	12.5	23400	21000	17300	9.8	2.1	217230989	No
EL21KLV-024-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	22800	18	12.5	23400	21000	17300	9.8	2.1	217230992	No
EL21KLV-024-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	23000	19	13	23200	20800	17200	9.8	2.12	217230998	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614458	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614463	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614468	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614473	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22200	19400	16400	9	2.02	217614479	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217614485	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614491	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	22200	20	12.5	22600	19600	16300	9	2.04	217614497	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614503	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614509	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	23800	18	13	22800	20000	16800	9	2.04	217614515	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22800	19800	16700	9.4	2.06	217614521	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	23200	19	12	22400	21000	17400	9.8	2.1	217614527	No
EL21KLV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23600	20	13	22800	19800	16600	9.4	2.06	217614533	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	23800	20	13	23000	20000	16900	8.2	1.98	217614535	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	22800	19	13	22400	20600	16900	9.5	2.08	217614537	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	23000	19	13	22400	20800	17100	9.8	2.1	217614539	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	23200	19	13	22400	20800	17000	9.8	2.1	217614542	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23000	20	13	22400	20600	17000	9.6	2.1	217614544	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	23200	20	13	22400	20800	17000	9.6	2.1	217614547	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	23000	19	13	22400	20600	17000	9.8	2.1	217614549	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	23200	19	13	22400	20800	17000	9.8	2.1	217614552	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	23800	19	13	22800	19800	16800	9	2.04	217614558	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	23800	19	13	22800	19800	16700	9	2.06	217614564	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217614567	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	22400	21000	17300	9.8	2.1	217614570	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22400	19600	16500	9	2.04	217614576	No
EL21KLV-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23600	19	13	22600	19800	16700	8.5	2.04	217614582	No
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	23000	20000	16700	9	2.06	217614587	No
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	22200	19	12.5	23000	20000	16700	9	2.06	217614592	No
EL21KLV-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	22200	19	12.5	23000	20000	16700	9	2.06	217614597	No
EL21KLV-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614602	No
EL21KLV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614608	No
EL21KLV-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	22600	19800	16600	9.4	2.06	217614614	No
EL21KLV-024-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230980	No
EL21KLV-024-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230985	No
EL21KLV-024-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	23000	19	13	23200	20800	17200	9.8	2.12	217230999	No
EL21KLV-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230976	No
EL21KLV-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230981	No
EL21KLV-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	23000	19	13	23200	20800	17200	9.8	2.12	217230995	No
EL21KLV-024-230A**	LEC30*C05+TXV	- - -	R-454B	23000	20	12	22200	21200	18100	9.2	2.18	217615825	No
EL21KLV-024-230A**	LEM24*23E*+TXV	- - -	R-454B	22800	20	12	22000	21200	18100	9.15	2.16	217615824	No
EL21KLV-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	23200	20	12.5	23200	21000	17200	9.8	2.1	217230971	No
EL21KLV-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	23200	20	12.5	23200	21000	17200	9.8	2.1	217230974	No
EL21KLV-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	23000	19	13	23200	21000	17200	10	2.12	217230987	No
EL21KLV-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	22800	18	12.5	23400	21000	17300	9.8	2.1	217230990	No
EL21KLV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	22800	18	12.5	23400	21000	17300	9.8	2.1	217230993	No
EL21KLV-024-230A**	LH18/37R*+TXV+LEFE3A*	- - -	R-454B	23800	20	12	23200	21400	18200	9.6	2.26	217285686	No
EL21KLV-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23600	19	13	23000	18300	13800	8.5	1.74	217542803	No
EL21KLV-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230977	No
EL21KLV-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230982	No
EL21KLV-024-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	23000	19	13	23200	20800	17200	9.8	2.12	217230996	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	23200	20	12.5	23200	21000	17200	9.8	2.1	217230972	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	23200	20	12.5	23200	21000	17200	9.8	2.1	217230975	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614467	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614472	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22200	19400	16400	9	2.02	217614478	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217614484	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614490	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	22200	20	12.5	22600	19600	16300	9	2.04	217614496	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614502	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614508	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	23800	18	13	22800	20000	16800	9	2.04	217614514	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22800	19800	16700	9.4	2.06	217614520	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	23200	19	12	22400	21000	17400	9.8	2.1	217614526	No
EL21KLV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23600	20	13	22800	19800	16600	9.4	2.06	217614532	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	23800	20	13	23000	20000	16900	8.2	1.98	217489326	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	22800	19	13	22800	20600	16900	9.5	2.08	217489330	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	23000	19	13	23000	20800	17100	9.8	2.1	217489334	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	23200	19	13	22400	20800	17000	9.8	2.1	217614541	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	23000	20	13	23000	20600	17000	9.6	2.1	217489341	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	23200	20	13	22400	20800	17000	9.6	2.1	217614546	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	23000	19	13	23000	20600	17000	9.8	2.1	217489348	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	23200	19	13	22400	20800	17000	9.8	2.1	217614551	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	23800	19	13	22800	19800	16800	9	2.04	217614557	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	23800	19	13	22800	19800	16700	9	2.06	217614563	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217614566	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	22400	21000	17300	9.8	2.1	217614569	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML296UH045V36B	R-454B	23600	19	13	22400	19600	16500	9	2.04	217614575	No
EL21KLV-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	23600	19	13	22600	19800	16700	8.5	2.04	217614581	No
EL21KLV-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	23000	19	13	23200	21000	17200	10	2.12	217230988	No
EL21KLV-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	22800	18	12.5	23400	21000	17300	9.8	2.1	217230991	No
EL21KLV-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	22800	18	12.5	23400	21000	17300	9.8	2.1	217230994	No
EL21KLV-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614601	No
EL21KLV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614607	No
EL21KLV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	22600	19800	16600	9.4	2.06	217614613	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614456	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614461	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614466	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614471	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23000	18	12.5	22200	19400	16400	8.9	2	217614476	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614482	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217614488	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	22000	20	12	22600	19600	16300	8.8	2	217614494	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614500	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614506	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	23600	18	12.5	22800	20000	16800	8.9	2.02	217614512	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	23000	18300	13900	8.5	1.74	217614518	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	23600	18	12.5	22800	20000	16800	8.9	2.02	217614524	No
EL21KLV-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23600	19	13	23000	18200	13800	8.5	1.76	217614530	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	23800	20	13	23000	20000	16900	8.2	1.98	217489324	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	22800	19	13	22800	20600	16900	9.5	2.08	217489328	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	23000	18	13	23000	20800	17100	9.8	2.1	217489332	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23200	18	13	23000	20800	17000	9.8	2.1	217489336	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	23000	19	13	23000	20600	17000	9.6	2.1	217489339	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23200	19	13	23000	20800	17000	9.6	2.1	217489343	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	23000	18	13	23000	20600	17000	9.8	2.1	217489346	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23200	18	13	23000	20800	17000	9.8	2.1	217489350	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	24000	19	13	23000	18300	13900	8.5	1.74	217614555	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	19	13	23000	18200	13800	8.5	1.76	217614561	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	18	12.5	23200	18300	13900	8.5	1.74	217489353	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	18	13	23000	18200	13800	8.5	1.76	217489356	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22600	18000	13600	8.2	1.74	217614573	No
EL21KLV-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	23000	19	12.5	22400	20800	17100	9.6	2.1	217614579	No
EL21KLV-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	23000	19	13	23200	21000	17200	10	2.12	217614585	No
EL21KLV-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	22000	19	12	23000	20000	16700	8.8	2.02	217614590	No
EL21KLV-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	22000	19	12	23000	20000	16700	8.8	2.02	217614595	No
EL21KLV-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	23600	19	13	23000	18300	13800	8.5	1.74	217614599	No
EL21KLV-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23600	19	13	23000	18300	13900	8.5	1.74	217614605	No
EL21KLV-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	23600	19	13	23000	18200	13800	8.5	1.76	217614611	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614457	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614462	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230978	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	23200	18	12	23400	21000	17400	9.8	2.08	217230983	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22200	19400	16400	9	2.02	217614477	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217614483	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614489	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	22200	20	12.5	22600	19600	16300	8.95	2.04	217614495	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614501	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614507	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	23800	18	13	22800	20000	16800	9	2.04	217614513	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22800	19800	16700	9.4	2.06	217614519	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	23200	19	12	22400	21000	17400	9.8	2.1	217614525	No
EL21KLV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	23600	20	13	22800	19800	16600	9.4	2.06	217614531	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	23800	20	13	23000	20000	16900	8.2	1.98	217489325	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	22800	19	13	22800	20600	16900	9.5	2.08	217489329	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	23000	19	13	23000	20800	17100	9.8	2.1	217489333	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	23200	19	13	23000	20800	17000	9.8	2.1	217489337	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	23000	20	13	23000	20600	17000	9.6	2.1	217489340	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	23200	20	13	23000	20800	17000	9.6	2.1	217489344	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	23000	19	13	23000	20600	17000	9.8	2.1	217489347	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	23200	19	13	23000	20800	17000	9.8	2.1	217489351	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	23800	19	13	22800	19800	16800	9	2.04	217614556	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	23800	19	13	22800	19800	16700	9	2.06	217614562	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217489354	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	23400	21000	17300	9.8	2.1	217489357	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22400	19600	16500	9	2.04	217614574	No
EL21KLV-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	23600	19	13	22600	19800	16700	8.5	2.04	217614580	No
EL21KLV-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	23000	20000	16700	8.95	2.06	217614586	No
EL21KLV-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	22200	19	12.5	23000	20000	16700	8.95	2.06	217614591	No
EL21KLV-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	22200	19	12.5	23000	20000	16700	8.95	2.06	217614596	No
EL21KLV-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	23000	19	13	23200	20800	17200	9.8	2.12	217230997	No
EL21KLV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614600	No
EL21KLV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614606	No
EL21KLV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	22600	19800	16600	9.4	2.06	217614612	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614454	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	23800	20	13	23200	20200	17100	8.5	1.96	217614459	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614464	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614469	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23200	19	13	22200	19400	16400	9	2.02	217614474	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217614480	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	23800	18	12.5	22800	20000	16800	9	2.04	217614486	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	22200	20	12.5	22600	19600	16300	9	2.04	217614492	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614498	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	24000	20	13	23200	20400	17200	8.5	1.98	217614504	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	23800	18	13	22800	20000	16800	9	2.04	217614510	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	23600	19	13	22800	19800	16700	9.4	2.06	217614516	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	23200	19	12	22400	21000	17400	9.8	2.1	217614522	No
EL21KLV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	23600	20	13	22800	19800	16600	9.4	2.06	217614528	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	23800	20	13	23000	20000	16900	8.2	1.98	217489323	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	22800	19	13	22800	20600	16900	9.5	2.08	217489327	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	23000	19	13	23000	20800	17100	9.8	2.1	217489331	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	23200	19	13	23000	20800	17000	9.8	2.1	217489335	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	23000	20	13	23000	20600	17000	9.6	2.1	217489338	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	23200	20	13	23000	20800	17000	9.6	2.1	217489342	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	23000	19	13	23000	20600	17000	9.8	2.1	217489345	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	23200	19	13	23000	20800	17000	9.8	2.1	217489349	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	23800	19	13	22800	19800	16800	9	2.04	217614553	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	23800	19	13	22800	19800	16700	9	2.06	217614559	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	23800	18	12.5	22800	20000	16900	9	2.04	217489352	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	23400	19	12.5	23400	21000	17300	9.8	2.1	217489355	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	23600	19	13	22400	19600	16500	9	2.04	217614571	No
EL21KLV-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	23600	19	13	22600	19800	16700	8.5	2.04	217614577	No
EL21KLV-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	23000	20000	16700	9	2.06	217614583	No
EL21KLV-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	22200	19	12.5	23000	20000	16700	9	2.06	217614588	No
EL21KLV-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	22200	19	12.5	23000	20000	16700	9	2.06	217614593	No
EL21KLV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614598	No
EL21KLV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	23600	20	13	22800	19800	16700	9.4	2.06	217614603	No
EL21KLV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	23600	20	13	22600	19800	16600	9.4	2.06	217614609	No
EL21KLV-036-230A**	L*19/36S*+TXV+TD	- - -	R-454B	32000	14.5	10	29200	27200	21800	8.4	1.98	217374119	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615481	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615487	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	31600	26000	22000	10.2	2.26	217615493	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	32400	18	11	31600	26000	22200	10.2	2.24	217615503	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	31600	26000	22000	10.4	2.26	217615509	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	32600	17	11	31600	26200	22200	10.2	2.24	217615519	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	32600	18	11	31600	26200	22200	10.2	2.24	217615525	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	33200	18	11	32000	26200	22400	10.4	2.26	217615535	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615541	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615547	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	31600	26200	22000	10.4	2.28	217615553	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615559	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615565	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	31600	26000	22000	10.4	2.24	217615571	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	33000	19	11	32400	26800	22600	10.4	2.24	217615577	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	32800	18	11	31800	26400	22200	10.4	2.24	217615583	No
EL21KLV-036-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	32200	26600	22600	10.4	2.26	217615589	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	31800	26200	22200	10	2.26	217615610	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217615612	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	33000	18	11	31800	26400	22200	9.8	2.26	217615614	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217615616	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	32800	18	11	31800	26200	22200	10.4	2.24	217615618	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217615620	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	33000	18	11	31800	26400	22400	9.8	2.26	217615623	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	31600	26200	22000	10	2.28	217615625	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	33400	18	11.7	31800	26000	22200	10.2	2.3	217615628	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	31600	26200	22200	10.4	2.26	217615631	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217615633	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217615636	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	33200	18	11.5	31800	26400	22200	10	2.26	217615639	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217615642	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	32800	17	11	31800	26400	22200	10.2	2.24	217615646	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	32600	17	11	31400	26000	22200	10.4	2.24	217615652	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615658	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	33000	18	11	32000	26400	22400	10.2	2.24	217615671	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	33000	18	11	31800	26400	22200	10.4	2.26	217615675	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	33000	16	11	31800	26400	22200	10.2	2.26	217615681	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	33000	17	11	31800	26400	22200	10	2.26	217615696	No
EL21KLV-036-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	32600	17	11	28600	26600	21000	8.4	2.02	217615707	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	33600	18	11	29600	27400	22000	8.85	2.04	217542804	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615722	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615728	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	33000	19	11	32200	26600	22600	10.4	2.26	217615734	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	32000	26400	22400	10.4	2.3	217615744	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615750	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615760	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	33000	19	11	32200	26800	22600	10.4	2.26	217615774	No
EL21KLV-036-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217542805	No
EL21KLV-036-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	32200	26600	22400	10.4	2.28	217615793	No
EL21KLV-036-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	33600	18	11	29200	27000	21400	8.5	2.04	217231001	No
EL21KLV-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	33600	18	11	29200	27000	21400	8.5	2.04	217231003	No
EL21KLV-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231007	No
EL21KLV-036-230A**	L*24/36Z*+TXV	EL195UH040NE36B	R-454B	33400	15.2	11	29000	26800	21400	8.5	2.04	217231011	No
EL21KLV-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231015	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	34000	18	11	29600	27400	22000	9	2.06	217231017	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	33800	18	11	29400	27200	21600	8.5	2.08	217231019	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	33800	18	11	29400	27200	21600	8.5	2.08	217231021	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231025	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	34000	18	11.5	29600	27200	21800	9	2.08	217231029	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231033	No
EL21KLV-036-230A**	L*24/36Z*+TXV	SL280UH090XV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231037	No
EL21KLV-036-230A**	L*24/36Z*+TXV+LEFE3A*	- - -	R-454B	34000	18	11.5	31800	30400	24800	8.5	2.1	217454899	No
EL21KLV-036-230A**	L*24/36Z*+TXV+LEFE4B*	- - -	R-454B	34400	19	11.7	30600	28400	24000	8.45	2.04	217454898	No
EL21KLV-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231006	No
EL21KLV-036-230A**	L*25/37Z*+TXV	EL195UH040NE36B	R-454B	33400	15.2	11	29000	26800	21400	8.5	2.04	217231010	No
EL21KLV-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231014	No
EL21KLV-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231024	No
EL21KLV-036-230A**	L*25/37Z*+TXV	SL280UH090V36B	R-454B	34000	18	11.5	29600	27200	21800	9	2.08	217231028	No
EL21KLV-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231032	No
EL21KLV-036-230A**	L*25/37Z*+TXV	SL280UH090XV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231036	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	L*25/37Z*+TXV+LEFE4B*	---	R-454B	34400	19	11.7	30600	28400	24000	8.45	2.04	217454897	No
EL21KLV-036-230A**	L*29/36U*+TXV+LEFE4B*	---	R-454B	33600	19	11	30400	28400	24000	8.3	2.02	217454895	No
EL21KLV-036-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	33600	18	11	29200	27000	21400	8.5	2.04	217231000	No
EL21KLV-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	33600	18	11	29200	27000	21400	8.5	2.04	217231002	No
EL21KLV-036-230A**	L*30/36U*+TXV	EL180UH080NE48B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231004	No
EL21KLV-036-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	33400	15.2	11	29000	26800	21400	8.5	2.04	217231008	No
EL21KLV-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231012	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	34000	18	11	29600	27400	22000	9	2.06	217231016	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	33800	18	11	29400	27200	21600	8.5	2.08	217231018	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	33800	18	11	29400	27200	21600	8.5	2.08	217231020	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231022	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	34000	18	11.5	29600	27200	21800	9	2.08	217231026	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231030	No
EL21KLV-036-230A**	L*30/36U*+TXV	SL280UH090XV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231034	No
EL21KLV-036-230A**	L*30/36U*+TXV+LEFE3A*	---	R-454B	32800	18	11	30400	28400	24000	8.1	1.98	217454894	No
EL21KLV-036-230A**	L*30/36U*+TXV+LEFE4B*	---	R-454B	33400	19	11	30400	28400	24000	8.2	2	217454893	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615485	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615491	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	31600	26000	22000	10.2	2.26	217615497	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	32400	18	11	31600	26000	22200	10.2	2.24	217615507	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	31600	26000	22000	10.4	2.26	217615513	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	32600	17	11	31600	26200	22200	10.2	2.24	217615523	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	32600	18	11	31600	26200	22200	10.2	2.24	217615529	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	33200	18	11	32000	26200	22400	10.4	2.26	217615539	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615545	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615551	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	31600	26200	22000	10.4	2.28	217615557	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615563	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615569	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	31600	26000	22000	10.4	2.24	217615575	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	33000	19	11	32400	26800	22600	10.4	2.24	217615581	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	32800	18	11	31800	26400	22200	10.4	2.24	217615587	No
EL21KLV-036-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	32200	26600	22600	10.4	2.26	217615593	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	31800	26200	22200	10	2.26	217615611	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217615613	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	33200	18	11.5	28800	26600	21200	8.5	2.04	217615615	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217615617	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	32800	18	11	31800	26200	22200	10.4	2.24	217615619	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217615622	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	33000	18	11.5	28600	26600	21000	8.5	2.04	217615624	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	33400	19	11.7	28600	26600	21000	8.5	2.06	217615627	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	33400	19	11.7	28600	26600	21000	8.5	2.06	217615630	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	31600	26200	22200	10.4	2.26	217615632	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217615635	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217615638	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	33200	19	11.5	28600	26600	21000	8.5	2.04	217615641	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217615644	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	32800	17	11	31800	26400	22200	10.2	2.24	217615650	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	32600	17	11	31400	26000	22200	10.4	2.24	217615656	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615662	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	33000	18	11	32000	26400	22400	10.2	2.24	217615673	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	33000	18	11	31800	26400	22200	10.4	2.26	217615680	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	33000	16	11	31800	26400	22200	10.2	2.26	217615686	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	33200	18	11.5	28600	26600	21000	8.5	2.04	217615705	No
EL21KLV-036-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	33000	18	11.5	28600	26600	21000	8.5	2.04	217615711	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	34000	18	11	29600	27400	22000	9	2.06	217615720	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615726	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615732	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	33000	19	11	32200	26600	22600	10.4	2.26	217615738	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	32000	26400	22400	10.4	2.3	217615748	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615754	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615764	No
EL21KLV-036-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	33000	19	11	32200	26800	22600	10.4	2.26	217615778	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	32200	26600	22400	10.4	2.28	217615797	No
EL21KLV-036-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231005	No
EL21KLV-036-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	33400	15.2	11	29000	26800	21400	8.5	2.04	217231009	No
EL21KLV-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	33400	16	11	29000	26800	21400	8.5	2.04	217231013	No
EL21KLV-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231023	No
EL21KLV-036-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	34000	18	11.5	29600	27200	21800	9	2.08	217231027	No
EL21KLV-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231031	No
EL21KLV-036-230A**	L*35/36U*+TXV	SL280UH090XV48B	R-454B	34000	18	11	29600	27400	21800	9	2.06	217231035	No
EL21KLV-036-230A**	L*35/36U*+TXV+LEFE4B*	---	R-454B	33600	19	11	30400	28400	24000	8.3	2.02	217454896	No
EL21KLV-036-230A**	LEM36*43E*+TXV	---	R-454B	31800	17	10.5	31400	30200	24800	8	2	217615837	No
EL21KLV-036-230A**	LEM36*43E+TXV	---	R-454B	32800	17	11	31600	30400	24800	8.25	2.04	217615838	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615484	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615490	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	31600	26000	22000	10.2	2.26	217615496	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL180UH100NE60C	R-454B	32400	15	11	29800	30000	22200	9.3	1.9	217615501	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	32400	18	11	31600	26000	22200	10.2	2.24	217615506	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	31600	26000	22000	10.4	2.26	217615512	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL195UH080NE48C	R-454B	32000	15.2	11	29600	29800	21800	9.3	1.88	217615517	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	32600	17	11	31600	26200	22200	10.2	2.24	217615522	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	32600	18	11	31600	26200	22200	10.2	2.24	217615528	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL196UH090XE48C	R-454B	32200	15.2	11	29400	29600	21600	9.3	1.9	217615533	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	33200	18	11	32000	26200	22400	10.4	2.26	217615538	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615544	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615550	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	31600	26200	22000	10.4	2.28	217615556	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615562	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615568	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	31600	26000	22000	10.4	2.24	217615574	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	33000	19	11	32400	26800	22600	10.4	2.24	217615580	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	32800	18	11	31800	26400	22200	10.4	2.24	217615586	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	32200	26600	22600	10.4	2.26	217615592	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XE48C	R-454B	32200	16	11	29600	29600	21800	9.5	1.9	217615597	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	32400	18	11	30000	30200	22200	9.5	1.92	217615601	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XV48C	R-454B	33400	17	11.5	30800	26000	21200	9.6	2.04	217615605	No
EL21KLV-036-230A**	LP18/37R*+TXV	EL297UH090XV60C	R-454B	32400	17	11	30000	30200	22200	9.5	1.92	217615609	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	31800	26200	22200	10	2.26	217489361	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217489365	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	33200	18	11.5	28800	26600	21200	8.5	2.04	217489369	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217489373	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	32800	18	11	31800	26200	22200	10.4	2.24	217489377	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217615621	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	33000	18	11.5	28600	26600	21000	8.5	2.04	217489384	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	31600	26200	22000	10	2.28	217615626	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070V48B	R-454B	33400	18	11.7	31800	26000	22200	10.2	2.3	217615629	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	31600	26200	22200	10.4	2.26	217489394	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217615634	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217615637	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH090V48B	R-454B	33200	18	11.5	31800	26400	22200	10	2.26	217615640	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217615643	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	32800	17	11	31800	26400	22200	10.2	2.24	217615649	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	32600	17	11	31400	26000	22200	10.4	2.24	217615655	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615661	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	32200	17	11	29600	29800	21800	9.3	1.9	217615666	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML193UH090XE48C	R-454B	32000	15.2	11	29400	29600	21600	9.3	1.88	217615670	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	33000	18	11	32000	26400	22400	10.2	2.24	217615672	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	33000	18	11	31800	26400	22200	10.4	2.26	217615678	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH070XE48B	R-454B	33000	16	11	31800	26400	22200	10.2	2.26	217615684	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	32200	17	11	29800	29800	22000	9.3	1.9	217615688	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML196UH090XE48C	R-454B	32200	15.2	11	29400	29600	21600	9.3	1.9	217615691	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	33200	17	11.5	28600	26600	21000	8.5	2.04	217615703	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	33000	17	11.5	28600	26600	21000	8.5	2.04	217615710	No
EL21KLV-036-230A**	LP18/37R*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	30800	25800	21000	9	2.04	217615715	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	34000	18	11	29600	27400	22000	9	2.06	217615719	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615725	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615731	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH080NV48B	R-454B	33000	19	11	32200	26600	22600	10.4	2.26	217615737	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH080NV60C	R-454B	33600	17	11.7	30800	26000	21200	9.6	2.04	217615742	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	32000	26400	22400	10.4	2.3	217615747	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615753	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH090V60C	R-454B	33600	17	11.7	30800	25800	21000	9.6	2.06	217615758	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615763	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH090XV60C	R-454B	33600	17	11.7	30800	25800	21000	9.6	2.06	217615768	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL280UH100NV60C	R-454B	32400	17	11	30000	30200	22200	9.5	1.92	217615772	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	33000	19	11	32200	26800	22600	10.4	2.26	217615777	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL297UH080NV48C	R-454B	33400	17	11.5	30800	26000	21200	9.6	2.04	217615787	No
EL21KLV-036-230A**	LP18/37R*+TXV	SL297UH080NV60C	R-454B	32400	17	11	30000	30200	22200	9.5	1.9	217615791	No
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	32200	26600	22400	10.4	2.28	217615796	No
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	32400	18	11	30200	30200	22200	9.5	1.9	217615801	No
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV48C	R-454B	33400	17	11.5	30800	26000	21200	9.6	2.04	217615805	No
EL21KLV-036-230A**	LP18/37R*+TXV	SLP99UH090XV60C	R-454B	32400	17	11	30000	30200	22200	9.5	1.92	217615809	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	32600	18	11	31600	26200	22200	10.4	2.26	217615482	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	32600	18	11	31600	26200	22200	10.4	2.26	217615488	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	32800	16	11	29000	26800	21400	8.35	2	217615494	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL180UH100NE60C	R-454B	33400	14.5	11.5	30600	25800	21000	9.35	2.04	217615499	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	32400	17	11	31600	26000	22200	10.2	2.24	217615504	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	32600	17	11.5	31600	26000	22000	10.4	2.26	217615510	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL195UH080NE48C	R-454B	31400	15.2	10.5	29400	29800	21800	9.1	1.86	217615515	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	32800	17	11	29200	27000	21600	8.35	2	217615520	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	32600	17	11	31600	26200	22200	10.2	2.24	217615526	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	31600	15.2	11	29200	29600	21600	9.1	1.88	217615531	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	33200	18	11	32000	26200	22400	10.4	2.26	217615536	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615542	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615548	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	33000	18	11.7	31600	26200	22000	10.4	2.28	217615554	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615560	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615566	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	32400	17	11.5	31600	26000	22000	10.4	2.24	217615572	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	33000	19	11	32400	26800	22600	10.4	2.24	217615578	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	32800	18	11	31800	26400	22200	10.4	2.24	217615584	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	32200	26600	22600	10.4	2.26	217615590	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	31600	16	11	29400	29600	21800	9.3	1.88	217615595	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	31800	18	10.5	29800	30200	22200	9.3	1.9	217615599	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH090XV48C	R-454B	33400	17	11.5	30800	26000	21200	9.55	2.04	217615603	No
EL21KLV-036-230A**	LP25/36R*+TXV	EL297UH090XV60C	R-454B	31800	17	10.5	29800	30200	22200	9.3	1.9	217615607	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	31800	26200	22200	10	2.26	217489359	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	33000	18	11.5	31600	26200	22000	10.4	2.26	217489363	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	33000	18	11	31800	26400	22200	9.8	2.26	217489367	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	33000	18	11.5	31600	26200	22000	10.4	2.26	217489371	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	32800	18	11	31800	26200	22200	10.4	2.24	217489375	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217489379	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	33000	18	11	31800	26400	22400	9.8	2.26	217489382	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	31600	26200	22000	10	2.28	217489386	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070V48B	R-454B	33400	18	11.7	31800	26000	22200	10.2	2.3	217489389	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	31600	26200	22200	10.4	2.26	217489392	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217489396	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH090E48B	R-454B	33200	17	11	28800	26600	21200	8.35	2.04	217489399	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH090V48B	R-454B	33200	18	11.5	31800	26400	22200	10	2.26	217489402	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH090XE48B	R-454B	33200	17	11	28800	26600	21200	8.35	2.04	217489405	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH110E60C	R-454B	33600	15.2	11.7	30400	25600	21000	9.35	2.06	217489408	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH110V60C	R-454B	32200	17	11	29600	30000	22000	9.1	1.9	217489411	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML180UH110XE60C	R-454B	33600	15.2	11.7	30400	25600	21000	9.35	2.06	217489414	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	32800	17	11	31800	26400	22200	10.2	2.24	217615647	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	32600	17	11	31400	26000	22200	10.4	2.24	217615653	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	32600	17	11.5	31400	26000	22000	10.4	2.26	217615659	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	31600	17	10.5	29400	29800	21800	9.1	1.88	217615664	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	31400	15.2	10.5	29200	29600	21600	9.1	1.86	217615668	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	33000	18	11	32000	26400	22400	10.2	2.24	217489417	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	33000	18	11	31800	26400	22200	10.4	2.26	217489420	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH070XE48B	R-454B	33000	16	11	31800	26400	22200	10.2	2.26	217489423	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	31600	17	10.5	29600	29800	22000	9.1	1.88	217489426	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	31600	15.2	11	29200	29600	21600	9.1	1.88	217489429	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	33000	17	11	31800	26400	22200	10	2.26	217615698	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	32400	17	11	28600	26600	21000	8.35	2	217615708	No
EL21KLV-036-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	30800	25800	21000	8.95	2.04	217615713	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	33400	18	11	29600	27400	22000	8.85	2.02	217615717	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615723	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615729	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	33000	19	11	32200	26600	22600	10.4	2.26	217615735	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH080NV60C	R-454B	33600	17	11.7	30800	26000	21200	9.55	2.04	217615740	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	32000	26400	22400	10.4	2.3	217615745	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615751	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH090V60C	R-454B	33600	17	11.7	30800	25800	21000	9.55	2.06	217615756	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615761	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH090XV60C	R-454B	33600	17	11.7	30800	25800	21000	9.55	2.06	217615766	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL280UH100NV60C	R-454B	31800	17	10.5	29800	30200	22200	9.3	1.9	217615770	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	33000	19	11	32200	26800	22600	10.4	2.26	217615775	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL297UH080NV48C	R-454B	33400	17	11.5	30800	26000	21200	9.55	2.04	217615785	No
EL21KLV-036-230A**	LP25/36R*+TXV	SL297UH080NV60C	R-454B	31800	17	10.5	29800	30200	22200	9.3	1.88	217615789	No
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	32200	26600	22400	10.4	2.28	217615794	No
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV36C	R-454B	31800	18	10.5	30000	30200	22200	9.3	1.88	217615799	No
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	33400	17	11.5	30800	26000	21200	9.55	2.04	217615803	No
EL21KLV-036-230A**	LP25/36R*+TXV	SLP99UH090XV60C	R-454B	31800	17	10.5	29800	30200	22200	9.3	1.9	217615807	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615483	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615489	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	31600	26000	22000	10.2	2.26	217615495	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL180UH100NE60C	R-454B	32200	15	11	29800	30000	22200	9.25	1.9	217615500	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	32400	18	11	31600	26000	22200	10.2	2.24	217615505	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	31600	26000	22000	10.4	2.26	217615511	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	31800	15.2	10.5	29600	29800	21800	9.25	1.88	217615516	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	32600	17	11	31600	26200	22200	10.2	2.24	217615521	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	32600	18	11	31600	26200	22200	10.2	2.24	217615527	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	32000	15.2	11	29400	29600	21600	9.25	1.9	217615532	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	33200	18	11	32000	26200	22400	10.4	2.26	217615537	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615543	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615549	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	31600	26200	22000	10.4	2.28	217615555	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615561	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615567	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	31600	26000	22000	10.4	2.24	217615573	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	33000	19	11	32400	26800	22600	10.4	2.24	217615579	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	32800	18	11	31800	26400	22200	10.4	2.24	217615585	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	32200	26600	22600	10.4	2.26	217615591	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	32000	16	11	29600	29600	21800	9.45	1.9	217615596	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	32200	18	11	30000	30200	22200	9.45	1.92	217615600	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	33400	17	11.5	30800	26000	21200	9.6	2.04	217615604	No
EL21KLV-036-230A**	LP29/36X*+TXV	EL297UH090XV60C	R-454B	32200	17	11	30000	30200	22200	9.45	1.92	217615608	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	31800	26200	22200	10	2.26	217489360	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217489364	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	33200	18	11.5	28800	26600	21200	8.45	2.04	217489368	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217489372	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	32800	18	11	31800	26200	22200	10.4	2.24	217489376	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217489380	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	33000	18	11.5	28600	26600	21000	8.45	2.04	217489383	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	33000	18	11.7	31600	26200	22000	10	2.28	217489387	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070V48B	R-454B	33400	18	11.7	31800	26000	22200	10.2	2.3	217489390	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	31600	26200	22200	10.4	2.26	217489393	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217489397	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217489400	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH090V48B	R-454B	33200	18	11.5	31800	26400	22200	10	2.26	217489403	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217489406	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH110E60C	R-454B	33600	15.2	11.7	30400	25600	21000	9.4	2.06	217489409	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH110V60C	R-454B	32600	17	11	29800	30000	22000	9.25	1.92	217489412	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML180UH110XE60C	R-454B	33600	15.2	11.7	30400	25600	21000	9.4	2.06	217489415	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	32800	17	11	31800	26400	22200	10.2	2.24	217615648	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	32600	17	11	31400	26000	22200	10.4	2.24	217615654	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615660	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	32000	17	10.5	29600	29800	21800	9.25	1.9	217615665	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	31800	15.2	10.5	29400	29600	21600	9.25	1.88	217615669	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	33000	18	11	32000	26400	22400	10.2	2.24	217489418	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	33000	18	11	31800	26400	22200	10.4	2.26	217489421	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH070XE48B	R-454B	33000	16	11	31800	26400	22200	10.2	2.26	217489424	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	32000	17	10.5	29800	29800	22000	9.25	1.9	217489427	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	32000	15.2	11	29400	29600	21600	9.25	1.9	217489430	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	33200	17	11.5	28600	26600	21000	8.45	2.04	217615700	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	33000	17	11.5	28600	26600	21000	8.45	2.04	217615709	No
EL21KLV-036-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	30800	25800	21000	9	2.04	217615714	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	34000	18	11	29600	27400	22000	8.95	2.06	217615718	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615724	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615730	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	33000	19	11	32200	26600	22600	10.4	2.26	217615736	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH080NV60C	R-454B	33600	17	11.7	30800	26000	21200	9.6	2.04	217615741	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	32000	26400	22400	10.4	2.3	217615746	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615752	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH090V60C	R-454B	33600	17	11.7	30800	25800	21000	9.6	2.06	217615757	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615762	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH090XV60C	R-454B	33600	17	11.7	30800	25800	21000	9.6	2.06	217615767	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL280UH100NV60C	R-454B	32200	17	11	30000	30200	22200	9.45	1.92	217615771	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	33000	19	11	32200	26800	22600	10.4	2.26	217615776	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	33400	17	11.5	30800	26000	21200	9.6	2.04	217615786	No
EL21KLV-036-230A**	LP29/36X*+TXV	SL297UH080NV60C	R-454B	32200	17	11	30000	30200	22200	9.45	1.9	217615790	No
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	32200	26600	22400	10.4	2.28	217615795	No
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	32200	18	11	30200	30200	22200	9.45	1.9	217615800	No
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	33400	17	11.5	30800	26000	21200	9.6	2.04	217615804	No
EL21KLV-036-230A**	LP29/36X*+TXV	SLP99UH090XV60C	R-454B	32200	17	11	30000	30200	22200	9.45	1.92	217615808	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615480	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	32600	19	11	31600	26200	22200	10.4	2.26	217615486	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	32600	16	11.5	31600	26000	22000	10.2	2.26	217615492	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	32800	15.2	11	29800	30000	22200	9.4	1.92	217615498	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	32400	18	11	31600	26000	22200	10.2	2.24	217615502	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	32600	18	11.5	31600	26000	22000	10.4	2.26	217615508	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	32400	16	11	29600	29800	21800	9.4	1.9	217615514	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	32600	17	11	31600	26200	22200	10.2	2.24	217615518	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	32600	18	11	31600	26200	22200	10.2	2.24	217615524	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	32600	16	11.5	29400	29600	21600	9.4	1.92	217615530	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	33200	18	11	32000	26200	22400	10.4	2.26	217615534	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615540	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	32600	19	11.5	31400	26000	22000	10.4	2.26	217615546	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	33000	19	11.7	31600	26200	22000	10.4	2.28	217615552	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615558	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	33000	17	11.7	31400	26000	22000	10.4	2.28	217615564	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	32400	18	11.5	31600	26000	22000	10.4	2.24	217615570	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	33000	19	11	32400	26800	22600	10.4	2.24	217615576	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	32800	18	11	31800	26400	22200	10.4	2.24	217615582	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	33000	19	11.5	32200	26600	22600	10.4	2.26	217615588	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	32600	16	11.5	29600	29600	21800	9.6	1.92	217615594	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	32800	18	11	30000	30200	22200	9.6	1.94	217615598	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	32800	18	11	30000	30200	22200	9.6	1.92	217615602	No
EL21KLV-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	32800	17	11	30000	30200	22200	9.6	1.94	217615606	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	33000	18	11.5	31800	26200	22200	10	2.26	217489358	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217489362	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	33200	18	11.5	28800	26600	21200	8.5	2.04	217489366	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	33000	19	11.5	31600	26200	22000	10.4	2.26	217489370	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	32800	18	11	31800	26200	22200	10.4	2.24	217489374	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217489378	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	33000	18	11.5	28600	26600	21000	8.5	2.04	217489381	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	33400	19	11.7	28600	26600	21000	8.5	2.06	217489385	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	33400	19	11.7	28600	26600	21000	8.5	2.06	217489388	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	32800	18	11.5	31600	26200	22200	10.4	2.26	217489391	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	33000	18	11.5	31800	26200	22200	10.4	2.28	217489395	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217489398	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	33200	19	11.5	28600	26600	21000	8.5	2.04	217489401	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	32800	17	11.7	31400	26000	22000	10.4	2.28	217489404	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	33600	15.2	11.7	30400	25600	21000	9.4	2.06	217489407	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	33200	17	11.5	29800	30000	22000	9.4	1.94	217489410	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	33600	15.2	11.7	30400	25600	21000	9.4	2.06	217489413	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	32800	17	11	31800	26400	22200	10.2	2.24	217615645	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	32600	17	11	31400	26000	22200	10.4	2.24	217615651	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	32600	18	11.5	31400	26000	22000	10.4	2.26	217615657	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	32600	18	11	29600	29800	21800	9.4	1.92	217615663	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	32400	16	11	29400	29600	21600	9.4	1.9	217615667	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	33000	18	11	32000	26400	22400	10.2	2.24	217489416	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	33000	18	11	31800	26400	22200	10.4	2.26	217489419	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	33000	16	11	31800	26400	22200	10.2	2.26	217489422	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	32600	18	11	29800	29800	22000	9.4	1.92	217489425	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	32600	16	11.5	29400	29600	21600	9.4	1.92	217489428	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	33200	18	11.5	28600	26600	21000	8.5	2.04	217615693	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	33000	18	11.5	28600	26600	21000	8.5	2.04	217615706	No
EL21KLV-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	33600	16	11.5	30800	25800	21000	9	2.04	217615712	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	34000	18	11	29600	27400	22000	9	2.06	217615716	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615721	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	33000	18	11	32200	26800	22600	10.4	2.24	217615727	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	33000	19	11	32200	26600	22600	10.4	2.26	217615733	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	32800	18	11	30000	30200	22200	9.6	1.94	217615739	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	33200	19	11.7	32000	26400	22400	10.4	2.3	217615743	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615749	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	33000	18	11.5	30000	30000	22000	9.6	1.94	217615755	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH090XV48B	R-454B	33200	19	11.5	32000	26400	22400	10.4	2.28	217615759	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	33000	18	11.5	30000	30000	22000	9.6	1.94	217615765	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	32800	17	11	30000	30200	22200	9.6	1.94	217615769	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	33000	19	11	32200	26800	22600	10.4	2.26	217615773	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	32800	18	11	30000	30200	22200	9.6	1.94	217615784	No
EL21KLV-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	32800	17	11	30000	30200	22200	9.6	1.92	217615788	No
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	33000	19	11.5	32200	26600	22400	10.4	2.28	217615792	No
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	32800	18	11	30200	30200	22200	9.6	1.92	217615798	No
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	32800	18	11	30000	30200	22200	9.6	1.94	217615802	No
EL21KLV-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	32800	17	11	30000	30200	22200	9.6	1.94	217615806	No
EL21KLV-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	31800	17	10.5	31400	30200	24800	7.95	1.98	217288363	No
EL21KLV-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	32400	18	11	30200	28400	24000	8.05	1.96	217288362	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	47500	19	11.7	46500	39500	34400	9.45	2.1	217614615	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	46000	18	11.7	46000	34600	29200	8.2	2.08	217614616	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.3	2.06	217614618	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	47000	18	12	45500	38500	33600	8.35	2.08	217614620	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	47500	20	12	46000	38500	33800	9.45	2.12	217614622	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	47500	19	12	45500	38500	33600	9.45	2.1	217614624	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	47500	19	12	45500	38500	33600	9.45	2.1	217614626	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.3	2.08	217614628	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	46000	20	11.7	42000	35800	33000	8.5	2.04	217614630	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	47000	19	11.7	46000	38500	34000	9.35	2.08	217614632	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	47000	18	12	45500	38500	33800	9.3	2.08	217614634	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	45500	38500	33800	9.35	2.08	217614636	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217614638	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	47500	18	12	45500	39000	33600	9	2	217614639	No
EL21KLV-048-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	47000	20	12.5	44000	38500	31000	8.5	1.96	217614640	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	47000	19	12	45500	38500	33600	9.3	2.08	217614641	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	47500	20	12	46000	39000	34000	9.45	2.12	217614642	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	47500	20	12	46000	38500	33600	8.85	2.12	217614643	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	47500	20	12	46000	39000	34000	9.45	2.12	217614644	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	47000	18	12	45500	39000	33400	8.95	1.98	217614645	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.3	2.08	217614647	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	47000	19	12	45500	38500	33600	8.35	2.08	217614649	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	46500	19	12	46500	34400	29000	8.2	2.14	217614651	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.35	2.08	217614652	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	46500	19	12	46500	34600	29000	8.2	2.14	217614653	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	47000	18	12	45500	38500	33600	9.35	2.08	217614654	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	47500	18	12	44500	39000	31200	8.5	1.96	217614655	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	47000	19	12	46000	38500	33800	8.85	2.08	217614657	No
EL21KLV-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	47000	19	12	45500	38500	33600	8.85	2.08	217614659	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	47500	20	12	45500	38500	33600	9.35	2.1	217614660	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	47500	20	12	45500	38500	33800	9.35	2.1	217614661	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	47500	20	12	45500	38500	33800	9.35	2.1	217614662	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	47500	20	12	45500	38500	33800	9.35	2.1	217614663	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	46000	20	12	42000	35400	32800	8.5	2.04	217614664	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	46000	20	12	42000	35400	32800	8.5	2.04	217614665	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	47000	20	12.5	44000	38500	30800	8.5	1.96	217614666	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217614668	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217614670	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	46000	20	11.7	42000	35600	33000	8.5	2.04	217614672	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	44500	38500	31000	8.5	1.94	217614674	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	47000	34800	29200	8.2	2.14	217614676	No
EL21KLV-048-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	47000	20	12.5	44000	38500	31000	8.5	1.96	217614677	No
EL21KLV-048-230A**	L*42/60S*+TXV+TD	- - -	R-454B	45500	16	11	47000	35000	29600	8.2	2.1	217374120	No
EL21KLV-048-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	46500	19	11.7	47000	34800	29400	8.2	2.12	217231043	No
EL21KLV-048-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	45500	18	11.7	45500	38500	33800	8.25	2.04	217231052	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	46000	20	11.7	42500	37400	33800	8.1	1.96	217231057	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	47000	20	12	46500	34600	29000	8.5	2.16	217231064	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	47500	19	13	45500	39500	31800	8.5	2.04	217231069	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231076	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH090XV48B	R-454B	47500	19	13	45500	39500	31800	8.5	2.04	217231081	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231093	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231114	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231133	No
EL21KLV-048-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231152	No
EL21KLV-048-230A**	L*42/60V*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.4	2.08	217454900	No
EL21KLV-048-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	47500	19	11.7	46500	39500	34400	9.4	2.08	217231044	No
EL21KLV-048-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	46500	19	12	45500	38500	33800	8.3	2.06	217231053	No
EL21KLV-048-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	47500	20	12	45500	38500	33600	9.3	2.08	217231065	No
EL21KLV-048-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	47500	20	12	45500	38500	33800	9.3	2.08	217231077	No
EL21KLV-048-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	47500	20	12	45500	38500	33800	9.3	2.08	217231096	No
EL21KLV-048-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	47500	20	12	45500	38500	33800	9.3	2.08	217231116	No
EL21KLV-048-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	47500	20	12	45500	38500	33800	9.3	2.06	217231135	No
EL21KLV-048-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	47500	20	12	45500	38500	33800	9.3	2.06	217231153	No
EL21KLV-048-230A**	L*42/60Z*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.5	2.1	217454901	No
EL21KLV-048-230A**	L*43/61Z*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.5	2.1	217465664	No
EL21KLV-048-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	46500	19	11.7	47000	34800	29400	8.2	2.12	217231038	No
EL21KLV-048-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	46000	18	11.7	45500	38500	33800	8.3	2.06	217231047	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	47000	20	12	44000	38500	31000	8.5	1.96	217231059	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231071	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231083	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231102	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231123	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231142	No
EL21KLV-048-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	47000	20	12.5	44000	38500	30800	8.5	1.96	217231156	No
EL21KLV-048-230A**	LD42/61Z*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.45	2.1	217285688	No
EL21KLV-048-230A**	LEM48*1CC*+TXV	- - -	R-454B	47000	18	12	43000	37000	32800	8.95	2.12	217615826	No
EL21KLV-048-230A**	LEM60*4CC*+TXV	- - -	R-454B	47000	19	12	43000	37000	32800	9	2.12	217615827	No
EL21KLV-048-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	47500	19	11.7	46500	39500	34400	9.5	2.1	217231039	No
EL21KLV-048-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	46500	18	12	45500	38500	33800	8.4	2.08	217231048	No
EL21KLV-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	47500	20	12	45500	38500	33600	9.4	2.1	217231060	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231072	No
EL21KLV-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231084	No
EL21KLV-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231105	No
EL21KLV-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231126	No
EL21KLV-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231144	No
EL21KLV-048-230A**	LH40/61W*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.5	2.1	217285689	No
EL21KLV-048-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	46500	19	11.7	47000	34800	29400	8.2	2.12	217231041	No
EL21KLV-048-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	45500	18	11.7	45500	38500	33800	8.25	2.04	217231050	No
EL21KLV-048-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	47000	20	12	46500	34600	29000	8.5	2.16	217231062	No
EL21KLV-048-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231074	No
EL21KLV-048-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231088	No
EL21KLV-048-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231110	No
EL21KLV-048-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231129	No
EL21KLV-048-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231149	No
EL21KLV-048-230A**	LH41/61R*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.45	2.08	217285815	No
EL21KLV-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	47500	19	11.7	46500	39500	34400	9.55	2.1	217231045	No
EL21KLV-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	46500	19	12	45500	38500	33800	8.4	2.08	217231054	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	47500	20	12	45500	38500	33600	9.4	2.1	217231066	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231078	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231098	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231119	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.08	217231137	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.08	217231154	No
EL21KLV-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217542806	No
EL21KLV-048-230A**	LH42/62W*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.5	2.1	217285692	No
EL21KLV-048-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	46500	19	11.7	47000	34800	29400	8.2	2.12	217231040	No
EL21KLV-048-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	46000	18	11.7	45500	38500	33800	8.3	2.06	217231049	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	47000	20	12	44000	38500	31000	8.5	1.96	217231061	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231073	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231086	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231107	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231127	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231146	No
EL21KLV-048-230A**	LH48/60X*+TXV	SL280UH135V60D	R-454B	47000	20	12.5	44000	38500	30800	8.5	1.96	217231157	No
EL21KLV-048-230A**	LH48/60X*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.45	2.1	217285814	No
EL21KLV-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	46500	19	11.7	47000	34800	29400	8.2	2.12	217231042	No
EL21KLV-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	45500	18	11.7	45500	38500	33800	8.25	2.04	217231051	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH070V48B	R-454B	46500	19	12	46500	40500	33000	8.1	1.96	217489431	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH090E48B	R-454B	46500	19	12	46000	34000	28600	8.2	2.14	217489433	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	46000	19	11.7	45500	38500	33600	9.2	2.06	217489435	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH090V48B	R-454B	46500	18	11.7	46500	41000	33200	8	1.94	217489437	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	47000	19	12	46500	34600	29000	8.2	2.14	217489439	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	47000	20	12	46000	34200	28800	8.2	2.16	217489441	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	47000	19	12	46500	34600	29000	8.2	2.14	217489443	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH090XE48C	R-454B	46000	19	12	46000	34200	28800	8.2	2.14	217489445	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	46500	19	12	46500	34600	29000	8.2	2.14	217489447	No
EL21KLV-048-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	46500	18	12	46000	34200	28800	8.2	2.14	217489449	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH080NV48B	R-454B	46000	20	11.7	42500	37400	33800	8.1	1.96	217231056	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	47000	20	12	46500	34600	29000	8.5	2.16	217231063	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH090V48B	R-454B	47500	19	13	45500	39500	31800	8.5	2.04	217231068	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231075	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH090XV48B	R-454B	47500	19	13	45500	39500	31800	8.5	2.04	217231080	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231091	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231112	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231130	No
EL21KLV-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	47000	20	12	46500	34600	29200	8.2	2.14	217231151	No
EL21KLV-048-230A**	LP40/60R*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.45	2.08	217285691	No
EL21KLV-048-230A**	LP41/61R*+TXV+LEFE5*	- - -	R-454B	46500	19	12	43500	37400	30800	8.45	2.08	217285690	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	47500	19	11.7	46500	39500	34400	9.55	2.1	217231046	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	46500	19	12	45500	38500	33800	8.4	2.08	217231055	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.35	2.08	217614617	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	47000	19	12	45500	38500	33600	8.4	2.1	217614619	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	47500	20	12	46000	38500	33800	9.5	2.12	217614621	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-048-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	47500	19	12	45500	38500	33600	9.5	2.12	217614623	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	47500	19	12	45500	38500	33600	9.5	2.12	217614625	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.35	2.1	217614627	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	47000	20	11.7	46000	38500	34000	9.4	2.08	217614629	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	47000	20	11.7	46000	38500	34000	9.4	2.08	217614631	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	47000	19	12	45500	38500	33800	9.4	2.1	217614633	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	47500	20	11.7	45500	38500	33800	9.4	2.08	217614635	No
EL21KLV-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217614637	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	46500	19	12	46500	40500	33000	8.1	1.96	217489432	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	46500	19	12	46000	34000	28600	8.2	2.14	217489434	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	47000	19	12	45500	38500	33600	9.35	2.1	217489436	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	46500	18	11.7	46500	41000	33200	8	1.94	217489438	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	47500	20	12	46000	39000	34000	9.55	2.12	217489440	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	47500	20	12	46000	38500	33600	8.9	2.12	217489442	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	47500	20	12	46000	39000	34000	9.55	2.12	217489444	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.4	2.1	217614646	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	47000	20	12	45500	38500	33600	8.4	2.1	217614648	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	46500	19	12	46500	34400	29000	8.2	2.14	217614650	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	47000	19	12	45500	38500	33800	9.4	2.1	217489446	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	46500	19	12	46500	34600	29000	8.2	2.14	217489448	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	47000	19	12	45500	38500	33600	9.4	2.1	217489450	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	47000	19	12	46000	38500	33800	8.9	2.1	217614656	No
EL21KLV-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	47000	20	12	45500	38500	33600	8.9	2.1	217614658	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	46000	20	11.7	42500	37400	33800	8.1	1.96	217231058	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	47500	20	12	45500	38500	33600	9.4	2.1	217231067	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	47500	19	13	45500	39500	31800	8.5	2.04	217231070	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231079	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH090XV48B	R-454B	47500	19	13	45500	39500	31800	8.5	2.04	217231082	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231100	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.1	217231121	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.08	217231140	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	47500	20	12	45500	38500	33800	9.4	2.08	217231155	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217614667	No
EL21KLV-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	47500	20	12	45500	39000	33600	9	1.98	217614669	No
EL21KLV-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	47000	20	11.7	46000	38500	34000	9.4	2.08	217614671	No
EL21KLV-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	47000	20	12	44500	38500	31000	8.5	1.94	217614673	No
EL21KLV-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	47000	20	12	47000	34800	29200	8.2	2.14	217614675	No
EL21KLV-048-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	46500	19	12	43500	37400	30800	8.5	2.1	217285693	No
EL21KLV-048-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	44500	19	11	43000	37400	30800	7.9	1.96	217288365	No
EL21KLV-048-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	44500	19	11	43000	37400	30800	7.9	1.96	217288364	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	54500	19	11.5	52500	43000	35400	8.5	2.06	217614678	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	55000	19	11.7	50500	42500	34000	8.4	2.12	217614679	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	52000	43000	34200	8.45	2.14	217614681	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	56000	19	11.7	52000	43000	34400	8.45	2.16	217614683	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	56000	19	11.7	52000	43000	34400	8.45	2.16	217614685	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	52500	43500	34800	8.4	2.12	217614687	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	52000	42500	34200	8.45	2.14	217614689	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	52000	39500	34200	8.5	2.14	217614691	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	53500	18	11	52000	39500	34200	8.5	2.12	217614692	No
EL21KLV-060-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	53000	20	11.7	52000	39000	34000	8.5	2.14	217614693	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	56000	19	11.7	52500	43000	34400	8.45	2.16	217614694	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	56000	20	11.7	52000	43000	34400	8.45	2.16	217614695	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	55000	20	12	51000	41500	33400	8.4	2.16	217614696	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	56000	20	11.7	52000	43000	34400	8.45	2.16	217614697	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	54000	19	11.5	51500	39000	33800	8.5	2.14	217614698	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	54500	19	11.7	52000	42500	35000	8.5	2.08	217614700	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	52000	42500	34200	8.45	2.12	217614701	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	52500	43000	34600	8.45	2.14	217614702	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	53500	18	11.7	51500	39000	33600	8.5	2.14	217614703	No
EL21KLV-060-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	55000	19	12	51500	42000	33800	8.1	2.14	217614705	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	54000	20	12	51500	42500	34800	8.5	2.08	217614706	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	55000	20	12	52000	42500	34200	8.4	2.16	217614707	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	55000	20	12	52000	42500	34200	8.4	2.16	217614708	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	55000	20	12	52000	43000	34400	8.4	2.14	217614709	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	55000	20	12	52000	43000	34400	8.4	2.14	217614710	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	55000	20	12	52000	43000	34400	8.4	2.14	217614711	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	54000	20	12	51500	42500	34800	8.5	2.1	217614712	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	52000	39500	34200	8.5	2.14	217614714	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP98UH090XV60C	R-454B	52500	19	11	52500	41500	31600	8.5	2.06	217614716	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	55000	20	11.7	52500	43000	34600	8.4	2.12	217614718	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	55000	20	11.7	52500	43000	34600	8.4	2.14	217614720	No
EL21KLV-060-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	53000	20	11.7	52000	39000	34000	8.5	2.14	217614721	No
EL21KLV-060-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	54500	19	11.5	52500	43000	35400	8.5	2.06	217231160	No
EL21KLV-060-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	55000	19	11.7	51500	42500	34000	8.35	2.1	217231165	No
EL21KLV-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	54000	20	12	51500	42500	34800	8.5	2.08	217231170	No
EL21KLV-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	55000	20	12	52000	42500	34200	8.35	2.14	217231175	No
EL21KLV-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	55000	20	12	52000	42500	34200	8.35	2.14	217231180	No
EL21KLV-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	55000	20	12	52000	43000	34400	8.35	2.12	217231185	No
EL21KLV-060-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	55000	20	12	52000	43000	34400	8.35	2.12	217231190	No
EL21KLV-060-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	55000	20	12	52000	43000	34400	8.35	2.12	217231195	No
EL21KLV-060-230A**	L*42/60Z*+TXV+LEFE5*	---	R-454B	53500	18	11	53000	42500	37600	8.4	2.14	217454902	No
EL21KLV-060-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	53500	18	11	53000	42500	37600	8.45	2.14	217465665	No
EL21KLV-060-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	54500	19	11.5	52500	43000	35400	8.5	2.06	217231158	No
EL21KLV-060-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	54500	18	11.5	51500	42500	34000	8.3	2.1	217231163	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	54500	20	11.7	52500	44500	35200	8.45	2.1	217231168	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	54500	20	11.7	52000	42500	34200	8.3	2.14	217231173	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	54500	20	11.7	52000	42500	34200	8.3	2.14	217231178	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	54500	20	11.7	52500	44500	35200	8.45	2.1	217231183	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	54500	20	11.7	52000	43000	34400	8.3	2.12	217231188	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	54500	20	11.7	52000	43000	34400	8.3	2.12	217231193	No
EL21KLV-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	53000	20	11.7	51500	39000	33800	8.95	2.14	217231198	No
EL21KLV-060-230A**	LD42/61Z*+TXV+LEFE5*	---	R-454B	52500	18	10.5	53000	42500	37600	8.35	2.12	217285694	No
EL21KLV-060-230A**	LEM60*4CC*+TXV	---	R-454B	53500	18	11	53000	42500	37600	8.45	2.14	217615828	No
EL21KLV-060-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	54500	19	11.5	52500	43000	35400	8.5	2.06	217231159	No
EL21KLV-060-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	55000	18	11.7	51500	42500	34000	8.4	2.12	217231164	No
EL21KLV-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	54000	20	12	51500	42500	34800	8.5	2.08	217231169	No
EL21KLV-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	55000	20	12	52000	42500	34200	8.4	2.16	217231174	No
EL21KLV-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	55000	20	12	52000	42500	34200	8.4	2.16	217231179	No
EL21KLV-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	55000	20	12	52000	43000	34400	8.4	2.14	217231184	No
EL21KLV-060-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	55000	20	12	52000	43000	34400	8.4	2.14	217231189	No
EL21KLV-060-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	55000	20	12	52000	43000	34400	8.4	2.14	217231194	No
EL21KLV-060-230A**	LH40/61W*+TXV+LEFE5*	---	R-454B	53000	18	11	53000	42500	37600	8.4	2.14	217285695	No
EL21KLV-060-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	55500	19	11.5	52500	43000	34600	8.5	2.14	217231161	No
EL21KLV-060-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	55000	19	11.7	51500	42500	34000	8.45	2.14	217231166	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	54000	20	12	51500	42500	34800	8.5	2.08	217231171	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	55000	20	12	52000	42500	34200	8.45	2.18	217231176	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	55000	20	12	52000	42500	34200	8.45	2.18	217231181	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	55000	20	12	52000	43000	34400	8.45	2.16	217231186	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	55000	20	12	52000	43000	34400	8.45	2.16	217231191	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	55000	20	12	52000	43000	34400	8.45	2.16	217231196	No
EL21KLV-060-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	52000	39500	34200	8.5	2.14	217542807	No
EL21KLV-060-230A**	LH42/62W*+TXV+LEFE5*	---	R-454B	53500	18	11	53000	42500	37600	8.5	2.16	217285696	No
EL21KLV-060-230A**	LP40/60R*+TXV	ML180UH090E60C	R-454B	55000	19	11	52500	43000	34400	8.25	2.1	217489451	No
EL21KLV-060-230A**	LP40/60R*+TXV	ML180UH110E60C	R-454B	54500	19	11.5	52000	42500	35200	8.45	2.08	217489453	No
EL21KLV-060-230A**	LP40/60R*+TXV	ML180UH110V60C	R-454B	54000	20	11.7	51000	41500	33400	8.25	2.12	217489455	No
EL21KLV-060-230A**	LP40/60R*+TXV	ML180UH110XE60C	R-454B	54500	19	11.5	52000	42500	35200	8.45	2.08	217489457	No
EL21KLV-060-230A**	LP40/60R*+TXV	ML196UH090XE60C	R-454B	54500	19	11	52000	42500	34200	8.25	2.08	217489459	No
EL21KLV-060-230A**	LP40/60R*+TXV	ML196UH110XE60C	R-454B	54500	18	11	52000	43000	35400	8.45	2.08	217489461	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	55500	19	11.5	52500	43000	34600	8.5	2.14	217231162	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	55000	19	11.7	51500	42500	34000	8.45	2.14	217231167	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	55500	19	11.7	52000	43000	34200	8.5	2.16	217614680	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	56000	19	11.7	52000	43000	34400	8.5	2.16	217614682	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	56000	19	11.7	52000	43000	34400	8.5	2.16	217614684	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	55000	20	11.7	52500	43500	34800	8.45	2.14	217614686	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	55500	19	11.7	52000	42500	34200	8.5	2.16	217614688	No
EL21KLV-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	53000	20	11.7	52000	39500	34200	8.5	2.14	217614690	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
EL21KLV-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	56000	19	11.7	52500	43000	34400	8.5	2.16	217489452	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	56000	20	11.7	52000	43000	34400	8.5	2.16	217489454	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	55000	20	12	51000	41500	33400	8.45	2.16	217489456	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	56000	20	11.7	52000	43000	34400	8.5	2.16	217489458	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	55500	19	11.7	52000	42500	34200	8.5	2.16	217614699	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	55500	19	11.7	52000	42500	34200	8.5	2.14	217489460	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	56000	19	11.5	52500	43000	34600	8.5	2.14	217489462	No
EL21KLV-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	55000	19	12	51500	42000	33800	8.15	2.16	217614704	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	54000	20	12	51500	42500	34800	8.5	2.08	217231172	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	55000	20	12	52000	42500	34200	8.45	2.18	217231177	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	55000	20	12	52000	42500	34200	8.45	2.18	217231182	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	55000	20	12	52000	43000	34400	8.45	2.16	217231187	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	55000	20	12	52000	43000	34400	8.45	2.16	217231192	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	55000	20	12	52000	43000	34400	8.45	2.16	217231197	No
EL21KLV-060-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	53000	20	11.7	52000	39500	34200	8.5	2.14	217614713	No
EL21KLV-060-230A**	LP42/62W*+TXV	SLP98UH090XV60C	R-454B	52500	19	11	52500	41500	31600	8.5	2.06	217614715	No
EL21KLV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	55000	20	11.7	52500	43000	34600	8.45	2.14	217614717	No
EL21KLV-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	55000	20	11.7	52500	43000	34600	8.45	2.16	217614719	No
EL21KLV-060-230A**	LP42/62W*+TXV+LEFE5*	---	R-454B	53500	18	11	53000	42500	37600	8.5	2.16	217285697	No
ML14KP1-018-230A**	BC**A4*18+TXV+TD	---	R-454B	17600	14.5	12.5	16000	9900	8000	7.5	1.9	216472867	No
ML14KP1-018-230A**	BC**A4*24+TXV+TD	---	R-454B	17600	14.5	12.5	16000	9900	8000	7.5	1.9	217050188	No
ML14KP1-018-230A**	BV**B2*25+TXV	---	R-454B	17600	14.3	13	15900	9500	7900	7.5	1.98	215867019	No
ML14KP1-018-230A**	BV**B6*25+TXV	---	R-454B	17700	14.5	13	15900	9500	7900	7.55	1.98	215867924	No
ML14KP1-018-230A**	FC*E32*25+TXV+TD	---	R-454B	17400	14.5	12.5	16100	9900	8000	7.55	1.92	217045735	No
ML14KP1-018-230A**	HG1K*36+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	1.94	217109681	No
ML14KP1-018-230A**	HG1K*36+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217109682	No
ML14KP1-018-230A**	HG1K*36+TXV	EL180UH080NE48B	R-454B	18000	14.5	12.5	16400	9800	8100	7.5	1.88	217109683	No
ML14KP1-018-230A**	HG1K*36+TXV	EL195DF070XE48B	R-454B	18000	14.5	12.5	16400	10200	8000	7.8	1.9	217110043	No
ML14KP1-018-230A**	HG1K*36+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217110044	No
ML14KP1-018-230A**	HG1K*36+TXV	EL195UH060NE36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.96	217110045	No
ML14KP1-018-230A**	HG1K*36+TXV	EL196DF045XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.92	217110046	No
ML14KP1-018-230A**	HG1K*36+TXV	EL196DF070XE48B	R-454B	18000	14.5	12.5	16400	10200	8000	7.8	1.88	217110047	No
ML14KP1-018-230A**	HG1K*36+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217110048	No
ML14KP1-018-230A**	HG1K*36+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217110049	No
ML14KP1-018-230A**	HG1K*36+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	1.98	217110050	No
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	1.96	217109692	No
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH070E36A	R-454B	18000	16	14.5	16100	9400	7400	7.5	1.9	217109693	No
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH070XE36A	R-454B	18000	16	14.5	16100	9400	7400	7.5	1.9	217109694	No
ML14KP1-018-230A**	HG1K*36+TXV	EL280UH090E36B	R-454B	18000	16	14	16400	9900	7900	7.8	1.96	217109695	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF045XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.9	217110051	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF045XV36B	R-454B	18000	15.2	13	16400	10100	8000	7.8	1.94	217110052	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF070XE48B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.9	217110053	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF070XV48B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.9	217110054	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297DF090XE48C	R-454B	18000	14.3	12	16400	10400	8300	7.5	1.88	217110055	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.98	217110056	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217110057	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH070XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.96	217110058	No
ML14KP1-018-230A**	HG1K*36+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.98	217110059	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180DF070E36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.9	217109704	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217109705	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217109706	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH045V36A	R-454B	18000	16	14.5	15900	9900	7500	7.8	1.94	217109707	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217109708	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217109709	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.98	217109710	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217109711	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217109712	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070V48B	R-454B	18000	16	14	16000	9400	7700	7.5	1.98	217109713	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217109714	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.98	217109715	No
ML14KP1-018-230A**	HG1K*36+TXV	ML180UH090V48B	R-454B	18000	17	14	16000	9400	7700	7.5	2.02	217109716	No
ML14KP1-018-230A**	HG1K*36+TXV	ML193DF045XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.92	217109717	No
ML14KP1-018-230A**	HG1K*36+TXV	ML193DF070XE36B	R-454B	18000	15.2	13	16400	10200	8000	7.8	1.94	217109718	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	HG1K*36+TXV	ML193DF090XE48C	R-454B	18000	14.5	12.5	16400	10400	8200	7.8	1.88	217109719	No
ML14KP1-018-230A**	HG1K*36+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217109720	No
ML14KP1-018-230A**	HG1K*36+TXV	ML193UH045XE36B	R-454B	18000	16	14	16400	9900	7900	7.8	1.94	217109721	No
ML14KP1-018-230A**	HG1K*36+TXV	ML193UH070XE36B	R-454B	18000	16	14	16100	9500	7800	7.5	2	217109722	No
ML14KP1-018-230A**	HG1K*36+TXV	ML196DF045XE36B	R-454B	18000	15.2	13	16400	10100	8000	7.8	1.92	217110060	No
ML14KP1-018-230A**	HG1K*36+TXV	ML196DF070XE48B	R-454B	18000	15.2	13	16400	10200	8100	7.8	1.92	217110061	No
ML14KP1-018-230A**	HG1K*36+TXV	ML196DF090XE48C	R-454B	18000	14.5	12.5	16400	10400	8200	7.8	1.86	217109725	No
ML14KP1-018-230A**	HG1K*36+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217110062	No
ML14KP1-018-230A**	HG1K*36+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217110063	No
ML14KP1-018-230A**	HG1K*36+TXV	ML196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	1.98	217110064	No
ML14KP1-018-230A**	HG1K*36+TXV	ML296DF045XV36B	R-454B	18000	14.5	12.5	16400	10300	8100	7.8	1.88	217110065	No
ML14KP1-018-230A**	HG1K*36+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217110066	No
ML14KP1-018-230A**	HG1K*36+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217110067	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280DF060NV36B	R-454B	18000	15.2	13	16400	10100	7900	7.8	1.92	217109732	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280DF090V48B	R-454B	18000	15.2	13	16400	10100	7900	7.8	1.92	217109733	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217109734	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217109735	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217109736	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH080NV48B	R-454B	18000	15.2	13.5	16100	9600	7900	7.5	1.96	217109737	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9400	7700	7.5	2	217109738	No
ML14KP1-018-230A**	HG1K*36+TXV	SL280UH090V48B	R-454B	18000	16	14.5	16100	9400	7400	7.5	1.92	217109739	No
ML14KP1-018-230A**	HG1K*36+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217110068	No
ML14KP1-018-230A**	HG1K*36+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.96	217110069	No
ML14KP1-018-230A**	HG1K*36+TXV	SLP99DF070XV36B	R-454B	18000	15.2	13	16400	10100	8000	7.8	1.94	217110070	No
ML14KP1-018-230A**	HG1K*36+TXV	SLP99UH070XV36B	R-454B	18000	16	14	16000	9400	7700	7.5	1.98	217110071	No
ML14KP1-018-230A**	HG34*36+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	217109451	No
ML14KP1-018-230A**	HG34*36+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217109452	No
ML14KP1-018-230A**	HG34*36+TXV	EL180UH080NE48B	R-454B	18000	14.5	12.5	16400	9800	8100	7.5	1.88	217109453	No
ML14KP1-018-230A**	HG34*36+TXV	EL195DF070XE48B	R-454B	17800	14.5	12.5	16400	10200	8000	7.75	1.88	217109684	No
ML14KP1-018-230A**	HG34*36+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217109685	No
ML14KP1-018-230A**	HG34*36+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	217109686	No
ML14KP1-018-230A**	HG34*36+TXV	EL196DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.9	217109687	No
ML14KP1-018-230A**	HG34*36+TXV	EL196DF070XE48B	R-454B	17800	14.5	12.5	16400	10200	8000	7.75	1.86	217109688	No
ML14KP1-018-230A**	HG34*36+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217109689	No
ML14KP1-018-230A**	HG34*36+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217109690	No
ML14KP1-018-230A**	HG34*36+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217109691	No
ML14KP1-018-230A**	HG34*36+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217109454	No
ML14KP1-018-230A**	HG34*36+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217109455	No
ML14KP1-018-230A**	HG34*36+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217109456	No
ML14KP1-018-230A**	HG34*36+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217109457	No
ML14KP1-018-230A**	HG34*36+TXV	EL297DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.88	217109696	No
ML14KP1-018-230A**	HG34*36+TXV	EL297DF045XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	1.92	217109697	No
ML14KP1-018-230A**	HG34*36+TXV	EL297DF070XE48B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.88	217109698	No
ML14KP1-018-230A**	HG34*36+TXV	EL297DF070XV48B	R-454B	17800	15.2	13	16400	10200	8000	7.75	1.88	217109699	No
ML14KP1-018-230A**	HG34*36+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217109700	No
ML14KP1-018-230A**	HG34*36+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217109701	No
ML14KP1-018-230A**	HG34*36+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217109702	No
ML14KP1-018-230A**	HG34*36+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217109703	No
ML14KP1-018-230A**	HG34*36+TXV	ML180DF070E36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.88	217109458	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217109459	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217109460	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217109461	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217109462	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217109463	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217109464	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217109465	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217109466	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070V48B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217109467	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217109468	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217109469	No
ML14KP1-018-230A**	HG34*36+TXV	ML180UH090V48B	R-454B	18000	16	14.5	16000	9300	7400	7.5	1.96	217109470	No
ML14KP1-018-230A**	HG34*36+TXV	ML193DF045XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	1.9	217109471	No
ML14KP1-018-230A**	HG34*36+TXV	ML193DF070XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	1.92	217109472	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	HG34*36+TXV	ML193DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	1.86	217109473	No
ML14KP1-018-230A**	HG34*36+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217109474	No
ML14KP1-018-230A**	HG34*36+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217109475	No
ML14KP1-018-230A**	HG34*36+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217109476	No
ML14KP1-018-230A**	HG34*36+TXV	ML196DF045XE36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	1.9	217109723	No
ML14KP1-018-230A**	HG34*36+TXV	ML196DF070XE48B	R-454B	17800	15	12.5	16400	10200	8100	7.75	1.9	217109724	No
ML14KP1-018-230A**	HG34*36+TXV	ML196DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	1.84	217109477	No
ML14KP1-018-230A**	HG34*36+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217109726	No
ML14KP1-018-230A**	HG34*36+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217109727	No
ML14KP1-018-230A**	HG34*36+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217109728	No
ML14KP1-018-230A**	HG34*36+TXV	ML296DF045XV36B	R-454B	17800	14.5	12.5	16400	10300	8100	7.75	1.86	217109729	No
ML14KP1-018-230A**	HG34*36+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217109730	No
ML14KP1-018-230A**	HG34*36+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217109731	No
ML14KP1-018-230A**	HG34*36+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.75	1.9	217109478	No
ML14KP1-018-230A**	HG34*36+TXV	SL280DF090V48B	R-454B	17800	15.2	13	16400	10100	7900	7.75	1.9	217109479	No
ML14KP1-018-230A**	HG34*36+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217109480	No
ML14KP1-018-230A**	HG34*36+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217109481	No
ML14KP1-018-230A**	HG34*36+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217109482	No
ML14KP1-018-230A**	HG34*36+TXV	SL280UH080NV48B	R-454B	18000	15.2	13.5	16200	9500	7600	7.5	1.9	217109483	No
ML14KP1-018-230A**	HG34*36+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	1.98	217109484	No
ML14KP1-018-230A**	HG34*36+TXV	SL280UH090V48B	R-454B	17800	16	14	16100	9600	7800	7.75	1.98	217109485	No
ML14KP1-018-230A**	HG34*36+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217109740	No
ML14KP1-018-230A**	HG34*36+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217109741	No
ML14KP1-018-230A**	HG34*36+TXV	SLP99DF070XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	1.92	217109742	No
ML14KP1-018-230A**	HG34*36+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217109743	No
ML14KP1-018-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216967596	No
ML14KP1-018-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216967603	No
ML14KP1-018-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975204	No
ML14KP1-018-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975215	No
ML14KP1-018-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216967610	No
ML14KP1-018-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975224	No
ML14KP1-018-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975235	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216967595	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216967602	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975203	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975214	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	1.88	217186615	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186620	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186625	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217183744	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	9400	7400	7.5	1.9	217183750	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	9400	7400	7.5	1.9	217183756	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	1.92	217183761	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186630	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217186635	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186640	No
ML14KP1-018-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186645	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	18000	16	13.5	16000	9900	7500	7.8	1.92	217183767	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183773	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183779	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183785	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183791	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183796	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183802	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217183807	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183813	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183818	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	1.9	217183823	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217183828	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217183833	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13	16300	9600	7600	7.5	1.88	217186650	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186655	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.9	217186660	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186665	No
ML14KP1-018-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186670	No
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216967609	No
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	1.92	217183839	No
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	18000	16	13.5	16100	10000	7600	7.8	1.92	217183845	No
ML14KP1-018-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183850	No
ML14KP1-018-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975223	No
ML14KP1-018-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975234	No
ML14KP1-018-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186675	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216967597	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216967604	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	18000	14.5	12.5	16400	9800	8100	7.5	1.88	217482045	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975206	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975217	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186617	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186622	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186627	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217183745	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183751	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183757	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217183763	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF045XE36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.88	217482046	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF045XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	1.92	217482047	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF070XE48B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.88	217482048	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297DF070XV48B	R-454B	17800	15.2	13	16400	10200	8000	7.75	1.88	217482049	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186632	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217186637	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186642	No
ML14KP1-018-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186647	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180DF070E36B	R-454B	17800	15	12.5	16400	10200	8000	7.75	1.88	217482050	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183768	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183774	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183780	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183786	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183792	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183798	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183803	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217183809	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217482051	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183814	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183820	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	18000	16	14.5	16000	9300	7400	7.5	1.96	217482052	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML193DF045XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	1.9	217482053	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML193DF070XE36B	R-454B	17800	15.2	13	16400	10200	8000	7.75	1.92	217482054	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML193DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	1.86	217482055	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217183825	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183830	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217183835	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML196DF045XE36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	1.9	217482056	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML196DF070XE48B	R-454B	17800	15	12.5	16400	10200	8100	7.75	1.9	217482057	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML196DF090XE48C	R-454B	17800	14.5	12	16400	10400	8200	7.75	1.84	217482058	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186652	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186657	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217186662	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML296DF045XV36B	R-454B	17800	14.5	12.5	16400	10300	8100	7.75	1.86	217482059	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186667	No
ML14KP1-018-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186672	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.75	1.9	217482060	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280DF090V48B	R-454B	17800	15.2	13	16400	10100	7900	7.75	1.9	217482061	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216967611	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183840	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183846	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	18000	15.2	13.5	16200	9500	7600	7.5	1.9	217482062	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7600	7.5	1.98	217183852	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	17800	16	14	16100	9600	7800	7.75	1.98	217482063	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975226	No
ML14KP1-018-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975237	No
ML14KP1-018-230A**	L*19/36U*+TXV	SLP99DF070XV36B	R-454B	17800	15.2	13	16400	10100	8000	7.75	1.92	217482064	No
ML14KP1-018-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186677	No
ML14KP1-018-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216978117	No
ML14KP1-018-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216978118	No
ML14KP1-018-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216978119	No
ML14KP1-018-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216977917	No
ML14KP1-018-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	18000	16	13.5	15800	9400	7400	7.5	1.9	216977919	No
ML14KP1-018-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	9300	7400	7.5	1.92	216977922	No
ML14KP1-018-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	216977918	No
ML14KP1-018-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216977920	No
ML14KP1-018-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217183742	No
ML14KP1-018-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183748	No
ML14KP1-018-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183754	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183765	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183771	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183777	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183783	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183789	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183800	No
ML14KP1-018-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183811	No
ML14KP1-018-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216977923	No
ML14KP1-018-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183837	No
ML14KP1-018-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183843	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	217230663	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217230664	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216978023	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216978024	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186614	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186619	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186624	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217183760	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186629	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217186634	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186639	No
ML14KP1-018-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186644	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183795	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217183806	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183817	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217183822	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183827	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217183832	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186649	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186654	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217186659	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186664	No
ML14KP1-018-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186669	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	17800	15.2	13	16400	10100	7900	7.7	1.9	216977921	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217230669	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217230670	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217230671	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183849	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216978025	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216978026	No
ML14KP1-018-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186674	No
ML14KP1-018-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967594	No
ML14KP1-018-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967601	No
ML14KP1-018-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975213	No
ML14KP1-018-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	216967608	No
ML14KP1-018-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975233	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967593	No
ML14KP1-018-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	17900	15.2	13.5	15900	9900	7600	7.75	1.94	216967600	No
ML14KP1-018-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975212	No
ML14KP1-018-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	17900	15.2	13	16200	10100	7700	7.75	1.92	217183743	No
ML14KP1-018-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	1.92	217183749	No
ML14KP1-018-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	17400	16	13.5	16000	9500	7800	7.5	1.92	217183755	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183766	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183772	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	17900	15.2	13.5	15900	9900	7500	7.75	1.94	217183778	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183784	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183790	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183801	No
ML14KP1-018-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	217183812	No
ML14KP1-018-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	17400	16	13.5	15900	9500	7700	7.5	1.92	216967607	No
ML14KP1-018-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	17900	15.2	13.5	16100	10000	7600	7.75	1.92	217183838	No
ML14KP1-018-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	17900	15.2	13.5	16100	10000	7600	7.75	1.92	217183844	No
ML14KP1-018-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	17500	15.2	13	16200	9900	7900	7.65	1.92	216975232	No
ML14KP1-018-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	16000	9500	7700	7.5	1.96	216967598	No
ML14KP1-018-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216967605	No
ML14KP1-018-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	1.96	217183746	No
ML14KP1-018-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183752	No
ML14KP1-018-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183758	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183769	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183775	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183781	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183787	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183793	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183804	No
ML14KP1-018-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183815	No
ML14KP1-018-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216967612	No
ML14KP1-018-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183841	No
ML14KP1-018-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183847	No
ML14KP1-018-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975210	No
ML14KP1-018-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975221	No
ML14KP1-018-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975230	No
ML14KP1-018-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975241	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	216975209	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.92	216975220	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186618	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186623	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186628	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	18000	16	13.5	16000	9400	7500	7.5	1.92	217183764	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186633	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217186638	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186643	No
ML14KP1-018-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217186648	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183799	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217183810	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183821	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	18000	16	13.5	16200	9500	7500	7.5	1.9	217183826	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	217183831	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	217183836	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186653	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186658	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	18000	16	13.5	16200	9400	7500	7.5	1.9	217186663	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186668	No
ML14KP1-018-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.9	217186673	No
ML14KP1-018-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183853	No
ML14KP1-018-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	18000	16	13.5	16100	9400	7500	7.5	1.92	216975229	No
ML14KP1-018-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.9	216975240	No
ML14KP1-018-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186678	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975205	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975216	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186616	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186621	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217186626	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	18000	16	14	16000	9400	7500	7.5	1.92	217183762	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186631	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217186636	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186641	No
ML14KP1-018-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217186646	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183797	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217183808	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217183819	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217183824	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217183829	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217183834	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217186651	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217186656	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217186661	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186666	No
ML14KP1-018-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217186671	No
ML14KP1-018-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217183851	No
ML14KP1-018-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975225	No
ML14KP1-018-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975236	No
ML14KP1-018-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217186676	No
ML14KP1-018-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217230665	No
ML14KP1-018-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	217230667	No
ML14KP1-018-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217230672	No
ML14KP1-018-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217230666	No
ML14KP1-018-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16000	9300	7700	7.5	1.98	217230668	No
ML14KP1-018-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14.5	15900	9300	7400	7.5	1.92	217230673	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	16000	9500	7700	7.5	1.96	216967599	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	216967606	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613952	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	217613953	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613957	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613961	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.88	217613965	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.8	1.96	217183747	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183753	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217183759	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613969	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613973	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613977	No
ML14KP1-018-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613981	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217183770	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183776	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217183782	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217183788	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183794	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217609350	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217183805	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217609363	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217183816	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217609377	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217609385	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217609393	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217609401	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613985	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613989	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217613993	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613997	No
ML14KP1-018-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217614001	No
ML14KP1-018-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	216967613	No
ML14KP1-018-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183842	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217183848	No
ML14KP1-018-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217614002	No
ML14KP1-018-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217614003	No
ML14KP1-018-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217614007	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	18000	15.2	13.5	15900	9900	7600	7.8	1.94	217609278	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217609284	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975207	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975218	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613955	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217613959	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	18000	16	13.5	16000	9400	7400	7.5	1.88	217613963	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	18000	15.2	13.5	16200	10100	7700	7.8	1.92	217609294	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217609300	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217609306	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613967	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613971	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613975	No
ML14KP1-018-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613979	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217609316	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217609322	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217609328	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217609334	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217609340	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217609346	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217609354	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	18000	16	14	15800	9300	7300	7.5	1.92	217609360	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217609367	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.92	217609373	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217609381	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217609389	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217609397	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613983	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	18000	16	13.5	15900	9400	7400	7.5	1.88	217613987	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.9	217613991	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613995	No
ML14KP1-018-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613999	No
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217609410	No
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217609415	No
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217609421	No
ML14KP1-018-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217230674	No
ML14KP1-018-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975227	No
ML14KP1-018-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975238	No
ML14KP1-018-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217614005	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	18000	16	13.5	15800	9300	7600	7.5	1.94	217609280	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	18000	16	14	15800	9400	7400	7.5	1.9	217609286	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	216975208	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	18000	16	14	16200	9400	7500	7.5	1.92	216975219	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613956	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613960	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	1.98	217613964	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	18000	16	13.5	16300	9600	7900	7.75	1.96	217609296	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217609302	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.96	217609308	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613968	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217613972	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613976	No
ML14KP1-018-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217613980	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.92	217609318	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217609324	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	18000	16	14	15900	9900	7500	7.8	1.94	217609329	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	18000	16	14	16000	9900	7500	7.8	1.94	217609336	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217609342	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.98	217609348	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	18000	16	14	16000	9900	7600	7.8	1.96	217609356	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	18000	16	14.5	15800	9300	7300	7.5	1.92	217609361	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217609369	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	18000	16	14	16000	9500	7700	7.5	1.98	217609375	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	18000	16	14	16200	9500	7500	7.5	1.9	217609383	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	217609391	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	217609399	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	18000	15.2	13.5	16300	9600	7600	7.5	1.88	217613984	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.88	217613988	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	18000	16	14	16000	9500	7800	7.5	1.98	217613992	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217613996	No
ML14KP1-018-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	18000	16	14	15900	9400	7400	7.5	1.9	217614000	No
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	18000	16	14	16000	10000	7600	7.8	1.96	217609412	No
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217609417	No
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	18000	16	14	16100	10000	7600	7.8	1.92	217609423	No
ML14KP1-018-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	18000	16	14	15900	9400	7700	7.5	2	217230675	No
ML14KP1-018-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	18000	16	14	16100	9400	7500	7.5	1.92	216975228	No
ML14KP1-018-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	18000	16	14	16000	9400	7400	7.5	1.9	216975239	No
ML14KP1-018-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	18000	16	14	15900	9300	7400	7.5	1.92	217614006	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	1.94	217609276	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	18000	16	14.5	15900	9900	7600	7.8	1.94	217609282	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	216975202	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	1.96	216975211	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	18000	16	14	16400	10100	8100	7.5	1.92	217613954	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613958	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613962	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	18000	16	14.5	16200	10100	7700	7.8	1.92	217609292	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	18000	17	15	16200	9500	7800	7.8	2	217609298	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	18000	17	15	16200	9500	7800	7.8	2	217609304	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	18000	17	14.5	16000	9400	7400	7.5	1.9	217613966	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613970	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	1.94	217613974	No
ML14KP1-018-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	1.96	217613978	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	2	217609314	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217609320	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	18000	17	15	15900	9900	7500	7.8	1.94	217609326	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217609332	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217609338	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	18000	17	14.5	16000	9400	7400	7.5	1.92	217609344	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217609352	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	18000	17	15	15800	9200	7600	7.5	1.98	217609358	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217609365	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	18000	17	14.5	16000	9400	7400	7.5	1.92	217609371	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	18000	16	14.5	16400	10000	8000	7.8	1.94	217609379	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	18000	17	14.5	16100	9600	7800	7.5	1.98	217609387	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	18000	17	14.5	16100	9500	7800	7.5	2	217609395	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	18000	16	14	16400	10100	8100	7.5	1.92	217613982	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613986	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	18000	16	14.5	16300	9900	7900	7.5	1.94	217613990	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	1.94	217613994	No
ML14KP1-018-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	18000	16	14.5	16200	9900	7800	7.8	1.94	217613998	No
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	18000	17	14.5	16100	9500	7700	7.8	1.98	217609408	No
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	18000	16	14.5	16200	9600	7800	7.8	1.96	217609414	No
ML14KP1-018-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	18000	16	14.5	16200	9600	7800	7.8	1.96	217609419	No
ML14KP1-018-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	18000	16	14.5	16400	9900	7900	7.5	1.94	216975222	No
ML14KP1-018-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	18000	16	14.5	16300	9900	7900	7.8	1.96	216975231	No
ML14KP1-018-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	18000	17	14.5	15900	9300	7400	7.5	1.92	217614004	No
ML14KP1-018-230A**	LW18*M7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	217290737	No
ML14KP1-018-230A**	LW24*K7+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	216562297	No
ML14KP1-018-230A**	LW25*K7+TXV	---	R-454B	17000	16	13	16000	9900	8000	7.5	1.9	216771661	No
ML14KP1-018-230A**	SM7*18+TXV+TD	---	R-454B	16600	15	12.5	16000	9900	8000	7.5	1.9	216498329	No
ML14KP1-024-230A**	BV**B2*25+TXV	---	R-454B	23400	14.5	12	20400	13000	10600	7.6	1.94	217050189	No
ML14KP1-024-230A**	FC*E34*25+TXV+TD	---	R-454B	23200	14.3	12	20400	13000	10600	7.7	1.96	217037932	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	FE"E31"24+TXV	---	R-454B	22400	14.5	12.5	20000	13100	10900	7.55	2.02	215867052	No
ML14KP1-024-230A**	FE"E32"24+TXV	---	R-454B	22600	14.5	13	20200	13100	10900	7.65	2.06	215867960	No
ML14KP1-024-230A**	FE"G32"24+TXV	---	R-454B	22600	14.5	13	20200	13100	10900	7.65	2.06	215867057	No
ML14KP1-024-230A**	HG1K*36+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	217109744	No
ML14KP1-024-230A**	HG1K*36+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	217109745	No
ML14KP1-024-230A**	HG1K*36+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20400	13200	11100	8	2.12	217109746	No
ML14KP1-024-230A**	HG1K*36+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217110072	No
ML14KP1-024-230A**	HG1K*36+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217110073	No
ML14KP1-024-230A**	HG1K*36+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	2	217110074	No
ML14KP1-024-230A**	HG1K*36+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	2	217110075	No
ML14KP1-024-230A**	HG1K*36+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217110076	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280DF090E48B	R-454B	23600	15.2	13	21400	13700	11000	8.2	2.1	217109752	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217109753	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217109754	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217109755	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.02	217109756	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	2.16	217109757	No
ML14KP1-024-230A**	HG1K*36+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	2.16	217109758	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF045XE36B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	2.06	217110077	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF045XV36B	R-454B	23200	14.5	12.5	21000	13700	10900	8.2	2.08	217110078	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF070XE48B	R-454B	23400	14.3	12.5	21400	13900	11100	8.2	2.06	217110079	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF070XV48B	R-454B	23400	14.3	12.5	21600	13900	11200	8.2	2.06	217110080	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297DF090XE48C	R-454B	23600	15.2	13	21200	13700	10900	8.2	2.1	217110081	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217110082	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	2.02	217110083	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217110084	No
ML14KP1-024-230A**	HG1K*36+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217110085	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180DF070E36B	R-454B	23200	14.5	12.5	21000	13600	10900	8.2	2.08	217109765	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180DF090E48B	R-454B	23600	15.2	13	21200	13700	10900	8.2	2.1	217109766	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180DF110E60C	R-454B	23600	14.5	12.5	21600	13900	11100	8.2	2.08	217109767	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217109768	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217109769	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217109770	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217109771	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217109772	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217109773	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217109774	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	2.1	217109775	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070V48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	2.02	217109776	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217109777	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217109778	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	2.1	217109779	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13100	10700	8	2.06	217109780	No
ML14KP1-024-230A**	HG1K*36+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	2.1	217109781	No
ML14KP1-024-230A**	HG1K*36+TXV	ML193DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	2.08	217109782	No
ML14KP1-024-230A**	HG1K*36+TXV	ML193DF070XE36B	R-454B	23600	14.5	12.5	21400	13800	11100	8.2	2.1	217109783	No
ML14KP1-024-230A**	HG1K*36+TXV	ML193DF090XE48C	R-454B	23600	15.2	13	21400	13700	11000	8.2	2.12	217109784	No
ML14KP1-024-230A**	HG1K*36+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217109785	No
ML14KP1-024-230A**	HG1K*36+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217109786	No
ML14KP1-024-230A**	HG1K*36+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.04	217109787	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	2.08	217110086	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196DF070XE48B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	2.06	217110087	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196DF090XE48C	R-454B	23600	15.2	13	21200	13600	10900	8.2	2.12	217110088	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217110089	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	2	217110090	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.04	217110091	No
ML14KP1-024-230A**	HG1K*36+TXV	ML196UH070XE48B	R-454B	24000	15.2	13	20600	13200	10800	7.8	2.04	217110092	No
ML14KP1-024-230A**	HG1K*36+TXV	ML296DF045XV36B	R-454B	23200	14.3	12.5	21600	13900	11200	8.2	2.06	217110093	No
ML14KP1-024-230A**	HG1K*36+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	2.02	217110094	No
ML14KP1-024-230A**	HG1K*36+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217110095	No
ML14KP1-024-230A**	HG1K*36+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	2.08	217109796	No
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217109797	No
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217109798	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217109799	No
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH080NV48B	R-454B	23800	15.2	13	20200	13000	11000	7.8	2.12	217109800	No
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217109801	No
ML14KP1-024-230A**	HG1K*36+TXV	SL280UH090V48B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.02	217109802	No
ML14KP1-024-230A**	HG1K*36+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	217110096	No
ML14KP1-024-230A**	HG1K*36+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	2.02	217110097	No
ML14KP1-024-230A**	HG1K*36+TXV	SLP99DF070XV36B	R-454B	23000	14.5	12.5	21000	13600	10800	8.2	2.08	217110098	No
ML14KP1-024-230A**	HG1K*36+TXV	SLP99DF090XV36C	R-454B	23400	15.2	13	21000	13600	10900	8.2	2.1	217110099	No
ML14KP1-024-230A**	HG1K*36+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.02	217110100	No
ML14KP1-024-230A**	HG34*36+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217109486	No
ML14KP1-024-230A**	HG34*36+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217109487	No
ML14KP1-024-230A**	HG34*36+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20800	13400	10400	8	1.98	217109488	No
ML14KP1-024-230A**	HG34*36+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	217109747	No
ML14KP1-024-230A**	HG34*36+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	217109748	No
ML14KP1-024-230A**	HG34*36+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217109749	No
ML14KP1-024-230A**	HG34*36+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217109750	No
ML14KP1-024-230A**	HG34*36+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	2.02	217109751	No
ML14KP1-024-230A**	HG34*36+TXV	EL280DF090E48B	R-454B	23400	15	12.5	21400	13700	11000	8.1	2.08	217109489	No
ML14KP1-024-230A**	HG34*36+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217109490	No
ML14KP1-024-230A**	HG34*36+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217109491	No
ML14KP1-024-230A**	HG34*36+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217109492	No
ML14KP1-024-230A**	HG34*36+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217109493	No
ML14KP1-024-230A**	HG34*36+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	2.04	217109494	No
ML14KP1-024-230A**	HG34*36+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	2.06	217109495	No
ML14KP1-024-230A**	HG34*36+TXV	EL297DF045XV36B	R-454B	23000	14.5	12.5	21000	13700	10900	8.1	2.06	217109759	No
ML14KP1-024-230A**	HG34*36+TXV	EL297DF090XE48C	R-454B	23400	15	13	21200	13700	10900	8.1	2.08	217109760	No
ML14KP1-024-230A**	HG34*36+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217109761	No
ML14KP1-024-230A**	HG34*36+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217109762	No
ML14KP1-024-230A**	HG34*36+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217109763	No
ML14KP1-024-230A**	HG34*36+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.04	217109764	No
ML14KP1-024-230A**	HG34*36+TXV	ML180DF070E36B	R-454B	23000	14.5	12.5	21000	13600	10900	8.1	2.06	217109496	No
ML14KP1-024-230A**	HG34*36+TXV	ML180DF090E48B	R-454B	23400	15	13	21200	13700	10900	8.1	2.08	217109497	No
ML14KP1-024-230A**	HG34*36+TXV	ML180DF110E60C	R-454B	23400	14.5	12.5	21600	13900	11100	8.1	2.06	217109498	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217109499	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217109500	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217109501	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217109502	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217109503	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217109504	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217109505	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.06	217109506	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070V48B	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	2.04	217109507	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217109508	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217109509	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	2.02	217109510	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217109511	No
ML14KP1-024-230A**	HG34*36+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	2.02	217109512	No
ML14KP1-024-230A**	HG34*36+TXV	ML193DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	2.06	217109513	No
ML14KP1-024-230A**	HG34*36+TXV	ML193DF070XE36B	R-454B	23400	14.5	12.5	21400	13800	11100	8.1	2.08	217109514	No
ML14KP1-024-230A**	HG34*36+TXV	ML193DF090XE48C	R-454B	23400	15	12.5	21400	13700	11000	8.1	2.1	217109515	No
ML14KP1-024-230A**	HG34*36+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217109516	No
ML14KP1-024-230A**	HG34*36+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217109517	No
ML14KP1-024-230A**	HG34*36+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217109518	No
ML14KP1-024-230A**	HG34*36+TXV	ML196DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	2.06	217109788	No
ML14KP1-024-230A**	HG34*36+TXV	ML196DF090XE48C	R-454B	23400	15	13	21200	13600	10900	8.1	2.1	217109789	No
ML14KP1-024-230A**	HG34*36+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217109790	No
ML14KP1-024-230A**	HG34*36+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217109791	No
ML14KP1-024-230A**	HG34*36+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217109792	No
ML14KP1-024-230A**	HG34*36+TXV	ML196UH070XE48B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217109793	No
ML14KP1-024-230A**	HG34*36+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217109794	No
ML14KP1-024-230A**	HG34*36+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217109795	No
ML14KP1-024-230A**	HG34*36+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	2.06	217109519	No
ML14KP1-024-230A**	HG34*36+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217109520	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	HG34*36+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217109521	No
ML14KP1-024-230A**	HG34*36+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217109522	No
ML14KP1-024-230A**	HG34*36+TXV	SL280UH080NV48B	R-454B	23400	15.2	13	20400	13300	10500	7.8	2	217109523	No
ML14KP1-024-230A**	HG34*36+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217109524	No
ML14KP1-024-230A**	HG34*36+TXV	SL280UH090V48B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217109525	No
ML14KP1-024-230A**	HG34*36+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	217109803	No
ML14KP1-024-230A**	HG34*36+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	217109804	No
ML14KP1-024-230A**	HG34*36+TXV	SLP99DF070XV36B	R-454B	22800	14.5	12.5	21000	13600	10800	8.1	2.06	217109805	No
ML14KP1-024-230A**	HG34*36+TXV	SLP99DF090XV36C	R-454B	23200	15	12.5	21000	13600	10900	8.1	2.08	217109806	No
ML14KP1-024-230A**	HG34*36+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217109807	No
ML14KP1-024-230A**	L*18/36T*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967617	No
ML14KP1-024-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967626	No
ML14KP1-024-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	2	216975246	No
ML14KP1-024-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	2	216975260	No
ML14KP1-024-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	2.12	216967635	No
ML14KP1-024-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	2.1	216975274	No
ML14KP1-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975288	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967616	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216967625	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.65	2	216975245	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.85	2	216975259	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	2	217186681	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186687	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.65	2	217186693	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.95	2.14	217183856	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.8	2.02	217183862	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	23800	15.2	12.5	20600	13500	10600	7.5	2.02	217183868	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183874	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	2	217186699	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13	20400	13400	10500	7.8	2.02	217186705	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.65	2	217186711	No
ML14KP1-024-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	2	217186717	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	2.14	217183880	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	23600	15.2	13	20000	12800	10800	7.75	2.12	217183886	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	23800	15.2	13	20200	12900	10800	7.95	2.12	217183892	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.8	2	217183898	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	2.12	217183904	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	2	217183910	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	2.14	217183916	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.05	2	217183922	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13	20200	12900	10900	7.95	2.12	217183928	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.05	2	217183934	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	2	217183940	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	23800	15.2	12.5	20800	13600	10600	7.8	2.02	217183946	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217183952	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	1.98	217186723	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186729	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217186735	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13	20200	13300	10400	7.8	2.02	217186741	No
ML14KP1-024-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	23800	15.2	12.5	20200	13000	11000	7.95	2.14	217186747	No
ML14KP1-024-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13000	10900	7.95	2.12	216967634	No
ML14KP1-024-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183958	No
ML14KP1-024-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183964	No
ML14KP1-024-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217183970	No
ML14KP1-024-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.75	2.1	216975273	No
ML14KP1-024-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975287	No
ML14KP1-024-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	2.02	217186753	No
ML14KP1-024-230A**	L*19/36S*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967619	No
ML14KP1-024-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967628	No
ML14KP1-024-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975250	No
ML14KP1-024-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975264	No
ML14KP1-024-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967637	No
ML14KP1-024-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975278	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975292	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967618	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967627	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20800	13400	10400	8	1.98	217482065	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975249	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975263	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186683	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186689	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	2.02	217186695	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280DF090E48B	R-454B	23400	15	12.5	21400	13700	11000	8.1	2.08	217482066	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183857	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217183863	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217183869	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183876	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	2.04	217482067	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20600	13400	10500	8	2.06	217482068	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL297DF045XV36B	R-454B	23000	14.5	12.5	21000	13700	10900	8.1	2.06	217482069	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL297DF090XE48C	R-454B	23400	15	13	21200	13700	10900	8.1	2.08	217482070	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186701	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217186707	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186713	No
ML14KP1-024-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.04	217186719	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180DF070E36B	R-454B	23000	14.5	12.5	21000	13600	10900	8.1	2.06	217482071	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180DF090E48B	R-454B	23400	15	13	21200	13700	10900	8.1	2.08	217482072	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180DF110E60C	R-454B	23400	14.5	12.5	21600	13900	11100	8.1	2.06	217482073	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183881	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183887	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183893	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217183899	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183905	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183912	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183917	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.06	217183924	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	2.04	217482074	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183929	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183936	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	2.02	217482075	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217482076	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	2.02	217482077	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML193DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	2.06	217482078	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML193DF070XE36B	R-454B	23400	14.5	12.5	21400	13800	11100	8.1	2.08	217482079	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML193DF090XE48C	R-454B	23400	15	12.5	21400	13700	11000	8.1	2.1	217482080	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183942	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183948	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217183954	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML196DF045XE36B	R-454B	23400	14.5	12.5	21600	13800	11100	8.1	2.06	217482081	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML196DF090XE48C	R-454B	23400	15	13	21200	13600	10900	8.1	2.1	217482082	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186725	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186731	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217186737	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217482083	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186743	No
ML14KP1-024-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217186749	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	2.06	217482084	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967636	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217183959	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183965	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	23400	15.2	13	20400	13300	10500	7.8	2	217482085	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217183972	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217482086	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975277	No
ML14KP1-024-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975291	No
ML14KP1-024-230A**	L*19/36U*+TXV	SLP99DF070XV36B	R-454B	22800	14.5	12.5	21000	13600	10800	8.1	2.06	217482087	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	L*19/36U*+TXV	SLP99DF090XV36C	R-454B	23200	15	12.5	21000	13600	10900	8.1	2.08	217482088	No
ML14KP1-024-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186755	No
ML14KP1-024-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	216967620	No
ML14KP1-024-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	216967629	No
ML14KP1-024-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	216975253	No
ML14KP1-024-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	216975267	No
ML14KP1-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	24000	15.2	13.5	20200	13000	10900	8	2.14	216967638	No
ML14KP1-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217230684	No
ML14KP1-024-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217230686	No
ML14KP1-024-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	24000	15.2	13.5	20400	13000	11000	8	2.16	217230691	No
ML14KP1-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	216975281	No
ML14KP1-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	2.02	216975295	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	217484337	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13.5	20600	13500	10600	7.8	2.02	217484338	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	24000	15.2	13	20400	13200	11100	8	2.12	217484339	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217484340	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217484341	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13.5	20000	13200	10300	7.8	2	217484342	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	2	217484343	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217484344	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280DF090E48B	R-454B	23600	15.2	13	21400	13700	11000	8.2	2.1	217484345	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217484346	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217484347	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217484348	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.02	217484349	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	2.16	217484350	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	24000	15.2	13.5	20400	13100	11000	8.1	2.16	217484351	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297DF045XE36B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	2.06	217484352	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297DF045XV36B	R-454B	23200	14.5	12.5	21000	13700	10900	8.2	2.08	217484353	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297DF070XE48B	R-454B	23400	14.3	12.5	21400	13900	11100	8.2	2.06	217484354	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297DF070XV48B	R-454B	23400	14.3	12.5	21600	13900	11200	8.2	2.06	217484355	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297DF090XE48C	R-454B	23600	15.2	13	21200	13700	10900	8.2	2.1	217484356	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217484357	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	23600	15.2	13.5	20400	13400	10500	7.8	2.02	217484358	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217484359	No
ML14KP1-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217484360	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180DF070E36B	R-454B	23200	14.5	12.5	21000	13600	10900	8.2	2.08	217484361	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180DF090E48B	R-454B	23600	15.2	13	21200	13700	10900	8.2	2.1	217484362	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180DF110E60C	R-454B	23600	14.5	12.5	21600	13900	11100	8.2	2.08	217484363	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217484364	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217484365	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217484366	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217484367	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217484368	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217484369	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217484370	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	2.1	217484371	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	24000	15.2	13.5	20600	13300	10300	8.1	2.02	217484372	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217484373	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217484374	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	2.1	217484375	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	24000	15.2	13	20600	13100	10700	8	2.06	217484376	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	24000	15.2	13.5	20400	13000	10600	8.1	2.1	217484377	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML193DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	2.08	217484378	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML193DF070XE36B	R-454B	23600	14.5	12.5	21400	13800	11100	8.2	2.1	217484379	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML193DF090XE48C	R-454B	23600	15.2	13	21400	13700	11000	8.2	2.12	217484380	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217484381	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217484382	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.04	217484383	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML196DF045XE36B	R-454B	23600	14.5	12.5	21600	13800	11100	8.2	2.08	217484384	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML196DF070XE48B	R-454B	23600	14.3	12.5	21600	13900	11200	8.2	2.06	217484385	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML196DF090XE48C	R-454B	23600	15.2	13	21200	13600	10900	8.2	2.12	217484386	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217484387	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	23800	15	13	20800	13600	10700	7.8	2	217484388	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13.5	20600	13500	10600	7.8	2.04	217484389	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	24000	15.2	13	20600	13200	10800	7.8	2.04	217484390	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML296DF045XV36B	R-454B	23200	14.3	12.5	21600	13900	11200	8.2	2.06	217484391	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	23400	15.2	13.5	20200	13300	10400	7.8	2.02	217484392	No
ML14KP1-024-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217484393	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	2.08	217484394	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217484395	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217484396	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13.5	20400	13300	10400	7.8	1.98	217484397	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	23800	15.2	13	20200	13000	11000	7.8	2.12	217484398	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217484399	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.02	217484400	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	217484401	No
ML14KP1-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13.5	20400	13300	10400	7.8	2.02	217484402	No
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99DF070XV36B	R-454B	23000	14.5	12.5	21000	13600	10800	8.2	2.08	217484403	No
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99DF090XV36C	R-454B	23400	15.2	13	21000	13600	10900	8.2	2.1	217484404	No
ML14KP1-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.02	217484405	No
ML14KP1-024-230A**	LD19/24Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977925	No
ML14KP1-024-230A**	LD19/24Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977929	No
ML14KP1-024-230A**	LD19/24Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	1.96	216977936	No
ML14KP1-024-230A**	LD19/24Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977924	No
ML14KP1-024-230A**	LD19/24Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977928	No
ML14KP1-024-230A**	LD19/24Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13	20200	13300	10300	7.8	1.96	216977935	No
ML14KP1-024-230A**	LD19/25Y*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977927	No
ML14KP1-024-230A**	LD19/25Y*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977931	No
ML14KP1-024-230A**	LD19/25Y*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216977938	No
ML14KP1-024-230A**	LD19/25Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977926	No
ML14KP1-024-230A**	LD19/25Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	216977930	No
ML14KP1-024-230A**	LD19/25Z*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183854	No
ML14KP1-024-230A**	LD19/25Z*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217183860	No
ML14KP1-024-230A**	LD19/25Z*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217183866	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183878	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183884	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183890	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183896	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183902	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183914	No
ML14KP1-024-230A**	LD19/25Z*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183926	No
ML14KP1-024-230A**	LD19/25Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216977937	No
ML14KP1-024-230A**	LD19/25Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	2.16	217183956	No
ML14KP1-024-230A**	LD19/25Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217183962	No
ML14KP1-024-230A**	LD19/36Y*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	2.02	216978028	No
ML14KP1-024-230A**	LD19/36Y*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	2.02	216978031	No
ML14KP1-024-230A**	LD19/36Y*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	2.06	216977933	No
ML14KP1-024-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	2.12	216978034	No
ML14KP1-024-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216978037	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217230676	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217230677	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	2.02	216978027	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	2.02	216978030	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217186679	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186685	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	2.02	217186691	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183872	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217186697	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	1.98	217186703	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217186709	No
ML14KP1-024-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217186715	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183908	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217183920	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183932	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183938	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183944	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217183950	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217186721	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186727	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217186733	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186739	No
ML14KP1-024-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217186745	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	23200	14.5	12.5	21200	13700	11000	8.1	2.06	216977932	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217230682	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	2.16	217230683	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217230685	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217183968	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	2.12	216978033	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216978036	No
ML14KP1-024-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186751	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	216978029	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	216978032	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186680	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217186686	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217186692	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL280UH090E36B	R-454B	23400	15.2	13.5	20000	12700	10300	7.8	2.06	217183873	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217186698	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217186704	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217186710	No
ML14KP1-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217186716	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217183909	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	24000	16	13.5	20200	12900	10500	8	2.1	217183921	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217183933	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183939	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217183945	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217183951	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186722	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217186728	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217186734	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186740	No
ML14KP1-024-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217186746	No
ML14KP1-024-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	23400	14.5	12.5	21200	13700	11000	8.2	2.08	216977934	No
ML14KP1-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217183969	No
ML14KP1-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	216978035	No
ML14KP1-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216978038	No
ML14KP1-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	2	217186752	No
ML14KP1-024-230A**	LEC24*C03+TXV	- - -	R-454B	22600	14.5	13	20200	13100	10900	7.65	2.04	215903271	No
ML14KP1-024-230A**	LEC30*C05+TXV	- - -	R-454B	23000	15	13	20200	13100	10900	7.7	2.06	215903273	No
ML14KP1-024-230A**	LH18/36D*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967615	No
ML14KP1-024-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967624	No
ML14KP1-024-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	1.94	216975244	No
ML14KP1-024-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	1.96	216975258	No
ML14KP1-024-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	2.02	216967633	No
ML14KP1-024-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	2	216975272	No
ML14KP1-024-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	2.02	216975286	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL180UH040NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967614	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	23800	15	13	20600	13500	10600	7.75	2.02	216967623	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	23800	14.5	12.5	20800	13600	10500	7.9	1.94	216975243	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	23800	14.5	12.5	20800	13500	10500	7.9	1.96	216975257	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13	20000	13000	10100	7.75	1.96	217183855	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	23800	15	12.5	20600	13500	10600	7.75	2.02	217183861	No
ML14KP1-024-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	24000	14.5	13	20600	13500	10500	7.75	1.96	217183867	No
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13	20400	13300	10400	7.75	2.04	217183879	No
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	23200	15.2	12.5	20000	12800	10800	7.65	2.1	217183885	No
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13	20000	13100	10200	7.75	1.96	217183891	No
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13	20000	13100	10200	7.75	2	217183897	No
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	2.04	217183903	No
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13	20000	13200	10200	7.75	1.96	217183915	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	23400	15.2	13	20200	13200	10400	7.75	2.04	217183927	No
ML14KP1-024-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	23600	15.2	13	20400	13300	10400	7.75	2.02	216967632	No
ML14KP1-024-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13	20400	13300	10500	7.75	2.04	217183957	No
ML14KP1-024-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	23800	15	13	20400	13300	10400	7.75	1.98	217183963	No
ML14KP1-024-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	23400	14.5	12.5	20400	13400	10500	7.75	2	216975271	No
ML14KP1-024-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	23400	15	13	20400	13300	10400	7.75	2.02	216975285	No
ML14KP1-024-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967621	No
ML14KP1-024-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967630	No
ML14KP1-024-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183858	No
ML14KP1-024-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183864	No
ML14KP1-024-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183870	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183882	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183888	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183894	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217183900	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183906	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183918	No
ML14KP1-024-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183930	No
ML14KP1-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967639	No
ML14KP1-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217183960	No
ML14KP1-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	2.14	217183966	No
ML14KP1-024-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	2.02	216975255	No
ML14KP1-024-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	2.02	216975269	No
ML14KP1-024-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	2.12	216975283	No
ML14KP1-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975297	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	23600	15	12.5	20800	13200	10800	7.7	2.02	216975254	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	23600	15	12.5	20600	13200	10800	7.9	2.02	216975268	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	23200	15.2	13	20000	13200	10300	7.8	2	217186684	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186690	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	23600	15	12.5	20800	13300	10800	7.7	2.02	217186696	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183877	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	2.02	217186702	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	1.98	217186708	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	23600	15	12.5	20600	13200	10800	7.7	2.02	217186714	No
ML14KP1-024-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217186720	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183913	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217183925	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217183937	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	23000	15.2	13	20000	13100	10200	7.8	2	217183943	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183949	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217183955	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	23000	15.2	12.5	20000	13100	10300	7.8	1.98	217186726	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20800	13600	10600	8	1.96	217186732	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217186738	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	23600	15.2	13	20400	13300	10200	8	1.98	217186744	No
ML14KP1-024-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13	20600	13300	10300	8	2	217186750	No
ML14KP1-024-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217183973	No
ML14KP1-024-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	23800	15	12.5	20400	13100	11100	7.8	2.12	216975282	No
ML14KP1-024-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975296	No
ML14KP1-024-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10400	7.8	2.02	217186756	No
ML14KP1-024-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975248	No
ML14KP1-024-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975262	No
ML14KP1-024-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975276	No
ML14KP1-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975290	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.75	2.02	216975247	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.95	2.02	216975261	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186682	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	2.12	217186688	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.75	2.02	217186694	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	24000	15.2	13	20600	13500	10600	7.8	2.02	217183875	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186700	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217186706	No
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.75	2.02	217186712	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	23600	15.2	13.5	20400	13300	10400	7.8	2.04	217186718	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183911	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.06	217183923	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	23600	15.2	13.5	20400	13200	10400	7.8	2.04	217183935	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217183941	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217183947	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217183953	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217186724	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	2.12	217186730	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217186736	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186742	No
ML14KP1-024-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217186748	No
ML14KP1-024-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217183971	No
ML14KP1-024-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	12.5	20400	13100	11100	7.8	2.12	216975275	No
ML14KP1-024-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975289	No
ML14KP1-024-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217186754	No
ML14KP1-024-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	24000	14.5	12.5	20800	13600	10500	7.9	1.94	217230678	No
ML14KP1-024-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	24000	14.5	12.5	20800	13500	10500	7.9	1.96	217230680	No
ML14KP1-024-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20400	13400	10500	7.8	2.04	217230687	No
ML14KP1-024-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217230679	No
ML14KP1-024-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217230681	No
ML14KP1-024-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217230688	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967622	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	216967631	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	217614008	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	217614009	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217614013	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217614017	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217614021	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217183859	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183865	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217183871	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217614025	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217614029	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217614033	No
ML14KP1-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217614037	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217183883	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217183889	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217183895	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217183901	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217183907	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609499	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217183919	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	2.1	217609512	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217183931	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609526	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609534	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217609542	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217609549	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217614041	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217614045	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217614049	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217614053	No
ML14KP1-024-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217614057	No
ML14KP1-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	216967640	No
ML14KP1-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217183961	No
ML14KP1-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	2.14	217183967	No
ML14KP1-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	217614058	No
ML14KP1-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	217614059	No
ML14KP1-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	2	217614063	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL180UH040NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217609429	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217609435	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	23800	15	12.5	20800	13200	10800	7.7	2.02	216975251	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	23800	15	12.5	20600	13200	10800	7.9	2.02	216975265	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217614011	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	2.12	217614015	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	23800	15	12.5	20800	13300	10800	7.7	2.02	217614019	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	24000	15.2	13	20000	12800	10800	8	2.16	217609445	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	23800	15.2	13	20600	13500	10600	7.8	2.02	217609451	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	23800	15.2	13	20600	13500	10600	7.5	2.02	217609457	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217614023	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	23800	15.2	13	20600	13400	10300	8	1.98	217614027	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	23800	15	12.5	20600	13200	10800	7.7	2.02	217614031	No
ML14KP1-024-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217614035	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217609467	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.14	217609472	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	24000	15.2	13	20200	12900	10800	8	2.14	217609478	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.14	217609484	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	24000	15.2	13	20200	12900	10900	8	2.14	217609490	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217609496	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	24000	15.2	13	20200	12900	10900	8	2.16	217609503	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	23800	15.2	13	20400	13300	10200	8.1	2	217609509	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	24000	15.2	13	20200	12900	10900	8	2.14	217609516	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13	20400	13200	10200	8.1	2	217609522	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609530	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	23800	15.2	13	20800	13600	10600	7.8	2.02	217609538	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217609546	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	23400	15.2	13	20200	13200	10200	7.8	1.98	217614039	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	24000	14.5	12.5	20600	13300	11300	8	2.12	217614043	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20800	13400	10400	8.1	2	217614047	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217614051	No
ML14KP1-024-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	24000	15.2	13	20200	13000	11000	8	2.16	217614055	No
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217609559	No
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	24000	15.2	13	20400	13000	11000	8	2.16	217609564	No
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	23800	15.2	13	20400	13300	10400	7.8	1.98	217609570	No
ML14KP1-024-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	23800	15.2	13	20600	13300	10300	8.1	2	217230689	No
ML14KP1-024-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	24000	15	12.5	20400	13100	11100	7.8	2.12	216975279	No
ML14KP1-024-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	23400	15.2	13	20400	13300	10400	7.8	2.02	216975293	No
ML14KP1-024-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217614061	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217609431	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13	20600	13200	11100	8	2.14	217609437	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13	20800	13200	10800	7.8	2.04	216975252	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.04	216975266	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217614012	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217614016	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	24000	15.2	12.5	20800	13300	10800	7.8	2.04	217614020	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	23400	15.2	13.5	20000	13000	10100	7.8	1.96	217609447	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217609453	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13	20600	13200	11200	8	2.14	217609458	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217614024	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	24000	15.2	13	20400	13000	11000	8	2.14	217614028	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	24000	15.2	12.5	20600	13200	10800	7.8	2.04	217614032	No
ML14KP1-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	23800	15.2	13.5	20400	13300	10200	8.1	2	217614036	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.98	217609468	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	23200	15.2	13.5	20000	12900	10100	7.5	1.94	217609474	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	23600	15.2	13.5	20000	13100	10200	7.8	1.96	217609480	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	23200	15.2	13.5	20000	13100	10200	7.8	2	217609486	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	23600	15.2	13.5	20000	13200	10300	7.8	1.98	217609492	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609497	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	23600	15.2	13.5	20000	13200	10200	7.8	1.96	217609505	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	24000	16	13	20200	12900	10500	8	2.1	217609511	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	23800	15.2	13.5	20200	13200	10300	7.8	1.98	217609518	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	23800	15.2	13.5	20400	13200	10200	8.1	2	217609524	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	23800	15.2	13	20000	12800	10800	7.8	2.12	217609532	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13	20600	13200	10800	8	2.06	217609540	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217609548	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-024-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	23800	15.2	13	20000	12900	10800	7.8	2.1	217614040	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	24000	14.5	13	20800	13600	10600	8	1.96	217614044	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	24000	15.2	13	20600	13200	11100	8.1	2.14	217614048	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.14	217614052	No
ML14KP1-024-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	23800	15.2	13.5	20600	13300	10300	8	2	217614056	No
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	23800	15.2	13.5	20200	13300	10300	7.8	1.96	217609561	No
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	23800	15.2	13.5	20400	13300	10500	7.8	2.04	217609566	No
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	24000	15.2	13	20400	13100	11100	8	2.14	217609572	No
ML14KP1-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	23800	15.2	13.5	20400	13400	10500	7.8	2.04	217230690	No
ML14KP1-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	24000	15.2	13	20400	13100	11100	7.8	2.12	216975280	No
ML14KP1-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	24000	15.2	13	20200	13000	10900	8	2.12	216975294	No
ML14KP1-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	23600	15.2	13	20400	13300	10300	8.1	2	217614062	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	2.14	217609427	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	24000	15.2	13.5	20600	13200	11100	8	2.14	217609433	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	2.12	216975242	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	2.12	216975256	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	23600	16	13.5	20200	12800	10400	7.8	2.04	217614010	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	1.96	217614014	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11300	8	2.12	217614018	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	24000	16	13.5	20000	12800	10800	8	2.16	217609443	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	2.14	217609449	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	24000	15.2	13.5	20600	13200	11200	8	2.14	217609455	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	2.12	217614022	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	23600	16	13.5	20400	13400	10500	7.8	2.02	217614026	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	24000	15.2	13.5	20600	13300	11200	8	2.12	217614030	No
ML14KP1-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	23800	16	13.5	20400	13300	10200	8.1	2	217614034	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	24000	16	13.5	20200	13000	10900	8	2.16	217609465	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	2.14	217609470	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	24000	16	13.5	20200	12900	10800	8	2.14	217609476	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	23800	16	13.5	20000	12800	10800	7.8	2.14	217609482	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	24000	16	13.5	20200	12900	10900	8	2.14	217609488	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	23800	16	14	20400	13200	10200	8.1	2	217609494	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	24000	16	13.5	20200	12900	10900	8	2.16	217609501	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	23800	16	14	20400	13300	10200	8.1	2	217609507	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	24000	16	13.5	20200	12900	10900	8	2.14	217609514	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	23800	16	14	20400	13200	10200	8.1	2	217609520	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	23800	16	13.5	20000	12800	10800	7.8	2.12	217609528	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	24000	15.2	13.5	20800	13500	10500	8	1.98	217609536	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	2.06	217609544	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	23400	16	13.5	20200	12800	10400	7.8	2.04	217614038	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	24000	15.2	13.5	20800	13600	10600	8	1.96	217614042	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	24000	16	13.5	20600	13100	10700	8	2.06	217614046	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	2.14	217614050	No
ML14KP1-024-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	24000	16	13.5	20200	13000	11000	8	2.16	217614054	No
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	24000	16	13.5	20200	13000	10900	8	2.14	217609556	No
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	24000	16	13.5	20400	13000	11000	8	2.16	217609562	No
ML14KP1-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	23800	16	13.5	20400	13300	10400	7.8	1.98	217609568	No
ML14KP1-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	23600	15.2	13.5	20600	13400	10400	8	1.98	216975270	No
ML14KP1-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	23800	16	13.5	20200	12900	10500	7.8	2.04	216975284	No
ML14KP1-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	24000	16	13.5	20200	13000	10900	8	2.14	217614060	No
ML14KP1-024-230A**	LW25*K7+TXV	---	R-454B	22200	16	13	20200	13100	10900	7.7	2.06	215903278	No
ML14KP1-024-230A**	LW31*M7+TXV	---	R-454B	22200	15	12.5	20200	13100	10900	7.5	2.06	215903276	No
ML14KP1-024-230A**	M30E31*+TXV+AMHE3D	---	R-454B	22400	14.5	12.5	20000	13100	10900	7.55	2.02	217110013	No
ML14KP1-030-230A**	BC**B6*30+TXV+TD	---	R-454B	28800	14.3	12	25200	17100	14000	7.9	2.02	216472868	No
ML14KP1-030-230A**	BV**C5*31+TXV	---	R-454B	28200	15	12.5	25600	15800	12800	7.7	1.9	215867930	No
ML14KP1-030-230A**	CE2903C*+TXV	---	R-454B	27600	15	12	25600	15800	12800	7.7	1.9	217169987	No
ML14KP1-030-230A**	FC*E32*30+TXV+TD	---	R-454B	27400	14.3	11	24800	17000	14000	7.55	1.92	217037926	No
ML14KP1-030-230A**	FE*E31*30+TXV	---	R-454B	27200	14.5	12	25400	15800	12800	7.65	1.88	215867980	No
ML14KP1-030-230A**	FE*E32*30+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	1.9	215867077	No
ML14KP1-030-230A**	FE*E32*36+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	1.9	215867986	No
ML14KP1-030-230A**	FE*E33*30+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	1.92	215867079	No
ML14KP1-030-230A**	FE*E33*36+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	1.92	215867991	No
ML14KP1-030-230A**	FE*E34*30+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215867994	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	FE"E34"36+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215867086	No
ML14KP1-030-230A**	FE"G32"30+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	1.9	215867984	No
ML14KP1-030-230A**	FE"G32"36+TXV	---	R-454B	27600	14.5	12	25600	15800	12800	7.75	1.9	215867982	No
ML14KP1-030-230A**	FE"G33"30+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	1.92	215867989	No
ML14KP1-030-230A**	FE"G33"36+TXV	---	R-454B	28000	14.5	12.5	25600	15900	12800	7.85	1.92	215867988	No
ML14KP1-030-230A**	FE"G34"30+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215867084	No
ML14KP1-030-230A**	FE"G34"36+TXV	---	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215867082	No
ML14KP1-030-230A**	HG1K"36+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	217109808	No
ML14KP1-030-230A**	HG1K"36+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	217109809	No
ML14KP1-030-230A**	HG1K"36+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	217109810	No
ML14KP1-030-230A**	HG1K"36+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217110101	No
ML14KP1-030-230A**	HG1K"36+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217110102	No
ML14KP1-030-230A**	HG1K"36+TXV	EL195UH080NE48C	R-454B	29200	14.3	12.5	25800	16400	13400	7.8	1.94	217109813	No
ML14KP1-030-230A**	HG1K"36+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	1.94	217109814	No
ML14KP1-030-230A**	HG1K"36+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217110103	No
ML14KP1-030-230A**	HG1K"36+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217110104	No
ML14KP1-030-230A**	HG1K"36+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217110105	No
ML14KP1-030-230A**	HG1K"36+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217109818	No
ML14KP1-030-230A**	HG1K"36+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109819	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280DF090E48B	R-454B	29200	14.5	12	28000	17700	14000	8.15	2	217109820	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	1.98	217109821	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217109822	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217109823	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.98	217109824	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH090E48B	R-454B	29600	16	13	25000	16100	13100	7.5	1.98	217109825	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH090XE48B	R-454B	29600	16	13	25000	16100	13100	7.5	1.98	217109826	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH110E48C	R-454B	29600	14.5	13	25600	16300	13300	8	1.96	217109827	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109828	No
ML14KP1-030-230A**	HG1K"36+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109829	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297DF045XE36B	R-454B	29000	14.5	12	27800	17600	13900	8.05	1.98	217110106	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297DF045XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	2	217110107	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217110108	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH045XV36B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	217110109	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH070XE36B	R-454B	29200	15.2	12.5	25400	16400	13300	7.8	1.96	217110110	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217110111	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217110112	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217110113	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH090XV48C	R-454B	29200	14.3	12.5	25600	16400	13300	7.8	1.94	217110114	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217110115	No
ML14KP1-030-230A**	HG1K"36+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	1.96	217110116	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180DF070E36B	R-454B	29000	14.5	12	27600	17500	13800	8.05	2	217109840	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180DF090E48B	R-454B	29200	14.5	12.5	27800	17500	13800	8.15	2.02	217109841	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217109842	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	1.96	217109843	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217109844	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	1.96	217109845	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217109846	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.96	217109847	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217109848	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217109849	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070V48B	R-454B	29600	16	13	25000	16100	13100	7.5	1.98	217109850	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	1.96	217109851	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.96	217109852	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH090E48B	R-454B	29600	16	13	25000	16100	13000	7.8	1.98	217109853	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH090E60C	R-454B	29600	14.5	13	25800	16400	13400	8	1.96	217109854	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217109855	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH090XE48B	R-454B	29600	16	13	25000	16100	13000	7.8	1.98	217109856	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH110E60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	1.96	217109857	No
ML14KP1-030-230A**	HG1K"36+TXV	ML180UH110XE60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	1.96	217109858	No
ML14KP1-030-230A**	HG1K"36+TXV	ML193DF045XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	1.98	217109859	No
ML14KP1-030-230A**	HG1K"36+TXV	ML193DF070XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	1.98	217109860	No
ML14KP1-030-230A**	HG1K"36+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217109861	No
ML14KP1-030-230A**	HG1K"36+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217109862	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217109863	No
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217109864	No
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	1.94	217109865	No
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217109866	No
ML14KP1-030-230A**	HG1K*36+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217109867	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217110117	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217110118	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217110119	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH070XE48B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217110120	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217110121	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	1.96	217110122	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217110123	No
ML14KP1-030-230A**	HG1K*36+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217110124	No
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217110125	No
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217110126	No
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	1.94	217110127	No
ML14KP1-030-230A**	HG1K*36+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	8	1.94	217110128	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280DF060NV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	2	217109880	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280DF090V48B	R-454B	29200	14.5	12	27800	17600	13900	8.05	1.98	217109881	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217109882	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217109883	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217109884	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	217109885	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217109886	No
ML14KP1-030-230A**	HG1K*36+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217109887	No
ML14KP1-030-230A**	HG1K*36+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217110129	No
ML14KP1-030-230A**	HG1K*36+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	217110130	No
ML14KP1-030-230A**	HG1K*36+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	1.92	217110131	No
ML14KP1-030-230A**	HG1K*36+TXV	SLP99DF070XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	1.98	217110132	No
ML14KP1-030-230A**	HG1K*36+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217110133	No
ML14KP1-030-230A**	HG1K*36+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12.5	25600	16300	13300	7.8	1.94	217110134	No
ML14KP1-030-230A**	HG1K*36+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	1.94	217110135	No
ML14KP1-030-230A**	HG34*36+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	217109526	No
ML14KP1-030-230A**	HG34*36+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	217109527	No
ML14KP1-030-230A**	HG34*36+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217109811	No
ML14KP1-030-230A**	HG34*36+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	217109812	No
ML14KP1-030-230A**	HG34*36+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217109815	No
ML14KP1-030-230A**	HG34*36+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217109816	No
ML14KP1-030-230A**	HG34*36+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217109817	No
ML14KP1-030-230A**	HG34*36+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.96	217109528	No
ML14KP1-030-230A**	HG34*36+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109529	No
ML14KP1-030-230A**	HG34*36+TXV	EL280DF090E48B	R-454B	28600	14.3	12	27800	17600	14000	7.95	1.96	217109530	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	1.82	217109531	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217109532	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217109533	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	1.96	217109534	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217109535	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217109536	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	7.95	1.96	217109537	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109538	No
ML14KP1-030-230A**	HG34*36+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109539	No
ML14KP1-030-230A**	HG34*36+TXV	EL297DF045XE36B	R-454B	28400	14.3	12	27600	17600	13900	7.85	1.94	217109830	No
ML14KP1-030-230A**	HG34*36+TXV	EL297DF045XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	1.96	217109831	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	1.92	217109832	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	1.92	217109833	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	1.94	217109834	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217109835	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.96	217109836	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH090XV36C	R-454B	28800	14.5	12.5	25600	16300	13300	7.75	1.94	217109837	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217109838	No
ML14KP1-030-230A**	HG34*36+TXV	EL297UH110XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.95	1.96	217109839	No
ML14KP1-030-230A**	HG34*36+TXV	ML180DF070E36B	R-454B	28400	14.3	12	27400	17500	13800	7.85	1.96	217109540	No
ML14KP1-030-230A**	HG34*36+TXV	ML180DF090E48B	R-454B	28600	14.3	12	27600	17400	13800	7.95	1.98	217109541	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	HG34*36+TXV	ML180UH030V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	1.98	217109542	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217109543	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH045V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	1.98	217109544	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217109545	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217109546	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217109547	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	1.96	217109548	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217109549	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217109550	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217109551	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217109552	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217109553	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090E60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217109554	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217109555	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217109556	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH110E60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	1.96	217109557	No
ML14KP1-030-230A**	HG34*36+TXV	ML180UH110XE60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	1.96	217109558	No
ML14KP1-030-230A**	HG34*36+TXV	ML193DF045XE36B	R-454B	28600	14.3	12	27800	17700	14000	7.85	1.94	217109559	No
ML14KP1-030-230A**	HG34*36+TXV	ML193DF070XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.85	1.94	217109560	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	1.96	217109561	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	1.96	217109562	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	1.98	217109563	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH090XE36C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	1.94	217109564	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	1.94	217109565	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.96	217109566	No
ML14KP1-030-230A**	HG34*36+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	1.96	217109567	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217109868	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217109869	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	1.94	217109870	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217109871	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	1.94	217109872	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	1.96	217109873	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	1.96	217109874	No
ML14KP1-030-230A**	HG34*36+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217109875	No
ML14KP1-030-230A**	HG34*36+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	1.94	217109876	No
ML14KP1-030-230A**	HG34*36+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217109877	No
ML14KP1-030-230A**	HG34*36+TXV	ML296UH090XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.75	1.94	217109878	No
ML14KP1-030-230A**	HG34*36+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	7.95	1.94	217109879	No
ML14KP1-030-230A**	HG34*36+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	1.96	217109568	No
ML14KP1-030-230A**	HG34*36+TXV	SL280DF090V48B	R-454B	28600	14.3	12	27600	17500	13900	7.85	1.94	217109569	No
ML14KP1-030-230A**	HG34*36+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	1.98	217109570	No
ML14KP1-030-230A**	HG34*36+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217109571	No
ML14KP1-030-230A**	HG34*36+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217109572	No
ML14KP1-030-230A**	HG34*36+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	217109573	No
ML14KP1-030-230A**	HG34*36+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217109574	No
ML14KP1-030-230A**	HG34*36+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217109575	No
ML14KP1-030-230A**	HG34*36+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217109888	No
ML14KP1-030-230A**	HG34*36+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	217109889	No
ML14KP1-030-230A**	HG34*36+TXV	SLP99DF070XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	1.94	217109890	No
ML14KP1-030-230A**	HG34*36+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	1.98	217109891	No
ML14KP1-030-230A**	HG34*36+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	1.94	217109892	No
ML14KP1-030-230A**	L*18/36T*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967650	No
ML14KP1-030-230A**	L*18/36T*+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	1.9	216967663	No
ML14KP1-030-230A**	L*18/36T*+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	216975302	No
ML14KP1-030-230A**	L*18/36T*+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	1.92	216975318	No
ML14KP1-030-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967680	No
ML14KP1-030-230A**	L*18/36T*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	1.9	216967693	No
ML14KP1-030-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	216975334	No
ML14KP1-030-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	1.9	216975350	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967649	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL180UH080NE48B	R-454B	28800	15	12	25400	16400	13300	7.65	1.9	216967662	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL195UH040NE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	216975301	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL195UH060NE36B	R-454B	28400	15	12	25000	16200	13100	7.65	1.92	216975317	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*18/36V*+TXV	EL196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	1.8	217186759	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	217186765	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL196UH070XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	217186771	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	1.82	217183980	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL280UH070E36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	1.8	217183985	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12.5	25600	16500	13300	7.5	1.8	217183990	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL280UH090E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.65	1.94	217183996	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL280UH090E48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.92	217184002	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL280UH090XE48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.92	217184008	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL297UH045XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.65	1.9	217186777	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL297UH045XV36B	R-454B	28400	15	12	25200	16300	13200	7.65	1.9	217186783	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL297UH070XE36B	R-454B	28600	15	12	25400	16400	13300	7.65	1.92	217186789	No
ML14KP1-030-230A**	L*18/36V*+TXV	EL297UH070XV36B	R-454B	28600	15	12	25200	16200	13100	7.65	1.92	217186795	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	1.82	217184017	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217184022	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	1.82	217184027	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217184032	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	1.8	217184037	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070E36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	1.92	217184043	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217184048	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.94	217184054	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.65	1.94	217184060	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217184065	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH070XE36B	R-454B	28200	15.2	12.5	25000	16100	13000	7.65	1.92	217184071	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH090E48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	1.94	217184077	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217184083	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML180UH090XE48B	R-454B	28800	15.2	13	25000	16100	13000	7.6	1.94	217184089	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML193UH030XE36B	R-454B	28400	15	12	25200	16200	13100	7.65	1.92	217184095	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML193UH045XE36B	R-454B	28200	14.5	12	25600	16000	13100	7.5	1.82	217184101	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML193UH070XE36B	R-454B	28800	15	12	25400	16300	13300	7.65	1.92	217184107	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH030XE36B	R-454B	28200	14.3	12	25600	16100	13100	7.5	1.8	217186816	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH045XE36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	217186822	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE36B	R-454B	28800	15	12	25400	16300	13200	7.65	1.92	217186828	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML196UH070XE48B	R-454B	28600	14.5	12	25400	16400	13300	7.65	1.9	217186834	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML296UH045XV36B	R-454B	28400	15.2	12.5	25000	16100	13100	7.65	1.92	217186848	No
ML14KP1-030-230A**	L*18/36V*+TXV	ML296UH070XV36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217186854	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967679	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217184124	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12.5	25600	16400	13300	7.5	1.8	217184129	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH080NV48B	R-454B	28400	15	12	25200	16300	13200	7.65	1.9	216967692	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH090V36B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217184135	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL280UH090V48B	R-454B	28600	15.2	12.5	25200	16200	13100	7.65	1.92	217184141	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL297UH040NV36B	R-454B	28400	14.5	12	25400	16400	13300	7.65	1.9	216975333	No
ML14KP1-030-230A**	L*18/36V*+TXV	SL297UH060NV36B	R-454B	28600	15	12	25200	16300	13200	7.65	1.9	216975349	No
ML14KP1-030-230A**	L*18/36V*+TXV	SLP99UH070XV36B	R-454B	28600	15	12	25200	16300	13200	7.65	1.92	217186865	No
ML14KP1-030-230A**	L*19/36S*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967652	No
ML14KP1-030-230A**	L*19/36S*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967667	No
ML14KP1-030-230A**	L*19/36S*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975306	No
ML14KP1-030-230A**	L*19/36S*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975322	No
ML14KP1-030-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	1.98	216967682	No
ML14KP1-030-230A**	L*19/36S*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967697	No
ML14KP1-030-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975338	No
ML14KP1-030-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975354	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	216967651	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967666	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975305	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975321	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186761	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186767	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186773	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.96	217482089	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482090	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280DF090E48B	R-454B	28600	14.3	12	27800	17600	14000	7.95	1.96	217482091	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	1.82	217183981	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217183986	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217183991	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	1.96	217183998	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217184004	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217184010	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	7.95	1.96	217482092	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482093	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482094	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297DF045XE36B	R-454B	28400	14.3	12	27600	17600	13900	7.85	1.94	217482095	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297DF045XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	1.96	217482096	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	1.92	217186779	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	1.92	217186785	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	1.94	217186791	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217186797	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.96	217482097	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH090XV36C	R-454B	28800	14.5	12.5	25600	16300	13300	7.75	1.94	217482098	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217482099	No
ML14KP1-030-230A**	L*19/36U*+TXV	EL297UH110XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.95	1.96	217482100	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180DF070E36B	R-454B	28400	14.3	12	27400	17500	13800	7.85	1.96	217482101	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180DF090E48B	R-454B	28600	14.3	12	27600	17400	13800	7.95	1.98	217482102	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH030V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	1.98	217184018	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217184023	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH045V36A	R-454B	29000	15.2	12.5	25200	16100	13000	7.5	1.98	217184028	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217184033	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217184038	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217184045	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36A	R-454B	28800	15.2	12.5	25200	15900	12900	7.5	1.96	217184049	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217184056	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217184062	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217184066	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217184073	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217184079	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090E60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217482103	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217184085	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217184091	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH110E60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	1.96	217482104	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML180UH110XE60C	R-454B	29200	14.5	12.5	25600	16300	13200	7.95	1.96	217482105	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193DF045XE36B	R-454B	28600	14.3	12	27800	17700	14000	7.85	1.94	217482106	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193DF070XE36B	R-454B	28600	14.3	12	27800	17600	14000	7.85	1.94	217482107	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	1.96	217184097	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	1.96	217184103	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	1.98	217184109	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH090XE36C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	1.94	217482108	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	1.94	217482109	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.96	217482110	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	1.96	217482111	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186818	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186824	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	1.94	217186830	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186836	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	1.94	217482112	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	1.96	217482113	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	7.95	1.96	217482114	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482115	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	1.94	217186850	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217186856	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH090XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.75	1.94	217482116	No
ML14KP1-030-230A**	L*19/36U*+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	7.95	1.94	217482117	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	1.96	217482118	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280DF090V48B	R-454B	28600	14.3	12	27600	17500	13900	7.85	1.94	217482119	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH060NV36A	R-454B	29000	15.2	12.5	25200	16000	13000	7.5	1.98	216967681	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH070V36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217184125	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH070XV36A	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217184130	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967696	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217184137	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217184143	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975337	No
ML14KP1-030-230A**	L*19/36U*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975353	No
ML14KP1-030-230A**	L*19/36U*+TXV	SLP99DF070XV36B	R-454B	28600	14.3	12	27600	17600	14000	7.85	1.94	217482120	No
ML14KP1-030-230A**	L*19/36U*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	1.98	217186867	No
ML14KP1-030-230A**	L*19/36U*+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	1.94	217482121	No
ML14KP1-030-230A**	L*24/36Z*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217230692	No
ML14KP1-030-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217230694	No
ML14KP1-030-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	1.94	217230697	No
ML14KP1-030-230A**	L*24/36Z*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	217230700	No
ML14KP1-030-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	1.96	217230703	No
ML14KP1-030-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	1.82	217230709	No
ML14KP1-030-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	28400	15.2	13.5	25400	16300	13200	7.5	1.82	217230712	No
ML14KP1-030-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.94	217230715	No
ML14KP1-030-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	13	25200	16300	13200	7.8	1.94	217230718	No
ML14KP1-030-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	1.98	217230725	No
ML14KP1-030-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.98	217230732	No
ML14KP1-030-230A**	L*30/36S*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967642	No
ML14KP1-030-230A**	L*30/36S*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967654	No
ML14KP1-030-230A**	L*30/36S*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216967671	No
ML14KP1-030-230A**	L*30/36S*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	216975310	No
ML14KP1-030-230A**	L*30/36S*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216975326	No
ML14KP1-030-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967684	No
ML14KP1-030-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967701	No
ML14KP1-030-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	216975342	No
ML14KP1-030-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216975359	No
ML14KP1-030-230A**	L*30/36U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967641	No
ML14KP1-030-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967653	No
ML14KP1-030-230A**	L*30/36U*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216967670	No
ML14KP1-030-230A**	L*30/36U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	216975309	No
ML14KP1-030-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216975325	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967683	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217230711	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217230714	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967700	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217230723	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217230730	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	216975341	No
ML14KP1-030-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216975358	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	217482176	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	217482177	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	217482178	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217482179	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217482180	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12.5	25800	16400	13400	7.8	1.94	217482181	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	1.94	217482182	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217482183	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217482184	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217482185	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217482186	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482187	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280DF090E48B	R-454B	29200	14.5	12	28000	17700	14000	8.15	2	217482188	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH045E36A	R-454B	29600	16	13	24800	16000	13000	7.5	1.98	217482189	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217482190	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217482191	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH090E36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.98	217482192	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH090E48B	R-454B	29600	16	13	25000	16100	13100	7.5	1.98	217482193	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH090XE48B	R-454B	29600	16	13	25000	16100	13100	7.5	1.98	217482194	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH110E48C	R-454B	29600	14.5	13	25600	16300	13300	8	1.96	217482195	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH110E60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482196	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*31/37U*+TXV	EL280UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482197	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297DF045XE36B	R-454B	29000	14.5	12	27800	17600	13900	8.05	1.98	217482198	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297DF045XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	2	217482199	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217482200	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	217482201	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH070XE36B	R-454B	29200	15.2	12.5	25400	16400	13300	7.8	1.96	217482202	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482203	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217482204	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217482205	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12.5	25600	16400	13300	7.8	1.94	217482206	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217482207	No
ML14KP1-030-230A**	L*31/37U*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	1.96	217482208	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180DF070E36B	R-454B	29000	14.5	12	27600	17500	13800	8.05	2	217482209	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180DF090E48B	R-454B	29200	14.5	12.5	27800	17500	13800	8.15	2.02	217482210	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217482211	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH045E36A	R-454B	29600	16	13	24600	15900	12900	7.5	1.96	217482212	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217482213	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH045XE36A	R-454B	29600	16	13	24600	15900	12900	7.5	1.96	217482214	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217482215	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070E36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.96	217482216	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482217	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217482218	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070V48B	R-454B	29600	16	13	25000	16100	13100	7.5	1.98	217482219	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070XE36A	R-454B	29600	16	13	24800	15900	12900	7.5	1.96	217482220	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH070XE36B	R-454B	29600	16	13	24800	16000	12900	7.5	1.96	217482221	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090E48B	R-454B	29600	16	13	25000	16100	13000	7.8	1.98	217482222	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090E60C	R-454B	29600	14.5	13	25800	16400	13400	8	1.96	217482223	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482224	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH090XE48B	R-454B	29600	16	13	25000	16100	13000	7.8	1.98	217482225	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH110E60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	1.96	217482226	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML180UH110XE60C	R-454B	29400	14.5	12.5	25600	16300	13200	8	1.96	217482227	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193DF045XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	1.98	217482228	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193DF070XE36B	R-454B	29200	14.5	12	28000	17700	14000	8.05	1.98	217482229	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217482230	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217482231	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217482232	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217482233	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	1.94	217482234	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217482235	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML193UH110XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217482236	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217482237	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH045XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217482238	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217482239	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH070XE48B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217482240	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217482241	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	1.96	217482242	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH090XE60C	R-454B	29600	14.5	12.5	25800	16400	13400	8	1.96	217482243	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML196UH110XE60C	R-454B	29600	14.5	12.5	26000	16400	13400	8	1.94	217482244	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217482245	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482246	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	1.94	217482247	No
ML14KP1-030-230A**	L*31/37U*+TXV	ML296UH110XV60C	R-454B	29400	14.5	12.5	25800	16300	13300	8	1.94	217482248	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280DF060NV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	2	217482249	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280DF090V48B	R-454B	29200	14.5	12	27800	17600	13900	8.05	1.98	217482250	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482251	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482252	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217482253	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	217482254	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217482255	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217482256	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	217482257	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	217482258	No
ML14KP1-030-230A**	L*31/37U*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	1.92	217482259	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99DF070XV36B	R-454B	29200	14.5	12	27800	17600	14000	8.05	1.98	217482260	No
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217482261	No
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12.5	25600	16300	13300	7.8	1.94	217482262	No
ML14KP1-030-230A**	L*31/37U*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	1.94	217482263	No
ML14KP1-030-230A**	L*35/36U*+TXV	EL180UH040NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967643	No
ML14KP1-030-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	29600	15.2	12.5	25400	16300	13400	7.5	1.94	216967655	No
ML14KP1-030-230A**	L*35/36U*+TXV	EL180UH080NE48B	R-454B	29600	15.2	13	25200	16300	13200	7.5	1.94	216967672	No
ML14KP1-030-230A**	L*35/36U*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	216975311	No
ML14KP1-030-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	216975327	No
ML14KP1-030-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967685	No
ML14KP1-030-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967702	No
ML14KP1-030-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217230724	No
ML14KP1-030-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	29200	15.2	13	25200	16200	13100	7.8	1.96	217230731	No
ML14KP1-030-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.94	216975343	No
ML14KP1-030-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.96	216975361	No
ML14KP1-030-230A**	LD19/36Y*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216977940	No
ML14KP1-030-230A**	LD19/36Y*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216978040	No
ML14KP1-030-230A**	LD19/36Y*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216978044	No
ML14KP1-030-230A**	LD19/36Y*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	1.96	216977944	No
ML14KP1-030-230A**	LD19/36Y*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216977948	No
ML14KP1-030-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216978048	No
ML14KP1-030-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216978052	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	217230693	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216977939	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216978039	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216978043	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217186757	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186763	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186769	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	1.96	217183994	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217184000	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217184006	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	1.92	217186775	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	1.92	217186781	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	1.94	217186787	No
ML14KP1-030-230A**	LD19/36Z*+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217186793	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217184041	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217184052	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217184058	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217184069	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	1.94	217184075	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217184081	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.65	1.94	217184087	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	1.96	217184093	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	1.96	217184099	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	1.98	217184105	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217186814	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186820	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	1.94	217186826	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186832	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	1.94	217186846	No
ML14KP1-030-230A**	LD19/36Z*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217186852	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280DF060NV36B	R-454B	28600	14.3	12	27600	17500	14000	7.8	1.96	216977943	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	1.98	217230708	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217230710	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217230713	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216977947	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217184133	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217184139	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216978047	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216978051	No
ML14KP1-030-230A**	LD19/36Z*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	1.98	217186863	No
ML14KP1-030-230A**	LD24/35Y*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216977942	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LD24/35Y*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	1.96	216978042	No
ML14KP1-030-230A**	LD24/35Y*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216978046	No
ML14KP1-030-230A**	LD24/35Y*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	1.98	216977946	No
ML14KP1-030-230A**	LD24/35Y*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	216977950	No
ML14KP1-030-230A**	LD24/35Y*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	216978050	No
ML14KP1-030-230A**	LD24/35Y*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216978054	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216977941	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	1.96	216978041	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216978045	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	1.94	217183974	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	1.94	217230705	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	1.94	217186758	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	217186764	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12.5	25400	16200	13100	7.5	1.96	217186770	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217183976	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH090XE36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	1.98	217183995	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH090E48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.96	217184001	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH090XE48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.96	217184007	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	1.96	217184013	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217186776	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	29000	15.2	12	25200	16300	13200	7.8	1.94	217186782	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XE36B	R-454B	29200	15.2	12	25400	16400	13300	7.8	1.96	217186788	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217186794	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217186800	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217186804	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	1.94	217186808	No
ML14KP1-030-230A**	LD24/35Z*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	1.96	217186811	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	1.96	217184042	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V36B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.98	217184053	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070V48B	R-454B	29400	15.2	12.5	25200	16200	13100	7.8	1.98	217184059	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH070XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.8	1.96	217184070	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH090E48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	1.98	217184076	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217184082	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML180UH090XE48B	R-454B	29600	15.2	13	25000	16100	13000	7.75	1.98	217184088	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH030XE36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.8	1.96	217184094	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.5	1.94	217184100	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13300	7.8	1.96	217184106	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217184112	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	1.94	217184116	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217184120	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH030XE36B	R-454B	28800	15.2	12.5	25000	16200	13100	7.5	1.94	217186815	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	217186821	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217186827	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12.5	25400	16200	13100	7.5	1.96	217186833	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217186839	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	1.96	217186843	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML296UH045XV36B	R-454B	29000	15.2	12.5	25000	16100	13100	7.8	1.96	217186847	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML296UH070XV36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217186853	No
ML14KP1-030-230A**	LD24/35Z*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	1.94	217186859	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280DF060NV36B	R-454B	29000	14.5	12	27800	17600	14000	7.9	1.98	216977945	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	29000	15.2	12.5	25200	16300	13200	7.8	1.94	216977949	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217184134	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.8	1.96	217184140	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12.5	25400	16100	13100	7.5	1.94	216978049	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216978053	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	1.92	217186862	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.96	217186864	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	1.94	217186870	No
ML14KP1-030-230A**	LD24/35Z*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	1.94	217186873	No
ML14KP1-030-230A**	LEM36*43E+TXV	- - -	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215876624	No
ML14KP1-030-230A**	LEM36*43G+TXV	- - -	R-454B	28400	15	12.5	25800	15900	12800	7.95	1.96	215876623	No
ML14KP1-030-230A**	LH18/36D*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	1.8	216967648	No
ML14KP1-030-230A**	LH18/36D*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	1.88	216967661	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LH18/36D*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975300	No
ML14KP1-030-230A**	LH18/36D*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	1.9	216975316	No
ML14KP1-030-230A**	LH18/36D*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967678	No
ML14KP1-030-230A**	LH18/36D*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	1.88	216967691	No
ML14KP1-030-230A**	LH18/36D*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975332	No
ML14KP1-030-230A**	LH18/36D*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	1.88	216975348	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.3	12	25800	16600	13400	7.5	1.8	216967647	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL180UH080NE48B	R-454B	28400	14.5	12	25200	16400	13300	7.55	1.88	216967660	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975299	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	1.9	216975315	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	12.5	25200	16100	13000	7.5	1.82	217183979	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL280UH070E36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	1.8	217183984	No
ML14KP1-030-230A**	LH18/36R*+TXV	EL280UH070XE36A	R-454B	28600	14.5	12	25600	16500	13300	7.5	1.8	217183989	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH030V36A	R-454B	28600	14.5	12.5	25600	16300	13200	7.5	1.82	217184016	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217184021	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH045V36A	R-454B	28400	14.5	12.5	25600	16300	13200	7.5	1.82	217184026	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217184031	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH070E36A	R-454B	28000	14.5	12.5	25000	16100	13000	7.5	1.8	217184036	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217184047	No
ML14KP1-030-230A**	LH18/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	12.5	25000	16000	12900	7.5	1.8	217184064	No
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH060NV36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	216967677	No
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH070V36A	R-454B	28400	14.5	12.5	25400	16300	13200	7.5	1.82	217184123	No
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH070XV36A	R-454B	28200	14.5	12	25600	16400	13300	7.5	1.8	217184128	No
ML14KP1-030-230A**	LH18/36R*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	1.88	216967690	No
ML14KP1-030-230A**	LH18/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	216975331	No
ML14KP1-030-230A**	LH18/36R*+TXV	SL297UH060NV36B	R-454B	28200	14.5	12	25000	16300	13200	7.55	1.88	216975347	No
ML14KP1-030-230A**	LH18/37D*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967646	No
ML14KP1-030-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967658	No
ML14KP1-030-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967688	No
ML14KP1-030-230A**	LH18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967644	No
ML14KP1-030-230A**	LH18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967656	No
ML14KP1-030-230A**	LH18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.98	217183982	No
ML14KP1-030-230A**	LH18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183987	No
ML14KP1-030-230A**	LH18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183992	No
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217184019	No
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217184024	No
ML14KP1-030-230A**	LH18/37D*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217184029	No
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217184034	No
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217184039	No
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217184050	No
ML14KP1-030-230A**	LH18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	1.96	217184067	No
ML14KP1-030-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967686	No
ML14KP1-030-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217184126	No
ML14KP1-030-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217184131	No
ML14KP1-030-230A**	LH24/37F*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216967674	No
ML14KP1-030-230A**	LH24/37F*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216975313	No
ML14KP1-030-230A**	LH24/37F*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216975329	No
ML14KP1-030-230A**	LH24/37F*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216967704	No
ML14KP1-030-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216975345	No
ML14KP1-030-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216975366	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216967673	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216975312	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216975328	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	1.96	217186762	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186768	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186774	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	1.96	217183999	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH090E48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217184005	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL280UH090XE48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.94	217184011	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	1.92	217186780	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	1.92	217186786	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	1.94	217186792	No
ML14KP1-030-230A**	LH24/37X*+TXV	EL297UH070XV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.98	217186798	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217184046	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217184057	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217184063	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217184074	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH090E48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	1.94	217184080	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217184086	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML180UH090XE48B	R-454B	29000	15.2	13	25000	16100	13000	7.65	1.94	217184092	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML193UH030XE36B	R-454B	28400	15	12.5	25000	15900	12900	7.5	1.96	217184098	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML193UH045XE36B	R-454B	28200	15	12.5	24800	15800	12800	7.5	1.96	217184104	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML193UH070XE36B	R-454B	28800	15	12.5	25400	16100	13100	7.5	1.98	217184110	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH030XE36B	R-454B	28200	15	12.5	24800	15800	12900	7.5	1.96	217186819	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217186825	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	1.94	217186831	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML196UH070XE48B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217186837	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	1.94	217186851	No
ML14KP1-030-230A**	LH24/37X*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217186857	No
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH080NV48B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216967703	No
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217184138	No
ML14KP1-030-230A**	LH24/37X*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217184144	No
ML14KP1-030-230A**	LH24/37X*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216975344	No
ML14KP1-030-230A**	LH24/37X*+TXV	SL297UH060NV36B	R-454B	28600	15	12.5	25200	15900	13000	7.5	1.96	216975364	No
ML14KP1-030-230A**	LH24/37X*+TXV	SLP99UH070XV36B	R-454B	28600	15	12.5	25200	16000	13000	7.5	1.98	217186868	No
ML14KP1-030-230A**	LH29/36F*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967665	No
ML14KP1-030-230A**	LH29/36F*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975304	No
ML14KP1-030-230A**	LH29/36F*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975320	No
ML14KP1-030-230A**	LH29/36F*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967695	No
ML14KP1-030-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975336	No
ML14KP1-030-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975352	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL180UH080NE48B	R-454B	29200	15	12.5	25400	16400	13300	7.75	1.92	216967664	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL195UH040NE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	216975303	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL195UH060NE36B	R-454B	28800	15	12.5	25000	16200	13100	7.75	1.94	216975319	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186760	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186766	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL196UH070XE36B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186772	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL280UH090E36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.75	1.96	217183997	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL280UH090E48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217184003	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL280UH090XE48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.94	217184009	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH045XE36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.75	1.92	217186778	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH045XV36B	R-454B	28800	15	12	25200	16300	13200	7.75	1.92	217186784	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH070XE36B	R-454B	29000	15	12	25400	16400	13300	7.75	1.94	217186790	No
ML14KP1-030-230A**	LH29/36X*+TXV	EL297UH070XV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.98	217186796	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070E36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217184044	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070V36B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217184055	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070V48B	R-454B	29200	15.2	12.5	25200	16200	13100	7.75	1.96	217184061	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH070XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.75	1.94	217184072	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH090E48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217184078	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217184084	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML180UH090XE48B	R-454B	29200	15.2	13	25000	16100	13000	7.7	1.96	217184090	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML193UH030XE36B	R-454B	28600	15.2	12.5	25000	15900	12900	7.5	1.96	217184096	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML193UH045XE36B	R-454B	28400	15.2	12.5	24800	15800	12800	7.5	1.96	217184102	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML193UH070XE36B	R-454B	29000	15.2	12.5	25400	16100	13100	7.5	1.98	217184108	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH030XE36B	R-454B	28400	15.2	12.5	24800	15800	12900	7.5	1.96	217186817	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH045XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	217186823	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE36B	R-454B	29200	15	12.5	25400	16300	13200	7.75	1.94	217186829	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML196UH070XE48B	R-454B	29000	14.5	12	25400	16400	13300	7.75	1.92	217186835	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML296UH045XV36B	R-454B	28800	15.2	12.5	25000	16100	13100	7.75	1.94	217186849	No
ML14KP1-030-230A**	LH29/36X*+TXV	ML296UH070XV36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217186855	No
ML14KP1-030-230A**	LH29/36X*+TXV	SL280UH080NV48B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216967694	No
ML14KP1-030-230A**	LH29/36X*+TXV	SL280UH090V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217184136	No
ML14KP1-030-230A**	LH29/36X*+TXV	SL280UH090V48B	R-454B	29000	15.2	12.5	25200	16200	13100	7.75	1.94	217184142	No
ML14KP1-030-230A**	LH29/36X*+TXV	SL297UH040NV36B	R-454B	28800	14.5	12	25400	16400	13300	7.75	1.92	216975335	No
ML14KP1-030-230A**	LH29/36X*+TXV	SL297UH060NV36B	R-454B	28800	15.2	12.5	25200	15900	13000	7.5	1.96	216975351	No
ML14KP1-030-230A**	LH29/36X*+TXV	SLP99UH070XV36B	R-454B	28800	15.2	12.5	25200	16000	13000	7.5	1.98	217186866	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LH35/36W*+TXV	EL180UH080NE48B	R-454B	28200	14.5	12	25200	16400	13300	7.55	1.88	217230695	No
ML14KP1-030-230A**	LH35/36W*+TXV	EL195UH040NE36B	R-454B	28600	14.3	12	26000	16400	13400	7.5	1.82	217230698	No
ML14KP1-030-230A**	LH35/36W*+TXV	EL195UH060NE36B	R-454B	28000	14.5	12	24800	16200	13100	7.55	1.9	217230701	No
ML14KP1-030-230A**	LH35/36W*+TXV	SL280UH080NV48B	R-454B	28000	14.5	12	25000	16300	13200	7.55	1.88	217230716	No
ML14KP1-030-230A**	LH35/36W*+TXV	SL280UH090V36B	R-454B	28200	15	12	25000	16200	13100	7.55	1.9	217230719	No
ML14KP1-030-230A**	LH35/36W*+TXV	SL280UH090V48B	R-454B	28200	15	12	25000	16200	13100	7.55	1.9	217230726	No
ML14KP1-030-230A**	LH35/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	217230696	No
ML14KP1-030-230A**	LH35/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217230699	No
ML14KP1-030-230A**	LH35/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217230702	No
ML14KP1-030-230A**	LH35/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	217230717	No
ML14KP1-030-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	29600	16	13	25000	16000	13100	7.5	1.98	217230720	No
ML14KP1-030-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217230727	No
ML14KP1-030-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	29200	14.5	12.5	25800	16400	13400	7.8	1.94	217230704	No
ML14KP1-030-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	29600	14.5	13	25800	16400	13400	8	1.94	217230707	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967645	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	216967657	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	217614064	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	217614065	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217614069	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614073	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614077	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.98	217183983	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183988	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217183993	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	1.98	217609612	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217614081	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.96	217614085	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.96	217614089	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217614093	No
ML14KP1-030-230A**	LP18/37R*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217614094	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217184020	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217184025	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217184030	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217184035	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217184040	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609655	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217184051	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217609668	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	1.96	217184068	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609682	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217609690	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609698	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217609706	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217609708	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217614098	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614102	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217614106	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217614107	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217614111	No
ML14KP1-030-230A**	LP18/37R*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217614115	No
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	216967687	No
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217184127	No
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217184132	No
ML14KP1-030-230A**	LP18/37R*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217609736	No
ML14KP1-030-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614116	No
ML14KP1-030-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	217614117	No
ML14KP1-030-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217614121	No
ML14KP1-030-230A**	LP18/37R*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	1.94	217614122	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL180UH060NE36A	R-454B	28600	14.5	12.5	25800	16600	13400	7.5	1.8	217609582	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL180UH080NE48B	R-454B	29000	15	12	25400	16400	13300	7.7	1.92	216967668	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL195UH040NE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	216975307	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL195UH060NE36B	R-454B	28600	15	12	25000	16200	13100	7.7	1.94	216975323	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217614067	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217614071	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH070XE36B	R-454B	28800	14.5	12	25400	16400	13300	7.7	1.92	217614075	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.94	217183977	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH045E36A	R-454B	28200	15.2	13	25200	16100	13000	7.5	1.82	217609592	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH070E36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217609598	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH070XE36A	R-454B	28600	15.2	12.5	24800	15800	12800	7.5	1.96	217609602	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH090E36B	R-454B	28800	15.2	12.5	25000	16100	13000	7.7	1.96	217609608	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL280UH110E48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.95	1.94	217184014	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH045XE36B	R-454B	28600	15.2	12.5	25000	16100	13000	7.7	1.92	217614079	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH045XV36B	R-454B	28600	15	12	25200	16300	13200	7.7	1.92	217614083	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH070XE36B	R-454B	28800	15	12	25400	16400	13300	7.7	1.94	217614087	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH070XV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217614091	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.94	217186801	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH090XV36C	R-454B	28600	14.5	12	25600	16300	13300	7.75	1.92	217186805	No
ML14KP1-030-230A**	LP25/36R*+TXV	EL297UH110XV48C	R-454B	28800	14.5	12.5	25400	16200	13200	7.95	1.94	217186812	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH030V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	1.98	217609621	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH045E36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217609627	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH045V36A	R-454B	29000	15	12.5	25200	16100	13000	7.5	1.98	217609633	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH045XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217609639	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36A	R-454B	28600	15	12.5	24800	15800	12800	7.5	1.96	217609645	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070E36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217609651	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36A	R-454B	28800	15	12.5	25200	15900	12900	7.5	1.96	217609659	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070V36B	R-454B	29000	15.2	12.5	25200	16200	13100	7.7	1.96	217609665	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36A	R-454B	28000	15.2	13	25000	16000	12900	7.5	1.8	217609672	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML180UH070XE36B	R-454B	28400	15.2	12.5	25000	16100	13000	7.7	1.94	217609678	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH030XE36B	R-454B	28600	15	12.5	25000	15900	12900	7.5	1.96	217609686	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH045XE36B	R-454B	28400	15	12.5	24800	15800	12800	7.5	1.96	217609694	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH070XE36B	R-454B	29000	15	12.5	25400	16100	13100	7.5	1.98	217609702	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE36C	R-454B	28600	14.5	12	25400	16200	13200	7.95	1.92	217184113	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH090XE48C	R-454B	29000	14.5	12.5	25600	16200	13200	7.95	1.92	217184117	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML193UH110XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.95	1.94	217184121	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH030XE36B	R-454B	28400	15	12.5	24800	15800	12900	7.5	1.96	217614096	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH045XE36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	217614100	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH070XE36B	R-454B	29000	15	12	25400	16300	13200	7.7	1.94	217614104	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE36C	R-454B	29000	14.5	12.5	25600	16300	13200	7.75	1.92	217186840	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML196UH090XE48C	R-454B	29000	14.5	12.5	25600	16300	13300	7.95	1.94	217186844	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML296UH045XV36B	R-454B	28600	15.2	12.5	25000	16100	13100	7.7	1.94	217614109	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML296UH070XV36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217614113	No
ML14KP1-030-230A**	LP25/36R*+TXV	ML296UH090XV48C	R-454B	28600	14.5	12	25400	16200	13200	7.75	1.92	217186860	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH060NV36A	R-454B	29000	15	12.5	25200	16000	13000	7.5	1.98	217609718	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH070V36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217609724	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH070XV36A	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.98	217609730	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH080NV48B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216967698	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH090V36B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217230721	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL280UH090V48B	R-454B	28800	15.2	12.5	25200	16200	13100	7.7	1.94	217230728	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL297UH040NV36B	R-454B	28600	14.5	12	25400	16400	13300	7.7	1.92	216975339	No
ML14KP1-030-230A**	LP25/36R*+TXV	SL297UH060NV36B	R-454B	28800	15	12.5	25200	15900	13000	7.5	1.96	216975355	No
ML14KP1-030-230A**	LP25/36R*+TXV	SLP99UH070XV36B	R-454B	28800	15	12.5	25200	16000	13000	7.5	1.98	217614119	No
ML14KP1-030-230A**	LP25/36R*+TXV	SLP99UH090XV48C	R-454B	29200	14.5	12.5	25600	16300	13300	7.75	1.92	217186874	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL180UH040NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	217609578	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL180UH060NE36A	R-454B	29600	15	12.5	25400	16300	13400	7.5	1.94	217609584	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL180UH080NE48B	R-454B	29400	15.2	12.5	25400	16400	13300	7.8	1.94	216967669	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH040NE36B	R-454B	29600	15.2	12.5	25200	16200	13300	7.5	1.96	216975308	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH060NE36B	R-454B	29000	15.2	12.5	25000	16200	13100	7.8	1.96	216975324	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH080NE48C	R-454B	29200	14.3	12	25800	16400	13400	7.8	1.94	216967676	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL195UH100NE60C	R-454B	29600	14.3	12.5	25800	16400	13400	8	1.94	217230706	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217614068	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614072	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH070XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614076	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL196UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217183978	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH045E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.98	217609594	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609599	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH070XE36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609604	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH090E36B	R-454B	29200	15.2	13	25000	16100	13000	7.8	1.98	217609610	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL280UH110E48C	R-454B	29600	14.5	12.5	25600	16300	13300	8	1.96	217184015	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH045XE36B	R-454B	29000	15.2	12.5	25000	16100	13000	7.8	1.94	217614080	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.96	217614084	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH070XE36B	R-454B	29600	15.2	12.5	25200	16300	13300	7.5	1.96	217614088	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217614092	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH090XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217186802	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	29000	14.5	12.5	25600	16300	13300	7.8	1.94	217186806	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH090XV48C	R-454B	29200	14.3	12	25600	16400	13300	7.8	1.94	217186809	No
ML14KP1-030-230A**	LP29/36X*+TXV	EL297UH110XV48C	R-454B	29200	14.5	12.5	25400	16200	13200	8	1.96	217186813	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH030V36A	R-454B	29600	15.2	13	25000	16100	13200	7.5	1.98	217609623	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH045E36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217609629	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH045V36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.98	217609635	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH045XE36A	R-454B	29600	15.2	13	24600	15900	12900	7.5	1.96	217609641	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36A	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609647	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070E36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609653	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609661	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217609667	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36A	R-454B	29600	15.2	13	24800	15900	12900	7.5	1.96	217609674	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML180UH070XE36B	R-454B	29600	15.2	13	24800	16000	12900	7.5	1.96	217609680	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13	24800	16100	13000	7.5	1.96	217609688	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217609696	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13	25200	16200	13200	7.5	1.96	217609704	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH090XE36C	R-454B	29000	14.5	12.5	25400	16200	13200	8	1.94	217184114	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH090XE48C	R-454B	29200	14.5	12.5	25600	16200	13200	8	1.94	217184118	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML193UH110XE48C	R-454B	29400	14.5	12.5	25600	16300	13300	8	1.96	217184122	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH030XE36B	R-454B	29400	15.2	12.5	24800	16000	13000	7.5	1.94	217614097	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH045XE36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	217614101	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH070XE36B	R-454B	29400	15.2	12.5	25400	16300	13200	7.8	1.96	217614105	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE36C	R-454B	29200	14.5	12.5	25600	16300	13200	7.8	1.94	217186841	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML196UH090XE48C	R-454B	29200	14.5	12.5	25600	16300	13300	8	1.96	217186845	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML296UH045XV36B	R-454B	29600	15.2	13	24800	16000	13000	7.5	1.96	217614110	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML296UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217614114	No
ML14KP1-030-230A**	LP29/36X*+TXV	ML296UH090XV48C	R-454B	29000	14.5	12.5	25400	16200	13200	7.8	1.94	217186861	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609720	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217609726	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	29600	15.2	12.5	25000	16200	13200	7.5	1.94	217609732	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.94	216967699	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	29600	15.2	13	25000	16000	13100	7.5	1.98	217230722	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.98	217230729	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	29600	15	12.5	25200	16300	13300	7.5	1.94	216975340	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	29200	15.2	12.5	25200	16300	13200	7.8	1.94	216975357	No
ML14KP1-030-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	29000	14.3	12	25600	16400	13400	7.8	1.92	216975370	No
ML14KP1-030-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13	25000	16100	13100	7.5	1.96	217614120	No
ML14KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	29000	14.3	12	25600	16300	13300	7.8	1.94	217186871	No
ML14KP1-030-230A**	LP29/36X*+TXV	SLP99UH090XV48C	R-454B	29400	14.5	12.5	25600	16300	13300	7.8	1.94	217186875	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL180UH040NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217609576	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	29600	15.2	13	25400	16300	13400	7.5	1.94	217609580	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	29400	15.2	13	25400	16400	13300	7.8	1.94	216967659	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL195UH040NE36B	R-454B	29600	15.2	13	25200	16200	13300	7.5	1.96	216975298	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	29000	15.2	13	25000	16200	13100	7.8	1.96	216975314	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	29200	14.5	13	25800	16400	13400	7.8	1.94	216967675	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	1.94	217614066	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	217614070	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	217614074	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	1.96	217183975	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	29600	16	13.5	24800	16000	13000	7.5	1.98	217609590	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	1.96	217609596	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	28600	16	13.5	24800	15800	12800	7.5	1.96	217609600	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	1.98	217609606	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	29600	15	13	25600	16300	13300	8	1.96	217184012	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	29000	15.2	13.5	25000	16100	13000	7.8	1.94	217614078	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	29000	15.2	13	25200	16300	13200	7.8	1.94	217614082	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.96	217614086	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217614090	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	29400	15	13	25600	16300	13300	8	1.96	217186799	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	29000	15	13	25600	16300	13300	7.8	1.94	217186803	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	29200	14.5	13	25600	16400	13300	7.8	1.94	217186807	No
ML14KP1-030-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	29200	15	13.5	25400	16200	13200	8	1.96	217186810	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	29600	15.2	13.5	25000	16100	13200	7.5	1.98	217609619	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	1.96	217609625	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	29600	15.2	13.5	25000	16200	13200	7.5	1.98	217609631	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	29600	16	13.5	24600	15900	12900	7.5	1.96	217609637	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	1.96	217609643	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	1.96	217609649	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217609657	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	1.98	217609663	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	29600	16	13.5	24800	15900	12900	7.5	1.96	217609670	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	29600	16	13.5	24800	16000	12900	7.5	1.96	217609676	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	29600	15.2	13.5	24800	16100	13000	7.5	1.96	217609684	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	29600	15.2	13.5	24800	16000	13000	7.5	1.96	217609692	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	29600	15.2	13.5	25200	16200	13200	7.5	1.96	217609700	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	29000	15	13	25400	16200	13200	8	1.94	217184111	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	29200	15	13	25600	16200	13200	8	1.94	217184115	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	29400	15	13	25600	16300	13300	8	1.96	217184119	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	29400	15.2	13.5	24800	16000	13000	7.5	1.94	217614095	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH045XE36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	217614099	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	29400	15.2	13	25400	16300	13200	7.8	1.96	217614103	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	29200	15	13	25600	16300	13200	7.8	1.94	217186838	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	29200	15	13	25600	16300	13300	8	1.96	217186842	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	29000	15.2	13.5	25000	16100	13100	7.8	1.96	217614108	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	29200	15.2	13.5	25200	16200	13100	7.8	1.96	217614112	No
ML14KP1-030-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	29000	15	13	25400	16200	13200	7.8	1.94	217186858	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217609716	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217609722	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	29600	15.2	13	25000	16200	13200	7.5	1.94	217609728	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.94	216967689	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	29600	16	13.5	25000	16000	13100	7.5	1.98	217609734	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	29600	15.2	13	25200	16300	13300	7.5	1.94	216975330	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	29200	15.2	13	25200	16300	13200	7.8	1.94	216975346	No
ML14KP1-030-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	29000	14.5	12.5	25600	16400	13400	7.8	1.92	216975368	No
ML14KP1-030-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	29600	15.2	13.5	25000	16100	13100	7.5	1.96	217614118	No
ML14KP1-030-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	29000	14.5	13	25600	16300	13300	7.8	1.94	217186869	No
ML14KP1-030-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	29400	15	13	25600	16300	13300	7.8	1.94	217186872	No
ML14KP1-030-230A**	LS*31*9BB+TXV+TD	---	R-454B	28800	14.5	12	25200	17100	14000	7.9	2.02	217155446	No
ML14KP1-030-230A**	LW30*M7+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	2	217290738	No
ML14KP1-030-230A**	LW31*M7+TXV	---	R-454B	27200	15.2	12.5	25600	15900	12800	7.85	1.92	215903283	No
ML14KP1-030-230A**	LW36*M6+TXV+TD	---	R-454B	27800	14.3	12	25200	17100	14000	7.9	2.02	216768187	No
ML14KP1-030-230A**	LW37*M6+TXV	---	R-454B	27600	15	12	25600	15900	12800	7.5	1.92	215903285	No
ML14KP1-030-230A**	LW39*L9+TXV	---	R-454B	28600	15	12	26000	16400	12300	7.5	1.9	215903288	No
ML14KP1-030-230A**	M36E24*+TXV+AMHE3D	---	R-454B	26800	14.3	12	25400	15800	12800	7.6	1.88	217109658	No
ML14KP1-030-230A**	SL1*31+TXV	---	R-454B	26000	14.5	12	25400	15800	12800	7.55	1.86	215867907	No
ML14KP1-030-230A**	SL5*31+TXV	---	R-454B	26400	15	12	25400	15800	12800	7.6	1.88	215867911	No
ML14KP1-030-230A**	SM7*30+TXV+TD	---	R-454B	27400	14.3	11.7	25200	17100	14000	7.85	2	216498331	No
ML14KP1-036-230A**	BC**C1*37+TXV+TD	---	R-454B	36000	14.3	12.5	33000	19800	15700	7.5	1.86	216472869	No
ML14KP1-036-230A**	FC**CC1*37+TXV+TD	---	R-454B	36000	14.3	12.5	33000	19800	15700	7.5	1.86	217037934	No
ML14KP1-036-230A**	FE**BB9*37+TXV	---	R-454B	35200	15	12.5	34000	19400	16200	7.95	2.02	215867995	No
ML14KP1-036-230A**	FE**E34*36+TXV	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	215867090	No
ML14KP1-036-230A**	L*19/36S*+TXV+LEFE3A*	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	216624279	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL180UH080NE48B	R-454B	36000	15.2	12.5	33600	19600	16500	7.5	1.94	216967859	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	216967863	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.86	216975499	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	32800	19200	16200	7.5	1.96	216975502	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	1.98	216975506	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL196UH030XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.82	217187154	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL196UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.84	217187155	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	L*23/37Z*+TXV	EL280UH090E36B	R-454B	36000	15.2	13.5	32600	19400	16300	7.5	1.9	217184512	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL280UH090E48B	R-454B	36000	15.2	13.5	32400	19200	16200	7.5	1.9	217184513	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL280UH090XE48B	R-454B	36000	16	13.5	32000	18900	15800	7.5	1.88	217184514	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH045XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.84	217187174	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH045XV36B	R-454B	36000	14.5	13	32600	19400	16300	7.5	1.84	217187175	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH070XE36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.84	217187176	No
ML14KP1-036-230A**	L*23/37Z*+TXV	EL297UH070XV36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	217187177	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070E36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	1.86	217184521	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	1.88	217184522	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070V48B	R-454B	36000	16	13.5	32400	19200	16100	7.5	1.9	217184523	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	1.86	217184524	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH090E48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	1.88	217184525	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH090V48B	R-454B	36000	15.2	13.5	32400	19200	16100	7.5	1.86	217184528	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML180UH090XE48B	R-454B	36000	16	13.5	32200	19200	16000	7.5	1.88	217184529	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML193UH030XE36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.84	217184536	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML193UH045XE36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.84	217184537	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML193UH070XE36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	1.94	217184538	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML196UH030XE36B	R-454B	36000	15.2	12.5	33200	19200	16200	7.5	1.92	217187192	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML196UH070XE36B	R-454B	36000	15.2	13	33400	19400	16300	7.5	1.96	217187193	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML196UH070XE48B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.84	217187194	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML296UH045XV36B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.86	217187203	No
ML14KP1-036-230A**	L*23/37Z*+TXV	ML296UH070XV36B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.86	217187204	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15.2	13	33400	19600	16400	7.5	1.96	216967874	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	1.98	216967878	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V36B	R-454B	36000	15.2	13.5	32200	19200	16100	7.5	1.88	217184547	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13.5	32200	19200	16000	7.5	1.86	217184548	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090V60C	R-454B	36000	16	13.5	32200	18600	15700	7.5	1.94	217230876	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH090XV60C	R-454B	36000	16	13.5	32200	18600	15700	7.5	1.94	217230878	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	216967882	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL297UH040NV36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.86	216975512	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL297UH060NV36B	R-454B	36000	15.2	13	32400	19400	16300	7.5	1.86	216975518	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV48C	R-454B	36000	15.2	13	32600	18800	15800	7.5	1.9	216975521	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	1.94	216975524	No
ML14KP1-036-230A**	L*23/37Z*+TXV	SLP99UH070XV36B	R-454B	36000	15.2	13	33400	19600	16400	7.8	1.96	217187209	No
ML14KP1-036-230A**	L*24/36Z*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217230851	No
ML14KP1-036-230A**	L*24/36Z*+TXV	EL180UH080NE48B	R-454B	35600	15	12.5	33600	19600	16500	7.5	1.94	217230853	No
ML14KP1-036-230A**	L*24/36Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230856	No
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	217230859	No
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217230861	No
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217230863	No
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230865	No
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	35600	15.2	13	33400	19400	16300	7.8	1.98	217230870	No
ML14KP1-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217230874	No
ML14KP1-036-230A**	L*25/37Z*+TXV	EL180UH080NE48B	R-454B	35800	15	12.5	33600	19600	16500	7.5	1.94	217230852	No
ML14KP1-036-230A**	L*25/37Z*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230855	No
ML14KP1-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217230864	No
ML14KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V36B	R-454B	35800	15.2	13	33400	19400	16300	7.8	1.98	217230869	No
ML14KP1-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217230873	No
ML14KP1-036-230A**	L*30/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967854	No
ML14KP1-036-230A**	L*30/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975496	No
ML14KP1-036-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.86	216967865	No
ML14KP1-036-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967871	No
ML14KP1-036-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975509	No
ML14KP1-036-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	1.86	216975515	No
ML14KP1-036-230A**	L*30/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967853	No
ML14KP1-036-230A**	L*30/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975495	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.86	216967864	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	1.84	217230860	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	36000	14.3	12	32600	19400	16400	7.5	1.84	217230862	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967870	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.88	217230867	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	12.5	32200	19200	16000	7.5	1.86	217230871	No
ML14KP1-036-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975508	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12	32400	19400	16300	7.5	1.86	216975514	No
ML14KP1-036-230A**	L*35/36S*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967856	No
ML14KP1-036-230A**	L*35/36S*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975498	No
ML14KP1-036-230A**	L*35/36S*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	216967867	No
ML14KP1-036-230A**	L*35/36S*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967873	No
ML14KP1-036-230A**	L*35/36S*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975511	No
ML14KP1-036-230A**	L*35/36S*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	1.86	216975517	No
ML14KP1-036-230A**	L*35/36U*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967855	No
ML14KP1-036-230A**	L*35/36U*+TXV	EL195UH060NE36B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216975497	No
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	216967866	No
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	36000	14.5	12.5	32400	19200	16200	7.5	1.86	216967872	No
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.88	217230868	No
ML14KP1-036-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217230872	No
ML14KP1-036-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.86	216975510	No
ML14KP1-036-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	1.86	216975516	No
ML14KP1-036-230A**	LEM36*43E+TXV	- - -	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	215876626	No
ML14KP1-036-230A**	LH18/37D*+TXV	EL180UH060NE36A	R-454B	36000	14.5	12.5	32200	19200	16000	7.5	1.84	216967857	No
ML14KP1-036-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	36000	15.2	12.5	32200	19200	16100	7.5	1.86	216967868	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	216967862	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13.5	33400	19400	16500	7.5	1.98	216975501	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13.5	33400	19600	16400	7.8	1.98	216975505	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13.5	32800	19000	16100	7.5	1.98	217187157	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.8	1.96	217187159	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL280UH110E48C	R-454B	36000	16	13.5	32600	19000	16000	7.8	1.98	217184516	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL280UH110E60C	R-454B	36000	16	14	32800	19000	16100	7.8	1.98	217184518	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL280UH110XE60C	R-454B	36000	16	14	32800	19000	16100	7.8	1.98	217184520	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	1.98	217187161	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13.5	33200	19200	16300	7.5	1.98	217187163	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	1.98	217187165	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	1.98	217187167	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217187169	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	1.98	217187171	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	2	217187173	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13.5	33400	19400	16200	7.8	1.98	217187179	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV36C	R-454B	36000	15.2	13.5	33000	19400	16300	7.8	1.96	217187181	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV48C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	1.98	217187183	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH090XV60C	R-454B	36000	15.2	13.5	33400	19400	16400	7.8	1.98	217187185	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32600	19000	16000	7.5	1.96	217187187	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	1.98	217187189	No
ML14KP1-036-230A**	LH23/37W*+TXV	EL297UH110XV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217187191	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML180UH090E60C	R-454B	36000	16	14	33000	19200	16200	7.8	2	217184527	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML180UH110E60C	R-454B	36000	15.2	14	33200	19200	16200	7.8	2	217184531	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML180UH110V60C	R-454B	36000	15.2	14	33200	19200	16100	7.8	2	217184533	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	1.98	217184535	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16100	7.5	1.96	217184540	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16300	7.8	2	217184542	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13.5	33400	19400	16200	7.8	1.98	217184544	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217184546	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13.5	33000	19200	16200	7.5	1.96	217187196	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	2	217187198	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	1.98	217187200	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13.5	32600	18600	15500	7.5	1.86	217187202	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13.5	33200	19400	16100	7.8	1.98	217187206	No
ML14KP1-036-230A**	LH23/37W*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13.5	32800	19000	16100	7.8	1.96	217187208	No
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13.5	33000	19200	16200	7.8	2	216967877	No
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	2	217184550	No
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	2	217184552	No
ML14KP1-036-230A**	LH23/37W*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13.5	33200	19400	16400	7.8	2	216967881	No
ML14KP1-036-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	36000	15	13	33000	19000	15700	7.5	1.84	216975520	No
ML14KP1-036-230A**	LH23/37W*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.5	1.98	216975523	No
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13.5	33200	19200	16300	7.5	1.98	217187211	No
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13.5	33400	19400	16400	7.5	1.98	217187213	No
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13.5	33400	19600	16500	7.8	1.98	217187215	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	LH23/37W*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13.5	33200	19200	16300	7.8	1.98	217187217	No
ML14KP1-036-230A**	LH29/36F*+TXV	EL180UH100NE60C	R-454B	35000	14.5	12.5	33000	19400	16400	7.6	1.94	216967861	No
ML14KP1-036-230A**	LH29/36F*+TXV	EL195UH100NE60C	R-454B	35000	14.5	12.5	33200	19600	16400	7.6	1.94	216975504	No
ML14KP1-036-230A**	LH29/36F*+TXV	SL280UH080NV60C	R-454B	35000	15.2	12.5	32800	19200	16200	7.6	1.94	216967876	No
ML14KP1-036-230A**	LH29/36F*+TXV	SL280UH100NV60C	R-454B	35000	15.2	12.5	33000	19400	16400	7.6	1.94	216967880	No
ML14KP1-036-230A**	LH35/38X*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	1.98	217230854	No
ML14KP1-036-230A**	LH35/38X*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	32800	19200	16200	7.5	1.96	217230857	No
ML14KP1-036-230A**	LH35/38X*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	1.98	217230858	No
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	1.98	217230866	No
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH090V60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	1.98	217230875	No
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	1.98	217230877	No
ML14KP1-036-230A**	LH35/38X*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	1.98	217230879	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL180UH060NE36A	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217609978	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL180UH080NE48B	R-454B	35400	15	12.5	33600	19600	16500	7.5	1.94	216967858	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL180UH100NE60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	1.98	216967860	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL195UH060NE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	216975494	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL195UH080NE48C	R-454B	36000	15.2	13	32800	19200	16200	7.5	1.96	216975500	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL195UH100NE60C	R-454B	36000	15.2	13	33400	19600	16400	7.8	1.98	216975503	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH030XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	1.82	217614189	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH070XE36B	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217614190	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH090XE48C	R-454B	36000	15.2	13	33000	18800	15800	7.5	1.86	217187156	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL196UH110XE60C	R-454B	36000	15.2	13	32800	19000	16000	7.8	1.96	217187158	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH045E36A	R-454B	36000	14.5	13	32400	19400	16200	7.5	1.86	217609981	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH070E36A	R-454B	36000	15	13	32400	19400	16200	7.5	1.84	217609983	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH070XE36A	R-454B	36000	15	13	32400	19400	16200	7.5	1.84	217609985	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH090E36B	R-454B	36000	15.2	13	32600	19400	16300	7.5	1.9	217609987	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH090E48B	R-454B	36000	15.2	13	32400	19200	16200	7.5	1.9	217609989	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH090XE48B	R-454B	36000	15.2	13.5	32000	18900	15800	7.5	1.88	217609991	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH110E48C	R-454B	36000	16	13	32600	19000	16000	7.8	1.98	217184515	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH110E60C	R-454B	36000	16	13.5	32800	19000	16100	7.8	1.98	217184517	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL280UH110XE60C	R-454B	36000	16	13.5	33000	19200	16100	7.8	2.02	217184519	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XE48C	R-454B	36000	15.2	13	33000	19200	16100	7.5	1.98	217187160	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV36C	R-454B	36000	15.2	13	33200	19200	16300	7.5	1.98	217187162	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	1.98	217187164	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	1.98	217187166	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217187168	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	1.98	217187170	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL296UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	217187172	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH045XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	1.84	217614191	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.84	217614192	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH070XE36B	R-454B	36000	15	13	32400	19200	16100	7.5	1.84	217614193	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	1.96	217614194	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XE48C	R-454B	36000	15.2	13	33400	19400	16200	7.8	1.98	217187178	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	36000	15.2	13	33000	19400	16300	7.8	1.96	217187180	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV48C	R-454B	36000	15.2	13	33000	19200	16200	7.5	1.98	217187182	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH090XV60C	R-454B	36000	15.2	13	33400	19400	16400	7.8	1.98	217187184	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217187186	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH110XV48C	R-454B	36000	15.2	13	33200	19200	16200	7.8	1.98	217187188	No
ML14KP1-036-230A**	LP36/37R*+TXV	EL297UH110XV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	217187190	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH030V36A	R-454B	36000	15	13	32200	19200	16100	7.5	1.86	217609994	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH045E36A	R-454B	36000	15.2	13	32000	19000	15900	7.5	1.86	217609996	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH045V36A	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217609998	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH045XE36A	R-454B	36000	15.2	13	32000	19000	15900	7.5	1.86	217610000	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070E36A	R-454B	36000	15	13	32200	19200	16000	7.5	1.84	217610002	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070E36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217610004	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070V36A	R-454B	36000	14.5	12.5	32400	19400	16300	7.5	1.86	217610006	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070V36B	R-454B	36000	15.2	13.5	32200	19000	15900	7.5	1.88	217610008	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070V48B	R-454B	36000	15.2	13	32400	19200	16100	7.5	1.9	217610010	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070XE36A	R-454B	36000	15	13	32200	19000	16000	7.5	1.86	217610012	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH070XE36B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217610013	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090E48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.88	217610015	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090E60C	R-454B	36000	16	13.5	33000	19200	16200	7.8	2	217184526	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090V48B	R-454B	35400	15.2	12.5	33400	19400	16400	7.8	1.96	217610017	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH090XE48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.88	217610019	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH110E60C	R-454B	36000	15.2	13.5	33200	19200	16200	7.8	2	217184530	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH110V60C	R-454B	36000	15.2	13.5	33200	19200	16100	7.8	2	217184532	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML180UH110XE60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	1.98	217184534	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH030XE36B	R-454B	36000	15	12.5	32400	19200	16200	7.5	1.84	217610021	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH045XE36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	1.94	217610023	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH070XE36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217610025	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH090XE36C	R-454B	36000	15.2	13	32800	19000	16100	7.5	1.94	217184539	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH090XE48C	R-454B	36000	15.2	13	33000	19200	16300	7.8	1.96	217184541	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH110XE48C	R-454B	36000	15.2	13	32800	19000	16000	7.8	1.96	217184543	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML193UH110XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217184545	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH030XE36B	R-454B	35600	15	12.5	33200	19200	16200	7.5	1.92	217614195	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH070XE36B	R-454B	35400	15.2	12.5	33400	19400	16300	7.5	1.96	217614196	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH070XE48B	R-454B	36000	14.5	12.5	32600	19400	16300	7.5	1.84	217614197	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE36C	R-454B	36000	15.2	13	33000	19200	16200	7.5	1.96	217187195	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE48C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	217187197	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH090XE60C	R-454B	36000	15.2	13.5	32800	19000	16000	7.5	1.98	217187199	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML196UH110XE60C	R-454B	36000	15.2	13	33000	19200	16100	7.5	1.98	217187201	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH045XV36B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	217614198	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH070XV36B	R-454B	36000	15	13	32400	19200	16100	7.5	1.86	217614199	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH090XV48C	R-454B	36000	15.2	13	33200	19400	16100	7.8	1.98	217187205	No
ML14KP1-036-230A**	LP36/37R*+TXV	ML296UH110XV60C	R-454B	36000	15.2	13	32800	19000	16100	7.8	1.96	217187207	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.86	217610028	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217610029	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	36000	14.5	12.5	32600	19400	16400	7.5	1.84	217610030	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	36000	15	13	32400	19200	16200	7.5	1.86	216967869	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH080NV60C	R-454B	36000	15.2	13	33000	19200	16200	7.8	1.98	216967875	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090V36B	R-454B	36000	15.2	13	32200	19200	16100	7.5	1.88	217610032	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090V48B	R-454B	36000	15.2	13	32200	19200	16000	7.5	1.86	217610034	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090V60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	1.9	217184549	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH090XV60C	R-454B	36000	15.2	13.5	32800	18700	15700	7.5	1.9	217184551	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL280UH100NV60C	R-454B	36000	15.2	13	33200	19400	16400	7.8	2	216967879	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	35200	15	12.5	33600	19600	16500	7.5	1.96	216975507	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	35400	15	12.5	33600	19600	16500	7.5	1.96	216975513	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	36000	14.5	12.5	32600	18800	15800	7.5	1.9	216975519	No
ML14KP1-036-230A**	LP36/37R*+TXV	SL297UH080NV60C	R-454B	36000	15.2	13	33400	19600	16500	7.5	1.94	216975522	No
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	35200	15	12.5	33400	19600	16400	7.8	1.96	217614200	No
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	36000	15.2	13	33000	19200	16300	7.5	1.96	217187210	No
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV48C	R-454B	36000	15.2	13	33200	19400	16400	7.5	1.94	217187212	No
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH090XV60C	R-454B	36000	15.2	13	33400	19600	16500	7.8	1.96	217187214	No
ML14KP1-036-230A**	LP36/37R*+TXV	SLP99UH110XV60C	R-454B	36000	15.2	13	33000	19200	16300	7.8	1.96	217187216	No
ML14KP1-036-230A**	LU19/36S*M+TXV+LMHE3D	---	R-454B	34200	14.5	12	33800	19400	16200	7.75	1.98	217045738	No
ML14KP1-036-230A**	LU19/36S*M+TXV+LMHE4D	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	217045737	No
ML14KP1-036-230A**	LU23/36Y*M+TXV+LMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	2	217159382	No
ML14KP1-036-230A**	LW39*L9+TXV	---	R-454B	34400	15.2	12.5	34000	19400	16200	7.95	2.02	215903290	No
ML14KP1-036-230A**	M36E34*+TXV+AMHE3D	---	R-454B	34200	14.5	12	33800	19400	16200	7.75	1.98	217037973	No
ML14KP1-036-230A**	M36E34*+TXV+AMHE4D	---	R-454B	34800	14.5	12.5	34000	19400	16200	7.85	2	217037972	No
ML14KP1-036-230A**	M36E35*+TXV+AMHE3D	---	R-454B	34600	14.5	12.5	33800	19400	16200	7.8	2	217110022	No
ML14KP1-036-230A**	M36E35*+TXV+AMHE4D	---	R-454B	35200	15	12.5	34000	19400	16200	7.95	2.02	217110021	No
ML14KP1-036-230A**	M36E36*+TXV+AMHE3D	---	R-454B	35000	14.5	12.5	34000	19400	16200	7.9	2.02	217110026	No
ML14KP1-036-230A**	M36E59*+TXV+AMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	2	217110030	No
ML14KP1-036-230A**	M36E66*+TXV+AMHE3D	---	R-454B	35400	15	12.5	34000	19400	16200	7.9	2.02	217110136	No
ML14KP1-036-230A**	M36G36*+TXV+AMHE3D	---	R-454B	35000	14.5	12.5	34000	19400	16200	7.9	2.02	217110024	No
ML14KP1-036-230A**	M36G59*+TXV+AMHE3D	---	R-454B	35200	14.5	12.5	33800	19400	16200	7.85	2	217110028	No
ML14KP1-036-230A**	M36G66*+TXV+AMHE3D	---	R-454B	35400	15	12.5	34000	19400	16200	7.9	2.02	217110031	No
ML14KP1-042-230A**	BC**C1*48+TXV+TD	---	R-454B	41000	14.3	12	38500	24600	20200	7.5	2	216472870	No
ML14KP1-042-230A**	BV**B9*42+TXV	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	2.04	215867032	No
ML14KP1-042-230A**	BV**C3*42+TXV	---	R-454B	40000	14.5	12	38500	24200	19600	7.9	2.08	215867036	No
ML14KP1-042-230A**	BV**C3*48+TXV	---	R-454B	40000	15	12	38500	24200	19600	7.9	2.08	215867034	No
ML14KP1-042-230A**	FC*CC1*48+TXV+TD	---	R-454B	41000	14.3	12	38500	24600	20200	7.5	2	217037933	No
ML14KP1-042-230A**	FE*BB9*42+TXV	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	2.04	215868013	No
ML14KP1-042-230A**	FE*BB9*48+TXV	---	R-454B	39500	14.5	12	38000	24800	20000	7.8	2.04	215867092	No
ML14KP1-042-230A**	FE*CC3*42+TXV	---	R-454B	40000	14.5	12	38500	24200	19600	7.9	2.08	215868017	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	FE*CC3*48+TXV	- - -	R-454B	40000	15	12	38500	24200	19600	7.9	2.08	215868015	No
ML14KP1-042-230A**	HG84*60+TXV	EL180UH080NE48B	R-454B	42000	15	12.5	37800	24000	19400	7.5	2	217109576	No
ML14KP1-042-230A**	HG84*60+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	217109577	No
ML14KP1-042-230A**	HG84*60+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	217109893	No
ML14KP1-042-230A**	HG84*60+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	2.04	217109894	No
ML14KP1-042-230A**	HG84*60+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.02	217109895	No
ML14KP1-042-230A**	HG84*60+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217109896	No
ML14KP1-042-230A**	HG84*60+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	2.04	217109578	No
ML14KP1-042-230A**	HG84*60+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217109579	No
ML14KP1-042-230A**	HG84*60+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217109580	No
ML14KP1-042-230A**	HG84*60+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217109581	No
ML14KP1-042-230A**	HG84*60+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217109582	No
ML14KP1-042-230A**	HG84*60+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217109583	No
ML14KP1-042-230A**	HG84*60+TXV	EL297DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.98	217109897	No
ML14KP1-042-230A**	HG84*60+TXV	EL297DF110XE60C	R-454B	41000	14.5	12.5	40000	26400	21400	8	1.98	217109898	No
ML14KP1-042-230A**	HG84*60+TXV	EL297DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	1.96	217109899	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH045XV36B	R-454B	41500	15	12.5	37400	23600	19200	7.5	2	217109900	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217109901	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217109902	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.08	217109903	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217109904	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217109905	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217109906	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217109907	No
ML14KP1-042-230A**	HG84*60+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217109908	No
ML14KP1-042-230A**	HG84*60+TXV	ML180DF110E60C	R-454B	42000	14.5	13	40000	26200	21200	8.1	2	217109584	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217109585	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	2.04	217109586	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217109587	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217109588	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	2.02	217109589	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217109590	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217109591	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217109592	No
ML14KP1-042-230A**	HG84*60+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217109593	No
ML14KP1-042-230A**	HG84*60+TXV	ML193DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	1.96	217109594	No
ML14KP1-042-230A**	HG84*60+TXV	ML193UH090XE36C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217109595	No
ML14KP1-042-230A**	HG84*60+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217109596	No
ML14KP1-042-230A**	HG84*60+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217109597	No
ML14KP1-042-230A**	HG84*60+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217109598	No
ML14KP1-042-230A**	HG84*60+TXV	ML196DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	1.98	217109909	No
ML14KP1-042-230A**	HG84*60+TXV	ML196DF110XE60C	R-454B	41500	14.5	12.5	40000	26200	21200	8	1.98	217109910	No
ML14KP1-042-230A**	HG84*60+TXV	ML196UH070XE48B	R-454B	42000	14.5	12	38000	24200	19600	7.5	1.98	217109911	No
ML14KP1-042-230A**	HG84*60+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.75	2.02	217109912	No
ML14KP1-042-230A**	HG84*60+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217109913	No
ML14KP1-042-230A**	HG84*60+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217109914	No
ML14KP1-042-230A**	HG84*60+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217109915	No
ML14KP1-042-230A**	HG84*60+TXV	ML296DF090XV60C	R-454B	41000	14.5	12	40000	26600	21400	8	1.94	217109916	No
ML14KP1-042-230A**	HG84*60+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217109917	No
ML14KP1-042-230A**	HG84*60+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	2.02	217109918	No
ML14KP1-042-230A**	HG84*60+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217109919	No
ML14KP1-042-230A**	HG84*60+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217109920	No
ML14KP1-042-230A**	HG84*60+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.96	217109599	No
ML14KP1-042-230A**	HG84*60+TXV	SL280DF090V60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.98	217109600	No
ML14KP1-042-230A**	HG84*60+TXV	SL280DF110V60C	R-454B	41500	14.5	12.5	40000	26400	21200	8	1.98	217109601	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	2.02	217109602	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	217109603	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.04	217109604	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217109605	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217109606	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217109607	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217109608	No
ML14KP1-042-230A**	HG84*60+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217109609	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	HG84*60+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217109610	No
ML14KP1-042-230A**	HG84*60+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	2	217109921	No
ML14KP1-042-230A**	HG84*60+TXV	SL297UH060NV36B	R-454B	42000	15	12.5	37400	23600	19100	7.5	2.02	217109922	No
ML14KP1-042-230A**	HG84*60+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217109923	No
ML14KP1-042-230A**	HG84*60+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217109924	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99DF090XV36C	R-454B	41000	14.3	12.5	40000	26400	21400	8	1.96	217109925	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	1.96	217109926	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217109927	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.75	2.02	217109928	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217109929	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.75	2.02	217109930	No
ML14KP1-042-230A**	HG84*60+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217109931	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL180UH080NE48B	R-454B	42000	15	12.5	37800	24000	19400	7.5	2	217482264	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	217482265	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	217482266	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.75	2.04	217482267	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.02	217482268	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217482269	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	2.04	217482270	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217482271	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217482272	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217482273	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217482274	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217482275	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297DF090XE48C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.98	217482276	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297DF110XE60C	R-454B	41000	14.5	12.5	40000	26400	21400	8	1.98	217482277	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	1.96	217482278	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH045XV36B	R-454B	41500	15	12.5	37400	23600	19200	7.5	2	217482279	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217482280	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217482281	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.08	217482282	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217482283	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217482284	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217482285	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217482286	No
ML14KP1-042-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217482287	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180DF110E60C	R-454B	42000	14.5	13	40000	26200	21200	8.1	2	217482288	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217482289	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	2.04	217482290	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217482291	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217482292	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	2.02	217482293	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217482294	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217482295	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217482296	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217482297	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	1.96	217482298	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217482299	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217482300	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217482301	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217482302	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196DF090XE48C	R-454B	41000	14.5	12.5	40000	26400	21400	8	1.98	217482303	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196DF110XE60C	R-454B	41500	14.5	12.5	40000	26200	21200	8	1.98	217482304	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH070XE48B	R-454B	42000	14.5	12	38000	24200	19600	7.5	1.98	217482305	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.75	2.02	217482306	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217482307	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217482308	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217482309	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296DF090XV60C	R-454B	41000	14.5	12	40000	26600	21400	8	1.94	217482310	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217482311	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	2.02	217482312	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217482313	No
ML14KP1-042-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217482314	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.96	217482315	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280DF090V60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.98	217482316	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280DF110V60C	R-454B	41500	14.5	12.5	40000	26400	21200	8	1.98	217482317	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	2.02	217482318	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	217482319	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.04	217482320	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217482321	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217482322	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217482323	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217482324	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217482325	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217482326	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	2	217482327	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH060NV36B	R-454B	42000	15	12.5	37400	23600	19100	7.5	2.02	217482328	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217482329	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217482330	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99DF090XV36C	R-454B	41000	14.3	12.5	40000	26400	21400	8	1.96	217482331	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99DF110XV60C	R-454B	41500	14.3	12	40000	26600	21600	8	1.96	217482332	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217482333	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.75	2.02	217482334	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217482335	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.75	2.02	217482336	No
ML14KP1-042-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217482337	No
ML14KP1-042-230A**	L*42/49K*+TXV	SL280UH080NV48B	R-454B	40500	14.3	12	37800	23800	18800	7.5	1.8	216967713	No
ML14KP1-042-230A**	L*42/60S*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	2.04	216975373	No
ML14KP1-042-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.75	2.1	216975381	No
ML14KP1-042-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.75	2.1	216967718	No
ML14KP1-042-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	41500	15	12.5	38000	24000	20200	7.75	2.1	216967726	No
ML14KP1-042-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	41500	15	12.5	37800	24000	20200	7.75	2.1	216975389	No
ML14KP1-042-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.75	2.1	216975397	No
ML14KP1-042-230A**	L*42/60V*+TXV	EL180UH080NE48B	R-454B	41000	14.5	12.5	37800	24000	19400	7.5	2	216967705	No
ML14KP1-042-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	1.84	216967709	No
ML14KP1-042-230A**	L*42/60V*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	216975375	No
ML14KP1-042-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	2.02	216975383	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH080NV48B	R-454B	41000	15.2	12.5	37400	23400	19000	7.5	2.02	216967714	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216967720	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	2.02	217230744	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230749	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230753	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967728	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230759	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230763	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975391	No
ML14KP1-042-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	2.1	216975399	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	216967710	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	216975376	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	2.02	216975384	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.7	2	217186878	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217186883	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184147	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184152	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184157	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217186888	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217186893	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	2.02	217186898	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186903	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186908	No
ML14KP1-042-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186913	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217184162	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217184167	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184172	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20000	7.8	2.1	217184177	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	2.04	217184182	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217184187	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217184192	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.75	2.04	217186918	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186923	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217186928	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186933	No
ML14KP1-042-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186938	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	216967721	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184197	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184202	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967729	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184207	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184212	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975392	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	216975400	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217186943	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.7	2	217186948	No
ML14KP1-042-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217186953	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	1.84	216977951	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	216978055	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	2.02	216978056	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19300	7.75	2	217186876	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217186881	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184145	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	2.04	217184150	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	42000	15.2	13	37400	24000	19000	7.95	2.04	217184155	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217186886	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217186891	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	42000	15	12.5	37800	24400	19600	7.75	2.02	217186896	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186901	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186906	No
ML14KP1-042-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186911	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	42000	15.2	13	37400	24200	19300	7.95	2.06	217184160	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	2.1	217184165	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	42000	15.2	13	37400	24000	19100	7.95	2.06	217184170	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	41500	15.2	13	37800	24000	20000	7.8	2.1	217184175	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	2.04	217184180	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13	37800	23600	19800	7.8	2.1	217184185	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217184190	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	42000	15	12.5	37800	24400	19600	7.75	2.04	217186916	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186921	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217186926	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186931	No
ML14KP1-042-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186936	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280DF080NV60C	R-454B	41500	14.3	12.5	40000	26400	21400	8	1.96	216977952	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216977953	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184195	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217184200	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216977954	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184205	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184210	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216978057	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	216978058	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217186941	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	41500	15	12.5	37800	24400	19400	7.75	2	217186946	No
ML14KP1-042-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217186951	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	1.84	216967707	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL195UH080NE48C	R-454B	41000	15	12.5	37800	24000	20200	7.5	2.04	216975372	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.04	216975380	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19300	7.8	2.02	217186877	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	2.06	217186882	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184146	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184151	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184156	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	217186887	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217186892	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217186897	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186902	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186907	No
ML14KP1-042-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186912	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.12	217184161	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	2.06	217184166	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.12	217184171	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	42000	15.2	13	37400	24000	19100	7.8	2.06	217184176	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217184181	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	41500	15.2	13	37400	24000	18900	7.8	2.06	217184186	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	2.06	217184191	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217186917	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	42000	15.2	13	37400	24200	19200	7.8	2.04	217186922	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13	37800	23800	20000	7.8	2.1	217186927	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186932	No
ML14KP1-042-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217186937	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37400	24000	19000	7.8	2.06	216967717	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	2.04	217184196	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	42000	15.2	13	37400	24200	19100	7.8	2.04	217184201	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967725	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184206	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217184211	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975388	No
ML14KP1-042-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	41500	15.2	13	38000	24200	20400	7.8	2.1	216975396	No
ML14KP1-042-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.1	217186942	No
ML14KP1-042-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	2.02	217186947	No
ML14KP1-042-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	217186952	No
ML14KP1-042-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	1.84	217230735	No
ML14KP1-042-230A**	LH41/61R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	217230737	No
ML14KP1-042-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	2.02	217230739	No
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	217230742	No
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230747	No
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230751	No
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217230755	No
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230757	No
ML14KP1-042-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230761	No
ML14KP1-042-230A**	LH42/49F*+TXV+LEFE4B*	---	R-454B	40000	15	12	38500	24200	19600	7.9	2.06	216624171	No
ML14KP1-042-230A**	LH42/60D*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12	37800	24000	20200	7.5	2.04	216975371	No
ML14KP1-042-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	41500	14.5	12.5	38000	24200	20400	7.8	2.1	216975379	No
ML14KP1-042-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216967716	No
ML14KP1-042-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	40500	15.2	12	37800	24200	19200	7.55	1.98	216967724	No
ML14KP1-042-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	40500	15.2	12	37400	24200	19200	7.55	1.98	216975387	No
ML14KP1-042-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	41500	15	12.5	38000	24200	20400	7.8	2.1	216975395	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	216967711	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	216975377	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.04	216975385	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.02	217186879	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217186884	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184148	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184153	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184158	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	217186889	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217186894	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217186899	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	2.08	217186904	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186909	No
ML14KP1-042-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186914	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184163	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184168	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184173	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184178	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	2.06	217184183	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217184188	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217184193	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217186919	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217186924	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217186929	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217186934	No
ML14KP1-042-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217186939	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	216967722	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184198	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184203	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	216967730	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184208	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184213	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	216975393	No
ML14KP1-042-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	216975401	No
ML14KP1-042-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217186944	No
ML14KP1-042-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	2.02	217186949	No
ML14KP1-042-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217186954	No
ML14KP1-042-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12	37400	23200	18700	7.5	1.84	217230734	No
ML14KP1-042-230A**	LH48/60X*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	217230736	No
ML14KP1-042-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	42000	15	12.5	37800	24400	19300	7.75	2.02	217230738	No
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	217230741	No
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230746	No
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230750	No
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	217230754	No
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230756	No
ML14KP1-042-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230760	No
ML14KP1-042-230A**	LP40/60R*+TXV	EL180UH080NE48B	R-454B	41000	15	12.5	37800	24000	19400	7.5	2	217230733	No
ML14KP1-042-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	40000	14.3	12	37400	23200	18700	7.5	1.84	216967708	No
ML14KP1-042-230A**	LP40/60R*+TXV	EL195UH080NE48C	R-454B	41000	14.5	12.5	37800	24000	20200	7.5	2.04	216975374	No
ML14KP1-042-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	41500	15	12.5	37800	24400	19300	7.7	2.02	216975382	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH080NV48B	R-454B	41000	15.2	12.5	37400	23400	19000	7.5	2.02	217230740	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13	37800	23800	20000	7.8	2.1	216967719	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH090V48B	R-454B	41000	15.2	12.5	37400	23600	19100	7.5	2.02	217230743	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230748	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.12	217230752	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13	38000	24000	20200	7.8	2.1	216967727	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230758	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	41000	15.2	12.5	37800	24000	20200	7.8	2.1	217230762	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13	37800	24000	20200	7.8	2.1	216975390	No
ML14KP1-042-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	41500	15.2	12.5	38000	24200	20400	7.8	2.1	216975398	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL180UH080NE48B	R-454B	42000	15.2	12.5	37800	24000	19400	7.5	2	216967706	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	40000	14.5	12.5	37400	23200	18700	7.5	1.84	216967712	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL195UH080NE48C	R-454B	41000	15	13	37800	24000	20200	7.5	2.04	216975378	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.04	216975386	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	42000	15.2	13	37800	24400	19300	7.8	2.02	217186880	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217186885	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH090E36B	R-454B	42000	15.2	13	37800	23600	19200	7.5	2.04	217609740	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217609742	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	42000	15.2	13	37400	23600	19100	7.8	2.04	217609744	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	41500	15.2	13.5	37800	23600	19800	7.8	2.12	217184149	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184154	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184159	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH045XV36B	R-454B	41500	15.2	12.5	37400	23600	19200	7.5	2	217614123	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH070XV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217614124	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	217186890	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH090XV36C	R-454B	41000	15.2	13	37800	24000	20200	7.8	2.08	217614125	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217186895	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.04	217186900	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	41500	15.2	13.5	38000	24200	20200	7.8	2.08	217186905	No
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186910	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-042-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	41500	15.2	13	38000	24200	20200	7.8	2.08	217186915	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH070V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217609747	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	41500	15.2	13	36800	23200	18800	7.5	2.04	217609749	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217609751	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184164	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090V48B	R-454B	41500	15.2	12.5	36800	23400	19000	7.5	2.02	217609755	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	42000	15.2	13	37400	23600	19000	7.8	2.04	217609757	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184169	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	41500	16	13.5	37800	23800	20000	7.8	2.12	217184174	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	41500	16	13.5	37800	24000	20000	7.8	2.1	217184179	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH090XE36C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217609759	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	42000	15.2	13	37800	24400	19600	7.8	2.06	217184184	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	41000	15.2	13.5	37800	23600	19800	7.8	2.1	217184189	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217184194	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH070XE48B	R-454B	42000	14.5	12.5	38000	24200	19600	7.5	1.98	217614126	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE36C	R-454B	41000	15.2	12.5	37400	24200	19200	7.8	2.04	217614127	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	42000	15.2	12.5	37800	24400	19600	7.8	2.06	217186920	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217186925	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	41000	15.2	13.5	37800	23800	20000	7.8	2.1	217186930	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH045XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217614128	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH070XV36B	R-454B	41500	15.2	12.5	36800	23400	18900	7.5	2.02	217614129	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217186935	No
ML14KP1-042-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	217186940	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH080NV48B	R-454B	42000	15.2	12.5	37400	23400	19000	7.5	2.02	216967715	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	41500	15.2	13.5	37800	23800	20000	7.8	2.1	216967723	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090V36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.04	217609762	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090V48B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217230745	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184199	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	41500	16	13.5	37800	24000	20200	7.8	2.12	217184204	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	41500	15.2	13.5	38000	24000	20200	7.8	2.1	216967731	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184209	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.06	217184214	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH040NV36B	R-454B	42000	14.5	12.5	37400	23800	19300	7.5	2	217614130	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH060NV36B	R-454B	42000	15.2	12.5	37400	23600	19100	7.5	2.02	217614131	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	216975394	No
ML14KP1-042-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	42000	15.2	13	37800	24400	19500	7.8	2.06	216975402	No
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH070XV36B	R-454B	42000	15.2	13	37400	23600	19000	7.5	2.02	217614132	No
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	41500	15.2	12.5	37400	24200	19300	7.8	2.04	217614133	No
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	41500	15.2	13	37400	24200	19200	7.8	2.04	217186945	No
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	41500	15.2	12.5	37800	24400	19400	7.8	2.02	217186950	No
ML14KP1-042-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	41500	15.2	13.5	37800	24000	20200	7.8	2.1	217186955	No
ML14KP1-042-230A**	LU39/61Y*M+TXV+LMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217045740	No
ML14KP1-042-230A**	LU39/61Y*M+TXV+LMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217045739	No
ML14KP1-042-230A**	M48E36*+TXV+AMHE4D	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	2.04	217110033	No
ML14KP1-042-230A**	M48E66*+TXV+AMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217037974	No
ML14KP1-042-230A**	M48G66*+TXV+AMHE4D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217110035	No
ML14KP1-042-230A**	M60E36*+TXV+AMHE5D	---	R-454B	39500	14.5	12	38000	24200	19600	7.8	2.04	217110032	No
ML14KP1-042-230A**	M60E66*+TXV+AMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217110036	No
ML14KP1-042-230A**	M60G66*+TXV+AMHE5D	---	R-454B	40500	15	12	38500	24200	19600	7.85	2.06	217110034	No
ML14KP1-048-230A**	BV**C3*48+TXV	---	R-454B	46000	15	11.7	45500	29400	24200	7.8	2.1	217050154	No
ML14KP1-048-230A**	FE**BB9*48+TXV	---	R-454B	46000	14.3	11.7	45500	29400	24200	7.8	2.1	217133199	No
ML14KP1-048-230A**	HG84*60+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217109611	No
ML14KP1-048-230A**	HG84*60+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.1	217109612	No
ML14KP1-048-230A**	HG84*60+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217109613	No
ML14KP1-048-230A**	HG84*60+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109614	No
ML14KP1-048-230A**	HG84*60+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217109615	No
ML14KP1-048-230A**	HG84*60+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217109616	No
ML14KP1-048-230A**	HG84*60+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	2.12	217109617	No
ML14KP1-048-230A**	HG84*60+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	2.12	217109618	No
ML14KP1-048-230A**	HG84*60+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	2.12	217109619	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	2.1	217109932	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XV36C	R-454B	48000	15	12.5	44000	28600	23600	7.65	2.08	217109933	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217109620	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	HG84*60+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.08	217109621	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109622	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217109623	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217109624	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH135XE60D	R-454B	48000	14.5	12.5	44500	27800	22600	7.5	1.94	217109934	No
ML14KP1-048-230A**	HG84*60+TXV	EL297UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.96	217109935	No
ML14KP1-048-230A**	HG84*60+TXV	ML180DF110E60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	1.78	217109625	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.9	217109626	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH090E48B	R-454B	47500	15	13	45000	28600	22600	7.5	1.8	217109627	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	217109628	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH090XE48B	R-454B	47500	15	13	45000	28600	22600	7.5	1.8	217109629	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	2.1	217109630	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	2.14	217109631	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	2.1	217109632	No
ML14KP1-048-230A**	HG84*60+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	1.94	217109633	No
ML14KP1-048-230A**	HG84*60+TXV	ML193DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23800	7.5	1.8	217109634	No
ML14KP1-048-230A**	HG84*60+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217109635	No
ML14KP1-048-230A**	HG84*60+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217109636	No
ML14KP1-048-230A**	HG84*60+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217109637	No
ML14KP1-048-230A**	HG84*60+TXV	ML196DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23600	7.5	1.8	217109638	No
ML14KP1-048-230A**	HG84*60+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217109936	No
ML14KP1-048-230A**	HG84*60+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	2.08	217109639	No
ML14KP1-048-230A**	HG84*60+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109640	No
ML14KP1-048-230A**	HG84*60+TXV	ML196UH135XE60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.94	217109937	No
ML14KP1-048-230A**	HG84*60+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109641	No
ML14KP1-048-230A**	HG84*60+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217109642	No
ML14KP1-048-230A**	HG84*60+TXV	SL280DF090V60C	R-454B	48000	14.3	12.5	46000	30600	24000	7.5	1.78	217109643	No
ML14KP1-048-230A**	HG84*60+TXV	SL280DF110V60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	1.78	217109644	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	217109645	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109646	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109647	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217109648	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217109649	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217109650	No
ML14KP1-048-230A**	HG84*60+TXV	SL280UH135V60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.96	217109651	No
ML14KP1-048-230A**	HG84*60+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	217109652	No
ML14KP1-048-230A**	HG84*60+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109653	No
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.75	2.06	217109654	No
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217109655	No
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217109656	No
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217109657	No
ML14KP1-048-230A**	HG84*60+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22800	7.5	1.96	217109938	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217482338	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.1	217482339	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217482340	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482341	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217482342	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217482343	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.9	2.12	217482344	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	2.12	217482345	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	8	2.12	217482346	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.85	2.1	217482347	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV36C	R-454B	48000	15	12.5	44000	28600	23600	7.65	2.08	217482348	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217482349	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.08	217482350	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482351	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217482352	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217482353	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12.5	44500	27800	22600	7.5	1.94	217482354	No
ML14KP1-048-230A**	L*41/60Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.96	217482355	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180DF110E60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	1.78	217482356	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.9	217482357	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090E48B	R-454B	47500	15	13	45000	28600	22600	7.5	1.8	217482358	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	217482359	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH090XE48B	R-454B	47500	15	13	45000	28600	22600	7.5	1.8	217482360	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	2.1	217482361	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8	2.14	217482362	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.9	2.1	217482363	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	1.94	217482364	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23800	7.5	1.8	217482365	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217482366	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217482367	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217482368	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196DF090XE48C	R-454B	47500	14.5	12.5	46000	30200	23600	7.5	1.8	217482369	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.85	2.1	217482370	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	2.08	217482371	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482372	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.94	217482373	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482374	No
ML14KP1-048-230A**	L*41/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217482375	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280DF090V60C	R-454B	48000	14.3	12.5	46000	30600	24000	7.5	1.78	217482376	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280DF110V60C	R-454B	48000	14.5	12.5	46000	30400	24000	7.5	1.78	217482377	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	217482378	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482379	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482380	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217482381	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.1	217482382	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217482383	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12.5	45000	28400	22600	7.5	1.96	217482384	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	217482385	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482386	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.75	2.06	217482387	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217482388	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217482389	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217482390	No
ML14KP1-048-230A**	L*41/60Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12.5	45000	28400	22800	7.5	1.96	217482391	No
ML14KP1-048-230A**	L*42/60S*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	2	216967885	No
ML14KP1-048-230A**	L*42/60S*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.5	2.02	216967894	No
ML14KP1-048-230A**	L*42/60S*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	2.04	216967903	No
ML14KP1-048-230A**	L*42/60S*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	2.02	216967912	No
ML14KP1-048-230A**	L*42/60S*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.5	2.02	216967921	No
ML14KP1-048-230A**	L*42/60S*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	2.02	216967930	No
ML14KP1-048-230A**	L*42/60V*+TXV	EL180UH100NE60C	R-454B	47000	14.3	12	45000	29400	24000	7.8	2.04	216967887	No
ML14KP1-048-230A**	L*42/60V*+TXV	EL195UH100NE60C	R-454B	47500	14.5	12	44500	29200	24000	7.7	2.08	216967896	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.9	216967905	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH090V60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	217230889	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	217230893	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	216967914	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230899	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	44000	28800	23800	7.7	2.1	217230903	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	216967923	No
ML14KP1-048-230A**	L*42/60V*+TXV	SL297UH080NV60C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	216967932	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	2.06	216967888	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.1	216967897	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	2.1	217184555	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184560	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.85	2.1	217184565	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	2.1	217184570	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.95	2.1	217184575	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.8	2.1	217187220	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184580	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	217184585	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184590	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184595	No
ML14KP1-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.85	2.06	217184600	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	2.1	217184605	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	2.08	217184610	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.12	217184615	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	48000	15.2	12.5	45000	29000	23600	7.85	2.08	217184620	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	2.1	217184626	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44000	28800	23600	7.75	2.1	217184631	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	2.08	217184636	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.8	2.1	217187227	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.85	2.06	217184641	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184646	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184651	No
ML14KP1-048-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217184656	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.85	2.1	216967906	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184661	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184666	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	2.08	216967915	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.85	2.08	217184671	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217184676	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.1	216967924	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	216967933	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184682	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.06	217184687	No
ML14KP1-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.85	2.08	217184692	No
ML14KP1-048-230A**	L*43/61Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	216967889	No
ML14KP1-048-230A**	L*43/61Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.06	216967898	No
ML14KP1-048-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	48000	15.2	12.5	45000	29200	23800	7.9	2.12	216967907	No
ML14KP1-048-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	48000	15.2	12.5	44500	29000	23600	7.9	2.08	216967916	No
ML14KP1-048-230A**	L*43/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967925	No
ML14KP1-048-230A**	L*43/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	216967934	No
ML14KP1-048-230A**	LD42/61Y*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.88	216977976	No
ML14KP1-048-230A**	LD42/61Y*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	216977978	No
ML14KP1-048-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	2.1	216977980	No
ML14KP1-048-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	216977982	No
ML14KP1-048-230A**	LD42/61Y*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977984	No
ML14KP1-048-230A**	LD42/61Y*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977986	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.88	216977975	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	216977977	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	2.1	217184553	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	2.1	217184558	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL280UH110E48C	R-454B	48000	15	13	44000	28800	23600	7.75	2.12	217184563	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	47500	15	12.5	45000	29200	23800	7.9	2.1	217184568	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	47500	15	12.5	45000	29200	23800	7.9	2.1	217184573	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XE48C	R-454B	47500	15	12.5	44000	28800	23800	7.85	2.1	217187218	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184578	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184583	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	2.1	217184588	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.88	217184593	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.88	217184598	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH135XE60D	R-454B	48000	14.5	12	44500	27800	22600	7.5	1.94	217187223	No
ML14KP1-048-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.96	217187224	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	47500	15	12.5	45000	29200	23800	7.85	2.1	217184603	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	2.08	217184608	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.9	2.12	217184613	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	47500	15	12.5	45000	29000	23600	7.85	2.08	217184618	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML180UH135E60D	R-454B	48000	14.3	12	45500	28800	23000	7.5	1.94	217184623	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	2.1	217184624	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193UH110XE48C	R-454B	47500	15	12.5	44500	28800	23400	7.85	2.08	217184629	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML193UH110XE60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	217184634	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH090XE48C	R-454B	47500	15	12.5	44500	28800	23800	7.85	2.1	217187225	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	47500	14.5	12.5	45000	29000	23600	7.85	2.06	217184639	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	44500	29000	24000	7.75	2.08	217184644	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML196UH135XE60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.94	217187230	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	217184649	No
ML14KP1-048-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.1	217184654	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.85	2.1	216977979	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	2.08	217184659	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	2.08	217184664	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	216977981	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.85	2.08	217184669	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.85	2.08	217184674	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.96	217184679	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977983	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	216977985	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH090XV48C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184680	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	47500	14.5	12	45000	29200	23800	7.85	2.06	217184685	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	44500	29000	23800	7.75	2.08	217184690	No
ML14KP1-048-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	48000	14.5	12	45000	28400	22800	7.5	1.96	217187231	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	216967884	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.1	216967893	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	2.12	217184554	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184559	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44000	28800	23600	7.8	2.14	217184564	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	48000	15	13	44500	27800	22400	7.5	1.9	217184569	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	48000	15	13	44500	27800	22400	7.5	1.9	217184574	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH090XE48C	R-454B	48000	15	12.5	44000	28800	23800	7.9	2.12	217187219	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184579	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.8	2.08	217184584	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184589	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184594	No
ML14KP1-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.9	2.08	217184599	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	2.12	217184604	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	2.1	217184609	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217184614	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	48000	15	12.5	45000	29000	23600	7.9	2.1	217184619	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML193UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	2.12	217184625	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	12.5	44000	28800	23600	7.8	2.12	217184630	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML193UH110XE60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	2.1	217184635	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML196UH090XE48C	R-454B	48000	15	12.5	44500	28800	23800	7.9	2.12	217187226	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	12.5	45000	29000	23600	7.9	2.08	217184640	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184645	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184650	No
ML14KP1-048-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184655	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	48000	15	12.5	45000	29200	23800	7.9	2.12	216967902	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184660	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184665	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	2.1	216967911	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	48000	15	12.5	44500	29000	23600	7.9	2.1	217184670	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	48000	15	12.5	45000	28000	22800	7.5	1.9	217184675	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967920	No
ML14KP1-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	216967929	No
ML14KP1-048-230A**	LH40/61W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184681	No
ML14KP1-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.08	217184686	No
ML14KP1-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.9	2.1	217184691	No
ML14KP1-048-230A**	LH41/61R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	2.04	217230881	No
ML14KP1-048-230A**	LH41/61R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	2.04	217230883	No
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28000	22800	7.5	1.96	217230885	No
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230887	No
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230891	No
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230895	No
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230897	No
ML14KP1-048-230A**	LH41/61R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230901	No
ML14KP1-048-230A**	LH42/60D*+TXV	EL180UH100NE60C	R-454B	46000	14.3	12	44500	29200	24000	7.6	2	216967883	No
ML14KP1-048-230A**	LH42/60D*+TXV	EL195UH100NE60C	R-454B	46500	14.3	12	44500	29200	24000	7.55	2.04	216967892	No
ML14KP1-048-230A**	LH42/60D*+TXV	SL280UH080NV60C	R-454B	46000	14.5	12	44500	29000	23800	7.6	2.04	216967901	No
ML14KP1-048-230A**	LH42/60D*+TXV	SL280UH100NV60C	R-454B	46000	14.5	12	44000	28800	23600	7.6	2.02	216967910	No
ML14KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV48C	R-454B	46500	14.3	12	44500	29000	23800	7.55	2.04	216967919	No
ML14KP1-048-230A**	LH42/60D*+TXV	SL297UH080NV60C	R-454B	46000	14.3	12	44500	29000	23800	7.6	2.02	216967928	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	LH42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	216967890	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	216967899	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184556	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184561	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.12	217184566	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184571	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184576	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	2.12	217187221	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184581	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184586	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184591	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184596	No
ML14KP1-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	217184601	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	2.12	217184606	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184611	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	2.14	217184616	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184621	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184627	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.1	217184632	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184637	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217187228	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	2.08	217184642	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184647	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184652	No
ML14KP1-048-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217184657	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	1.9	216967908	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184662	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184667	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	216967917	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184672	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	1.9	217184677	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967926	No
ML14KP1-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	216967935	No
ML14KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184683	No
ML14KP1-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184688	No
ML14KP1-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184693	No
ML14KP1-048-230A**	LH48/60X*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45500	28400	23000	7.5	1.88	217230880	No
ML14KP1-048-230A**	LH48/60X*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	44500	29200	24000	7.75	2.08	217230882	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH080NV60C	R-454B	47500	15	12	45000	29200	23800	7.8	2.1	217230884	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH090V60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	2.08	217230886	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH090XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	2.08	217230890	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH100NV60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	2.08	217230894	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH110V60C	R-454B	47500	15	12.5	44500	29000	23600	7.8	2.08	217230896	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH110XV60C	R-454B	47500	14.5	12.5	45000	29200	23800	7.8	2.08	217230900	No
ML14KP1-048-230A**	LH48/60X*+TXV	SL280UH135V60D	R-454B	48000	14.5	12	45000	28400	22600	7.5	1.96	217230904	No
ML14KP1-048-230A**	LP40/60R*+TXV	EL180UH100NE60C	R-454B	47000	14.5	12	45000	29400	24000	7.8	2.04	216967886	No
ML14KP1-048-230A**	LP40/60R*+TXV	EL195UH100NE60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	2.04	216967895	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH080NV60C	R-454B	48000	14.5	12.5	45000	28200	22800	7.5	1.9	216967904	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH090V60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230888	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH090XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230892	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH100NV60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	216967913	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH110V60C	R-454B	47000	14.5	12.5	44500	29000	23600	7.8	2.06	217230898	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL280UH110XV60C	R-454B	47000	14.5	12.5	45000	29200	23800	7.8	2.06	217230902	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL297UH080NV48C	R-454B	47500	14.5	12	44500	29000	23800	7.7	2.08	216967922	No
ML14KP1-048-230A**	LP40/60R*+TXV	SL297UH080NV60C	R-454B	47000	14.5	12	45000	29200	23800	7.8	2.06	216967931	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL180UH100NE60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	216967891	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL195UH100NE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	216967900	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184557	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184562	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH090E48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217610036	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH090XE48B	R-454B	47500	14.5	13	45500	28800	22800	7.5	1.8	217610038	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH110E48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.12	217184567	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184572	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-048-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	48000	15.2	13	45000	29200	23800	8.05	2.14	217184577	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH090XE48C	R-454B	48000	15.2	12.5	44000	28800	23800	7.9	2.12	217187222	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV36C	R-454B	48000	15.2	12.5	44000	28600	23600	7.7	2.1	217614201	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184582	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184587	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184592	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184597	No
ML14KP1-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	48000	14.5	12.5	45000	29400	24000	7.95	2.08	217184602	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH070V48B	R-454B	48000	14.5	12.5	46000	29200	23200	7.5	1.8	217610041	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH090E48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	1.8	217610043	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	48000	15.2	13	45000	29200	23800	7.95	2.12	217184607	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH090XE48B	R-454B	47500	15.2	13	45000	28600	22600	7.5	1.8	217610045	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184612	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	8.05	2.14	217184617	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	48000	15.2	13	45000	29000	23600	7.95	2.1	217184622	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML193UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217184628	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML193UH110XE48C	R-454B	48000	15.2	13	44500	28800	23400	7.95	2.1	217184633	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184638	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML196UH090XE48C	R-454B	48000	15.2	12.5	44500	28800	23800	7.9	2.12	217187229	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	48000	14.5	13	45000	29000	23600	7.95	2.08	217184643	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184648	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184653	No
ML14KP1-048-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	48000	14.5	13	45000	28200	22800	7.5	1.9	217184658	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	48000	15.2	13	45000	28200	22800	7.5	1.9	216967909	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184663	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	48000	14.5	13	45000	29200	23800	7.95	2.1	217184668	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	216967918	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	48000	15.2	13	44500	29000	23600	7.95	2.1	217184673	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	48000	15.2	12.5	45000	28000	22800	7.5	1.9	217184678	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL297UH080NV48C	R-454B	48000	14.5	12.5	44500	29000	23800	7.8	2.1	216967927	No
ML14KP1-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	216967936	No
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV36C	R-454B	47500	14.5	12.5	43500	28400	23400	7.8	2.08	217610047	No
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV48C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184684	No
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.08	217184689	No
ML14KP1-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	48000	14.5	12.5	45000	29200	23800	7.95	2.1	217184694	No
ML14KP1-060-230A**	FE*CCA*60+TXV	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	2.18	217133201	No
ML14KP1-060-230A**	L*42/60Z*+TXV	EL196UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217187300	No
ML14KP1-060-230A**	L*42/60Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184697	No
ML14KP1-060-230A**	L*42/60Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184702	No
ML14KP1-060-230A**	L*42/60Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217187305	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH090E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	2.04	217184707	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	2.04	217184712	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH110V60C	R-454B	57500	14.5	12.5	54000	34600	28200	7.5	1.98	217184717	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	52500	33600	28000	7.7	2.04	217184722	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217184725	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML196UH090XE60C	R-454B	56500	14.3	12	52000	33400	27800	7.7	2.02	217187315	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML196UH110XE60C	R-454B	57000	14.3	12.5	53500	34400	27800	7.5	1.94	217187320	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML296UH090XV48C	R-454B	57000	14.3	12	52000	33200	27600	7.7	2.02	217187324	No
ML14KP1-060-230A**	L*42/60Z*+TXV	ML296UH110XV60C	R-454B	57000	14.3	12	52000	33400	27800	7.7	2.02	217187329	No
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	2.04	216967938	No
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	1.94	217184730	No
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184735	No
ML14KP1-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	56500	14.3	12	51500	33000	27400	7.7	2.02	216967943	No
ML14KP1-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	56500	14.3	12	52000	33200	27600	7.7	2.02	217187333	No
ML14KP1-060-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	2.04	216967939	No
ML14KP1-060-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	1.98	216967944	No
ML14KP1-060-230A**	L*43/61Z*+TXV+LEFE5*	---	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	2.18	216453715	No
ML14KP1-060-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	2.02	216977988	No
ML14KP1-060-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.98	216977990	No
ML14KP1-060-230A**	LD42/61Z*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187298	No
ML14KP1-060-230A**	LD42/61Z*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184695	No
ML14KP1-060-230A**	LD42/61Z*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184700	No
ML14KP1-060-230A**	LD42/61Z*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	1.98	217187303	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	56500	14.3	11.7	53000	32800	26600	7.5	1.94	217187312	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	2	217184705	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184710	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH110V60C	R-454B	56500	14.5	12	51500	33000	27400	7.65	2.04	217184715	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184720	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.96	217187313	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML196UH110XE60C	R-454B	57000	14.3	12	53500	34400	27800	7.5	1.94	217187318	No
ML14KP1-060-230A**	LD42/61Z*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187327	No
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	56000	14.5	12	51500	33000	27400	7.65	2.02	216977987	No
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	1.94	217184728	No
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184733	No
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.98	216977989	No
ML14KP1-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	1.94	217184738	No
ML14KP1-060-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	56500	14.3	12	53000	32800	26600	7.5	1.94	217187336	No
ML14KP1-060-230A**	LEM60*4CC*+TXV	- - -	R-454B	57500	14.3	11.7	53500	34600	29200	7.95	2.18	217503957	No
ML14KP1-060-230A**	LH40/61W*+TXV	EL196UH110XE60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187299	No
ML14KP1-060-230A**	LH40/61W*+TXV	EL280UH110E60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184696	No
ML14KP1-060-230A**	LH40/61W*+TXV	EL280UH110XE60C	R-454B	57500	14.5	12.5	53500	34400	28000	7.5	1.98	217184701	No
ML14KP1-060-230A**	LH40/61W*+TXV	EL297UH110XE60C	R-454B	57000	14.3	12	54000	34800	28600	7.5	1.98	217187304	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH090E60C	R-454B	58000	14.3	12	54500	35200	28800	7.5	2	217184706	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH110E60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184711	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH110V60C	R-454B	57000	14.5	12	51500	33000	27400	7.7	2.06	217184716	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML180UH110XE60C	R-454B	57500	14.3	12	54500	35200	28800	7.5	1.98	217184721	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML196UH090XE60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.96	217187314	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML196UH110XE60C	R-454B	57000	14.3	12	53500	34400	27800	7.5	1.94	217187319	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML296UH090XV48C	R-454B	57000	14.3	11.7	53000	33000	28000	7.5	2	217187323	No
ML14KP1-060-230A**	LH40/61W*+TXV	ML296UH110XV60C	R-454B	57500	14.3	12	54000	35000	28600	7.5	1.98	217187328	No
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.7	2.04	216967937	No
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12	53500	34400	28200	7.5	1.94	217184729	No
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184734	No
ML14KP1-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	57000	14.3	12	54000	34800	28400	7.5	1.98	216967942	No
ML14KP1-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	57000	14.3	11.7	52500	33200	27600	7.5	2.04	217187332	No
ML14KP1-060-230A**	LH42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187301	No
ML14KP1-060-230A**	LH42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184698	No
ML14KP1-060-230A**	LH42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184703	No
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	1.98	217187306	No
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	2.02	217187308	No
ML14KP1-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	2.04	217187310	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	2	217184708	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184713	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	1.98	217184718	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184723	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	2.04	217184726	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	1.96	217187316	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML196UH110XE60C	R-454B	57000	14.5	12.5	53500	34400	27800	7.5	1.94	217187321	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	2	217187325	No
ML14KP1-060-230A**	LH42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187330	No
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	2.06	216967940	No
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	1.94	217184731	No
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184736	No
ML14KP1-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	2.04	216967945	No
ML14KP1-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	2.04	217187334	No
ML14KP1-060-230A**	LP42/62W*+TXV	EL196UH110XE60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187302	No
ML14KP1-060-230A**	LP42/62W*+TXV	EL280UH110E60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184699	No
ML14KP1-060-230A**	LP42/62W*+TXV	EL280UH110XE60C	R-454B	56500	14.5	12.5	51500	32800	27200	7.75	2.06	217184704	No
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH110XE60C	R-454B	57000	14.5	12	54000	34800	28600	7.5	1.98	217187307	No
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH110XV48C	R-454B	56500	14.3	11.7	52000	33400	27800	7.5	2.02	217187309	No
ML14KP1-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	56500	14.3	12	52000	33400	27800	7.5	2.04	217187311	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH090E60C	R-454B	58000	14.5	12.5	54500	35200	28800	7.5	2	217184709	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH110E60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184714	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH110V60C	R-454B	57500	15	12.5	54000	34600	28200	7.5	1.98	217184719	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML180UH110XE60C	R-454B	57500	14.5	12	54500	35200	28800	7.5	1.98	217184724	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML193UH110XE60C	R-454B	57000	14.3	12	52000	33400	27800	7.8	2.04	217184727	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
ML14KP1-060-230A**	LP42/62W*+TXV	ML196UH090XE60C	R-454B	57000	14.5	12	54000	34800	28400	7.5	1.96	217187317	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML196UH110XE60C	R-454B	57000	14.5	12.5	53500	34400	27800	7.5	1.94	217187322	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML296UH090XV48C	R-454B	57000	14.5	12	53000	33000	28000	7.5	2	217187326	No
ML14KP1-060-230A**	LP42/62W*+TXV	ML296UH110XV60C	R-454B	57500	14.5	12	54000	35000	28600	7.5	1.98	217187331	No
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	56500	14.5	12	51500	33000	27400	7.8	2.06	216967941	No
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	57500	14.5	12.5	53500	34400	28200	7.5	1.94	217184732	No
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	57500	14.5	12.5	53500	34400	28400	7.5	1.98	217184737	No
ML14KP1-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	58000	14.5	12	53000	33000	27400	7.5	2.04	216967946	No
ML14KP1-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	57000	14.5	12	52500	33200	27600	7.5	2.04	217187335	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH045XV36B	R-454B	21800	20	11.7	20200	20800	22000	9.1	1.98	217488844	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH070XV36B	R-454B	21600	19	12	22000	17700	17500	8.2	1.8	217488924	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH090XV36C	R-454B	21800	20	12	20200	20600	21800	9.2	1.98	217488849	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH090XV48C	R-454B	21800	19	12.5	21800	17600	17400	8.2	1.82	217488927	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH090XV60C	R-454B	21800	18	12.5	21800	17600	17400	8.2	1.82	217488929	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH110XV48C	R-454B	21800	19	12.5	22000	17600	17400	8.2	1.8	217488931	No
SL22KLV-024-230A**	HE33*36+TXV	EL297UH110XV60C	R-454B	21800	18	12	20200	20600	21800	9	1.98	217488859	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH060NV36A	R-454B	22200	19	12	22200	23400	22400	8.1	1.76	217488933	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH070V36A	R-454B	22000	18	12	21800	21800	21600	8.25	2.02	217488936	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH070XV36A	R-454B	22000	18	12	21800	21800	21600	8.25	2.02	217488939	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH080NV48B	R-454B	22000	20	12	20000	20600	21800	9.2	2	217488863	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH080NV60C	R-454B	22000	19	12	20000	20600	21800	9.1	2	217488867	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH090V36B	R-454B	21800	20	12.5	22000	17600	17400	8.2	1.8	217488942	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH090V48B	R-454B	21600	19	12	22000	17700	17500	8.2	1.8	217488945	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH090V60C	R-454B	21800	18	12.5	21800	17600	17400	8.2	1.82	217488948	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH090XV48B	R-454B	21600	19	12	22000	17700	17500	8.2	1.8	217488949	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH090XV60C	R-454B	21800	18	12.5	21800	17600	17400	8.2	1.82	217488952	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH100NV60C	R-454B	21800	18	12	20200	20600	21800	9	2	217488880	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH110V60C	R-454B	21800	17	12.5	22000	17700	17500	8.2	1.8	217488953	No
SL22KLV-024-230A**	HE33*36+TXV	SL280UH110XV60C	R-454B	21800	17	12.5	22000	17700	17500	8.2	1.8	217488955	No
SL22KLV-024-230A**	HE33*36+TXV	SL297UH040NV36B	R-454B	21800	20	12	20200	20800	22000	9.1	1.98	217488888	No
SL22KLV-024-230A**	HE33*36+TXV	SL297UH060NV36B	R-454B	21800	19	12	20200	20800	22000	9.1	1.98	217488892	No
SL22KLV-024-230A**	HE33*36+TXV	SL297UH080NV48C	R-454B	21800	19	12	20200	20800	22000	9.1	1.98	217488896	No
SL22KLV-024-230A**	HE33*36+TXV	SL297UH080NV60C	R-454B	21800	17	12	20200	20800	22000	9	1.98	217488899	No
SL22KLV-024-230A**	HE33*36+TXV	SLP99UH070XV36B	R-454B	21600	19	12	22000	17700	17500	8.2	1.8	217488959	No
SL22KLV-024-230A**	HE33*36+TXV	SLP99UH090XV36C	R-454B	21800	20	12	20200	20600	21800	9.2	1.98	217488903	No
SL22KLV-024-230A**	HE33*36+TXV	SLP99UH090XV48C	R-454B	21800	19	12.5	21800	17600	17400	8.2	1.82	217488962	No
SL22KLV-024-230A**	HE33*36+TXV	SLP99UH090XV60C	R-454B	21800	18	12.5	21800	17600	17400	8.2	1.82	217488964	No
SL22KLV-024-230A**	HE33*36+TXV	SLP99UH110XV60C	R-454B	21800	18	12	20200	20800	21800	9	1.98	217488911	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH045XV36B	R-454B	22200	20	12	20400	20800	22000	9.25	2.02	217488845	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH070XV36B	R-454B	21800	19	12	22200	17700	17500	8.3	1.82	217488925	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH090XV36C	R-454B	22200	20	12	20400	20600	21800	9.35	2.02	217488850	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH090XV48C	R-454B	22000	19	12.5	22000	17600	17400	8.3	1.84	217488928	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH090XV60C	R-454B	22000	18	12.5	22000	17600	17400	8.3	1.84	217488930	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH110XV48C	R-454B	22000	19	12.5	22200	17600	17400	8.3	1.82	217488932	No
SL22KLV-024-230A**	HE34*36+TXV	EL297UH110XV60C	R-454B	22200	18	12	20400	20600	21800	9.15	2.02	217488860	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217488934	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217488937	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217488940	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH080NV48B	R-454B	22400	20	12.5	20200	20600	21800	9.35	2.04	217488864	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH080NV60C	R-454B	22400	19	12.5	20200	20600	21800	9.25	2.04	217488868	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH090V36B	R-454B	22000	20	12.5	22200	17600	17400	8.3	1.82	217488943	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH090V48B	R-454B	21800	19	12	22200	17700	17500	8.3	1.82	217488946	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH090V60C	R-454B	22400	18	12.5	20200	20600	21800	9.15	2.04	217488873	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH090XV48B	R-454B	21800	19	12	22200	17700	17500	8.3	1.82	217488950	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH090XV60C	R-454B	22400	18	12.5	20200	20600	21800	9.15	2.04	217488877	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH100NV60C	R-454B	22200	18	12	20400	20600	21800	9.15	2.04	217488881	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH110V60C	R-454B	22000	17	12.5	22200	17700	17500	8.3	1.82	217488954	No
SL22KLV-024-230A**	HE34*36+TXV	SL280UH110XV60C	R-454B	22000	17	12.5	22200	17700	17500	8.3	1.82	217488956	No
SL22KLV-024-230A**	HE34*36+TXV	SL297UH040NV36B	R-454B	22200	20	12	20400	20800	22000	9.25	2.02	217488889	No
SL22KLV-024-230A**	HE34*36+TXV	SL297UH060NV36B	R-454B	22200	19	12	20400	20800	22000	9.25	2.02	217488893	No
SL22KLV-024-230A**	HE34*36+TXV	SL297UH080NV48C	R-454B	22200	19	12	20400	20800	22000	9.25	2.02	217488897	No
SL22KLV-024-230A**	HE34*36+TXV	SL297UH080NV60C	R-454B	22200	17	12	20400	20800	22000	9.15	2.02	217488900	No
SL22KLV-024-230A**	HE34*36+TXV	SLP99UH070XV36B	R-454B	21800	19	12	22200	17700	17500	8.3	1.82	217488960	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-024-230A**	HE34*36+TXV	SLP99UH090XV36C	R-454B	22200	20	12	20400	20600	21800	9.35	2.02	217488904	No
SL22KLV-024-230A**	HE34*36+TXV	SLP99UH090XV48C	R-454B	22000	19	12.5	22000	17600	17400	8.3	1.84	217488963	No
SL22KLV-024-230A**	HE34*36+TXV	SLP99UH090XV60C	R-454B	22000	18	12.5	22000	17600	17400	8.3	1.84	217488965	No
SL22KLV-024-230A**	HE34*36+TXV	SLP99UH110XV60C	R-454B	22200	18	12	20400	20800	21800	9.15	2.02	217488912	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH045XV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.04	217488846	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH070XV36B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217488926	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH090XV36C	R-454B	22400	20	12.5	20400	20600	21800	9.45	2.04	217488851	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH090XV48C	R-454B	22600	19	12.5	20200	20600	21800	9.45	2.06	217488853	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH090XV60C	R-454B	22600	18	12.5	20400	20600	21800	9.35	2.06	217488855	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH110XV48C	R-454B	22400	19	12.5	20400	20800	21800	9.35	2.04	217488857	No
SL22KLV-024-230A**	HE35*36+TXV	EL297UH110XV60C	R-454B	22400	18	12.5	20400	20600	21800	9.25	2.04	217488861	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217488935	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217488938	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217488941	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH080NV48B	R-454B	22600	20	12.5	20200	20600	21800	9.45	2.06	217488865	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH080NV60C	R-454B	22600	19	12.5	20200	20600	21800	9.35	2.06	217488869	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH090V36B	R-454B	22200	20	12.5	22200	17600	17400	8.4	1.84	217488944	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH090V48B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217488947	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH090V60C	R-454B	22600	18	12.5	20200	20600	21800	9.25	2.06	217488874	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH090XV48B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217488951	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH090XV60C	R-454B	22600	18	12.5	20200	20600	21800	9.25	2.06	217488878	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH100NV60C	R-454B	22400	18	12.5	20400	20600	21800	9.25	2.06	217488882	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH110V60C	R-454B	22400	17	12.5	20400	20800	21800	9.25	2.04	217488884	No
SL22KLV-024-230A**	HE35*36+TXV	SL280UH110XV60C	R-454B	22400	17	12.5	20400	20800	21800	9.25	2.04	217488886	No
SL22KLV-024-230A**	HE35*36+TXV	SL297UH040NV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.04	217488890	No
SL22KLV-024-230A**	HE35*36+TXV	SL297UH060NV36B	R-454B	22400	19	12	20400	20800	22000	9.35	2.04	217488894	No
SL22KLV-024-230A**	HE35*36+TXV	SL297UH080NV48C	R-454B	22200	19	12.5	22200	17700	17500	8.4	1.84	217488957	No
SL22KLV-024-230A**	HE35*36+TXV	SL297UH080NV60C	R-454B	22000	17	12.5	22200	17700	17500	8.4	1.84	217488958	No
SL22KLV-024-230A**	HE35*36+TXV	SLP99UH070XV36B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217488961	No
SL22KLV-024-230A**	HE35*36+TXV	SLP99UH090XV36C	R-454B	22400	20	12.5	20400	20600	21800	9.45	2.04	217488905	No
SL22KLV-024-230A**	HE35*36+TXV	SLP99UH090XV48C	R-454B	22600	19	12.5	20200	20600	21800	9.45	2.06	217488907	No
SL22KLV-024-230A**	HE35*36+TXV	SLP99UH090XV60C	R-454B	22600	18	12.5	20400	20600	21800	9.35	2.06	217488909	No
SL22KLV-024-230A**	HE35*36+TXV	SLP99UH110XV60C	R-454B	22400	18	12.5	20400	20800	21800	9.25	2.04	217488913	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH045XV36B	R-454B	22400	20	12.5	22200	17800	17600	8.5	1.86	217488847	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH070XV36B	R-454B	22400	20	12.5	22200	17700	17500	8.5	1.86	217488848	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH090XV36C	R-454B	22600	20	13	22000	17600	17400	8.5	1.86	217488852	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH090XV48C	R-454B	23000	20	12.5	20200	20600	21800	9.6	2.08	217488854	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH090XV60C	R-454B	23000	19	12.5	20400	20600	21800	9.5	2.08	217488856	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH110XV48C	R-454B	22600	19	13	22200	17600	17400	8.5	1.86	217488858	No
SL22KLV-024-230A**	HE37*36+TXV	EL297UH110XV60C	R-454B	22600	18	13	22200	17600	17400	8.5	1.86	217488862	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217488866	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH080NV60C	R-454B	23000	19	13	20200	20600	21800	9.5	2.08	217488870	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH090V36B	R-454B	22600	20	13	22200	17600	17400	8.5	1.86	217488871	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH090V48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217488872	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH090V60C	R-454B	23000	18	13	20200	20600	21800	9.4	2.08	217488875	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH090XV48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217488876	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH090XV60C	R-454B	23000	18	13	20200	20600	21800	9.4	2.08	217488879	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH100NV60C	R-454B	22600	18	13	22000	17600	17400	8.5	1.88	217488883	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH110V60C	R-454B	22600	18	13	22200	17700	17500	8.5	1.86	217488885	No
SL22KLV-024-230A**	HE37*36+TXV	SL280UH110XV60C	R-454B	22600	18	13	22200	17700	17500	8.5	1.86	217488887	No
SL22KLV-024-230A**	HE37*36+TXV	SL297UH040NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217488891	No
SL22KLV-024-230A**	HE37*36+TXV	SL297UH060NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217488895	No
SL22KLV-024-230A**	HE37*36+TXV	SL297UH080NV48C	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217488898	No
SL22KLV-024-230A**	HE37*36+TXV	SL297UH080NV60C	R-454B	22800	18	12.5	20400	20800	22000	9.4	2.06	217488901	No
SL22KLV-024-230A**	HE37*36+TXV	SLP99UH070XV36B	R-454B	22400	20	12.5	22200	17700	17500	8.5	1.86	217488902	No
SL22KLV-024-230A**	HE37*36+TXV	SLP99UH090XV36C	R-454B	22600	20	13	22000	17600	17400	8.5	1.86	217488906	No
SL22KLV-024-230A**	HE37*36+TXV	SLP99UH090XV48C	R-454B	23000	20	12.5	20200	20600	21800	9.6	2.08	217488908	No
SL22KLV-024-230A**	HE37*36+TXV	SLP99UH090XV60C	R-454B	23000	19	12.5	20400	20600	21800	9.5	2.08	217488910	No
SL22KLV-024-230A**	HE37*36+TXV	SLP99UH110XV60C	R-454B	22600	18	13	22200	17700	17400	8.5	1.86	217488914	No
SL22KLV-024-230A**	L*18/36T*+TXV	EL297UH045XV36B	R-454B	21800	20	11.7	20200	20800	22000	9.1	1.98	217006209	No
SL22KLV-024-230A**	L*18/36T*+TXV	EL297UH070XV36B	R-454B	22000	19	12	22400	23600	22400	8.1	1.76	217006223	No
SL22KLV-024-230A**	L*18/36T*+TXV	SL280UH060NV36A	R-454B	22200	19	12	22200	23400	22400	8.1	1.76	217006234	No
SL22KLV-024-230A**	L*18/36T*+TXV	SL280UH070V36A	R-454B	22000	18	12	21800	21800	21600	8.25	2.02	217006244	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-024-230A**	L*18/36T*+TXV	SL280UH070XV36A	R-454B	22000	18	12	21800	21800	21600	8.25	2.02	217006254	No
SL22KLV-024-230A**	L*18/36T*+TXV	SL280UH080NV48B	R-454B	22000	20	12	20000	20600	21800	9.2	2	217006267	No
SL22KLV-024-230A**	L*18/36T*+TXV	SL297UH040NV36B	R-454B	21800	20	12	20200	20800	22000	9.1	1.98	217006281	No
SL22KLV-024-230A**	L*18/36T*+TXV	SL297UH060NV36B	R-454B	21800	19	12	20200	20800	22000	9.1	1.98	217006295	No
SL22KLV-024-230A**	L*18/36T*+TXV	SLP99UH070XV36B	R-454B	22000	19	12	22400	23600	22400	8.1	1.76	217006315	No
SL22KLV-024-230A**	L*19/36S*+TXV	EL297UH045XV36B	R-454B	22200	20	12	20400	20800	22000	9.25	2.02	217006211	No
SL22KLV-024-230A**	L*19/36S*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006225	No
SL22KLV-024-230A**	L*19/36S*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006235	No
SL22KLV-024-230A**	L*19/36S*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006245	No
SL22KLV-024-230A**	L*19/36S*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006255	No
SL22KLV-024-230A**	L*19/36S*+TXV	SL280UH080NV48B	R-454B	22400	20	12.5	20200	20600	21800	9.35	2.04	217006269	No
SL22KLV-024-230A**	L*19/36S*+TXV	SL297UH040NV36B	R-454B	22200	20	12	20400	20800	22000	9.25	2.02	217006283	No
SL22KLV-024-230A**	L*19/36S*+TXV	SL297UH060NV36B	R-454B	22200	19	12	20400	20800	22000	9.25	2.02	217006297	No
SL22KLV-024-230A**	L*19/36S*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006317	No
SL22KLV-024-230A**	L*23/37Z*+TXV	EL297UH045XV36B	R-454B	22800	20	12	20400	20800	22000	9.5	2.06	217006218	No
SL22KLV-024-230A**	L*23/37Z*+TXV	EL297UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006232	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217006276	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL280UH090V36B	R-454B	22600	20	13	22200	17600	17400	8.5	1.86	217187342	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL280UH090V48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230959	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL280UH090XV48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230967	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL297UH040NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006290	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL297UH060NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006304	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SL297UH080NV48C	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006310	No
SL22KLV-024-230A**	L*23/37Z*+TXV	SLP99UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006324	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217230942	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217230943	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217230944	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217230947	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH090V36B	R-454B	22600	20	13	22200	17600	17400	8.5	1.86	217230953	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230961	No
SL22KLV-024-230A**	L*24/36Z*+TXV	SL280UH090XV48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230969	No
SL22KLV-024-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217230946	No
SL22KLV-024-230A**	L*25/37Z*+TXV	SL280UH090V36B	R-454B	22600	20	13	22200	17600	17400	8.5	1.86	217230952	No
SL22KLV-024-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230960	No
SL22KLV-024-230A**	L*25/37Z*+TXV	SL280UH090XV48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230968	No
SL22KLV-024-230A**	L*30/36S*+TXV	EL297UH045XV36B	R-454B	22600	20	12	20400	20800	22000	9.45	2.06	217006214	No
SL22KLV-024-230A**	L*30/36S*+TXV	EL297UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006228	No
SL22KLV-024-230A**	L*30/36S*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006237	No
SL22KLV-024-230A**	L*30/36S*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006247	No
SL22KLV-024-230A**	L*30/36S*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006257	No
SL22KLV-024-230A**	L*30/36S*+TXV	SL280UH080NV48B	R-454B	22800	20	12.5	20200	20600	21800	9.55	2.08	217006272	No
SL22KLV-024-230A**	L*30/36S*+TXV	SL297UH040NV36B	R-454B	22600	20	12	20400	20800	22000	9.45	2.06	217006286	No
SL22KLV-024-230A**	L*30/36S*+TXV	SL297UH060NV36B	R-454B	22600	19	12	20400	20800	22000	9.45	2.06	217006300	No
SL22KLV-024-230A**	L*30/36S*+TXV	SLP99UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006320	No
SL22KLV-024-230A**	L*30/36U*+TXV	EL297UH045XV36B	R-454B	22600	20	12	20400	20800	22000	9.45	2.06	217006213	No
SL22KLV-024-230A**	L*30/36U*+TXV	EL297UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006227	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006236	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006246	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006256	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH080NV48B	R-454B	22800	20	12.5	20200	20600	21800	9.55	2.08	217006271	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH090V36B	R-454B	22400	20	12.5	22200	17600	17400	8.45	1.86	217230950	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH090V48B	R-454B	22200	19	12.5	22200	17700	17500	8.45	1.86	217230957	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL280UH090XV48B	R-454B	22200	19	12.5	22200	17700	17500	8.45	1.86	217230965	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL297UH040NV36B	R-454B	22600	20	12	20400	20800	22000	9.45	2.06	217006285	No
SL22KLV-024-230A**	L*30/36U*+TXV	SL297UH060NV36B	R-454B	22600	19	12	20400	20800	22000	9.45	2.06	217006299	No
SL22KLV-024-230A**	L*30/36U*+TXV	SLP99UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006319	No
SL22KLV-024-230A**	L*31/37U*+TXV	EL297UH045XV36B	R-454B	22600	20	12	20400	20800	22000	9.5	2.06	217614723	No
SL22KLV-024-230A**	L*31/37U*+TXV	EL297UH070XV36B	R-454B	22200	19	12.5	22200	17700	17500	8.5	1.86	217614725	No
SL22KLV-024-230A**	L*31/37U*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217614728	No
SL22KLV-024-230A**	L*31/37U*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217614731	No
SL22KLV-024-230A**	L*31/37U*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217614734	No
SL22KLV-024-230A**	L*31/37U*+TXV	SL297UH040NV36B	R-454B	22600	20	12	20400	20800	22000	9.5	2.06	217614736	No
SL22KLV-024-230A**	L*31/37U*+TXV	SL297UH060NV36B	R-454B	22600	19	12	20400	20800	22000	9.5	2.06	217614738	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-024-230A**	L*31/37U*+TXV	SLP99UH070XV36B	R-454B	22200	19	12.5	22200	17700	17500	8.5	1.86	217614740	No
SL22KLV-024-230A**	L*35/36S*+TXV	EL297UH045XV36B	R-454B	22800	20	12	20400	20800	22000	9.5	2.06	217006216	No
SL22KLV-024-230A**	L*35/36S*+TXV	EL297UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006230	No
SL22KLV-024-230A**	L*35/36S*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006239	No
SL22KLV-024-230A**	L*35/36S*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006249	No
SL22KLV-024-230A**	L*35/36S*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006259	No
SL22KLV-024-230A**	L*35/36S*+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217006274	No
SL22KLV-024-230A**	L*35/36S*+TXV	SL297UH040NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006288	No
SL22KLV-024-230A**	L*35/36S*+TXV	SL297UH060NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006302	No
SL22KLV-024-230A**	L*35/36S*+TXV	SLP99UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006322	No
SL22KLV-024-230A**	L*35/36U*+TXV	EL297UH045XV36B	R-454B	22800	20	12	20400	20800	22000	9.5	2.06	217006215	No
SL22KLV-024-230A**	L*35/36U*+TXV	EL297UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006229	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006238	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006248	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006258	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217006273	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH090V36B	R-454B	22600	20	13	22200	17600	17400	8.5	1.86	217230951	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH090V48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230958	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL280UH090XV48B	R-454B	22400	19	12.5	22200	17700	17500	8.5	1.86	217230966	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL297UH040NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006287	No
SL22KLV-024-230A**	L*35/36U*+TXV	SL297UH060NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006301	No
SL22KLV-024-230A**	L*35/36U*+TXV	SLP99UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006321	No
SL22KLV-024-230A**	LD19/25Y*+TXV	SL280UH060NV36A	R-454B	22400	19	12.5	22200	23400	22400	8.2	1.78	217006233	No
SL22KLV-024-230A**	LD19/25Y*+TXV	SL280UH070V36A	R-454B	22200	18	12	21800	21800	21600	8.35	2.04	217006243	No
SL22KLV-024-230A**	LD19/25Y*+TXV	SL280UH070XV36A	R-454B	22200	18	12	21800	21800	21600	8.35	2.04	217006253	No
SL22KLV-024-230A**	LD19/36Y*+TXV	EL297UH045XV36B	R-454B	22200	20	12	20400	20800	22000	9.2	2	217006206	No
SL22KLV-024-230A**	LD19/36Y*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006220	No
SL22KLV-024-230A**	LD19/36Y*+TXV	SL280UH080NV48B	R-454B	22200	20	12.5	20200	20600	21800	9.3	2.02	217006264	No
SL22KLV-024-230A**	LD19/36Y*+TXV	SL297UH040NV36B	R-454B	22200	20	12	20400	20800	22000	9.2	2	217006278	No
SL22KLV-024-230A**	LD19/36Y*+TXV	SL297UH060NV36B	R-454B	22200	19	12	20400	20800	22000	9.2	2	217006292	No
SL22KLV-024-230A**	LD19/36Y*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006312	No
SL22KLV-024-230A**	LD24/35Y*+TXV	EL297UH045XV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.02	217006208	No
SL22KLV-024-230A**	LD24/35Y*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006222	No
SL22KLV-024-230A**	LD24/35Y*+TXV	SL280UH080NV48B	R-454B	22600	20	12.5	20200	20600	21800	9.45	2.04	217006266	No
SL22KLV-024-230A**	LD24/35Y*+TXV	SL297UH040NV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.02	217006280	No
SL22KLV-024-230A**	LD24/35Y*+TXV	SL297UH060NV36B	R-454B	22400	19	12	20400	20800	22000	9.35	2.02	217006294	No
SL22KLV-024-230A**	LD24/35Y*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006314	No
SL22KLV-024-230A**	LD24/35Z*+TXV	EL297UH045XV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.02	217006207	No
SL22KLV-024-230A**	LD24/35Z*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006221	No
SL22KLV-024-230A**	LD24/35Z*+TXV	EL297UH090XV36C	R-454B	22400	20	12.5	20400	20600	21800	9.45	2.02	217187338	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SL280UH080NV48B	R-454B	22600	20	12.5	20200	20600	21800	9.45	2.04	217006265	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SL280UH090V36B	R-454B	22200	20	12.5	22200	17600	17400	8.35	1.84	217187341	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SL280UH090V48B	R-454B	22000	19	12.5	22200	17700	17500	8.35	1.84	217230954	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SL280UH090XV48B	R-454B	22000	19	12.5	22200	17700	17500	8.35	1.84	217230962	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SL297UH040NV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.02	217006279	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SL297UH060NV36B	R-454B	22400	19	12	20400	20800	22000	9.35	2.02	217006293	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006313	No
SL22KLV-024-230A**	LD24/35Z*+TXV	SLP99UH090XV36C	R-454B	22400	20	12.5	20400	20600	21800	9.45	2.02	217187344	No
SL22KLV-024-230A**	LH18/37D*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006242	No
SL22KLV-024-230A**	LH18/37D*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006252	No
SL22KLV-024-230A**	LH18/37D*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006262	No
SL22KLV-024-230A**	LH18/37R*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006240	No
SL22KLV-024-230A**	LH18/37R*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006250	No
SL22KLV-024-230A**	LH18/37R*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006260	No
SL22KLV-024-230A**	LH23/37W*+TXV	EL297UH090XV36C	R-454B	22600	20	13	22000	17600	17400	8.5	1.86	217187340	No
SL22KLV-024-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006309	No
SL22KLV-024-230A**	LH23/37W*+TXV	SLP99UH090XV36C	R-454B	22600	20	13	22000	17600	17400	8.5	1.86	217187346	No
SL22KLV-024-230A**	LH24/37F*+TXV	EL297UH045XV36B	R-454B	22000	20	11.7	20400	20800	22000	9.2	2	217006217	No
SL22KLV-024-230A**	LH24/37F*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006231	No
SL22KLV-024-230A**	LH24/37F*+TXV	SL280UH080NV48B	R-454B	22200	20	12.5	20200	20600	21800	9.3	2.02	217006275	No
SL22KLV-024-230A**	LH24/37F*+TXV	SL297UH040NV36B	R-454B	22000	20	12	20400	20800	22000	9.2	2	217006289	No
SL22KLV-024-230A**	LH24/37F*+TXV	SL297UH060NV36B	R-454B	22000	19	12	20400	20800	22000	9.2	2	217006303	No
SL22KLV-024-230A**	LH24/37F*+TXV	SL297UH080NV48C	R-454B	22000	19	12	20400	20800	22000	9.2	2	217006308	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-024-230A**	LH24/37F*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006323	No
SL22KLV-024-230A**	LH29/36F*+TXV	EL297UH045XV36B	R-454B	22200	20	12	20400	20800	22000	9.25	2.02	217006210	No
SL22KLV-024-230A**	LH29/36F*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006224	No
SL22KLV-024-230A**	LH29/36F*+TXV	SL280UH080NV48B	R-454B	22400	20	12.5	20200	20600	21800	9.35	2.04	217006268	No
SL22KLV-024-230A**	LH29/36F*+TXV	SL297UH040NV36B	R-454B	22200	20	12	20400	20800	22000	9.25	2.02	217006282	No
SL22KLV-024-230A**	LH29/36F*+TXV	SL297UH060NV36B	R-454B	22200	19	12	20400	20800	22000	9.25	2.02	217006296	No
SL22KLV-024-230A**	LH29/36F*+TXV	SL297UH080NV48C	R-454B	22200	19	12	20400	20800	22000	9.25	2.02	217006306	No
SL22KLV-024-230A**	LH29/36F*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006316	No
SL22KLV-024-230A**	LH35/36X*+TXV	SL280UH080NV48B	R-454B	22800	20	12.5	20200	20600	21800	9.5	2.06	217230945	No
SL22KLV-024-230A**	LH35/36X*+TXV	SL280UH090V36B	R-454B	22400	20	12.5	22200	17600	17400	8.45	1.84	217230948	No
SL22KLV-024-230A**	LH35/36X*+TXV	SL280UH090V48B	R-454B	22200	19	12.5	22200	17700	17500	8.45	1.84	217230955	No
SL22KLV-024-230A**	LH35/36X*+TXV	SL280UH090XV48B	R-454B	22200	19	12.5	22200	17700	17500	8.45	1.84	217230963	No
SL22KLV-024-230A**	LP18/37R*+TXV	EL297UH045XV36B	R-454B	22400	20	12	20400	20800	22000	9.4	2.04	217614722	No
SL22KLV-024-230A**	LP18/37R*+TXV	EL297UH070XV36B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217614724	No
SL22KLV-024-230A**	LP18/37R*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217006241	No
SL22KLV-024-230A**	LP18/37R*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006251	No
SL22KLV-024-230A**	LP18/37R*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217006261	No
SL22KLV-024-230A**	LP18/37R*+TXV	SL297UH040NV36B	R-454B	22400	20	12	20400	20800	22000	9.4	2.04	217614735	No
SL22KLV-024-230A**	LP18/37R*+TXV	SL297UH060NV36B	R-454B	22400	19	12	20400	20800	22000	9.4	2.04	217614737	No
SL22KLV-024-230A**	LP18/37R*+TXV	SLP99UH070XV36B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217614739	No
SL22KLV-024-230A**	LP29/36X*+TXV	EL297UH045XV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.04	217006212	No
SL22KLV-024-230A**	LP29/36X*+TXV	EL297UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006226	No
SL22KLV-024-230A**	LP29/36X*+TXV	EL297UH090XV36C	R-454B	22400	20	12.5	20400	20600	21800	9.45	2.04	217187339	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217614727	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217614730	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217614733	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH080NV48B	R-454B	22600	20	12.5	20200	20600	21800	9.45	2.06	217006270	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH090V36B	R-454B	22200	20	12.5	22200	17600	17400	8.4	1.84	217230949	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH090V48B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217230956	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL280UH090XV48B	R-454B	22000	19	12.5	22200	17700	17500	8.4	1.84	217230964	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL297UH040NV36B	R-454B	22400	20	12	20400	20800	22000	9.35	2.04	217006284	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL297UH060NV36B	R-454B	22400	19	12	20400	20800	22000	9.35	2.04	217006298	No
SL22KLV-024-230A**	LP29/36X*+TXV	SL297UH080NV48C	R-454B	22400	19	12	20400	20800	22000	9.35	2.04	217006307	No
SL22KLV-024-230A**	LP29/36X*+TXV	SLP99UH070XV36B	R-454B	22200	19	12	22400	23600	22400	8.2	1.78	217006318	No
SL22KLV-024-230A**	LP29/36X*+TXV	SLP99UH090XV36C	R-454B	22400	20	12.5	20400	20600	21800	9.45	2.04	217187345	No
SL22KLV-024-230A**	LP36/37R*+TXV	EL297UH045XV36B	R-454B	22800	20	12	20400	20800	22000	9.5	2.06	217006205	No
SL22KLV-024-230A**	LP36/37R*+TXV	EL297UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006219	No
SL22KLV-024-230A**	LP36/37R*+TXV	EL297UH090XV36C	R-454B	22600	20	13	22000	17600	17400	8.5	1.86	217187337	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL280UH060NV36A	R-454B	22400	20	12.5	22200	23400	22400	8.2	1.78	217614726	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL280UH070V36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217614729	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL280UH070XV36A	R-454B	22400	19	12	22400	23600	22400	8.2	1.78	217614732	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL280UH080NV48B	R-454B	23000	20	13	20200	20600	21800	9.6	2.08	217006263	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL297UH040NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006277	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL297UH060NV36B	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006291	No
SL22KLV-024-230A**	LP36/37R*+TXV	SL297UH080NV48C	R-454B	22800	20	12.5	20400	20800	22000	9.5	2.06	217006305	No
SL22KLV-024-230A**	LP36/37R*+TXV	SLP99UH070XV36B	R-454B	22600	19	12	21800	21800	21600	8.5	2.06	217006311	No
SL22KLV-024-230A**	LP36/37R*+TXV	SLP99UH090XV36C	R-454B	22600	20	13	22000	17600	17400	8.5	1.86	217187343	No
SL22KLV-036-230A**	HE36*36+TXV	EL297UH110XV60C	R-454B	33800	18	12	30800	32800	31000	8	2	217489105	No
SL22KLV-036-230A**	HE36*36+TXV	SLP99UH110XV60C	R-454B	34000	18	12	30400	32800	31200	8.65	1.98	217488827	No
SL22KLV-036-230A**	HE48*36+TXV	EL297UH090XV48C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.02	217488814	No
SL22KLV-036-230A**	HE48*36+TXV	EL297UH090XV60C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.04	217488815	No
SL22KLV-036-230A**	HE48*36+TXV	EL297UH110XV48C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.02	217488816	No
SL22KLV-036-230A**	HE48*36+TXV	EL297UH110XV60C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.02	217489104	No
SL22KLV-036-230A**	HE48*36+TXV	SL280UH080NV60C	R-454B	35000	19	13	30200	32400	30800	8.85	2.06	217488817	No
SL22KLV-036-230A**	HE48*36+TXV	SL280UH090V60C	R-454B	35000	18	12.5	30400	32600	31000	8.85	2.04	217488818	No
SL22KLV-036-230A**	HE48*36+TXV	SL280UH090XV60C	R-454B	35000	18	12.5	30400	32600	31000	8.85	2.04	217488819	No
SL22KLV-036-230A**	HE48*36+TXV	SL280UH100NV60C	R-454B	35000	18	13	30200	32400	30800	8.85	2.06	217488820	No
SL22KLV-036-230A**	HE48*36+TXV	SL280UH110V60C	R-454B	34800	18	12.5	30400	32800	31200	8.85	2.04	217488821	No
SL22KLV-036-230A**	HE48*36+TXV	SL280UH110XV60C	R-454B	34800	18	12.5	30400	32800	31200	8.85	2.04	217488822	No
SL22KLV-036-230A**	HE48*36+TXV	SL297UH080NV48C	R-454B	34800	18	12.5	30400	32800	31200	8.85	2.04	217488823	No
SL22KLV-036-230A**	HE48*36+TXV	SL297UH080NV60C	R-454B	34800	17	12	30600	32800	31200	8.85	2.02	217488824	No
SL22KLV-036-230A**	HE48*36+TXV	SLP99UH090XV48C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.02	217488825	No
SL22KLV-036-230A**	HE48*36+TXV	SLP99UH090XV60C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.04	217488826	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-036-230A**	HE48*36+TXV	SLP99UH110XV60C	R-454B	34800	18	12.5	30600	32800	31200	8.85	2.02	217488828	No
SL22KLV-036-230A**	HE53*36+TXV	EL297UH090XV48C	R-454B	35200	19	12.5	30600	32800	31200	9	2.04	217489081	No
SL22KLV-036-230A**	HE53*36+TXV	EL297UH090XV60C	R-454B	35200	19	12.5	30600	32800	31200	9	2.06	217489082	No
SL22KLV-036-230A**	HE53*36+TXV	EL297UH110XV48C	R-454B	35200	19	12.5	30600	32800	31200	9	2.04	217489083	No
SL22KLV-036-230A**	HE53*36+TXV	EL297UH110XV60C	R-454B	35200	18	12.5	30600	32800	31200	9	2.04	217489106	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH080NV48B	R-454B	35400	19	13	30600	32600	30800	8.2	2.06	217489084	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH080NV60C	R-454B	35400	19	13	30200	32400	30800	9	2.08	217489085	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH090V48B	R-454B	35400	18	12.5	30800	32800	31000	8.2	2.04	217489086	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH090V60C	R-454B	35400	19	13	30400	32600	31000	9	2.06	217489087	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH090XV48B	R-454B	35400	18	12.5	30800	32800	31000	8.2	2.04	217489088	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH090XV60C	R-454B	35400	19	13	30400	32600	31000	9	2.06	217489089	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH100NV60C	R-454B	35400	19	13	30200	32400	30800	9	2.08	217489090	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH110V60C	R-454B	35200	18	12.5	30400	32800	31200	9	2.06	217489091	No
SL22KLV-036-230A**	HE53*36+TXV	SL280UH110XV60C	R-454B	35200	18	12.5	30400	32800	31200	9	2.06	217489092	No
SL22KLV-036-230A**	HE53*36+TXV	SL297UH080NV48C	R-454B	35200	19	12.5	30400	32800	31200	9	2.06	217489093	No
SL22KLV-036-230A**	HE53*36+TXV	SL297UH080NV60C	R-454B	35200	18	12.5	30600	32800	31200	9	2.04	217489094	No
SL22KLV-036-230A**	HE53*36+TXV	SLP99UH090XV48C	R-454B	35200	19	12.5	30600	32800	31200	9	2.04	217489095	No
SL22KLV-036-230A**	HE53*36+TXV	SLP99UH090XV60C	R-454B	35200	19	12.5	30600	32800	31200	9	2.06	217489096	No
SL22KLV-036-230A**	HE53*36+TXV	SLP99UH110XV60C	R-454B	35200	18	12.5	30600	32800	31200	9	2.04	217489097	No
SL22KLV-036-230A**	L*23/37Z*+TXV	EL297UH090XV48C	R-454B	35200	19	12.5	30600	32800	31200	9	2.04	217006326	No
SL22KLV-036-230A**	L*23/37Z*+TXV	EL297UH090XV60C	R-454B	35200	19	12.5	30600	32800	31200	9	2.06	217006328	No
SL22KLV-036-230A**	L*23/37Z*+TXV	EL297UH110XV48C	R-454B	35200	19	12.5	30600	32800	31200	9	2.04	217006330	No
SL22KLV-036-230A**	L*23/37Z*+TXV	EL297UH110XV60C	R-454B	35400	19	12.5	30800	32800	31000	8.2	2.04	217006332	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH080NV48B	R-454B	35400	19	13	30600	32600	30800	8.2	2.06	217006333	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH080NV60C	R-454B	35400	19	13	30200	32400	30800	9	2.08	217006335	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH090V48B	R-454B	35400	18	12.5	30800	32800	31000	8.2	2.04	217006336	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH090V60C	R-454B	35400	19	13	30400	32600	31000	9	2.06	217006338	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH090XV48B	R-454B	35400	18	12.5	30800	32800	31000	8.2	2.04	217006339	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH090XV60C	R-454B	35400	19	13	30400	32600	31000	9	2.06	217006341	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH100NV60C	R-454B	35400	19	13	30200	32400	30800	9	2.08	217006343	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH110V60C	R-454B	35200	18	12.5	30400	32800	31200	9	2.06	217006345	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL280UH110XV60C	R-454B	35200	18	12.5	30400	32800	31200	9	2.06	217006347	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL297UH080NV48C	R-454B	35200	19	12.5	30400	32800	31200	9	2.06	217006349	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SL297UH080NV60C	R-454B	35200	18	12.5	30600	32800	31200	9	2.04	217006351	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SLP99UH090XV48C	R-454B	35200	19	12.5	30600	32800	31200	9	2.04	217006353	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SLP99UH090XV60C	R-454B	35200	19	12.5	30600	32800	31200	9	2.06	217006355	No
SL22KLV-036-230A**	L*23/37Z*+TXV	SLP99UH110XV60C	R-454B	35200	18	12.5	30600	32800	31200	8.95	2.04	217006357	No
SL22KLV-036-230A**	L*24/36Z*+TXV	SL280UH080NV48B	R-454B	35200	19	12.5	30600	32600	30800	8.2	2.06	217230925	No
SL22KLV-036-230A**	L*24/36Z*+TXV	SL280UH090V48B	R-454B	35200	18	12.5	30800	32800	31000	8.2	2.04	217230928	No
SL22KLV-036-230A**	L*24/36Z*+TXV	SL280UH090XV48B	R-454B	35200	18	12.5	30800	32800	31000	8.2	2.04	217230931	No
SL22KLV-036-230A**	L*25/37Z*+TXV	SL280UH080NV48B	R-454B	35400	19	13	30600	32600	30800	8.2	2.06	217230924	No
SL22KLV-036-230A**	L*25/37Z*+TXV	SL280UH090V48B	R-454B	35400	18	12.5	30800	32800	31000	8.2	2.04	217230927	No
SL22KLV-036-230A**	L*25/37Z*+TXV	SL280UH090XV48B	R-454B	35400	18	12.5	30800	32800	31000	8.2	2.04	217230930	No
SL22KLV-036-230A**	LH23/37W*+TXV	EL297UH090XV48C	R-454B	35200	19	12.5	30600	32800	31200	8.9	2.02	217006325	No
SL22KLV-036-230A**	LH23/37W*+TXV	EL297UH090XV60C	R-454B	35200	19	12.5	30600	32800	31200	8.9	2.04	217006327	No
SL22KLV-036-230A**	LH23/37W*+TXV	EL297UH110XV48C	R-454B	35200	19	12.5	30600	32800	31200	8.9	2.02	217006329	No
SL22KLV-036-230A**	LH23/37W*+TXV	EL297UH110XV60C	R-454B	35400	19	12.5	30800	32800	31000	8.2	2.04	217006331	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL280UH080NV60C	R-454B	35400	19	13	30200	32400	30800	8.9	2.06	217006334	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL280UH090V60C	R-454B	35400	19	13	30400	32600	31000	8.9	2.04	217006337	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL280UH090XV60C	R-454B	35400	19	13	30400	32600	31000	8.9	2.04	217006340	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL280UH100NV60C	R-454B	35400	19	13	30200	32400	30800	8.9	2.06	217006342	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL280UH110V60C	R-454B	35200	18	12.5	30400	32800	31200	8.9	2.04	217006344	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL280UH110XV60C	R-454B	35200	18	12.5	30400	32800	31200	8.9	2.04	217006346	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL297UH080NV48C	R-454B	35200	19	12.5	30400	32800	31200	8.9	2.04	217006348	No
SL22KLV-036-230A**	LH23/37W*+TXV	SL297UH080NV60C	R-454B	35200	18	12.5	30600	32800	31200	8.9	2.02	217006350	No
SL22KLV-036-230A**	LH23/37W*+TXV	SLP99UH090XV48C	R-454B	35200	19	12.5	30600	32800	31200	8.9	2.02	217006352	No
SL22KLV-036-230A**	LH23/37W*+TXV	SLP99UH090XV60C	R-454B	35200	19	12.5	30600	32800	31200	8.9	2.04	217006354	No
SL22KLV-036-230A**	LH23/37W*+TXV	SLP99UH110XV60C	R-454B	35200	18	12.5	30600	32800	31200	8.85	2.02	217006356	No
SL22KLV-036-230A**	LH35/38X*+TXV	SL280UH080NV60C	R-454B	35000	19	13	30200	32400	30800	8.9	2.06	217230926	No
SL22KLV-036-230A**	LH35/38X*+TXV	SL280UH090V60C	R-454B	35000	18	12.5	30400	32600	31000	8.9	2.04	217230929	No
SL22KLV-036-230A**	LH35/38X*+TXV	SL280UH090XV60C	R-454B	35000	18	12.5	30400	32600	31000	8.9	2.04	217230932	No
SL22KLV-036-230A**	LH35/38X*+TXV	SL280UH100NV60C	R-454B	35000	18	13	30200	32400	30800	8.9	2.06	217230933	No
SL22KLV-036-230A**	LH35/38X*+TXV	SL280UH110V60C	R-454B	34800	18	12.5	30400	32800	31200	8.9	2.04	217230934	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-036-230A**	LH35/38X*+TXV	SL280UH110XV60C	R-454B	34800	18	12.5	30400	32800	31200	8.9	2.04	217230935	No
SL22KLV-048-230A**	HE48*60+TXV	EL297UH090XV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217488829	No
SL22KLV-048-230A**	HE48*60+TXV	EL297UH110XV60C	R-454B	44500	19	11.7	42500	42500	44500	9.9	2.06	217489108	No
SL22KLV-048-230A**	HE48*60+TXV	SL280UH080NV60C	R-454B	45000	20	12	43500	41500	43500	9.1	1.96	217488830	No
SL22KLV-048-230A**	HE48*60+TXV	SL280UH090V60C	R-454B	45000	19	11.7	44000	41500	43500	9.1	1.96	217488831	No
SL22KLV-048-230A**	HE48*60+TXV	SL280UH090XV60C	R-454B	45000	19	11.7	44000	41500	43500	9.1	1.96	217488832	No
SL22KLV-048-230A**	HE48*60+TXV	SL280UH100NV60C	R-454B	45000	20	12	43500	41500	43500	9.1	1.96	217488833	No
SL22KLV-048-230A**	HE48*60+TXV	SL280UH110V60C	R-454B	45000	19	11.7	44000	42000	44000	8.75	1.94	217488834	No
SL22KLV-048-230A**	HE48*60+TXV	SL280UH110XV60C	R-454B	45000	19	11.7	44000	42000	44000	8.75	1.94	217488835	No
SL22KLV-048-230A**	HE48*60+TXV	SL297UH080NV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217488836	No
SL22KLV-048-230A**	HE48*60+TXV	SLP99UH090XV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217488837	No
SL22KLV-048-230A**	HE48*60+TXV	SLP99UH110XV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217488838	No
SL22KLV-048-230A**	HE54*60+TXV	EL297UH090XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.95	1.98	217489047	No
SL22KLV-048-230A**	HE54*60+TXV	EL297UH110XV60C	R-454B	45000	19	12	42500	42500	44500	10	2.08	217489109	No
SL22KLV-048-230A**	HE54*60+TXV	SL280UH080NV60C	R-454B	45500	20	12	43500	41500	43500	9.35	2	217489048	No
SL22KLV-048-230A**	HE54*60+TXV	SL280UH090V60C	R-454B	45500	19	12	44000	41500	43500	9.35	2	217489049	No
SL22KLV-048-230A**	HE54*60+TXV	SL280UH090XV60C	R-454B	45500	19	12	44000	41500	43500	9.35	2	217489050	No
SL22KLV-048-230A**	HE54*60+TXV	SL280UH100NV60C	R-454B	45500	20	12	43500	41500	43500	9.35	2	217489051	No
SL22KLV-048-230A**	HE54*60+TXV	SL280UH110V60C	R-454B	45500	19	11.7	44000	42000	44000	8.95	1.98	217489052	No
SL22KLV-048-230A**	HE54*60+TXV	SL280UH110XV60C	R-454B	45500	19	11.7	44000	42000	44000	8.95	1.98	217489053	No
SL22KLV-048-230A**	HE54*60+TXV	SL297UH080NV60C	R-454B	45000	19	11.5	44000	42000	44000	8.95	1.98	217489054	No
SL22KLV-048-230A**	HE54*60+TXV	SLP99UH090XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.95	1.98	217489055	No
SL22KLV-048-230A**	HE54*60+TXV	SLP99UH110XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.95	1.98	217489056	No
SL22KLV-048-230A**	L*42/60T*+TXV	EL297UH090XV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217006361	No
SL22KLV-048-230A**	L*42/60T*+TXV	EL297UH110XV60C	R-454B	44500	19	11.7	42500	42500	44500	9.9	2.06	217006559	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL280UH080NV60C	R-454B	45000	20	12	43500	41500	43500	9.1	1.96	217006369	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL280UH090V60C	R-454B	45000	19	11.7	44000	41500	43500	9.1	1.96	217006377	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL280UH090XV60C	R-454B	45000	19	11.7	44000	41500	43500	9.1	1.96	217006385	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL280UH100NV60C	R-454B	45000	20	12	43500	41500	43500	9.1	1.96	217006393	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL280UH110V60C	R-454B	45000	19	11.7	44000	42000	44000	8.75	1.94	217006401	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL280UH110XV60C	R-454B	45000	19	11.7	44000	42000	44000	8.75	1.94	217006409	No
SL22KLV-048-230A**	L*42/60T*+TXV	SL297UH080NV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217006417	No
SL22KLV-048-230A**	L*42/60T*+TXV	SLP99UH090XV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217006425	No
SL22KLV-048-230A**	L*42/60T*+TXV	SLP99UH110XV60C	R-454B	44500	19	11	44000	42000	44000	8.75	1.94	217006433	No
SL22KLV-048-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.85	1.94	217006362	No
SL22KLV-048-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	45500	20	12	42500	42500	44500	10	2.08	217006560	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	46000	20	12	43500	41500	43500	9.25	2	217006370	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	46000	20	12	44000	41500	43500	9.25	1.98	217006378	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	46000	20	12	44000	41500	43500	9.25	1.98	217006386	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	46000	20	12	43500	41500	43500	9.25	2	217006394	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	46000	20	12	44000	42000	44000	8.9	1.96	217006402	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	46000	20	12	44000	42000	44000	8.9	1.96	217006410	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	45500	19	11.7	44000	42000	44000	8.9	1.96	217006418	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.9	1.96	217006426	No
SL22KLV-048-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.9	1.96	217006434	No
SL22KLV-048-230A**	L*43/61Z*+TXV	EL297UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.85	1.96	217006363	No
SL22KLV-048-230A**	L*43/61Z*+TXV	EL297UH110XV60C	R-454B	45500	20	12	42500	42500	44500	10	2.08	217006561	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	46000	20	12	43500	41500	43500	9.3	2	217006371	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL280UH090V60C	R-454B	46000	20	12	44000	41500	43500	9.3	1.98	217006379	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL280UH090XV60C	R-454B	46000	20	12	44000	41500	43500	9.3	1.98	217006387	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	46000	20	12	43500	41500	43500	9.3	2	217006395	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL280UH110V60C	R-454B	46000	20	12	44000	42000	44000	8.9	1.96	217006403	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL280UH110XV60C	R-454B	46000	20	12	44000	42000	44000	8.9	1.96	217006411	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SL297UH080NV60C	R-454B	45500	19	11.7	44000	42000	44000	8.9	1.96	217006419	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SLP99UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.9	1.96	217006427	No
SL22KLV-048-230A**	L*43/61Z*+TXV	SLP99UH110XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.9	1.96	217006435	No
SL22KLV-048-230A**	LD42/61Y*+TXV	EL297UH090XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006359	No
SL22KLV-048-230A**	LD42/61Y*+TXV	EL297UH110XV60C	R-454B	45000	19	12	42500	42500	44500	9.95	2.08	217006557	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	45500	20	12	43500	41500	43500	9.2	1.98	217006367	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SL280UH090V60C	R-454B	45500	19	12	44000	41500	43500	9.2	1.96	217006375	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SL280UH090XV60C	R-454B	45500	19	12	44000	41500	43500	9.2	1.96	217006383	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	45500	20	12	43500	41500	43500	9.2	1.98	217006391	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SL280UH110V60C	R-454B	45500	19	11.7	44000	42000	44000	8.8	1.94	217006399	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-048-230A**	LD42/61Y*+TXV	SL280UH110XV60C	R-454B	45500	19	11.7	44000	42000	44000	8.8	1.94	217006407	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SL297UH080NV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006415	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SLP99UH090XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006423	No
SL22KLV-048-230A**	LD42/61Y*+TXV	SLP99UH110XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006431	No
SL22KLV-048-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006358	No
SL22KLV-048-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	45000	19	12	42500	42500	44500	9.95	2.08	217006556	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	45500	20	12	43500	41500	43500	9.2	1.98	217006366	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	45500	19	12	44000	41500	43500	9.2	1.96	217006374	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	45500	19	12	44000	41500	43500	9.2	1.96	217006382	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	45500	20	12	43500	41500	43500	9.2	1.98	217006390	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	45500	19	11.7	44000	42000	44000	8.8	1.94	217006398	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	45500	19	11.7	44000	42000	44000	8.8	1.94	217006406	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006414	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006422	No
SL22KLV-048-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	45000	19	11.5	44000	42000	44000	8.8	1.94	217006430	No
SL22KLV-048-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	45500	19	11.7	44000	42000	44000	8.9	1.96	217006360	No
SL22KLV-048-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	45500	19	12	42500	42500	44500	10	2.08	217006558	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	46000	20	12	43500	41500	43500	9.3	2	217006368	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	46000	19	12	44000	41500	43500	9.3	1.98	217006376	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	46000	19	12	44000	41500	43500	9.3	1.98	217006384	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	46000	20	12	43500	41500	43500	9.3	2	217006392	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	46000	19	12	44000	42000	44000	8.9	1.96	217006400	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	46000	19	12	44000	42000	44000	8.9	1.96	217006408	No
SL22KLV-048-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	45500	19	11.7	44000	42000	44000	8.9	1.96	217006416	No
SL22KLV-048-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	45500	19	11.7	44000	42000	44000	8.9	1.96	217006424	No
SL22KLV-048-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	45500	19	11.7	44000	42000	44000	8.9	1.96	217006432	No
SL22KLV-048-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.95	1.98	217006364	No
SL22KLV-048-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	45500	20	12	42500	42500	44500	10	2.08	217006562	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	46000	20	12	43500	41500	43500	9.4	2.02	217006372	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	46000	20	12	44000	41500	43500	9.4	2	217006380	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	46000	20	12	44000	41500	43500	9.4	2	217006388	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	46000	20	12	43500	41500	43500	9.4	2.02	217006396	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	46000	20	12	44000	42000	44000	9	1.98	217006404	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	46000	20	12	44000	42000	44000	9	1.98	217006412	No
SL22KLV-048-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	45500	19	11.7	44000	42000	44000	9	1.98	217006420	No
SL22KLV-048-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	9	1.98	217006428	No
SL22KLV-048-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	20	11.7	44000	42000	44000	9	1.98	217006436	No
SL22KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV48C	R-454B	45000	20	11.5	42500	38500	37600	8.1	1.68	217615810	No
SL22KLV-048-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	8.95	1.98	217006365	No
SL22KLV-048-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	45500	20	12	42500	42500	44500	10	2.08	217006563	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	46000	20	12	43500	41500	43500	9.4	2.02	217006373	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	46000	20	12	44000	41500	43500	9.4	2	217006381	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	46000	20	12	44000	41500	43500	9.4	2	217006389	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	46000	20	12	43500	41500	43500	9.4	2.02	217006397	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	46000	20	12	44000	42000	44000	9	1.98	217006405	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	46000	20	12	44000	42000	44000	9	1.98	217006413	No
SL22KLV-048-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	45500	19	11.7	44000	42000	44000	9	1.98	217006421	No
SL22KLV-048-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	45500	20	11.7	44000	42000	44000	9	1.98	217006429	No
SL22KLV-048-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	45500	20	11.7	44000	42000	44000	9	1.98	217006437	No
SL22KLV-060-230A**	HE48*60+TXV	EL297UH090XV60C	R-454B	55000	19	11	50000	53500	41000	8.4	1.82	217488915	No
SL22KLV-060-230A**	HE48*60+TXV	EL297UH110XV60C	R-454B	54500	19	11	50000	59000	42000	9.1	1.9	217488839	No
SL22KLV-060-230A**	HE48*60+TXV	EL297UH135XV60D	R-454B	54500	18	11	50500	50500	42500	8.4	1.8	217488916	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH080NV60C	R-454B	54000	20	11	50000	47500	41500	8.75	1.92	217488840	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH090V60C	R-454B	55000	19	11.5	49500	53500	40500	8.4	1.84	217488917	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH090XV60C	R-454B	55000	19	11.5	49500	53500	40500	8.4	1.84	217488918	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH100NV60C	R-454B	54500	20	11	50000	59000	41500	9.2	1.92	217488841	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH110V60C	R-454B	54500	19	11	50000	47500	42000	8.25	1.9	217488919	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH110XV60C	R-454B	54500	19	11	50000	47500	42000	8.25	1.9	217488920	No
SL22KLV-060-230A**	HE48*60+TXV	SL280UH135V60D	R-454B	54000	19	11	50500	50500	42500	8.4	1.8	217488921	No
SL22KLV-060-230A**	HE48*60+TXV	SL297UH080NV60C	R-454B	54500	19	10.5	50500	59000	42500	8.75	1.88	217488842	No
SL22KLV-060-230A**	HE48*60+TXV	SLP99UH090XV60C	R-454B	55000	19	11	50000	53500	41000	8.4	1.82	217488922	No
SL22KLV-060-230A**	HE48*60+TXV	SLP99UH110XV60C	R-454B	54500	19	11	50000	59000	42000	9.1	1.9	217488843	No
SL22KLV-060-230A**	HE48*60+TXV	SLP99UH135XV60D	R-454B	54500	19	11	50500	50500	42500	8.4	1.82	217488923	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-060-230A**	HE54*60+TXV	EL297UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.5	1.84	217489057	No
SL22KLV-060-230A**	HE54*60+TXV	EL297UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.2	1.84	217489098	No
SL22KLV-060-230A**	HE54*60+TXV	EL297UH135XV60D	R-454B	55000	19	11	50500	50500	42500	8.5	1.82	217489060	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH080NV60C	R-454B	55500	20	11.7	49500	53000	41000	8.5	1.88	217489062	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH090V60C	R-454B	55500	19	11.7	49500	53500	40500	8.5	1.86	217489064	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH090XV60C	R-454B	55500	19	11.7	49500	53500	40500	8.5	1.86	217489066	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH100NV60C	R-454B	55500	20	11.7	49500	53000	41000	8.5	1.88	217489068	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH110V60C	R-454B	55500	19	11.5	49500	44500	41000	8.2	1.84	217489099	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.2	1.84	217489100	No
SL22KLV-060-230A**	HE54*60+TXV	SL280UH135V60D	R-454B	55000	19	11	50500	50500	42500	8.5	1.82	217489072	No
SL22KLV-060-230A**	HE54*60+TXV	SL297UH080NV60C	R-454B	55500	19	11	50500	59000	42500	8.95	1.92	217489074	No
SL22KLV-060-230A**	HE54*60+TXV	SLP99UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.5	1.84	217489076	No
SL22KLV-060-230A**	HE54*60+TXV	SLP99UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.2	1.84	217489101	No
SL22KLV-060-230A**	HE54*60+TXV	SLP99UH135XV60D	R-454B	55000	19	11	50500	50500	42500	8.5	1.84	217489079	No
SL22KLV-060-230A**	HE55*60+TXV	EL297UH090XV60C	R-454B	56000	19	11.5	50500	47000	42000	8.5	1.94	217489058	No
SL22KLV-060-230A**	HE55*60+TXV	EL297UH110XV60C	R-454B	56000	19	11.5	50000	59000	42000	9.4	1.94	217489059	No
SL22KLV-060-230A**	HE55*60+TXV	EL297UH135XV60D	R-454B	55000	19	11	50500	50500	42500	8.5	1.82	217489061	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH080NV60C	R-454B	55000	21	11.7	50000	47500	41500	9	1.96	217489063	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH090V60C	R-454B	56000	19	11.7	50000	59000	42000	9.4	1.94	217489065	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH090XV60C	R-454B	56000	19	11.7	50000	59000	42000	9.4	1.94	217489067	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH100NV60C	R-454B	56000	20	11.7	50000	59000	41500	9.5	1.96	217489069	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH110V60C	R-454B	56000	19	11.5	50000	47500	42000	8.5	1.94	217489070	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH110XV60C	R-454B	56000	19	11.5	50000	47500	42000	8.5	1.94	217489071	No
SL22KLV-060-230A**	HE55*60+TXV	SL280UH135V60D	R-454B	55000	19	11	50500	50500	42500	8.5	1.82	217489073	No
SL22KLV-060-230A**	HE55*60+TXV	SL297UH080NV60C	R-454B	56000	19	11	50500	59000	42500	9	1.92	217489075	No
SL22KLV-060-230A**	HE55*60+TXV	SLP99UH090XV60C	R-454B	56000	19	11.5	50500	47000	42000	8.5	1.94	217489077	No
SL22KLV-060-230A**	HE55*60+TXV	SLP99UH110XV60C	R-454B	56000	19	11.5	50000	59000	42000	9.4	1.94	217489078	No
SL22KLV-060-230A**	HE55*60+TXV	SLP99UH135XV60D	R-454B	55000	19	11	50500	50500	42500	8.5	1.84	217489080	No
SL22KLV-060-230A**	L*42/60T*+TXV	EL297UH090XV60C	R-454B	55000	19	11	50000	53500	41000	8.4	1.82	217006441	No
SL22KLV-060-230A**	L*42/60T*+TXV	EL297UH110XV60C	R-454B	54500	19	11	50000	59000	42000	9.1	1.9	217006449	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL280UH080NV60C	R-454B	54000	20	11	50000	47500	41500	8.75	1.92	217006459	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL280UH090V60C	R-454B	55000	19	11.5	49500	53500	40500	8.4	1.84	217006467	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL280UH090XV60C	R-454B	55000	19	11.5	49500	53500	40500	8.4	1.84	217006475	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL280UH100NV60C	R-454B	54500	20	11	50000	59000	41500	9.2	1.92	217006483	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL280UH110V60C	R-454B	54500	19	11	50000	47500	42000	8.25	1.9	217006491	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL280UH110XV60C	R-454B	54500	19	11	50000	47500	42000	8.25	1.9	217006499	No
SL22KLV-060-230A**	L*42/60T*+TXV	SL297UH080NV60C	R-454B	54500	19	10.5	50500	59000	42500	8.75	1.88	217006509	No
SL22KLV-060-230A**	L*42/60T*+TXV	SLP99UH090XV60C	R-454B	55000	19	11	50000	53500	41000	8.4	1.82	217006517	No
SL22KLV-060-230A**	L*42/60T*+TXV	SLP99UH110XV60C	R-454B	54500	19	11	50000	59000	42000	9.1	1.9	217006525	No
SL22KLV-060-230A**	L*42/60Z*+TXV	EL297UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.4	1.92	217006442	No
SL22KLV-060-230A**	L*42/60Z*+TXV	EL297UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.25	1.92	217006450	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL280UH080NV60C	R-454B	55000	21	11.7	50000	47500	41500	8.9	1.94	217006460	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL280UH090V60C	R-454B	56000	20	11.7	50000	59000	42000	9.25	1.92	217006468	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL280UH090XV60C	R-454B	56000	20	11.7	50000	59000	42000	9.25	1.92	217006476	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL280UH100NV60C	R-454B	56000	20	11.7	50000	59000	41500	9.35	1.94	217006484	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL280UH110V60C	R-454B	56000	20	11.5	50000	47500	42000	8.4	1.92	217006492	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL280UH110XV60C	R-454B	56000	20	11.5	50000	47500	42000	8.4	1.92	217006500	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SL297UH080NV60C	R-454B	56000	19	11	50500	59000	42500	8.9	1.9	217006510	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SLP99UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.4	1.92	217006518	No
SL22KLV-060-230A**	L*42/60Z*+TXV	SLP99UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.25	1.92	217006526	No
SL22KLV-060-230A**	L*43/61Z*+TXV	EL297UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.4	1.92	217006443	No
SL22KLV-060-230A**	L*43/61Z*+TXV	EL297UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.3	1.92	217006451	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL280UH080NV60C	R-454B	55000	21	11.7	50000	47500	41500	8.9	1.94	217006461	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL280UH090V60C	R-454B	56000	20	11.7	50000	59000	42000	9.3	1.92	217006469	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL280UH090XV60C	R-454B	56000	20	11.7	50000	59000	42000	9.3	1.92	217006477	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL280UH100NV60C	R-454B	56000	20	11.7	50000	59000	41500	9.4	1.94	217006485	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL280UH110V60C	R-454B	56000	20	11.5	50000	47500	42000	8.4	1.92	217006493	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL280UH110XV60C	R-454B	56000	20	11.5	50000	47500	42000	8.4	1.92	217006501	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SL297UH080NV60C	R-454B	56000	19	11	50500	59000	42500	8.9	1.9	217006511	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SLP99UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.4	1.92	217006519	No
SL22KLV-060-230A**	L*43/61Z*+TXV	SLP99UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.3	1.92	217006527	No
SL22KLV-060-230A**	LD42/61Y*+TXV	EL297UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.45	1.82	217006439	No
SL22KLV-060-230A**	LD42/61Y*+TXV	EL297UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006447	No

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Coil or Air Handler	Furnace	Refrig.	Cooling Capacity	SEER2	EER2	High Heat Capacity (47°F)	Low Heat Capacity (17°F)	Low Heat Capacity (5°F)	HSPF2 (IV)	Heating COP (5°F)	AHRI Reference	Energy Star
SL22KLV-060-230A**	LD42/61Y*+TXV	EL297UH135XV60D	R-454B	55000	18	11	50500	50500	42500	8.45	1.8	217006455	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH080NV60C	R-454B	54500	20	11.5	50000	47500	41500	8.8	1.92	217006457	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH090V60C	R-454B	55500	19	11.7	49500	53500	40500	8.45	1.84	217006465	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH090XV60C	R-454B	55500	19	11.7	49500	53500	40500	8.45	1.84	217006473	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH100NV60C	R-454B	55500	20	11.5	50000	59000	41500	9.25	1.92	217006481	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH110V60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006489	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006497	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL280UH135V60D	R-454B	55000	19	11	50500	50500	42500	8.45	1.8	217006505	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SL297UH080NV60C	R-454B	55500	19	11	50500	59000	42500	8.8	1.88	217006507	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SLP99UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.45	1.82	217006515	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SLP99UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006523	No
SL22KLV-060-230A**	LD42/61Y*+TXV	SLP99UH135XV60D	R-454B	55000	19	11	50500	50500	42500	8.45	1.82	217006531	No
SL22KLV-060-230A**	LD42/61Z*+TXV	EL297UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.45	1.82	217006438	No
SL22KLV-060-230A**	LD42/61Z*+TXV	EL297UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006446	No
SL22KLV-060-230A**	LD42/61Z*+TXV	EL297UH135XV60D	R-454B	55000	18	11	50500	50500	42500	8.45	1.8	217006454	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH080NV60C	R-454B	54500	20	11.5	50000	47500	41500	8.8	1.92	217006456	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH090V60C	R-454B	55500	19	11.7	49500	53500	40500	8.45	1.84	217006464	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH090XV60C	R-454B	55500	19	11.7	49500	53500	40500	8.45	1.84	217006472	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH100NV60C	R-454B	55500	20	11.5	50000	59000	41500	9.25	1.92	217006480	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH110V60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006488	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006496	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL280UH135V60D	R-454B	55000	19	11	50500	50500	42500	8.45	1.8	217006504	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SL297UH080NV60C	R-454B	55500	19	11	50500	59000	42500	8.8	1.88	217006506	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SLP99UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.45	1.82	217006514	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SLP99UH110XV60C	R-454B	55500	19	11.5	49500	44500	41000	8.15	1.82	217006522	No
SL22KLV-060-230A**	LD42/61Z*+TXV	SLP99UH135XV60D	R-454B	55000	19	11	50500	50500	42500	8.45	1.82	217006530	No
SL22KLV-060-230A**	LH40/61W*+TXV	EL297UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.5	1.84	217006440	No
SL22KLV-060-230A**	LH40/61W*+TXV	EL297UH110XV60C	R-454B	56000	19	11.5	50000	59000	42000	9.3	1.92	217006448	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL280UH080NV60C	R-454B	55000	21	11.7	50000	47500	41500	8.9	1.94	217006458	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL280UH090V60C	R-454B	56000	19	11.7	50000	59000	42000	9.3	1.92	217006466	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL280UH090XV60C	R-454B	56000	19	11.7	50000	59000	42000	9.3	1.92	217006474	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL280UH100NV60C	R-454B	56000	20	11.7	50000	59000	41500	9.4	1.94	217006482	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL280UH110V60C	R-454B	56000	19	11.5	50000	47500	42000	8.4	1.92	217006490	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL280UH110XV60C	R-454B	56000	19	11.5	50000	47500	42000	8.4	1.92	217006498	No
SL22KLV-060-230A**	LH40/61W*+TXV	SL297UH080NV60C	R-454B	56000	19	11	50500	59000	42500	8.9	1.9	217006508	No
SL22KLV-060-230A**	LH40/61W*+TXV	SLP99UH090XV60C	R-454B	55500	19	11.5	50000	53500	41000	8.5	1.84	217006516	No
SL22KLV-060-230A**	LH40/61W*+TXV	SLP99UH110XV60C	R-454B	56000	19	11.5	50000	59000	42000	9.3	1.92	217006524	No
SL22KLV-060-230A**	LH42/62W*+TXV	EL297UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.5	1.94	217006444	No
SL22KLV-060-230A**	LH42/62W*+TXV	EL297UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.4	1.94	217006452	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL280UH080NV60C	R-454B	55000	21	11.7	50000	47500	41500	9	1.96	217006462	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL280UH090V60C	R-454B	56000	20	11.7	50000	59000	42000	9.4	1.94	217006470	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL280UH090XV60C	R-454B	56000	20	11.7	50000	59000	42000	9.4	1.94	217006478	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL280UH100NV60C	R-454B	56000	20	11.7	50000	59000	41500	9.5	1.96	217006486	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL280UH110V60C	R-454B	56000	20	11.5	50000	47500	42000	8.5	1.94	217006494	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL280UH110XV60C	R-454B	56000	20	11.5	50000	47500	42000	8.5	1.94	217006502	No
SL22KLV-060-230A**	LH42/62W*+TXV	SL297UH080NV60C	R-454B	56000	19	11	50500	59000	42500	9	1.92	217006512	No
SL22KLV-060-230A**	LH42/62W*+TXV	SLP99UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.5	1.94	217006520	No
SL22KLV-060-230A**	LH42/62W*+TXV	SLP99UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.4	1.94	217006528	No
SL22KLV-060-230A**	LP42/62W*+TXV	EL297UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.5	1.94	217006445	No
SL22KLV-060-230A**	LP42/62W*+TXV	EL297UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.4	1.94	217006453	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL280UH080NV60C	R-454B	55000	21	11.7	50000	47500	41500	9	1.96	217006463	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL280UH090V60C	R-454B	56000	20	11.7	50000	59000	42000	9.4	1.94	217006471	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL280UH090XV60C	R-454B	56000	20	11.7	50000	59000	42000	9.4	1.94	217006479	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL280UH100NV60C	R-454B	56000	20	11.7	50000	59000	41500	9.5	1.96	217006487	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL280UH110V60C	R-454B	56000	20	11.5	50000	47500	42000	8.5	1.94	217006495	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL280UH110XV60C	R-454B	56000	20	11.5	50000	47500	42000	8.5	1.94	217006503	No
SL22KLV-060-230A**	LP42/62W*+TXV	SL297UH080NV60C	R-454B	56000	19	11	50500	59000	42500	9	1.92	217006513	No
SL22KLV-060-230A**	LP42/62W*+TXV	SLP99UH090XV60C	R-454B	56000	20	11.5	50500	47000	42000	8.5	1.94	217006521	No
SL22KLV-060-230A**	LP42/62W*+TXV	SLP99UH110XV60C	R-454B	56000	20	11.5	50000	59000	42000	9.4	1.94	217006529	No