

## SUBMITTAL DATA - INDOOR UNIT VVCD072\$4-5P

VRF Heat Pump & Heat Recovery

Job:	Engineer:			
Location:	Architect:			
Schedule No.:	Location:			
System Designation:	Date:			
	For: Peteroneo	Approval	Poviow	Construction

## Vertical Air Handler Ducted Indoor Unit

#### FEATURES

- - Improve Air Quality
    Increased Static Pressure
- Advanced Commissioning and Service

- Multiposition
- Supplemental Heat
- · Refrigerant R-32
- Compatible with VRF Water or Air Source Products

#### WARRANTY

SPECIFICATIONS

• 10-year limited warranty.\*See warranty for details.

SPECIFICATIONS		
PERFORMANCE		
Cooling Capacity1 (Btu/h)	72,000	
Heating Capacity1 (Btu/h)		81,000
Airflow (CFM) Low/Medium/High		1375/1681/2110
External Static Pressure (in. WC)		0.1~1.0
Refrigerant Type		R-32
Sound Pressure (dBA)	Low/Medium/High	46/48/50
ELECTRICAL DATA		
Power Supply (Volts/ Phase/Hertz)		208/230V-1Ph-
		60Hz
Power Source Wire (No Heater)		14 AWG
Transmission Cable	16 AWG	
Cooling Power Input (W)	620	
Cooling Current Input (A)		4.20
Heating Power Input (W)		620
Heating Current Input (A)		4.20
Fan Motor Output x n (W)		950 x 1
DIMENSIONS		
Unit Dimensions (in)	Height	24.50
	Width	58.75
	Depth	21.75
Liquid Pipe Connection (in)	3/8	
Gas Pipe Connection (in)		3/4
Condensate Drain Connection (in)		FPT 3/4
Unit Shipping Weight (lb)	250	



OPTIONAL ACCESSORIES	
V1FBS03-4P, VVC048-072 & MMD048 Filter Base	38B71
V1EHK05-1P, 5kW Electric Heat Kit	38V06
V1EHK06-1P, 10kW Electric Heat Kit	38V07
V1EHK07-1P, 15kW Electric Heat Kit	38V08
V1EHK08-1P, 20kW Electric Heat Kit	38V09
VSTAT02P-1 Touch Screen Wired Controller	37P79
VSTAT04P-1 Individual Wired Controller	37Y74
VSTAT01P-1 Wireless Remote Controller	37Y73

### **NOTES**

Unit Net Weight (lb)

- Nominal capacity are based on (Refrigerant Piping 25ft, Level Differences 0ft);
  - .Cooling : Indoor temperature 80°F DB, 67°F WB / Outdoor temperature 95°F DB, 75°F WB
  - .Heating : Indoor temperature 70°F DB, 60°F WB / Outdoor temperature 47°F DB, 43°F WB
- Sound pressure was acquired in a dead room. Thus actual noise level may be different depending on the installation conditions.






239



# SUBMITTAL DATA - INDOOR UNIT **VVCD072S4-5P**

VRF Heat Pump & Heat Recovery

### DIMENSIONAL DRAWINGS - MM (Inches)



No.	Name	Description
1	Gas pipe connection	Ф19.05(3/4)
2	Liquid pipe connection	Ф9.52(3/8)
3	Drain pipe connection	FPT 3/4
4	Air outlet	
5	Air intake	